A 3

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
31 October 2002 (31.10.2002)

PCT

(10) International Publication Number
WO 02/086443 A2

(51) International Patent Classification[7]: **G01N**

(21) International Application Number: PCT/US02/12476

(22) International Filing Date: 18 April 2002 (18.04.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/284,770	18 April 2001 (18.04.2001)	US
60/290,492	10 May 2001 (10.05.2001)	US
60/339,245	9 November 2001 (09.11.2001)	US
60/350,666	13 November 2001 (13.11.2001)	US
60/334,370	29 November 2001 (29.11.2001)	US
60/372,246	12 April 2002 (12.04.2002)	US

(71) Applicant *(for all designated States except US)*: **EOS BIOTECHNOLOGY, INC.** [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080 (US).

(72) Inventors; and
(75) Inventors/Applicants *(for US only)*: **AZIZ, Natasha** [US/US]; 411 California Avenue, Palo Alto, CA 94306 (US). **MURRAY, Richard** [US/US]; 22643 Woodbridge Court, Cupertino, CA 95014 (US).

(74) Agents: **BASTIAN, Kevin, L.** et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, Eighth Floor, San Francisco, CA 94111-3834 (US).

(81) Designated States *(national)*: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:
— of inventorship (Rule 4.17(iv)) for US only

Published:
— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

---

(54) Title: METHODS OF DIAGNOSIS OF LUNG CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF LUNG CANCER

(57) Abstract: Described herein are methods and compositions that can be used for diagnosis and treatment of lung cancer and similar pathologies. Also described herein are methods that can be used to identify modulators of lung cancer and similar pathologies.

WO 02/086443 A2

METHODS OF DIAGNOSIS OF LUNG CANCER, COMPOSITIONS AND METHODS
OF SCREENING FOR MODULATORS OF LUNG CANCER

CROSS-REFERENCES TO RELATED APPLICATIONS

This application is related to USSN 60/284,770, filed April 18, 2001; USSN 60/290,492, filed May 10, 2001; USSN 60/334,370, filed November 29, 2001; USSN 60/339,245, filed November 9, 2001; USSN 60/350,666, filed November 13, 2001; and USSN 60/xxx,xxx, filed April 12, 2002 (Docket OMNI-002P); each of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression profiles and nucleic acids, products, and antibodies thereto that are involved in lung cancer; and to the use of such expression profiles and compositions in diagnosis and therapy of lung cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit lung cancer or related conditions.

BACKGROUND OF THE INVENTION

Lung cancer is the second most commonly occurring cancer in the United States and is the leading cause of cancer-related death. It is estimated that there are over 160,000 new cases of lung cancer in the United States every year. Of those who are diagnosed with lung cancer, 86 percent will die within five years. Lung cancer is the most common visceral cancer in men and accounts for nearly one third of all cancer deaths in both men and women. In fact, lung cancer accounts for 7% of all deaths, due to any cause, in both men and women.

Smoking is the primary cause of lung cancer, with more than 80% of lung cancers resulting from smoking. About 400 to 500 separate gaseous substances are present in the smoke of a non-filter cigarette. The most noteworthy substances include nitrogen oxides, hydrogen cyanide, formaldehyde, benzene, and toluene. The particles present in cigarette smoke contain at least 3,500 individual compounds such as nicotine, tobacco alkaloids (nornicotine, anatabine, anabasine), polycyclic aromatic hydrocarbons (e.g., benzo(a)pyrene, B(a)P), naphthalenes, aromatic amines, phenols, and tobacco-specific nitrosamines.

Tobacco-specific nitrosamines are formed during tobacco curing and processing, and are suspected of causing lung cancer in humans. In rodent studies, regardless of the where or how it is applied, the tobacco-specific nitrosamine known as NNK produces lung adenomas and lung adenocarcinomas. The tobacco-specific nitrosamine known as NNAL also produces lung adenocarcinomas in rodents.

Many of the chemicals found in cigarette smoke also affect the nonsmoker inhaling "secondhand" or sidestream smoke. Indeed, the smoke inhaled by non-smokers has a chemical composition similar to the smoke inhaled by smokers, but, importantly, the concentrations of the carcinogenic tobacco-specific nitrosamines are present in higher concentrations in second hand smoke. For this and other reasons, "passive smoking" is an important cause of lung cancer, causing as many as 3,000 lung cancer deaths in nonsmokers each year.

In addition to smoking, other factors thought to be causes of lung cancer include on-the-job exposure to carcinogens such as asbestos and uranium, exposure to chemical hazards such as radon, polycyclic aromatic hydrocarbons, chromium, nickel, and inorganic arsenic, genetic factors, and diet.

Histological classification of various lung cancers define the types of cancer that begin in the lung. See, e.g., Travis, et al. (1999) Histological Typing of Lung and Pleural Tumours (International Histological Classification of Tumours, No 1. Four major cell types make up more than 88% of all primary lung neoplasms. These are: squamous or epidermoid carcinoma, small cell (also called oat cell) carcinoma, adenocarcinoma, and large cell (also called large cell anaplastic) carcinoma. The remainder include undifferentiated carcinomas, carcinoids, bronchial gland tumors, and other rarer types. The various cell types have different natural histories and responses to therapy, and, thus, a correct histologic diagnosis is the first step of effective treatment.

Small cell lung cancer (SCLC) accounts for 18-25% of all lung cancers, and occurs less frequently than non-small cell lung cancers, and generally spread to distant organs more rapidly than non-small cell lung cancer. In general, at the time of presentation small cell lung cancers have already spread beyond the beyond the bounds where surgery and curative intent can be undertaken. Hoever, if identified early enough, these cancers are often responsive to chemotherapy and thoracic radiation treatment.

Non-small cell lung cancers (NSCLC) are the more frequently occurring form of lung cancer. They comprise squamous cell carcinoma, adenocarcinoma, and large cell carcinoma

and account for more than 75% of all lung cancers. Non-small cell tumors that are localized at the time of presentation can sometimes be cured with surgery and/or radiotherapy, but usually are not identified until significant metastasis has occurred, which are typically not very responsive to surgical, chemotherapy, or radiation treatment..

5   The screening of asymptomatic persons at high risk for lung cancer has often proven ineffective. In general, only 5 to 15 percent of lung cancer patients have their disease detected while they are asymptomatic. Of course, early detection and treatment are critical factors in the fight against lung cancer. The average survival rate is 49% for those whose cancer is detected early, before the cancer has spread from the lung. Lung cancer often

10   spreads outside of the lung, and it may have spread to the bones or brain by the time it is diagnosed. While the prognosis may be better for lung cancers that are detected early, because of the lack ofv effective curative treatments, early detection does not necessarily alter the total death rate from lung cancer.

          Thus, methods for diagnosis and prognosis of lung cancer and effective treatment of

15   lung cancer would be desirable. Accordingly, provided herein are methods that can be used in diagnosis and prognosis of lung cancer. Further provided are methods that can be used to screen candidate therapeutic agents for the ability to modulate, e.g., treat, lung cancer. Additionally, provided herein are molecular targets and compositions for therapeutic intervention in lung disease and other metastatic cancers.

20

SUMMARY OF THE INVENTION

          The present invention provides nucleotide sequences of genes that are up- and down-regulated in lung cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate lung cancer, such as

25   antibodies. The methods of detecting nucleic acids of the invention or their encoded proteins can be used for a number of purposes. Examples include early detection of lung cancers, monitoring and early detection of relapse following treatment of lung cancers, monitoring response to therapy of lung cancers, determining prognosis of lung cancers, directing therapy of lung cancers, selecting patients for postoperative chemotherapy or radiation therapy,

30   selecting therapy, determining tumor prognosis, treatment, or response to treatment, and early detection of precancerous lesions of the lung. Examples of benign or precancerous lesions include: atelectasis, emphysema, brochitis, chronic obstructive pulmonary disease, fibrosis, hypersensitivity pneumonitis (HP), interstitial pulmonary fibrosis (IPF), asthma, and

3

bronchiectasis. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a lung cancer-associated transcript in a cell from a patient, the method comprising contacting a biological

5   sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16. Alternatively, the sample may be contacted with a specific binding reagent, e.g., antibody.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1A-16. In another embodiment, the

10   polynucleotide comprises a sequence as shown in Tables 1A-16.

In one embodiment, the biological sample is a tissue sample, or a body fluid. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label. In one embodiment, the polynucleotide is immobilized on a solid surface. In one embodiment,

15   the patient is undergoing a therapeutic regimen to treat lung cancer. In another embodiment, the patient is suspected of having lung cancer. In one embodiment, the patient is a primate, e.g., a human.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

20   In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80%

25   identical to a sequence as shown in Tables 1A-16, thereby monitoring the efficacy of the therapy. Or the sample may be evaluated for protein, e.g., contacting the sample with an antibody.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated transcript to a level of the lung cancer-associated

30   transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment. Or the sample may be evalated for comparison of protein.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a

biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated antibody in the biological sample by contacting the biological sample with a polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16, wherein the

5   polypeptide specifically binds to the lung cancer-associated antibody, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated antibody to a level of the lung cancer-associated antibody in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

10   In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated polypeptide in the biological sample by contacting the biological sample with an antibody, wherein the antibody specifically binds to a polypeptide

15   encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated polypeptide to a level of the lung cancer-associated polypeptide in a biological sample from the patient prior to, or earlier in, the therapeutic

20   treatment. In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1A-16. In one embodiment, an expression vector or cell comprises the isolated nucleic acid. In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1A-16.

25   In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1A-16. In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical. In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is

30   humanized.

In one aspect, the present invention provides a method of detecting lung cancer in a a patient, the method comprising contacting a biological sample from the patient with an antibody or protein as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to a lung cancer gene in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprises a sequence from Tables 1A-16.

5   In another aspect, the present invention provides a method for identifying a compound that modulates a lung cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a lung cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16; and (ii) determining the functional effect of the

10   compound upon the polypeptide.

      In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect. In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant. In one embodiment, the functional effect is determined by measuring ligand binding to the

15   polypeptide.

      In another aspect, the present invention provides a method of inhibiting proliferation or another critical process of a lung cancer-associated cell to treat lung cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein. In one embodiment, the compound is an

20   antibody.

      In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having lung cancer or a cell isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables

25   1A-16 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of lung cancer.

      In one embodiment, the control is a mammal with lung cancer or a cell therefrom that has not been treated with the test compound. In another embodiment, the control is a normal

30   cell or mammal, or a non-malignant lung disease.

      In another aspect, the present invention provides a method for treating a mammal having lung cancer comprising administering a compound identified by the assay described herein.

6

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having lung cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

5   DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and treatment of lung disease or cancer, as well as methods for screening for compositions which modulate lung cancer. "Treatment, monitoring, detection or modulation of lung disease or cancer" includes treatment, monitoring, detection, or

10   modulation of lung disease in those patients who have lung disease (whether malignant or non-malignant, e.g., emphysema, bronchitis, or fibrosis) as well as patients with lung cancers in which gene expression from a gene in Tables 1A-16 is increased or decreased, indicating that the subject is more likely to have disease. In particular,while these targets are identified primarily from lung cancer samples, these same targets are likely to be similarly found in

15   analyses of other medical conditions. These other conditions may result from similar pathological processes which affect similar tissues, e.g., lung cancer, small cell lung carcinoma (oat cell carcinoma), non-small cell carcinomas (e.g., squamous cell carcinoma, adenocarcinoma, large cell lung carcinoma, carcinoid, granulomatous), fibrosis (idiopathic pulmonary fibrosis (IPF), hypersensitivity pneumonitis (HP), interstitial pneumonitis,

20   nonspecific idiopathic pneumonitis (NSIP)), chronic obstructive pulmonary disease (COPD, e.g., emphysema, chronic bronchitis), asthma, bronchiectasis, and esophageal cancer. See, e.g., the NCI webpage and USSN 60/347,349 and USSN 60/xxx,xxx (docket LFBR-001-1P, filed March 29, 2002), each of which is incorporated herein by reference. The treatment may be of lung cancer or related condition itself, or treatment of metastasis.

25   In particular, identification of markers selectively expressed on these cancers allows for use of that expression in diagnostic, prognostic, or therapeutic methods. As such, the invention defines various compositions, e.g., nucleic acids, polypeptides, antibodies, and small molecule agonists/antagonists, which will be useful to selectively identify those markers. For example, therapeutic methods may take the form of protein therapeutics which

30   use the marker expression for selective localization or modulation of function (for those markers which have a causative disease effect), for vaccines, identification of binding partners, or antagonism, e.g., using antisense or RNAi. The markers may be useful for molecular characterization of subsets of lung diseases, which subsets may actually require

very different treatments. Moreover, the markers may also be important in related diseases to the specific cancers, e.g., which affect similar tissues in non-malignant diseases, or have similar mechanisms of induction/maintenance. Metastatic processes or characteristics may also be targeted. Diagnostic and prognostic uses are made available, e.g., to subset related

5   but distinct diseases, or to determine treatment strategy. The detection methods may be based upon nucleic acid, e.g., PCR or hybridization techniques, or protein, e.g., ELISA, imaging, IHC, etc. The diagnosis may be qualitative or quantitative, and may detect increases or decreases in expression levels.

Tables 1A-16 provide unigene cluster identification numbers for the nucleotide

10   sequence of genes that exhibit increased or decreased expression in lung cancer samples. The tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster. In Table 1A, genes marked as "target 1" or "target 2" are particularly useful as therapeutic targets. Genes marked as "target 3" are particularly useful as diagnostic markers. Genes marked as "chron" are upregulated in chronically diseased lung

15   (e.g., emphysema, bronchitis, fibrosis) relative to lung tumors and normal tissue. In certain analyses, the ratio for the "chron" category was determined using the 70th percentile of chronically diseases lung samples divided by the 90th percentile of normal lung samples. The ratio for the targets was determined using the 70th percentile of lung tumor samples divided by the 90th percentile of normal lung samples.

20

Definitions

The term "lung cancer protein" or "lung cancer polynucleotide" or "lung cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologs that: (1) have a nucleotide sequence that has greater than

25   about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen

30   comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1A-16 and conservatively modified variants thereof; or (4)

8

have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence

5   encoded by a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "lung cancer polypeptide" and a "lung cancer polynucleotide," include both naturally occurring or recombinant forms.

10   A "full length" lung cancer protein or nucleic acid refers to a lung cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains the elements normally contained in one or more naturally occurring, wild type lung cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translational processing or splicing, including alternative splicing.

15   "Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a lung cancer protein, polynucleotide, or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes,

20   archival materials, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate, e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or other mammal; or a bird; reptile;

25   fish. Livestock and domestic animals are of interest.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the

30   methods of the invention in vivo. Archival tissues or materials, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the

9

same or have a specified percentage of amino acid residues or nucleotides that are the same (e.g., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as

5   measured using, e.g., a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to be "substantially identical." This definition also refers to, or may be applied to, the complement of a test sequence. The definition also includes sequences that have deletions

10   and/or insertions, substitutions, and naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

15   For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence

20   comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

            A "comparison window", as used herein, includes reference to a segment of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be

25   compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith and Waterman (1981) Adv. Appl. Math. 2:482, by the homology alignment algorithm of Needleman and Wunsch (1970) J. Mol. Biol.

30   48:443, by the search for similarity method of Pearson and Lipman (1988) Proc. Nat'l. Acad. Sci. USA 85:2444, by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer

Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see,
e.g., Ausubel, et al. (eds. 1995 and supplements) Current Protocols in Molecular Biology.

Preferred examples of algorithms that are suitable for determining percent sequence
identity and sequence similarity include the BLAST and BLAST 2.0 algorithms, which are

5   described in Altschul, et al. (1977) Nuc. Acids Res. 25:3389-3402 and Altschul, et al. (1990)
J. Mol. Biol. 215:403-410. BLAST and BLAST 2.0 are used, with the parameters described
herein, to determine percent sequence identity for the nucleic acids and proteins of the
invention. Software for performing BLAST analyses is publicly available through the
National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This

10   algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short
words of length W in the query sequence, which either match or satisfy some positive-valued
threshold score T when aligned with a word of the same length in a database sequence. T is
referred to as the neighborhood word score threshold (Altschul, et al., *supra*). These initial
neighborhood word hits act as seeds for initiating searches to find longer HSPs containing

15   them. The word hits are extended in both directions along each sequence for as far as the
cumulative alignment score can be increased. Cumulative scores are calculated using, e.g.,
for nucleotide sequences, the parameters M (reward score for a pair of matching residues;
always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid
sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word

20   hits in each direction are halted when: the cumulative alignment score falls off by the
quantity X from its maximum achieved value; the cumulative score goes to zero or below,
due to the accumulation of one or more negative-scoring residue alignments; or the end of
either sequence is reached. The BLAST algorithm parameters W, T, and X determine the
sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences)

25   uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a
comparison of both strands. For amino acid sequences, the BLASTP program uses as
defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix
(see Henikoff and Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915) alignments (B) of
50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands.

30   The BLAST algorithm also performs a statistical analysis of the similarity between
two sequences (see, e.g., Karlin and Altschul (1993) Proc. Nat'l. Acad. Sci. USA 90:5873-
5787). One measure of similarity provided by the BLAST algorithm is the smallest sum
probability (P(N)), which provides an indication of the probability by which a match between

11

two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be negative large numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (see, e.g., the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least about 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means removing at least one contaminant or component from the composition to be purified.

12

In this sense, purification does not require that the purified compound be homogeneous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which

5   one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally

10   occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refer to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine,

15   norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain some basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refer to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that function similarly to another amino acid.

20   Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid

25   sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode

30   most proteins. For instance, the codons GCA, GCC, GCG, and GCU each encode the amino acid alanine. Thus, at each position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of

13

conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. In certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a

5   functionally similar molecule. Accordingly, a silent variation of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not necessarily with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which

10   alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies

15   homologs, and alleles of the invention. Typically conservative substitutions include for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

20   Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts, et al. (1994) Molecular Biology of the Cell (3rd ed.) and Cantor and Schimmel (1980) Biophysical Chemistry Part I: The Conformation of Biological Macromolecules. "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure"

25   refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of β-sheet and α-helices. "Tertiary structure" refers to the complete three dimensional structure of a

30   polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any

5   length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have at least one different linkage, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein (1992) Oligonucleotides and Analogues: A

10   Practical Approach Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, in Sanghui and Cook, eds. Carbohydrate Modifications in Antisense Research, ASC Symposium Series 580. Nucleic acids containing

15   one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g., to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring

20   nucleic acids and analogs may be made.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization

25   kinetics. PNAs have larger changes in the melting temperature (T_m) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4° C drop in T_m for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9° C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is relatively insensitive to salt concentration. In addition, PNAs are not degraded

30   by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary

15

strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA, or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine

5   hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g., the individual units of a peptide nucleic

10   acid, each containing a base, are referred to herein as a nucleoside.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, physiological, chemical, or other physical means. For example, useful labels include ^{32}P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins

15   or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the cancer nucleic acids, proteins, and antibodies. Many methods known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter, et al. (1962) Nature 144:945; David, et al. (1974) Biochemistry

20   13:1014-1021; Pain, et al. (1981) J. Immunol. Meth., 40:219-230; and Nygren (1982) J. Histochem. and Cytochem. 30:407-412.

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody.

25   The "effector" can be a variety of molecules including, e.g., detection moieties including radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either

30   covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method

using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, e.g., through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, preferably one that does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. Probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled, e.g., with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled, e.g., with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered

17

recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid

5   indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two

10   or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is typically an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type

15   promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers

20   to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, e.g., wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or

25   synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed in operable linkage to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding,

30   duplexing, or hybridizing of a molecule selectively to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to essentially no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at

5   higher temperatures. An extensive guide to the hybridization of nucleic acids is found in "Overview of principles of hybridization and the strategy of nucleic acid assays" in Tijssen (1993) Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes (vol. 24) Elsevier. Generally, stringent conditions are selected to be about 5-10° C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength

10 pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or

15 other salts) at pH 7.0 to 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides) and at least about 60° C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is typically at least two times background, preferably 10 times background hybridization.

20 Exemplary stringent hybridization conditions are often: 50% formamide, 5x SSC, and 1% SDS, incubating at 42° C, or, 5x SSC, 1% SDS, incubating at 65° C, with wash in 0.2x SSC, and 0.1% SDS at 65° C. For PCR, a temperature of about 36° C is typical for low stringency amplification, although annealing temperatures may vary between about 32° C and 48° C depending on primer length. For high stringency PCR amplification, a temperature of about

25 62° C is typical, although high stringency annealing temperatures can range from about 50° C to about 65° C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90° C - 95° C for 0.5 - 2 min., an annealing phase lasting 0.5 - 2 min., and an extension phase of about 72° C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions

30 are provided, e.g., in Innis, et al.(1990) PCR Protocols, A Guide to Methods and Applications.

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This

occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl,

5   1% SDS at 37° C, and a wash in 1X SSC at 45° C. A positive hybridization is at least twice background. Alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., Ausubel, et al. (ed.) Current Protocols in Molecular Biology Lippincott.

10   The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a lung cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the lung cancer protein or nucleic acid, e.g., a physiological, enzymatic, functional, physical, or chemical effect, such as the ability to decrease lung cancer. It includes ligand binding activity; cell viability, cell growth on soft

15   agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of lung cancer cells. "Functional effects" include *in vitro*, *in vivo*, and *ex vivo* activities.

20   By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a lung cancer protein sequence, e.g., physiological, functional, enzymatic, physical, or chemical effects. Such functional effects can be measured by many means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance,

25   refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the lung cancer protein; measuring binding activity or binding assays, e.g., binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on lung cancer can also be performed using lung cancer assays known to those of

30   skill in the art such as an *in vitro* assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein

expression in cells undergoing metastasis, and other characteristics of lung cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for lung cancer-associated sequences,

5   measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β-gal, GFP, and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of lung cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or

10   compounds identified using *in vitro* and *in vivo* assays of lung cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of lung cancer proteins, e.g., antagonists. Antisense or inhibitory nucleic acids may seem to inhibit expression and subsequent function of the protein.

15   "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate lung cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of lung cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and

20   activators include, e.g., expressing the lung cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of lung cancer can also be identified by incubating lung cancer cells with the test compound and determining increases or decreases in the expression of 1 or more lung cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20,

25   25, 30, 40, 50 or more lung cancer proteins, such as lung cancer proteins encoded by the sequences set out in Tables 1A-16.

Samples or assays comprising lung cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with

30   inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a lung cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more

preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics *in vitro* or *in vivo*, such as cell viability, formation of foci,

5 · anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or immortalization of the cell. See, e.g., Freshney (1994) Culture of Animal Cells a Manual of

10 Basic Technique pp. 231-241 (3rd ed.).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor.

"Cancer cells," "transformed" cells, or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus

15 and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney (1994) Culture of Animal Cells a Manual of Basic Technique (3rd ed.)).

20 "Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as

25 gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD, and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each

30 tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible

22

for antigen recognition. The terms variable light chain (V_L) and variable heavy chain (V_H) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an
5 antibody below the disulfide linkages in the hinge region to produce F(ab)'$_2$, a dimer of Fab which itself is a light chain joined to V_H-C_H1 by a disulfide bond. The F(ab)'$_2$ may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'$_2$ dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Paul (ed. 1999) Fundamental Immunology (4th ed.). While
10 various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized *de novo* either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized *de novo* using recombinant DNA methodologies (e.g., single chain Fv) or those
15 identified using phage display libraries (see, e.g., McCafferty, et al. (1990) Nature 348:552-554).

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler and Milstein (1975) Nature 256:495-497; Kozbor, et al. (1983) Immunology Today 4:72; Cole, et al.
20 (1985), pp. 77-96 in Monoclonal Antibodies and Cancer Therapy; Coligan (1991 and supplements) Current Protocols in Immunology; Harlow and Lane (1988) Antibodies, A Laboratory Manual; and Goding (1986) Monoclonal Antibodies: Principles and Practice (2d ed.)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or
25 other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty, et al. (1990) Nature 348:552-554; Marks, et al. (1992) Biotechnology 10:779-783).

A "chimeric antibody" is an antibody molecule in which, e.g, (a) the constant region,
30 or a portion thereof, is altered, replaced, or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function, and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the

23

variable region, or a portion thereof, is altered, replaced, or exchanged with a variable region having a different or altered antigen specificity.

Identification of lung cancer-associated sequences

5   In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is

10   characteristic of the state of the cell. That is, normal tissue may be distinguished from cancerous or metastatic cancerous tissue, or metastatic cancerous tissue can be compared with tissue from surviving cancer patients. By comparing expression profiles of tissue in known different lung cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

15   Molecular profiling may distinguish subtypes of a currently collective disease designation, e.g., different forms of lung cancer (chronic disease, adenocarcinoma, etc.)

        The identification of sequences that are differentially expressed in lung cancer versus non-lung cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-

20   regulate lung cancer, and thus tumor growth or recurrence, in a particular patient. Alternatively, a treatment step may induce other markers which may be used as targets to destroy tumor cells. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Malignant diseasemay be compared to non-malignant conditions. Metastatic tissue can also be analyzed to determine

25   the stage of lung cancer in the tissue, or origin of primary tumor, e.g., metastasis from a remote primary site. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the lung cancer expression profile. This may be done by making biochips comprising sets of the important lung cancer genes,

30   which can then be used in these screens. PCR methods may be applied with selected primer pairs, and analysis may be of RNA or of genomic sequences. These methods can also be done on the protein basis; that is, protein expression levels of the lung cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the lung cancer

nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the lung cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs or as protein or DNA vaccines.

5   Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in lung cancer relative to normal tissues and/or non-malignant lung disease, or in different types of lung disease, herein termed "lung cancer sequences." As outlined below, lung cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in lung cancer, as well as those that are down-regulated (i.e., expressed at a

10   lower level). In a preferred embodiment, the lung cancer sequences are from humans; however, as will be appreciated by those in the art, lung cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other lung cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows,

15   horses, etc.) and pets (dogs, cats, etc.). Lung cancer sequences from other organisms may be obtained using the techniques outlined below.

           Lung cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, lung cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications,

20   which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the lung cancer sequences can be generated.

           A lung cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the lung cancer sequences outlined herein. Such

25   homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, e.g., using homology programs or hybridization conditions.

           For identifying lung cancer-associated sequences, the lung cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues,

30   cancer and non-malignant conditions, non-malignant conditions and normal tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing lung cancer samples with metastatic cancer samples from other cancers, such as, breast, other gastrointestinal cancers, prostate, ovarian,

etc. Samples of, non metastatic disease tissue and tissue undergoing metastasis are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art for the preparation of mRNA. Suitable biochips are commercially available, e.g., from Affymetrix, Santa Clara, CA. Gene expression profiles as

5   described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal lung, but also including, and not limited to colon, heart, brain, liver, breast, kidney, muscle, prostate, small intestine, large intestine, spleen, bone, and/or placenta. In a preferred

10   embodiment, those genes identified during the lung cancer screen that are expressed in significant amounts in other tissues (e.g., essential organs) are removed from the profile, although in some embodiments, this is not necessary (e.g., where organs may be dispensible at a later stage of life). That is, when screening for drugs, it is usually preferable that the target expression be disease specific, to minimize possible side effects on other organs.

15   In a preferred embodiment, lung cancer sequences are those that are up-regulated in lung cancer; that is, the expression of these genes is higher in cancerous tissue than in normal lung or other tissue. "Up-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. Another embodiment is directed to sequences up-regulated in non-

20   malignant conditions relative to normal. Unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al (1998) Nucleic Acids Research 26:1-7 and http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g.,

25   European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). Another embodiment is directed to sequences up-regulated in non-malignant conditions relative to normal. In some situations, the sequences may be derived from assembly of available sequences or be predicted from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev (2000) Genome Res. 10:516-522). In other

30   situations, sequences have been derived from cloning and sequencing of isolated nucleic acids.

In another preferred embodiment, lung cancer sequences are those that are down-regulated in the lung cancer; that is, the expression of these genes is lower in cancerous tissue

or normal lung or other tissue. "Down-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater, or, when the ratio is presented as a number less than one, that the ratio is less than one, preferably 0.5 or less, more preferably 0.25 or less.

5

Informatics

The ability to identify genes that are over or under expressed in lung cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure,

10   biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with lung cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson (1998) Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA

15   (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

20   Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in a form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage

25   of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for assay data acquired using an assay of the invention.

30   The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample representing lung cancer, i.e., the identification of lung cancer-associated sequences described herein, provide an abundance of information, which can be correlated with

27

pathological conditions, predisposition to disease, drug testing, therapeutic monitoring, gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, data processing using high-speed

5   computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S.

10   Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene

15   sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multi-

20   dimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational

25   fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount, et al. (2001) Bioinformatics; Durbin, et al. (eds., 1999) Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids (; Baxevanis and Oeullette (eds., 1998) Bioinformatics: A Practical Guide to the Analysis of Genes and

30   Proteins); Rashidi and Buehler (1999) Bioinformatics: Basic Applications in Biological Science and Medicine; Setubal, et al. (eds 1997) Introduction to Computational Molecular Biology; Misener and Krawetz (eds, 2000) Bioinformatics: Methods and Protocols; Higgins and Taylor (eds., 2000) Bioinformatics: Sequence, Structure, and Databanks: A Practical

Approach; Brown (2001) <u>Bioinformatics: A Biologist's Guide to Biocomputing and the</u>
<u>Internet</u>; Han and Kamber (2000) <u>Data Mining: Concepts and Techniques</u> (2000); and
Waterman (1995) <u>Introduction to Computational Biology: Maps, Sequences, and Genomes</u>.

The present invention provides a computer database comprising a computer and
5   software for storing in computer-retrievable form assay data records cross-tabulated, e.g.,
with data specifying the source of the target-containing sample from which each sequence
specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample
is from a control tissue sample known to be free of pathological disorders. In a variation, at
10   least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or
another tissue specimen to be analyzed for lung cancer. In another variation, the assay
records cross-tabulate one or more of the following parameters for each target species in a
sample: (1) a unique identification code, which can include, e.g., a target molecular structure
and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample
15   source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data
in a computer data storage apparatus, which can include magnetic disks, optical disks,
magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic
bubble memory devices, and other data storage devices, including CPU registers and on-CPU
20   data storage arrays. Typically, the target data records are stored as a bit pattern in an array of
magnetic domains on a magnetizable medium or as an array of charge states or transistor gate
states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor
and a charge storage area, which may be on the transistor). In one embodiment, the invention
provides such storage devices, and computer systems built therewith, comprising a bit pattern
25   encoding a protein expression fingerprint record comprising unique identifiers for at least 10
target data records cross-tabulated with target source.

When the target is a peptide or nucleic acid, the invention preferably provides a
method for identifying related peptide or nucleic acid sequences, comprising performing a
computerized comparison between a peptide or nucleic acid sequence assay record stored in
30   or retrieved from a computer storage device or database and at least one other sequence. The
comparison can include a sequence analysis or comparison algorithm or computer program
embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may

be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux,

5   SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices

10   linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

15   The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

20   In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the assay results.

25   Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or

30   SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC,

MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can

5   be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a

10   collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

15   **Characteristics of lung cancer-associated proteins**

Lung cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the lung cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication

20   (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Alberts (ed. 1994) Molecular Biology of the Cell (3d ed.). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve

25   as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more structural motifs for which defined functions have been attributed. In

30   addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2

31

domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by

5   one of ordinary skill in the art, these motifs can be identified on the basis of amino acid sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains.

10   Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman, et al (2000) Nuc. Acids Res. 28:263-266; Sonnhammer, et al. (1997) Proteins 28:405-420; Bateman, et al. (1999) Nuc. Acids Res. 27:260-262; and Sonnhammer, et al. (1998) Nuc. Acids Res. 26:320-322).

15   In another embodiment, the lung cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described for intracellular proteins. For example, the intracellular domain may have enzymatic activity

20   and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

25   Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels, pumps, and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein

30   coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 17 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the

localization and number of transmembrane domains within the protein may be predicted (see, e.g., PSORT web site http://psort.nibb.ac.jp/).

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF, and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include cytokines, mitogenic factors, hormones, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they may mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains may also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Lung cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for extracellular immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins *in situ* or in histological analysis. Alternatively, antibodies can also label intracellular proteins, in which case analytical samples are typically permeablized to provide access to intracellular proteins. In addition, some membrane proteins can be processed to release a soluble protein, or to expose a residual fragment. Released soluble proteins may be useful diagnostic markers, processed residual protein fragments may be useful lung markers of disease.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the lung cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins may have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; e.g., if circulating, they often serve to transmit

signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor), an endocrine manner (acting on cells at a distance, e.g., secretion into the blood stream), or exocrine (secretion, e.g., through a duct or to adjacent epithelial surface as sweat glands, sebaceous glands, pancreatic ducts, lacrimal glands, mammary glands, sax producing glands of the ear, etc.). Thus secreted molecules often find use in modulating or altering numerous aspects of physiology. Lung cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests. Those which are enzymes may be antibody or small molecule targets. Others may be useful as vaccine targets, e.g., via CTL mechanisms.

Use of lung cancer nucleic acids

As described above, lung cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the lung cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

The lung cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1A-16, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the lung cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, et al., *supra*. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once a lung cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire lung cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant lung cancer nucleic acid can be further-used as a probe to identify and isolate

other lung cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant lung cancer nucleic acids and proteins.

The lung cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the lung cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, RNAi, vaccine, and/or antisense applications. Alternatively, the lung cancer nucleic acids that include coding regions of lung cancer proteins can be put into expression vectors for the expression of lung cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to lung cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the lung cancer nucleic acids, i.e., the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under appropriate reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally complements of ORFs or whole genes are not used. In some embodiments, nucleic acids of lengths up to hundreds of bases can be used.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a

particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical
5   equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is typically meant one or more of electrostatic, hydrophilic, and hydrophobic interactions. Included in non-covalent binding is
10   the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can
15   be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to a biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be
20   synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified for the attachment or association of the nucleic acid probes and is amenable to at least one detection
25   method. Often the substrate may contain discrete individual sites appropriate for ndivitual partitioning and identification. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, Teflon, etc.),
30   polysaccharides, nylon or nitrocellulose, resins, silica or silica-based materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in US application entitled Reusable Low Fluorescent Plastic Biochip, U.S.

36

Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g., using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized, and then attached to the surface of the solid support. Either the 5' or 3' terminus may be attached to the solid support, or attachment may be via linkage to an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized *in situ*, using known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affymetrix GeneChip™ technology.

Often, amplification-based assays are performed to measure the expression level of lung cancer-associated sequences. These assays are typically performed in conjunction with

37

reverse transcription. In such assays, a lung cancer-associated nucleic acid sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a

5   measure of the amount of lung cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis, et al. (1990) PCR Protocols, A Guide to Methods and Applications.

In some embodiments, a TaqMan based assay is used to measure expression.

10   TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3'

15   quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu and Wallace (1989) Genomics 4:560, Landegren, et al. (1988) Science 241:1077, and Barringer, et al. (1990) Gene 89:117), transcription amplification

20   (Kwoh, et al. (1989) Proc. Natl. Acad. Sci. USA 86:1173), self-sustained sequence replication (Guatelli, et al. (1990) Proc. Nat. Acad. Sci. USA 87:1874), dot PCR, and linker adapter PCR, etc.

Expression of lung cancer proteins from nucleic acids

25   In a preferred embodiment, lung cancer nucleic acids, e.g., encoding lung cancer proteins, are used to make a variety of expression vectors to express lung cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, *supra*, and Fernandez and Hoeffler (eds 1999) Gene Expression Systems) and are used to

30   express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the lung cancer protein. The term "control sequences" refers to DNA

sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

5   Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably

10   linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in

15   accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the lung cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are

20   not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences may be either constitutive or inducible promoters. The promoters

25   may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two

30   organisms, e.g., in mammalian or insect cells for expression and in a prokaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector often contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating

vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez and Hoeffler, *supra*).

In addition, in a preferred embodiment, the expression vector contains a selectable
5   marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The lung cancer proteins of the present invention are usually produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a lung cancer protein, under the appropriate conditions to induce or cause expression of the lung
10 cancer protein. Conditions appropriate for lung cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate
15 growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces cerevisiae*
20 and other yeasts, *E. coli, Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the lung cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include retroviral and
25 adenoviral systems. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez and Hoeffler, *supra*). Typically, transcription termination and
30 polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenylation signals include those derived form SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, lung cancer proteins are expressed in bacterial systems. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the lung cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez and Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, lung cancer proteins are produced in insect cells. Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, lung cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for *Saccharomyces cerevisiae*, *Candida albicans* and *C. maltosa*, *Hansenula polymorpha*,

Kluyveromyces fragilis and *K. lactis, Pichia guillerimondii,* and *P. pastoris, Schizosaccharomyces pombe,* and *Yarrowia lipolytica.*

The lung cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope

5   is small, the lung cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the lung cancer protein may be made as a fusion protein to increase expression for affinity purification purposes, or for other reasons. For example, when the lung cancer protein is a lung cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

10 In a preferred embodiment, the lung cancer protein is purified or isolated after expression. Lung cancer proteins may be isolated or purified in a variety of appropriate ways. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the lung cancer protein

15 may be purified using a standard anti-lung cancer protein antibody column. Ultrafiltration and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes (1982) Protein Purification. The degree of purification necessary will vary depending on the use of the lung cancer protein. In some instances no purification will be necessary.

20 Once expressed and purified if necessary, the lung cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, therapeutic entities, for production of antibodies, as transcription or translation inhibitors, etc.

25 **Variants of lung cancer proteins**

In one embodiment, the lung cancer proteins are derivative or variant lung cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative lung cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid

30 substitution, insertion or deletion may occur at a particular residue within the lung cancer peptide.

Also included within one embodiment of lung cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three

classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the lung cancer protein, using cassette or PCR mutagenesis or other techniques, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above.

5   However, variant lung cancer protein fragments having up to about 100-150 residues may be prepared by *in vitro* synthesis. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the lung cancer protein amino acid sequence. The variants typically exhibit a similar qualitative biological activity as the naturally occurring analogue,

10   although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is often predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random mutagenesis may be

15   conducted at the target codon or region and the expressed lung cancer variants screened for the optimal combination of desired activity. Techniques exist for making substitution mutations at predetermined sites in DNA having a known sequence, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of mutants is often done using assays of lung cancer protein activities.

20   Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be occasionally tolerated. Deletions generally range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive

25   at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. Larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of a lung cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution chart provided in the definition section.

30   Variants typically exhibit essentially the same qualitative biological activity and will elicit the same immune response as a naturally-occurring analog, although variants also are selected to modify the characteristics of lung cancer proteins as needed. Alternatively, the

variant may be designed or reorganized such that a biological activity of the lung cancer protein is altered. For example, glycosylation sites may be added, altered, or removed.

Covalent modifications of lung cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid

5   residues of a lung cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a lung cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking lung cancer polypeptides to a water-insoluble support matrix or surface for use in a method for purifying anti-lung cancer polypeptide antibodies or screening assays, as is more fully

10   described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

15   Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of serinyl, threonyl or tyrosyl residues, methylation of the γ-amino groups of lysine, arginine, and histidine side chains (Creighton (1983) Proteins: Structure and Molecular Properties, pp. 79-86), acetylation of the N-terminal

20   amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the lung cancer polypeptide encompassed by this invention is an altered native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended herein to mean adding to or deleting one or more carbohydrate moieties of a native sequence lung cancer polypeptide. Glycosylation patterns

25   can be altered in many ways. For example the use of different cell types to express lung cancer-associated sequences can result in different glycosylation patterns.

Addition of glycosylation sites to lung cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence

30   lung cancer polypeptide (for O-linked glycosylation sites). The lung cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the lung cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the lung cancer
polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such
methods are described in the art, e.g., in WO 87/05330, and in Aplin and Wriston (1981)
CRC Crit. Rev. Biochem., pp. 259-306.

5   Removal of carbohydrate moieties present on the lung cancer polypeptide may be
accomplished chemically or enzymatically or by mutational substitution of codons encoding
for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation
techniques are known in the art and described, for instance, by Hakimuddin, et al. (1987)
Arch. Biochem. Biophys., 259:52 and by Edge, et al. (1981) Anal. Biochem., 118:131.

10   Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a
variety of endo-and exo-glycosidases as described by Thotakura, et al. (1987) Meth.
Enzymol., 138:350.

Another type of covalent modification of lung cancer comprises linking the lung
cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene
15   glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent
Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192, or 4,179,337.

Lung cancer polypeptides of the present invention may also be modified in a way to
form chimeric molecules comprising a lung cancer polypeptide fused to another,
heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric
20   molecule comprises a fusion of a lung cancer polypeptide with a tag polypeptide which
provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is
generally placed at the amino-or carboxyl-terminus of the lung cancer polypeptide. The
presence of such epitope-tagged forms of a lung cancer polypeptide can be detected using an
antibody against the tag polypeptide. Also, provision of the epitope tag enables the lung
25   cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or
another type of affinity matrix that binds to the epitope tag. In an alternative embodiment,
the chimeric molecule may comprise a fusion of a lung cancer polypeptide with an
immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the
chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

30   Various tag polypeptides and their respective antibodies are well known and examples
include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal
chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field, et al. (1988) Mol.
Cell. Biol. 8:2159-2165); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies

thereto (Evan, et al. (1985) Molecular and Cellular Biology 5:3610-3616); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky, et al. (1990) Protein Engineering 3(6):547-553). Other tag polypeptides include the Flag-peptide (Hopp, et al. (1988) BioTechnology 6:1204-1210); the KT3 epitope peptide (Martin, et al. (1992) Science

5   255:192-194); tubulin epitope peptide (Skinner, et al. (1991) J. Biol. Chem. 266:15163-15166); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth, et al. (1990) Proc. Nat'l Acad. Sci. USA 87:6393-6397).

Also included are other lung cancer proteins of the lung cancer family, and lung cancer proteins from other organisms, which are cloned and expressed as outlined below.

10   Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related lung cancer proteins from primates or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include unique areas of the lung cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from

15   about 20 to about 30 being preferred, and may contain inosine as needed. PCR reaction conditions are well known in the art (e.g., Innis, PCR Protocols, *supra*).

Antibodies to lung cancer proteins

In a preferred embodiment, when a lung cancer protein is to be used to generate

20   antibodies, e.g., for immunotherapy or immunodiagnosis, the lung cancer protein should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller lung cancer protein will be able to bind to the full-length protein,

25   particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are well known (e.g., Coligan, *supra*; and Harlow and Lane, *supra*). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the

30   immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of Tables 1A-16 or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal

46

being immunized. Immunogenic proteins include, e.g., keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Adjuvants include, e.g., Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in

5   the art.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein (1975) Nature 256:495. In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce

10 or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of the tables, or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-

15 human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding (1986) Monoclonal Antibodies: Principles and Practice, pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovin, or primate origin. Usually, rat or mouse myeloma cell lines are employed.

20 The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the

25 growth of HGPRT-deficient cells.

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are typically monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a

30 protein encoded by a nucleic acid of the tables or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

47

In a preferred embodiment, the antibodies to lung cancer protein are capable of reducing or eliminating a biological function of a lung cancer protein, in a naked form or conjugated to an effector moiety. That is, the addition of anti-lung cancer protein antibodies (either polyclonal or preferably monoclonal) to lung cancer tissue (or cells containing lung

5   cancer) may reduce or eliminate the lung cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the lung cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Medarex, Inc., Abgenix, Inc., Protein Design Labs,

10   Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining

15   region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of a human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or

20   framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. A humanized antibody optimally also will typically comprise at least a portion of an

25   immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones, et al. (1986) Nature 321:522-525; Riechmann, et al. (1988) Nature 332:323-329; and Presta (1992) Curr. Op. Struct. Biol. 2:593-596). Humanization can be performed following the method of Winter and co-workers (Jones, et al. (1986) Nature 321:522-525; Riechmann, et al. (1988) Nature 332:323-327; Verhoeyen, et al. (1988) Science 239:1534-1536), by

30   substituting rodent CDRs or CDR sequences for corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by corresponding sequence from a non-human species.

Human-like antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom and Winter (1991) J. Mol. Biol. 227:381; Marks, et al. (1991) J. Mol. Biol. 222:581). The techniques of Cole, et al. and Boerner, et al. are also available for the preparation of human monoclonal antibodies (Cole, et al. (1985)

5   Monoclonal Antibodies and Cancer Therapy, p. 77 and Boerner, et al. (1991) J. Immunol. 147(1):86-95). Similarly, human antibodies can be made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in

10   nearly all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks, et al. (1992) Bio/Technology 10:779-783; Lonberg, et al. (1994) Nature 368:856-859; Morrison (1994) Nature 368:812-13; Fishwild, et al. (1996) Nature Biotechnology 14:845-51; Neuberger

15   (1996) Nature Biotechnology 14:826; and Lonberg and Huszar (1995) Intern. Rev. Immunol. 13:65-93.

By immunotherapy is meant treatment of lung cancer with an antibody raised against a lung cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient).

20   Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. The antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for

25   expression of the antigen, leading to an immune response.

In a preferred embodiment the lung cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, may bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted lung cancer protein.

30   In another preferred embodiment, the lung cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment may bind the extracellular domain of the lung cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The

antibody may cause down-regulation of the transmembrane lung cancer protein. The antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the lung cancer protein. The antibody may be an antagonist of the lung cancer protein or may prevent activation of a transmembrane lung cancer protein, or

5   may induce or suppress a particular cellular pathway. In some embodiments, when the antibody prevents the binding of other molecules to the lung cancer protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ, and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate,

10   and the like. In some instances the antibody may belong to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, lung cancer may be treated by administering to a patient antibodies directed against the transmembrane lung cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide

15   means to locally ablate cells.

        In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be various molecules, including labeling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of a lung cancer protein. In another

20   aspect the therapeutic moiety may modulate an activity of molecules associated with or in close proximity to a lung cancer protein. The therapeutic moiety may inhibit enzymatic or signaling activity such as protease or collagenase activity associated with lung cancer.

        In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to lung cancer tissue or cells results in a reduction

25   in the number of afflicted cells, thereby reducing symptoms associated with lung cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin, saporin, auristatin, and the like. Cytotoxic agents also include

30   radiochemicals made by conjugating radioisotopes to antibodies raised against lung cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane lung cancer proteins not only serves to increase the local concentration of therapeutic moiety in the lung cancer

afflicted area, but also serves to reduce deleterious side effects that may be associated with the untargeted therapeutic moiety.

In another preferred embodiment, the lung cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein· or other entity which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the lung cancer protein can be targeted within a cell, i.e., the nucleus, an antibody theretomay contain a signal for that target localization, i.e., a nuclear localization signal.

The lung cancer antibodies of the invention specifically bind to lung cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a K_d of at least about 0.1 mM, more usually at least about 1 μM, preferably at least about 0.1 μM or better, and most preferably, 0.01 μM or better. Selectivity of binding to the specific target and not to related other sequences is also important.

Detection of lung cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the lung cancer phenotype. Expression levels of genes in normal tissue (e.g., not undergoing lung cancer), in lung cancer tissue (and in some cases, for varying severities of lung cancer that relate to prognosis, as outlined below), or in non-malignant disease are evaluated to provide expression profiles. A gene expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state of the cell. While two states may have a particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can qualitatively have its expression altered, including an activation or inactivation, in, e.g.,

51

normal versus lung cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but

5   not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix

10   GeneChip™ expression arrays, Lockhart (1996) Nature Biotechnology 14:1675-1680, hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is typically at least about 50%, more preferably at least about 100%, more preferably at least about

15   150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

    Evaluation may be at the gene transcript or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the RNA or DNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final

20   gene product itself (protein) can be monitored, e.g., with antibodies to the lung cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to lung cancer genes, e.g., those identified as being important in a lung cancer or disease phenotype, can be evaluated in a lung cancer diagnostic test. In a preferred embodiment, gene expression monitoring is

25   performed simultaneously on a number of genes.

    The lung cancer nucleic acid probes may be attached to biochips as outlined herein for the detection and quantification of lung cancer sequences in a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity. Multiple protein expression monitoring can be performed as well. Similarly,

30   these assays may be performed on an individual basis as well.

    In a preferred embodiment nucleic acids encoding the lung cancer protein are detected. Although DNA or RNA encoding the lung cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a lung cancer protein is detected.

Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such

5   as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed *in situ*. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound

10   probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a lung cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3-indoyl phosphate.

        In a preferred embodiment, various proteins from the three classes of proteins as

15   described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing lung cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening

20   techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

        As described and defined herein, lung cancer proteins, including intracellular, transmembrane, or secreted proteins, find use as markers of lung cancer, e.g., for prognostic or diagnostic purposes. Detection of these proteins in putative lung cancer tissue allows for

25   detection, prognosis, or diagnosis of lung cancer or similar disease, and perhaps for selection of therapeutic strategy. In one embodiment, antibodies are used to detect lung cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the lung cancer

30   protein is detected, e.g., by immunoblotting with antibodies raised against the lung cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

        In another preferred method, antibodies to the lung cancer protein find use in *in situ* imaging techniques, e.g., in histology (e.g., Asai (ed. 1993) <u>Methods in Cell Biology:</u>

53

Antibodies in Cell Biology, volume 37. In this method cells are contacted with from one to many antibodies to the lung cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable
5   label, e.g., multicolor fluorescence or confocal imaging. In another method the primary antibody to the lung cancer protein(s) contains a detectable label, e.g., an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of lung cancer proteins. Many other histological
10   imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing lung cancer from
15   blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of lung cancer proteins. Antibodies can be used to detect a lung cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune
20   response against an endogenous lung cancer protein or vaccine.

In a preferred embodiment, *in situ* hybridization of labeled lung cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including lung cancer tissue and/or normal tissue, are made. *In situ* hybridization (see, e.g., Ausubel, *supra*) is then performed. When comparing the fingerprints between an individual and a standard, the
25   skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the lung cancer proteins, antibodies, nucleic acids,
30   modified proteins and cells containing lung cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to lung cancer, clinical, pathological, or other information, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. Single or multiple

genes may be useful in various combinations. As above, lung cancer probes may be attached to biochips for the detection and quantification of lung cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

5

Assays for therapeutic compounds

In a preferred embodiment, the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing lung cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al. (1998) Science 279:84-8; Heid (1996) Genome Res. 6:986-94.

In a preferred embodiment, the lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified lung cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the lung cancer phenotype or an identified physiological function of a lung cancer protein. As above, this can be done on an individual gene level or by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra.*

Having identified differentially expressed genes herein, a variety of assays may be performed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene with altered regulation in lung cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the lung cancer protein. "Modulation" thus includes an increase or a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing lung cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in lung cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in lung

cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be
5   monitored, e.g., through the use of antibodies to the lung cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene or protein expression monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically
10   involve a plurality of those entities described herein.

In this embodiment, the lung cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of lung cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed
15   for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more lung cancer-associated sequences, e.g., a polynucleotide sequence set out in the tables. Generally, in a preferred embodiment, a test compound is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate
20   lung cancer, modulate lung cancer proteins, bind to a lung cancer protein, or interfere with the binding of a lung cancer protein and an antibody, substrate, or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes a molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or
25   indirectly alter the lung cancer phenotype or the expression of a lung cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles of nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a lung cancer phenotype, e.g., to a normal or non-malignant tissue fingerprint. In another embodiment, a modulator induces a lung cancer phenotype. Generally, a plurality of
30   assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

In one aspect, a modulator will neutralize the effect of a lung cancer protein. By "neutralize" is meant that activity of a protein and the consequent effect on the cell is inhibited or blocked.

In certain embodiments, combinatorial libraries of potential modulators will be
5   screened for an ability to bind to a lung cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods
10   are employed for such an analysis.

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that
15   display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical
20   library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop, et al. (1994) J. Med. Chem. 37(9):1233-1251).

25   Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent No. 5,010,175, Furka (1991) Pept. Prot. Res. 37:487-493, Houghton, et al. (1991) Nature, 354:84-88), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT
30   Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides (Hobbs, et al. (1993) Proc. Nat. Acad. Sci. USA 90:6909-6913), vinylogous polypeptides (Hagihara, et al. (1992) J. Amer. Chem. Soc. 114:6568), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann, et

al. (1992) J. Amer. Chem. Soc. 114:9217-9218), analogous organic syntheses of small

compound libraries (Chen, et al. (1994) J. Amer. Chem. Soc. 116:2661), oligocarbamates

(Cho, et al. (1993) Science 261:1303), and/or peptidyl phosphonates (Campbell, et al. (1994)

J. Org. Chem. 59:658). See, generally, Gordon, et al. (1994) J. Med. Chem. 37:1385, nucleic

5   acid libraries (see, e.g., Stratagene, Corp.), peptide nucleic acid libraries (see, e.g., U.S.

Patent 5,539,083), antibody libraries (see, e.g., Vaughn, et al. (1996) Nature Biotechnology

14(3):309-314, and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang, et al. (1996)

Science 274:1520-1522, and U.S. Patent No. 5,593,853), and small organic molecule libraries

(see, e.g., benzodiazepines, Baum (1993) C&EN, Jan 18, page 33; isoprenoids, U.S. Patent

10   No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines,

U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No.

5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like). .

Devices for the preparation of combinatorial libraries are commercially available (see,

e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin,

15   Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford,

MA).

A number of well known robotic systems have also been developed for solution phase

chemistries. These systems include automated workstations like the automated synthesis

apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic

20   systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca,

Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed

by a chemist. The above devices, with appropriate modification, are suitable for use with the

present invention. In addition, numerous combinatorial libraries are themselves

commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos,

25   Inc., St. Louis, MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek

Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening.

Preferred assays thus detect modulation of lung cancer gene transcription, polypeptide

expression, and polypeptide activity.

30   High throughput assays for evaluating the presence, absence, quantification, or other

properties of particular nucleic acids or protein products are well known to those of skill in

the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus,

e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins,

U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (see, e.g.,

5   Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate procedures, including sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a

10 high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or

15 fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially preferred. Particularly

20 useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring

25 proteins, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that the nucleic acid or peptide consists of essentially random sequences of nucleotides and amino acids, respectively. Since these random peptides (or nucleic acids, discussed below) are often chemically synthesized, they may incorporate a nucleotide or amino acid at any position. The synthetic process can be designed to generate

30 randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

59

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. In a preferred embodiment, the nucleotides or amino acid residues are

5   randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc.

Modulators of lung cancer can also be nucleic acids, as defined above.

10   As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. Digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

15   After a candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence is analyzed. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription

20   with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as,

25   alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin

30   is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

Nucleic acid assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos.

5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allow formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to, temperature, formamide concentration, salt concentration, chaotropic salt concentration, pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the lung cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state,

screens are performed to identify agents that bind and/or modulate the biological activity of the gene product, or evaluate genetic polymorphisms.

Genes can be screened for those that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a lung cancer expression pattern leading to a normal expression pattern, or to modulate a single lung cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated lung cancer tissue reveals genes that are not expressed in normal tissue or lung cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for lung cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated lung cancer tissue sample.

Thus, in one embodiment, a test compound is administered to a population of lung cancer cells, that have an associated lung cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once a test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., lung cancer or non-malignant tissue may be screened for agents that modulate, e.g., induce or suppress a lung cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on lung cancer activity. By defining such a signature for the lung cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

Measure of lung cancer polypeptide activity, or of lung cancer or the lung cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the metastatic polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of lung cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second messengers such as cGMP. In the assays of the invention, mammalian lung cancer polypeptide is typically used, e.g., mouse, preferably human.

Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a lung cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the lung cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is typically measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the lung cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is typically detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using a lung cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or β-gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed

genes are sometimes referred to herein as "lung cancer proteins." The lung cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another

5   embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated

10   gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the lung cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a lung cancer

15   protein and a candidate compound, and determining the binding of the compound to the lung cancer protein. Preferred embodiments utilize the human lung cancer protein, although other mammalian proteins may also be used, e.g., for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative lung cancer proteins may be used.

20   Generally, in a preferred embodiment of the methods herein, the lung cancer protein or the candidate agent is non-diffusably bound to an insoluble support, preferably having isolated sample receiving areas (e.g., a microtiter plate, an array, etc.). The insoluble supports may be made of a composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of

25   screening. The surface of such supports may be solid or porous and of a convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon™, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents

30   and samples. The particular manner of binding of the composition is typically not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition, and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation

sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving areas may then be blocked through incubation with bovine serum

5   albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the lung cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the lung cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of

10   particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

The determination of the binding of the test modulating compound to the lung cancer

15   protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the lung cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

20   In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., ^{125}I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

25   In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor may be a binding moiety known to bind to the target molecule (i.e., a lung cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the

30   test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40° C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput screening. Typically

between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by a test

5   compound. Displacement of the competitor is an indication that the test compound is binding to the lung cancer protein and thus is capable of binding to, and potentially modulating, the activity of the lung cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the

10   label on the support indicates displacement.

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the lung cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of ·

15   competitor binding, may indicate that the test compound is capable of binding to the lung cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the lung cancer proteins. In one embodiment, the methods comprise combining a lung cancer protein and a competitor in a

20   first sample. A second sample comprises a test compound, a lung cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the lung cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the

25   agent is capable of binding to the lung cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native lung cancer protein, but cannot bind to modified lung cancer proteins. The structure of the lung cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a lung cancer protein

30   are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results.

Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of

5   bound compound.

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as

10   protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a lung cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising lung cancer

15   proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a lung cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g., hormones, antibodies, peptides, antigens,

20   cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (e.g., cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate lung cancer agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the lung

25   cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting lung cancer cell division is provided. The method comprises administration of a lung cancer inhibitor. In another embodiment, a method of inhibiting lung cancer is provided. The method may comprise administration of a

30   lung cancer inhibitor. In a further embodiment, methods of treating cells or individuals with lung cancer are provided, e.g., comprising administration of a lung cancer inhibitor.

In one embodiment, a lung cancer inhibitor is an antibody as discussed above. In another embodiment, the lung cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, viability, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of lung cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney (1994) Culture of Animal Cells a Manual of Basic Technique (3rd ed.), herein incorporated by reference. See also, the methods section of Garkavtsev, et al. (1996), · *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (^{3}H)-thymidine at saturation density can be used to measure density limitation of growth. See Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (^{3}H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a lung cancer-associated sequence and are grown for 24 hours at saturation density in

non-limiting medium conditions. The percentage of cells labeling with (^{3}H)-thymidine is determined autoradiographically. See, Freshney (1994), *supra.*

Growth factor or serum dependence

5   Transformed cells typically have a lower serum dependence than their normal counterparts (see, e.g., Temin (1966) J. Natl. Cancer Insti. 37:167-175; Eagle, et al. (1970) J. Exp. Med. 131:836-879); Freshney, *supra.* This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

10

Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g.,

15   Gullino, "Angiogenesis, tumor vascularization, and potential interference with tumor growth" in Mihich (ed. 1985) Biological Responses in Cancer, pp. 178-184). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman (1992) "Angiogenesis and Cancer" in Sem Cancer Biol.).

Various techniques which measure the release of these factors are described in

20   Freshney (1994), *supra.* Also, see, Unkeless, et al. (1974) J. Biol. Chem. 249:4295-4305; Strickland and Beers (1976) J. Biol. Chem. 251:5694-5702; Whur, et al. (1980) Br. J. Cancer 42:305-312; Gullino, "Angiogenesis, tumor vascularization, and potential interference with tumor growth" in Mihich (ed. 1985) Biological Responses in Cancer, pp. 178-184; Freshney Anticancer Res. 5:111-130 (1985).

25

Invasiveness into Matrigel

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate lung cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and

30   invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance

5   moved, or by prelabeling the cells with ^{125}I and counting the radioactivity on the distal side of the filter or bottom of the dish. See, e.g., Freshney (1984), *supra*.

Tumor growth in vivo

Effects of lung cancer-associated sequences on cell growth can be tested in transgenic

10   or immune-suppressed mice. Knock-out transgenic mice can be made, in which the lung cancer gene is disrupted or in which a lung cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous lung cancer gene site in the mouse genome via homologous recombination. Such mice can also be made by substituting the endogenous lung cancer gene with a mutated

15   version of the lung cancer gene, or by mutating the endogenous lung cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

20   that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi, et al. (1989) Science 244:1288). Chimeric targeted mice can be derived according to Hogan, et al. (1988) Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory and Robertson (ed. 1987) Teratocarcinomas and

25   Embryonic Stem Cells: A Practical Approach, , IRL Press, Washington, D.C.

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella, et al. (1974) J. Natl. Cancer Inst. 52:921), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley, et al. (1978) Br. J. Cancer 38:263; Selby, et al. (1980) Br. J. Cancer 41:52)

30   can be used as a host. Transplantable tumor cells (typically about 10^6 cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a lung cancer-associated sequences are injected subcutaneously. After a suitable length of time,

preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

5   **Polynucleotide modulators of lung cancer**

Antisense and RNAi Polynucleotides

In certain embodiments, the activity of a lung cancer-associated protein is downregulated, or entirely inhibited, by the use of antisense or an inhibitory polynucleotide, i.e., a nucleic acid complementary to, and which can preferably hybridize specifically to, a

10   coding mRNA nucleic acid sequence, e.g., a lung cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their

15   close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the lung cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

20   Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides.

25   Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for lung cancer molecules. A preferred antisense molecule is for a lung cancer sequence in the tables, or for a ligand or activator thereof. Antisense or sense

30   oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein

71

is described in, e.g., Stein and Cohen (1988) Cancer Res. 48:2659 and van der Krol, et al.

(1988) BioTechniques 6:958).

RNA interference is a mechanism to suppress gene expression in a sequence specific

manner. See, e.g., Brumelkamp, et al. (2002) Sciencexpress (21March2002); Sharp (1999)

5   Genes Dev. 13:139-141; and Cathew (2001) Curr. Op. Cell Biol. 13:244-248. In mammalian

cells, short, e.g., 21 nt, double stranded small interfering RNAs (siRNA) have been shown to

be effective at inducing an RNAi response. See, e.g., Elbashir, et al. (2001) Nature 411:494-

498. The mechanism may be used to downregulate expression levels of identified genes, e.g.,

treatment of or validation of relevance to disease.

10

Ribozymes

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit

transcription of lung cancer-associated nucleotide sequences. A ribozyme is an RNA

molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have

15   been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes,

· RNase P, and axhead ribozymes (see, e.g., Castanotto, et al. (1994) Adv. in Pharmacology

25: 289-317 for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel, et al. (1990)

Nucl. Acids Res. 18:299-304; European Patent Publication No. 0 360 257; U.S. Patent No.

20   5,254,678. Methods of preparing are well known to those of skill in the art (see, e.g., WO

94/26877; Ojwang, et al. (1993) Proc. Natl. Acad. Sci. USA 90:6340-6344; Yamada, et al.

(1994) Human Gene Therapy 1:39-45; Leavitt, et al. (1995) Proc. Natl. Acad. Sci. USA

92:699-703; Leavitt, et al. (19994) Human Gene Therapy 5:1151-120; and Yamada, et al.

(1994) Virology 205: 121-126).

25   Polynucleotide modulators of lung cancer may be introduced into a cell containing the

target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as

described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to,

cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell

surface receptors. Preferably, conjugation of the ligand binding molecule does not

30   substantially interfere with the ability of the ligand binding molecule to bind to its

corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide

or its conjugated version into the cell. Alternatively, a polynucleotide modulator of lung

cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by

formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating lung cancer in cells or organisms
5   are provided. In one embodiment, the methods comprise administering to a cell an anti-lung cancer antibody that reduces or eliminates the biological activity of an endogenous lung cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a lung cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g., when the lung cancer sequence is down-
10   regulated in lung cancer, such state may be reversed by increasing the amount of lung cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous lung cancer gene or administering a gene encoding the lung cancer sequence, using known gene-therapy techniques. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g.,
15   as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g., when the lung cancer sequence is up-regulated in lung cancer, the activity of the endogenous lung cancer gene is decreased, e.g., by the administration of a lung cancer antisense or RNAi nucleic acid.

In one embodiment, the lung cancer proteins of the present invention may be used to
20   generate polyclonal and monoclonal antibodies to lung cancer proteins. Similarly, the lung cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify lung cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a lung cancer protein; that is, the antibodies show little or
25   no cross-reactivity to other proteins. The lung cancer antibodies may be coupled to standard affinity chromatography columns and used to purify lung cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the lung cancer protein.

30   **Methods of identifying variant lung cancer-associated sequences**

Without being bound by theory, expression of various lung cancer sequences is correlated with lung cancer. Accordingly, disorders based on mutant or variant lung cancer genes may be determined. In one embodiment, the invention provides methods for

identifying cells containing variant lung cancer genes, e.g., determining all or part of the sequence of at least one endogenous lung cancer genes in a cell. In a preferred embodiment, the invention provides methods of identifying the lung cancer genotype of an individual, e.g., determining all or part of the sequence of at least one lung cancer gene of the individual.

5   This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced lung cancer gene to a known lung cancer gene, i.e., a wild-type gene.

The sequence of all or part of the lung cancer gene can then be compared to the
10   sequence of a known lung cancer gene to determine if any differences exist. This can be done using known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the lung cancer gene of the patient and the known lung cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

15   In a preferred embodiment, the lung cancer genes are used as probes to determine the number of copies of the lung cancer gene in the genome.

In another preferred embodiment, the lung cancer genes are used as probes to determine the chromosomal localization of the lung cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when
20   chromosomal abnormalities such as translocations, and the like are identified in the lung cancer gene locus.

Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a lung cancer protein or
25   modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel, et al. (1992) Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3), Dekker, ISBN 0824770846,
30   082476918X, 0824712692, 0824716981; Lloyd (1999) The Art, Science and Technology of Pharmaceutical Compounding; and Pickar (1999) Dosage Calculations). Adjustments for lung cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration,

drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the lung cancer proteins and modulators thereof of the present invention can be done in a variety of ways, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the lung cancer proteins and modulators may be directly applied as a solution or spray.

The pharmaceutical compositions of the present invention comprise a lung cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose,

lactose, com and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms

5   suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that lung cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by

10   packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a lung cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions

15   are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate

20   and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Hardman, et al. (eds. 1996) Goodman and Gilman: The Pharmacologial Basis of Therapeutics).

25   Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally

30   administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gilman, The Pharmacologial Basis of Therapeutics, supra.

The compositions containing modulators of lung cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to

5   accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the

10   patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be

15   used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer based, at least in part, upon gene expression profiles. Vaccine strategies may be used, in either a DNA vaccine form, or protein vaccine.

It will be appreciated that the present lung cancer protein-modulating compounds can

20   be administered alone or in combination with additional lung cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in the tables, such as antisense or RNAi polynucleotides or ribozymes, will be introduced into cells, *in vitro* or *in vivo*. The present

25   invention provides methods, reagents, vectors, and cells useful for expression of lung cancer-associated polypeptides and nucleic acids using *in vitro* (cell-free), *ex vivo*, or *in vivo* (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for

30   introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g.,

Berger and Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology
volume 152 (Berger), Ausubel, et al. (eds. 1999) Current Protocols (supplemented through
1999), and Sambrook, et al. (1989) Molecular Cloning - A Laboratory Manual (2nd ed., Vol.
1-3).

5   In a preferred embodiment, lung cancer proteins and modulators are administered as
therapeutic agents, and can be formulated as outlined above. Similarly, lung cancer genes
(including both the full-length sequence, partial sequences, or regulatory sequences of the
lung cancer coding regions) can be administered in a gene therapy application. These lung
cancer genes can include antisense or inhibitory applications, e.g., as inhibitory RNA or gene

10   therapy (e.g., for incorporation into the genome) or as antisense compositions.

        Lung cancer polypeptides and polynucleotides can also be administered as vaccine
compositions to stimulate HTL, CTL, and antibody responses.. Such vaccine compositions
can include, e.g., lipidated peptides (see, e.g.,Vitiello, et al. (1995) J. Clin. Invest. 95:341),
peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres

15   (see, e.g., Eldridge, et al. (1991) Molec. Immunol. 28:287-294; Alonso, et al. (1994) Vaccine
12:299-306; Jones, et al. (1995) Vaccine 13:675-681), peptide compositions contained in
immune stimulating complexes (ISCOMS) (see, e.g., Takahashi, et al. (1990) Nature
344:873-875; Hu, et al. (1998) Clin Exp Immunol. 113:235-243), multiple antigen peptide
systems (MAPs) (see, e.g., Tam (1988) Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413; Tam

20   (1996) J. Immunol. Methods 196:17-32), peptides formulated as multivalent peptides;
peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery
vectors (Perkus, et al., p. 379 In: Kaufmann (ed. 1996) Concepts in vaccine development;
Chakrabarti, et al. (1986) Nature 320:535; Hu, et al. (1986) Nature 320:537; Kieny, et al.
(1986) AIDS Bio/Technology 4:790; Top, et al. (1971) J. Infect. Dis. 124:148; Chanda, et al.

25   (1990) Virology 175:535), particles of viral or synthetic origin (see, e.g., Kofler, et al. (1996)
J. Immunol. Methods 192:25; Eldridge, et al. (1993) Sem. Hematol. 30:16; Falo, et al. (1995)
Nature Med. 7:649), adjuvants (Warren, et al. (1986) Annu. Rev. Immunol. 4:369; Gupta, et
al. (1993) Vaccine 11:293), liposomes (Reddy, et al. (1992) J. Immunol. 148:1585; Rock
(1996) Immunol. Today 17:131), or, naked or particle absorbed cDNA (Ulmer, et al. (1993)

30   Science 259:1745; Robinson, et al. (1993) Vaccine 11:957; Shiver, et al., p. 423 In:
Kaufmann (ed. 1996) Concepts in vaccine development; Cease and Berzofsky (1994) Annu.
Rev. Immunol. 12:923 and Eldridge, et al. (1993) Sem. Hematol. 30:16). Toxin-targeted

delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or

5   mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or

10   aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

15   Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff, et. al. (1990) Science 247:1465 as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include

20   "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include

25   attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, e.g., as a vector to express nucleotide sequences that encode lung cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S.

30   Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover, et al. (1991) Nature 351:456-460. A wide variety of other vectors useful for therapeutic administration or immunization e.g., adeno and adeno-associated virus vectors, retroviral vectors, *Salmonella typhi* vectors, detoxified anthrax toxin vectors, and the

like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata, et al. (2000) Mol Med Today 6:66-71; Shedlock, et al. (2000) J. Leukoc. Biol. 68:793-806; Hipp, et al. (2000) In Vivo 14:571-85).

Methods for the use of genes as DNA vaccines are well known, and include placing a
5   lung cancer gene or portion of a lung cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a lung cancer patient. The lung cancer gene used for DNA vaccines can encode full-length lung cancer proteins, but more preferably encodes portions of the lung cancer proteins including peptides derived from the lung cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a
10 plurality of nucleotide sequences derived from a lung cancer gene. For example, lung cancer-associated genes or sequence encoding subfragments of a lung cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular
15 epitopes.

In a preferred embodiment, DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the lung cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

20 In another preferred embodiment lung cancer genes find use in generating animal models of lung cancer. When the lung cancer gene identified is repressed or diminished in metastatic tissue, gene therapy technology, e.g., wherein antisense or inhibitory RNA directed to the lung cancer gene will also diminish or repress expression of the gene. Animal models of lung cancer find use in screening for modulators of a lung cancer-associated sequence or
25 modulators of lung cancer. Similarly, transgenic animal technology including gene knockout technology, e.g., as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the lung cancer protein. When desired, tissue-specific expression or knockout of the lung cancer protein may be necessary.

It is also possible that the lung cancer protein is overexpressed in lung cancer. As
30 such, transgenic animals can be generated that overexpress the lung cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene.

Animals generated by such methods will find use as animal models of lung cancer and are additionally useful in screening for modulators to treat lung cancer.

Kits for Use in Diagnostic and/or Prognostic Applications

5   For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In diagnostic and research applications such kits may include at least one of the following: assay reagents, buffers, lung cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, RNAi, dominant negative lung cancer polypeptides or polynucleotides, small molecule inhibitors of

10   lung cancer-associated sequences, etc. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

        In addition, the kits may include instructional materials containing instructions (e.g., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. A medium

15   capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the like. Such media may include addresses to internet sites that provide such instructional materials.

        The present invention also provides for kits for screening for modulators of lung

20   cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a lung cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing lung cancer-associated activity. Optionally, the kit contains biologically active lung cancer protein. A wide variety of kits and components can be prepared according to the present

25   invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes typically will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

EXAMPLES

Example 1: Gene Chip Analysis

       Molecular profiles of various normal and cancerous tissues were determined and

5   analyzed using gene chips. RNA was isolated and gene chip analysis was performed as

described (Glynne, et al. (2000) <u>Nature</u> 403:672-676; Zhao, et al. (2000) <u>Genes Dev.</u> 14:981-

993).

Tables 1A and 1B were previously filed on April 18, 2001 in USSN 60/284,770 (18501-001500US) and on November 29, 2001 in USSN 60/334,370 (18501-001520US)

Table 1A

Pkey	ExAccn	UnigeneID	Unigene Title	70% chron/90% NL	70% SQAD/90% NL
100134	D13264	Hs.49	macrophage scavenger receptor 1	1.61	0.74
100780	HG3731-HT4001		****Immunoglobulin Heavy Chain, Vdjrc Reg	2.68	3.28
100971	J02874	Hs.83213	fatty acid binding protein 4; adipocyte	1.96	0.14
101088	L05568	Hs.553	solute carrier family 6 (neurotransmitte	0.79	0.07
101102	L07594	Hs.79059	transforming growth factor, beta recepto	2.55	1
101168	L15388	Hs.211569	G protein-coupled receptor kinase 5	0.88	0.27
101277	L38486	Hs.118223	microfibrillar-associated protein 4	0.89	0.26
101330	L43821	Hs.80251	enhancer of filamentation 1 (cas-like do	0.59	0.29
101336	L49169	Hs.75678	FBJ murine osteosarcoma viral oncogene h	1.15	0.41
101345	L76380	Hs.152175	calcitonin receptor-like	0.81	0.31
101678	M62505	Hs.2161	complement component 5 receptor 1 (C5a l	1.31	0.77
101764	M80563	Hs.81256	S100 calcium-binding protein A4 (calcium	1.44	0.82
101771	M81750	Hs.153837	myeloid cell nuclear differentiation ant	0.96	0.45
101842	M93221	Hs.75182	mannose receptor, C type 1	1.27	0.37
102283	U31384	Hs.83381	guanine nucleotide binding protein 11	1.04	0.3
102363	U39447	Hs.198241	amine oxidase; copper containing 3 (vasc	0.96	0.26
102507	U52154	Hs.193044	potassium inwardly-rectifying channel; s	2.81	3.45
102698	U75272	Hs.1867	progastricsin (pepsinogen C)	0.95	0.23
103025	X54131	Hs.123641	protein tyrosine phosphatase; receptor t	1.62	0.21
103280	X79981	Hs.76206	cadherin 5; VE-cadherin (vascular epithe	0.9	0.41
103496	Y09267	Hs.132821	flavin containing monooxygenase 2	1.27	0.49
103541	Z11697	Hs.79197	CD83 antigen (activated B lymphocytes; i	1.86	1
103554	Z18951	Hs.74034	caveolin 1; caveolae protein; 22kD	1.27	0.47
104212	AB002298	Hs.173035	KIAA0300 protein	1.17	0.16
104691	AA011176	Hs.37744	ESTs	1.08	0.35
104825	AA035613	Hs.141883	ESTs	0.75	0.27
104857	AA043219	Hs.19058	ESTs	2.6	3.3
104865	AA045136	Hs.22575	ESTs	1.23	0.49
104989	AA102098	Hs.118615	ESTs	0.63	0.32
105729	AA292694	Hs.3807	ESTs; Weakly similar to PHOSPHOLEMMAN PR	0.86	0.34
105847	AA398506	Hs.32241	ESTs	1.32	0.4
105894	AA400979	Hs.25691	calcitonin receptor-like receptor activi	0.78	0.28
106490	AA451861	Hs.115537	ESTs; Weakly similar to dipeptidase prec	1.2	0.47
106536	AA453997	Hs.23804	ESTs	0.82	0.15
106605	AA457718	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (tr	0.99	0.07
106667	AA461086	Hs.16578	ESTs	1.17	0.4
106773	AA478109	Hs.188833	ESTs	1.46	0.43
106797	AA478962	Hs.169943	ESTs	1.18	0.32
106844	AA485055	Hs.158213	sperm associated antigen 6	0.98	0.51
106870	AA487576	Hs.26530	serum deprivation response (phosphatidyl	1.05	0.14
106954	AA496980	Hs.204038	ESTs	1.25	0.33
107054	AA600150	Hs.14366	ESTs	1.11	0.4
107292	T30407	Hs.4789	ESTs; Weakly similar to oxidative-stress	1.07	2.58
107994	AA036811	Hs.165030	ESTs	0.7	0.21
107997	AA037388	Hs.82223	Human DNA sequence from clone 141H5 on c	1.02	0.48
108041	AA041552	Hs.61957	ESTs	1.44	0.51
108087	AA045709	Hs.40545	ESTs	1.98	1
108382	AA074885	Hs.67726	macrophage receptor with collagenous str	1.52	0.72
108435	AA078787	Hs.194101	ESTs	2.53	1.53
108480	AA081093	Hs.68055	ESTs	1.56	0.48
109252	AA194830	Hs.85944	ESTs	2.69	3.18
109550	F01534	Hs.26981	ESTs	1.19	0.65
109613	F03031	Hs.27519	ESTs	1.01	0.29
109837	H00656	Hs.29792	ESTs	0.81	0.15
109893	H04768	Hs.30484	ESTs	1.44	0.32
109984	H09594	Hs.10299	ESTs	0.62	0.14
110099	H16568	Hs.23748	ESTs	1.01	0.28
110837	N30796	Hs.17424	ESTs; Weakly similar to semaphorin F [H.	1.1	0.22
111247	N59825	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	1.26	0.26
111341	N80935	Hs.22483	ESTs	1.57	0.52
111510	R07856	Hs.16355	ESTs	3.95	1
111737	R25410	Hs.9218	ESTs	0.97	0.24
113195	T57112		****yc20g11.s1 Stratagene lung (#937210)	1.22	0.35
113238	T62979	Hs.189813	ESTs	2.27	0.45
113540	T90496	Hs.16757	ESTs	1.06	0.22
113552	T90889	Hs.16026	ESTs	1.16	0.42
113606	T93093	Hs.17125	ESTs	1.48	0.7
113695	T95965	Hs.17948	ESTs	1.54	0.28
113946	W84753	Hs.37896	ESTs	1.79	0.72
114251	Z39898	Hs.21948	ESTs	1.95	0.25
114359	Z41589	Hs.153483	ESTs; Moderately similar to H1 chloride	1.42	0.13
115230	AA278300	Hs.182980	ESTs	2.62	0.42
115279	AA279760	Hs.63671	ESTs	1.79	0.91
115566	AA398083	Hs.43977	ESTs	0.86	0.2
115965	AA446661	Hs.173233	ESTs	0.79	0.04
116166	AA461556	Hs.202949	KIAA1102 protein	2.29	0.68
116279	AA486073	Hs.57362	ESTs	2.27	0.78
117023	H88157	Hs.41105	ESTs	1.36	0.16

	117209	H99959	Hs.42768	ESTs	1.46	0.48
	118901	N90719	Hs.94445	ESTs	1.51	1
	118981	N93839	Hs.39288	ESTs	1.34	0.48
	119073	R32894	Hs.45514	v-ets avian erythroblastosis virus E26 o	1.14	0.27
5	119221	R98105		""yr30g11.s1 Soares fetal liver spleen	1.32	0.53
	119824	W74536	Hs.184	advanced glycosylation end product-speci	1	0.19
	119861	W80715		ESTs; Moderately similar to !!!! ALU SUB	1.83	0.45
	120041	W92775	Hs.59368	ESTs	1.23	0.55
	120132	Z38839	Hs.125019	ESTs; Highly similar to KIAA0886 protein	0.91	0.37
10	120467	AA251579	Hs.187628	ESTs	1.87	1.91
	121314	AA402799	Hs.182538	ESTs	1.3	0.31
	121643	AA417078	Hs.193767	ESTs	2.31	0.68
	121690	AA418074	Hs.110286	ESTs	1.47	0.51
	122633	AA454080	Hs.34853	inhibitor of DNA binding 4; dominant neg	1.31	0.63
15	123978	C20653	Hs.170278	ESTs	1.52	0.32
	124214	H58608	Hs.151323	ESTs	0.93	0.35
	124357	N22401		""yw37g07.s1 Morton Fetal Cochlea Homo	1.29	1
	124438	N40188	Hs.102550	ESTs	1.36	0.7
	125167	W45560	Hs.102541	ESTs	1.46	0.69
20	125174	W51835	Hs.231082	EST	3.07	3.76
	125422	AA903229	Hs.153717	ESTs	1.34	0.3
	125561	AI417667	Hs.22978	ESTs	1.89	0.63
	125831	D60988		""HUM145B09B Clontech human fetal brain	0.94	0.36
	127002	R35380	Hs.24979	ESTs	3.02	4.06
25	127307	AA369367	Hs.126712	ESTs; Weakly similar to pIL2 hypothetica	1.01	0.69
	127609	AA622559	Hs.150318	ESTs	1.21	0.32
	127959	AI302471	Hs.124292	ESTs	2.5	1
	128458	D52193	Hs.56340	ESTs	1.13	0.33
	128624	AA479209	Hs.102647	ESTs	1.45	0.58
30	128789	AA486567	Hs.105695	ESTs	1.1	0.34
	128798	AF014958	Hs.105938	chemokine (C-C motif) receptor-like 2	1.16	0.55
	128952	R51076	Hs.107361	ESTs; Highly similar to Rap2 interacting	2.04	2.4
	129057	X62466	Hs.214742	CDW52 antigen (CAMPATH-1 antigen)	1.77	0.73
	129210	AA401654	Hs.202949	KIAA1102 protein	1.11	0.36
35	129240	W24360	Hs.237868	interleukin 7 receptor	0.91	0.41
	129402	T63781		""yc21g01.s1 Stratagene lung (#937210)	1.36	0.43
	129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1	0.67	0.08
	129593	AA487015	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	1.3	0.42
	129626	AA447410	Hs.11712	ESTs; Weakly similar to !!!! ALU SUBFAMI	1.28	0.46
40	129699	AA458578	Hs.12017	KIAA0439 protein; homolog of yeast ubiqu	1.58	1
	129898	N48595	Hs.13256	ESTs	1.13	0.53
	129958	L20591	Hs.1378	annexin A3	0.81	0.31
	130273	U59914	Hs.153863	MAD (mothers against decapentaplegic; Dr	0.59	0.22
	130655	N92934	Hs.17409	cysteine-rich protein 1 (intestinal)	1.44	0.76
45	130657	T94452	Hs.201591	ESTs	0.96	0.42
	131061	N64328	Hs.22567	ESTs; Moderately similar to HYPOTHETICAL	1.51	0.45
	131066	F09006	Hs.22588	ESTs	0.97	0.37
	131263	R38334	Hs.24950	regulator of G-protein signalling 5	2.34	2.82
	131589	U52100	Hs.29191	epithelial membrane protein 2	1.2	0.62
50	131686	AA157428	Hs.30687	Grb2-associated binder 2	0.95	0.38
	131751	H18335	Hs.31562	ESTs	1.47	0.52
	132430	T23630	Hs.258675	EST	1.86	2.09
	132476	N67192	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi	1.73	0.58
	132836	F09557	Hs.57929	slit (Drosophila) homolog 3	0.91	0.29
55	133120	X64559	Hs.65424	tetranectin (plasminogen-binding protein	0.82	0.2
	133488	D45370	Hs.74120	adipose specific 2	1.29	0.48
	133565	H57056	Hs.204831	ESTs	2.25	0.57
	133651	U97105	Hs.173381	dihydropyrimidinase-like 2	1.65	0.62
	133835	AA059489	Hs.76640	ESTs; Highly similar to RGC-32 [R.norveg	1.16	0.34
60	133978	W73859	Hs.78061	transcription factor 21	0.79	0.27
	133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec	0.99	0.28
	134299	AA487558	Hs.8135	ESTs	1.02	0.46
	134300	U81984	Hs.166082	endothelial PAS domain protein 1	0.86	0.42
	134323	AA028976	Hs.8175	Homo sapiens mRNA; cDNA DKFZp564M0763 (f	1.19	0.27
65	134343	D50683	Hs.82028	transforming growth factor; beta recepto	1.21	0.67
	134417	D87969	Hs.82921	solute carrier family 35 (CMP-sialic aci	1.28	1
	134561	U76421	Hs.85302	adenosine deaminase; RNA-specific; B1 (h	2.12	0.55
	134624	W67147	Hs.8700	deleted in liver cancer 1	2.35	2.74
	134696	H88354	Hs.8861	ESTs	1.35	0.33
70	134749	L10955	Hs.89485	carbonic anhydrase IV	0.89	0.2
	134786	L06139	Hs.89640	TEK tyrosine kinase; endothelial (venous	0.48	0.21
	134869	T35288	Hs.90421	ESTs; Moderately similar to !!!! ALU SUB	2.14	2.64
	135346	M21056	Hs.992	phospholipase A2; group IB (pancreas)	0.63	0.13
	100113	D00591	Hs.84746	Chromosome condensation 1	1	2.15
75	100147	D13666	Hs.136348	Homo sapiens mRNA for osteoblast specifi	0.5	2
	100280	D42085	Hs.155314	KIAA0095 gene product	1.02	1.39
	100335	D63391	Hs.6793	platelet-activating factor acetylhydrola	1	5.58
	100360	D78335	Hs.75939	Uridine monophosphate kinase	0.91	2.04
	100372	D79997	Hs.184339	KIAA0175 gene product	0.75	2.03
80	100486	HG1112-HT1112		TIGR: ras-like protein TC4	1.09	1.93
	100559	HG2197-HT2267		"collagen, type VII, alpha 1"	0.97	3.6
	100576	HG2290-HT2386		"calcitonin/alpha-CGRP, all. transcript	1	1
	100668	HG2981-HT3938		TIGR: CD44 (epican, all. transcript 12	0.85	1.9
	100906	HG4716-HT5158		Guanosine 5'-Monophosphate Synthase	1.18	2.29
85	100930	HG721-HT4827		"TIGR: placental protein 14, endometrial	1	1.45

100960	J00124	Hs.117729	keratin 14 (epidermolysis bullosa simple	0.84	2.6
101031	J05070	Hs.151738	"Matrix metalloproteinase 9 (gelatinase	0.77	1.52
101111	L08424	Hs.1619	Achaete-scute complex (Drosophila) homol	1	1
101124	L10343	Hs.112341	"Protease inhibitor 3, skin-derived (SKA	0.62	2.67
101175	L18920	Hs.36980	"Melanoma antigen, family A, 2"	1	1
101204	L24203	Hs.82237	Ataxia-telangiectasia group D-associated	0.74	4.1
101431	M19888	Hs.1076	Small proline-rich protein 1B (cornifin)	0.85	2.51
101448	M21389	Hs.195850	keratin 5 (epidermolysis bullosa simplex	0.61	8.83
101511	M27826	Hs.267319	Endogenous retroviral protease	1.03	1.13
101526	M29540	Hs.220529	Carcinoembryonic antigen-related cell ad	1.07	4.61
101548	M31328	Hs.71642	"Guanine nucleotide binding protein (G p	0.97	1.13
101625	M57293		"Human parathyroid hormone-related pepti	1	1
101649	M60047	Hs.1690	Heparin-binding growth factor binding pr	1	2.7
101724	M69225	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	1	8.98
101748	M76482	Hs.1925	Desmoglein 3 (pemphigus vulgaris antigen	1	2.78
101759	M80244	Hs.184601	"Solute carrier family 7 (cationic amino	1.07	2.45
101804	M86699	Hs.169840	TTK protein kinase	1	1
101806	M86757	Hs.112408	S100 calcium-binding protein A7 (psorias	0.74	1.76
101809	M86849		"Homo sapiens connexin 26 (GJB2) mRNA, c	1	7
101845	M93426	Hs.78867	"Protein tyrosine phosphatase, receptor-	1	1
101851	M94250	Hs.82045	Midkine (neurite growth-promoting factor	1.13	2.6
102083	U10323	Hs.75117	"Interleukin enhancer binding factor 2,	1.03	1.61
102154	U17760	Hs.75517	"Laminin, beta 3 (nicein (125kD), kalin)	0.94	3.62
102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin;	0.34	4.59
102305	U33286	Hs.90073	chromosome segregation 1 (yeast homolog)	1.45	2.97
102348	U37519	Hs.87539	Aldehyde dehydrogenase 8	0.52	2.25
102581	U61145	Hs.77256	Enhancer of zeste (Drosophila) homolog 2	0.91	2.46
102610	U65011	Hs.30743	Preferentially expressed antigen in mela	1	3.88
102623	U66083	Hs.37110	"Melanoma antigen, family A, 9 (MAGE-9)"	1	1
102669	U71207	Hs.29279	Eyes absent (Drosophila) homolog 2	1	1
102696	U74612	Hs.239	Forkhead box M1	1.06	2.77
102829	U91618	Hs.80962	Neurotensin	1	1
102888	X04741	Hs.76118	Ubiquitin carboxyl-terminal esterase L1	1.13	2.59
102913	X07696	Hs.80342	keratin 15	0.7	4.72
102915	X07820	Hs.2258	Matrix Metalloproteinase 10 (Stromolysin	1.15	3.35
102963	X15943	Hs.37058	"Calcitonin/calcitonin-related polypepti	1	1
103021	X53587	Hs.85266	"Integrin, beta 4"	1.38	2.34
103036	X54925	Hs.83169	Matrix metalloprotease 1 (interstitial c	1	14.93
103058	X57348	Hs.184510	Stratifin	1.25	4.17
103060	X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin	1	1.72
103119	X63629	Hs.2877	"Cadherin 3, P-cadherin (placental)"	1.16	7.38
103206	X72755	Hs.77367	monokine induced by gamma interferon	0.71	1.48
103242	X76342	Hs.389	"Alcohol dehydrogenase 7 (class IV), mu	1	1
103312	X82693	Hs.3185	"Lymphocyte antigen 6 complex, locus D;	0.92	1.28
103478	Y07755	Hs.38991	S100 calcium-binding protein A2	1.05	5.81
103558	Z19574	Hs.2785	keratin 17	0.65	6.68
103576	Z26317	Hs.2631	Desmoglein 2	0.79	1.73
103587	Z29083	Hs.82128	5T4 Oncofetal antigen	1	3.93
103594	Z31560	Hs.816	"SRY (sex determining region Y)-box 2, p	0.71	7.23
103768	AA089997		"ESTs, Highly similar to integral membra	0.99	1.8
104158	AA454908	Hs.8127	KIAA0144 gene product	0.96	1.29
104558	R56678	Hs.88959	Human DNA sequence from clone 967N21 on	1.23	7.23
104689	AA010665		ESTs	0.96	2.11
104733	AA019498	Hs.23071	ESTs	1.18	1.88
104906	AA055809	Hs.26802	Protein kinase domains containing protei	1.11	3.15
104978	AA088458	Hs.19322	ESTs; Weakly similar to !!!! ALU SUBFAMI	1.64	2.89
105012	AA116036	Hs.9329	"Homo sapiens mRNA for fls353, complete	1.19	3.91
105175	AA186804	Hs.25740	ESTs; Weakly similar to unknown [S.cerev	0.9	4.63
105263	AA227926	Hs.6682	ESTs	0.95	2.87
105298	AA233459	Hs.26369	ESTs	1	1.13
105312	AA233854	Hs.23348	S-phase kinase-associated protein 2 (p45	1.32	3.01
105719	AA291644	Hs.36793	Hypothetical protein FLJ23188	1.28	2.31
105743	AA293300	Hs.9598	ESTs	1	1
106012	AA411621	Hs.8895	ESTs; same as BFH6?	0.94	2.04
105231	AA429571	Hs.38002	KIAA1355 protein	1.04	1.5
106540	AA454607	Hs.38114	Hypothetical protein FLJ11100	1.26	2.26
106575	AA456039	Hs.105421	ESTs	1	2
106632	AA459897	Hs.11950	GPI-anchored metastasis-associated prote	0.87	1.32
106727	AA465342	Hs.34045	Hypothetical protein FLJ20764	0.87	1.59
106906	AA490237	Hs.222024	Transcription factor BMAL2 (cycle-like f	0.61	1.6
107059	AA608545	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	0.48	2.67
107104	AA609786	Hs.15243	Nucleolar protein 1 (120kD)	1.01	1.44
107151	AA621169	Hs.8687	ESTs; procollagen I-N proteinase	0.97	2.89
107284	S74039	Hs.291904	Accessory proteins BAP31/BAP29	1.15	3.65
107901	AA026418	Hs.91539	ESTs	0.72	3.44
107922	AA028028	Hs.61460	Ig superfamily receptor LNIR precursor	1	2.48
107932	AA029317	Hs.18878	Hypothetical protein FLJ21620	1	1
108695	AA121315	Hs.70823	KIAA1077 protein	0.91	3.53
108857	AA133250	Hs.62180	ESTs	1	1
108860	AA133334	Hs.129911	ESTs	0.73	7.3
108990	AA152296	Hs.72045	ESTs	1	1
109166	AA179845	Hs.73625	"RAB6 interacting, kinesin-like (rabkine	1	4.55
109424	AA227919	Hs.85962	Hyaluronan synthase 3	1	1.28
109665	F05012	Hs.27027	Hypothetical protein DKFZp762H1311	1.42	2
109970	H09281	Hs.13234	ESTs	1.13	2.16

85

110015	H10998	Hs.7164	A disintegrin and metalloproteinase doma	0.84	1.95
110156	H18957	Hs.4213	ESTs	0.94	1.41
110561	H59617	Hs.5199	HSPC150 protein similar to ubiquitin-con	0.91	3.18
111223	N68921	Hs.34806	ESTs; Weakly similar to neogenin [H.sapi	0.91	3.13
111345	N89820	Hs.14559	Hypothetical protein FLJ10540	1	1.25
111876	R38239	Hs.293246	"ESTs, Weakly similar to putative p150 [	0.83	1.27
111902	R39191	Hs.109445	KIAA1020 protein	0.91	0.91
112244	R51309	Hs.70823	KIAA1077 protein	0.77	3.01
112973	T17271		"cDNA FLJ13308 fis, clone OVARC1001436,	1	1
112989	T23482	Hs.89981	"Diacylglycerol kinase, zeta (104kD)"	0.55	1.03
113047	T25867	Hs.7549	ESTs	0.87	2
113095	T40920	Hs.126733	ESTs	1	1
113531	T90345	Hs.16740	Hypothetical protein FLJ11036	0.42	1.44
113970	W86748	Hs.8109	ESTs	1.17	1.73
114346	Z41450	Hs.130489	"ATPase, aminophospholipid transporter-I	0.86	0.82
114407	AA010188	Hs.103305	ESTs	0.8	1.88
114471	AA028074	Hs.104613	RP42 homolog	1.05	1.34
114509	AA043551	Hs.101799	KIAA1350 protein	1.82	2.32
115060	AA253214	Hs.198249	"Gap junction protein, beta 5 (connexin	0.79	1.49
115091	AA255900	Hs.184523	KIAA0965 protein	0.72	1.92
115123	AA256642	Hs.236894	"ESTs, High sim to LRP1_hu low density l	0.59	1.97
115291	AA279943	Hs.122579	ESTs	1	1.25
115506	AA292537	Hs.45207	Hypothetical protein KIAA1335	1.15	1.48
115522	AA331393	Hs.47378	ESTs	0.5	3.29
115536	AA347193	Hs.62180	ESTs	1	1
115697	AA411502	Hs.63325	Homo sapiens type II membrane serine pro	1	6.53
115909	AA436666	Hs.59761	ESTs	1	6.98
115978	AA447522	Hs.69517	Differentially expressed in Fanconi anem	1	2.31
116028	AA452112	Hs.42644	thioredoxin-like	0.99	1.68
116107	AA456958	Hs.92030	ESTs	1.14	1.8
116134	AA460246	Hs.50441	CGI-04 protein	1.11	1.86
116157	AA461063	Hs.44298	Hypothetical protein	0.99	1.9
116158	AA461187	Hs.61762	Hypoxia-inducible protein 2	0.44	0.86
116335	AA495830	Hs.87013	"Homo sapiens cDNA FLJ10238 fis, clone H	0.62	3.89
116483	C14092	Hs.76118	Ubiquitin carboxyl-terminal esterase L1	1.04	2.36
117320	N23239	Hs.211092	LUNX protein; PLUNC(palate lung & nasal	0.51	0.64
117557	N33920	Hs.44532	Diubiquitin	1.11	2.63
117693	N40939	Hs.112110	PTD007 protein	0.98	1.79
117881	N50073	Hs.260622	Butyrate-induced transcript 1	1	1.43
118368	N64339	Hs.48956	ESTs	0.67	2.86
118566	N68558	Hs.42824	Hypothetical protein FLJ10718	1.21	0.83
118695	N71781	Hs.50081	KIAA1199 see CVA7.doc	0.88	1.63
119780	W72967	Hs.191381	ESTs; Weakly similar to hypothetical pro	1	1
119845	W79920	Hs.58561	G protein-coupled receptor 87	1	1
120102	W95428	Hs.132927	"ESTs, Moderately similar to p53 regulat	1	1
120104	W95477	Hs.180479	ESTs	0.69	3.07
120486	AA253400	Hs.137569	Tumor protein 63 kDa with strong homolog	1.08	12.05
120859	AA350158	Hs.1619	Achaete-scute complex (Drosophila) homol	1	1
120880	AA360240	Hs.97019	EST	1	1
120948	AA397822	Hs.104650	Hypothetical protein FLJ10292	1.04	2.15
120983	AA398209	Hs.97587	EST	1	1
121362	AA405500	Hs.97932	Chondromodulin I precursor	1	1
121369	AA405557	Hs.128791	CGI-09 protein	1	1.8
121791	AA423978	Hs.293317	"ESTs, Weakly similar to JM27 (H.sapiens	1	1
123005	AA479726	Hs.105577	ESTs	1	1
123044	AA481549	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro	0.95	1.88
123160	AA488687	Hs.284235	ESTs	1.59	4.98
123479	AA599469	Hs.135056	clone RP5-850E9 on chromosome 20	1.19	1.64
123571	AA608956	Hs.112619	"ESTs, Weakly similar to PQ0109 Purkinje	1.03	1.14
123829	AA620697	Hs.112208	XAGE-1 protein	1.39	2.2
124006	D60302	Hs.108977	ESTs	1	4.85
124059	F13673	Hs.99769	ESTs	1.49	8.62
124960	T15386	Hs.194766	Seizure related gene 6 (mouse)-like	0.76	0.77
125218	W73561	Hs.110024	NADH:ubiquinone oxidoreductase MLRQ subu	1.33	1.77
125453	R05041	Hs.18048	"Melanoma antigen, family A, 10"	0.8	1.42
125759	AA425587	Hs.82226	Glycoprotein (transmembrane) nmb	1.52	2.26
125972	AA434562	Hs.35406	"ESTs, Highly similar to unnamed protein	1.05	2.48
125994	H55782	Hs.270799	EST	1	1.95
126395	N70192	Hs.278956	Hypothetical protein FLJ12929	1	1.35
126645	AI167942	Hs.61635	STEAP1 (Homo sapiens BAC clone RG041D11	1	2.23
127221	AI354332	Hs.72365	ESTs	0.73	3.27
127479	AA513722	Hs.179729	collagen; type X; alpha 1 (Schmid metaph	0.51	1.94
128192	AI204246		KIAA1085 protein	1.8	3.16
128610	L38608	Hs.10247	activated leucocyte cell adhesion molecu	0.89	0.97
128777	U46006	Hs.10526	Cysteine and glycine-rich protein 2	1	1
128924	AA234962	Hs.26557	Plakophilin 3	1.3	2.97
129041	H58873	Hs.169902	"Solute carrier family 2 (facilitated gl	0.84	2.04
129099	H50398	Hs.108660	"ATP-binding cassette, sub-family C (CFT	0.87	1.04
129404	AA172056	Hs.111128	ESTs	1	1
129466	L42583		"Genbank Homo sapiens keratin 6 isoform	0.72	12.67
129605	S72493	Hs.115947	Keratin 16 (focal non-epidermolytic palm	0.92	1.5
129628	U26727	Hs.1174	"Cyclin-dependent kinase inhibitor 2A (m	0.85	1.93
130023	X13461	Hs.239600	Calmodulin-like 3	0.84	1.22
130080	X14850	Hs.147097	"H2A histone family, member X"	0.98	1.96
130385	AA126474	Hs.155223	stanniocalcin 2	1	1

130410	V01514	Hs.155421	Alpha-fetoprotein	0.63	0.63
130441	U35835	Hs.301387	"Human DNA-PK mRNA, partial cds"	1.15	3.65
130482	L32866	Hs.1578	Baculoviral IAP repeat-containing 5 (sur	1	1.88
130553	AA430032	Hs.252587	Pituitary tumor-transforming 1	0.92	1.96
130577	M35410	Hs.162	Insulin-like growth factor binding prote	1.17	4.7
130527	L23808	Hs.1695	Matrix metalloproteinase 12 (macrophage	0.69	4.05
130800	AA223386	Hs.19574	ESTs; Weakly similar to katanin p80 subu	1.13	2.41
130939	AA598689	Hs.21400	ESTs	0.8	0.89
131046	X02530	Hs.2248	INTERFERON-GAMMA INDUCED PROTEIN PRECURS	0.8	1.15
131244	D38076	Hs.24763	RAN binding protein 1	1.13	1.85
131877	J04088	Hs.156346	Topoisomerase (DNA) II alpha (170kD)	1	1
131927	AA461549	Hs.34780	"Doublecortex; lissencephaly, X-linked (	0.81	0.62
131965	W30146	Hs.35962	ESTs	0.74	3.27
131978	D80008	Hs.36232	KIAA0186 gene product	1	1
132354	L05187	Hs.211913	Small proline-rich protein 1A	0.69	1.43
132543	AA417152	Hs.5101	ESTs; Highly similar to protein regulati	0.79	4.27
132632	N59764	Hs.5398	guanine-monophosphate synthetase	1	1.08
132653	U31201	Hs.54451	"laminin gamma2 chain gene (LAMC2), exon	1	1
132659	Z75190	Hs.54481	"Low density lipoprotein receptor-relate	0.89	0.89
132710	W93726	Hs.55279	"Serine (or cysteine) proteinase inhibit	0.64	4.41
132758	W52432	Hs.56105	"ESTs, Weakly similar to WDNM RAT WDNM1	1.55	2.08
132767	L05188	Hs.231622	Small proline-rich protein 2B	0.83	1.66
132816	M74542	Hs.575	Aldehyde dehydrogenase 3	0.55	0.55
132990	AA458761	Hs.18387	transcription factor AP-2 alpha (activat	1	3.53
133070	U69611	Hs.64311	"A disintegrin and metalloproteinase dom	1.16	2
133282	U52960	Hs.285145	"SRB7 (suppressor of RNA polymerase B, y	1	2.7
133317	AA215299	Hs.70830	U6 snRNA-associated Sm-like protein LSm7	0.95	1.42
133370	AA156897	Hs.72157	Homo sapiens mRNA; cDNA DKFZp564I1922	1.12	2.55
133391	X57579	Hs.727	H.sapiens activin beta-A subunit (exon 2	1.65	1.76
133832	H03387	Hs.241305	estrogen-responsive B box protein (EBBP)	1.02	1.39
134032	Z81326	Hs.78589	"Serine (or cysteine) proteinase inhibit	1	1
134168	AA398908	Hs.181634	"Homo sapiens cDNA: FLJ23602 fis, clone	0.95	1.53
134218	AA227480	Hs.80205	Pim-2 oncogene	1.36	2.48
134405	R67275	Hs.82772	""collagen, type XI, alpha 1""	0.76	2.86
134453	X70683	Hs.83484	SRY (sex determining region Y)-box 4	1.89	3.78
134470	X54942	Hs.83758	CDC28 protein kinase 2	1.82	4.11
134545	U87459	Hs.167379	"Cancer/testis antigen (NY-ESO-1, CTAG1,	0.82	0.83
134781	M17183	Hs.89626	Parathyroid hormone-like hormone	1	1
135002	U19147	Hs.272484	G antigen 6	1	1
100040	M97935		AFFX control: STAT1	0.92	1.25
101201	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin;	2.92	8.5
101664	M60752	Hs.121017	H2A histone family; member A	1	1
102025	U03911	Hs.78934	mutS (E. coli) homolog 2 (colon cancer;	0.8	1.61
102031	U04898	Hs.2156	RAR-related orphan receptor A	1	1
102221	U24576		LIM domain only 4	1	1
102270	U30255	Hs.75888	phosphogluconate dehydrogenase	1.08	1.43
102339	U37022	Hs.95577	cyclin-dependent kinase 4	0.88	1.32
102391	U41668	Hs.77494	deoxyguanosine kinase	1.07	1.58
103000	X51956	Hs.146580	enolase 2; (gamma; neuronal)	0.91	1.49
103395	X94754	Hs.119503	methionine-tRNA synthetase	0.89	1.32
105638	AA281599	Hs.20418	Homo sapiens mRNA for for histone H2B; c	0.91	1.25
105726	AA292328	Hs.9754	activating transcription factor 5	0.94	1.48
114841	AA234722	Hs.55408	ESTs; Moderately similar to CALCIUM-DEPE	0.78	1.56
115206	AA262491	Hs.186572	ESTs	1	1
115906	AA436616	Hs.82302	ESTs	0.74	2.52
119132	R49046	Hs.107911	ATP-binding cassette; sub-family B (MDR/	1.1	1.51
124163	H30539	Hs.189838	ESTs	1	1
126487	AA482505	Hs.184601	solute carrier family 7 (cationic amino	1.01	1.46
127141	AA307960	Hs.75478	KIAA0956 protein	0.85	1.4
128034	AA905754	Hs.75103	tyrosine 3-monooxygenase/tryptophan 5-mo	1	1.18
128609	AA234365	Hs.102456	survival of motor neuron protein interac	1	1.5
128895	R37753	Hs.106985	ESTs	1.7	2
130199	Z48579	Hs.172028	a disintegrin and metalloprotease domain	1	1
130524	U89995	Hs.159234	forkhead box E1	1	1
133000	U24152	Hs.62402	p21/Cdc42/Rac1-activated kinase 1 (yeast	1	1
133658	M25756	Hs.75426	secretogranin II (chromogranin C)	1	1
135047	AA460466	Hs.93597	ESTs	1	1
100053	M27830		AFFX control: 28S ribosomal RNA	0.88	1.53
100114	D00596	Hs.82962	thymidylate synthetase	0.68	1.86
100128	D11094	Hs.61153	proteasome (prosome; macropain) 26S subu	1.29	2.03
100154	D14657	Hs.81892	KIAA0101 gene product	0.71	4.26
100161	D14694	Hs.77329	phosphatidylserine synthase 1	1.02	1.56
100168	D14874	Hs.394	adrenomedullin	0.46	1.17
100187	D17793	Hs.78183	aldo-keto reductase family 1; member C3	1	1
100188	D21063	Hs.57101	minichromosome maintenance deficient (S.	0.97	1.4
100217	D26600	Hs.89545	proteasome (prosome; macropain) subunit;	1.13	1.9
100220	D28364		""Human mRNA for annexin II, 5'UTR (seq	1.11	1.53
100287	D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e	1.13	2.09
100297	D49489	Hs.182429	protein disulfide isomerase-related prot	0.92	1.78
100330	D55716	Hs.77152	minichromosome maintenance deficient (S.	1.07	1.61
100355	D78129		""Homo sapiens mRNA for squalene epoxid	0.96	1.87
100364	D78586	Hs.154868	carbamoyl-phosphate synthetase 2; aspart	1.49	2.46
100368	D79987	Hs.153479	extra spindle poles; S. cerevisiae; homo	0.59	1.32
100398	D84557	Hs.155462	minichromosome maintenance deficient (mi	1.08	1.9
100438	D87448	Hs.91417	topoisomerase (DNA) II binding protein	1	2.15

100455	D87953	Hs.75789	N-myc downstream regulated	0.91	1.48
100491	HG1153-HT1153		Nucleoside Diphosphate Kinase Nm23-H2s	0.99	1.41
100518	HG174-HT174		Desmoplakin I	1.28	3.17
100528	HG1828-HT1857		""Nexin, Glia-Derived""	0.68	1.9
100661	HG2874-HT3018		Ribosomal Protein L39 Homolog	1.1	5.44
100667	HG2981-HT3127		""Epican, Alt. Splice 11""	0.8	1.97
100830	HG4074-HT4344		Rad2	1.01	2.12
101061	K03515	Hs.944	glucose phosphate isomerase	0.91	1.79
101131	L10838	Hs.167460	splicing factor, arginine/serine-rich 3	1.23	1.87
101162	L14595	Hs.174203	solute carrier family 1 (glutamate/neutr	1.35	2.73
101181	L19686	Hs.73798	macrophage migration inhibitory factor (	1.03	1.78
101183	L19779	Hs.795	H2A histone family; member O	0.57	1.3
101216	L25876	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	0.7	2.2
101228	L27706	Hs.82916	chaperonin containing TCP1; subunit 6A (	0.99	1.99
101233	L29008	Hs.878	sorbitol dehydrogenase	0.82	2.11
101247	L33801	Hs.78802	glycogen synthase kinase 3 beta	1.2	1.91
101332	L47276		""Homo sapiens (cell line HL-6) alpha t	0.69	2.78
101342	L76191	Hs.182018	interleukin-1 receptor-associated kinase	1.04	1.84
101396	M15796	Hs.78996	proliferating cell nuclear antigen	0.95	3.55
101423	M18391	Hs.89839	EphA1	1	1.5
101445	M21259	Hs.1066	small nuclear ribonucleoprotein polypept	1.21	1.96
101505	M27396	Hs.75692	asparagine synthetase	0.93	1.6
101525	M29536	Hs.12163	eukaryotic translation initiation factor	1.19	1.93
101535	M30448	Hs.251669	casein kinase 2; beta polypeptide	0.96	1.42
101607	M38690	Hs.1244	CD9 antigen (p24)	1.11	1.25
101624	M55998		""Human alpha-1 collagen type I gene, 3	1.17	1.98
101758	M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	1.77	3.45
101839	M93036	Hs.692	membrane component; chromosomal 4; surfa	0.71	1.45
101853	M94362	Hs.76084	lamin B2	0.84	1.19
101977	S83364		""putative Rab5-interacting protein (cl	0.89	1.9
101992	U01038	Hs.77597	polo (Drosophila)-like kinase	0.66	1.46
102009	U02680	Hs.82643	protein tyrosine kinase 9	1.23	3.35
102012	U03057	Hs.118400	singed (Drosophila)-like (sea urchin fas	0.85	1.88
102039	U05861	Hs.201967	aldo-keto reductase family 1; member C1	0.93	2.32
102123	U14518	Hs.1594	centromere protein A (17kD)	1	4.28
102130	U15009	Hs.1575	small nuclear ribonucleoprotein D3 polyp	0.89	1.42
102148	U16954	Hs.75823	ALL1-fused gene from chromosome 1q	0.8	2.95
102210	U23028	Hs.2437	eukaryotic translation initiation factor	1.01	1.34
102220	U24389	Hs.65436	lysyl oxidase-like 1	1.15	2.34
102260	U28386	Hs.159557	karyopherin alpha 2 (RAG cohort 1; impor	1.14	2.69
102330	U35451	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.05	1.7
102423	U44754	Hs.179312	small nuclear RNA activating complex; po	1.14	2.99
102455	U48705	Hs.75562	discoidin domain receptor family; member	1.05	2.01
102499	U51478	Hs.76941	ATPase; Na+/K+ transporting; beta 3 poly	1.27	1.92
102522	U53347	Hs.183556	solute carrier family 1 (neutral amino a	0.84	1.31
102590	U62136		""Homo sapiens enterocyte differentiati	1.11	1.6
102676	U72514	Hs.12045	putative protein	1.04	2.17
102687	U73379	Hs.93002	ubiquitin carrier protein E2-C	0.86	2.28
102704	U76638	Hs.54089	BRCA1 associated RING domain 1	1.12	1.63
102781	U83843		""Human HIV-1 Nef interacting protein (	0.9	1.39
102784	U85658	Hs.61796	transcription factor AP-2 gamma (activat	0.98	2.16
102827	U91327	Hs.6456	chaperonin containing TCP1; subunit 2 (b	0.96	1.62
102935	X13482	Hs.80506	small nuclear ribonucleoprotein polypept	1.21	4.2
102972	X16662	Hs.87268	annexin A8	1.25	2.32
102983	X17620	Hs.118638	non-metastatic cells 1; protein (NM23A)	1.03	1.83
103023	X53793	Hs.117950	multifunctional polypeptide similar to S	1.58	5.44
103038	X54941	Hs.77550	CDC28 protein kinase 1	1.32	3.79
103075	X59543	Hs.2934	ribonucleotide reductase M1 polypeptide	1.11	2.58
103168	X68314	Hs.2704	glutathione peroxidase 2 (gastrointestin	0.75	3.05
103185	X69910	Hs.74368	transmembrane protein (63kD); endoplasmi	1.01	1.97
103212	X73874	Hs.2393	phosphorylase kinase; alpha 1 (muscle)	0.95	1.72
103223	X74801	Hs.1708	chaperonin containing TCP1; subunit 3 (g	0.97	1.77
103260	X78416	Hs.3155	casein; alpha	1	1
103262	X78565	Hs.204133	hexabrachion (tenascin C; cytotactin)	1.23	3.09
103330	X85373	Hs.77496	small nuclear ribonucleoprotein polypept	1.12	2.25
103364	X90872	Hs.75854	SULT1C sulfotransferase	2.85	4.62
103375	X91868	Hs.54416	sine oculis homeobox (Drosophila) homolo	1	2.48
103391	X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	1	1.53
103404	X95586	Hs.78596	proteasome (prosome; macropain) subunit;	0.92	1.53
103437	X98260	Hs.82254	M-phase phosphoprotein 11	0.92	1.54
103448	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	0.55	0.96
103605	Z35402	Hs.194657	cadherin 1; E-cadherin (epithelial)	1.32	2.51
103646	Z68228	Hs.2340	junction plakoglobin	0.88	1.28
103658	Z74615	Hs.172928	collagen; type I; alpha 1	1.06	2.98
103774	AA092898	Hs.92918	ESTs; Weakly similar to R07G3.8 [C.elega	1.88	4.66
104261	AF008442	Hs.5409	RNA polymerase I subunit	0.87	2.17
104276	C02193	Hs.85222	ESTs; Weakly similar to R27090_2 [H.sapi	1.4	2.49
104289	C16281	Hs.75478	KIAA0956 protein	1.15	1.68
104434	L02870	Hs.1640	collagen; type VII; alpha 1 (epidermolys	1.04	1.49
104453	M19169	Hs.123114	cystatin SN	0.38	0.76
104611	R98280	Hs.125845	ribulose-5-phosphate-3-epimerase	1.08	2.25
104758	AA024661	Hs.7010	ESTs; Weakly similar to ACYL-COA DEHYDRO	1.14	1.65
105114	AA156532	Hs.11801	adenosine A2b receptor pseudogene	0.91	1.38
105132	AA159501	Hs.247280	HBV associated factor	1.08	1.7
105174	AA186613	Hs.34744	ESTs	0.95	2.05

105280	AA232215	Hs.14500	ESTs	1	1.4
105344	AA235303	Hs.8645	ESTs	0.72	2.02
105516	AA257971	Hs.21214	ESTs	1.35	3.56
105621	AA280865	Hs.6375	Homo sapiens mRNA; cDNA DKFZp564K0222 (f	1.23	1.82
105698	AA287393	Hs.15202	ESTs; Weakly similar to oligodendrocyte-	0.98	1.28
105705	AA290767	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434B102 (fr	0.92	1.32
105724	AA292098	Hs.22934	ESTs; Weakly similar to ZINC FINGER PROT	0.99	1.41
105782	AA350215	Hs.21580	ESTs	1	1
105799	AA372018	Hs.24743	ESTs	1.08	1.78
105807	AA393803	Hs.16869	ESTs; Moderately similar to COLLAGEN ALP	0.95	1.34
105891	AA400768	Hs.26562	ESTs; Weakly similar to tumor necrosis f	0.87	2.25
105936	AA404338		ESTs	1.14	1.46
106069	AA417741	Hs.29899	ESTs; Weakly similar to ZINC FINGER PROT	1	1
106103	AA421104	Hs.12094	ESTs	1.04	1.44
106140	AA424524	Hs.14912	KIAA0286 protein	1.23	2.11
106149	AA424881	Hs.256301	ESTs	0.83	1.48
106154	AA425304	Hs.6994	ESTs	0.77	2.05
106182	AA426609	Hs.10862	ESTs	0.74	2.23
106220	AA428582	Hs.32196	ESTs; Moderately similar to matargidin p	0.97	1.99
106228	AA429290	Hs.17719	ESTs	0.99	1.54
106318	AA436570	Hs.9605	pre-mRNA cleavage factor Im (25kD)	0.95	2.09
106341	AA441798	Hs.5243	ESTs; Moderately similar to pIL2 hypothe	0.98	2.66
106432	AA448850	Hs.17138	ESTs	0.95	1.93
106474	AA450212	Hs.42484	Homo sapiens mRNA; cDNA DKFZp564C053 (fr	1	1
106483	AA451676	Hs.30299	IGF-II mRNA-binding protein 2	1.4	2.29
106599	AA457235	Hs.12842	ESTs; Moderately similar to non-function	1	1.82
106611	AA458904	Hs.26267	ESTs; Weakly similar to torsinA [H.sapie	1.49	2.78
106654	AA460449	Hs.3784	ESTs; Highly similar to phosphoserine am	1	1.4
107076	AA609145	Hs.21143	ESTs; Weakly similar to fos39554_1 [H.sa	1.11	1.49
107115	AA610108	Hs.27693	ESTs; Highly similar to CGI-124 protein	1	1.03
107129	AA620553	Hs.4756	flap structure-specific endonuclease 1	1.13	3.63
107159	AA621340	Hs.10600	ESTs; Weakly similar to ORF YKR081c [S.c	1.05	2.09
107444	W28391	Hs.5181	proliferation-associated 2G4; 38kD	1.18	1.9
107481	W58247	Hs.27437	Homo sapiens kinesin superfamily motor K	0.99	2.74
107516	X56597	Hs.99853	fibrillarin	0.94	1.77
107529	Y12065	Hs.5092	nucleolar protein (KKE/D repeat)	1.05	2.29
107531	Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma	1.06	1.62
107801	AA019433	Hs.173100	ESTs	1.03	1.4
107957	AA031948	Hs.57548	ESTs	0.95	1.46
108565	AA085342	Hs.1526	ATPase; Ca++ transporting; cardiac muscl	0.59	1.35
108780	AA128561	Hs.117938	collagen; type XVII; alpha 1	1	7.63
108828	AA131584	Hs.71435	DKFZP56400463 protein	1.33	2.56
109060	AA160879	Hs.241551	chloride channel; calcium activated; fam	0.67	1.42
109112	AA169379	Hs.72865	ESTs	1.03	2.31
109344	AA213696	Hs.86559	poly(A)-binding protein-like 1	0.97	1.55
109412	AA227145	Hs.209473	ESTs; Weakly similar to REGULATOR OF MIT	0.76	1.87
110780	N23174	Hs.22891	solute carrier family 7 (cationic amino	0.9	0.95
110958	N50550	Hs.24587	signal transduction protein (SH3 contain	1.17	2.26
111018	N54067	Hs.3628	mitogen-activated protein kinase kinase	1.21	1.85
111337	N79512	Hs.16607	ESTs; Highly similar to Myosin heavy cha	1	1.45
112305	R54822	Hs.26244	ESTs	1	1
112401	R61279	Hs.237536	ESTs; Weakly similar to F25B5.3 [C.elega	1.24	1.64
112853	T02843	Hs.4351	EST	1.56	1.96
112869	T03313	Hs.4747	dyskeratosis congenita 1; dyskerin	1.03	1.57
112992	T23513	Hs.7147	ESTs	1	1
113048	T25895	Hs.184008	ESTs; Weakly similar to RNA-binding prot	1.37	2.26
113063	T32438	Hs.5027	ESTs	1	1
113179	T55182	Hs.152571	ESTs; Highly similar to IGF-II mRNA-bind	1.33	2.7
113573	T91166	Hs.15990	ESTs	0.76	1.47
113811	W44928	Hs.4878	ESTs	0.79	1.51
114086	Z38266	Hs.12770	Homo sapiens PAC clone DJ0777O23 from 7p	0.9	1.34
114587	AA070827	Hs.180320	ESTs; Weakly similar to GOLGI 4-TRANSMEM	1.02	1.76
114846	AA234929	Hs.44343	ESTs	1.32	2.36
114964	AA243873	Hs.82184	ring finger protein 3	1.1	1.84
115047	AA252627	Hs.22554	homeo box B5	1.01	2.36
115166	AA258409	Hs.198907	myelin protein zero-like 1	1.05	2.31
115167	AA258421	Hs.43728	hypothetical protein	1.52	2.52
115239	AA278650	Hs.73291	ESTs; Weakly similar to similar to the b	0.7	2.57
115278	AA279757	Hs.67466	ESTs; Weakly similar to BACN32G11.d [D.m	1.14	2.12
115652	AA405098	Hs.38178	ESTs	0.82	4.67
115875	AA433943	Hs.43946	ESTs; Weakly similar to Weak similarity	1.2	1.98
116004	AA449122	Hs.76086	ESTs; Highly similar to small zinc finge	0.96	1.31
116121	AA459254	Hs.48855	ESTs	0.97	1.55
116129	AA459956	Hs.49163	ESTs; Highly similar to putative ribonuc	1.08	2.73
116190	AA464963	Hs.67776	ESTs	0.8	1.57
116312	AA490494	Hs.65403	ESTs	1.37	2.65
116732	F13779	Hs.165909	ESTs	0.92	1.8
117602	N35020	Hs.44585	ESTs; Weakly similar to GOLIATH PROTEIN	1.15	1.84
117950	N51394	Hs.75478	KIAA0956 protein	1.04	2.36
117992	N52000	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586B0222 (f	0.62	1.29
118785	N75386	Hs.111867	GLI-Kruppel family member GLI2	1	1
119717	W69134	Hs.57987	ESTs	1	1.4
119814	W74069	Hs.58350	ESTs	0.78	1.77
120128	Z38499	Hs.91448	MKP-1 like protein tyrosine phosphatase	0.86	1.46
120242	Z98443	Hs.86366	ESTs	0.83	2.01

120483	AA252994	Hs.1578	apoptosis inhibitor 4 (survivin)	0.74	1.64
121054	AA396604	Hs.97387	ESTs	1.05	1.93
121326	AA404246	Hs.97031	ESTs; Weakly similar to Similar to phyto	0.98	1.3
121376	AA405699	Hs.166232	ESTs; Moderately similar to SODIUM- AND	0.91	1.83
121457	AA411448	Hs.208985	ESTs	0.91	1.59
121780	AA422086	Hs.124660	ESTs	0.46	0.55
121781	AA422150	Hs.98370	cytochrome P540 family member predicted	1.07	1.54
121844	AA425732	Hs.98485	gap junction protein; beta 2; 26kD (conn	0.94	1.4
122059	AA431737	Hs.98749	EST	1.93	2.33
122338	AA443311	Hs.98998	ESTs	1	1
122354	AA443772	Hs.186692	ESTs	0.88	1.39
122591	AA453265	Hs.99311	ESTs; Weakly similar to MRJ [H.sapiens]	2.28	2.93
122790	AA460156	Hs.99556	ESTs	0.88	1.3
123398	AA521265	Hs.105514	ESTs	1	1.93
123518	AA508531	Hs.170313	ESTs	1	1
123673	AA609471	Hs.112712	ESTs	1	1.15
124000	D57317	Hs.74861	activated RNA polymerase II transcriptio	0.74	1.12
124367	N24006	Hs.99348	distal-less homeo box 5	0.67	1.1
124447	N46000	Hs.140945	Homo sapiens mRNA; cDNA DKFZp586L141 (tr	1.19	1.7
125756	W25498	Hs.81634	ATP synthase; H+ transporting; mitochond	0.93	1.59
125769	AI382972	Hs.82128	5T4 oncofetal trophoblast glycoprotein	1.65	6.76
125852	H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264 (f	0.72	2.26
125924	AA526849	Hs.82109	syndecan 1	1.22	2.25
126037	M85772	Hs.6066	KIAA1112 protein	1.36	1.63
126214	N29455	Hs.74316	desmoplakin (DPI; DPII)	1.93	3.55
126414	N78770	Hs.223439	ESTs	1.21	1.66
126737	AA488132	Hs.62741	ESTs	1	1
126743	AA179253	Hs.172182	poly(A)-binding protein; cytoplasmic 1	1.3	2.16
126926	AA179546	Hs.832	ESTs; Highly similar to INTEGRIN BETA-8	2.53	2.8
127432	AA501734	Hs.170311	heterogeneous nuclear ribonucleoprotein	1.57	2.12
128218	H02682	Hs.99189	ESTs; Moderately similar to recombinatio	1.24	2.09
128527	M31523	Hs.101047	transcription factor 3 (E2A immunoglobul	1.08	1.78
128568	X60673	Hs.247568	adenylate kinase 3	1.23	3.48
128584	M11433	Hs.101850	retinol-binding protein 1; cellular	0.87	2.42
128628	C14037	Hs.251978	EST	1.22	1.9
128691	W27939	Hs.103834	ESTs	1.1	1.73
128714	V00599	Hs.179661	Homo sapiens clone 24703 beta-tubulin mR	0.92	1.17
128733	AA328993	Hs.104558	ESTs	1.34	1.94
128781	X85372	Hs.105465	small nuclear ribonucleoprotein polypept	0.9	1.34
129052	AA496297	Hs.182740	ribosomal protein S11	2.59	3.19
129095	L12350	Hs.108523	thrombospondin 2	1.04	3.2
129241	AA435665	Hs.109706	ESTs; Moderately similar to HN1 [M.muscu	0.95	1.61
129665	M88458	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	1.28	2.63
129703	AA401348	Hs.179999	ESTs	0.97	1.63
129720	AA476582	Hs.12152	ESTs; Moderately similar to SIGNAL RECOG	1.09	1.79
129850	N20593	Hs.56845	GDP dissociation inhibitor 2	0.74	1.68
129896	AA043021	Hs.13225	UDP-Gal:betaGlcNAc beta 1;4- galactosylt	1.43	4.19
130069	AA055896	Hs.146428	collagen; type V; alpha 1	1.17	1.98
130405	H88359	Hs.155396	nuclear factor (erythroid-derived 2)-lik	1.26	1.79
130541	X05608	Hs.211584	neurofilament; light polypeptide (68kD)	1	1
130599	M91670	Hs.174070	ubiquitin carrier protein	1.07	1.66
130867	J04093	Hs.2056	UDP glycosyltransferase 1	1	4.8
131009	AA063596	Hs.22142	ESTs; Weakly similar to NADH-CYTOCHROME	0.93	1.05
131028	U20240	Hs.2227	CCAAT/enhancer binding protein (C/EBP);	1	1.23
131083	U66661	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	1.1	1.8
131091	T35341	Hs.22880	ESTs; Highly similar to dipeptidyl pepti	1.28	1.98
131144	C14412	Hs.23528	ESTs; Highly similar to HSPC038 protein	1.43	2.06
131148	C00038	Hs.23579	ESTs	0.88	3.38
131164	Y00503	Hs.182265	keratin 19	1.19	2.77
131185	M25753	Hs.23960	cyclin B1	0.86	3.84
131219	C00476	Hs.24395	small inducible cytokine subfamily B (Cy	0.66	2.96
131454	AA455896	Hs.2699	glypican 1	0.99	1.54
131687	L11066	Hs.3069	heat shock 70kD protein 9B (mortalin-2)	1	1.18
131689	AA599653	Hs.30696	transcription factor-like 5 (basic helix	1	1.95
131692	D50914	Hs.30736	KIAA0124 protein	1.55	2.39
131786	AA135554	Hs.32125	ESTs	1	1.33
131843	AA195893	Hs.184062	ESTs; Moderately similar to putative Rab	0.83	1.63
131860	U02082	Hs.334	Oncogene TIM	1.08	2.2
131884	H90124	Hs.3463	ribosomal protein S23	1.23	1.24
131903	AA481723	Hs.3436	deleted in oral cancer (mouse; homolog)	0.91	1.18
131945	M87339	Hs.35120	replication factor C (activator 1) 4 (37	1	2.8
131958	AA093998	Hs.3566	ESTs; Highly similar to phosphorylation	0.87	1.36
131964	W42508	Hs.3593	ESTs	1	1.25
132001	J00277	Hs.37003	v-Ha-ras Harvey rat sarcoma viral oncoge	1.12	1.43
132040	AA146843	Hs.172894	BH3 interacting domain death agonist	1	1.55
132065	D82226	Hs.211594	proteasome (prosome; macropain) 26S subu	0.89	1.27
132109	AA599801	Hs.40098	ESTs	1	1.05
132112	AA150661	Hs.40154	jumonji (mouse) homolog	0.99	1.44
132123	AA447123	Hs.250705	ESTs	1.06	2.46
132162	H89551	Hs.41241	ESTs	1.08	2.46
132180	AA405569	Hs.418	fibroblast activation protein; alpha; se	1.02	4.56
132309	AA460917	Hs.2780	jun D proto-oncogene	1.16	1.8
132371	AA235448	Hs.46677	ESTs	0.8	1.26
132618	AA253330	Hs.5344	adaptor-related protein complex 1; gamma	0.5	1.49
132736	U68019	Hs.211578	MAD (mothers against decapentaplegic; Dr	1.21	1.81

90

132771	AA488432	Hs.56407	phosphoserine phosphatase	1	1.3
132833	U78525	Hs.57783	eukaryotic translation initiation factor	0.91	1.43
132922	T23641	Hs.6066	KIAA1112 protein	1.16	1.53
132959	AA028103	Hs.61472	ESTs; Weakly similar to unknown [S.cerev	1.02	1.88
132994	AA505133	Hs.7594	solute carrier family 2 (facilitated glu	0.72	2.97
133005	C21400	Hs.103329	KIAA0970 protein	0.88	1.34
133065	X62535	Hs.172690	diacylglycerol kinase; alpha (80kD)	0.93	1.23
133083	N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b	1.14	1.76
133086	L17131	Hs.139800	high-mobility group (nonhistone chromoso	0.97	1.43
133134	T89703	Hs.65648	RNA binding motif protein 8	1.1	1.8
133195	AA350744	Hs.181409	KIAA1007 protein	2.29	2.69
133313	AA249427	Hs.70704	ESTs	1.07	1.68
133331	T62039	Hs.158675	ribosomal protein L14	0.85	1.18
133438	D13370	Hs.73722	APEX nuclease (multifunctional DNA repai	0.91	1.45
133445	T99303	Hs.73797	guanine nucleotide binding protein (G pr	0.94	1.68
133483	X52426	Hs.74070	keratin 13	0.85	1.14
133492	L40397	Hs.74137	transmembrane trafficking protein	1.1	1.69
133504	W95070	Hs.74316	desmoplakin (DPI; DPII)	0.7	6.21
133517	X52947	Hs.74471	gap junction protein; alpha 1; 43kD (con	0.95	1.3
133540	D78151	Hs.74619	proteasome (prosome; macropain) 26S subu	0.91	1.25
133594	L07758	Hs.172589	nuclear phosphoprotein similar to S. cer	0.84	1.29
133627	U09587	Hs.75280	glycyl-tRNA synthetase	1.09	1.99
133671	T25747	Hs.75471	zinc finger protein 146	1.02	1.5
133859	U86782	Hs.178761	26S proteasome-associated pad1 homolog	1.11	3.33
133865	F09315	Hs.170290	discs; large (Drosophila) homolog 5	1.84	6.7
133913	W84712	Hs.7753	calumenin	1.15	1.86
133963	L34587	Hs.184693	transcription elongation factor B (SIII)	1.3	1.91
133982	U47621	Hs.207251	nucleolar autoantigen (55kD) similar to	1.3	1.99
134100	L07540	Hs.171075	replication factor C (activator 1) 5 (36	0.72	1.65
134110	U41060	Hs.79136	LIV-1 protein; estrogen regulated	1.04	1.62
134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	1	1.55
134161	U97188	Hs.79440	IGF-II mRNA-binding protein 3	0.82	1.95
134193	F09570	Hs.7980	ESTs	0.98	1.48
134367	X54199	Hs.82285	phosphoribosylglycinamide formyltransfer	1	2.8
134402	U25165	Hs.82712	fragile X mental retardation; autosomal	1.26	2
134457	D86963	Hs.174044	dishevelled 3 (homologous to Drosophila	1	1.47
134469	X17567	Hs.83753	small nuclear ribonucleoprotein polypept	0.94	1.57
134498	M63180	Hs.84131	threonyl-tRNA synthetase	1.2	2.64
134501	W84870	Hs.211568	eukaryotic translation initiation factor	0.84	1.36
134507	M63488	Hs.84318	replication protein A1 (70kD)	1.7	2.93
134548	U41515	Hs.85215	Deleted in split-hand/split-foot 1 regio	1.46	2.73
134599	X99226	Hs.86297	Fanconi anemia; complementation group A	1.36	2.22
134692	R73567	Hs.8850	a disintegrin and metalloproteinase doma	0.77	1.64
134693	N70361	Hs.8854	ESTs	1.09	1.82
134806	Z49099	Hs.89718	spermine synthase	0.98	1.35
134821	Z34974	Hs.198382	plakophilin 1 (ectodermal dysplasia/skin	0.99	1.4
134864	Y08999	Hs.90370	actin related protein 2/3 complex; subun	0.95	1.42
134914	U29615	Hs.91093	chitinase 1 (chitotriosidase)	1.16	1.29
134953	L10678	Hs.91747	profilin 2	0.95	1.76
134993	AA282343	Hs.9242	purine-rich element binding protein B	0.98	1.73
135051	C15324	Hs.93668	ESTs	1.35	2.11
135158	U51711		Human desmocollin-2 mRNA; 3' UTR	0.86	1.16

Table 1B shows the accession numbers for those pkeys in Table 1A lacking unigeneID's. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the Accession column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT	Accessions
100661	23182_1	BE623001 L05096 AA383604 AW966416 N53295 AA460213 AW571519 AA603655
100667	26401_3	L05424 X56794 S66400 X55150 W60071 AW351820 X55938 M83326 BE005289 BE070059 M83324 BE005248 BE069717 BE181648 BE069700 AW606203 BE069721 AW382138 AW803776 BE463954 BE005334 BE005274 T27386 AA932714 AA972695 AW377728 AI632506 T29066 AI783934 AW377727 BE163715 AL047291 AA279047 AA523003 BE008048 BE440141 W23614 BE090519 BE092193 N29181 N20358 N44153 BE546944 T69231 AW377441 AA907406 H50799 AW051416 AI420712 BE620922 AI279161 AA992549 W47198 BE005241 AI342696 H50700 AI969974 AI863855 AA374490 AW130675 AI950633 AA146687 H99482 X55150 BE005414 BE005339 N28294 AI673068 AI887890 AW804171 AI675961 AW804172 AA778841 AL048050 AI127757 AI095568 AW204965 AW468978 W31898 AI052595 AI278771 BE464018 AI081503 AI824196 AA513211 AA411062 AW084376 N48752 AA703209 N35580 AW059918 AA054563 AI280942 T27619 BE621435 N66010 AW589527 AI160414 AA283090 AA962536 H82726 W52115 W45432 W60433 AA577548 AA146714 BE150994 AA054615 AW796025 AW382768 BE565671 C00444 AA054555
100668	26401_3	L05424 X56794 S66400 X55150 W60071 AW351820 X55938 M83326 BE005289 BE070059 M83324 BE005248 BE069717 BE181648 BE069700 AW606203 BE069721 AW382138 AW803776 BE463954 BE005334 BE005274 T27386 AA932714 AA972695 AW377728 AI632506 T29066 AI783934 AW377727 BE163715 AL047291 AA279047 AA523003 BE008048 BE440141 W23614 BE090519 BE092193 N29181 N20358 N44153 BE546944 T69231 AW377441 AA907406 H50799 AW051416 AI420712 BE620922 AI279161 AA992549 W47198 BE005241 AI342696 H50700 AI969974 AI863855 AA374490 AW130675 AI950633 AA146687 H99482 X55150 BE005414 BE005339 N28294 AI673068 AI887890 AW804171 AI675961 AW804172 AA778841 AL048050 AI127757 AI095568 AW204965 AW468978 W31898 AI052595 AI278771 BE464018 AI081503 AI824196 AA513211 AA411062 AW084376 N48752 AA703209 N35580 AW059918 AA054563 AI280942 T27619 BE621435 N66010 AW589527 AI160414 AA283090 AA962536 H82726 W52115 W45432 W60433 AA577548 AA146714 BE150994 AA054615 AW796025 AW382768 BE565671 C00444 AA054555
101332	25130_1	J04088 NM_001067 AF071747 AJ011741 N85424 AL042407 AA218572 BE296748 BE083981 AL040877 AW499918 AW675045 H17813 BE081283 AA670403 AW504327 BE094229 AA104024 AI471482 AI970337 AA737616 AI827444 AW003286 AI742333 AI344044 AI765634

AI948838 AW235336 AW172827 AA095289 BE046383 AI734240 W16699 AI660329 AI289433 AA933778 AW469242 AA468838 AA806983
AA625873 W78031 BE206307 AA550803 AI743147 AI990075 AA948274 AA129533 AI635399 AA605313 AI624669 AW594319 AI221834 AI337434
AA307706 BE550282 AI760467 AI630636 AI221521 AW574314 AW078889 AI933732 AI686969 AI186928 AW074595 AI127486 AL079644
AI910815 H17814 AA310903 AW137854 T19279 AA026682 AA306035 AW383390 AW383389 AW383422 AW383427 AW383395 H09977
AA306247 AA352501 AW403639 F05421 AA224473 AA305321 H93904 AA089612 AW391543 AW402915 AW173382 AW402701 AW403113
R94438 N73126 H93466 AA090928 AA095051 T29025 AW951071 L47277 L47276 AI375913 BE384156 W24652 AA746288 AA568223 BE090591
H93033 N57027 AA504348 AA327653 AW959913 N53767 AA843715 AI453437 AW263710 AI076594 AA583483 AW873194 AW575166 AI128799
AI803319 AL042776 AW074313 AI887722 AI032284 AA447521 AI123885 N29334 AI354911 AW090687 AA236763 AA435535 AA236910
AA047124 AA236734 AW514610 H93467 AA962007 AI445783 AA127259 AI613495 AI686720 AI587374 AA936731 AA702453 AI859757
AA216786 AI251819 AI469227 AA806022 AI092324 N71868 AA968782 AA236919 AA809450 AA227220 AA765284 AI192007 AA768810
AA805794 AA729280 AA806238 AW768817 N71879 AI050686 AA505822 AA668974 AI688160 BE045915 AW466315 AA731314 AA649568
AA834316 AW591901 AW063876 AW294770 AI300266 AI336094 AI560380 AA721755 H09978 D20305 D29155 AW821790 BE150864 F01675
AI457474 AW466316 AA550969 AA630788

100780	458_127	BE561958 BE561728 BE397612 BE514391 BE269037 BE514207 BE562381 BE514256 BE514403 BE514250 BE397832 BE269598 BE559865 BE395881 BE560031 BE514199 BE560037 BE560454
100830	4002_1	AC004770 W05005 AA356068 AA094281 H29358 T56781 AW875313 L37374 BE312466 BE311755 BE207106 BE293320 BE018115 AW239090 BE548830 AW247547 AA776062 BE397382 AA486713 T10111 T09340 AW498981 BE547280 AA356003 AW581520 AW875331 AA580720 AW875336 BE276873 BE408229 AW188148 BE255166 BE253761 AW793727 AW373141 AW581548 AA471223 AA305950 BE263976 AA626820 BE257409 AW360962 AA090655 C00312 BE312741 BE407213 AA209352 AW298199 AW248553 AW297794 AW731722 BE300586 AW731972 AW615446 BE301599 AW615520 AA486714 AW440257 AA195516 AA564630 AA618079 AW192592 AW474985 AA604580 AI627461 AA765440 AI680394 AL135548 AI683224 AI581126 AW245096 AW194154 H29274 N70363 AA629758 AA580602 AA862006 AI863841 AI097667 AI928583 AI358774 BE243487 AA620553 AA653297 AA292690 T10110 Z38906 AA908544 AA340930 AI185438 T03328 T28844 AI687010 AI864965 AI872575 BE388740 T56780 AW373138 BE258717 AA699671
100906	4312_1	AU076916 BE298110 AW239395 AW672700 NM_003875 U10860 AW651755 BE297958 C03806 AI795876 AA644165 T36030 AW392852 AA446421 AW881866 AI469428 BE548103 T96204 R94457 N78225 AI564549 AW004934 AW780423 AW675448 AW087890 AA971454 AA305698 AA879433 AA535069 AI394371 AA928053 AI378367 N59764 AI364000 AI431285 T81090 AW674657 AW674987 AA897396 AW673412 BE063175 AW674408 AI202011 R00723 AI753769 AI460161 AW079585 AW275744 AI873729 D25791 BE537646 T81139 R00722
100930	16865_1	J04129 NM_002571 AW293088 AA477016 AA404631 T28299 AA476904 AA433955 AA430486 AA495907 AI151391 AA291495 AA402723 W25651 AA706816 AI825712 AW296294 AA293479 AI276581 AW044154 AI080180 AI417985 AI274168 AI474212 AA495908 AA635664 AI092114 AI804952 AA479874 AI597661 AI420511 AA479738 AA421417 AA421247 AA436220 AL047797 M34046 N42277 AA228076 W02698 AI420297 AA434011 AI369971 AA479731 AI865541 AI418020 AA421246 AA452764 AL048051
102221	3861_1	NM_006769 U24576 AW161961 AW160473 AW160465 AW160472 AW161069 AI824831 AW162635 AI990356 AW162477 AW162571 AI520836 AW162352 AW162752 AI952216 AI537346 AA853902 H17667 BE045346 BE559802 BE255391 AA985217 AA235051 AI129757 AW366451 T34489 D56106 D56351 AI936579 AW023219 AW889335 AW889120 AW889232 AW889175 BE093702 AW889349 AA147546 AI952998 AA912579 AI143356 AW902211 R64717 AW157236 AI815242 D45274 AW263991 AA442920 AA129965 AL035713 AI923255 AI949082 AI142826 AI684160 AI701987 AI678954 AI827349 BE463635 AW628092 AW302281 AA493203 BE348856 BE536419 AW193969 AW673561 AW592609 AI224044 H43943 AA091912 R49632 R48353 AI568409 R48256 AI198046 H27986 H43899 AI678759 AI680310 AI624220 H17052 AA156410 N56062 AI699430 AA664529 T09406 T10459 AA627508 AI379584 N83831 N88633 AW022651 AA971281 AA248036 AI039197 AI914689 AA973825 AL047305 AA129966 AI798369 AW264348 AI445879 AI658759 N67924 AI933507 AI216121 AI333174 T10972 AI375028 AI186756 AI273778 AA610487 AI797946 AA853903 AA903939 AI338587 AI278494 AW627593 AA904019
101809	32963_1	M86849 AA315280 NM_004004 AA315269 BE142653 AA461400 AW802042 BE152893 AW383155 AA490688 AW117930 AW384563 AW384544 AW384566 AW378307 AW378323 AW839085 AA257102 AW378317 AW276060 AW271245 AW378298 AW384497 AI598114 AW264544 AI018136 AW021810 AA961504 AW086214 AW771489 AW192483 AI290266 AW192488 AW384490 AW007451 AW089895 AA554460 AA613715 AW020066 AI783695 AI589498 AI917637 AW264471 AW384491 AI816732 AW358530 AW368521 AW368463 AA461087 AI341438 AI970613 AI040737 AI418400 AA947181 AA962716 AI280695 AW769275 AW023591 AI160977 AA055400 N71882 AA490466 AW243772 AW316636 AI076554 AW511702 N69323 H88912 AA257017 AI952506 H88913 AI912481 AA600714 BE465701 N64149 C00523 N64240 AA677120
102590	15932_1	R61573 BE005029 X98091 AA297307 BE537267 BE566138 BE566139 F11561 BE564795 BE568776 AW054005 BE566479 BE380035 BE567012 BE568634 BE566568 AA298060 BE566043 BE568813 BE568618 AA283070 BE565414 BE556738 BE568585 BE565657 BE566116 BE566433 U62136 AF049140 BE567057 BE567297 BE567403 BE564316 BE567400 BE568854 BE566588 AA448772 AA071363 AW732642 BE564996 AA297763 AA278550 AA421083 AA298184 AA091007 AA984577 AA205976 N28759 AL031291 C15757 C15761 H02728 BE566410 AA129335 AA419499 N87741 BE379689 BE004824 BE379611 D25874 AA148454 AA323654 AW950311 AA448795 AW749423 AA773386 AA773843 AW020327 BE348580 BE504258 BE549990 BE220200 AI673334 AI202679 AA975515 D61421 AI168688 AA102843 AW246621 AI276203 AI074054 AI633824 AI962927 AI148926 N50969 AI308911 AA410994 AW373025 AA148455 H02620 AA688293 AI246318 N22220 AI917777 AI050943 AI097286 AA663794 AW368662 AW627826 AW078734 AI253060 AA749154 AA832236 AI192358 AW024676 AA448676 AA764891 BE439467 AA661534 AA258061 AI090546 AA995157 AI051011 AA584421 AI026032 AW591338 AW589563 AA776914 AW024684 AA421002 F09219 BE464500 AI383595 AA954244 AA737304 AA195549 AA805778 AI055876 AA164942 AW013961 AI672608 AW514211 D59441 AW582574 AA160935 BE566501 BE564612 BE565353 BE568195 BE565447 BE568302 BE566097 BE565470 BE564249 AL036217 AW749424 BE567494 AA102842 AA314761 AV661237 C14211 AA651866 AW798997 AA470605
101977	29073_1	AF112213 AL050318 T24804 AW248136 BE386341 BE263177 W16677 BE250224 BE563669 BE267405 BE546577 AV651354 AV651292 AI346903 AI539128 AI189171 S83364 AW073849 AI816760 AW073309 AA422690 AA296692 AI860301 AI805446 N77735 AI340328 BE092530 AW028742 BE088442 AA657742 AA742438 AW710086 AI038920 AI432379 N36073 AI936194 AA868655 AA983612 AI077505 BE080433 AI375014 AI126547 AI348244 AI346077 AI748952 N26915 AI753574 AI093341 AI278762 BE092517 N74204 H06158 T58149 AI129303 N58366 AA524456 BE122661 AA542925 AI246120 AI735203 AA706829 AA877544 AI082289 AA926687 N92840 AW249798 AA934763 AW998353 AI128532 N25202 AI240209 AW118892 N80744 R35655 AI342321 AI340141 AW878792 AI857321 H09610 W04601 AW006650 AA126006 AA553675 AI052791 AW059835 AI041906 AAB14658 AW002059 AA729483 AI609301 AA994533 AA903651 AI459183 T95072 AW088630 AA126112 AI800091 AI561215 H17502 AW475072 AI819003 AI683272 AI262701 AW793140 T81787 R99586 AI275160 AI310420 AI698929 AA159174 AI827968 F30305 F30309 AA806662 AI091923 AW878722 AA583430 AW571913 AI674584 AA292533 AI079471 AA642325 AA719050 AW793172 AA305476 AW103745 T23459 N79525 AI784438 AA534551 AW193751 AI074360 BE281214 T32229 W25066 W01205 T63086 AW795348 AI361287 AW795353 AW795349 AA594759 AI400295 D11489 AI370689 AA482355 AA485295 W40151 AA564661 AW300745 AI346938 AI374975 AI423782 AW193899 AA612604 AI183409 AA996156 AW366963 AW366977 AI284860 AA846503 AI985064 AA844576 AA737921 AA873274 BE241546 BE241540 AA484058 AW468970 AA127876 AA159120 AW001568 AW795213 AW795258 AW795330 BE250589 BE387572 AA910895 AA161217 BE250380 W31500 T95167 AI719306 AI359224
102781	20812_1	BE258778 BE281230 BE410044 T33723 AW672694 AW410439 NM_006429 AF026292 T35505 BE542333 T08940 AU076737 AW247471 BE393215 AW328640 BE542408 T32170 BE302544 T31955 BE206898 BE275738 T32570 BE385426 BE298746 BE389937 BE293991 BE315289 BE389578 R34739 R15312 BE279365 BE277756 AL036019 T33725 BE277779 BE302962 AL047294 BE276505 T09070 T33673 BE312580 AW387774 BE257175 AW674367 BE253331 BE270344 BE299831 BE273576 T32082 AI751831 BE618381 AA304899 BE252268 U46364 BE256790 BE207199 BE256209 BE251941 BE250791 BE313955 BE269806 BE543623 BE279212 BE252289 T31699 BE262220 T31669 AA315781 AA192212 N84547 BE292737 BE259631 AA232179 AI133144 T31292 AA315945 BE407301 BE251184 BE409006 AI880158 AI904003 AI904114 AW651768 AW651763 R58247 BE271897 U83843 C05298 BE261609 BE255973 AA351650 N84631 BE263637 AW452910 AA328465 AA324549 AW579525 BE252296 BE257551 AL048332 BE208630 AA359336 AW327897 AA151742 AA305816 BE076862 BE076796 BE263161 AA323785 AA676588 AA626565 AA078917 W87657 R09002 R94021 AA312032 BE276665 AA295608 AW407162 AA329374 AW877912 N27885 AA369256 AA360968 BE250476 N85427 BE265569 AI278639 AI816576 AI691037 AW328583 AI567949 AI983455 AI927732 AI811297 AI571508 AW073874 BE296039 BE467326 AI828796 AI816578 AW511604 AI921213 AW152427 AI795787 AI801618 AW168866 AI628144 AI890339 AW173690 AW511540 BE535620 AA383014 BE301164 AI865596 AW514909 AA658050 AW575243 AA074631 AI093488 AW575408 AW675443 AW615636 AW732207 AW377638 AA321784 AA641629 AA633105 AA527640 AW129146 AW615672 BE394607 AA483902 AW475032 BE378532

AA872808 AJ469388 AW105268 BE047301 AW591843 AW410066 AW517153 AI950495 AA746641 AI914878 AA873185 AI696911 AA548625
AA911505 AA148762 AW674535 AI587329 BE328328 AW270348 AA158225 AW117705 AW474997 AW519193 AA514757 AW664383 AJ082647
AW590973 AJ476711 AA192213 N88741 BE464552 AW072679 AJ453708 AA152166 AA805924 AI581078 AJ125768 AW173484 AI961980
BE300766 AI199698 AJ636792 AW247333 AW272861 AA078818 AA150012 AA551232 AA678821 AW873869 AW768266 AI660315 AA319210

5   AA814551 AA157994 AA318886 AI582962 AW089224 AI356098 AI343694 AW072598 N21054 AI301249 AA742924 H17917 AW328584
AW248898 AI751830 AA907816 R08898 AW087989 AI828300 AA148596 AJ269577 T33426 AA213571 AI973201 AA666279 R49612 AI573183
AW799762 AW410068 AW769566 AI952097 AI475204 D57490 AW517531 BE245270 AW470008 T33427 AW005731 AI795795 T23753 AW272981
T15747 AA552875 T23644 AW361289 AI758558 BE207435 AA876958 T03361 AA883569 F37533 AA582321 AW082524 R42212 AA973847
T18900 AA086202 AI559867 AJ302418 AA948667 AA745670 T08939 T33724 T33722 BE621568 D57489 D25906 BE621151 F16510 C05966

10   T35127 AA630427 AI933481 AA309426 AI918440 BE561854 BE618866 BE394675 BE296173 AW951687 BE383739 BE616141 BE312730
BE535351 AW080575 BE313330 BE616664 AI354390 AA847315 BE544509 BE515212 BE297833 BE278808 BE544844 AW090178 AI890664
BE546708 AW189943 BE274412 BE382399 BE266392 BE254949 BE280696 BE383237 BE261756 BE257721 BE312683 BE275476 BE514880
BE545314 BE313587 BE384537 BE386691 BE264813 AW592575 AI336332 AI278641 AI795791 BE222662 AW249316 AA314361 AL036012
AW402923 BE266845 AA075945 AA314436 BE384640 AW731769 AW957077 AA552234 AA573560 AW357038 AA313399 AI983873 BE410159

15   BE263803 BE514339 BE409073 BE281296 BE543396 BE395387 BE088360 BE546946 BE546570 BE390626 AA074638 AA301821 AW845230
AW582379 AI949222 AW029572 AA515843 AW272394 BE250234

119221	102947_1	C14322 W74050 AI074232 AA595624 BE048955 AI148417 AI583145 AI473460 AI801688 AW573593 AI950741 AI628140 AW467921 R98105
		AI149258 AI247584 AI078378 AI139850 AA489411 W24744 R98104 AI033826 AA699589 AI033120 N55544 W88984 AW970771 AA703362

20   AA099138 AA706792 AA045150 H98981 AI916574 AA953018 AI972749 AI921343 AA909044 AA094751 AI203124 AA582143 AI446654
AW235415 R70377 AA099236 F20703 AA524436 R69484

125831	1522905_1	H04043 D60988 D60337
128192	45743_3	AI204246 AI204250 AI194050
113195	178688_1	H83265 T63524 AA304359 AW960551 AI672874 AI749427 AA227777 AW027055 AA971834 T49644 T54122 AI983239 AI808233 T91264 T96544

25   AI350945 AI709114 R72382 T48788 R48726 AW365418 AI095484 T49645 AA928653 AA570082 AW007545 T57178 AA516413 AA913118 T57112
AA564433 AA774503 AA367671 T59757

119861	238266_1	W78816 AI720806 AI633854 AI632086 AI668663 N70894 AW571809 AI383592 AI201348 W80715 N91880 AW963101 AA339011
112973	4868_1	AB033023 BE391906 BE275965 BE277872 BE003882 AA313774 BE019159 BE298024 BE299727 BE300011 BE390277 BE394764 N87550

30   BE409419 BE408652 BE408197 AL119332 AA622427 AI816265 AA610118 T07318 AA019839 AA634430 BE205794 BE049461 AI042322
AI652711 AI917645 AA630045 AW191969 AI817882 T17271 AI803663 AI095533 H46019 AW592438 AI624836 AI675552 D51149 AW132058
AA539614 AI925762 AW088153 T17455 AA018640 AW751475 BE300241 AI816255 BE391981 AW408671 AA353910 AW875446 AW875703
AW875926 AW875645 AW875647 AW938037 AL138042 AW892619 BE243018 AW995454 BE246381 BE009082 BE278921 AW967842 AA262454
H30121

129402	47367_1	W72062 AF088057 W76255 AI827219 AI631461 AW449295 AI354957 AI913803 T62772 AI222040 T62921 T63781
105936	260931_1	AI678765 H12175 R14664 AI914049 AA995383 H08009 H19418 AW953728 AI358021 AA587361 AI269377 AA369905 AW957113 H27693

35   AI300474 H73776 W74397 AA579604 AI131018 W72331 AI719085 AA568348 AI859045 AI814819 AI888714 BE467470 AW131268 H19419
H27694 AI342165 AI914155 AA534872 BE018176 R60206 H11647 R45641 AI860466 BE301656 AI125453 AI498120 AA593735 AA879110
AI016404 T35018 AA588397 AW449767 AA470365 BE501139 AA588354 AI337500 AW078532 Z41279 AI125449 AA935725 AA404338

129466	2094_50	L42583 NM_005554 L42601 BE183076 AI541221 BE140567 L42610 V01516 J00269 AW275792 AW383052 AW380143 AI541102 BE612846

40   AI541344 AW238368 BE613405 BE615705 BE615530 BE615301 AW379823 AW794706 AA194806 AA194992 AW384024 AW384000 AA641239
AI246504 AA540333 AW238581 AA640939 AI540863 AI608860 AW862564 AW366725 AW368983 AW366870 AA595020 AW794721 AW794511
AI591181 BE182523 AW794644 AW794620 AI935234 AI608903 AI608623 AW797060 AW084935 BE182517 BE182319 AI890082 AW238346
AW797012 BE182522 AW794838 AI608794 AW304289 AA147193 AA595995 AW381128 AW366720 AA583718 AI828416 BE122864 AW368343
AA431080 AW082039 AW380976 AA587144 AA443636 AW872937 AW794448 AW382832 AW085761 AW794724 AW263895 AA583587

45   AA583991 AA583994 AA586886 AA586880 AW368365 AI814460 AA586991 AI282829 AW378406 AA585721 AI609242 AA431973 AA232959
AI831095 AW263854 AW378391 AW378415 AW378381 AA036990 AW238395 AI285446 BE208219 BE049526 AA583605 AA583918 AW366711
AI285580 AW082642 AI285712 AA582875 AW591216 AW368719 AW378408 BE122835 AA582976 BE350422 AA418328 AI541454 AI565930
AA583700 AA150575 AW238427 AI287474 AA912658 AA584223 AW238528 C17918 AW136169 AA159847 AI923797 AI609009 BE182479
AI915198 AW378114 AA147179 AA584239 AA150532 AW168862 AW085999 AW082480 AA659742 AW079703 AI872793 AA583981 AI824571

50   BE182316 BE182507 AA233331 AI824572 AI540586 D29492 BE182931 AA036948 BE551821 D29401 AW378365 C00141 D29181 D29567
AW103359 W95238 AI991663 AA587298 BE184608 AA099833 W95121 W95150 D29584 AI934111 D29456 D29533 AW265380 D29290
AW238463 AA121041 D29204 AA595925 D29441 AW081840 AA587018 D29323 AA582891 BE182433 BE182437 BE158295 BE182434

100220	45374_1	AW015534 AA314369 AA290715 BE568683 AW629494 D28364 AW995678
100355	12538_1	AI907114 AA580734 AL041945 AA101515 AA121344 D78130 NM_003129 AA341650 T84166 AF098865 AA130976 BE089553

                   H05719 F13446 T66122 AW175590 F05344 AI114790 R12900 AA194871 AA132298 D78129 AA132213 AW948930 AW948919 AA263053 AW946593 AW948840

55   AA278558 R50895 N26940 N40818 AW021255 AA054851 AA663379 AW948795 AW948893 AA400356 AW948911 N85024 W78844 AI341546
AI760182 AA286783 BE617763 BE617263 AW263690 BE049454 BE617928 AW515038 AW950584 AA601009 AI079194 AA147204 AW083163
AA130981 AI218369 AA604784 AI806257 AI559556 AA232318 AA258065 AI471982 AA687949 AI143944 N30172 AA400196 AI769049 AI084342
AI221380 AA948469 AI802469 H05720 AA113270 AA158138 AA076231 AI521024 AI810962 AI133616 AA805106 AA101516 R40052 R50778
R43280 T65036 AW131924 AA114251 AA152331 F09650 AA580614 AA558927 C75491 Z38352 AA954595 C75606 W80742

60
100491	34803_1	D56165 M36981 X58965 NM_002512 BE379177 AA314838 BE256445 BE252016 AW248343 AI720933 AW085701 BE386050 BE619742

BE277805 AA147951 AA603113 BE253293 AI246588 AI183405 AI954174 AI126891 AI829101 AA123832 AW129670 AA471268 AW170242 AW873079 AA148011 AI608620
                   AA482961 AI003658 H43261 AA657978 AI735072 R83138 AA722002 AA626271 AW273877 BE464526 AA071483 AA429973 AA494342
AA620436 AA775597 AA775601 AA826847 AI192585 AA826359 AA411159 AI193419 AI204013 AA705323 AA716255 AI784611 AI081144
AI128227 AA828464 AI148911 AI493446 AI626084 AI189180 AI721196 AI190618 AA284987 AI128543 AA632064 AI333073 AI278470 AA131688

65   AI491768 AA937581 AA630065 AA834257 AW249841 AA583742 AI309756 AA961676 AI760860 AA557818 AA954238 H43655 AI302564
AA127545 AI609219 H20426 AI042292 AI056466 AA581836 W47002 AA422357 AI937673 F29757 AA829208 AW327462 AA372098 W02144
AA036805 AA487365 AA961037 AI139946 AA487250 AA737118 AI952504 AI242293 AA650552 AI708401 AI633133 AA630848 AA654317 F24128
AI434165 W46252 AW043879 AI033763 F37228 AA687809 N49087 AA876981 AA506947 AI914572 AI833284 F22253 AA026222 R50166
AI219267 N27095 AA496512 AI784222 AI289904 AA513146 AA528547 AA418700 F36721 AI880700 AI601170 AI862851 AI708633 AA524499

70   AA642220 AA495628 AI718709 W80579 AI720547 F20718 AA649943 AA588229 N40503 H45029 BE262669 BE391069 BE537538 AI510751
AI905968 AI318611 H46099 AI472604 T60667 AA373087 W32479 AA514034 BE619183 AA134672 AA127544 H26942 BE536689 AW327461
AA422139 AW262357 AW327348 F33510 AI630382 AW827126 F27133 AI335189 AW517599 W80471 AA885814 N89681 BE393173 AA617760
AA584268 AA460738 AA446261 H20425 N64040 AW276801 AA316367 AA071232 BE545409 AA308292 BE274447 AA380861 AA340038
AA341806 AA865579 AI018634 AI766314 AI919302 AA872367 AA991404 AI906961 AABB8375 BE621012 AA505388 AA935192 AA290828

75   R50220 H50814 H44721 AW951723 AA514796 AA418708 AW673377 AA379622 AA977995 AA708224 AA708216 AI318249 AI318233 AA411160
AA026221 AA316774 AA485908 AI500094 AA096362 AW583742 BE536422 BE618653 R70203 AA131732 AA345048 BE562720 T28342

100518	13165_1	NM_004415 AL031058 M77830 BE149760 AW752599 AW848723 AW376697 AW376817 AW376699 AW848371 AW376782 AW848789

                   AW361413 AW849074 AW997139 AW799304 AW799309 BE077020 BE077017 BE185187 AW997196 BE156621 BE179915 BE006561 BE143155

80   AW890985 BE002107 AW103521 AA857316 AW383133 BE011378 AW170253 BE185750 AW886475 BE160433 J05211 BE082576 BE082584
BE004047 AW607238 AW377700 AW377699 BE082526 BE082505 BE082507 BE082514 AW178000 AW177933 AI905935 AW747877 AW748114
BE148516 AW365328 AW847678 AW847688 AW365151 AW365148 AW365153 AW365156 AW365175 AW365157 AW365154 AW068840
BE005272 AW365145 BE001925 BE182166 BE144243 BE001923 AI951766 AI434518 BE184920 BE184933 AI284090 BE184941 AW804574
BE184924 C04715 W39488 AW995615 BE184948 BE159846 AW606653 AA099891 AA131128 AA337270 AA340777 AW384371 AA852212

85   R58704 AW366566 AW364859 AA025851 AA025852 AA455100 AA719958 AW352220 AW996245 BE165351 BE073467 AA377127 AW890264
AW609750 AW391912 AW849690 T87267 AW853812 AA852213 W74149 BE009090 AA056401 H91011 AW368529 AW390272 C18467

AW674920 N57176 AA026480 AW576767 H93284 AA026863 AW177787 AA026654 AW177786 BE092134 BE092137 BE092136 AW177784 AI022862 BE091653 AW376811 AW848592 AA040018 BE185331 BE182164 AA368564 AW951576 T29918 AA131077 W95048 W25458 AW205789 H90899 N29754 W32490 R20904 BE167181 BE167165 N84767 H27408 H30146 AI190590 C03378 AI554403 AI205263 AA128470 AI392926 AF139065 AW370813 AW370827 AW798417 AW798780 AW798883 AW798569 R33557 AA149190 C03029 AW177783 AA088856 AW370829 AA247685 BE002273 AI760816 AI439101 AW879451 AI700963 AA451923 AI340326 AI590975 T48793 AI568096 AI142882 AA039975 AI470146 AA946936 BE067737 BE057786 W19287 AA644381 AA702424 AI417612 AI306554 AI586869 AI568892 AW190555 AI571075 AI220573 AA056527 AI471874 AI304772 AW517828 AI915596 AI627383 AI270345 AW021347 AW166807 AW105614 AI346078 AA552300 W95070 AI494059 AI911702 AA149191 AA026864 AI830049 AI887258 AW780435 AI910434 AI819984 AI858282 AI078449 AI025932 AI860584 AI635878 AA026047 AA703232 D12062 AW192085 AA658154 AW514597 AW591892 T87181 AA782066 AW243815 AW150038 AW268383 AW004633 AI927207 AA782109 AW473233 AI804485 AW169216 AI572669 AA602182 AW015480 AW771865 AI270027 AA961816 AA283207 AI076962 AI498487 AI348053 AI783914 H44405 AW799118 AA128330 AA515500 AA918281 W02156 AI905927 AA022701 W38382 R20795 T77861 AW860878

100528	45979_1	BE386801 AU077299 AA143755 BE302747 AA853375 U30162 BE274163 BE277479 BE408180 BE274874 C15000 AA047476 NZ7099 AI359165 AI638794 AI151283 AI863925 AW444977 AI207392 AA931263 AA443112 R40138 AW058538 AA351008 AA676972 R62503 AA916492 AW001865 H42334 H38280 AA121497 AA114137 AI750938 M17783 AA383786 BE274462 AI753182 C05975 AA347404 AW069298 AI754351 AI754044 AA188808 AA185879 AA565243 AL040655 AA456177 AI750722 AA045756 AA213580 C16935 AW578747 AW753731 H41632 N44761 R58560 R61260 AA039902 N59721 AW992543 R68380 AA149686 T29017 H03739 BE383822 BE387105 BE408251 BE410425 H41560 AA247591 BE389677 AI752233 AI566195 AA868004 AI424523 AW753720 AA852159 BE386803
100559	2260_1	NM_000094 L02870 D13694 S51236 M96984 AW945290 M65158 AI285422 D29523 AL119886 AW630655 L06862 AI884355 AW168737 T29085 AW797005 AW801340 AI355504 AW079048 AW801337 AI690455 AI972063 AW268565 W68588 AA587326 AA883498 AI033523 AW510356 AW591998 H98463 AL043852 AI150055 AI566239 AI624803 AA844717 H40670 AA922334 AI864424 AW615094 AW451233 AI302203 F31221 AI872170 W68589 AA904478 AI917631 AW014208 AW450759 AA847625 AI284033 AA848176 AA598507
100576	9986_1	X00356 NM_001741 M26095 X03662 M12667 X02330 X02330 AA716058 AW295074 X04861 AI695720 AA719597
124357	genbank_N22401	N22401
101624	entrez_M55998	M55998
101625	entrez_M57293	M57293
135158	57963_1	AL037551 AI804716 AW439811 AI569470 AA075299 AI738572 AI270388 AI816783 AW263026 AI633951 AI655285 AI990572 AI950425 AW241533 AA916883 AA576693 AA160156 AA613783 AW078884 AI888282 AI275241 AI133467 AA164921

94

Tables 2A-8C were previously filed on November 9, 2001 in USSN 60/339,245 (18501-004100US)

Table 2A shows 504 genes down-regulated in lung tumors relative to normal lung and chronically diseased lung. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   90th percentile of AI for normal lung samples divided by the 80th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples.
R2:   median of AI for normal lung samples divided by 90th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples.
R3:   median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.
R4:   average of AI for normal lung samples divided by average AI for squamous cell carcinoma and adenocarcinoma lung tumors.
R5:   median of AI for normal lung samples divided by the 90th percentile of AI for adenocarcinomas.
R6:   median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for adenocarcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.
R7:   average of AI for normal lung samples divided by the 90th percentile of AI for squamous cell carcinomas.
R8:   median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for squamous cell carcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2	R3	R4	R5	R6	R7	R8
100095	Z97171	Hs.78454	myocilin; trabecular meshwork inducible	40.20							
100115	NM_002084	Hs.336920	glutathione peroxidase 3 (plasma)								3.46
100138	U83508	Hs.2463	angiopoietin 1			2.30					
100299	D49493	Hs.2171	growth differentiation factor 10		11.00						
100306	U85749	Hs.80598	transcription elongation factor A (SII);						3.06		
100447	NM_014767	Hs.74583	KIAA0275 gene product								3.16
100458	S74019	Hs.247979	Vpre-B	42.40							
100862	AA005247	Hs.285754	Hepatocyte Growth Factor Receptor						4.13		
100959	AA359129	Hs.118127	actin; alpha; cardiac muscle				125.60				
101032	BE205854	Hs.46039	phosphoglycerate mutase 2 (muscle)	36.40							
101081	AF047347	Hs.4880	amyloid beta (A4) precursor protein-bind				34.60				
101088	X70697	Hs.553	solute carrier family 6 (neurotransmitte				193.20				
101125	AJ250562	Hs.82749	transmembrane 4 superfamily member 2						3.10		
101180	U11874	Hs.846	interleukin 8 receptor; beta				54.86				
101308	L41390		"Homo sapiens core 2 beta-1,6-N-acetylgl	33.20							
101330	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do				36.40				
101345	NM_005795	Hs.152175	Calcitonin receptor-like			2.29					
101346	AI738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N				70.55				
101397	M26380	Hs.180878	lipoprotein lipase								3.54
101414	NM_000066	Hs.38069	complement component 8; beta polypeptide							3.81	
101435	NM_001100	Hs.1288	actin; alpha 1; skeletal muscle				34.60				
101507	X16896	Hs.82112	interleukin 1 receptor; type I				37.60				
101530	M29874	Hs.1360	cytochrome P450; subfamily IIB (phenobar								4.25
101537	AI469059	Hs.184915	zinc finger protein; Y-linked			2.54					
101542	NM_000102	Hs.1363	cytochrome P450; subfamily XVII (steroid		5.50						
101545	BE246154	Hs.154210	EDG1; endothelial differentiation, sphin	39.40							
101554	BE207611	Hs.123078	thyroid stimulating hormone receptor		13.00						
101560	AW958272	Hs.83733	intercellular adhesion molecule 2, exon								3.38
101574	M34182	Hs.158029	protein kinase; cAMP-dependent; catalyti						4.37		
101605	M37984	Hs.118845	troponin C; slow								3.80
101621	BE391804	Hs.62661	guanylate binding protein 1; interferon-	30.20							
101680	AA299330	Hs.1042	Sjogren syndrome antigen A1 (52kD; ribon							2.75	
101829	AW452398	Hs.129763	solute carrier family 8 (sodium/calcium						3.37		
101842	M93221	Hs.75182	mannose receptor; C type 1				38.20				
101961	AW004056	Hs.168357	"Hs-TBX2=T-box gene (T-box region) [huma		2.32						
101994	T92248	Hs.2240	uteroglobin								6.85
102020	AU077315	Hs.154970	transcription factor CP2		2.45						
102091	BE280901	Hs.83155	aldehyde dehydrogenase 7								6.75
102112	AW025430	Hs.155591	forkhead box F1	54.60							
102190	AA723157	Hs.73769	folate receptor 1 (adult)								3.98
102202	NM_000507	Hs.574	fructose-bisphosphatase 1								3.62
102241	NM_007351	Hs.268107	Multimerin		2.32						
102310	U33839		Accession not listed in Genbank		7.00						
102397	U41898		"Human sodium cotransporter RKST1 mRNA,	29.40							
102571	U60115	Hs.239069	"Homo sapiens skeletal muscle LIM-protei								3.75
102620	AA976427	Hs.121513	Human clone W2-6 mRNA from chromosome X						3.07		
102636	U67092		"Human ataxia-telangiectasia locus prote		2.40						
102667	U70867	Hs.83974	solute carrier family 21 (prostaglandin		3.15						
102675	U72512	Hs.7771	"Human B-cell receptor associated protei						3.56		
102698	M18667	Hs.1867	progastricsin (pepsinogen C)								4.51
102727	U79251	Hs.99902	opioid-binding protein/cell adhesion mol					12.00			
102852	V00571	Hs.75294	corticotropin releasing hormone	37.40							
103026	X54162	Hs.79386	thyroid and eye muscle autoantigen D1 (6					13.00			
103028	X54380	Hs.74094	pregnancy-zone protein	28.80							
103098	M86361		Human mRNA for T cell receptor; clone IG					10.00			
103117	X63578	Hs.295449	parvalbumin		6.00						
103241	X76223		H.sapiens MAL gene exon 4		2.47						
103280	U84722	Hs.76206	Cadherin 5, VE-cadherin (vascular epithe		2.69						
103360	Y16791	Hs.73082	keratin; hair; acidic; 5							2.16	

Line	ID	Accession	UniGene	Description							
	103496	Y09257	Hs.132821	flavin containing monooxygenase 2							5.97
	103508	Y10141		"H.sapiens DAT1 gene, partial, VNTR"						3.27	
	103561	NM_001843	Hs.143434	contactin 1			2.40				
	103569	NM_005512	Hs.151641	glycoprotein A repetitions predominant			2.99				
5	103575	Z26256		"H.sapiens isoform 1 gene for L-type cal							4.18
	103627	Z48513		H.sapiens XG mRNA (clone PEP6)							3.44
	103767	BE244667	Hs.296155	CGI-100 protein							2.25
	103850	AA187101	Hs.213194	Hypothetical protein MGC10895; sim to SR				46.55			
10	104078	AA402801	Hs.303276	ESTs						3.05	
	104326	AW732858	Hs.143067	ESTs						3.54	
	104352	BE219898	Hs.173135	dual-specificity tyrosine-(Y)-phosphoryl						3.16	
	104398	AI423930	Hs.36790	ESTs; Weakly similar to putative p150 [H	64.80						
	104473	AI904823	Hs.31297	ESTs							3.38
	104493	AW960427	Hs.79059	ESTs; Moderately similar to TGF-BETA REC			2.47				
15	104495	AW975687	Hs.292979	ESTs	28.60						
	104595	AI799603	Hs.271568	ESTs						3.42	
	104597	AI364504	Hs.93967	ESTs; Weakly similar to SHi-1 protein [		6.00					
	104659	AW969769	Hs.105201	ESTs	34.00						
	104686	AA010539	Hs.18912	ESTs		11.00					
20	104691	U29690	Hs.37744	ESTs; Beta-1-adrenergic receptor	56.80						
	104764	AI039243	Hs.278585	ESTs				60.40			
	104776	AA026349		ESTs	34.20						
	104825	AA035613	Hs.141883	ESTs			3.03				
	104865	T79340	Hs.22575	Homo sapiens cDNA: FLJ21042 fis, clone C	41.20						
25	104942	NM_016348	Hs.10235	ESTs							3.27
	104989	R65998	Hs.285243	ESTs				40.00			
	105062	AW954355	Hs.36529	ESTs							3.20
	105101	H63202	Hs.38163	ESTs	34.20						
	105173	U54617	Hs.8364	ESTs							4.17
30	105194	R06780	Hs.19800	ESTs		16.00					
	105226	R58958	Hs.26608	ESTs			2.34				
	105256	AA430650	Hs.16529	transmembrane 4 superfamily member (tetr			2.72				
	105394	BE245812	Hs.8941	ESTs			2.61				
	105647	Y09306	Hs.30148	homeodomain-interacting protein kinase 3	33.60						
35	105789	AF106941	Hs.18142	arrestin; beta 2							3.59
	105817	AA397825		synaptopodin						4.46	
	105847	AW964490	Hs.32241	ESTs				35.40			
	105894	AI904740	Hs.25691	calcitonin receptor-like receptor activi			3.43				
	105999	BE268786	Hs.21543	ESTs		7.00					
40	106075	AA045290	Hs.25930	ESTs				42.60			
	106178	AL049935	Hs.301763	KIAA0554 protein	34.80						
	106381	AB040916	Hs.24106	ESTs					12.00		
	106467	AA450040	Hs.154162	ADP-ribosylation factor-like 2						3.69	
	106536	AA329548	Hs.23804	ESTs				96.40			
45	106569	R20909	Hs.300741	sorcin				47.20			
	106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr				220.40			
	106842	AF124251	Hs.26054	novel SH2-containing protein 3			2.55				
	106844	AA485055	Hs.158213	sperm associated antigen 6	39.20						
	106870	AI983730	Hs.26530	serum deprivation response (phosphatidyl			2.28				
50	106943	AW888222	Hs.9973	ESTs							4.28
	106954	AF128847	Hs.204038	ESTs							4.32
	107106	AA862496	Hs.28482	ESTs					10.45		
	107163	AF233588	Hs.27018	ESTs			2.57				
	107201	D20378	Hs.30731	EST						3.84	
55	107238	D59362	Hs.330777	EST		8.00					
	107376	U90545	Hs.327179	solute carrier family 17 (sodium phospha		10.67					
	107530	Y13622	Hs.85087	latent transforming growth factor beta b			2.32				
	107688	AW082221	Hs.60536	ESTs				34.60			
	107706	AA015579	Hs.29276	ESTs	28.40						
60	107723	AA015967		EST						3.29	
	107727	AA149707	Hs.173091	DKFZP434K151 protein				80.80			
	107750	AA017291	Hs.60781	ESTs				51.40			
	107751	AA017301	Hs.235390	ESTs						3.14	
	107873	AK000520	Hs.143811	ESTs		9.00					
65	107899	BE019261	Hs.83869	ESTs; Weakly similar to !!! ALU SUBFAMI						3.65	
	107994	AA036811	Hs.48469	ESTs				44.60			
	107997	AL049176	Hs.82223	Human DNA sequence from clone 141H5 on c				32.00			
	108041	AW204712	Hs.61957	ESTs				30.80			
	108048	AI797341	Hs.165195	ESTs							4.75
70	108338	AA070773		"zm53g11.s1 Stratagene fibroblast (#9372			2.33				
	108434	AA078899		"zm94b1.s1 Stratagene colon HT29 (#93722						2.92	
	108447	AA079126		"zm92a11.s1 Stratagene ovarian cancer (#						3.06	
	108480	AL133092	Hs.68055	ESTs				34.00			
	108499	AA083103		"zn1b12.s1 Stratagene hNT neuron (#93723							3.36
75	108535	R13949	Hs.226440	Homo sapiens clone 24881 mRNA sequence					19.00		
	108550	AA084867		"zn11f6.s1 Stratagene hNT neuron (#93723					12.00		
	108604	AA934589	Hs.49696	ESTs			2.33				
	108625	AW972330	Hs.283022	ESTs							5.82
	108629	AA102425		"zn24c6.s1 Stratagene neuroepithelium NT						3.42	
80	108655	AA099960		"zm55c6.s1 Stratagene fibroblast (#93721		7.00					
	108756	AA127221	Hs.117037	Homo sapiens mRNA; cDNA DKFZp564N1164 (f		6.05					
	108864	AI733852	Hs.199957	ESTs	28.80						
	108895	AL138272	Hs.62713	ESTs	32.80						
	108921	AI568801	Hs.71721	ESTs				57.80			
85	108967	AA142989	Hs.71730	ESTs	28.80						

ID	Accession	Cluster	Description	1	2	3	4	5	6	7	8
109001	AI056548	Hs.72116	ESTs, Moderately similar to hedgehog-int			2.57					
109003	AA147497	Hs.71825	ESTs								2.11
109004	AA156235	Hs.139077	EST		5.60						
109065	AA161125	Hs.252739	EST					10.00			
109250	H83784	Hs.62113	ESTs; Weakly similar to PHOSPHATIDYLETHA							3.44	
109490	AA233416	Hs.139202	ESTs							2.92	
109510	AI798863	Hs.87191	ESTs			2.40					
109578	F02208	Hs.27214	ESTs		10.00						
109601	F02695	Hs.311662	EST				40.80				
109613	H47315	Hs.27519	ESTs				54.40				
109650	R31770	Hs.23540	ESTs	31.20							
109682	H18017	Hs.22869	ESTs		8.40						
109724	D59899	Hs.127842	ESTs				29.40				
109782	AB020644	Hs.14945	long fatty acyl-CoA synthetase 2 gene					8.00			
109833	R79864	Hs.29889	ESTs		10.00						
109837	H00656	Hs.29792	ESTs			6.49					
109977	T64183	Hs.282982	ESTs							2.75	
109984	AI796320	Hs.10299	ESTs				107.00				
110146	H41324	Hs.31581	ESTs; Moderately similar to SYNTAXIN 1B							2.22	
110271	H28985	Hs.31330	ESTs						3.48		
110280	AW874263	Hs.32468	ESTs	44.20							
110420	R93141	Hs.184261	ESTs				32.00				
110578	T62507	Hs.11038	ESTs	28.40							
110634	R98905	Hs.35992	ESTs					20.00			
110726	AW961818	Hs.24379	potassium voltage-gated channel; shaker-								4.15
110837	H03109	Hs.108920	ESTs; Weakly similar to semaphorin F [H.				56.80				
110875	N35070	Hs.26401	tumor necrosis factor (ligand) superfami			3.13					
110894	R92356	Hs.66891	ESTs; Moderately similar to cytoplasmic		5.33						
110971	AI760098	Hs.21411	ESTs				44.60				
111023	AV655386	Hs.7645	ESTs	32.40							
111057	T79639	Hs.14629	ESTs					17.14			
111247	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f							4.58	
111330	BE247767	Hs.18166	KIAA0870 protein								3.42
111374	BE250726	Hs.283724	ESTs; Moderately similar to HYA22 [H.sap								3.91
111442	AW449573	Hs.181003	ESTs				33.20				
111737	H04607	Hs.9218	ESTs				53.00				
111747	AI741471	Hs.23666	ESTs	46.20							
111807	R33508	Hs.18827	ESTs		16.00						
111862	R37472	Hs.21559	EST						3.91		
112045	AI372588	Hs.8022	TU3A protein							2.74	
112057	R43713	Hs.22945	EST							4.92	
112214	AW148652	Hs.167398	ESTs					13.00			
112263	R52393	Hs.25917	ESTs			2.43					
112314	AW206093	Hs.748	ESTs		9.00						
112324	R55965	Hs.26479	limbic system-associated membrane protei					14.00			
112362	AW300887	Hs.26638	ESTs; Weakly similar to CD20 receptor [H			2.49					
112380	H63010	Hs.5740	ESTs			2.34					
112425	AA324998	Hs.321577	ESTs; Weakly similar to !!! ALU SUBFAMI		8.00						
112473	R65993	Hs.279798	pregnancy specific beta-1-glycoprotein 9							4.53	
112492	N51620	Hs.28694	ESTs				29.80				
112541	AF038392	Hs.116674	ESTs							3.62	
112620	R80552	Hs.29040	ESTs			2.37					
112623	AW373104	Hs.25094	ESTs			2.26					
112867	T03254	Hs.167393	ESTs					12.00			
112894	T08188	Hs.3770	ESTs		6.50						
112954	AA928953	Hs.6655	ESTs		7.00						
113029	AW081710	Hs.7369	ESTs; Weakly similar to !!! ALU SUBFAMI								4.39
113086	AA346839	Hs.209100	DKFZP434C171 protein								4.47
113140	T50405	Hs.175967	ESTs					10.00			
113252	NM_004469	Hs.11392	c-fos induced growth factor (vascular en		14.00						
113257	AI821378	Hs.159367	ESTs						3.72		
113394	T81473	Hs.177894	ESTs						3.60		
113437	T85349	Hs.15923	EST	35.00							
113454	AI022166	Hs.16188	ESTs		6.00						
113502	T89130		ESTs	39.60							
113552	AI654223	Hs.16026	ESTs								3.88
113645	T95358	Hs.333181	ESTs							2.58	
113691	T96935	Hs.17932	EST				38.20				
113706	AA004693	Hs.269192	ESTs						3.09		
113883	U89281	Hs.11958	oxidative 3 alpha hydroxysteroid dehydro			2.31					
113924	BE178285	Hs.170056	Homo sapiens mRNA; cDNA DKFZp586B0220 (f	30.40							
114035	W92798	Hs.269181	ESTs					13.00			
114058	AK002016	Hs.114727	ESTs								5.00
114084	AA708035	Hs.12248	ESTs				40.60				
114121	H05785	Hs.25425	ESTs			2.31					
114124	W57554	Hs.125019	Human lymphoid nuclear protein (LAF-4)		7.00						
114275	AW515443	Hs.306117	interleukin 13 receptor; alpha 1		6.00						
114297	AA149707	Hs.173091	DKFZP434K151 protein				48.80				
114427	AA017176	Hs.33532	ESTs; Highly similar to Miz-1 protein [H						3.45		
114449	AA020736		~ze63b11.s1 Soares retina N2b4HR Homo sa					10.00			
114452	AI369275	Hs.243010	ESTs, Moderately similar to RTC0_HUMAN G		14.00						
114609	AA079505		~zm97a5.s1 Stratagene colon HT29 (#93722						3.13		
114648	AA101056		~zn25b3.s1 Stratagene neuroepithelium NT				35.40				
114731	BE094291	Hs.155651	Homo sapiens HNF-3beta mRNA for hepatocy								3.42
114762	AA146979	Hs.288464	ESTs	33.00							

No	Accession	Cluster	Description					
114776	AA151719	Hs.95834	ESTs	34.40				
115009	AA251561	Hs.48689	ESTs	30.20				
115272	AW015947		ESTs; Weakly similar to hypothetical L1	32.60				
115279	AW964897	Hs.290825	ESTs		6.00		12.00	
115302	AL109719	Hs.47578	ESTs					3.32
115365	AW976252	Hs.268391	ESTs			48.00		
115559	AL079707	Hs.207443	ESTs			56.20		
115566	AI142336	Hs.43977	ESTs					
115683	AF255910	Hs.54650	ESTs, Weakly similar to (defline not ava	31.40				
115744	AA418538	Hs.43945	ESTs; Highly similar to dJ1178H5.3 [H.sa			33.60		
115819	AA486620	Hs.41135	Endomucin 2			74.40		
115949	AI478427	Hs.43125	ESTs		3.18			
115965	AA001732	Hs.173233	ESTs			388.80		
116035	AA621405	Hs.184664	ESTs			33.20		
116049	AA454033	Hs.41644	ESTs			45.80		
116081	AI190071	Hs.55278	ESTs					3.57
116082	AB029496	Hs.59729	ESTs		3.06			
116213	AA292105	Hs.326740	leucine rich repeat (in FLII) interactin	50.60				
116228	AI767947	Hs.50841	ESTs; Weakly similar to tuftelin [M.musc		3.85			
116250	N76712	Hs.44829	ESTs		6.00			
116419	AI613480	Hs.47152	ESTs; Weakly similar to testicular tekti			30.00		
116617	D80761	Hs.45220	EST		2.27			
116784	AB007979	Hs.301281	tenascin R (restrictin; janusin)	47.20				
116835	N39230	Hs.38218	ESTs			41.20		
116970	AB023179	Hs.9059	KIAA0962 protein				11.00	
117023	AW070211	Hs.102415	ESTs			91.00		
117027	AW085208	Hs.130093	ESTs	49.40				
117036	H88908	Hs.41192	EST			32.60		
117110	AA160079	Hs.172932	ESTs		8.67			
117209	W03011	Hs.306881	ESTs			30.60		
117325	N23599	Hs.43396	ESTs				9.29	
117454	N29569	Hs.44055	ESTs					3.19
117475	N30205	Hs.93740	ESTs	44.00				
117543	BE219453	Hs.42722	ESTs		16.00			
117567	AW444761	Hs.44565	ESTs				12.00	
117570	N48649	Hs.44583	ESTs				11.00	
117600	N34963	Hs.44676	EST					3.74
117730	N45513	Hs.46608	ESTs		6.00			
117791	N48325	Hs.93956	EST		9.00			
117929	N51075	Hs.47191	ESTs			29.20		
117990	AA446167	Hs.47385	ESTs		8.00			
118224	N62275	Hs.48503	EST	31.40				
118244	N62516	Hs.48556	ESTs	32.80				
118357	AL109667	Hs.124154	Homo sapiens mRNA full length insert cDN		2.40			
118446	N66361	Hs.269121	ESTs		2.28			
118447	N66399	Hs.49193	EST	30.80				
118530	N67900	Hs.118446	ESTs					3.10
118549	N68163	Hs.322954	EST					3.41
118823	W03754	Hs.50813	ESTs; Weakly similar to long chain fatty		3.94			
118862	W17065	Hs.54522	ESTs					3.58
118935	AI979247	Hs.247043	KIAA0525 protein			33.00		
118944	AI734233	Hs.226142	ESTs; Weakly similar to !!! ALU SUBFAMI				11.43	
118995	N94591	Hs.323056	ESTs		14.00			
119073	BE245360	Hs.279477	ERG-2/ERG-1; V-ets avian erythroblastosi			52.60		
119268	T16335	Hs.65325	EST	31.40				
119514	W37937		Accession not listed in Genbank					3.50
119824	W74536	Hs.184	advanced glycosylation end product-speci		2.75			
119831	AL117664	Hs.58419	DKFZP586L2024 protein						3.21
119861	W78816	Hs.49943	ESTs; Moderately similar to !!! ALU SUB			33.80		
119889	W84346	Hs.58671	ESTs			30.03		
119921	W86192	Hs.58815	ESTs	29.00				
120082	H80286	Hs.40111	ESTs					3.80
120094	AA811339	Hs.124049	ESTs		6.00			
120132	W57554	Hs.125019	Human lymphoid nuclear protein (LAF-4)			36.60		
120378	AA223249	Hs.285728	ESTs		12.00			
120404	AB023230	Hs.96427	KIAA1013 protein	39.40				
120504	AA256837		ESTs				8.00	
120512	N55761	Hs.194718	ESTs	33.00				
120667	AA267740	Hs.78335	microtubule-associated protein; RP/EB fa						4.18
120777	AA287702	Hs.10031	KIAA0955 protein			46.60		
121082	AA398722		ESTs			39.00		
121191	AA400205	Hs.104447	ESTs	41.60				
121248	AA400914	Hs.97827	EST						5.08
121363	AI287280	Hs.97933	ESTs				12.00	
121366	AI743515		ESTs				20.00	
121483	AI660332	Hs.25274	ESTs; Moderately similar to putative sev					3.32
121518	AA412155		ESTs			30.20		
121545	AA412442	Hs.98132	ESTs		2.29			
121622	AA416931	Hs.126065	ESTs		9.00			
121665	AA416556	Hs.98234	ESTs			34.80		
121709	AI338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	34.80				
121730	AI140683	Hs.98328	ESTs	38.80				
121740	AA421138	Hs.98334	EST		7.00			
121772	AI590770	Hs.110347	Homo sapiens mRNA for alpha integrin bin	36.20				
121821	AL040235	Hs.3346	ESTs					3.61

ID	Accession	Hs	Description								
121835	AB033030	Hs.300670	ESTs			2.34					
121841	AA427794	Hs.104854	ESTs			2.61					
121885	AA934883	Hs.98467	ESTs							2.25	
121888	AA426429	Hs.98463	ESTs							2.92	
121938	AA428659	Hs.98610	ESTs				46.80				
121950	AA429515		EST				31.40				
122030	AA431310	Hs.98724	ESTs	34.40							
122054	AA431725	Hs.98745	EST							3.58	
122211	AA300900	Hs.98849	ESTs; Moderately similar to bithoraxoid-	49.40							
122233	AA436455	Hs.98872	EST	29.80							
122247	AA436676	Hs.98890	EST				39.80				
122253	AA436703	Hs.104936	ESTs; Weakly similar to hypothetical pro		9.00						
122266	AA436840	Hs.98907	EST						3.60		
122285	AA436981	Hs.121602	EST						3.14		
122409	AA446830	Hs.99081	ESTs	30.80							
122485	AA524547	Hs.160318	phospholemman			2.65					
122697	AA420683	Hs.98321	Homo sapiens cDNA FLJ14103 fis, clone MA		15.00						
122772	AW117452	Hs.99489	ESTs		6.67						
122831	AI857570	Hs.5120	ESTs						3.37		
122913	AI638774	Hs.105328	ESTs				32.20				
123049	BE047680	Hs.211869	ESTs				41.80				
123076	AI345569	Hs.190046	ESTs	35.80							
123136	AW451999	Hs.194024	ESTs							2.58	
123309	N52937	Hs.102679	ESTs					19.00			
123455	AA353113	Hs.112497	ESTs				82.80				
123691	AA609579	Hs.112724	ESTs						3.95		
123756	AA609971	Hs.112795	EST	35.40							
123802	AA620448		Homo sapiens clone 24760 mRNA sequence	58.00							
123837	AI807243	Hs.112893	ESTs				32.40				
123844	AA938905	Hs.120017	olfactory receptor; family 7; subfamily			2.63					
123936	NM_004673	Hs.241519	ESTs	29.00							
123987	C21171	Hs.95497	ESTs; Weakly similar to GLUCOSE TRANSPOR				70.60				
124013	AI521936	Hs.107149	ESTs; Weakly similar to PTB-ASSOCIATED S	28.40							
124160	R40290	Hs.124685	ESTs					13.00			
124205	H77570	Hs.108135	ESTs						4.74		
124226	AA518527	Hs.190266	ESTs			2.35					
124246	H67680	Hs.270962	ESTs				29.40				
124348	AI796320	Hs.10299	ESTs		17.00						
124358	AW070211	Hs.102415	"yw35g11.s1 Morton Fetal Cochlea Homo sa			3.07					
124409	AI814166	Hs.107197	ESTs						3.14		
124442	AW663632	Hs.285625	TATA box binding protein (TBP)-associate			2.48					
124468	N51413	Hs.109284	ESTs				30.80				
124479	AB011130	Hs.127436	calcium channel; voltage-dependent; alph								6.03
124519	AI670056	Hs.137274	ESTs; Weakly similar to SPLICEOSOME ASSO			2.50					
124711	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	59.20							
124866	AI768289	Hs.304369	ESTs		8.00						
124874	BE550182	Hs.127826	ESTs				37.60				
125097	AW576389	Hs.335774	ESTs					10.00			
125179	AW206468	Hs.103118	ESTs						3.12		
125200	AW836591	Hs.103156	ESTs							2.79	
125299	T32982	Hs.102720	ESTs				34.20				
125400	AL110151	Hs.128797	DKFZP586D0824 protein	29.00							
125810	H00083	.	aryl hydrocarbon receptor-interacting pr	32.20							
126176	BE242256	Hs.2441	KIAA0022 gene product		12.00						
126303	D78841		HUM525A05B Human placenta polyA+ (TFuji				33.60				
126403	AW629054	Hs.125976	ESTs; Weakly similar to metalloprotease/	35.80							
126507	AL040137	Hs.23964	ESTs; Weakly similar to HC1 ORF [M.muscu				29.80				
126773	AA648284	Hs.187584	ESTs	39.60							
127307	AW962712	Hs.126712	ESTs; Weakly similar to pIL2 hypothetica	28.80							
127462	AA760776	Hs.293977	aa59b04.s1 NCI_CGAP_GCB1 Homo sapiens c				34.40				
127486	AW002846	Hs.105468	ESTs		9.00						
127572	AA594027	Hs.191788	ESTs			2.36					
127609	X80031	Hs.530	ESTs				29.40				
127832	AW976035	Hs.292396	ESTs				37.20				
127898	AA774725	Hs.128970	ESTs							4.42	
128073	AW340720	Hs.125983	ESTs				38.40				
128101	AA905730	Hs.128254	ESTs		7.33						
128149	NM_012214	Hs.177576	mannosyl (alpha-1;3-)-glycoprotein beta-							2.58	
128212	W27411	Hs.336920	glutathione peroxidase 3 (plasma)			3.09					
128333	W68800	Hs.12126	ESTs; Weakly similar to LR8 [H.sapiens]				34.40				
128354	N76462	Hs.269152	ESTs; Weakly similar to ZINC FINGER PROT		10.00						
128426	AI265784	Hs.145197	ESTs							4.31	
128598	AA305407	Hs.102308	potassium inwardly-rectifying channel; s	31.20							
128634	AA464918		ESTs; Moderately similar to !!!! ALU SUB				41.60				
128687	AW271273	Hs.23767	ESTs				87.00				
128726	AI311238	Hs.104476	ESTs							4.02	
128773	NM_004131	Hs.1051	granzyme B (granzyme 2; cytotoxic T-lymp					9.00			
128833	W26667	Hs.184581	ESTs							3.76	
128870	H39537	Hs.75309	eukaryotic translation elongation factor			2.66					
128878	R25513	Hs.10683	ESTs						3.10		
128885	AF134803	Hs.180141	cofilin 2 (muscle)					11.00			
128998	W04245	Hs.107761	ESTs; Weakly similar to PUTATIVE RHO/RAC							3.21	
129000	AA744902	Hs.107767	ESTs; Moderately similar to CaM-KII inhi							3.68	
129038	AW156903	Hs.108124	ribosomal protein L41						3.17		
129098	AW580945	Hs.330466	ESTs	34.60							

ID	Acc1	Hs	Description							
129210	AL039940	Hs.202949	KIAA1102 protein							4.09
129240	AA361258	Hs.237868	interleukin 7 receptor			2.29				
129262	BE222198	Hs.109843	ESTs						3.30	
129301	AF182277	Hs.330780	Human cytochrome P450-IIB (hIIB3) mRNA;							4.05
129331	AW167668	Hs.279772	ESTs; Highly similar to CGI-38 protein [							4.09
129831	AW245805	Hs.110903	claudin 5 (transmembrane protein deleted			2.93				
129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1				160.80			
129595	U09550	Hs.1154	oviductal glycoprotein 1; 120kD					10.00		
129613	AW978517	Hs.172847	ESTs; Weakly similar to collagen alpha 1						3.40	
129782	AW016932	Hs.104105	EST		9.00					
129950	F07783	Hs.1369	decay accelerating factor for complement				67.80			
129958	R27496	Hs.1378	annexin A3				44.60			
129959	AL036554	Hs.274463	defensin; alpha 1; myeloid-related seque			2.72				
130160	AA305688	Hs.267695	UDP-GalbetaGlcNAc beta 1;3-galactosyltr				42.20			
130259	NM_000328	Hs.153614	retinitis pigmentosa GTPase regulator			2.54				
130273	AW972422	Hs.153863	MAD (mothers against decapentaplegic; Dr				51.60			
130312	AF056195	Hs.15430	DKFZP586G1219 protein						3.16	
130436	NM_001928	Hs.155597	D component of complement (adipsin)							4.11
130523	AA999702	Hs.214507	ESTs						4.77	
130799	AB028945	Hs.12695	ESTs		6.00					
130885	NM_005883	Hs.20912	adenomatous polyposis coli like						3.54	
131002	AL050295	Hs.22039	KIAA0758 protein							3.50
131012	AL039940	Hs.202949	KIAA1102 protein		20.00					
131031	NM_001650	Hs.288650	aquaporin 4	41.20						
131061	N64328	Hs.268744	ESTs; Moderately similar to KIAA0273 [H.				31.40			
131066	AW169287	Hs.22588	ESTs				29.60			
131082	AI091121	Hs.246218	ESTs; Weakly similar to zinc finger prot					9.00		
131087	AF147709	Hs.22824	ESTs; Weakly similar to p160 myb-binding							3.86
131161	AF033382	Hs.23735	potassium voltage-gated channel; subfami						3.14	
131179	AA171388	Hs.184482	DKFZP586D0624 protein						3.80	
131182	AI824144	Hs.23912	ESTs							3.67
131205	NM_003102	Hs.2420	superoxide dismutase 3; extracellular			2.98				
131277	AA131466	Hs.23767	ESTs			3.15				
131281	AA251716	Hs.25227	ESTs				32.20			
131282	X03350	Hs.4	alcohol dehydrogenase 3 (class I); gamma							3.44
131285	AI567943	Hs.25274	ESTs; Moderately similar to putative sev						6.40	
131355	R52804	Hs.25956	DKFZP564D206 protein		8.00					
131391	AW085781	Hs.26270	ESTs		10.00					
131461	AA992841	Hs.27263	butyrate response factor 2 (EGF-response	28.80						
131487	F13036	Hs.27373	Homo sapiens mRNA; cDNA DKFZ564O1763 (f						4.03	
131517	AB037789	Hs.263395	ESTs; Highly similar to semaphorin VIa [	39.00						
131545	AL137432	Hs.28564	ESTs					11.00		
131583	AK000383	Hs.323092	ESTs; Weakly similar to dual specificity					10.00		
131647	AA359615	Hs.30089	ESTs			2.47				
131675	H15205	Hs.30509	ESTs						3.06	
131676	AI126821	Hs.30514	calcium channel; voltage-dependent; beta	45.80						
131708	S60415	Hs.30941	CD97 antigen			2.28				
131717	X94630	Hs.3107	CD97 antigen							3.78
131756	AA443966	Hs.31595	ESTs				40.60			
131762	AA744902	Hs.107757	ESTs; Moderately similar to CaM-KII inhi							3.67
131821	AA017247	Hs.164577	ESTs			2.87				
131839	AB014533	Hs.33010	KIAA0633 protein						3.48	
131861	AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	54.00						
132015	AI418006	Hs.3731	ESTs				49.20			
132070	BE622641	Hs.38489	ESTs				34.80			
132242	AA332697	Hs.42721	ESTs			2.68				
132334	AW080704	Hs.45033	lacrimal proline rich protein			4.66				
132476	AL119844	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi	34.20						
132490	NM_001290	Hs.4980	LIM binding domain 2			2.66				
132533	AI922998	Hs.172510	ESTs		'13.00					
132598	X80031	Hs.530	collagen; type IV; alpha 3 (Goodpasture				30.60			
132619	H28855	Hs.53447	ESTs; Moderately similar to kinesin ligh						4.02	
132652	N41739	Hs.61260	ESTs						3.18	
132726	N52298	Hs.55608	ESTs; Weakly similar to cDNA EST yk484g1					11.43		
133028	R51604	Hs.300842	ESTs			2.37				
133071	BE384932	Hs.64313	ESTs			2.27				
133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein			2.63				
133129	AA428580	Hs.65551	ESTs							5.49
133147	AA026533	Hs.66	Interleukin 1 receptor-like 1			6.20				
133151	NM_014051	Hs.94896	ESTs						3.69	
133213	AA903424	Hs.6786	ESTs				31.40			
133276	AW978439	Hs.69504	ESTs					9.00		
133377	AJ131245	Hs.7239	SEC24 (S. cerevisiae) related gene famil	41.20						
133407	AF017987	Hs.7306	secreted frizzled-related protein 1	50.20						
133535	AL134030	Hs.284180	protocadherin 2 (cadherin-like 2)						3.72	
133537	U41518	Hs.74602	aquaporin 1 (channel-forming integral pr							3.35
133656	BE149455	Hs.75415	Accession not listed in Genbank			2.65				
133689	NM_001872	Hs.75572	carboxypeptidase B2 (plasma)				90.80			
133779	T58486	Hs.222566	ESTs						3.05	
133978	AF035718	Hs.78061	transcription factor 21			2.92				
133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec							3.45
134000	AW175787	Hs.334841	selenium binding protein 1							4.05
134111	AI372588	Hs.8022	TU3A protein			4.49				
134185	AA285136	Hs.301914	Homo sapiens mRNA; cDNA DKFZp586K1220 (f						3.27	
134204	AI873257	Hs.7994	ESTs; Weakly similar to CGI-69 protein [				40.80			

Pkey	Accession	Hs	Description							
134641	AI092634	Hs.156114	protein tyrosine phosphatase; non-recept							3.76
134677	AA251363	Hs.177711	ESTs				32.20			
134745	NM_000685	Hs.89472	angiotensin receptor 1B		15.00					
134749	T28499	Hs.89485	carbonic anhydrase IV			3.05				
134786	T29618	Hs.89640	angiopoietin 1 receptor; TEK tyrosine ki				57.80			
134825	U33749	Hs.197764	thyroid transcription factor 1							3.73
134978	AI829008	Hs.333383	ficolin (collagen/fibrinogen domain-cont			2.52				
135010	N50465	Hs.92927	ESTs				31.60			
135053	AW796190	Hs.93678	ESTs					3.21		
135081	AF069517	Hs.173993	RNA binding motif protein 6	28.80						
135091	AA493650	Hs.94367	ESTs							4.24
135135	AA775910	Hs.95011	syntrophin; beta 1 (dystrophin-associate		8.00					
135203	C15737	Hs.269386	ESTs					4.31		
135236	AI636208	Hs.96901	ESTs	43.00						
135266	R41179	Hs.97393	Human mRNA for KIAA0328 gene; partial cd						6.42	
135346	NM_000928	Hs.992	phospholipase A2; group IB (pancreas)			3.82				
135378	AW961818	Hs.24379	potassium voltage-gated channel; shaker-			4.15				
135387	NM_001972	Hs.99863	elastase 2; neutrophil	37.20						
135388	W27965	Hs.99865	EST	38.80						
135402	L12398	Hs.99922	dopamine receptor D4					4.21		

TABLE 2B shows the accession numbers for those primekeys lacking unigeneID's for Table 2A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
108447	43452_-7	AA079126
108550	120073_1	AA084867 AA084996
108655	127522_1	AA099960 AA113013
102397	44371_-1	U41898
126303	1525933_1	D78841 D78880
125810	1554054_1	H00083 R81062
103627	2615_2	Z48513 Z48512
121366	280401_1	AI743515 AA405617 AW276706
114609	116777_1	AA079505 AA079537
115272	172113_1	AW015947 AA211890 AA279425
108338	112186_1	AA070773 AA070774
108434	114012_1	AA078899 AA078782 AA075788
123802	genbank_AA620448	AA620448
102310	NOT_FOUND_entrez_U33839	U33839
102636	entrez_U67092	U67092
104776	genbank_AA026349	AA026349
120504	genbank_AA256837	AA256837
113502	genbank_T89130	T89130
108499	genbank_AA083103	AA083103
101308	entrez_L41390	L41390
108629	genbank_AA102425	AA102425
103098	221_215	M86361 Z26593 X02850 D13070 AE000659 M17649 M87869 M87871 X61077 M16286 AF018169 X61079 S59351 X60142 AF043169
103241	entrez_X76223	X76223
103508	entrez_Y10141	Y10141
103575	entrez_Z26256	Z26256
119514	NOT_FOUND_entrez_W37937	W37937
121082	genbank_AA398722	AA398722
128634	AA464918_at	AA464918
105817	genbank_AA397825	AA397825
121518	genbank_AA412155	AA412155
114449	genbank_AA020736	AA020736
114648	genbank_AA101056	AA101056
121950	genbank_AA429515	AA429515
107723	genbank_AA015967	AA015967

Table 3A shows 452 genes up-regulated in chronically diseased lung relative to normal lung. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 59580 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

5

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   80th percentile of AI for chronically diseased lung samples divided by the 90th percentile of AI for normal lung samples.

10

R2:   80th percentile of AI for chronically diseased lung samples divided by the 90th percentile of AI for normal lung samples, squamous cell carcinomas and adenocarcinomas

R3:   70th percentile of AI for chronically diseased lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of normal lung samples, squamous cell carcinomas and adenocarcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples

15

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2	R3
135423	U50531	Hs.138751	Human BRCA2 region, mRNA sequence CG030	12.40		
135378	AW961818	Hs.24379	MUM2 protein			2.13
135346	NM_000928	Hs.992	phospholipase A2, group IB (pancreas)			
135235	AW298244	Hs.293507	ESTs	12.40		
135057	U90268	Hs.93810	cerebral cavernous malformations 1	11.67		
134951	BE305081	Hs.169358	hypothetical protein		8.00	
134799	M36821	Hs.89690	GRO3 oncogene		8.20	
134786	T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous			
134772	NM_000829	Hs.163697	glutamate receptor, ionotrophic, AMPA 4	29.80		
134752	BE246762	Hs.89499	arachidonate 5-lipoxygenase			1.93
134749	T28499	Hs.89485	carbonic anhydrase IV			2.07
134696	BE326276	Hs.8851	ESTs			
134636	NM_005582	Hs.87205	lymphocyte antigen 64 (mouse) homolog, r	13.60		
134627	AI018768	Hs.12482	glyceronephosphate O-acyltransferase			1.92
134622	AW975159	Hs.293097	ESTs, Weakly similar to A55380 faciogenl			1.92
134570	U66615	Hs.172280	SWI/SNF related, matrix associated, acti	13.20		
134561	U76421	Hs.85302	adenosine deaminase, RNA-specific, B1 (h			1.78
134468	NM_001772	Hs.83731	CD33 antigen (gp67)		6.20	
134417	NM_006416	Hs.82921	solute carrier family 35 (CMP-sialic aci			
134343	D50683	Hs.82028	transforming growth factor, beta recepto			
134323	BE170651	Hs.8700	deleted in liver cancer 1			
134300	NM_001430	Hs.8136	endothelial PAS domain protein 1			
134299	AW580939	Hs.97199	complement component C1q receptor			
134253	X52075	Hs.80738	sialophorin (gpL115, leukosialin, CD43)	20.60		
134182	D52059	Hs.7972	KIAA0871 protein	12.20		
133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec			
133978	AF035718	Hs.78061	transcription factor 21			
133835	AI677897	Hs.76640	RGC32 protein			
133651	AI301740	Hs.173381	dihydropyrimidinase-like 2			
133533	D21262	Hs.75337	nucleolar and coiled-body phosphprotein	15.20		
133565	AW955776	Hs.313500	ESTs, Moderately similar to ALU7_HUMAN A			
133548	AW946384	Hs.178112	DNA segment, single copy probe LNS-CAI/L			1.77
133489	AA335295	Hs.74120	adipose specific 2			
133478	X83703	Hs.31432	cardiac ankyrin repeat protein			2.08
133337	AF085983	Hs.293676	ESTs		9.60	
133200	AB037715	Hs.183639	hypothetical protein FLJ10210			1.77
133153	AF070592	Hs.66170	HSKM-B protein	30.60		
133130	AI128606	Hs.6557	zinc finger protein 161	22.60		
133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein			
132928	AW168082	Hs.169449	protein kinase C, alpha	13.80		
132836	AB023177	Hs.29900	KIAA0960 protein			
132799	W73311	Hs.169407	SAC2 (suppressor of actin mutations 2,	41.60		
132742	AA025480	Hs.292812	ESTs, Weakly similar to T33468 hypotheti	40.40		
132548	X12830	Hs.193400	interleukin 6 receptor		7.20	
132476	AL119844	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi		4.76	
132439	AK001942	Hs.4863	hypothetical protein DKFZp566A1524			1.88
132240	AB018324	Hs.42676	KIAA0781 protein	21.20		
132210	NM_007203	Hs.42322	A kinase (PRKA) anchor protein 2			1.99
132199	AL041299	Hs.165084	ESTs	15.20		
131751	T96555	Hs.31562	ESTs			1.76
131745	AI828559	Hs.31447	ESTs, Moderately similar to A46010 X-li	27.80		
131694	NM_000246	Hs.3076	MHC class II transactivator		4.00	
131686	NM_012296	Hs.30687	GRB2-associated binding protein 2			
131676	AI126821	Hs.30514	ESTs		6.20	
131629	Z45794	Hs.238809	ESTs	21.40		
131589	C18825	Hs.29191	epithelial membrane protein 2			
131536	AA019201	Hs.269210	ESTs		9.40	
131517	AB037789	Hs.263395	sema domain, transmembrane domain (TM),		3.59	
131355	R52804	Hs.25956	DKFZP564D206 protein		4.48	
131253	R71802	Hs.24853	ESTs	15.00		
131207	AF104266	Hs.24212	latrophilin			1.75
131156	AI472209	Hs.323117	ESTs			1.84
131066	AW169287	Hs.22588	ESTs		3.54	
131061	N64328	Hs.268744	KIAA1796 protein			
131053	AA348541	Hs.296261	guanine nucleotide binding protein (G pr			1.93
130895	AA641767	Hs.21015	hypothetical protein DKFZp564L0864 simil	16.60		
130762	D84371	Hs.1898	paraoxonase 1	12.00		

102

	ID	Acc1	Hs.	Description	Val1	Val2
	130657	AW337575	Hs.201591	ESTs		
	130655	AI831962	Hs.17409	cysteine-rich protein 1 (intestinal)		
	130589	AL110226	Hs.16441	DKFZP434H204 protein		2.08
	130562	D50402	Hs.182611	solute carrier family 11 (proton-coupled		1.91
5	130555	R69743	Hs.116774	integrin, alpha 1	9.60	
	130365	W56119	Hs.155103	eukaryotic translation initiation factor	11.60	
	130273	AW972422	Hs.153863	MAD (mothers against decapentaplegic, Dr	6.60	
	130259	NM_000328	Hs.153614	retinitis pigmentosa GTPase regulator		1.91
	130090	H97878	Hs.132390	zinc finger protein 36 (KOX 18)	21.20	
10	129958	R27496	Hs.1378	annexin A3	5.05	
	129898	AI672731	Hs.13256	ESTs		
	129875	AA181018	Hs.13056	hypothetical protein FLJ13920	18.60	
	129699	AB007899	Hs.12017	homolog of yeast ubiquitin-protein ligas		
	129626	F13272	Hs.111334	ferritin, light polypeptide		
15	129598	N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	22.63	
	129593	AI338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f		
	129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1		2.53
	129527	AA769221	Hs.270847	delta-tubulin	39.20	
	129402	W72062	Hs.11112	ESTs		2.11
20	129385	AA172106	Hs.110950	Rag C protein	15.20	
	129315	NM_014553	Hs.174038	spondyloepiphyseal dysplasia, late	12.40	
	129312	T97579	Hs.110334	ESTs, Weakly similar to I78885 serine/th	20.83	
	129240	AA361258	Hs.237868	interleukin 7 receptor		1.95
	129210	AL039940	Hs.202949	KIAA1102 protein		
25	129122	AW958473	Hs.301957	nudix (nucleoside diphosphate linked moi	4.20	
	129057	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)		
	128946	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	5.20	
	128798	AF015525	Hs.302043	chemokine (C-C motif) receptor-like 2		
	128789	AW368576	Hs.139851	caveolin 2		2.24
30	128778	AA504776	Hs.186709	ESTs, Weakly similar to I38022 hypothet	12.20	
	128766	AW160432	Hs.296460	craniofacial development protein 1	26.40	
	128631	R44238	Hs.155546	KIAA1080 protein; Golgi-associated, gamm		1.78
	128624	BE154765	Hs.102547	ESTs, Weakly similar to TRHY_HUMAN TRICH		2.51
	128609	NM_003616	Hs.102456	survival of motor neuron protein interac	16.00	
35	128603	NM_004915	Hs.10237	ATP-binding cassette, sub-family G (WHIT	12.80	
	128598	AA305407	Hs.102308	potassium inwardly-rectifying channel, s	4.00	
	128458	H55864	Hs.56340	ESTs		
	128061	AF150882	Hs.186877	sodium channel, voltage-gated, type XII,	17.20	
	127968	AA830201	Hs.124347	ESTs	21.30	
40	127959	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L		
	127944	AI557081	Hs.262476	S-adenosylmethionine decarboxylase 1	10.60	
	127925	AA805151	Hs.3628	mitogen-activated protein kinase kinase	13.40	
	127896	AI669586	Hs.222194	ESTs	7.00	
	127859	AA761802	Hs.291559	ESTs	14.00	
45	127817	AA836641	Hs.163085	ESTs	14.00	
	127742	AW293496	Hs.180138	ESTs	11.00	
	127628	AI240102	Hs.322430	NDRG family, member 4	11.10	
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture		
	127582	AA908954	Hs.130844	ESTs	19.60	
50	127543	AK000787	Hs.157392	Homo sapiens cDNA FLJ20780 fis, clone CO	15.40	
	127535	AA568424	Hs.164450	ESTs	17.50	
	127404	AI379920	Hs.270224	ESTs	14.60	
	127396	L31968	Hs.187991	DKFZP564A122 protein	15.40	
	127374	AA442797	Hs.312110	ESTs, Weakly similar to I38022 hypothet	14.60	
55	127346	AA203616	Hs.44896	DnaJ (Hsp40) homolog, subfamily B, membe	21.00	
	127340	BE047653	Hs.119183	ESTs, Weakly similar to ZN91_HUMAN ZINC	15.80	
	127307	AW952712	Hs.126712	ESTs, Weakly similar to AF191020 1 E21G5		
	127242	AW390395	Hs.181301	cathepsin S	22.60	
	127167	AA625690	Hs.190272	ESTs	21.40	
60	127046	AA321948	Hs.293968	ESTs	41.20	
	126928	AA480902	Hs.137401	ESTs	11.00	
	126900	AF137386	Hs.12701	plasmolipin		1.78
	126852	AA399961		gb:zu68c01.r1 Soares_testis_NHT Homo sap	5.60	
	126816	AA248234		gb:csg2228.seq.F Human fetal heart, Lamb	12.20	
65	126812	AB037860	Hs.173933	nuclear factor I/A	17.19	
	126666	AA648886	Hs.151999	ESTs	13.57	
	126645	AA316181	Hs.61635	six transmembrane epithelial antigen of	15.40	
	126592	AI611153	Hs.6093	Homo sapiens cDNA: FLJ22783 fis, clone K	4.67	
	126556	AF255303	Hs.112227	membrane-associated nucleic acid binding	18.00	
70	126433	AA325606		gb:EST28707 Cerebellum II Homo sapiens c	16.77	
	126299	AW979155	Hs.298275	amino acid transporter 2	14.60	
	126218	AL049801	Hs.13649	Novel human gene mapping to chromosome 13	3.50	
	126182	AA721331	Hs.293771	ESTs	13.40	
	126177	AW752782	Hs.129750	hypothetical protein FLJ10546	18.20	
75	126142	H86261	Hs.40568	ESTs	14.00	
	126077	M78772	Hs.210836	ESTs	16.59	
	125994	AI990529	Hs.270799	ESTs	17.40	
	125934	AA193325	Hs.32646	hypothetical protein FLJ21901	13.00	
	125847	AW161885	Hs.249034	ESTs	49.57	
80	125831	H04043		gb:yj45c03.r1 Soares placenta Nb2HP Homo		
	125731	R61771	Hs.26912	ESTs	13.20	
	125676	BE612918	Hs.151973	hypothetical protein FLJ23511	11.20	
	125561	F18572	Hs.22978	ESTs, Weakly similar to ALU4_HUMAN ALU S		
	125552	H09701	Hs.278366	ESTs, Weakly similar to I38022 hypothet	12.60	
85	125489	H49193	Hs.124984	ESTs, Moderately similar to ALU7_HUMAN A	33.40	

	ID	Accession	Hs	Description			
	125422	AA903229	Hs.153717	ESTs			1.80
	125331	AI422996	Hs.161378	ESTs	38.00		
	125309	T12411	Hs.183745	hypothetical protein FLJ13456	18.20		
	125167	AL137540	Hs.102541	netrin 4			1.95
5	125139	AW194933	Hs.9788	hypothetical protein MGC10924 similar to			1.84
	125042	T78906	Hs.269432	ESTs, Moderately similar to ALU1_HUMAN	21.80		
	124711	NM_004657	Hs.26530	serum deprivation response (phosphatidyl		10.60	
	124631	NM_014053	Hs.270594	FLVCR protein	23.20		
	124578	N58321	Hs.231500	EST	21.43		
10	124574	AL036596	Hs.42322	A kinase (PRKA) anchor protein 2			1.77
	124472	N52517	Hs.102570	EST	37.20		
	124438	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A			
	124357	N22401		gb:yw37g07.s1 Morton Fetal Cochlea Homo	14.64		
	124306	AW973078	Hs.293039	ESTs		4.00	
15	124214	H58608	Hs.151323	ESTs		27.20	
	124097	AW298235	Hs.101689	ESTs			2.03
	123978	T89932	Hs.170278	ESTs	6.00		
	123972	T46848	Hs.70337	immunoglobulin superfamily, member 4			1.79
	123961	AL050184	Hs.21610	DKFZP434B203 protein		15.80	
20	123936	NM_004673	Hs.241519	angiopoietin-like 1		4.23	
	123802	AA620448		gb:ae58c09.s1 Stratagene lung carcinoma		4.20	
	123734	AA609861	Hs.312447	ESTs	33.60		
	123619	AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	10.93		
	123596	AA421130	Hs.112640	EST			2.18
25	123476	AA384564	Hs.108829	ESTs	11.20		
	123340	AA504264	Hs.182937	peptidylprolyl isomerase A (cyclophilin	14.20		
	123190	AA489212	Hs.105228	EST		7.00	
	123136	AW451999	Hs.194024	ESTs	31.20		
	123073	AA485061	Hs.105652	ESTs	4.80		
30	123055	AA482005	Hs.105102	ESTs, Weakly similar to reverse transcri	5.00		
	122699	AA456130	Hs.301721	KIAA1255 protein	14.40		
	122679	AA811286	Hs.192837	ESTs, Weakly similar to ALU5_HUMAN ALU S			
	122633	NM_001546	Hs.34853	inhibitor of DNA binding 4, dominant neg	40.00		
	122553	AA451884	Hs.190121	ESTs	15.40		
35	122544	AW973253	Hs.292669	ESTs			1.81
	122485	AA524547	Hs.160318	FXYD domain-containing ion transport reg		12.10	
	122211	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 1 H			1.95
	122127	AW207175	Hs.106771	ESTs			1.89
	122011	AA431082		gb:zw78a10.s1 Soares_testis_NHT Homo sap		3.60	
40	121992	AI860775	Hs.98506	ESTs			2.01
	121989	W56487	Hs.193784	Homo sapiens mRNA; cDNA DKFZp586K1922 (f			1.85
	121835	AB033030	Hs.300670	KIAA1204 protein	12.43		
	121726	AF241254	Hs.178098	angiotensin I converting enzyme (peptidy			1.82
	121690	AV660305	Hs.110286	ESTs			
45	121643	AA640987	Hs.193767	ESTs	14.00		
	121633	AA417011	Hs.98175	EST		16.40	
	121622	AA416931	Hs.126065	ESTs	11.20		
	121497	AA412031	Hs.97901	EST	12.20		
	121351	AW206227	Hs.287727	hypothetical protein FLJ23132			1.83
50	121314	W07343	Hs.182538	phospholipid scramblase 4	22.40		
	121242	AA400857	Hs.97509	ESTs	14.80		
	121059	AA393283		gb:zt74e03.r1 Soares_testis_NHT Homo sap	21.20		
	120934	AA226198		gb:nc26a07.s1 NCI_CGAP_Pr1 Homo sapiens			1.79
	120755	AA312934	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone	20.00		
55	120637	AA811804		gb:ob39a05.s1 NCI_CGAP_GC81 Homo sapiens	40.20		
	120484	AA253170	Hs.95473	EST		6.60	
	120336	N85785	Hs.181165	eukaryotic translation elongation factor	16.80		
	120266	AI807264	Hs.205442	ESTs, Weakly similar to T34036 hypotheti		4.73	
	120132	W57554	Hs.125019	ESTs			1.75
60	120041	AA830882	Hs.59368	ESTs	7.20		
	119996	W88996	Hs.59134	EST	11.20		
	119970	AA767718	Hs.93581	hypothetical protein FLJ10512		3.78	
	119861	W78816	Hs.49943	ESTs, Weakly similar to S65657 alpha-1C-			
	119824	W74536	Hs.184	advanced glycosylation end product-speci	20.20		
65	119740	AW021407	Hs.21068	hypothetical protein	15.20		
	119271	AI061118	Hs.65328	Fanconi anemia, complementation group F			
	119221	C14322	Hs.250700	tryptase beta 1	12.60		
	119126	R45175	Hs.117183	ESTs			
	119073	BE245360	Hs.279477	ESTs		10.00	
70	118928	AA312799	Hs.283689	activator of CREM in testis		3.96	
	118901	AW292577	Hs.94445	ESTs		9.60	
	118661	AL137554	Hs.49927	protein kinase NYD-SP15	10.40		
	118607	AI377444	Hs.54245	ESTs, Weakly similar to S65824 reverse t			1.90
75	118449	AI813865	Hs.164478	hypothetical protein FLJ21939 similar to	16.20		
	118416	N66028	Hs.49105	FKBP-associated protein		4.00	
	118379	N64491	Hs.48990	ESTs		6.60	
	118329	N63520		gb:yy62f01.s1 Soares_multiple_sclerosis_		3.80	
	118320	N63451	Hs.141600	ESTs, Weakly similar to alternatively s	17.60		
80	118253	AA497044	Hs.20887	hypothetical protein FLJ10392	14.00		
	118124	N56968	Hs.46707	chromosome 21 open reading frame 37			1.86
	118056	AB037746	Hs.42768	hypothetical protein DKFZp761O0113	5.00		
	118032	N52802	Hs.47544	EST	4.00		
	117840	T26379	Hs.48802	Homo sapiens clone 23632 mRNA sequence			1.90
85	117404	N39725	Hs.15220	zinc finger protein 106	14.20		
	117314	N32498	Hs.42829	ESTs			

104

	ID	Accession	Hs	Description	Col1	Col2	Col3
	117209	W03011	Hs.306881	MSTP043 protein			
	117023	AW070211	Hs.102415	Homo sapiens mRNA; cDNA DKFZp586N0121 (f			2.31
	116814	H50834		gb:yp86a10.s1 Soares fetal liver spleen	20.20		
	116784	AB007979	Hs.301281	Homo sapiens mRNA, chromosome 1 specific		3.51	
5	116766	AI608657	Hs.95097	ESTs	16.20		
	116712	AW901618	Hs.61935	Homo sapiens mRNA; cDNA DKFZp761I071 (fr		6.80	
	116707	H10344	Hs.49050	ESTs, Weakly similar to A Chain A, Human	18.60		
	116351	AL133623	Hs.82501	similar to mouse Xm1 / Dhm2 protein	19.40		
	116279	AW971248	Hs.291289	ESTs, Weakly similar to ALU1_HUMAN ALU S			
10	116166	AL039940	Hs.202949	KIAA1102 protein			2.13
	116152	AL040521	Hs.15220	zinc finger protein 106			1.75
	116117	BE613410	Hs.31575	SEC63, endoplasmic reticulum translocon	13.20		
	116107	AL133916	Hs.172572	hypothetical protein FLJ20093	30.11		
	115965	AA001732	Hs.173233	hypothetical protein FLJ10970			2.36
15	115955	AF263613	Hs.44198	intracellular membrane-associated calciu	18.20		
	115844	AI373062	Hs.332938	hypothetical protein MGC5370	18.57		
	115683	AF255910	Hs.54650	junctional adhesion molecule 2		23.00	
	115673	AA406341	Hs.269908	Homo sapiens cDNA FLJ11991 fis, clone HE	11.82		
	115672	AI889110	Hs.73251	ESTs	10.60		
20	115556	AI142336	Hs.43977	Human DNA sequence from clone RP11-196N1			1.76
	115313	AA808001	Hs.184411	albumin	25.20		
	115279	AW964897	Hs.290825	ESTs		8.00	
	115230	AA278300	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L			1.80
	115110	AK001671	Hs.11387	KIAA1453 protein	14.20		
25	114999	BE246481	Hs.87856	ESTs	19.20		
	114930	AA237022	Hs.188717	ESTs		5.60	
	114922	AA235672	Hs.87491	ESTs		3.60	
	114837	BE244930	Hs.166895	ESTs	43.70		
	114769	AA149060	Hs.296100	ESTs	11.00		
30	114761	AA143781	Hs.126280	hypothetical protein FLJ23393	14.00		
	114736	AI610347	Hs.103812	ESTs, Moderately similar to ALU1_HUMAN A		4.20	
	114596	AA310162	Hs.169248	cytochrome c	10.71		
	114518	AW163267	Hs.106469	suppressor of var1 (S.cerevisiae) 3-like	20.40		
	114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	20.40		
35	114452	AI369275	Hs.243010	Homo sapiens cDNA FLJ14445 fis, clone HE		17.20	
	114359	NM_016929	Hs.283021	chloride intracellular channel 5			2.09
	114357	R41677	Hs.6107	Homo sapiens cDNA FLJ14839 fis, clone OV	12.40		
	114251	H15261	Hs.21948	ESTs			2.00
	114138	AW384793	Hs.15740	Homo sapiens mRNA; cDNA DKFZp434E033 (fr		11.40	
40	114124	W57554	Hs.125019	ESTs		6.04	
	113946	AW083883	Hs.37896	Homo sapiens cDNA FLJ13510 fis, clone PL			1.82
	113695	T96965	Hs.17948	ESTs, Weakly similar to ALUB_HUMAN !!!!			
	113606	NM_013343	Hs.278951	NAG-7 protein			2.15
	113590	R49642	Hs.142447	ESTs, Weakly similar to ALU1_HUMAN ALU S		3.60	
45	113560	T91015	Hs.268626	ESTs	32.00		
	113552	AI654223	Hs.16026	hypothetical protein FLJ23191			
	113540	AW152618	Hs.16757				
	113502	T89130		gb:ye12d01.s1 Stratagene lung (937210) H		8.35	
	113288	AI076838	Hs.12967	ESTs	12.40		
50	113252	NM_004469	Hs.11392	c-fos induced growth factor (vascular en		4.27	
	113238	R45467	Hs.189813	ESTs			
	113203	AA743563	Hs.10305	ESTs	21.20		
	113195	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom			1.92
	113089	T40707	Hs.270862	ESTs	14.33		
55	113076	AF033199	Hs.8198	zinc finger protein 204		6.00	
	113009	T23699	Hs.7246	ESTs		9.40	
	112937	AI694320	Hs.6295	ESTs, Weakly similar to T17248 hypotheti		12.20	
	112691	T03927	Hs.293147	ESTs, Moderately similar to A46010 X-li	10.57		
	112794	R97018		gb:yq74b08.s1 Soares fetal liver spleen	26.60		
60	112691	R88708	Hs.220547	ESTs	15.33		
	112602	AW004045	Hs.203365	ESTs	15.60		
	112366	AF035318	Hs.12533	Homo sapiens clone 23705 mRNA sequence	15.40		
	112210	R49645	Hs.7004	ESTs	14.00		
	112064	AL049390	Hs.22689	Homo sapiens mRNA; cDNA DKFZp586O1318 (f	13.00		
65	111998	R42379	Hs.138283	ESTs	11.00		
	111987	NM_015310	Hs.6763	KIAA0942 protein	22.40		
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A			1.77
	111737	H04607	Hs.9218	ESTs			1.86
	111605	T91061	Hs.194178	ESTs, Moderately similar to PC4259 ferri	23.00		
70	111510	R07856	Hs.16355	ESTs	11.02		
	111341	AL157484	Hs.22483	Homo sapiens mRNA; cDNA DKFZp762M127 (fr			1.88
	111280	AA373527	Hs.19385	CGI-58 protein	18.40		
	111247	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp554B2062 (f			
	111232	AI247763	Hs.16928	ESTs	27.60		
75	110942	R63503	Hs.28419	ESTs	14.80		
	110924	AW058463	Hs.12940	zinc-fingers and homeoboxes 1	24.71		
	110837	H03109	Hs.108920	HT018 protein			2.18
	110824	AI767183	Hs.26942	ESTs	12.20		
	110776	AB032417	Hs.19545	frizzled (Drosophila) homolog 4			1.75
80	110576	H50869	Hs.37889	ESTs	13.00		
	110369	AK000768	Hs.107872	hypothetical protein FLJ20761		5.60	
	110099	R44557	Hs.23748	ESTs			2.31
	109984	AI796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, clone PL			
	109958	AA001266	Hs.133521	ESTs	11.25		
85	109893	AA884208	Hs.30484	ESTs			2.68

ID	Accession	Cluster	Description			
109842	AW818436	Hs.23590	solute carrier family 16 (monocarboxylic	23.83		
109837	H00656	Hs.29792	ESTs, Weakly similar to I38022 hypotheti			3.91
109796	AI800515	Hs.12024	ESTs		17.20	
109688	R41900	Hs.22245	ESTs		9.60	
109548	H17800	Hs.7154	ESTs	22.80		
109613	H47315	Hs.27519	ESTs			
109550	AW021488	Hs.26981	ESTs			
109523	AW193342	Hs.24144	ESTs			1.89
109472	AK001989	Hs.91165	hypothetical protein		6.00	
109355	AA524525	Hs.48297	DKFZP586C1620 protein	15.00		
109260	AW978515	Hs.131915	KIAA0863 protein	25.60		
108781	AA128654		gb:zn98g07.s1 Stratagene fetal retina 93	14.20		
108663	BE219231	Hs.292653	ESTs, Weakly similar to T26845 hypotheti	11.00		
108573	AA086005		gb:zl84c04.s1 Stratagene colon (937204)	26.00		
108480	AL133092	Hs.68055	hypothetical protein DKFZp434I0428			
108382	NM_006770	Hs.67726	macrophage receptor with collagenous str			1.83
108174	AA055632	Hs.303070	ESTs	15.20		
108138	AL049990	Hs.51515	Homo sapiens mRNA; cDNA DKFZp564G112 (fr		3.60	
108087	AA045708	Hs.40545	ESTs	15.44		
108048	AI797341	Hs.165195	Homo sapiens cDNA FLJ14237 fis, clone NT		11.40	
108041	AW204712	Hs.61957	ESTs			
107997	AL049176	Hs.82223	chordin-like		4.76	
107994	AA036811	Hs.48469	LIM domains containing 1			
107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	14.20		
107681	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	51.80		
107666	AA010611	Hs.60418	EST	29.20		
107332	T87750	Hs.183297	DKFZP566F2124 protein	10.73		
107292	BE166479	Hs.4789	Homo sapiens serologically defined breas	32.00		
107230	AI034467	Hs.34650	ESTs	17.40		
107168	W57578	Hs.237955	RAB7, member RAS oncogene family	10.43		
107160	AA314490	Hs.27669	KIAA1563 protein	11.40		
107054	AI076459	Hs.15978	KIAA1272 protein			
107029	AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	21.40		
106999	H93281	Hs.10710	hypothetical protein FLJ20417	35.80		
106954	AF128847	Hs.204038	indolethylamine N-methyltransferase			1.76
106870	AI983730	Hs.26530	serum deprivation response (phosphatidyl			
106865	AW192535	Hs.19479	ESTs	13.40		
106844	AA485055	Hs.158213	sperm associated antigen 6		7.13	
106820	NM_016831	Hs.12592	period (Drosophila) homolog 3		7.00	
106818	AK002135	Hs.3542	hypothetical protein FLJ11273	13.00		
106797	AI768801	Hs.169943	Homo sapiens cDNA FLJ13569 fis, clone PL			2.05
106773	AA478109	Hs.188833	ESTs			
106747	NM_007118	Hs.171957	triple functional domain (PTPRF interact	12.60		
106743	BE613328	Hs.21938	hypothetical protein FLJ12492	10.60		
106667	AW360847	Hs.16578	ESTs			
106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr			2.40
106567	AW450408	Hs.86412	chromosome 9 open reading frame 5			1.78
106562	AL031846	Hs.152151	plakophilin 4			1.76
106536	AA329648	Hs.23804	ESTs, Weakly similar to PN0099 son3 prot			2.19
106533	AL134708	Hs.145998	ESTs	23.20		
106507	AA259068	Hs.267819	protein phosphatase 1, regulatory (inhib	15.20		
106490	AA404265	Hs.115537	putative dipeptidase			
106474	BE383668	Hs.42484	hypothetical protein FLJ10618	10.44		
106211	AA428240	Hs.126083	ESTs		29.80	
105986	AB037722	Hs.8707	KIAA1301 protein		3.70	
105894	AI904740	Hs.25691	receptor (calcitonin) activity modifying			1.94
105847	AW964490	Hs.32241	ESTs, Weakly similar to S65657 alpha-1C-			1.75
105803	AW747996	Hs.160999	ESTs, Moderately similar to A56194 throm			2.47
105731	AA834664	Hs.29131	nuclear receptor coactivator 2	10.71		
105729	H46612	Hs.293815	Homo sapiens HSPC285 mRNA, partial cds			
105688	AI299139	Hs.17517	ESTs	23.40		
105510	Z42047	Hs.283978	Homo sapiens PRO2751 mRNA, complete cds	37.20		
105101	H53202	Hs.38163	ESTs		8.30	
104989	R65998	Hs.285243	hypothetical protein FLJ22029		8.09	
104986	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1			1.92
104969	AI670947	Hs.78406	phosphatidylinositol-4-phosphate 5-kinas		5.40	
104903	AI436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,		7.60	
104896	AW015318	Hs.23165	ESTs	13.80		
104865	T79340	Hs.22575	Homo sapiens cDNA: FLJ21042 fis, clone C			
104825	AA035613	Hs.141883	ESTs			1.87
104781	AA099904	Hs.21610	DKFZP434B203 protein			1.93
104776	AA026349		gb:zj99f01.s1 Soares_pregnant_uterus_NbH		10.20	
104691	U29690	Hs.37744	Homo sapiens beta-1 adrenergic receptor		5.69	
104667	AI239923	Hs.30098	ESTs		3.82	
104404	H58762		gb:EST00057 HE6W Homo sapiens cDNA clone		4.20	
104392	AA076049	Hs.274415	Homo sapiens cDNA FLJ10229 fis, clone HE	27.20		
104212	AB002298	Hs.173035	KIAA0300 protein			1.91
104074	AL162039	Hs.31422	Homo sapiens mRNA; cDNA DKFZp434M229 (fr	11.20		
103749	AL135301	Hs.8768	hypothetical protein FLJ10849	10.86		
103645	AW246253	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	12.00		
103554	AI878826	Hs.323469	caveolin 1, caveolae protein, 22kD			1.80
103541	AI815601	Hs.79197	CD83 antigen (activated B lymphocytes, i			
103496	Y09267	Hs.132821	flavin containing monooxygenase 2			
103428	BE383507	Hs.78921	A kinase (PRKA) anchor protein 1	11.20		
103353	X89399	Hs.119274	RAS p21 protein activator (GTPase activa	19.80		

Pkey	Accession	Hs	Description			
103295	X81479	Hs.2375	egf-like module containing, mucin-like,			3.60
103280	U84722	Hs.76206	cadherin 5, type 2, VE-cadherin (vascula			
103100	NM_005574	Hs.184585	LIM domain only 2 (rhombotin-like 1)			1.76
103025	NM_002837	Hs.123641	protein tyrosine phosphatase, receptor t			2.15
102698	M18667	Hs.1867	progastricsin (pepsinogen C)			
102659	BE245169	Hs.211610	CUG triplet repeat, RNA-binding protein	11.00		
102580	U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	25.40		
102417	AA034127	Hs.153487	signal transducing adaptor molecule (SH3	14.00		
102363	NM_003734	Hs.198241	amine oxidase, copper containing 3 (vasc			
102302	AA306342	Hs.69171	protein kinase C-like 2	10.86		
102283	AW161552	Hs.83381	guanine nucleotide binding protein 11			
102188	U20350	Hs.78913	chemokine (C-X3-C) receptor 1		7.40	
102151	T27013	Hs.3132	steroidogenic acute regulatory protein	16.40		
101957	L28824	Hs.74101	spleen tyrosine kinase	15.40		
101842	M93221	Hs.75182	mannose receptor, C type 1			
101771	NM_002432	Hs.153837	myeloid cell nuclear differentiation ant			
101764	AI198550	Hs.81256	S100 calcium-binding protein A4 (calcium			1.78
101716	AF050658	Hs.2563	tachykinin, precursor 1 (substance K, su	18.80		
101678	M62505	Hs.2161	complement component 5 receptor 1 (C5a l			2.22
101447	M21305		gb:Human alpha satellite and satellite 3	504.80		
101383	NM_000132	Hs.79345	coagulation factor VIII, procoagulant co		31.00	
101346	AI738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N			1.75
101345	NM_005795	Hs.152175	calcitonin receptor-like			
101336	NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h			2.24
101330	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do			
101277	BE297626	Hs.296049	microfibrillar-associated protein 4			
101262	L35854		gb:Human dystrophin (dp140) mRNA, 5' end	19.00		
101168	NM_005308	Hs.211569	G protein-coupled receptor kinase 5			2.01
101102	NM_003243	Hs.79059	transforming growth factor, beta recepto			
101088	X70697	Hs.553	solute carrier family 6 (neurotransmitte		7.52	
101056	AW970254	Hs.889	Charot-Leyden crystal protein	19.38		
100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte			1.91
100893	BE245294	Hs.180789	S164 protein	15.40		
100770	W25797.comp	Hs.177485	amyloid beta (A4) precursor protein (pro	11.20		
100716	X89887	Hs.172350	HIR (histone cell cycle regulation defec	14.80		
100555	M69181		gb:Human nonmuscle myosin heavy chain-B	33.00		
100425	NM_014747	Hs.78748	KIAA0237 gene product	16.20		
100408	D86640	Hs.56045	src homology three (SH3) and cysteine ri		4.00	
100382	D83407	Hs.156007	Down syndrome critical region gene 1-lik		4.24	
100351	D64158				6.20	
100299	D49493	Hs.2171	growth differentiation factor 10		21.20	
100134	AA305746	Hs.49	macrophage scavenger receptor 1			
100108	U09577	Hs.76873	hyaluronoglucosaminidase 2			1.79
100095	Z97171	Hs.78454	myocilin, trabecular meshwork inducible		5.40	
100066				11.29		

TABLE 3B shows the accession numbers for those primakeys lacking unigeneID's for Table 3A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
123619	371681_1	AA602964 AA609200
126433	127143_1	AA325606 AA099517 N89423
125831	1522905_1	H04043 D60988 D60337
126816	122973_1	AA248234 AA090985
126852	136135_1	AA399961 AA128347
121059	273450_1	AA393283 AA398628
120637	200885_1	AA811804 AA809404 AA286907 AW977624
122011	7617_-2	AA431082
120934	177521_1	AA226198 AA226513 AA383773
123802	genbank_AA620448	AA620448
116814	genbank_H50834	H50834
118329	genbank_N63520	N63520
104404	H58762_at	H58762
104776	genbank_AA026349	AA026349
113502	genbank_T89130	T89130
101262	entrez_L35854	L35854
108573	genbank_AA086005	AA086005
101447	entrez_M21305	M21305
124357	genbank_N22401	N22401
108781	genbank_AA128654	AA128654
112794	genbank_R97018	R97018
100351	entrez_D64158	D64158
100555	tigr_HT2245	M69181 M81105 U51039

Table 4A shows 202 genes up-regulated in samples from patients treated with chemotherapy or radiotherapy. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

5   Pkey: Unique Eos probeset identifier number
           ExAccn: Exemplar Accession number, Genbank accession number
           UnigeneID: Unigene number
           Unigene Title: Unigene gene title
10   R1:   average of AI for samples from patients treated with chemotherapy or radiotherapy divided by the average of AI for normal lung samples.

Pkey	ExAccn	UnigeneID	Unigene Title	R1
100113	NM_001269	Hs.84746	chromosome condensation 1	27.20
100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3	20.60
100210	D26361	Hs.3104	KIAA0042 gene product	20.40
100225	D28539	Hs.167185	glutamate receptor, metabotropic 5	20.60
100269	NM_001949	Hs.1189	E2F transcription factor 3	29.40
100438	AA013051	Hs.91417	topoisomerase (DNA) II binding protein	23.50
100877	X80821	Hs.27973	KIAA0874 protein	35.56
100893	BE245294	Hs.180789	S164 protein	43.40
101273	Z11933	Hs.182505	POU domain, class 3, transcription facto	21.80
101447	M21305		gb:Human alpha satellite and satellite 3	193.60
101649	AW959908	Hs.1690	heparin-binding growth factor binding pr	38.40
101724	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	198.80
101748	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	78.60
101809	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	162.20
101879	AA176374	Hs.243886	nuclear autoantigenic sperm protein (his	50.00
101915	AF207881	Hs.155185	cytosolic ovarian carcinoma antigen 1	26.00
101973	U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	37.20
102025	U04045	Hs.78934	mutS (E. coli) homolog 2 (colon cancer,	
102031	U04898	Hs.2156	RAR-related orphan receptor A	32.00
102052	NM_002202	Hs.505	ISL1 transcription factor, LIM/homeodoma	51.20
102391	AA296874	Hs.77494	deoxyguanosine kinase	13.90
102420	U44060	Hs.14427	Homo sapiens cDNA: FLJ21800 fis, clone H	28.80
102610	U65011	Hs.30743	preferentially expressed antigen in mela	110.60
102829	NM_006183	Hs.80962	neurotensin	116.80
103000	NM_001975	Hs.146580	enolase 2, (gamma, neuronal)	2.30
103036	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	181.40
103507	AJ000512	Hs.296323	serum/glucocorticoid regulated kinase	49.20
103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	86.60
104660	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	42.60
104896	AW015318	Hs.23165	ESTs	29.40
105038	AW503733	Hs.9414	KIAA1488 protein	21.50
105298	BE387790	Hs.26369	hypothetical protein FLJ20287	32.80
105510	Z42047	Hs.283978	Homo sapiens PRO2751 mRNA, complete cds	20.20
105667	AA767526	Hs.22030	paired box gene 5 (B-cell lineage specif	28.40
106073	AL157441	Hs.17834	downstream neighbor of SON	25.40
106205	AW965058	Hs.111583	ESTs, Weakly similar to I38022 hypotheti	32.00
106516	AL137311	Hs.234074	Homo sapiens mRNA; cDNA DKFZp761G02121 (	40.60
106533	AL134708	Hs.145998	ESTs	59.80
106575	AW970602	Hs.105421	ESTs	43.40
106654	AW075485	Hs.286049	phosphoserine aminotransferase	50.80
106851	AI458623		gb:lk04g09.x1 NCI_CGAP_Lu24 Homo sapiens	53.40
106995	AB023139	Hs.37892	KIAA0922 protein	20.88
107332	T87750	Hs.183297	DKFZP566F2124 protein	23.60
107532	AA443473	Hs.173684	Homo sapiens mRNA; cDNA DKFZp762G207 (fr	57.20
107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	49.00
108609	BE409857	Hs.69499	hypothetical protein	19.67
108780	AU076442	Hs.117938	collagen, type XVII, alpha 1	48.17
109166	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	59.20
109260	AW978515	Hs.131915	KIAA0863 protein	28.60
109280	AK001355	Hs.279610	hypothetical protein FLJ10493	22.80
109292	AW975746	Hs.188662	KIAA1702 protein	
109384	AA219172	Hs.86849	ESTs	21.00
109415	U80736	Hs.110826	trinucleotide repeat containing 9	31.60
109445	AA232103	Hs.189915	ESTs	24.20
109502	AW967069	Hs.211556	hypothetical protein MGC5487	21.40
109633	AW003785	Hs.170267	ESTs	20.40
109786	AI989482	Hs.146286	kinesin family member 13A	19.60
109958	AA001266	Hs.133521	ESTs	24.00
110920	N47224	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	28.40
110924	AW058463	Hs.12940	zinc-fingers and homeoboxes 1	36.00
111084	H44186	Hs.15456	PDZ domain containing 1	61.20
111132	AB037807	Hs.83293	hypothetical protein	24.60
111229	AW389845	Hs.110855	ESTs	27.20
111337	AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homo	48.00
111987	NM_015310	Hs.6763	KIAA0942 protein	37.80
112046	AA383343	Hs.22116	CDC14 (cell division cycle 14, S. cerevi	26.80
112268	W39609	Hs.22003	solute carrier family 6 (neurotransmitte	63.80
112585	R87650	Hs.33439	ESTs, Weakly similar to ALU1_HUMAN ALU	26.40
112871	AL110216	Hs.12285	ESTs, Weakly similar to I55214 salivary	47.64
112897	AW206453	Hs.3782	ESTs	22.00
112973	AB033023	Hs.318127	hypothetical protein FLJ10201	65.00
112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	42.00
113073	N39342	Hs.103042	microtubule-associated protein 1B	55.40

108

113494	T91451	Hs.86538	ESTs	22.80
113560	T91015	Hs.268626	ESTs	22.80
113849	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma	51.80
113950	AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	28.20
114339	AA782845	Hs.22790	ESTs	20.20
114365	H42169	Hs.18653	hypothetical protein FLJ14627	21.00
114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	25.80
114518	AW163267	Hs.106469	suppressor of var1 (S.cerevisiae) 3-like	23.60
114824	AA960961	Hs.305953	zinc finger protein 83 (HPF1)	27.20
114837	BE244930	Hs.166895	ESTs	30.20
114974	AW966931	Hs.179662	nucleosome assembly protein 1-like 1	20.80
115075	AA814043	Hs.88045	ESTs	30.60
115084	BE383668	Hs.42484	hypothetical protein FLJ10618	28.86
115291	BE545072	Hs.122579	hypothetical protein FLJ10461	38.00
115313	AA808001	Hs.184411	albumin	22.60
115697	D31382	Hs.63325	transmembrane protease, serine 4	173.60
115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	27.77
116090	AI591147	Hs.61232	ESTs	20.80
116107	AL133916	Hs.172572	hypothetical protein FLJ20093	164.20
116399	AA889120	Hs.110637	homeo box A10	38.00
117099	H93699		gb:yv16a11.s1 Soares fetal liver spleen	21.60
117881	AF161470	Hs.260622	butyrate-induced transcript 1	49.40
118091	AW005054	Hs.47883	ESTs, Weakly similar to KCC1_HUMAN CALCI	22.40
118138	AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	22.00
118720	N73515		gb:za49d07.s1 Soares fetal liver spleen	20.00
118873	AI824009	Hs.44577	ESTs	19.40
119126	R45175	Hs.117183	ESTs	111.20
119717	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	33.00
119940	AL050097	Hs.272531	DKFZP586B0319 protein	31.00
120266	AI807264	Hs.205442	ESTs, Weakly similar to T34036 hypotheti	20.20
120515	AA258356		gb:zr59c10.s1 Soares_NhHMPu_S1 Homo sapi	25.00
120859	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol	95.40
120983	AA398209	Hs.97587	EST	105.20
121054	AW976570	Hs.97387	ESTs	38.80
121369	AW450737	Hs.128791	CGI-09 protein	41.60
122335	AA443258	Hs.241551	chloride channel, calcium activated, fam	30.80
122612	AA974832	Hs.128708	ESTs	19.60
123130	AA487200		gb:ab19f02.s1 Stratagene lung (937210) H	33.20
123440	AI733692	Hs.112488	ESTs	23.17
123596	AA421130	Hs.112640	EST	23.00
123619	AA602954		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	28.80
124006	AI147155	Hs.270016	ESTs	77.60
124169	BE079334	Hs.271630	ESTs	22.20
124281	AI333756	Hs.111801	arsenate resistance protein ARS2	42.20
124472	N52517	Hs.102670	EST	32.60
124617	AW628168	Hs.152684	ESTs	21.80
124631	NM_014053	Hs.270594	FLVCR protein	30.40
124839	R55784	Hs.140942	ESTs	21.20
125186	AA610520	Hs.181244	major histocompatibility complex, class	42.80
125321	T86652	Hs.178294	ESTs	27.00
125535	NM_013243	Hs.22215	secretogranin III	23.80
125646	AA628962	Hs.75209	protein kinase (cAMP-dependent, catalyti	23.20
125684	AW589427	Hs.158849	Homo sapiens cDNA: FLJ21663 fis, clone C	21.20
125724	AL360190	Hs.295978	Homo sapiens mRNA full length insert cDN	48.80
125847	AW161685	Hs.249034	ESTs	31.00
125934	AA193325	Hs.32646	hypothetical protein FLJ21901	21.20
126077	M78772	Hs.210836	ESTs	49.80
126299	AW979155	Hs.298275	amino acid transporter 2	21.80
126395	AI468004	Hs.278956	hypothetical protein FLJ12929	71.00
126433	AA325606		gb:EST28707 Cerebellum II Homo sapiens c	23.20
126509	R47400	Hs.23850	ESTs	23.80
126538	AB030656	Hs.17377	coronin, actin-binding protein, 1C	23.10
126666	AA648886	Hs.151999	ESTs	36.00
126812	AB037860	Hs.173933	nuclear factor I/A	20.80
126872	AW450979		gb:UI-H-BI3-aia-a-12-0-UI.s1 NCI_CGAP_Su	46.29
127046	AA321948	Hs.293968	ESTs	22.80
127431	AW771958	Hs.175437	ESTs, Moderately similar to PC4259 ferri	30.00
127489	AA650250	Hs.272076	ESTs	20.80
127521	AW297206	Hs.164018	ESTs	25.20
127742	AW293496	Hs.180138	ESTs	28.00
127925	AA805151	Hs.3628	mitogen-activated protein kinase kinase	21.20
127930	AA809672	Hs.123304	ESTs	20.54
127968	AA830201	Hs.124347	ESTs	28.20
127987	AI022103	Hs.124511	ESTs	19.60
128116	H07103	Hs.286014	Homo sapiens, clone IMAGE:3867243, mRNA	20.40
128609	NM_003616	Hs.102456	survival of motor neuron protein interac	34.40
128777	AI878918	Hs.10526	cysteine and glycine-rich protein 2	53.80
128949	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	23.00
129168	AI132988	Hs.109052	chromosome 14 open reading frame 2	37.60
129404	AI257700	Hs.317584	ESTs	28.60
129527	AA769221	Hs.270847	delta-tubulin	40.80
129574	AA026815	Hs.11463	UMP-CMP kinase	31.20
129598	N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	29.60
129785	H19006	Hs.184780	ESTs	72.20
129970	AV655806	Hs.296198	chromosome 12 open reading frame 4	22.20

130149	AW067805	Hs.172665	methylenetetrahydrofolate dehydrogenase	29.60
130199	Z48579	Hs.172028	a disintegrin and metalloproteinase doma	27.60
130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	28.35
130465	W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	20.20
130482	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	22.40
130617	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	19.60
130703	R77776	Hs.18103	ESTs ·	19.40
130732	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)	21.40
130867	NM_001072	Hs.284239	UDP glycosyltransferase 1 family, polype	110.00
131028	AJ879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	25.20
131086	AL035461	Hs.2281	chromogranin B (secretogranin 1)	40.60
131284	NM_001429	Hs.25272	E1A binding protein p300	24.60
131775	AB014548	Hs.31921	KIAA0548 protein	21.00
131860	BE383576	Hs.334	Rho guanine nucleotide exchange factor (	33.40
131945	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	60.80
132040	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	20.40
132084	NM_002267	Hs.3885	karyopherin alpha 3 (importin alpha 4)	29.40
132389	AA310393	Hs.190044	ESTs	32.40
132437	AA152106	Hs.4859	cyclin L ania-6a	27.40
132550	AW969253	Hs.170195	bone morphogenetic protein 7 (osteogenic	75.60
132617	AF037335	Hs.5338	carbonic anhydrase XII	31.35
132632	AU076916	Hs.5398	guanine monophosphate synthetase	32.40
132672	W27721	Hs.54697	Cdc42 guanine exchange factor (GEF) 9	23.40
132742	AA025480	Hs.292812	ESTs, Weakly similar to T33468 hypotheti	61.20
132771	Y10275	Hs.56407	phosphoserine phosphatase	22.33
133070	U92649	Hs.64311	a disintegrin and metalloproteinase doma	23.50
133153	AF070592	Hs.66170	HSKM-B protein	30.00
133181	X91662	Hs.65744	twist (Drosophila) homolog (acrocephalos	23.80
133282	AA449015	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye	51.60
133350	AI499220	Hs.71573	hypothetical protein FLJ10074	33.00
133592	AV652066	Hs.75113	general transcription factor IIIA	82.00
133658	AA319146	Hs.75426	secretogranin II (chromogranin C)	
133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	69.33
134032	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	33.20
134125	NM_014781	Hs.50421	KIAA0203 gene product	31.60
134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	30.60
134321	BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	23.40
134367	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	49.20
134570	U66615	Hs.172280	SWI/SNF related, matrix associated, acti	20.20
134753	NM_006482	Hs.173135	dual-specificity tyrosine-(Y)-phosphoryl	20.80
135002	AA448542	Hs.251677	G antigen 7B	37.60
135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase	53.40
135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	31.60
135345	X53655	Hs.99171	neurotrophin 3	28.80

TABLE 4B shows the accession numbers for those primekeys lacking unigeneID's for Table 4A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
123619	371681_1	AA602964 AA609200
126433	127143_1	AA325606 AA099517 N89423
126872	142696_1	AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AAB09054 AW238038 BE011212 BE011359 BE011367 BE011368 BE011362 BE011215 BE011365 BE011363
106851	322947_1	AI458623 AA639708 AA485409 R22065 AA485570
118720	genbank_N73515	N73515
120515	genbank_AA258356	AA258356
117099	321871_1	H93699 H97976 H80036
101447	entrez_M21305	M21305
123130	genbank_AA487200	AA487200

110

Table 5A shows 680 genes up-regulated in squamous cell carcinoma or adenocarcinoma lung tumors relative to normal lung and chronically diseased lung. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	70th percentile of AI for squamous cell carcinoma and adenocarcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
R2:	80th percentile of AI adenocarcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
R3:	80th percentile of AI squamous cell carcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
R4:	80th percentile of AI adenocarcinoma lung tumor samples divided by the 80th percentile of AI for squamous cell carcinoma lung tumor samples.
R5:	70th percentile of AI for squamous cell carcinoma and adenocarcinoma lung tumor samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by 90th percentile of AI for normal and chronically diseased lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2	R3	R4	R5
100035			AFFX control: GAPDH					6.76
100036			AFFX control: GAPDH					5.77
100037			AFFX control: GAPDH					5.75
100071	A28102		Human GABAa receptor alpha-3 subunit		8.00			
100114	X02308	Hs.82962	thymidylate synthetase					5.71
100154	H60720	Hs.81892	KIAA0101 gene product	3.84				
100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3	3.33				
100188	AW247090	Hs.57101	minichromosome maintenance deficient (S.					4.52
100202	BE294407	Hs.99910	phosphofructokinase, platelet					5.49
100216	AA489908	Hs.1390	proteasome (prosome, macropain) subunit,					5.67
100269	NM_001949	Hs.1189	E2F transcription factor 3	2.55				
100287	AU076657	Hs.1600	chaperonin containing TCP1, subunit 5 (e					5.66
100297	AU077258	Hs.182429	protein disulfide isomerase-related prot					3.81
100330	AW410976	Hs.77152	minichromosome maintenance deficient (S.					4.50
100335	AW247529	Hs.6793	platelet-activating factor acetylhydrola	5.07				
100360	W70171	Hs.75939	uridine monophosphate kinase					4.82
100372	NM_014791	Hs.184339	KIAA0175 gene product					3.79
100474	NM_000699	Hs.300280	amylase, alpha 2A; pancreatic				15.65	
100486	T19006	Hs.10842	RAN, member RAS oncogene family					5.49
100491	D56165	Hs.275163	non-metastatic cells 2, protein (NM23B)					4.17
100516	D90278	Hs.11	carcinoembryonic antigen-related cell ad		7.20			
100522	X51501	Hs.99949	prolactin-induced protein				14.20	
100559	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermolys	3.10				
100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid				9.30	
100629	AA015693	Hs.21291	mitogen-activated protein kinase kinase				20.60	
100661	BE623001	Hs.132748	Homo sapiens ribosomal protein L39 mRNA,	3.85				
100677	AA353686	Hs.57813	zinc ribbon domain containing, 1		8.60			
100696	D14887	Hs.121686	general transcription factor IIA, 1 (37k				10.00	
100709	N26539	Hs.100469	myeloid/lymphoid or mixed-lineage leukem			24.80		
100761	BE208491	Hs.295112	KIAA0618 gene product		7.60			
100830	AC004770	Hs.4756	flap structure-specific endonuclease 1					7.99
100867	U14622		gb:Human transketolase-like protein gene		10.20			
100902	M16029	Hs.287270	ret proto-oncogene (multiple endocrine n		8.00			
100906	AU076916	Hs.5398	guanine monophosphate synthetase					5.16
100960	J00124	Hs.117729	keratin 14 (epidermolysis bullosa simple	2.57				
101045	J05614		gb:Human proliferating cell nuclear anti					4.69
101061	NM_000175	Hs.180532	glucose phosphate isomerase					4.19
101071	L02840	Hs.84244	potassium voltage-gated channel, Shab-re		12.91			
101124	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	3.12				
101175	U82671	Hs.36980	melanoma antigen, family A, 2	3.50				
101181	BE262621	Hs.73798	macrophage migration inhibitory factor (					5.69
101204	L24203	Hs.82237	ataxia-telangiectasia group D-associated	4.08				
101210	L29301	Hs.2353	opioid receptor, mu 1			6.40		
101216	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	2.53				
101228	AA333387	Hs.82916	chaperonin containing TCP1, subunit 6A (					7.90
101233	AL135173	Hs.878	sorbitol dehydrogenase					4.45
101273	Z11933	Hs.182505	POU domain, class 3, transcription facto	8.50				
101342	U52112	Hs.182018	interleukin-1 receptor-associated kinase					4.17
101346	AI738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N				21.89	
101361	NM_000892	Hs.1901	kallikrein B, plasma (Fletcher factor) 1				12.60	
101396	BE267931	Hs.78996	proliferating cell nuclear antigen	3.24				
101431	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)					7.90
101448	NM_000424	Hs.195850	keratin 5 (epidermolysis bullosa simplex	8.31				
101462	AL035668	Hs.73853	bone morphogenetic protein 2				38.80	
101466	BE262660	Hs.170197	glutamic-oxaloacetic transaminase 2, mit					4.01
101484	AA053486	Hs.20315	interferon-induced protein with tetratri				12.00	
101502	M26958		gb:Human parathyroid hormone-related pro	10.50				
101505	AA307680	Hs.75692	asparagine synthetase					4.46
101526	NM_002197	Hs.154721	aconitase 1, soluble	4.02				
101535	X57152	Hs.99853	fibrillarin					4.65
101577	M34353	Hs.1041	v-ros avian UR2 sarcoma virus oncogene h				9.09	
101649	AW959908	Hs.1690	heparin-binding growth factor binding pr	54.00				
101663	NM_003528	Hs.2178	H2B histone family, member Q	5.59				
101664	AA436989	Hs.121017	H2A histone family, member A	7.00				
101669	L24498	Hs.80409	growth arrest and DNA-damage-inducible,		7.60			

111

ID	Accession	Cluster	Description					
101695	M69136	Hs.135626	chymase 1, mast cell	4.79				
101724	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	15.21				
101748	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	55.50				
101759	M80244	Hs.184601	solute carrier family 7 (cationic amino					4.10
101771	NM_002432	Hs.153837	myeloid cell nuclear differentiation ant				18.57	
101804	M86699	Hs.169840	TTK protein kinase	4.50				
101809	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	140.00				
101833	AU076442	Hs.117938	collagen, type XVII, alpha 1	2.56				
101842	M93221	Hs.75182	mannose receptor, C type 1				12.80	
101851	BE260964	Hs.82045	midkine (neurite growth-promoting factor					5.88
102002	NM_002484	Hs.81469	nucleotide binding protein 1 (E.coli Min		7.80			
102039	AL134223	Hs.306098	aldo-keto reductase family 1, member C1					4.35
102072	U09410	Hs.78743	zinc finger protein 131 (clone pHZ-10)			7.40		
102083	T35901	Hs.75117	interleukin enhancer binding factor 2, 4					5.12
102111	L36195	Hs.81884	sulfotransferase family, cytosolic, 2A,				12.00	
102123	NM_001809	Hs.1594	centromere protein A (17kD)	6.20				
102154	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin	2.62				
102193	AL036335	Hs.313	secreted phosphoprotein 1 (osteopontin,	5.85				
102217	AA829978	Hs.301613	JTV1 gene					6.18
102224	NM_002810	Hs.148495	proteasome (prosoma, macropain) 26S subu					4.49
102234	AW163390	Hs.278554	heterochromatin-like protein 1					5.80
102251	NM_004398	Hs.41706	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	4.50				
102305	AL043202	Hs.90073	chromosome segregation 1 (yeast homolog)					5.15
102330	BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta					4.17
102340	U37055	Hs.278657	macrophage stimulating 1 (hepatocyte gro				9.33	
102348	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	8.87				
102368	U39817	Hs.36820	Bloom syndrome	15.91				
102394	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma			19.20		
102404	NM_005429	Hs.79141	vascular endothelial growth factor C				14.00	
102257	U57094	Hs.50477	RAB27A, member RAS oncogene family				12.00	
102581	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2					4.57
102605	AI435128	Hs.181369	ubiquitin fusion degradation 1-like					3.98
102610	U65011	Hs.30743	preferentially expressed antigen in mela	77.50				
102623	AW249285	Hs.37110	melanoma antigen, family A, 9	12.50				
102642	AA205847	Hs.23016	G protein-coupled receptor			22.00		
102654	AV649989	Hs.24385	Human hbc647 mRNA sequence		12.00			
102659	BE245169	Hs.211610	CUG triplet repeat, RNA-binding protein				12.80	
102669	U71207	Hs.29279	eyes absent (Drosophila) homolog 2	6.50				
102672	U72066	Hs.29287	retinoblastoma-binding protein 8	8.50				
102687	NM_007019	Hs.93002	ubiquitin carrier protein E2-C					9.24
102696	BE540274	Hs.239	forkhead box M1					5.54
102768	U82321		gb:Homo sapiens clone 14.9B mRNA sequenc		6.60			
102781	BE258778	Hs.108809	chaperonin containing TCP1, subunit 7 (e					3.78
102784	U85658	Hs.61796	transcription factor AP-2 gamma (activat					4.26
102824	U90916	Hs.82845	Homo sapiens cDNA: FLJ21930 fis, clone H			14.40		
102829	NM_006183	Hs.80962	neurotensin	6.00				
102888	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1					5.50
102892	BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin			6.70		
102913	NM_002275	Hs.80342	keratin 15	4.64				
102935	BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	2.93				
102951	X15218	Hs.2969	v-ski avian sarcoma viral oncogene homol				11.40	
102983	BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)					7.26
103023	AW500470	Hs.117950	multifunctional polypeptide similar to S	3.01				
103036	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	27.90				
103038	AA926960	Hs.334883	CDC28 protein kinase 1					8.79
103060	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin					4.27
103099	AI693251	Hs.8248	NADH dehydrogenase (ubiquinone) Fe-S pro		9.80			
103119	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	4.05				
103168	X53463	Hs.2704	glutathione peroxidase 2 (gastrointestin	3.07				
103185	NM_006825	Hs.74368	transmembrane protein (63kD), endoplasmi					5.62
103192	M22440	Hs.170009	transforming growth factor, alpha		7.40			
103223	BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g					4.70
103242	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o			100.00		
103316	X83301	Hs.324728	SMA5				9.80	
103375	NM_005982	Hs.54416	sine oculis homeobox (Drosophila) homolo	9.71				
103376	AL036166	Hs.323378	coated vesicle membrane protein	14.00				
103385	NM_007069	Hs.37189	similar to rat HREV107				11.00	
103391	X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	2.93				
103404	BE394784	Hs.78596	proteasome (prosome, macropain) subunit,					5.15
103430	BE564090	Hs.20716	translocase of inner mitochondrial membr					3.98
103446	X98834	Hs.79971	sal (Drosophila)-like 2				21.40	
103476	Y07701	Hs.293007	aminopeptidase puromycin sensitive		13.00			
103477	AJ011812	Hs.119018	transcription factor NRF			6.40		
103478	BE514982	Hs.38991	S100 calcium-binding protein A2	5.02				
103515	Y10275	Hs.56407	phosphoserine phosphatase	10.50				
103558	BE616547	Hs.2785	keratin 17	6.41				
103580	AA328046	Hs.46405	polymerase (RNA) II (DNA directed) polyp					3.84
103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	78.50				
103594	AI368680	Hs.816	SRY (sex determining region Y)-box 2	6.51				
103636	NM_006235	Hs.2407	POU domain, class 2, associating factor	3.50				
103768	AF086009		gb:Homo sapiens full length insert cDNA					4.48
103841	AA314821	Hs.38178	hypothetical protein FLJ23468		8.00			
103847	AF219946	Hs.102237	tubby super-family protein		10.40			
103913	AW967500	Hs.133543	ESTs				15.60	
104094	AA418187	Hs.330515	ESTs		6.60			

112

ID	Accession	Hs	Description				
104150	AL122044	Hs.331633	hypothetical protein DKFZp566N034			26.00	
104257	BE560621	Hs.9222	estrogen receptor binding site associate		6.80		
104261	AW248364	Hs.5409	RNA polymerase I subunit				3.98
104331	AB040450	Hs.279862	cdk inhibitor p21 binding protein		6.80		
104415	BE410992	Hs.258730	heme-regulated initiation factor 2-alpha		10.29		
104558	R56678	Hs.88959	hypothetical protein MGC4816	4.21			
104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group I, m			15.79	
104658	AA360954	Hs.27268	Homo sapiens cDNA: FLJ21933 fis, clone H			17.40	
104660	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	6.40			
104689	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr				6.55
104754	AI206234	Hs.155924	cAMP responsive element modulator			10.00	
104758	BE560269	Hs.7010	NPD002 protein				4.47
104971	BE311926	Hs.15830	hypothetical protein FLJ12691	2.87			
105011	BE091926	Hs.16244	mitotic spindle coiled-coil related prot	3.83			
105012	AF098158	Hs.9329	chromosome 20 open reading frame 1	2.86			
105026	AA809485	Hs.124219	hypothetical protein FLJ12934		11.00		
105076	AI598252	Hs.37810	hypothetical protein MGC14833				5.01
105132	AA148164	Hs.247280	HBV associated factor				3.99
105143	AI368836	Hs.24608	ESTs, Weakly similar to I38022 hypotheti		11.00		
105158	AW976357	Hs.234545	hypothetical protein NUF2R		16.00		
105175	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	4.32			
105200	AA328102	Hs.24641	cytoskeleton associated protein 2	3.00			
105264	AA227934		gb:zr57e08.s1 Soares_NhHMPu_S1 Homo sapi			10.00	
105298	BE387790	Hs.26369	hypothetical protein FLJ20287	3.69			
105409	AW505076	Hs.301855	DiGeorge syndrome critical region gene 8			9.20	
105460	AW296078	Hs.271721	Homo sapiens, clone IMAGE:4179986, mRNA,		7.80		
105667	AA767526	Hs.22030	paired box gene 5 (B-cell lineage specif	4.12			
105743	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	3.82			
105782	H09748	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro		27.00		
105848	AW954064	Hs.24951	ESTs		7.60		
105891	U55984	Hs.289088	heat shock 90kD protein 1, alpha				4.14
106019	AF221993	Hs.46743	McKusick-Kaufman syndrome		16.80		
106069	BE566623	Hs.29899	ESTs, Weakly similar to G02075 transcrip		23.40		
106073	AL157441	Hs.17834	downstream neighbor of SON	9.50			
106126	AA576953	Hs.22972	hypothetical protein FLJ13352	6.00			
106159	AK001301	Hs.3487	hypothetical protein FLJ10439				3.95
106220	D61329	Hs.32196	mitochondrial ribosomal protein L36				6.04
106260	AI097144	Hs.5250	ESTs, Weakly similar to ALU1_HUMAN ALU S		13.20		
106300	Y10043	Hs.19114	high-mobility group (nonhistone chromoso				5.02
106307	AA436174	Hs.37751	ESTs, Weakly similar to putative p150 [		6.60		
106318	AA025610	Hs.9605	cleavage and polyadenylation specific fa				5.04
106341	AF191020	Hs.5243	hypothetical protein, estradiol-induced				7.25
106440	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub		13.80		
106481	D61594	Hs.17279	tyrosylprotein sulfotransferase 1	4.75			
106586	AA243837	Hs.57787	ESTs			10.84	
106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr			45.60	
106654	AW075485	Hs.286049	phosphoserine aminotransferase	28.00			
106785	Y15227	Hs.20149	deleted in lymphocytic leukemia, 1	3.00			
106813	C05766	Hs.181022	CGI-07 protein		11.40		
106895	AK001826	Hs.25245	hypothetical protein FLJ11269		6.00		
106913	AI219346	Hs.86178	M-phase phosphoprotein 9		6.56		
106919	AW043637	Hs.21766	ESTs, Weakly similar to ALU5_HUMAN ALU S				4.27
107054	AI076459	Hs.15978	KIAA1272 protein			34.80	
107059	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	4.71			
107098	AI823593	Hs.27688	ESTs			24.80	
107104	AU076640	Hs.15243	nucleolar protein 1 (120kD)				7.05
107129	AC004770	Hs.4756	flap structure-specific endonuclease 1	2.60			
107198	AV657225	Hs.9846	KIAA1040 protein		19.20		
107203	D20426	Hs.41639	programmed cell death 2		7.60		
107217	AL080235	Hs.35861	DKFZP586E1621 protein	9.50			
107284	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte	2.71			
107318	T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence		8.71		
107516	X57152	Hs.99853	fibrillarin				4.33
107529	BE515065	Hs.296585	nucleolar protein (KKE/D repeat)				4.00
107728	AA019551	Hs.294151	Homo sapiens, clone IMAGE:3603836, mRNA,		10.80		
107851	AA022953	Hs.61172	EST		8.00		
107901	L42612	Hs.335952	keratin 6B	3.40			
107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	2.88			
107932	AW392555	Hs.18878	hypothetical protein FLJ21620	7.50			
108015	AW298357	Hs.49927	protein kinase NYD-SP15			23.40	
108056	AA043675	Hs.62633	ESTs			12.80	
-108075	AI867370	Hs.139709	hypothetical protein FLJ12572			12.80	
108187	BE245374	Hs.27842	hypothetical protein FLJ11210		7.00		
108296	N31256	Hs.161623	ESTs		6.60		
108305	AA071391		gb:zm61e06.r1 Stratagene fibroblast (937			11.80	
108393	AA075211		gb:zm86a08.r1 Stratagene ovarian cancer			11.80	
108480	AL133092	Hs.68055	hypothetical protein DKFZp434I0428			20.80	
108554	AA084948		gb:zn13b09.s1 Stratagene hNT neuron (937		6.40		
108573	AA086005		gb:zl84c04.s1 Stratagene colon (937204)			25.40	
108584	AA088326	Hs.120905	Homo sapiens cDNA FLJ11448 fis, clone HE		9.60		
108597	AK000292	Hs.278732	hypothetical protein FLJ20285			14.60	
108695	AB029000	Hs.70823	KIAA1077 protein		3.00		
108699	AA121514	Hs.70832	ESTs			10.00	
108700	AA121518	Hs.193540	ESTs, Moderately similar to 2109260A B c		11.00		
108780	AU076442	Hs.117938	collagen, type XVII, alpha 1	11.21			

ID	Accession	Hs.	Description	C1	C2	C3	C4	C5
108810	AW295647	Hs.71331	hypothetical protein MGC5350	8.50				
108816	AA130884	Hs.270501	ESTs, Moderately similar to ALU2_HUMAN		7.40			
108857	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	4.00				
108860	AA133334	Hs.129911	ESTs	6.09				
108937	AL050107	Hs.24341	transcriptional co-activator with PDZ-bi	3.00				
109010	NM_007240	Hs.44229	dual specificity phosphatase 12	2.69				
109121	BE389387	Hs.49767	NADH dehydrogenase (ubiquinone) Fe-S pro					4.53
109166	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	10.58				
109227	AA766998	Hs.85874	Human DNA sequence from clone RP11-16L21		9.00			
109415	U80736	Hs.110826	trinucleotide repeat containing 9		51.40			
109418	AI866946	Hs.161707	ESTs				11.00	
109454	AA232255	Hs.295232	ESTs, Moderately similar to A46010 X-II			17.60		
109502	AW967069	Hs.211556	hypothetical protein MGC5487			9.49		
109543	AA564994	Hs.222851	ESTs		12.67			
109648	H17800	Hs.7154	ESTs				10.40	
109680	AB037734	Hs.4993	KIAA1313 protein			33.20		
109700	F09609		gb:HSC33H092 normalized infant brain cDN				16.00	
109704	AI743880	Hs.12876	ESTs			11.00		
109792	R49625		gb:yg61f03.s1 Soares infant brain 1NIB H				12.60	
109981	BE546208	Hs.26090	hypothetical protein FLJ20272	4.00				
109998	AL042201	Hs.21273	transcription factor NYD-sp10		7.80			
110039	H11938	Hs.21907	histone acetyltransferase		7.00			
110156	AA581322	Hs.4213	hypothetical protein MGC16207					4.24
110500	AA907723	Hs.36962	ESTs	4.50				
110551	AW450381	Hs.14529	ESTs		8.60			
110561	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	3.06				
110854	BE612992	Hs.27931	hypothetical protein FLJ10607 similar to		6.80			
110886	AW274992	Hs.72249	three-PDZ containing protein similar to			8.80		
110916	BE178102	Hs.24349	ESTs		6.80			
111003	N52980	Hs.83765	dihydrofolate reductase				16.80	
111337	AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homo	2.54				
111434	R01608	Hs.142736	ESTs				9.80	
111439	AI476429	Hs.19238	ESTs				10.40	
111540	U82670	Hs.9786	zinc finger protein 275			15.40		
111597	R11499	Hs.189716	ESTs				9.20	
111695	T60581	Hs.12723	Homo sapiens clone 25153 mRNA sequence		6.80			
111929	AF027208	Hs.112360	prominin (mouse)-like 1				14.67	
112054	R43590		gb:yc85g02.s1 Soares infant brain 1NIB H		10.80			
112210	R49645	Hs.7004	ESTs				10.20	
112244	AB029000	Hs.70823	KIAA1077 protein	2.99				
112382	R59904		gb:yh07g12.s1 Soares infant brain 1NIB H		6.60			
112392	R60763	Hs.193274	ESTs, Moderately similar to I57588 HSrel			7.10		
112442	AA280174	Hs.285581	Williams-Beuren syndrome chromosome regi	3.00				
112539	R70318	Hs.339730	ESTs				37.20	
112772	AI992283	Hs.35437	ESTs, Moderately similar to I38026 MLN 6				14.60	
112869	BE261750	Hs.4747	dyskeratosis congenita 1, dyskerin					4.83
112935	R71449	Hs.268760	ESTs	2.73				
112970	AA694010	Hs.6932	Homo sapiens clone 23809 mRNA sequence				12.00	
112973	AB033023	Hs.318127	hypothetical protein FLJ10201	11.50				
112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f			10.89		
113063	W15573	Hs.5027	ESTs, Weakly similar to A47582 B-cell gr	15.00				
113073	N39342	Hs.103042	microtubule-associated protein 1B			15.31		
113078	T40444	Hs.118354	CAT56 protein		7.00			
113238	R45467	Hs.189813	ESTs				41.20	
113591	T91881	Hs.200597	KIAA0563 gene product				9.40	
113702	T97307		gb:ye53h05.s1 Soares fetal liver spleen	25.00				
113844	AI369275	Hs.243010	Homo sapiens cDNA FLJ14445 fis, clone HE				13.91	
113984	R96696	Hs.35598	ESTs		7.80			
114073	R44953	Hs.22908	Homo sapiens mRNA; cDNA DKFZp434J1027 (f		7.20			
114162	AF155661	Hs.22265	pyruvate dehydrogenase phosphatase	3.42				
114208	AL049466	Hs.7859	ESTs			6.74		
114251	H15261	Hs.21948	ESTs				33.20	
114285	R44338	Hs.22974	ESTs				13.20	
114313	H18456	Hs.27946	ESTs				10.00	
114339	AA782845	Hs.22790	ESTs		7.80			
114407	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f					4.14
114560	AI452469	Hs.165221	ESTs				9.80	
114699	AA127386		gb:zn90d09.r1 Stratagene lung carcinoma		7.60			
114767	AI859865	Hs.154443	minichromosome maintenance deficient (S	3.21				
114793	AA158245		gb:zo76c03.s1 Stratagene pancreas (93720			6.00		
114833	AI417215	Hs.87159	hypothetical protein FLJ12577				11.40	
115047	BE270930	Hs.82916	chaperonin containing TCP1, subunit 6A (					4.31
115060	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3					4.03
115097	AA256213	Hs.72010	ESTs				35.40	
115113	AA256460		gb:zr81a04.s1 Soares_NhHMPu_S1 Homo sapi				15.20	
115123	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m					4.19
115134	AW968073	Hs.194331	ESTs, Highly similar to A55713 inositol				12.40	
115291	BE545072	Hs.122579	hypothetical protein FLJ10461	25.00				
115347	AA356792	Hs.334824	hypothetical protein FLJ14825		7.00			
115414	AA662240	Hs.283099	AF15q14 protein	3.25				
115522	BE614387	Hs.333893	c-Myc target JPO1	3.68				
115536	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	10.50				
115566	AI142336	Hs.43977	Human DNA sequence from clone RP11-196N1				24.40	
115645	AI207410	Hs.69280	Homo sapiens, clone IMAGE:3636299, mRNA,	4.17				
115648	AW016811	Hs.234478	Homo sapiens cDNA: FLJ22648 fis, clone H		6.00			

Line	ID	Accession	Hs	Description	C1	C2	C3	C4	C5
	115652	BE093589	Hs.38178	hypothetical protein FLJ23468	3.81				
	115697	D31382	Hs.63325	transmembrane protease, serine 4	62.14				
	115793	AA424883	Hs.70333	hypothetical protein MGC10753				11.60	
	115816	BE042915	Hs.287588	Homo sapiens cDNA FLJ13675 fis, clone PL				9.71	
5	115892	AA291377	Hs.50831	ESTs			27.40		
	115906	AI767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	2.53				
	115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	11.62				
	115965	AA001732	Hs.173233	hypothetical protein FLJ10970				34.29	
	115978	AL035864	Hs.69517	cDNA for differentially expressed CO16 g					8.23
10	115985	AA447709	Hs.268115	ESTs, Weakly similar to T08599 probable	3.00				
	116090	AI591147	Hs.61232	ESTs	5.17				
	116096	AA682382	Hs.59982	ESTs		8.20			
	116127	AF126743	Hs.279884	DNAJ domain-containing		10.60			
	116157	BE439838	Hs.44298	mitochondrial ribosomal protein S17					5.82
15	116190	AI949095	Hs.67776	ESTs, Weakly similar to T22341 hypothet					4.08
	116278	NM_003686	Hs.47504	exonuclease 1	9.50				
	116335	AK001100	Hs.41690	desmocollin 3	3.67				
	116496	AW450694	Hs.21433	hypothetical protein DKFZp547J036		7.00			
	116503	AI925316	Hs.212617	ESTs				12.60	
20	116674	AI768015	Hs.92127	ESTs			32.00		
	116929	AA586922	Hs.80475	polymerase (RNA) II (DNA directed) polyp		7.60			
	116973	AI702054	Hs.166982	phosphatidylinositol glycan, class F		9.80			
	116993	AI417023	Hs.40478	ESTs				10.20	
	117079	H92325		gb:ys85f05.s1 Soares retina N2b4HR Homo				15.20	
25	117317	AI253517	Hs.43322	ESTs				13.40	
	117326	N23629	Hs.241420	Homo sapiens mRNA for KIAA1756 protein,				20.60	
	117396	W20128	Hs.296039	ESTs				10.60	
	117412	N32536	Hs.42645	ESTs				16.00	
	117519	N32528	Hs.146286	kinesin family member 13A				9.11	
30	117693	AW179019	Hs.112110	mitochondrial ribosomal protein L42					4.01
	117721	N46100	Hs.93939	EST				19.80	
	117881	AF161470	Hs.260622	butyrate-induced transcript 1	2.71				
	117903	AA768283	Hs.47111	ESTs				17.80	
	117992	AI015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586I2022 (f					4.17
35	118013	AI674126	Hs.94031	ESTs				10.60	
	118017	AI813444	Hs.42197	ESTs			8.82		
	118186	N22886	Hs.42380	ESTs		7.00			
	118325	AI868065	Hs.166184	intersectin 2				13.80	
	118357	N54269	Hs.48946	EST			6.14		
40	118368	N54339	Hs.48956	gap junction protein, beta 6 (connexin 3	3.14				
	118472	AL157545	Hs.42179	bromodomain and PHD finger containing, 3			12.40		
	118709	AA232970	Hs.293774	ESTs				12.20	
	119025	BE003760	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f	4.50				
	119027	AF086161	Hs.114511	hypothetical protein FLJ11808	3.22				
45	119052	R10889		gb:yf38d02.s1 Soares fetal liver spleen		9.60			
	119164	AF221993	Hs.46743	McKusick-Kaufman syndrome		6.60			
	119186	AI979147	Hs.101265	hypothetical protein FLJ22593				10.80	
	119243	T12603		gb:CHR90123 Chromosome 9 exon II Homo sa				9.44	
	119490	AA195276	Hs.263858	ESTs, Moderately similar to B34087 hypot				11.80	
50	119499	AI918906	Hs.55080	ESTs			14.80		
	119599	W45552		gb:zc26d03.s1 Soares_senescent_fibroblas		12.60			
	119780	NM_016625	Hs.191381	hypothetical protein	17.00				
	119845	W79123	Hs.58561	G protein-coupled receptor 87	13.50				
	119941	AA699485	Hs.58896	ESTs		8.00			
55	119994	AA642402	Hs.59142	ESTs	7.73				
	120102	W67353	Hs.170218	KIAA0251 protein			39.60		
	120104	AK000123	Hs.180479	hypothetical protein FLJ20116	2.91				
	120294	AK000059	Hs.153881	Homo sapiens NY-REN-62 antigen mRNA, par			8.20		
	120486	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog	8.73				
60	120599	AA804448	Hs.104463	ESTs		7.00			
	120699	AI683243	Hs.97258	ESTs, Moderately similar to S29539 ribos				10.00	
	120715	AA292700		gb:zs59a06.s1 NCI_CGAP_GC81 Homo sapiens		9.40			
	120821	Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein				13.80	
	120859	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol		9.00			
65	120880	AA360240	Hs.97019	EST		15.60			
	120983	AA398209	Hs.97587	EST			27.66		
	121034	AL389951	Hs.271623	nucleoporin 50kD			20.80		
	121121	AA393371	Hs.189095	similar to SALL1 (sal (Drosophila)-like		22.80			
	121313	AA402713	Hs.97872	ESTs				10.00	
70	121369	AW450737	Hs.128791	CGI-09 protein	25.71				
	121376	AA448103	Hs.187958	solute carrier family 6 (neurotransmitte					5.42
	121476	AA412311	Hs.97903	ESTs		8.30			
	121509	AA868939	Hs.97888	ESTs		8.59			
	121553	AA412488	Hs.48820	TATA box binding protein (TBP)-associat	18.50				
75	121753	AK000552	Hs.323518	WD repeat domain 5	7.00				
	121838	AA425680	Hs.98441	ESTs				10.40	
	121857	BE387162	Hs.280858	ESTs, Highly similar to A35661 DNA excis	6.00				
	121991	AA430058	Hs.98649	EST				12.20	
	122089	AW016543	Hs.98682	hypothetical protein FKSG32			8.60		
80	122105	AW241685	Hs.98699	ESTs			6.14		
	122163	AA435702	Hs.98829	EST				10.40	
	122318	AA429743		gb:zv60b05.r1 Soares_testis_NHT Homo sap				18.20	
	122335	AA443258	Hs.241551	chloride channel, calcium activated, fam	13.50				
	122338	AA443311	Hs.98998	ESTs	4.80				
85	122414	AI313473	Hs.99087	ESTs, Weakly similar to S47073 finger pr		8.00			

ID	Accession	Cluster	Description					
122512	AF053305	Hs.98658	budding uninhibited by benzimidazoles 1			8.80		
122516	AA449352	Hs.99217	ESTs				9.40	
122702	AI220089	Hs.99439	ESTs		9.20			
122852	AI580056	Hs.98992	ESTs				10.40	
122925	AW268962	Hs.111335	ESTs		6.60			
123005	AW369771	Hs.52520	integrin, beta 8			12.60		
123044	AK001035	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro					5.35
123160	AA488687	Hs.284235	ESTs, Weakly similar to I38022 hypotheti		6.06			
123315	AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT H		12.40			
123329	Z47542	Hs.179312	small nuclear RNA activating complex, po			11.60		
123497	AA765256	Hs.135191	ESTs, Weakly similar to unnamed protein		12.00			
123518	AL035414	Hs.21068	hypothetical protein			13.00		
123519	AW015887	Hs.112574	ESTs		12.20			
123614	AK000492	Hs.98806	hypothetical protein			7.80		
123616	AA680003	Hs.109363	Homo sapiens cDNA: FLJ23603 fis, clone L				10.60	
123673	BE550112	Hs.158549	ESTs, Weakly similar to T2D3_HUMAN TRANS	23.00				
123727	AI083986	Hs.282977	hypothetical protein FLJ13490		7.00			
123731	AA609839		gb:ae62f01.s1 Stratagene lung carcinoma			9.80		
123752	AA227714	Hs.179703	KIAA0129 gene product	3.50				
123900	AA621223	Hs.112953	EST				12.80	
124006	AI147155	Hs.270016	ESTs	97.00				
124059	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	3.02				
124069	AF134160	Hs.7327	claudin 1			27.80		
124191	T96509	Hs.248549	ESTs, Moderately similar to S65657 alpha				35.80	
124273	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma		7.20			
124297	AL080215	Hs.102301	Homo sapiens mRNA; cDNA DKFZp586J0323 (f				11.00	
124305	AW963221		gb:EST375294 MAGE resequences, MAGH Homo				16.00	
124676	AI360119.comp	Hs.181013	phosphoglycerate mutase 1 (brain)					6.08
124874	BE550182	Hs.127826	RalGEF-like protein 3, mouse homolog				21.00	
124904	AK000483	Hs.93872	KIAA1682 protein		9.40			
124969	AI650360	Hs.100256	ESTs				10.80	
125000	T58615	Hs.110640	ESTs				9.80	
125201	AA693360	Hs.103158	ESTs, Weakly similar to T33296 hypotheti		7.60			
125266	W90022	Hs.186809	ESTs, Highly similar to LCT2_HUMAN LEUKO		6.59			
125299	T32982	Hs.102720	ESTs				9.57	
125356	AI057052	Hs.133554	ESTs, Weakly similar to Z195_HUMAN ZINC				14.00	
125370	AA256743	Hs.134158	Homo sapiens, Similar to KIAA0092 gene p			8.20		
125418	AA777690	Hs.188501	ESTs				13.20	
125433	AL162066	Hs.54320	hypothetical protein DKFZp762D096		21.40			
125437	AI609449	Hs.140197	ESTs		6.96			
125446	BE219987	Hs.166982	phosphatidylinositol glycan, class F		8.80			
125711	AA305800	Hs.5672	hypothetical protein AF140225				11.20	
125756	BE174587	Hs.289721	growth arrest specific transcript 5					4.31
125757	AI274906	Hs.166835	ESTs, Highly similar to I814460A p53-ass				15.60	
125769	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	3.20				
125839	AW836261	Hs.337717	ESTs		8.20			
125850	W85858	Hs.99804	ESTs	2.65				
125875	H14480		gb:ym18b09.r1 Soares infant brain 1NIB H		7.40			
125924	BE272506	Hs.82109	syndecan 1					4.23
125972	AI927475	Hs.35406	ESTs, Highly similar to unnamed protein					3.98
126034	H50340		gb:yr39b04.r1 Soares fetal liver spleen				10.60	
126327	AA432266	Hs.44648	ESTs		11.60			
126345	N49713		gb:yv23f06.s1 Soares fetal liver spleen		6.67			
126435	AW614529	Hs.285847	CGI-19 protein				10.60	
126487	AA283309	Hs.184601	solute carrier family 7 (cationic amino					4.38
126521	AI475110	Hs.203933	ESTs		6.60			
126522	W31912		gb:zc76d03.s1 Pancreatic islet Homo sapi				14.80	
126543	AL035864	Hs.69517	cDNA for differentially expressed CO16 g					4.01
126567	AA058394	Hs.57887	ESTs, Weakly similar to KIAA0758 protein			7.80		
126605	AA676910		gb:zj65h07.s1 Soares_fetal_liver_spleen_				11.60	
126627	AA497044	Hs.20887	hypothetical protein FLJ10392				14.60	
126628	N49776	Hs.170994	hypothetical protein MGC10946	8.00				
126737	AW976516	Hs.283707	Homo sapiens cDNA: FLJ21354 fis, clone C	2.92				
126795	AW975076	Hs.172589	nuclear phosphoprotein similar to S. cer	7.50				
126802	AW805510	Hs.97056	hypothetical protein FLJ21634			11.60		
126892	AF121856	Hs.284291	sorting nexin 6	3.50				
126928	AA480902	Hs.137401	ESTs				22.83	
126979	AA210954		gb:zq89h10.r1 Stratagene hNT neuron (937				11.80	
126986	AI279892	Hs.46801	sorting nexin 14				11.60	
126992	AI809521		gb:wf30e03.x1 Soares_NFL_T_GBC_S1 Homo s				20.80	
127066	R25066		gb:yg42c07.r1 Soares infant brain 1NIB H				27.60	
127099	AA347668		gb:EST54026 Fetal heart II Homo sapiens				21.60	
127139	AA830233	Hs.293585	ESTs				11.20	
127209	AA305023	Hs.81964	SEC24 (S. cerevisiae) related gene famil	3.10				
127221	BE062109	Hs.241551	chloride channel, calcium activated, fam	2.76				
127225	AA315933	Hs.120879	ESTs				16.80	
127313	AK002014	Hs.47546	Homo sapiens cDNA FLJ11458 fis, clone HE	14.00				
127444	AW978474	Hs.7560	Homo sapiens mRNA for KIAA1729 protein,				13.60	
127500	AW971353	Hs.162115	ESTs		11.20			
127524	AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin			7.80		
127540	N45572	Hs.105362	Homo sapiens, clone MGC:18257, mRNA, com	3.53				
127599	AA613204	Hs.150399	ESTs				13.80	
127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture				28.00	
127662	W80755	Hs.8294	KIAA0196 gene product				19.80	
127668	AI343257	Hs.139993	ESTs				11.20	

ID	Accession	Hs	Description					
127746	AI239495	Hs.120189	ESTs				14.18	
127812	AA741368	Hs.291434	ESTs	4.50				
127817	AA836541	Hs.163085	ESTs				24.60	
127959	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L				9.20	
127960	AI613226	Hs.41569	phosphatidic acid phosphatase type 2A				16.83	
127969	F05498	Hs.93748	Homo sapiens cDNA FLJ14576 fis, clone NT		13.60			
128015	Z21169	Hs.334559	hypothetical protein MGC14139		7.00			
128027	AI433721	Hs.164153	ESTs				37.40	
128077	AI310330	Hs.128720	ESTs				9.60	
128166	NM_006147	Hs.11801	interferon regulatory factor 6				9.24	
128226	AI284940	Hs.289082	GM2 ganglioside activator protein	19.00				
128305	AJ954958	Hs.279009	matrix Gla protein				10.40	
128341	AA191420	Hs.185030	ESTs		9.00			
128527	AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul					4.30
128539	R46163	Hs.258618	ESTs		12.60			
128568	H12912	Hs.274691	adenylate kinase 3					4.56
128572	AA933022	Hs.256583	interleukin enhancer binding factor 3, 9				10.00	
128777	AI878918	Hs.10526	cysteine and glycine-rich protein 2			16.80		
128781	N71826	Hs.105465	small nuclear ribonucleoprotein polypept					4.48
128796	AJ000152	Hs.105924	defensin, beta 2		8.12			
128920	AA622037	Hs.166468	programmed cell death 5					4.62
128924	BE279383	Hs.26557	plakophilin 3					4.04
128971	H05132	Hs.107510	ESTs		12.60			
129008	AL079648	Hs.301088	ESTs		8.80			
129041	BE382756	Hs.169902	solute carrier family 2 (facilitated glu					6.05
129075	BE250162	Hs.83765	dihydrofolate reductase	2.59				
129105	AI769160	Hs.108681	Homo sapiens brain tumor associated prot			6.67		
129189	AB023179	Hs.9059	KIAA0962 protein		8.00			
129229	AF013758	Hs.109543	polyadenylate binding protein-interactin	4.00				
129241	AI878857	Hs.109706	hematological and neurological expressed					4.06
129300	W94197	Hs.110165	ribosomal protein L26 homolog	2.55				
129404	AI267700	Hs.317584	ESTs	18.00				
129457	X61959	Hs.207776	aspartylglucosaminidase	6.50				
129466	L42583	Hs.334309	keratin 6A	12.94				
129494	AI148976	Hs.112062	ESTs				11.00	
129605	AF061812	Hs.115947	keratin 16 (focal non-epidermolytic palm					4.46
129641	AI911527	Hs.11805	ESTs				12.00	
129665	AW163331	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic					4.70
129703	BE388665	Hs.179999	Homo sapiens, clone IMAGE:3457003, mRNA					4.02
129720	AA156214	Hs.12152	APMCF1 protein					5.71
129748	M16707	Hs.123053	H4 histone, family 2	3.50				
129890	AI868872	Hs.282804	hypothetical protein FLJ22704					4.21
129896	BE295568	Hs.13225	UDP-GalbetaGlcNAc beta 1,4- galactosylt	2.56				
129945	BE514376	Hs.165998	PAI-1 mRNA-binding protein					4.03
130010	AA301116	Hs.142838	nucleolar phosphoprotein Nopp34			7.00		
130026	T40480	Hs.332112	EST		6.40			
130080	X14850	Hs.147097	H2A histone family, member X					4.65
130149	AW067805	Hs.172665	methylenetetrahydrofolate dehydrogenase	2.74				
130285	AA063546	Hs.75981	ubiquitin specific protease 14 (tRNA-gua			7.40		
130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic					3.91
130482	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	4.87				
130500	AB007913	Hs.158291	KIAA0444 protein				9.60	
130524	U89995	Hs.159234	forkhead box E1 (thyroid transcription f			13.40		
130541	X05608	Hs.211584	neurofilament, light polypeptide (68kD)			8.20		
130553	AF062649	Hs.252587	pituitary tumor-transforming 1					6.06
130567	AA383092	Hs.1608	replication protein A3 (14kD)			7.00		
130577	M69241	Hs.162	insulin-like growth factor binding prote	3.04				
130627	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	3.87				
130648	AI458165	Hs.17296	hypothetical protein MGC2376				16.20	
130697	L29472	Hs.1602	major histocompatibility complex, class				17.80	
130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevi					5.28
130800	AI187292	Hs.19574	hypothetical protein MGC5469					4.43
130857	NM_001072	Hs.284239	UDP glycosyltransferase 1 family, polype	16.84				
130859	J03626	Hs.2057	uridine monophosphate synthetase (orotat					4.92
130925	AF093419	Hs.169378	multiple PDZ domain protein				9.60	
130994	W17044	Hs.327337	ESTs		12.40			
131028	AI879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	10.21				
131031	NM_001650	Hs.288650	aquaporin 4				9.80	
131041	T15767	Hs.22452	Homo sapiens mRNA for KIAA1737 protein,				9.60	
131058	W28545	Hs.101514	hypothetical protein FLJ10342				17.00	
131090	AI143139	Hs.2288	visinin-like 1	2.74				
131112	H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (f		8.80			
131148	AW953575	Hs.303125	p53-induced protein PIGPC1	3.12				
131185	BE280074	Hs.23960	cyclin B1	3.07				
131200	BE540516	Hs.293732	hypothetical protein MGC3195	3.07				
131219	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	2.87				
131257	AW339037	Hs.24908	ESTs				14.67	
131375	AW293165	Hs.143134	ESTs		19.20			
131460	NM_003729	Hs.27076	RNA 3'-terminal phosphate cyclase	3.50				
131476	AI521663	Hs.334644	hypothetical protein FLJ14668	15.00				
131510	BE245374	Hs.27842	hypothetical protein FLJ11210			7.80		
131646	BE302464	Hs.30057	MRS2 (S. cerevisiae)-like, magnesium hom			7.00		
131786	BE000971	Hs.306083	Novel human gene mapping to chromosome 22	2.65				
131839	AB014533	Hs.33010	KIAA0633 protein				35.20	
131843	AA192315	Hs.184062	putative Rab5-interacting protein					4.11

117

ID	Accession	Hs	Description	V1	V2	V3	V4
131877	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	19.00			
131885	BE502341	Hs.3402	ESTs	6.48			
131921	AA456093	Hs.34720	ESTs		8.40		
131945	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	56.00			
131958	NM_014062	Hs.3566	ART-4 protein				3.82
131965	W79283	Hs.35962	ESTs	3.03			
132000	AW247017	Hs.36978	melanoma antigen, family A, 3		9.80		
132040	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	3.30			
132109	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	21.00			
132114	NM_006152	Hs.40202	lymphoid-restricted membrane protein		8.40		
132162	AA315805	Hs.94560	desmoglein 2				12.25
132164	AI752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	2.70			
132180	NM_004460	Hs.418	fibroblast activation protein, alpha	2.71			
132181	AW961231	Hs.16773	Homo sapiens clone TCCCIA00427 mRNA sequ	3.83			
132182	NM_014210	Hs.70499	ecotropic viral integration site 2A			13.20	
132231	AA662910	Hs.42635	hypothetical protein DKFZp434K2435	9.50			
132277	AK001745	Hs.184628	hypothetical protein FLJ10883	4.50			
132328	NM_014787	Hs.44896	DnaJ (Hsp40) homolog, subfamily B, membe			9.20	
132394	AK001680	Hs.30488	DKFZP434F091 protein		19.80		
132424	AA417878	Hs.48401	ESTs, Moderately similar to ALU8_HUMAN A		8.60		
132528	T78736	Hs.50758	SMC4 (structural maintenance of chromoso		27.40		
132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	4.38			
132544	L19778	Hs.51011	H2A histone family, member P		7.00		
132550	AW969253	Hs.170195	bone morphogenetic protein 7 (osteogenic	2.64			
132552	BE621985	Hs.296922	thiopurine S-methyltransferase			15.83	
132581	AK000631	Hs.52256	hypothetical protein FLJ20624		6.60		
132617	AF037335	Hs.5338	carbonic anhydrase XII	4.95			
132638	AI796870	Hs.54277	DNA segment on chromosome X (unique) 992		8.20		
132653	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalini	4.38			
132669	W38586	Hs.293981	guanine nucleotide binding protein (G pr				4.36
132710	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	4.60			
132771	Y10275	Hs.56407	phosphoserine phosphatase	3.71			
132799	W73311	Hs.169407	SAC2 (suppressor of actin mutations 2,			9.48	
132833	U78525	Hs.57783	eukaryotic translation initiation factor				5.83
132892	AW834050	Hs.9973	tensin			12.00	
132906	BE613337	Hs.234896	geminin	3.09			
132959	AW014195	Hs.61472	ESTs, Weakly similar to YAE6_YEAST HYPOT				3.87
132962	AA576635	Hs.6153	CGI-48 protein	3.50			
132990	X77343	Hs.334334	transcription factor AP-2 alpha (activat	6.18			
132994	AA112748	Hs.279905	clone HQ0310 PRO0310p1	3.19			
133000	AL042444	Hs.62402	p21/Cdc42/Rac1-activated kinase 1 (yeast	2.96			
133050	X73424	Hs.63788	propionyl Coenzyme A carboxylase, beta p	2.55			
133083	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b				4.00
133086	L17131	Hs.139800	high-mobility group (nonhistone chromoso				8.96
133134	AF198620	Hs.65648	RNA binding motif protein 8A				4.28
133155	M58583	Hs.662	cerebellin 1 precursor			10.80	
133181	X91662	Hs.66744	twist (Drosophila) homolog (acrocephalos	3.00			
133204	BE267696	Hs.254105	enolase 1, (alpha)				4.63
133412	U41493	Hs.73112	guanine nucleotide binding protein (G pr		12.50		
133421	AF134160	Hs.7327	claudin 1	2.85			
133451	AW970026	Hs.73818	ubiquinol-cytochrome c reductase hinge p				4.66
133453	AI659306	Hs.73826	protein tyrosine phosphatase, non-recept		6.80		
133504	NM_004415	Hs.74316	desmoplakin (DPI, DPII)	6.14			
133506	BE562958	Hs.74346	hypothetical protein MGC14353				4.55
133615	M62843	Hs.75236	ELAV (embryonic lethal, abnormal vision,			17.80	
133527	NM_002047	Hs.75280	glycyl-tRNA synthetase				4.85
133649	U25849	Hs.75393	acid phosphatase 1, soluble				6.34
133669	NM_006925	Hs.166975	splicing factor, arginine/serine-rich 5			14.00	
133749	L20852	Hs.10018	solute carrier family 20 (phosphate tran		6.11		
133776	BE268649	Hs.177766	ADP-ribosyltransferase (NAD+; poly (ADP-				4.91
133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	3.07			
133946	AJ001258	Hs.173878	NIPSNAP, C. elegans, homolog 1				4.60
133973	N55540	Hs.78026	ESTs, Weakly similar to similar to ankyr			13.00	
134047	BE262529	Hs.78771	phosphoglycerate kinase 1				3.85
134098	BE513171	Hs.79086	mitochondrial ribosomal protein L3	2.56			
134107	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte		8.20		
134112	AW449809	Hs.79150	chaperonin containing TCP1, subunit 4 (d				4.08
134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	31.00			
134160	T98152	Hs.79432	fibrillin 2 (congenital contractural ara		24.60		
134168	AA398908	Hs.181634	Homo sapiens cDNA: FLJ23602 fis, clone L				6.71
134185	AA285136	Hs.301914	neuronal specific transcription factor D			14.74	
134201	L35035	Hs.79886	ribose 5-phosphate isomerase A (ribose 5		8.40		
134272	X76040	Hs.278614	protease, serine, 15	4.50			
134276	BE083936	Hs.80976	antigen identified by monoclonal antibod		9.00		
134353	AL138201	Hs.82120	nuclear receptor subfamily 4, group A, m			16.40	
134367	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	2.80			
134380	AU077143	Hs.179565	minichromosome maintenance deficient (S.	4.68			
134423	H53497	Hs.83006	CGI-139 protein				3.84
134469	AA279661	Hs.83753	small nuclear ribonucleoprotein polypept				5.81
134470	X54942	Hs.83758	CDC28 protein kinase 2				4.21
134498	AW246273	Hs.84131	threonyl-tRNA synthetase				7.30
134502	BE148534	Hs.84168	UV-B repressed sequence, HUR 7		13.60		
134510	NM_002757	Hs.250870	mitogen-activated protein kinase kinase			9.70	
134548	N95406	Hs.333495	Deleted in split-hand/split-foot 1 regio				4.63
134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.00			

Pkey	Accession	UnigeneID	Description					
134724	AF045239	Hs.321576	ring finger protein 22				12.00	
134743	AA044163	Hs.89463	potassium large conductance calcium-acti	4.00				
134781	AA374372	Hs.89526	parathyroid hormone-like hormone			25.20		
134806	AD001528	Hs.89718	spermine synthase					4.58
134853	BE268326	Hs.90280	5-aminoimidazole-4-carboxamide ribonucle					4.79
134859	D26488	Hs.90315	KIAA0007 protein			6.20		
134891	R51083	Hs.90787	ESTs			7.40		
134960	BE246400	Hs.285176	acetyl-Coenzyme A transporter	4.00				
134993	BE409809	Hs.301005	purine-rich element binding protein B					4.48
135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	9.50				
135080	AI761180	Hs.94211	rcd1 (required for cell differentiation,	5.00				
135103	NM_003428	Hs.9450	zinc finger protein 84 (HPF2)		11.00			
135145	AW014729	Hs.95262	nuclear factor related to kappa B bindin					4.01
135184	U13222	Hs.96028	forkhead box D1			7.00		
135242	AI583187	Hs.9700	cyclin E1	13.50				
135286	AW023482	Hs.97849	ESTs	6.46				
135289	AW372569	Hs.9788	hypothetical protein MGC10924 similar to		8.80			
135355	AK001652	Hs.99423	ATP-dependent RNA helicase	10.00				
135371	NM_006025	Hs.997	protease, serine, 22	8.00				
135393	L11244	Hs.99886	complement component 4-binding protein,				14.60	

TABLE 5B shows the accession numbers for those primekeys lacking unigeneID's for Table 5A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
117079	1621717_1	H92325 T97125
124305	242183_1	AW963221 AA344870 AA344871 H93331
101502	18202_-6	M26958
109792	754958_1	R49625 F10674
126034	1598157_1	H60340 N91637
102768	44641_1	U82321 H66077
126345	1653833_1	N49713 N49819 W03810
127066	1703458_1	R25066 R20144 R20145 Z43845
127099	244301_1	AA347668 AW956810 Z44271 F07065 F07064 R13506
119243	1774795_1	T12603 T12604
125875	1566433_1	H14480 N98295
112054	1538292_1	R43590 F10439
126979	171411_1	AA210954 AA211007
126992	880655_1	AI809521 H12174 Z42556
122318	292419_1	AA429743 AA442754
114699	135322_1	AA127386 R15644 AA127404
114793	150742_1	AA158245 AA158235
108305	111550_1	AA071391 AA069892 AA069891
108393	113411_1	AA075211 AA075245 AA075126 AA074946
100867	tigr_HT4586	U14622
123731	genbank_AA609839	AA609839
109700	genbank_F09609	F09609
120715	genbank_AA292700	AA292700
113702	genbank_T97307	T97307
115113	genbank_AA256460	AA256460
101045	entraz_J05614	J05614
108554	genbank_AA084948	AA084948
108573	genbank_AA086005	AA086005
119052	149538_1	R10889 R10888
126522	416020_1	W31912 AI167491
126605	439280_1	AA676910 AA778853 AA778865 W86800
103768	46922_1	W42667 AI580740 AI690440 AI561350 AW467906 AW151450 AI825927 AL041716 AI885600 AI742213 AW248624 AI955498 AA033947 AA845593 AI623711 N68583 C00064 AA193567 AW083868 AW163216 AA191595 AA522778 AI628008 AI915518 AA843508 AI926195 AA176265 AW167963 AA992115 W93647 AW103572 AI862994 AI342059 AA911719 AA176155 AA024712 AA069988 AA205591 AI591107 AI199673 AI811766 AI275832 AI422233 AI191852 AI096682 AI580124 AI883612 AA582453 AA927559 AA486415 T32414 AI084978 H44849 H44848 H20477 T91695 W47039 AA070055 AA024795 AA328855 AA379248 AA379330 AA385580 W25920 W03688 AA448359 AA093881 AW362477 AA089997 AI350265 W93479 N99688 AA932257 AW351469 H68590 AA663402 AA069771 AW087986 AI858420 AA600214 AI970774 AI857712 AI683081 AI885584 AW131150 AI567981 AW002714 AW189973 AW075495 AW168303 AA953714 AW516881 AI357375 AI566663 AW512676 AI570580 AI023690 AA448216 AI079853 AI422707 AA779516 AW026972 AW130082 AW162307 AW438646 AA709332 AW192394 AI167350 AI217879 AI129152 AA719509 AI350480 AA663418 AI003634 AW118546 AA180261 AA442833 AI268625 AA888881 AI038759 AA846723 AI248770 AA993694 AI280335 AI885107 AW518549 AA641563 AA995835 AA582521 AI276744 AA436478 AI017360 AI620763 AI859887 N73926 AI076327 AI741615 AI160617 AW172819 AI492005 AA677429 AA996334 AI693771 AI950039 AI245629 AI288515 AI856186 T93293 AA173262 AA599779 AI680092 AW439316 AI084555 AI272672 AI583507 AW473219 AA738132 AW473283 AI367492 AA995410 AI689624 AA206353 AI033095 AI040382 AA873630 AI221074 AI934840 AI418580 AA844306 R94503 AA773520 AA843169 AA219425 AA529658 AI811719 AW411275 AI590981 W37907 AI591178 AI684051 AA983238 AA669347 AA976239 AA704570 AI628339 AI884391 AI241580 AI003539 AW176687 AA009650 N34566 AI333493 AI186070 AA070827 AA411683 AI280864 AA872023 AA207255 AA021576 N71953 AI885888 AW076039 T15777 AI537673 AW248048 H09554 W93480 W47001 AW079114 AA063160 AA219546 R60788 AI859431 H20478 AA218882 AA757465 AA100995 AI864135 AI934209 AA070503 H47008 AA219546 W61039 W93907 AW385050 W37957 W78028 AA189007 AA479136 R93650 AA442312 T30287 AA847628 AA180262 AA009549 C03892 AW149464 AA310963 AA219693 AA069747 R29207 AA094784 AA293615 AA447848 AI984167 N90393 C05097 N56499 AW292351 AW149681 AW473258 AA629322 AI004409 AW105577 AI954937 AI811070 AA902422 AW514437 AA535460 AA916877 AW517122 AA974657 AA975649 AW517130 AW517129 F31737 W07688 AA193645 AA378994 AA489273 F32257 W39303 AA021181 N86810 AA406524 AA062553 AA436801 H08985 H15979 N40310

AA436789 AA232172 AW360778 W25862 R60282 AA436530 AA378894 AA187461 AI940535 AA604210 AA089514 AA360421 N88243 N84281
AA209340 N56174 N88374 AA191088 AW247691 AA249013 AA093111 AA972536 AW298594 AA375893 T12139 W28186 AW243849
AI288629 AA843996 W15260 AI188286 AW248079 R15836

119599	genbank_W45552	W45552	
112382	genbank_R59904	R59904	
105264	genbank_AA227934		AA227934
100071	entraz_A28102	A28102	
123315	714071_1		AA495369 AA496646

Table 6A shows 99 genes up-regulated nonsmokers with lung cancer relative to smokers with lung cancer. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   average of AI for samples from non-smokers with adenocarcinoma divided by the 90th percentile of AI for samples from smokers with adenocarcinoma
R2:   average of AI for samples from non-smokers with squamous cell carcinoma divided by the 90th percentile of AI for samples from smokers with squamous cell carcinoma

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte		3.64
101174	L17330	Hs.280	pre-T/NK cell associated protein	15.00	
101296	Y12490	Hs.85092	thyroid hormone receptor interactor 11		2.46
101304	AA001021	Hs.6685	thyroid hormone receptor interactor 8		12.00
101806	AA585894	Hs.112408	S100 calcium-binding protein A7 (psorias		2.68
101972	S82472		gb:beta -pol=DNA polymerase beta (exon a		2.11
102274	U30930	Hs.158540	UDP glycosyltransferase 8 (UDP-galactose	7.50	
102394	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma	7.50	
102832	U92015		gb:Human clone 143789 defective mariner	13.50	
103010	X52509	Hs.161640	tyrosine aminotransferase	9.50	
103439	X98266		gb:H.sapiens mRNA for ligase like protei		2.50
103563	L02911	Hs.150402	activin A receptor, type I	9.00	
103857	AI076795	Hs.45033	lacrimal proline rich protein		3.94
104239	AB002367	Hs.21355	doublecortin and CaM kinase-like 1	13.50	
104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group I, m		12.66
104907	AA055829	Hs.196701	ESTs, Weakly similar to ALU1_HUMAN ALU	16.50	
106131	BE514788	Hs.296244	SNARE protein		2.17
106672	H47233	Hs.30643	ESTs	7.00	
106872	T56887	Hs.18282	KIAA1134 protein	11.50	
106960	AA156238	Hs.32501	ESTs		2.38
106971	Z43846	Hs.194478	Homo sapiens mRNA; cDNA DKFZp434O1572 (f	9.50	
107982	AA035375	Hs.57887	ESTs, Weakly similar to KIAA0758 protei		2.95
108562	AA100796		gb:zm26c06.s1 Stratagene pancreas (93720	16.50	
108599	AB018549	Hs.69328	MD-2 protein	13.00	
108663	BE219231	Hs.292653	ESTs, Weakly similar to T26845 hypotheti		2.40
109247	AA314907	Hs.85950	ESTs	7.00	
109630	R44607	Hs.22672	ESTs		5.00
110193	AI004874	Hs.310764	Homo sapiens mRNA; cDNA DKFZp434M082 (fr	12.50	
110234	H24458	Hs.32085	EST	16.50	
110644	R94207	Hs.268989	ESTs, Highly similar to type II CALM/AF1	8.00	
110886	AW274992	Hs.72249	three-PDZ containing protein similar to	17.00	
111057	T79639	Hs.14629	ESTs	16.50	
111950	AF071594	Hs.110457	Wolf-Hirschhorn syndrome candidate 1	11.00	
112291	R53972	Hs.26026	ESTs		3.00
112956	Z43784	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)		2.79
113009	T23699	Hs.7246	ESTs		4.50
113060	BE564162	Hs.250820	hypothetical protein FLJ14827	9.79	
113073	N39342	Hs.103042	microtubule-associated protein 1B	32.50	
113074	AK001335	Hs.31137	protein tyrosine phosphatase, receptor t		3.82
113121	T48011	Hs.8764	EST		2.21
113125	AA968672	Hs.8929	hypothetical protein FLJ11362	19.50	
113757	AA703095	Hs.18631	ESTs		2.65
113848	W52854	Hs.27099	hypothetical protein FLJ23293 similar to	6.00	
113884	AI333076	Hs.28529	chromosome 12 open reading frame 2		6.00
113936	W17056	Hs.83623	nuclear receptor subfamily 1, group I, m		4.63
114875	AA235609	Hs.236443	Homo sapiens mRNA; cDNA DKFZp564N1063 (		7.00
114987	AA251016	Hs.87808	EST		6.00
115460	AW958439	Hs.38613	ESTs		2.27
115722	W91892	Hs.59609	ESTs		9.00
116261	AA481788	Hs.190150	ESTs	9.50	
116830	H61037	Hs.70404	ESTs, Weakly similar to ALU2_HUMAN ALU	8.50	
116970	AB023179	Hs.9059	KIAA0962 protein	7.50	
117178	H98675	Hs.269034	ESTs		2.68
117757	AF088019	Hs.46732	EST	7.50	
118283	AA287747	Hs.173012	ESTs, Weakly similar to A46010 X-linked	16.50	
118384	AF217525	Hs.49002	Down syndrome cell adhesion molecule		2.50
118657	AI822106	Hs.49902	ESTs		2.39
120328	AA923278	Hs.290905	ESTs, Weakly similar to protease [H.sapi		3.50
120404	AB023230	Hs.96427	KIAA1013 protein	7.00	
120524	AA261852	Hs.192905	ESTs	6.00	
120688	AW207555	Hs.97093	Homo sapiens cDNA: FLJ23004 fis, clone L	17.92	

121558	AA412497		gbzf95g12.s1 Soares_testis_NHT Homo sap		2.95
121676	H55037	Hs.108146	ESTs	10.00	
121936	AI024600	Hs.98612	ESTs	15.00	
121938	AA428659	Hs.98610	ESTs	14.00	
122177	AA435789	Hs.98833	EST	8.93	
123442	AA299652	Hs.111496	Homo sapiens cDNA FLJ11643 fis, clone HE	13.04	
123551	AA608837		gb:af03h12.s1 Soares_testis_NHT Homo sap	11.50	
123756	AA609971	Hs.112795	EST	11.00	
123861	AA620840		gb:af89g01.s1 Soares_testis_NHT Homo sap		2.50
124371	N24924	Hs.188601	ESTs	6.50	
127477	BE328720	Hs.280651	ESTs		4.33
127591	AI190540	Hs.131092	ESTs		3.02
128252	AA455924	Hs.192228	ESTs	7.00	
128426	AI265784	Hs.145197	ESTs		2.08
128925	R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT		2.11
128945	AI990505	Hs.8077	Homo sapiens mRNA; cDNA DKFZp547E184 (fr	10.00	
129105	AI769160	Hs.108681	Homo sapiens brain tumor associated prot	15.50	
129235	AW977238	Hs.126084	KIAA1055 protein		4.25
129506	AB020684	Hs.11217	KIAA0877 protein	6.50	
129595	U09550	Hs.1154	oviductal glycoprotein 1, 120kD (mucin 9		10.00
130160	AA305688	Hs.267695	UDP-GalbetaGlcNAc beta 1,3-galactosyltr	20.00	
130340	D82326	Hs.239106	solute carrier family 3 (cystine, dibasi	11.50	
131220	AB023194	Hs.300855	KIAA0977 protein	17.50	
131430	AI879148	Hs.26770	fatty acid binding protein 7, brain	6.10	
132114	NM_006152	Hs.40202	lymphoid-restricted membrane protein		6.15
132458	AA935315	Hs.48965	Homo sapiens cDNA: FLJ21693 fis, clone C		5.58
132647	NM_006927	Hs.54432	sialyltransferase 4B (beta-galactosidase	7.50	
132655	D49372	Hs.54460	small inducible cytokine subfamily A (Cy		2.53
132682	AI077500	Hs.54900	serologically defined colon cancer antig		2.50
132747	AA345241	Hs.55950	ESTs, Weakly similar to KIAA1330 protein		2.83
132812	R50333	Hs.92186	Leman coiled-coil protein		3.82
133337	AF085983	Hs.293676	ESTs		5.00
133876	AL134906	Hs.771	phosphorylase, glycogen; liver (Hers dis		3.00
134119	AW157837	Hs.79226	fasciculation and elongation protein zet		2.06
134464	AA302983	Hs.239720	CCR4-NOT transcription complex, subunit		2.27
134542	M14156	Hs.85112	insulin-like growth factor 1 (somatomedi		11.50
135002	AA448542	Hs.251677	G antigen 7B	87.00	
135305	AA203555	Hs.98288	Homo sapiens cDNA FLJ14903 fis, clone PL		6.50

TABLE 6B show the accession numbers for those primekeys lacking unigeneID's for Table 6A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
108562	35375_1	AA100796 AF020589 AA074629 AA075946 AA100849 AA085347 AA126309 AA079311 AA079323 AA085274
103439	35330_1	X98266 N41124
123551	genbank_AA608837	AA608837
123861	genbank_AA620840	AA620840
102832	entrez_U92015	U92015
101972	entrez_S82472	S82472
121558	genbank_AA412497	AA412497

Table 7A shows 98 genes down-regulated in non-smokers with lung cancer relative to smokers with lung cancer. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   90th percentile of AI for samples from smokers with adenocarcinoma divided by the average of AI for samples from non-smokers with adenocarcinoma.
R2:   90th percentile of AI for samples from smokers with squamous cell carcinoma divided by the average of AI for samples from non-smokers with squamous cell carcinoma.

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3		164.10
100380	D82343	Hs.18551	neuroblastoma (nerve tissue) protein		77.40
100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid	102.40	
100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	463.80	
101046	K01160		(NONE)	672.00	
101056	AW970254	Hs.889	Charcot-Leyden crystal protein	66.00	
101175	U82671	Hs.36980	melanoma antigen, family A, 2		77.20
101497	W05150	Hs.37034	homeo box A5	62.80	
101663	NM_003528	Hs.2178	H2B histone family, member Q	78.00	
101677	NM_000715	Hs.1012	complement component 4-binding protein,	186.20	
101745	M88700	Hs.150403	dopa decarboxylase (aromatic L-amino aci	80.08	
101941	S77583		gb:HERVK10/HUMMTV reverse transcriptase	99.20	
102125	NM_006456	Hs.288215	sialyltransferase		103.10
102242	U27185	Hs.82547	retinoic acid receptor responder (tazaro	67.00	
102340	U37055	Hs.278657	macrophage stimulating 1 (hepatocyte gro	71.60	
102369	U39840	Hs.299867	hepatocyte nuclear factor 3, alpha		69.70
102457	NM_001394	Hs.2359	dual specificity phosphatase 4	153.00	
102669	U71207	Hs.29279	eyes absent (Drosophila) homolog 2		65.70
102796	AL079646	Hs.107019	symplekin; Huntingtin interacting protei		58.80
102829	NM_006183	Hs.80962	neurotensin		268.80
103207	X72790		gb:Human endogenous retrovirus mRNA for	70.00	
103242	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o		212.10
103260	X78416	Hs.3155	casein, alpha		130.70
103351	X89211		gb:H.sapiens DNA for endogenous retrovir	64.60	
104212	AB002298	Hs.173035	KIAA0300 protein	66.80	
104252	AF002246	Hs.210863	cell adhesion molecule with homology to	63.80	
104258	AF007216	Hs.5462	solute carrier family 4, sodium bicarbon	94.40	
105024	AA126311	Hs.9879	ESTs	68.20	
106260	AI097144	Hs.5250	ESTs, Weakly similar to ALU1_HUMAN ALU S		74.60
106440	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub		71.10
106566	BE298210		gb:601118016F1 NIH_MGC_17 Homo sapiens c	73.20	
106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp5648076 (fr	83.80	
106614	AA648459	Hs.335951	hypothetical protein AF301222		62.30
106654	AW075485	Hs.286049	phosphoserine aminotransferase		202.40
106999	H93281	Hs.10710	hypothetical protein FLJ20417		89.60
108700	AA121518	Hs.193540	ESTs, Moderately similar to 2109260A B c		66.40
108810	AW295647	Hs.71331	hypothetical protein MGC5350		95.50
108857	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act		63.40
109597	AA989362	Hs.293780	ESTs	85.00	
109691	T65568	Hs.12860	ESTs		58.70
109704	AI743860	Hs.12876	ESTs		60.60
110942	R63503	Hs.28419	ESTs	76.40	
111722	R23924	Hs.23596	EST	74.60	
112891	T03927	Hs.293147	ESTs, Moderately similar to A46010 X-li	64.80	
112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f		76.70
113073	N33342	Hs.103042	microtubule-associated protein 1B		120.20
114251	H15261	Hs.21948	ESTs	127.20	
115230	AA278300	Hs.124282	Homo sapiens cDNA: FLJ23123 fis, clone L	174.00	
115291	BE545072	Hs.122579	hypothetical protein FLJ10461		91.00
115815	AW905328	Hs.180842	ribosomal protein L13	66.40	
115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH		226.60
115965	AA001732	Hs.173233	hypothetical protein FLJ10970	82.80	
116107	AL133916	Hs.172572	hypothetical protein FLJ20093		361.60
116552	D20508	Hs.164649	hypothetical protein DKFZp434H247	69.00	
116571	D45652		gb:HUMGS02848 Human adult lung 3' direct	64.20	
118466	N66741		gb:yz33g08.s1 Morton Fetal Cochlea Homo		63.50
120484	AA253170	Hs.96473	EST	81.60	
120983	AA398209	Hs.97587	EST		81.10
121034	AL389951	Hs.271623	nucleoporin 50kD		66.20
121423	AW973352	Hs.290585	ESTs	64.40	
122553	AA451884	Hs.190121	ESTs		60.40
122946	AI718702	Hs.308026	major histocompatibility complex, class	188.60	
123130	AA487200		gb:ab19f02.s1 Stratagene lung (937210) H		80.20
124472	N52517	Hs.102670	EST	71.00	
124526	N52096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci		104.90
125489	H49193	Hs.124984	ESTs, Moderately similar to ALU7_HUMAN A		72.00
125731	R61771	Hs.26912	ESTs		69.90
125747	NM_002884	Hs.865	RAP1A, member of RAS oncogene family	69.00	
126020	H79863	Hs.114243	ESTs		62.40
126547	U47732	Hs.84072	transmembrane 4 superfamily member 3		62.80
126966	R38438	Hs.182575	solute carrier family 15 (H+/peptide tra		60.10

	127472	AA761378	Hs.192013	ESTs	70.20
	127610	AA960857	Hs.150271	ESTs, Highly similar to unnamed protein	64.00
	127742	AW293496	Hs.180138	ESTs	85.20
	127987	AI022103	Hs.124511	ESTs	96.60
5	128233	AW889132	Hs.11916	ribokinase		78.90
	128420	AA650274	Hs.41296	fibronectin leucine rich transmembrane p	.	106.90
	128766	AW160432	Hs.296460	craniofacial development protein 1	66.80
	129014	AW935187	Hs.170162	KIAA1357 protein		58.53
	129215	AB040930	Hs.126085	KIAA1497 protein	64.20
10	130090	H97878	Hs.132390	zinc finger protein 36 (KOX 18)	63.80
	130385	AW067800	Hs.155223	stanniocalcin 2		139.60
	130732	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)		64.60
	131025	AB040900	Hs.6189	KIAA1467 protein	64.40
	131241	BE501914	Hs.24654	Homo sapiens cDNA FLJ11640 fis, clone HE	76.20
15	131775	AB014548	Hs.31921	KIAA0648 protein	97.80
	132240	AB018324	Hs.42676	KIAA0781 protein		71.00
	132856	NM_001448	Hs.58367	glypican 4		88.40
	132977	AA093322	Hs.301404	RNA binding motif protein 3 .	133.20
	133749	L20852	Hs.10018	solute carrier family 20 (phosphate tran		59.30
20	133818	AI110684	Hs.7645	fibrinogen, B beta polypeptide	341.00
	134264	AF149297	Hs.8087	NAG-5 protein		64.30
	134265	M83772	Hs.80876	flavin containing monooxygenase 3		232.53
	134346	X84002	Hs.82037	TATA box binding protein (TBP)-associate	66.00
	134395	AA456539	Hs.8262	lysosomal-associated membrane protein 2		75.80
25	135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su		108.30
	135056	N75765	Hs.93765	lipoma HMGIC fusion partner	71.40
	135309	AI564123	Hs.42500	ADP-ribosylation factor-like 5	70.40

30   TABLE 7B shows the accession numbers for those primekeys lacking unigeneID's for Table 7A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the 'Accession' column. .

35   Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

40   Pkey   CAT number   Accessions

103207   30635_-4   X72790
106566   120358_1   BE298210 AI672315 AW086489 BE298417 AA455921 AA902537 BE327124 R14963 AA085210 AW274273 AI333584 AI369742 AI039658
                      AI885095 AI476470 AI287650 AI885299 AI985381 AW592624 AW340136 AI266556 AA456390 AI310815 AA484951
45   116571   genbank_D45652   D45652
       118466   genbank_N56741   N56741
       101046   entrez_K01160 K01160
       101941   entrez_S77583 S77583
       103351   entrez_X89211 X89211
       123130   genbank_AA487200   AA487200
50

Table 8A shows 1720 genes either up or down-regulated in lung tumors or chronically diseased lung relative to a broad collection of over 40 distinct normal body tissues. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 39494 probesets on the Eos/Affymetrix Hu02 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   70th percentile of AI for lung tumors divided by 90th percentile of AI for normal lung
R2:   70th percentile of AI for chronically diseased lung divided by 90th percentile of AI for normal lung

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
300097	AI916973	Hs.213603	ESTs	5.46	4.69
300117	AW189787	Hs.147474	ESTs	0.58	0.56
300197	AI686661	Hs.218286	ESTs	4.26	5.44
300201	AI308300		gb:ta90c06.x1 NCI_CGAP_Bm20 Homo sapien	0.62	0.83
300225	AI989963	Hs.197505	ESTs	1.68	1.75
300247	AW274682	Hs.161394	ESTs	1.08	2.28
300256	AI469095	Hs.298241	Transmembrane protease, serine 3	0.86	1.00
300337	AI707881	Hs.202090	ESTs	5.80	9.09
300362	Z42308		gb:HSC0FB121 normalized infant brain cDN	4.18	12.78
300374	AI859947	Hs.314158	ESTs	2.99	4.38
300387	AW270150	Hs.254516	ESTs	1.50	2.53
300440	AI421541	Hs.146164	ESTs	3.98	5.25
300441	R10367	Hs.307921	EST, Weakly similar to Z232_HUMAN ZINC F	3.18	6.80
300449	AI362957	Hs.132221	hypothetical protein FLJ12401	0.43	0.62
300469	AW135830	Hs.233955	hypothetical protein FLJ20401	0.16	0.83
300552	X85711	Hs.21838	hypothetical protein FLJ11191	4.10	9.75
300627	W27363		gb:ab37d01.r1 Stratagene HeLa cell s3 93	4.60	12.60
300630	AW118822	Hs.128757	ESTs	2.91	5.86
300716	AI216113	Hs.126280	hypothetical protein FLJ23393	1.00	0.92
300738	AI623332	Hs.130541	KIAA1542 protein	1.82	1.71
300777	AA235361	Hs.96840	KIAA1527 protein	4.48	8.22
300790	AI492471	Hs.188270	ESTs	1.29	1.18
300832	AI688147	Hs.220615	ESTs, Weakly similar to T03829 transcrip	5.51	8.56
300836	Z44942	Hs.22958	calcium channel alpha2-delta3 subunit	4.90	6.34
300838	AI582897	Hs.192570	hypothetical protein FLJ22028	1.70	2.81
300878	AW449802	Hs.285901	Homo sapiens cDNA FLJ20428 fis, clone KA	4.56	7.91
300897	AI890356	Hs.127804	ESTs, Weakly similar to T17233 hypotheti	2.23	1.58
300926	AA504860		gb:ab03a10.s1 Stratagene fetal retina 93	2.13	3.50
300960	AI041019	Hs.152454	ESTs	2.74	4.46
300961	AW204069	Hs.312716	ESTs, Weakly similar to unnamed protein	1.00	1.00
300962	AA593373	Hs.293744	ESTs	1.46	1.51
300967	AA565209	Hs.269439	ESTs	0.39	1.30
300987	AW450840	Hs.148590	ESTs, Weakly similar to AF208845 1 BM-00	1.49	1.08
300988	AI927208	Hs.208952	ESTs	0.16	0.37
301050	AW136973	Hs.288516	ESTs, Weakly similar to S69890 mitogen I	3.23	1.94
301098	AA677570	Hs.185918	ESTs	6.76	14.28
301157	AA729905	Hs.231916	ESTs	3.16	8.85
301162	AI142118	Hs.129004	ESTs	1.68	7.18
301170	AA737594	Hs.247606	ESTs	4.40	6.42
301192	AI808751	Hs.121188	ESTs	6.38	11.59
301193	AA758115	Hs.128350	ESTs, Weakly similar to JC5423 2-hydroxy	4.35	7.78
301267	AW297762	Hs.255690	ESTs	1.56	1.61
301281	AA843986	Hs.190586	ESTs	2.19	1.78
301341	AI819198	Hs.208229	ESTs	0.76	0.76
301382	AA912839	Hs.163369	ESTs	1.00	1.81
301407	AW450466	Hs.126830	ESTs	1.48	1.51
301452	AA975688	Hs.159955	ESTs	0.51	1.46
301483	AW272457	Hs.254655	Untitled	2.40	5.02
301494	AI678034	Hs.131099	ESTs	2.79	3.41
301521	AI733621	Hs.133011	zinc finger protein 117 (HPF9)	0.67	0.67
301531	AI077462	Hs.134084	ESTs	2.52	3.76
301580	AI878959	Hs.73737	splicing factor, arginine/serine-rich 1	7.41	11.92
301676	Z43570	Hs.27453	ESTs, Moderately similar to G01251 Rar p	8.31	10.70
301690	F05865	Hs.108323	ubiquitin-conjugating enzyme E2E 2 (homo	2.70	4.22
301718	F07744	Hs.7987	DKFZP434F162 protein	4.20	8.78
301799	AA384252	Hs.286132	D15F37 (pseudogene)	5.93	7.04
301804	AA581004	Hs.62180	anillin (Drosophila Scraps homolog), act	1.70	0.76
301822	X17033	Hs.271986	integrin, alpha 2 (CD49B, alpha 2 subuni	1.58	1.36
301846	R20002	Hs.6823	hypothetical protein FLJ10430	1.00	1.00
301868	T71508	Hs.13861	ESTs, Weakly similar to pH sensitive max	2.88	5.49
301882	T78054		gb:yc97g09.r1 Soares infant brain 1NIB H	2.28	3.80
301905	AI991127	Hs.117202	ESTs	1.00	1.00
301948	AA344647	Hs.116724	aldo-keto reductase family 1, member B11	5.28	2.28
301960	AW070252	Hs.27973	KIAA0874 protein	5.38	6.48
302011	T91418	Hs.125156	transcriptional adaptor 2 (ADA2, yeast,	3.03	3.42
302016	N40834	Hs.23495	hypothetical protein FLJ11252	1.00	1.25
302041	NM_001501	Hs.129715	gonadotropin-releasing hormone 2	0.71	0.99
302072	AJ238381	Hs.132576	paired box gene 9	1.60	1.71
302094	AI286176	Hs.6786	ESTs	0.52	1.20
302095	AW044300	Hs.137506	Homo sapiens BAC clone RP11-120J2 from 7	2.75	4.93
302148	AW269618	Hs.23244	ESTs	3.04	3.87

302155	AI088485	Hs.144759	ESTs	0.45	1.15
302201	AJ006276	Hs.159003	transient receptor potential channel 6	0.33	0.84
302202	AF097159	Hs.159140	UDP-GalbetaGlcNAc beta 1,4- galactosyfl	0.52	0.94
302206	AI937193	Hs.41143	phosphoinositide-specific phospholipase	2.76	3.65
302209	AF047445	Hs.159297	killer cell lectin-like receptor subfami	1.00	1.00
302235	AL049987	Hs.166351	Homo sapiens mRNA; cDNA DKFZp564F112 (fr	1.68	1.50
302290	AL117607	Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	1.00	2.11
302328	AA354849	Hs.23240	Homo sapiens cDNA FLJ13496 fis, clone PL	9.38	13.08
302346	AL039101	Hs.194625	dynein, cytoplasmic, light intermediate	3.27	7.24
302360	AJ010901	Hs.198267	mucin 4, tracheobronchial	2.54	1.88
302384	Y08982	Hs.202676	synaptonemal complex protein 2	1.00	0.91
302406	U86751	Hs.211956	CD3-epsilon-associated protein; antisens	2.63	2.67
302409	AF155156	Hs.218028	adaptor-related protein complex 4, epsil	5.82	9.34
302423	AB028977	Hs.225974	KIAA1054 protein	3.65	3.18
302432	AL080068	Hs.272534	Homo sapiens mRNA; cDNA DKFZp564J062 (fr	2.44	6.77
302435	AF092047	Hs.227277	sine oculis homeobox (Drosophila) homolo	0.44	0.84
302437	AB024730	Hs.227473	UDP-N-acetylglucosamine:a-1,3-D-mannosid	4.18	5.64
302455	AA356923	Hs.240770	nuclear cap binding protein subunit 2, 2	1.85	0.92
302472	AA317451	Hs.6335 ·	SWI/SNF related, matrix associated, acti	2.04	2.13
302476	AF182294	Hs.241578	U6 snRNA-associated Sm-like protein LSm8	1.44	1.89
302489	T80660	Hs.230424	Homo sapiens cDNA FLJ13540 fis, clone PL	0.51	1.10
302490	AA885502	Hs.187032	ESTs	2.64	4.87
302562	AJ005585	Hs.48956	gap junction protein, beta 6 (connexin 3	5.34	2.68
302566	AA085996	Hs.248572	hypothetical protein FLJ22965	1.00	1.21
302630	AB029488	Hs.272100	SMS3 protein	0.52	1.24
302634	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	1.00	1.00
302638	AA463798	Hs.102696	MCT-1 protein	1.58	1.02
302647	X57723	Hs.198273	NADH dehydrogenase (ubiquinone) 1 beta s	2.72	6.85
302655	AJ227892	Hs.146274	ESTs	1.00	4.32
302656	AW293005	Hs.70704	Homo sapiens, clone IMAGE:2823731, mRNA,	2.97	0.93
302668	AA580691	Hs.180789	S164 protein	0.80	0.95
302679	H65022		gb:yu66g11.r1 Weizmann Olfactory Epithel	1.68	5.04
302680	AW192334	Hs.38218	ESTs	2.70	7.99
302697	AJ001408		gb:Homo sapiens mRNA for immunoglobulin	4.25	8.13
302705	U09060		gb:Human immunoglobulin heavy chain, V-r	3.91	8.68
302711	L08442		gb:Human autonomously replicating sequen	2.20	2.73
302719	W69724	Hs.288959	hypothetical protein FLJ20920	0.54	1.02
302742	L12069		gb:Homo sapiens (clone WR4.10VH) anti-th	4.28	11.57
302755	AW384815	Hs.149208	KIAA1555 protein	1.57	2.38
302771	H98476	Hs.42522	ESTs	2.94	4.68
302789	AJ245067		gb:Homo sapiens mRNA for immunoglobulin	3.49	6.31
302795	AJ245313	Hs.272838	hypothetical protein FLJ10494	0.80	2.74
302802	Y08250		gb:H.sapiens mRNA for variable region of	1.13	0.77
302803	AA442824	Hs.293961	ESTs, Moderately similar to putative DNA	3.14	10.68
302812	N31301	Hs.152664	hypothetical protein FLJ20051	3.04	8.24
302847	X98940		gb:H.sapiens rearranged Ig heavy chain (	1.80	1.92
302885	AL137763	Hs.132127	hypothetical protein LOC57822	1.00	1.00
302943	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	0.53	0.67
302977	AW263124	Hs.315111	hypothetical protein FLJ12894	2.45	2.62
303006	AF078950	Hs.24139	Homo sapiens cDNA: FLJ23137 fis, clone L	4.88	8.61
303011	AF090405		gb:Homo sapiens clone 2A1 scFV antibody ·	1.41	1.86
303013	F07898	Hs.288968	RAB22A, member RAS oncogene family	1.51	1.19
303061	AF151882	Hs.27693	peptidylprolyl isomerase (cyclophilin)-l	0.72	0.76
303077	AF163305		gb:H.sapiens T-cell receptor mRNA	1.17	3.90
303090	AA443259	Hs.146288	kinesin family member 13A	4.08	6.46
303091	AF192913	Hs.130683	zinc finger protein 180 (HHZ168)	2.50	4.37
303094	AF195513	Hs.278953	Pur-gamma	5.38	8.38
303095	AF202051	Hs.134079	NM23-H8	3.26	4.08
303131	AW081061	Hs.103180	DC2 protein	2.02	1.83
303195	AA082211	Hs.233936	myosin, light polypeptide, regulatory, n	1.32	3.95
303196	AA082298	Hs.59710	ESTs	0.77	0.53
303216	AA581439	Hs.152328	ESTs	0.24	0.63
303222	AA333538	Hs.204501	hypothetical protein FLJ10534 ·	3.56	6.22
303234	AA132255	Hs.143951	ESTs	2.28	3.17
303251	AW340037	Hs.115897	protocadherin 12	0.38	1.02
303295	AA205625	Hs.208067	ESTs	2.30	1.00
303297	T80072	Hs.13423	Homo sapiens clone 24468 mRNA sequence	1.86	4.48
303316	AF033122	Hs.14125	p53 regulated PA26 nuclear protein	0.10	0.80
303467	AA398801	Hs.323397	ESTs	4.54	9.65
303506	AA340505	Hs.105887	ESTs, Weakly similar to Homolog of rat Z	0.09	0.04
303552	AA359799	Hs.224662	ESTs, Weakly similar to unnamed protein	1.00	1.72
303598	AA382814		gb:EST96097 Testis I Homo sapiens cDNA 5	4.96	9.14
303637	AF056083	Hs.24879	phosphatidic acid phosphatase type 2C	2.06	2.02
303655	AA504702	Hs.258802	ATPase, (Na+)/K+ transporting, beta 4 po	1.00	1.24
303756	AI738488	Hs.115838	ESTs	1.08	1.43
303856	AA968589	Hs.180532	glucose phosphate isomerase	1.76	1.31
303893	N88597	Hs.113503	karyopherin (importin) beta 3	2.30	2.57
303907	AW467774	Hs.171880	polymerase (RNA) II (DNA directed) polyp	3.10	5.79
303946	AW474196	Hs.306637	Homo sapiens cDNA FLJ12363 fis, clone MA	5.06	11.86
303978	AW513315		gb:xo43c12.x1 NCI_CGAP_Ut1 Homo sapiens	5.14	7.31
303981	AW513804	Hs.278834	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.83	4.06
303990	AW515465		gb:xu71a11.x1 NCI_CGAP_Kid8 Homo sapiens	1.15	2.35
303998	AW516449		gb:xt68f05.x1 NCI_CGAP_Ut2 Homo sapiens	2.20	9.35
303999	AW516611		gb:xp70b11.x1 NCI_CGAP_Ov39 Homo sapiens	4.85	6.28
304006	AW517947		gb:xt66h02.x1 NCI_CGAP_Ut2 Homo sapiens	3.21	4.07

	304008	AW518198	Hs.3297	ribosomal protein S27a	6.50	11.08
	304009	AW518206	Hs.181165	eukaryotic translation elongation factor	1.88	3.27
	304024	T03036		gb:FB21B7 Fetal brain, Stratagene Homo s	2.15	3.55
	304026.	T03160		gb:FB26F2 Fetal brain, Stratagene Homo s	5.88	11.80
5	304028	T03266		gb:FB7C1 Fetal brain, Stratagene Homo sa	5.59	13.46
	304036	T16855	Hs.244621	ribosomal protein S14	6.55	14.43
	304046	T54803		gb:yb42d06.s1 Stratagene fetal spleen (9	6.18	12.19
	304061	T61521		gb:yb73g01.s1 Stratagene ovary (937217)	2.64	8.23
	304063	T62536		gb:yc04c12.s1 Stratagene lung (937210) H	0.53	1.61
10	304097	R25376	Hs.177592	ribosomal protein, large, P1	6.49	11.67
	304114	R78946		gb:yi87g02.s1 Soares placenta Nb2HP Homo	2.90	4.18
	304122	H28966		gb:ym31a06.s1 Soares infant brain 1NIB H	1.00	2.76
	304155	H68696		gb:yr78b05.s1 Soares fetal liver spleen	0.79	1.18
	304203	N56929		gb:yy82d08.s1 Soares_multiple_sclerosis_	4.28	11.34
15	304234	W81608	.	gb:zd88h06.s1 Soares_fetal_heart_NbHH19W	6.47	11.03
	304267	AA064862	Hs.73742	ribosomal protein, large, P0	1.34	1.16
	304270	AA069711	Hs.297753	vimentin	3.40	5.40
	304287	AA079286	Hs.78466	proteasome (prosoma, macropain) 26S sub	2.93	4.42
	304348	AA179868		gb:zp38g12.s1 Stratagene muscle 937209 H	3.98	10.96
20	304415	AA290747	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	3.32	5.99
	304430	AA347682		gb:EST54044 Fetal heart II Homo sapiens	1.00	1.00
	304456	AA411240		gb:zv26g05.s1 Soares_NhHMPu_S1 Homo sapi	1.42	3.33
	304521	AA464716		gb:zx82c11.s1 Soares ovary tumor NbHOT H	2.18	1.15
	304526	AA476427		gb:zx02c05.s1 Soares_total_fetus_Nb2HF8_	5.38	14.11
25	304542	AA482602	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.16	8.23
	304546	AA485074	Hs.297681	serine (or cysteine) proteinase inhibito	0.55	1.20
	304607	AA513322		gb:nh85e08.s1 NCI_CGAP_Br1.1 Homo sapien	1.95	2.10
	304640	AA524440	Hs.111334	ferritin, light polypeptide	2.10	2.83
	304650	AA527489	Hs.3463	ribosomal protein S23	3.33	12.62
30	304735	AA576453		gb:nm75h11.s1 NCI_CGAP_Co9 Homo sapiens	1.33	0.88
	304760	AA580401		gb:nn13g09.s1 NCI_CGAP_Co12 Homo sapiens	3.68	8.14
	304849	AA588157	Hs.13801	KIAA1685 protein	2.77	3.70
	304917	AA602685	Hs.284136	PRO2047 protein	7.16	11.01
	304921	AA603092	Hs.297753	vimentin	2.47	4.24
35	304966	AA613893	Hs.282435	ESTs	6.78	11.66
	304987	AA618044	Hs.300697	immunoglobulin heavy constant gamma 3 (G	0.90	1.23
	305016	AA626876		gb:zu89h05.s1 Soares_testis_NHT Homo sap	6.46	10.17
	305034	AA630128		gb:ab99c04.s1 Stratagene lung (937210) H	1.00	1.00
	305072	AA641012		gb:nr72a12.s1 NCI_CGAP_Pr24 Homo sapiens	5.68	11.59
40	305111	AA644187	Hs.303405	ESTs	1.48	1.37
	305148	AA654070		gb:nt01g08.s1 NCI_CGAP_Lym3 Homo sapiens	1.76	4.61
	305159	AA659166	Hs.275668	EST, Weakly similar to EF1D_HUMAN ELONG	1.00	2.15
	305190	AA665955		gb:ag57d12.s1 Gessler Wilms tumor Homo s	5.31	8.14
	305232	AA670052	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	0.78	1.18
45	305235	AA670480		gb:ag37e01.s1 Jia bone marrow stroma Hom	3.11	8.66
	305245	AA676695	Hs.81328	nuclear factor of kappa light polypeptid	4.38	7.53
	305312	AA700201		gb:zj44f07.s1 Soares_fetal_liver_spleen_	2.13	2.66
	305322	AA701597	Hs.163019	EST	1.20	1.40
	305394	AA720942	Hs.300697	immunoglobulin heavy constant gamma 3 (G	1.16	0.68
50	305413	AA724659		gb:al10f08.s1 Soares_parathyroid_tumor_N	5.86	9.87
	305447	AA737856		gb:nx10c08.s1 NCI_CGAP_GC3 Homo sapiens	2.21	2.86
	305476	AA745664	Hs.287445	hypothetical protein FLJ11726	3.36	6.54
	305483	AA748030	Hs.303512	EST	1.00	2.02
	305528	AA769156		gb:nz12e05.s1 NCI_CGAP_GCB1 Homo sapiens	6.44	9.10
55	305612	AA782347	Hs.272572	hemoglobin, alpha 2	0.19	0.79
	305614	AA782866		gb:aj09h02.s1 Soares_parathyroid_tumor_N	1.00	1.00
	305616	AA782884	Hs.275865	ribosomal protein S18	7.57	10.20
	305637	AA806124		gb:oe29a12.s1 NCI_CGAP_Pr25 Homo sapiens	4.78	12.42
	305639	AA806138		gb:oe29c12.s1 NCI_CGAP_Pr25 Homo sapiens	0.89	0.70
60	305650	AA807709		gb:mw31e04.s1 NCI_CGAP_GC80 Homo sapiens	4.49	8.71
	305690	AA813477		gb:ai67a05.s1 Soares_testis_NHT Homo sap	4.91	9.40
	305726	AA828156	Hs.73742	ribosomal protein, large, P0	0.19	0.81
	305728	AA828209		gb:of34a02.s1 NCI_CGAP_Kid6 Homo sapiens	5.12	9.29
	305759	AA835353		gb:ak72b06.s1 Barstead spleen HPLRB2 Hom	1.66	4.11
65	305792	AA845256		gb:ak84a08.s1 Barstead spleen HPLRB2 Hom	2.34	4.25
	305864	AA864374	Hs.73742	ribosomal protein, large, P0	0.30	1.40
	305901	AA872968		gb:oh53h08.s1 NCI_CGAP_Kid5 Homo sapiens	2.10	5.21
	305910	AA875981		gb:nx21h02.s1 NCI_CGAP_GC3 Homo sapiens	0.32	1.01
	306015	AA897116		gb:am08b07.s1 Soares_NFL_T_GBC_S1 Homo s	1.56	1.12
70	306017	AA897221	Hs.109058	ribosomal protein S6 kinase, 90kD, polyp	5.21	7.90
	306020	AA897630	Hs.130027	EST	1.96	6.59
	306063	AA906316		gb:ok03g03.s1 Soares_NFL_T_GBC_S1 Homo s	7.38	20.69
	306065	AA906725		gb:ok78g02.s1 NCI_CGAP_GC4 Homo sapiens	7.19	13.48
	306104	AA910956		gb:ok85h11.s1 NCI_CGAP_Kid3 Homo sapiens	6.50	9.13
75	306109	AA911861		gb:og21a07.s1 NCI_CGAP_PNS1 Homo sapiens	4.21	5.25
	306148	AA917409	Hs.288036	tRNA isopentenylpyrophosphate transferas	2.20	2.70
	306242	AA932805		gb:oo60g04.s1 NCI_CGAP_Lu5 Homo sapiens	2.84	5.35
	306288	AA936900		gb:ol53h05.s1 NCI_CGAP_HN3 Homo sapiens	1.60	1.12
	306325	AA953072	Hs.210546	interleukin 21 receptor	1.65	2.26
80	306353	AA961382	Hs.275865	ribosomal protein S18	3.78	6.32
	306375	AA968650	Hs.276018	EST, Moderately similar to JC4662 ribos	4.30	5.74
	306396	AA970223		gb:op09d05.s1 NCI_CGAP_Kid6 Homo sapiens	0.95	2.45
	306428	AA975110	Hs.191228	hypothetical protein FLJ20284	3.19	4.10
	306442	AA976899		gb:oq35e09.s1 NCI_CGAP_GC4 Homo sapiens	4.67	7.44
85	306446	AA977348		gb:oq72e12.s1 NCI_CGAP_Kid6 Homo sapiens	3.92	6.27

	306458	AA978186		gb:op33c06.s1 Soares_NFL_T_GBC_S1 Homo s	3.35	5.77
	306467	AA983508	Hs.163593	ribosomal protein L18a	3.72	5.37
	306510	AA988546		gb:or84d07.s1 NCI_CGAP_Lu5 Homo sapiens	1.00	1.00
	306555	AA994304	Hs.276083	EST, Weakly similar to RL23_HUMAN 60S R	6.61	10.91
5	306557	AA994530		gb:ou57e08.s1 NCI_CGAP_Br2 Homo sapiens	16.20	31.83
	306572	AA995686		gb:os25c12.s1 NCI_CGAP_Kid5 Homo sapiens	2.51	6.52
	306582	AA996248		gb:os18c10.s1 NCI_CGAP_Kid5 Homo sapiens	1.42	3.13
	306598	AI000320	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.91	8.68
	306605	AI000497	Hs.119500	ribosomal protein, large P2	1.96	8.60
10	306656	AI004024		gb:ou11b07.x1 Soares_NFL_T_GBC_S1 Homo s	0.11	0.45
	306676	AI005603	Hs.284136	PRO2047 protein	9.56	17.28
	306686	AI015515		gb:ov29f10.x1 Soares_testis_NHT Homo sap	1.86	3.60
	306702	AI022565	Hs.307670	EST	1.47	1.19
	306728	AI027359	Hs.272572	hemoglobin, alpha 2	1.28	2.83
15	306751	AI032589		gb:ow70h12.s1 Soares_fetal_liver_spleen_	3.91	5.21
	306767	AI038963	Hs.249118	ESTs	3.33	6.06
	306892	AI092465		gb:qa75h12.x1 Soares_fetal_heart_NbHH19W	3.77	7.46
	306897	AI093957		gb:qa33c06.s1 Soares_NhHMPu_S1 Homo sapi	2.12	2.85
	306956	AI125111		gb:am66f03.s1 Barstead spleen HPLRB2 Hom	6.10	10.52
20	306958	AI125152		gb:am55e09.x1 Johnston frontal cortex Ho	1.72	1.56
	307035	AI142774	Hs.119122	ribosomal protein L13a	2.00	4.70
	307041	AI144243		gb:qb85b12.x1 Soares_fetal_heart_NbHH19W	9.12	12.56
	307091	AI167439		gb:ox70h06.s1 Soares_NhHMPu_S1 Homo sapi	4.88	8.52
	307181	AI189251		gb:qc99g06.x1 Soares_pregnant_uterus_NbH	3.55	6.44
25	307297	AI205798	Hs.111334	ferritin, light polypeptide	2.46	4.65
	307317	AI208303	Hs.147333	EST	5.64	10.13
	307327	AI214142	Hs.246381	CD68 antigen	3.18	5.15
	307382	AI223158	Hs.147885	ESTs	2.02	3.73
	307410	AI241715	Hs.77039	ribosomal protein S3A	0.72	0.48
30	307415	AI242118		gb:qh92b02.x1 Soares_NFL_T_GBC_S1 Homo s	2.38	3.51
	307423	AI243205	Hs.179573	collagen, type I, alpha 2	2.60	5.44
	307426	AI243364		gb:qh30g11.x1 Soares_NFL_T_GBC_S1 Homo s	3.18	7.67
	307517	AI275055		gb:q172d03.x1 Soares_NhHMPu_S1 Homo sapi	1.00	1.00
	307551	AI281556		gb:qu52f11.x1 NCI_CGAP_Lym6 Homo sapiens	3.40	11.20
35	307561	AI282207		gb:qp65a12.x1 Soares_fetal_lung_NbHL19W	4.74	15.51
	307608	AI290295		gb:qm01f02.x1 Soares_NhHMPu_S1 Homo sapi	3.50	7.19
	307657	AI306428	Hs.298262	ribosomal protein S19	1.76	2.44
	307691	AI318285		gb:tb17b01.x1 NCI_CGAP_Ov37 Homo sapiens	1.59	1.31
	307701	AI318583	Hs.276672	EST, Weakly similar to RL6_HUMAN 60S RI	1.90	2.13
40	307718	AI333406	Hs.83753	small nuclear ribonucleoprotein polypept	0.45	0.99
	307730	AI336092		gb:q143b07.x1 Soares_fetal_lung_NbHL19W	1.51	0.99
	307760	AI342387		gb:qt27f07.x1 Soares_pregnant_uterus_NbH	1.00	1.00
	307764	AI342731		gb:qo26a07.x1 NCI_CGAP_Lu5 Homo sapiens	4.52	12.58
	307783	AI347274		gb:tc05d02.x1 NCI_CGAP_Co16 Homo sapiens	1.42	1.00
45	307796	AI350556		gb:qt18f09.x1 NCI_CGAP_GC4 Homo sapiens	6.57	9.61
	307807	AI351799		gb:qt09d02.x1 NCI_CGAP_GC4 Homo sapiens	3.38	7.68
	307808	AI351826		gb:qt09g03.x1 NCI_CGAP_GC4 Homo sapiens	0.33	0.86
	307820	AI355761		gb:qt94a11.x1 NCI_CGAP_Co14 Homo sapiens	7.94	21.57
	307830	AI358722	Hs.276737	EST, Weakly similar to R5HU22 ribosomal	2.05	3.32
50	307852	AI365541		gb:qz08g05.x1 NCI_CGAP_CLL1 Homo sapiens	3.18	5.21
	307902	AI380462		gb:tg02h05.x1 NCI_CGAP_CLL1 Homo sapiens	3.13	4.99
	307997	AI434512	Hs.181165	eukaryotic translation elongation factor	1.00	3.01
	308002	AI435240	Hs.283442	ESTs	5.86	12.64
	308011	AI439473		gb:ti60a08.x1 NCI_CGAP_Lym12 Homo sapien	3.79	5.83
55	308023	AI452732	Hs.251577	hemoglobin, alpha 1	0.38	0.88
	308041	AI458824	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.36	6.06
	308059	AI468938	Hs.276877	EST, Weakly similar to RL10_HUMAN 60S R	1.80	1.98
	308085	AI474135	Hs.181165	eukaryotic translation elongation factor	3.38	4.14
	308101	AI475950	Hs.181165	eukaryotic translation elongation factor	1.30	3.87
60	308106	AI476803		gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S2	38	8.72
	308122	AI480123	Hs.309411	EST	2.70	3.86
	308154	AI500600		gb:tn93d08.x1 NCI_CGAP_Ut2 Homo sapiens	0.66	1.33
	308171	AI523632	Hs.298766	ESTs, Weakly similar to schlafen4 [M.mu	2.48	4.86
	308211	AI557029	Hs.278572	anaplastic lymphoma kinase (Ki-1)	2.43	2.14
65	308213	AI557041		gb:PT2.1_12_E04.r tumor2 Homo sapiens cD	3.34	3.79
	308216	AI557135		gb:PT2.1_13_H06.r tumor2 Homo sapiens cD	4.61	4.78
	308219	AI557246		gb:PT2.1_15_D07.r tumor2 Homo sapiens cD	4.87	7.94
	308271	AI567844	Hs.252259	ribosomal protein S3	2.40	6.35
	308319	AI583983	Hs.181165	eukaryotic translation elongation factor	2.45	3.33
70	308362	AI613519	Hs.105749	KIAA0553 protein	1.24	1.41
	308413	AI636253	Hs.196511	ESTs	3.16	4.82
	308450	AI650860	Hs.96840	KIAA1527 protein	1.79	2.68
	308464	AI672425	Hs.277117	EST, Moderately similar to I38055 myosi	4.87	8.27
	308588	AI718299		gb:as51g12.x1 Barstead aorta HPLRB6 Homo	3.90	5.64
75	308599	AI719893		gb:as47d07.x1 Barstead aorta HPLRB6 Homo	3.32	5.12
	308615	AI738593	Hs.101774	hypothetical protein FLJ23045	3.11	2.36
	308643	AI745040		gb:tr19a12.x1 NCI_CGAP_Ov23 Homo sapiens	3.98	3.69
	308673	AI760864		gb:wi09c10.x1 NCI_CGAP_CLL1 Homo sapiens	0.82	0.99
	308697	AI767143		gb:wi97a07.x1 NCI_CGAP_Kid12 Homo sapien	2.76	5.59
80	308762	AI807405	Hs.259408	ESTs	3.17	6.30
	308778	AI811109		gb:tr04c11.x1 NCI_CGAP_Ov23 Homo sapiens	1.00	1.00
	308782	AI811767	Hs.2186	eukaryotic translation elongation factor	2.94	5.15
	308808	AI818289		gb:wk52c01.x1 NCI_CGAP_Pr22 Homo sapiens	4.41	8.34
	308823	AI824118	Hs.217493	annexin A2	1.85	1.92
85	308875	AI832332		gb:at48g03.x1 Barstead colon HPLRB7 Homo	2.52	3.80

127

308879	AI832763	Hs.75968	thymosin, beta 4, X chromosome	3.38	7.96
308886	AI833240		gb:at76d10.x1 Barstead colon HPLRB7 Homo	3.06	2.65
308898	AI858845		gb:wf32d10.x1 NCI_CGAP_Ut1 Homo sapiens	2.45	3.44
308934	AI865023	Hs.177	phosphatidylinositol glycan, class H	4.14	6.76
308966	AI870704		gb:wl47h01.x1 NCI_CGAP_Ut1 Homo sapiens	1.00	1.00
308979	AI873111		gb:wl52h05.x1 NCI_CGAP_Brn25 Homo sapien	7.15	11.10
309045	AI910902		gb:tq39f01.x1 NCI_CGAP_Ut1 Homo sapiens	0.61	0.59
309051	AI911975		gb:wd78d01.x1 NCI_CGAP_Lu24 Homo sapiens	1.78	4.42
309069	AI917366	Hs.78202	SWI/SNF related, matrix associated, act	3.27	5.88
309083	AI922426	Hs.119598	ribosomal protein L3	2.39	3.34
309105	AI925503	Hs.265884	ESTs	5.54	17.78
309122	AI928178		gb:wo95a11.x1 NCI_CGAP_Kid11 Homo sapien	1.00	2.92
309128	AI928816	Hs.180842	ribosomal protein L13	1.38	5.55
309164	AI937761		gb:wp84b09.x1 NCI_CGAP_Brn25 Homo sapian	2.43	3.11
309177	AI951118		gb:wx63g05.x1 NCI_CGAP_Br18 Homo sapiens	0.81	0.97
309288	AI991525	Hs.299426	ESTs	4.86	7.46
309299	AW003478		gb:wq66c06.x1 NCI_CGAP_GC6 Homo sapiens	4.36	9.43
309303	AW004823		gb:ws93a08.x1 NCI_CGAP_Co3 Homo sapiens	2.88	7.54
309411	AW085201	Hs.244144	EST	4.30	7.14
309437	AW090702	Hs.278242	tubulin, alpha, ubiquitous	2.49	3.11
309459	AW117645	Hs.65114	keratin 18	2.88	4.55
309476	AW129368		gb:xe14b05.x1 NCI_CGAP_Ut4 Homo sapiens	2.08	6.60
309499	AW136325	Hs.279771	Homo sapiens clone PP1596 unknown mRNA	2.82	3.55
309529	AW150807	Hs.181357	laminin receptor 1 (67kD, ribosomal pro	4.78	3.95
309532	AW151119		gb:xg33e10.x1 NCI_CGAP_Ut1 Homo sapiens	1.18	4.40
309526	AW192004	Hs.297681	serine (or cysteine) proteinase inhibit	4.46	12.06
309641	AW194230	Hs.253100	EST, Moderately similar to GHHU Ig gamm	1.47	1.39
309675	AW205681	Hs.253506	EST, Moderately similar to ATPN_HUMAN A	5.68	15.20
309693	AW237221	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	1.00	1.00
309695	AW238011	Hs.295605	mannosidase, alpha, class 2A, member 2	5.45	9.61
309700	AW241170	Hs.179661	tubulin, beta polypeptide	1.41	1.25
309747	AW264889		gb:xq36h02.x1 NCI_CGAP_Lu28 Homo sapiens	5.00	8.35
309769	AW272346		gb:xs13c10.x1 NCI_CGAP_Kid11 Homo sapien	5.76	11.90
309782	AW275156	Hs.156110	immunoglobulin kappa constant	0.42	0.69
309783	AW275401	Hs.254798	EST	1.00	4.11
309799	AW276964		gb:xp58h01.x1 NCI_CGAP_Ov39 Homo sapiens	1.68	1.44
309866	AW299916		gb:xs44c01.x1 NCI_CGAP_Kid11 Homo sapien	3.02	5.04
309903	AW339071	Hs.300697	immunoglobulin heavy constant gamma 3 (G	1.05	1.18
309923	AW340684		gb:hd05g08.x1 Soares_NFL_T_GBC_S1 Homo s	2.30	3.67
309928	AW341418		gb:hd08c03.x1 Soares_NFL_T_GBC_S1 Homo s	7.41	13.71
309931	AW341683		gb:hd13d01.x1 Soares_NFL_T_GBC_S1 Homo s	1.20	12.70
309933	AW341936		gb:hb73f10.x1 NCI_CGAP_Ut2 Homo sapiens	4.90	18.29
309964	AW449111	Hs.257111	hypothetical protein MGC3265	1.99	3.07
310002	AI439096	Hs.323079	Homo sapiens mRNA; cDNA DKFZp564P116 (fr	0.20	0.47
310096	AW136822	Hs.172824	ESTs, Weakly similar to B48013 proline-r	1.51	1.22
310098	AI685841	Hs.161354	ESTs	0.31	0.76
310109	AI203094	Hs.148633	ESTs	2.06	5.83
310112	AW197233	Hs.147253	ESTs	2.92	3.55
310115	AI611317	Hs.223795	ESTs	1.25	0.84
310121	AW195642	Hs.148901	ESTs	1.00	2.71
310146	AI206614	Hs.197422	ESTs	9.50	15.31
310193	AI627653	Hs.147562	ESTs	2.85	4.18
310255	AW450439	Hs.153378	ESTs	4.26	10.63
310261	AI240483	Hs.201217.	ESTs	3.28	4.40
310264	AI915771	Hs.74170	metallothionein 1E (functional)	0.26	0.86
310275	AI242102	Hs.213636	ESTs	5.43	8.19
310282	AI243332	Hs.156055	ESTs	3.15	8.06
310290	AW013815	Hs.149103	ESTs	2.19	3.12
310333	AI253200	Hs.145402	ESTs	1.17	1.91
310346	AI261340	Hs.145517	ESTs	4.81	9.95
310385	AI263392	Hs.156151	ESTs	5.95	7.79
310443	AW119018	Hs.164231	ESTs	2.90	4.63
310444	AW195632	Hs.252956	ESTs	0.85	1.01
310446	AI275715	Hs.145926	ESTs	2.18	3.85
310468	AI984074	Hs.196398	ESTs	3.39	5.19
310477	AI948801	Hs.171073	ESTs	1.00	1.00
310512	AW275603	Hs.200712	ESTs	3.87	8.12
310514	AI681145	Hs.160724	ESTs	3.30	7.33
310524	AW082270	Hs.12496	ESTs, Highly similar to AC004836 1 simil	0.72	1.44
310547	AI302654	Hs.208024	ESTs	3.26	3.46
310584	AI653007	Hs.156304	ESTs	2.39	4.08
310608	AI962234	Hs.196102	ESTs	5.60	6.49
310624	AI341594		gb:Human endogenous retrovirus H proteas	4.91	9.09
310636	AI814373	Hs.164175	ESTs	1.85	1.71
310648	AI347863	Hs.156672	ESTs	0.17	0.69
310694	AI654370	Hs.157752	Homo sapiens mRNA full length insert cDN	5.40	13.22
310695	AI472124	Hs.157757	ESTs	4.82	6.27
310714	AI418446	Hs.157882	ESTs	1.76	3.51
310722	AI969803	Hs.157289	ESTs	1.14	6.85
310756	AI916560	Hs.158707	ESTs	8.46	13.01
310764	AI376769	Hs.167172	ESTs	4.76	7.37
310848	AI459554	Hs.161286	ESTs	2.84	1.96
310851	AW291714	Hs.221703	ESTs	1.00	2.32
310854	AI421677	Hs.161332	ESTs	6.37	7.94
310858	AI871000	Hs.161330	ESTs	6.07	9.84

	310864	AI924558	Hs.161399	ESTs	0.87	0.78
	310875	T47764	Hs.132917	ESTs	1.00	3.63
	310896	AW157731	Hs.270982	ESTs, Moderately similar to ALU7_HUMAN A	7.07	16.68
	310922	AW195634	Hs.170401	ESTs	1.00	1.00
5	310955	AI560210	Hs.263912	ESTs	10.08	17.66
	310957	AW190974	Hs.196918	ESTs	2.18	3.18
	311000	AI521830	Hs.171050	ESTs	3.06	6.64
	311012	AW298070	Hs.241097	ESTs	1.23	3.77
	311034	AI564023	Hs.311389	ESTs, Moderately similar to PT0375 natur	2.44	2.09
10	311074	AW290922	Hs.199848	ESTs	6.04	14.19
	311134	AI990849	Hs.196971	ESTs	3.54	6.96
	311174	AW450552	Hs.205457	periaxin	0.65	0.95
	311187	AI638374	Hs.224189	ESTs	2.46	2.78
	311220	AI656040	Hs.196532	ESTs	1.10	2.52
15	311230	AI989808	Hs.197663	ESTs	1.41	1.75
	311236	AI653378	Hs.197674	ESTs	2.18	2.11
	311242	AW016812	Hs.200266	ESTs	0.63	5.11
	311258	AI671221	Hs.199887	ESTs	1.00	1.41
	311277	AW072813	Hs.270868	ESTs, Moderately similar to ALU4_HUMAN A	2.55	1.94
20	311294	AA826425	Hs.291829	ESTs	1.04	2.69
	311308	F12664	Hs.49000	ESTs	1.96	6.70
	311351	AI682303	Hs.201274	ESTs	4.77	9.38
	311390	AW392997	Hs.202280	ESTs	2.80	6.06
	311405	AW290961	Hs.201815	ESTs	3.80	11.66
25	311409	AI698839		gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo s	3.84	6.94
	311420	AI936291	Hs.209867	ESTs	5.30	12.56
	311443	AI791521	Hs.192206	ESTs	4.39	6.09
	311467	AI934909	Hs.175377	ESTs	1.00	1.04
	311479	AI933572	Hs.211399	ESTs	2.76	5.61
30	311488	R57390	Hs.301064	arfaptin 1	2.50	5.73
	311495	AW300077	Hs.221358	ESTs	3.63	6.09
	311511	AW444568	Hs.210303	ESTs	2.00	2.87
	311534	AW130351	Hs.243549	ESTs	0.31	1.33
	311537	AI805121	Hs.211828	ESTs	3.69	5.85
35	311543	AI681360	Hs.201259	ESTs	1.73	1.34
	311551	AW449774	Hs.296380	POM (POM121 rat homolog) and ZP3 fusion	3.31	6.12
	311557	AI819230	Hs.211238	interleukin-1 homolog 1	1.00	1.00
	311558	Z44432	Hs.63128	KIAA1292 protein	2.25	3.41
	311559	AW008271	Hs.265848	similar to rat myomegalin	2.68	5.90
40	311563	AI922143	Hs.211334	ESTs	2.39	3.32
	311586	AI827834	Hs.211227	ESTs	2.47	3.85
	311616	AW450675	Hs.212709	ESTs	1.00	1.00
	311621	AI924307	Hs.213464	ESTs	4.16	6.74
	311635	AI928456	Hs.213081	ESTs	2.17	3.76
45	311668	AW193574	Hs.240044	ESTs	2.60	3.12
	311672	R11807	Hs.20914	hypothetical protein FLJ23056	2.79	5.18
	311683	AW183738	Hs.232644	ESTs	0.19	0.96
	311700	R49601	Hs.171495	retinoic acid receptor, beta	6.28	8.83
	311714	AW131785	Hs.246831	ESTs, Weakly similar to CIKG_HUMAN VOLTA	5.00	8.17
50	311735	AW294416	Hs.144687	Homo sapiens cDNA FLJ12981 fis, clone NT	0.96	0.72
	311743	T99079	Hs.191194	ESTs	1.00	1.95
	311783	AI682478	Hs.13528	hypothetical protein FLJ14054	0.16	0.77
	311785	AI056769	Hs.133512	ESTs	1.34	3.97
	311799	AA780791	Hs.14014	ESTs, Weakly similar to KIAA0973 protein	8.52	13.32
55	311819	AW265275	Hs.254325	ESTs	3.58	3.91
	311823	AI089422	Hs.131297	ESTs	1.40	1.72
	311877	AA349893	Hs.85339	G protein-coupled receptor 39	0.95	0.91
	311886	AA522738	Hs.132554	ESTs	0.88	0.87
	311896	AW206447		gb:UI-H-BI1-afg-g-02-0-UI.s1 NCI_CGAP_Su	1.66	1.13
60	311910	N28365	Hs.22579	Homo sapiens clone CDABP0036 mRNA sequen	1.66	2.30
	311923	T60843	Hs.189679	ESTs	0.42	2.63
	311933	AI597963	Hs.118726	ESTs	1.88	3.02
	311959	T67262	Hs.124733	ESTs	2.02	2.33
	311960	AW440133	Hs.189690	ESTs	3.87	6.62
65	311967	AI382726	Hs.182434	ESTs	5.80	8.14
	311975	AA804374	Hs.272203	Homo sapiens cDNA FLJ20843 fis, clone AD	0.98	3.26
	312005	T78450	Hs.13941	ESTs	0.12	1.39
	312028	T78886	Hs.284450	ESTs	3.78	4.92
	312046	AI580018	Hs.268591	ESTs	4.11	7.32
70	312056	T83748	Hs.268594	ESTs	2.36	3.08
	312064	AA576713	Hs.191155	ESTs	3.34	5.28
	312088	AW303760	Hs.13685	ESTs	1.60	1.15
	312093	T91809	Hs.121296	ESTs	0.68	0.85
	312094	Z78390		gb:HSZ78390 Human fetal brain S. Meier-E	3.05	4.48
75	312097	AI352096	Hs.112180	zinc finger protein 148 (pHZ-52)	4.52	9.70
	312118	T85332	Hs.178294	ESTs	2.40	2.60
	312128	AI052609	Hs.17631	Homo sapiens cDNA FLJ20118 fis, clone CO	2.39	3.53
	312147	T89855	Hs.195648	ESTs	0.67	1.03
	312175	AA953383	Hs.127554	ESTs	5.85	10.60
80	312179	AI052572	Hs.269864	ESTs	2.41	3.32
	312201	AI928365	Hs.91139	solute carrier family 1 (neuronal/epithe	0.24	0.89
	312207	H90213	Hs.191330	ESTs	2.20	4.55
	312220	N74613		gb:za55a07.s1 Soares fetal liver spleen	4.28	11.13
	312252	AI128388	Hs.143655	ESTs	1.64	1.57
85	312304	AA491949	Hs.269392	ESTs	0.12	2.47

129

	312318	AW235092	Hs.143981	ESTs	3.46	5.69
	312319	AA216698	Hs.180780	TERA protein	5.78	4.46
	312321	R65210	Hs.166937	ESTs	0.44	1.74
	312331	AA825512	Hs.289101	glucose regulated protein, 58kD	3.73	5.96
5	312339	AA524394	Hs.165544	ESTs	3.07	0.95
	312353	AI675558	Hs.181867	ESTs	10.08	16.73
	312375	AI375096	Hs.172405	cell division cycle 27	2.78	3.71
	312376	R52089	Hs.172717	ESTs	1.00	1.00
	312389	AI863140	·	gb:tz43h12.x1 NCI_CGAP_Bm52 Homo sapien	2.37	3.98
10	312437	AA995028		gb:RC4-BT0629-120200-011-b10 BT0629 Homo	4.06	5.41
	312440	AI051133	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	1.00	1.00
	312451	R59989	Hs.176539	ESTs	4.96	10.04
	312458	AI167637	Hs.146924	ESTs	1.11	1.00
	312507	AI168177	Hs.143653	ESTs	5.89	8.24
15	312520	AI742591	Hs.205392	ESTs	3.30	8.92
	312548	AI566228	Hs.159426	hypothetical protein PRO2121	1.38	1.65
	312564	H21520	Hs.35088	ESTs	0.40	0.77
	312583	AI193122	Hs.124141	ESTs	0.13	0.94
	312599	AI865073	Hs.125720	ESTs	3.75	5.29
20	312602	AA046451	Hs.165200	ESTs	6.78	12.93
	312645	H52121	Hs.193007	ESTs	0.38	1.13
	312666	AI240582	Hs.214578	ESTs	0.98	2.03
	312689	AW450461	Hs.203965	ESTs	0.21	0.61
	312817	H75459	Hs.233425	ESTs	1.51	0.85
25	312846	AW152104	Hs.200879	ESTs	8.93	13.78
	312873	AI690071	Hs.283552	ESTs, Weakly similar to unnamed protein	4.20	6.23
	312893	AI016204	Hs.172922	ESTs	2.67	3.15
	312902	AW292797	Hs.130316	ESTs, Weakly similar to T2D3_HUMAN TRANS	1.19	0.71
	312925	N90868	Hs.271695	ESTs	2.50	4.25
30	312936	AI681581	Hs.121525	ESTs	1.00	1.17
	312975	AI640506	Hs.293119	ESTs, Weakly similar to ALU7_HUMAN ALU S	2.30	4.80
	312978	N24887	Hs.292500	ESTs	0.60	1.05
	312980	AA497043	Hs.115685	ESTs	3.12	3.60
	312984	N25871	Hs.177337	ESTs	2.03	2.13
35	313000	AI147412	Hs.146657	ESTs	5.52	8.42
	313029	AA731520	Hs.170504	ESTs	0.96	1.39
	313039	AI419290	Hs.149990	ESTs, Weakly similar to unnamed protein	6.48	13.20
	313049	AW293055	Hs.119357	ESTs	6.44	10.73
	313056	AI651930	Hs.135684	ESTs	1.51	2.04
40	313058	D81015	Hs.125382	ESTs	0.25	1.50
	313070	AI422023	Hs.161338	ESTs	8.56	11.60
	313097	AI676164	Hs.204339	ESTs	3.72	4.56
	313130	AW449171	Hs.168677	ESTs	3.28	5.06
	313136	N59284	Hs.288010	ESTs	0.49	1.36
45	313153	AI240838	Hs.132750	ESTs	5.36	5.52
	313210	N74077	Hs.197043	ESTs	0.30	0.66
	313236	AW238169	Hs.83513	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.16	8.76
	313239	W19632	Hs.124170	ESTs	1.00	3.87
	313265	N93466	Hs.121764	ESTs, Weakly similar to testicular tekti	0.74	2.06
50	313267	AI770008	Hs.129583	ESTs	0.23	1.30
	313275	AI027604	Hs.159650	ESTs	6.68	9.57
	313290	AI753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	1.34	1.07
	313292	AI362991	Hs.202121	ESTs, Weakly similar to env protein [H.s	2.00	4.32
	313325	AI420611	Hs.127832	ESTs	1.20	2.27
55	313357	AW074848	Hs.201501	ESTs	4.02	5.33
	313393	AI574685	Hs.200141	ESTs	1.36	2.84
	313399	AW376889	Hs.194097	ESTs	2.58	5.26
	313414	AI241540	Hs.132933	ESTs	6.57	15.07
	313417	AA741151	Hs.137323	ESTs	0.63	3.01
60	313457	AA576052	Hs.193223	Homo sapiens cDNA FLJ11646 fis, clone HE	2.78	4.70
	313499	AI261390	Hs.146085	KIAA1345 protein	0.91	2.37
	313516	AA029058	Hs.135145	ESTs	3.41	7.08
	313556	AA628517	Hs.118502	ESTs	0.23	0.70
	313569	AI273419	Hs.135146	hypothetical protein FLJ13984	1.88	1.00
65	313570	AA041455	Hs.209312	ESTs	0.73	2.27
	313638	AI753075	Hs.104627	Homo sapiens cDNA FLJ10158 fis, clone HE	1.00	1.72
	313662	AA740151	Hs.130425 ·	ESTs	0.20	1.42
	313671	W49823	Hs.104613	RP42 homolog	1.00	1.00
	313672	AW468891	Hs.122948	ESTs	3.46	5.80
70	313690	AI493591	Hs.78146	platelet/endothelial cell adhesion molec	0.51	0.97
	313711	AA398070	Hs.133471	ESTs	0.18	1.01
	313723	AA070412		gb:zm58c10.s1 Stratagene neuroepithelium	1.08	1.03
	313726	AI744687	Hs.257806	ESTs	2.13	2.99
	313774	AW136836	Hs.144583	ESTs	1.38	1.19
75	313784	AA910514	Hs.134905	ESTs	3.88	5.78
	313790	AW078569	Hs.177043	ESTs	0.22	2.06
	313832	AW271022	Hs.133294	ESTs	1.15	0.91
	313834	AW418779	Hs.114889	ESTs	0.68	3.14
	313835	AI538438	Hs.159087	ESTs	5.74	8.88
80.	313852	H18633	Hs.123641	·protein tyrosine phosphatase, receptor t	0.16	1.14
	313854	AW470806	Hs.275002	ESTs	2.09	4.05
	313865	AA731470	Hs.163839	ESTs	3.41	4.09
	313871	AW471088	Hs.145950	ESTs	5.28	6.83
	313883	AI949384		gb:nu76d01.s1 NCI_CGAP_Alv1 Homo sapiens	2.90	10.91
85	313915	AI969390	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	1.00	1.00

	ID	Accession	Hs	Description	Val1	Val2
	313926	AW473830	Hs.171442	ESTs	3.40	4.11
	313948	AW452823	Hs.135268	ESTs	5.77	9.15
	313978	AI870175	Hs.13957	ESTs	0.46	0.75
	313983	AI829133	Hs.226780	ESTs	4.10	6.40
5	314035	AA164199	Hs.270152	ESTs	5.88	7.90
	314037	AW300048	Hs.275272	ESTs	1.00	3.79
	314040	AA166970	Hs.118748	ESTs	7.60	11.33
	314067	AW293538	Hs.51743	KIAA1340 protein	1.86	1.21
	314103	AI028477	Hs.132775	ESTs	2.90	5.29
10	314107	AA806113	Hs.189025	ESTs	2.00	1.66
	314113	AA218986	Hs.118854	ESTs	0.91	4.17
	314124	AW118745	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.53	3.32
	314126	AA226431		gbnc18b12.s1 NCI_CGAP_Pr1 Homo sapiens	3.13	5.08
	314128	AA935633	Hs.194628	ESTs	2.90	6.35
15	314151	AA236163	Hs.202430	ESTs	4.15	6.45
	314184	AW081795	Hs.233465	ESTs	3.44	4.65
	314192	AW290975	Hs.118923	ESTs	1.00	1.23
	314244	AL036450	Hs.103238	ESTs	2.88	3.67
	314253	AA278679	Hs.189510	ESTs	4.98	7.16
20	314262	AW086215	Hs.246096	ESTs	0.38	1.94
	314320	AA811598	Hs.275809	ESTs	3.34	5.66
	314332	AL037551	Hs.95612	ESTs	2.85	2.09
	314335	AA287443	Hs.142570	Homo sapiens clone 24629 mRNA sequence	4.35	4.78
	314340	AW304350	Hs.130879	ESTs, Moderately similar to putative p15	0.77	0.86
25	314351	AA292275	Hs.193746	ESTs	3.07	3.77
	314376	AI628633	Hs.324679	ESTs	4.10	6.11
	314443	AA827125	Hs.192043	ESTs	6.20	13.67
	314458	AI217440	Hs.143873	ESTs	0.58	2.49
	314466	AA767818	Hs.122707	ESTs	2.53	2.62
30	314478	AI521173	Hs.125507	DEAD-box protein	3.94	5.65
	314482	AL043807	Hs.134182	ESTs	1.30	1.44
	314506	AA833655	Hs.206868	Homo sapiens cDNA FLJ14056 fis, clone HE	3.28	3.47
	314519	R42554	Hs.210862	T-box, brain, 1	3.12	6.16
	314529	AL046412	Hs.202151	ESTs	3.43	6.87
35	314546	AW007211	Hs.16131	hypothetical protein FLJ12876	1.38	1.00
	314552	AI564127	Hs.143493	ESTs	2.29	5.27
	314579	AW197442	Hs.116998	ESTs	3.87	5.75
	314580	AW451832	Hs.255938	ESTs, Moderately similar to KIAA1200 pro	0.10	0.71
	314585	AA918474	Hs.216363	ESTs	1.08	1.40
40	314589	AW384790	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	1.00	1.00
	314592	AA435761	Hs.192148	ESTs	0.90	2.60
	314603	AA418024	Hs.270670	ESTs	4.56	6.29
	314604	AA946582	Hs.8700	deleted in liver cancer 1	3.42	3.92
	314606	AA418241	Hs.188767	ESTs	2.97	4.55
45	314648	AA878419		gb:EST391378 MAGE resequences, MAGP Homo	1.42	1.36
	314699	AI038719	Hs.132801	ESTs	3.66	4.97
	314701	AI754634	Hs.131987	ESTs	0.03	0.90
	314710	AI669131	Hs.290989	EST	3.40	7.52
	314750	AI095005	Hs.135174	ESTs	2.80	6.54
50	314767	AW135412	Hs.164002	ESTs	3.20	4.26
	314801	AA481027	Hs.109045	hypothetical protein FLJ10498	1.00	1.00
	314817	AI694139	Hs.192855	ESTs	0.91	0.99
	314835	AI281370	Hs.76064	ribosomal protein L27a	5.75	7.44
	314852	AI903735		gb:MR-BT035-200199-031 BT035 Homo sapien	1.68	4.34
55	314853	AA729232	Hs.153279	ESTs	0.60	1.85
	314940	AW452768	Hs.162045	ESTs	10.10	16.20
	314941	AA515902	Hs.130650	ESTs	0.31	1.02
	314943	AI476797	Hs.184572	cell division cycle 2, G1 to S and G2 to	2.18	0.37
	314955	AA521382	Hs.192534	ESTs	2.59	3.90
60	314973	AW273128	Hs.300268	ESTs	1.05	1.25
	315004	AA527941	Hs.325351	EST	5.64	13.63
	315006	AI538513	Hs.298241	Transmembrane protease, serine 3	0.52	1.78
	315033	AI493046	Hs.146133	ESTs	2.46	1.00
	315035	AI569476	Hs.177135	ESTs	0.34	1.33
65	315056	AI202703	Hs.152414	ESTs	2.10	2.64
	315069	AI821517	Hs.105866	ESTs	1.00	1.30
	315071	AA552690	Hs.152423	Homo sapiens cDNA: FLJ21274 fis, clone C	1.78	1.00
	315073	AW452948	Hs.257631	ESTs	1.17	1.52
	315078	AA568548	Hs.190616	ESTs	3.00	3.79
70	315080	AA744550	Hs.136345	ESTs	1.00	1.00
	315120	AA564991	Hs.269477	ESTs	0.64	1.44
	315175	AI025842	Hs.152530	ESTs	0.61	1.91
	315193	AI241331	Hs.131765	ESTs	1.06	0.97
	315196	AA972756	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	0.48	1.96
75	315200	AI808235	Hs.307686	EST	3.76	9.40
	315254	AI474433	Hs.179556	ESTs	5.37	9.36
	315353	AW452608	Hs.279610	hypothetical protein FLJ10493	1.00	1.30
	315397	AA218940	Hs.137516	fidgetin-like 1	3.38	2.24
	315403	AW362980	Hs.163924	ESTs	2.04	5.23
80	315431	AA622104	Hs.184838	ESTs	2.36	8.04
	315454	AI239473		gb:qh36f02.x1 Soares_NFL_T_GBC_S1 Homo s	3.46	7.64
	315455	AW393391	Hs.156919	ESTs	3.78	5.76
	315473	AI681671	Hs.312671	ESTs, Moderately similar to OVCA1	0.89	2.15
	315483	AW512763	Hs.222024	transcription factor BMAL2	2.32	1.96
85	315526	AI193048	Hs.128685	ESTs	1.67	1.78

315530	AI200852	Hs.127780	ESTs	1.05	1.01
315541	AI168233	Hs.123159	sperm associated antigen 4	0.85	0.56
315552	AW445034	Hs.256578	ESTs	1.00	2.22
315562	AA737415	Hs.152826	ESTs	2.66	2.48
315577	AW513545	Hs.17283	hypothetical protein FLJ10690	2.20	2.25
315587	AI268399	Hs.140489	ESTs	1.00	1.04
315589	AW072387	Hs.158258	Homo sapiens mRNA; cDNA DKFZp434B1272 (f	0.14	1.05
315623	AA364078	Hs.258189	ESTs	7.44	12.56
315634	AA837085	Hs.220585	ESTs	0.50	1.40
315668	AA912347	Hs.136585	ESTs	0.43	1.22
315677	AI932662	Hs.164073	ESTs	0.60	1.39
315706	AW440742	Hs.155556	hypothetical protein FLJ20202	2.18	3.77
315707	AI418055	Hs.161160	ESTs	2.88	2.63
315730	H25899	Hs.201591	ESTs	0.11	0.60
315745	AI821759	Hs.191856	ESTs	3.50	7.25
315791	AA678177		gbzJ15a05.s1 Soares_fetal_liver_spleen_	1.78	2.63
315801	AA827752	Hs.266134	ESTs	4.31	6.23
315820	AI652022	Hs.258785	ESTs	2.35	3.01
315878	AA683336	Hs.189046	ESTs	2.12	2.64
315905	AI821911	Hs.209452	ESTs	1.03	1.97
315923	AI052789	Hs.133263	ESTs	2.63	5.06
315954	AW276810	Hs.254859	ESTs, Moderately similar to ALU5_HUMAN A	1.21	0.85
315978	AA830893	Hs.119769	ESTs	3.09	3.41
316001	AI248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	2.20	6.82
316011	AW516953	Hs.201372	ESTs	0.35	1.63
316012	AA764950	Hs.119898	ESTs	6.56	8.13
316040	AI983409	Hs.189226	ESTs	5.69	10.69
316048	AI720759	Hs.224971	ESTs	2.84	10.45
316076	AW297895	Hs.116424	ESTs	0.30	1.05
316124	AI308862	Hs.167028	ESTs	1.00	1.43
316151	AI806016	Hs.156520	ESTs	5.80	9.03
316187	AW518299	Hs.192253	ESTs	1.20	3.96
316204	AA731509	Hs.120257	ESTs	4.92	6.94
316232	AW297853	Hs.251203	ESTs	1.48	1.60
316275	AI671041	Hs.292611	ESTs, Moderately similar to ALU1_HUMAN A	5.86	12.14
316291	AW375974	Hs.156704	ESTs	2.73	2.69
316303	AA740994	Hs.209609	ESTs	1.53	1.26
316344	AA744518	Hs.120610	ESTs	3.66	8.34
316346	AI028478	Hs.157447	ESTs	3.51	6.69
316365	AI627845	Hs.210776	ESTs	2.50	4.33
316380	AI393378	Hs.164496	ESTs	1.16	2.16
316470	AA809902	Hs.243813	ESTs	5.40	10.34
316509	AA767310	Hs.291766	ESTs	2.46	2.89
316514	AA768037	Hs.291671	ESTs	4.70	6.04
316519	AI929097		gbxod10c11.s1 NCI_CGAP_GC81 Homo sapiens	4.41	9.70
316609	AW292520	Hs.122082	ESTs	1.00	2.89
316633	AI125586	Hs.127955	ESTs	2.61	3.72
316700	AW172316	Hs.252961	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.46	4.64
316711	AI743721	Hs.285316	ESTs, Moderately similar to ALU7_HUMAN A	4.45	6.95
316713	AI090671	Hs.134807	hypothetical protein FLJ12057	0.30	2.40
316715	AI440266	Hs.170673	ESTs, Weakly similar to AF126780 1 retin	0.20	1.45
316787	AW369770	Hs.130351	ESTs	4.05	5.53
316809	AA825839	Hs.202238	ESTs	2.25	3.82
316811	AA922060	Hs.132471	ESTs	1.00	1.32
316812	AW135045	Hs.232001	ESTs	3.28	4.70
316818	AA827176	Hs.124316	ESTs	0.67	1.81
316824	AA837416	Hs.124299	ESTs	3.53	6.00
316827	AI380429	Hs.172445	ESTs	0.72	1.56
316891	AW298119	Hs.202536	ESTs	1.64	2.97
316951	AA134365	Hs.57548	ESTs	1.45	1.08
316970	AA860172	Hs.132406	ESTs	1.00	1.53
316971	AA860212	Hs.170991	ESTs	1.08	1.96
316990	AA861611	Hs.130543	ESTs	5.44	10.04
317001	AI627917	Hs.233694	hypothetical protein FLJ11350	3.56	4.37
317008	AW051597	Hs.143707	ESTs	0.69	1.37
317051	AA873253	Hs.126233	ESTs	6.18	12.72
317128	AA971374	Hs.125674	ESTs	1.87	2.66
317129	H12523	Hs.78521	Homo sapiens cDNA: FLJ21193 fis, clone C	4.12	6.64
317137	AW341557	Hs.125710	ESTs	2.82	5.12
317196	AI348258	Hs.153412	ESTs	1.98	2.51
317212	AI866468	Hs.148294	ESTs	1.86	2.83
317223	AW297920	Hs.130054	ESTs	0.83	1.57
317224	D56760	Hs.93029	sparc/osteonectin, cwcv and kazal-like d	2.74	0.86
317266	AA906289	Hs.203614	ESTs	1.00	1.00
317282	AI807444	Hs.176101	ESTs	2.60	4.21
317285	AW370882	Hs.222080	ESTs	1.96	3.49
317302	AA908709	Hs.135564	ESTs	7.16	8.32
317304	AW449899	Hs.130184	ESTs	1.38	2.28
317320	AA927151	Hs.130452	ESTs	3.58	8.13
317413	AW341701	Hs.126622	ESTs	2.08	4.92
317417	AA918420	Hs.145378	ESTs	3.06	4.79
317452	AA972955	Hs.135568	ESTs	4.22	9.21
317519	AI859695	Hs.126860	ESTs	1.88	4.15
317521	AI824338	Hs.126891	ESTs	3.12	4.55
317529	AI916517	Hs.126865	ESTs	2.73	3.34

317570	AI733361	Hs.127122	ESTs	1.00	2.43
317571	AA938663	Hs.199828	ESTs	5.20	11.95
317598	AW206035	Hs.192123	ESTs	0.33	1.56
317627	AI346110	Hs.132553	ESTs	1.50	1.39
317650	AI733310	Hs.127346	ESTs	0.48	1.46
317659	AA961216	Hs.127785	ESTs	4.18	7.14
317674	AW294909	Hs.132208	ESTs	2.92	3.20
317686	AA969051	Hs.187319	ESTs	1.00	1.01
317692	AI307659	Hs.174794	ESTs	5.33	9.59
317701	AI574774	Hs.128014	ESTs	1.00	1.00
317711	AI733015	Hs.272189	ESTs	5.13	7.81
317722	AI733373	Hs.128119	ESTs	2.50	6.03
317756	AA973667	Hs.128320	ESTs	1.59	1.30
317777	AI143525	Hs.47313	KIAA0258 gene product	1.00	2.48
317799	AW498273	Hs.128808	ESTs	1.78	2.11
317803	AA983251	Hs.128899	ESTs	0.80	1.06
317821	AI368158	Hs.70983	PTPL1-associated RhoGAP 1	0.17	0.68
317848	AI820575	Hs.129086	Homo sapiens cDNA FLJ12007 fis, clone HE	5.30	8.16
317850	N29974	Hs.152982	hypothetical protein FLJ13117	1.30	2.28
317861	AW341064	Hs.129119	ESTs	2.18	5.93
317865	AI298794	Hs.129130	ESTs	4.48	8.20
317869	AW295184	Hs.129142	deoxyribonuclease II beta	0.44	0.99
317881	AI827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	4.06	2.23
317890	AI915599	Hs.129225	ESTs	4.68	7.48
317899	AI952430	Hs.150614	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.14	3.37
317986	AI005163	Hs.201378	ESTs, Weakly similar to T12545 hypotheti	0.28	1.66
318001	AW235697	Hs.130980	ESTs	5.12	9.97
318016	AI016694	Hs.256921	ESTs	1.86	4.50
318023	AW243058	Hs.131155	ESTs	2.92	5.22
318054	AW449270	Hs.232140	ESTs	3.92	6.37
318068	AI024540	Hs.131574	ESTs	1.21	1.27
318117	AI208304	Hs.250114	ESTs	0.86	1.17
318187	AI792585	Hs.133272	ESTs, Weakly similar to ALUC_HUMAN IIII	5.90	6.98
318223	AI077540	Hs.134090	ESTs	1.05	0.90
318240	AI085377	Hs.143610	ESTs	3.10	2.40
318255	AI082692	Hs.134662	ESTs	0.02	1.05
318266	AI554341	Hs.271443	ESTs	6.12	10.55
318330	AI093840	Hs.143758	ESTs	4.98	7.90
318369	AI493501	Hs.170974	ESTs	2.46	5.62
318428	AI949409	Hs.194591	ESTs	0.77	0.45
318458	AI149783	Hs.158438	ESTs	3.54	4.92
318467	AI151395	Hs.144834	ESTs	4.56	5.62
318473	AI939339	Hs.146883	ESTs	2.08	4.05
318476	AI693927	Hs.265165	ESTs	4.22	8.07
318487	AI167877	Hs.143716	ESTs	1.47	1.05
318488	AI217431	Hs.144709	ESTs	1.40	4.14
318491	T26477	Hs.22883	ESTs, Weakly similar to ALU8_HUMAN ALU S	1.84	1.90
318499	T25451		gb:PTHI188 HTCDL1 Homo sapiens cDNA 5'3	2.58	5.20
318537	AA377908	Hs.13254	ESTs	3.26	4.18
318538	N28625	Hs.74034	Homo sapiens clone 24651 mRNA sequence	0.35	1.07
318547	R20578	Hs.90431	ESTs	3.22	4.60
318552	R18364	Hs.90363	ESTs	4.87	9.06
318575	R55102	Hs.107761	ESTs, Weakly similar to unnamed protein	1.91	1.98
318580	T34571	Hs.49007	poly(A) polymerase alpha	2.74	6.22
318587	AA779704	Hs.168830	Homo sapiens cDNA FLJ12136 fis, clone MA	0.85	2.46
318596	AI470235	Hs.172698	EST	4.88	4.93
318622	T48325	Hs.237658	apolipoprotein A-II	4.80	12.51
318629	N25163	Hs.8861	ESTs	0.39	1.04
318637	AA243539	Hs.9196	hypothetical protein	1.72	3.57
318648	T77141	Hs.184411	albumin	6.27	9.91
318650	AA393302	Hs.176626	hypothetical protein EDAG-1	3.96	8.84
318671	AA188823	Hs.299254	Homo sapiens cDNA: FLJ23597 fis, clone L	1.53	0.81
318679	T58115	Hs.10336	ESTs	1.00	2.19
318711	AI936475	Hs.101282	Homo sapiens cDNA: FLJ21238 fis, clone C	3.05	3.18
318725	AI962487	Hs.242990	ESTs	1.08	2.46
318728	Z30201	Hs.291289	ESTs, Weakly similar to ALU1_HUMAN ALU S	0.77	1.33
318740	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	0.25	1.49
318776	R24953	Hs.23766	ESTs	1.00	3.01
318784	H00148	Hs.5181	proliferation-associated 2G4, 38kD	2.70	3.86
318816	F07873	Hs.21273	ESTs	3.90	7.13
318865	H10818		gb:ym04f10.r1 Soares infant brain 1NIB H	2.25	3.56
318879	R56332	Hs.18268	adenylate kinase 5	1.78	5.00
318881	Z43224	Hs.124952	ESTs	4.79	14.13
318894	F08138	Hs.7387	DKFZP564B116 protein	5.31	7.00
318901	AW368520	Hs.301528	L-kynurenine/alpha-aminoadipate aminotra	1.03	0.91
318925	Z43577	Hs.21470	ESTs	2.23	3.80
318936	AI219221	Hs.308298	ESTs	1.86	7.16
318982	Z44140	Hs.269622	ESTs	5.84	9.79
318986	Z44186	Hs.169161	ESTs, Highly similar to MAON_HUMAN NADP-	1.00	1.00
319041	Z44720	Hs.98365	ESTs, Weakly similar to weak similarity	3.38	6.11
319103	H05896	Hs.4993	KIAA1313 protein	1.00	1.07
319170	R13578	Hs.285306	putative selenocysteine lyase	3.79	5.03
319196	F07953	Hs.16085	putative G-protein coupled receptor	1.00	2.98
319199	F07361	Hs.13308	ESTs	3.53	5.66
319242	F11472	Hs.12839	ESTs	5.87	7.26

319263	T65331	Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.81	1.57
319267	F11802	Hs.6818	ESTs	1.10	4.72
319270	R13474	Hs.290263	ESTs	4.80	10.40
319279	T65094	Hs.12677	OGI-147 protein	1.50	2.11
319282	AA461358	Hs.12876	ESTs	1.00	1.00
319289	W07304	Hs.79059	transforming growth factor, beta recepto	0.18	0.68
319291	W86578	Hs.285243	hypothetical protein FLJ22029	0.26	0.62
319293	F12119	Hs.12583	ESTs	3.13	4.50
319312	Z45481		gb:HSC2QE041 normalized infant brain cDN	1.10	1.00
319370	H54254	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	0.16	0.73
319391	R05304	Hs.13911	ESTs	1.26	2.43
319396	H67130	Hs.301743	ESTs	0.70	0.76
319398	AA359754	Hs.191196	ESTs	2.45	3.59
319407	R05329		gb:ye91b04.r1 Soares fetal liver spleen	2.00	3.54
319425	T82930		gb:yd39f07.r1 Soares fetal liver spleen	4.28	8.81
319433	R05050	Hs.191198	ESTs	6.15	14.13
319437	AA282420	Hs.111991	ESTs, Weakly similar to Y48A5A.1 [C.eleg	3.26	5.68
319466	AI809937	Hs.116417	ESTs	1.76	5.65
319471	R06546	Hs.19717	ESTs	4.29	4.84
319480	R06933	Hs.184221	ESTs	1.00	1.00
319484	T91772		gb:yd52a10.s1 Soares fetal liver spleen	2.81	4.88
319486	AI382429	Hs.250799	ESTs	2.08	2.82
319508	T99898	Hs.270104	ESTs, Moderately similar to ALU8_HUMAN A	2.80	4.39
319523	T69499	Hs.191184	ESTs	1.55	3.25
319545	R83716	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	1.65	1.19
319546	R09692		gb:yf23b12.r1 Soares fetal liver spleen	5.11	8.54
319552	AA096106	Hs.20403	ESTs	1.89	3.36
319582	T82998	Hs.250154	hypothetical protein FLJ12973	3.48	4.82
319586	D78808	Hs.283683	chromosome 8 open reading frame 4	0.26	0.82
319604	R11679	Hs.297753	vimentin	1.68	3.41
319609	AW247514	Hs.12293	hypothetical protein FLJ21103	3.06	4.24
319611	H14957		gb:ym19c10.r1 Soares infant brain 1NIB H	2.76	4.24
319653	AA770183	Hs.173515	uncharacterized hypothalamus protein HT0	2.51	3.55
319657	R19897	Hs.106604	ESTs	5.32	7.68
319658	R13432	Hs.167481	syntrophin, gamma 1	3.35	5.00
319661	H08035	Hs.21398	ESTs, Moderately similar to A Chain A, H	5.18	12.55
319662	H06382	Hs.21400	ESTs	1.58	1.56
319708	R15372	Hs.22664	ESTs	1.00	1.22
319742	T77668	Hs.21162	ESTs	2.48	3.13
319748	R18178	Hs.295866	Homo sapiens mRNA; cDNA DKFZp434N1923 (f	3.02	4.85
319772	R76633	Hs.22646	ESTs	4.36	11.61
319788	AA321932	Hs.117414	KIAA1320 protein	2.56	3.68
319805	R92857	Hs.271350	likely ortholog of mouse polydom	4.63	6.56
319812	N74880	Hs.264330	N-acylsphingosine amidohydrolase (acid c	0.63	1.32
319834	AA071267		gb:zm61g01.r1 Stratagene fibroblast (937	0.30	0.94
319878	T78517	Hs.13941	ESTs	3.99	6.44
319882	AA258981	Hs.291392	ESTs	5.09	7.36
319912	T77559	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	3.24	3.21
319935	H79460	Hs.271722	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.40	9.42
319944	T79248	Hs.133510	ESTs	3.31	5.39
319947	AA160967	Hs.14479	Homo sapiens cDNA FLJ14199 fis, clone NT	2.90	4.95
319962	H06350	Hs.135056	Human DNA sequence from clone RP5-850E9	1.81	1.57
320007	AA336314		gb:EST40943 Endometrial tumor Homo sapie	3.42	6.29
320018	T83263		gb:yd40h09.r1 Soares fetal liver spleen	2.77	5.14
320030	H63789	Hs.296288	ESTs, Weakly similar to KIAA0638 protein	4.10	6.69
320032	AI699772	Hs.292664	ESTs, Weakly similar to A46010 X-linked	3.27	3.27
320040	AA233671	Hs.87164	hypothetical protein FLJ14001	1.81	1.64
320047	T86564	Hs.302256	EST	3.38	7.36
320063	AA074108	Hs.120844	FOXJ2 forkhead factor	5.90	16.73
320096	H58138	Hs.117915	ESTs	2.08	4.47
320099	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis	1.00	1.00
320112	T92107	Hs.188489	ESTs	2.27	2.06
320140	H94179	Hs.119023	SMC2 (structural maintenance of chromoso	1.00	1.00
320188	AW419200	Hs.172318	ESTs	1.26	1.00
320193	AA831259	Hs.17132	ESTs	2.58	6.23
320195	R62203	Hs.24321	Homo sapiens cDNA FLJ12028 fis, clone HE	2.85	4.53
320199	R78659	Hs.29792	ESTs	0.40	0.94
320203	AL049227	Hs.124776	Homo sapiens mRNA; cDNA DKFZp564N1116 (f	0.84	1.18
320219	AA327564	Hs.127011	tubulointerstitial nephritis antigen	1.00	1.17
320220	AF054910	Hs.127111	tektin 2 (testicular)	0.18	1.09
320225	AF058989	Hs.128231	G antigen, family B, 1 (prostate associa	5.26	13.75
320231	H03139	Hs.24683	ESTs	1.59	1.93
320260	NM_003608	Hs.131924	G protein-coupled receptor 65	1.38	4.56
320267	AL049337	Hs.132571	Homo sapiens mRNA; cDNA DKFZp564P016 (fr	1.00	1.92
320268	H06019	Hs.151293	Homo sapiens cDNA FLJ10664 fis, clone NT	5.59	5.70
320322	AF077374	Hs.139322	small proline-rich protein 3	1.41	1.01
320325	AI167978	Hs.139851	caveolin 2	0.05	0.67
320330	AF026004	Hs.141660	chloride channel 2	2.17	1.26
320339	H10807	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HE	1.81	2.32
320388	H16065	Hs.31286	ESTs	1.00	3.22
320402	R22291	Hs.23368	Homo sapiens clone FLC0578 PRO2852 mRNA,	1.41	1.36
320413	AA203711	Hs.173269	ESTs	2.31	3.61
320432	R62786	Hs.124136	ESTs	11.25	20.78
320436	AA253352	Hs.293563	ESTs	2.22	3.49
320438	W24548	Hs.5669	ESTs	3.53	8.14

320448	AI240233	Hs.80887	v-yes-1 Yamaguchi sarcoma viral related	1.42	3.46
320451	R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (f	0.87	0.81
320484	AA094436	Hs.296267	follistatin-like 1	0.65	1.18
320499	R32555	Hs.24321	Homo sapiens cDNA FLJ12028 fis, clone HE	3.44	7.15
320514	AB007978	Hs.158278	KIAA0509 protein	6.44	13.62
320521	N31464	Hs.24743	hypothetical protein FLJ20171	1.48	1.04
320526	AW374205	Hs.111314	ESTs	3.66	7.87
320527	R34572	Hs.324522	ESTs	3.16	5.63
320536	AA331732	Hs.137224	ESTs	2.83	5.83
320556	AF054177	Hs.14570	hypothetical protein FLJ22530	1.28	1.00
320564	AF056209	Hs.159395	peptidylglycine alpha-amidating monooxyg	1.22	0.81
320587	Z44524	Hs.167456	Homo sapiens mRNA full length insert cDN	1.84	2.44
320635	R54159	Hs.80506	small nuclear ribonucleoprotein polypept	1.00	6.25
320639	AA243258	Hs.7395	hypothetical protein FLJ23182	2.60	2.30
320648	N48521	Hs.26549	Homo sapiens mRNA for KIAA1708 protein,	1.00	1.53
320651	AA489268	Hs.111334	ferritin, light polypeptide	0.14	0.79
320664	AI904216	Hs.91251	hypothetical protein FLJ11198	5.02	8.84
320676	AA132650	Hs.300511	ESTs	3.63	5.37
320683	R59291	Hs.26638	ESTs, Weakly similar to unnamed protein	0.37	1.31
320689	AA334609	Hs.171929	ESTs, Weakly similar to A54849 collagen	1.27	1.02
320696	AW135016	Hs.172780	ESTs	3.53	4.60
320714	AI445591		gb:yq04a10.r1 Soares fetal liver spleen	1.06	0.85
320727	U96044	Hs.181125	immunoglobulin lambda locus	1.35	1.49
320771	AI793266	Hs.117176	poly(A)-binding protein, nuclear 1	0.04	0.82
320794	AA281993	Hs.91226	ESTs	2.96	4.33
320822	AF100780	Hs.194679	WNT1 inducible signaling pathway protein	0.10	0.79
320824	AF120274	Hs.194689	artemin	1.16	1.11
320830	AJ132445	Hs.266416	claudin 14	1.06	1.75
320843	AA317372	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr	1.36	1.47
320849	D60031	Hs.34771	ESTs	5.30	7.49
320853	AI473796	Hs.135904	ESTs	1.00	1.00
320896	AB002155	Hs.271580	uroplakin 1B	5.90	2.55
320921	R94038	Hs.199538	inhibin, beta C	2.20	1.17
320927	AI205786	Hs.213923	ESTs	0.18	1.46
320957	AI878933	Hs.92023	core histone macroH2A2.2	1.67	2.18
320997	H22544		gb:yn69f11.r1 Soares adult brain N2b5HB5	3.26	3.62
321045	W88483	Hs.293650	ESTs	2.25	4.55
321046	H27794	Hs.269055	ESTs	2.69	4.25
321052	AW372884	Hs.240770	nuclear cap binding protein subunit 2, 2	2.14	2.56
321059	AI092824	Hs.126465	ESTs	1.69	0.53
321062	R87955	Hs.241411	Homo sapiens mRNA full length insert cDN	2.76	5.20
321067	AF131782	Hs.241438	Homo sapiens clone 24941 mRNA sequence	4.79	7.41
321102	AA018306		gb:ze40d08.r1 Soares retina N2b4HR Homo	1.79	4.27
321130	H43750	Hs.125494	ESTs	1.00	3.14
321142	AI817933	Hs.298351	ASPL protein	8.73	15.36
321155	AA336635	Hs.99598	hypothetical protein MGC5338	3.04	5.03
321158	AA700289		gb:yu76f11.r1 Soares fetal liver spleen	4.62	8.39
321170	N53742	Hs.172982	ESTs	2.21	4.46
321199	AW385512		gb:yy56d10.s1 Soares_multiple_sclerosis_	5.69	8.01
321206	H54178	Hs.226469	Homo sapiens cDNA FLJ12417 fis, clone MA	4.00	7.32
321225	AL080073	Hs.251414	Homo sapiens mRNA; cDNA DKFZp564B1462 (f	4.17	4.63
321236	AW371941	Hs.18192	Ser/Arg-related nuclear matrix protein (	1.00	1.00
321244	AF068654		gb:Homo sapiens isolate AN.1 immunoglobu	2.18	9.13
321270	R83560		gb:yv76c06.s1 Soares fetal liver spleen	3.80	5.26
321317	AI937060	Hs.6298	KIAA1151 protein	1.81	1.65
321318	AB033041	Hs.137507	KIAA1215 protein	1.00	1.00
321325	AB033100	Hs.300646	KIAA protein (similar to mouse paladin)	0.44	0.93
321342	AA127984	Hs.222024	transcription factor BMAL2	4.94	4.93
321356	R93443	Hs.271770	ESTs	3.10	4.66
321418	AI739161	Hs.161075	ESTs	2.28	2.54
321420	AI368667	Hs.132743	ESTs	1.13	0.97
321430	U05890		gb:H.sapiens (DIG3) mRNA for immunoglobu	2.42	3.35
321453	N50080	Hs.82845	Homo sapiens cDNA: FLJ21930 fis, clone H	1.60	3.11
321467	X13075		gb:Human 2a12 mRNA for kappa-immunoglobu	0.42	0.72
321468	AA514198	Hs.38540	ESTs	2.46	6.50
321491	H70665	Hs.292549	ESTs	1.00	1.25
321498	AW295517	Hs.255436	ESTs	3.19	6.24
321504	W02356	Hs.268980	ESTs	2.28	3.86
321510	AA703650	Hs.255748	ESTs	2.14	3.94
321513	H84972	Hs.108551	ESTs	2.78	5.37
321516	AI382803	Hs.159235	ESTs	3.06	7.19
321565	AI525773	Hs.266514	hypothetical protein FLJ11342	4.89	7.82
321577	H84260		gb:ys90g04.r1 Soares retina N2b5HR Homo	1.00	1.73
321581	AA019964	Hs.28803	ESTs	4.88	6.73
321582	AA143755	Hs.21858	trinucleotide repeat containing 3	1.00	2.08
321587	H95531		gb:ys76e02.r1 Soares retina N2b4HR Homo	2.26	4.52
321626	AA295430	Hs.96322	hypothetical protein FLJ23560	1.95	3.83
321628	H87064	Hs.161051	ESTs, Moderately similar to ALU6_HUMAN A	0.47	1.02
321642	AW085917	Hs.247084	ESTs	1.52	1.38
321669	H95404	Hs.294110	ESTs	2.17	2.45
321687	AA625149		gb:af70c12.r1 Soares_NhHMPu_S1 Homo sapi	4.31	6.95
321688	H97646	Hs.123158	Homo sapiens cDNA FLJ12830 fis, clone NT	2.82	3.28
321693	AA700017	Hs.173737	ras-related C3 botulinum toxin substrate	0.51	1.08
321700	N55160	Hs.167260	ESTs	4.57	7.46
321701	AW390923	Hs.42568	ESTs	1.00	1.00

135

321709	N25847	Hs.108923	RAB38, member RAS oncogene family	1.00	1.00
321710	N35682	Hs.259743	ESTs	2.97	5.26
321775	AI694875	Hs.202312	Homo sapiens clone N11 NTera2D1 teratoca	1.00	1.00
321777	AI637993	Hs.202312	Homo sapiens clone N11 NTera2D1 teratoca	1.68	0.45
321779	N42729	Hs.163835	ESTs	0.90	0.90
321829	D81993	Hs.8966	tumor endothelial marker 8	2.69	3.89
321846	AA281594	Hs.87902	ESTs	5.11	7.64
321879	AL109670	Hs.302809	ESTs	6.49	9.58
321883	AA426494	Hs.46901	KIAA1462 protein	0.28	0.95
321899	N55158	Hs.29468	ESTs	0.39	0.95
321911	AF026944	Hs.293797	ESTs	6.20	10.76
321949	R49202	Hs.181694	EST	4.62	10.51
321955	AI651866	Hs.195689	ESTs	2.89	5.47
321956	AL110177	Hs.132882	ESTs	0.32	1.25
321987	AL133612	Hs.272759	KIAA1457 protein	1.00	1.83
321991	AL133627	Hs.158923	Homo sapiens mRNA; cDNA DKFZp434K0722 (f	4.00	6.47
322002	AA328801	Hs.84522	ESTs	2.10	3.48
322035	AL137517	Hs.306201	hypothetical protein DKFZp564O1278	1.00	1.90
322044	AW340926		gb:xy51b10.x1 NCI_CGAP_Lu34.1 Homo sapie	3.20	9.67
322057	N92197	Hs.154679	synaptotagmin 1	1.55	1.07
322060	AI341937		gb:qt10a03.x1 NCI_CGAP_GC4 Homo sapiens	4.59	7.68
322070	U80769	Hs.210322	Homo sapiens mRNA for KIAA1766 protein,	2.78	4.52
322083	AF074982	Hs.226031	ESTs, Highly similar to KIAA0535 protein	3.10	5.52
322091	AI819863	Hs.105243	ESTs	1.59	1.75
322125	R93901		gb:yq16c12.r1 Soares fetal liver spleen	2.06	5.27
322130	R98978	Hs.117767	ESTs	10.12	16.49
322147	AF085919	Hs.114176	ESTs	0.94	0.64
322166	AF085958		gb:yr88b03.r1 Soares fetal liver spleen	4.09	6.67
322173	H52567		gb:yt85d04.r1 Soares_pineal_gland_N3HPG	3.46	4.85
322178	H56535		gb:yt88g03.r1 Soares_pineal_gland_N3HPG	0.44	2.54
322179	H92891		gb:yt94c02.s1 Soares_pineal_gland_N3HPG	4.52	7.50
322186	H67346	Hs.269187	ESTs	0.15	0.98
322196	W87895	Hs.211516	ESTs	2.20	5.04
322212	AF087995	Hs.134877	ESTs	3.42	4.84
322221	AI890619	Hs.179562	nucleosome assembly protein 1-like 1	0.82	2.14
322277	AI640193	Hs.226389	ESTs	3.62	3.98
322278	AF086283		gb:zd46f01.r1 Soares_fetal_heart_NbHH19W	1.00	1.00
322284	AI792140	Hs.49265	ESTs	0.66	2.76
322288	AL037273	Hs.7886	pellino (Drosophila) homolog 1	0.71	0.70
322320	AF086419		gb:zd78d03.r1 Soares_fetal_heart_NbHH19W	2.02	2.76
322336	AA308526	Hs.76152	decorin	2.92	4.44
322339	W17348		gb:zb18c07.x5 Soares_fetal_lung_NbHL19W	8.50	11.56
322366	AW404274	Hs.122492	hypothetical protein	0.61	1.34
322372	W25624	Hs.153943	ESTs	7.37	12.07
322374	AI394663	Hs.122116	ESTs, Moderately similar to Osf2 [M.musc	4.78	10.50
322378	AF064819	Hs.201877	DESC1 protein	1.00	1.00
322388	AI815730	Hs.247474	hypothetical protein FLJ21032	7.09	8.49
322416	AA223183	Hs.298442	adaptor-related protein complex 3, mu 1	3.20	5.80
322419	AA248987	Hs.14084	ring finger protein 7	1.64	1.57
322425	W37943	Hs.34892	KIAA1323 protein	0.83	1.00
322431	AA069222	Hs.141892	ESTs	3.96	5.22
322450	AA040131	Hs.25144	ESTs	5.18	12.67
322465	AA137152	Hs.286049	phosphoserine aminotransferase	3.41	2.23
322467	AF116826	Hs.180340	putative protein-tyrosine kinase	1.00	1.30
322473	AA744286	Hs.266935	tRNA selenocysteine associated protein	1.75	2.03
322509	T52172	Hs.302213	ESTs	1.00	2.27
322523	W80398	Hs.193197	ESTs	2.75	5.49
322527	AF147359		gb:Homo sapiens full length insert cDNA	1.25	1.27
322560	AI916847	Hs.270947	ESTs	4.57	8.81
322566	W87285	Hs.269587	ESTs	1.00	1.42
322585	AA837622		gb:zh69c01.r1 Soares_fetal_liver_spleen_	4.18	6.94
322635	AA679084		gb:zh90h08.r1 Soares_fetal_liver_spleen_	2.40	4.85
322641	AA007352	Hs.256042	ESTs	2.94	4.64
322653	AI828854	Hs.258538	striatin, calmodulin-binding protein	0.48	0.38
322664	AA011522		gb:zi03g07.r1 Soares_fetal_liver_spleen_	1.92	2.18
322687	AI110759		gb:AF074666 Human fetal liver cDNA libra	4.14	6.75
322692	AA018117	Hs.60843	potassium voltage-gated channel, shaker-	3.50	5.00
322694	AI110872	Hs.279812	PRO0327 protein	1.80	1.72
322708	AF113674	Hs.283773	clone FLB1727	1.00	3.43
322712	AA021328	Hs.23607	hypothetical protein FLJ11109	3.28	3.86
322766	AW068805	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	1.63	1.53
322770	AA045796	Hs.122682	ESTs	1.53	1.05
322794	AI608591	Hs.38991	S100 calcium-binding protein A2	12.06	1.94
322810	AI962276	Hs.127444	ESTs	4.09	6.90
322818	AW043782	Hs.293616	ESTs	1.20	1.63
322820	AI377755	Hs.120695	ESTs	0.21	1.93
322872	AA827228	Hs.126943	ESTs	2.04	1.63
322882	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	5.26	1.22
322887	AI986306	Hs.86149	phosphoinositol 3-phosphate-binding prot	2.80	2.24
322913	AI733737	Hs.68837	ESTs	2.38	6.61
322926	AI825940	Hs.211192	ESTs	4.02	5.79
322929	AI365585	Hs.146246	ESTs	0.30	1.14
322964	AI905228	Hs.83484	SRY (sex determining region Y)-box 4	2.06	1.13
322971	C15953	Hs.212760	hypothetical protein FLJ13649	1.18	2.00
322981	AA493252	Hs.159577	ESTs	2.28	2.61

322988	C18727	Hs.171941	ESTs	0.39	2.00
323003	AI733859	Hs.149089	ESTs	3.28	1.00
323013	AA134042	Hs.191451	ESTs	3.38	5.68
323025	AL157565	Hs.315369	Homo sapiens cDNA: FLJ23075 fis, clone L	0.06	1.10
323032	AW244073	Hs.145946	ESTs	10.18	21.27
323052	R21124	Hs.85573	Homo sapiens DC29 mRNA, complete cds	1.46	1.90
323064	AL119341	Hs.49359	Homo sapiens mRNA; cDNA DKFZp547E052 (fr	3.08	5.64
323098	AI700025	Hs.270471	ESTs	2.31	4.49
323102	AL119913	Hs.163615	ESTs	5.38	11.64
323155	AL135041		gb:DKFZp762K2310_r1 762 (synonym: hmei2)	2.38	5.56
323176	AW071648	Hs.82101	pleckstrin homology-like domain, family	1.06	1.41
323191	AA195600	Hs.301570	ESTs	0.73	1.24
323225	AA205654	Hs.24790	KIAA1573 protein	5.25	11.95
323232	AA148722	Hs.224680	ESTs	0.45	1.35
323266	AW003362	Hs.243886	nuclear autoantigenic sperm protein (his	1.71	1.83
323281	AI697556	Hs.292659	ESTs	1.24	3.21
323283	AA256014	Hs.86682	Homo sapiens cDNA: FLJ21578 fis, clone C	12.68	15.05
323314	AA226310	Hs.191501	ESTs	4.42	9.61
323316	AL134620	Hs.280175	ESTs	2.98	5.93
323334	AI336501	Hs.77273	ras homolog gene family, member A	1.98	3.30
323338	R74219	Hs.23348	S-phase kinase-associated protein 2 (p45	1.62	1.00
323348	AA233056	Hs.191518	ESTs	1.00	1.07
323351	AA704103	Hs.24049	ESTs	1.43	1.68
323359	AA234172	Hs.137418	ESTs	0.34	1.18
323360	AA716061	Hs.161719	ESTs	3.01	3.71
323405	AW139550	Hs.115173	ESTs	1.90	8.81
323420	AI672386	Hs.263780	ESTs	0.29	1.01
323434	AW081455	Hs.120219	ESTs	2.27	1.92
323445	AA253103	Hs.135569	ESTs, Weakly similar to NEUROD [H.sapien	0.43	0.80
323449	AA282865	Hs.284153	Fanconi anemia, complementation group A	3.19	3.85
323492	H00978	Hs.20887	hypothetical protein FLJ10392	2.70	3.20
323501	AA182461	Hs.84520	ESTs	2.04	3.31
323505	AI652287		gb:EST382593 MAGE resequences, MAGK Homo	2.21	3.08
323515	AA282274	Hs.256083	ESTs	2.69	3.40
323541	AI185116	Hs.104613	RP42 homolog	1.20	1.09
323545	AI814405	Hs.224569	ESTs	1.25	1.55
323635	R63117	Hs.9691	Homo sapiens cDNA: FLJ23249 fis, clone C	0.27	0.72
323675	AA984759	Hs.272168	tumor differentially expressed 1	3.70	5.80
323678	AL042121	Hs.20880	ESTs	3.33	5.10
323691	AA317561	Hs.145599	ESTs	1.00	1.00
323693	AW297758	Hs.249721	ESTs	2.01	1.54
323746	AW298611	Hs.12808	MARK	4.11	5.53
323774	AA329806	Hs.321056	Homo sapiens mRNA; cDNA DKFZp586F1322 (f	2.06	3.70
323856	AA355264	Hs.267604	hypothetical protein FLJ10450	3.42	8.13
323857	T18988	Hs.293668	ESTs	5.97	12.51
323870	AA341774	Hs.129212	ESTs	3.17	4.52
323876	AL042492	Hs.147313	ESTs	0.36	1.00
323885	AA344308	Hs.128427	Homo sapiens BAC clone RP11-335J18 from	2.31	3.33
323911	AL043212	Hs.92550	ESTs	4.38	5.41
323919	AA862973	Hs.220704	ESTs	5.80	10.20
323972	AI869964	Hs.182906	ESTs	3.10	5.14
324005	AA610011	Hs.208021	ESTs	5.34	10.07
324036	AI472078	Hs.303662	ESTs	1.00	5.03
324055	AA528794	Hs.128644	ESTs	0.86	1.00
324063	AW292740	Hs.272813	dual oxidase 1	0.45	0.91
324072	AA381829		gb:EST94855 Activated T-cells I Homo sap	2.82	5.12
324092	AW269931	Hs.202473	Homo sapiens cDNA: FLJ22278 fis, clone H	2.40	2.52
324095	AW377983	Hs.298140	Homo sapiens cDNA: FLJ22502 fis, clone H	1.32	4.30
324129	AI381918	Hs.285833	Homo sapiens cDNA: FLJ22135 fis, clone H	1.40	1.77
324132	AW504860	Hs.288836	hypothetical protein FLJ12673	4.24	6.21
324214	AA412395	Hs.225740	ESTs	6.96	10.69
324227	AA295552	Hs.28631	Homo sapiens cDNA: FLJ22141 fis, clone H	0.81	0.53
324266	AL047634	Hs.231913	ESTs	2.42	4.05
324275	AA429088	Hs.98523	ESTs	3.62	5.38
324281	AL048026	Hs.124675	ESTs, Weakly similar to T14742 hypotheti	0.14	0.70
324290	AA432032	Hs.304420	ESTs	3.71	4.34
324303	AL118754		gb:DKFZp761P1910_r1 761 (synonym: harny2)	0.95	0.91
324312	AI198841	Hs.128173	ESTs	4.06	5.91
324325	AL138153	Hs.300410	ESTs	5.88	8.25
324338	AL138357	Hs.145078	regulator of differentiation (in S. pomb	0.87	1.25
324341	AW197734	Hs.99807	ESTs, Weakly similar to unnamed protein	1.28	1.00
324343	AW452016	Hs.293232	ESTs	2.54	3.46
324371	AA452305	Hs.270319	ESTs	5.85	8.36
324382	AW502749	Hs.24724	MFH-amplified sequences with leucine-ric	0.78	1.64
324384	AA453396	Hs.127656	KIAA1349 protein	2.88	5.69
324385	F28212	Hs.284247	KIAA1491 protein	1.81	1.99
324388	AI924953	Hs.306206	hypothetical protein FLJ11215	1.00	1.00
324432	AA464510	Hs.152812	ESTs	2.73	2.17
324497	AW152624	Hs.136340	ESTs, Weakly similar to unnamed protein	0.71	1.90
324510	AI148353	Hs.287425	Homo sapiens cDNA FLJ11569 fis, clone HE	1.00	1.00
324580	AA492588		gb:ng99c08.s1 NCI_CGAP_Thy1 Homo sapiens	2.18	3.50
324582	AA506935	Hs.132036	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.96	11.36
324633	AA572994	Hs.325489	ESTs	2.92	4.22
324640	AW295832	Hs.134798	ESTs, Moderately similar to TTL MOUSE TU	5.48	11.74
324675	AW014734	Hs.157969	ESTs	0.39	0.73

	ID	Accession	Hs	Description		
	324699	AW504732	Hs.21275	hypothetical protein FLJ11011	0.93	0.93
	324747	AA603532	Hs.130807	ESTs	1.57	1.81
	324748	AA657457	Hs.292385	ESTs	1.55	1.34
	324801	AI819924	Hs.14553	sterol O-acyltransferase (acyl-Coenzyme	1.00	6.56
5	324804	AI692552		gb:wd73f12.x1 NCI_CGAP_Lu24 Homo sapiens	1.00	7.53
	324828	AA843926	Hs.124434	ESTs	2.00	3.25
	324855	AW152305	Hs.122364	ESTs	2.74	3.43
	324866	AI541214	Hs.46320	Small proline-rich protein SPRK [human,	1.07	0.95
	324871	AW297755	Hs.271923	Homo sapiens cDNA: FLJ22785 fis, clone K	1.68	1.21
10	324886	AA806794	Hs.131511	ESTs	2.56	5.61
	324889	D31010		gb:HUML12147 Human fetal lung Homo sapie	2.20	4.65
	324948	AW383618	Hs.265459	ESTs, Moderately similar to ALU2_HUMAN A	5.28	7.05
	324953	AI264628	Hs.125428	ESTs	3.37	5.51
	324958	AA625076	Hs.132892	protocadherin 20	5.12	9.81
15	324988	T06997	Hs.121028	hypothetical protein FLJ10549	2.52	1.08
	325024	F13254	Hs.78572	laminin, alpha 4	5.24	10.22
	325105	H97109	Hs.105421	ESTs	1.00	1.00
	325108	AA401863	Hs.22380	ESTs	1.99	2.14
	325114	D83901	Hs.315562	ESTs	2.73	3.17
20	325148	AI064690	Hs.171176	ESTs	1.86	3.41
	325149	D61117	Hs.187646	ESTs	0.42	0.93
	325187	AI653682	Hs.197812	ESTs	6.50	11.31
	325228				6.18	15.76
	325235				2.64	4.12
25	325328				2.87	4.42
	325340				0.29	0.33
	325357				16.56	24.29
	325373				0.63	1.22
	325389				0.88	1.05
30	325436				5.75	14.14
	325471				8.46	17.82
	325498				3.32	6.42
	325557				5.51	8.28
	325559				7.48	21.40
35	325560				4.08	6.25
	325569				4.20	5.24
	325585				1.10	1.13
	325587				1.00	1.00
	325597				2.98	13.40
40	325639				0.78	0.78
	325685				0.46	0.66
	325686				0.95	1.55
	325735				4.48	9.20
	325739				0.59	0.88
45	325740				2.42	6.61
	325792				7.88	9.83
	325819				4.74	7.18
	325883				2.02	2.64
	325895				7.78	15.98
50	325925				2.04	10.60
	325932				4.18	7.36
	325941				3.66	9.03
	325969				0.61	0.80
	325971				4.88	7.42
55	326025				0.55	1.07
	326046				7.21	14.72
	326099				3.60	5.98
	326108				1.27	1.06
	326163				3.27	5.70
60	326165				0.45	1.11
	326189				0.13	0.45
	326204				5.60	9.00
	326230				7.00	12.01
	326274				1.00	8.09
65	326360				9.86	15.35
	326393				0.52	0.77
	326505				1.00	1.42
	326515				1.24	5.84
	326589				9.20	13.49
70	326592				2.77	4.01
	326605				2.01	2.53
	326692				1.00	1.00
	326693				1.00	1.31
	326720				0.19	0.65
75	326742				2.34	7.20
	326770				0.25	0.83
	326818				3.09	4.56
	326936				2.08	3.45
	326964				0.41	1.70
80	326983				2.02	3.80
	326991				1.09	1.20
	327036				1.00	8.04
	327040				3.05	4.22
	327053				3.55	6.31
85	327075				1.59	1.40

138

327085	2.50	12.57
327130	5.38	8.04
327156	3.74	6.58
327220	1.28	1.54
327224	6.56	12.91
327288	2.61	5.40
327321	2.42	3.11
327332	6.62	10.58
327361	2.69	4.41
327377	2.04	6.72
327395	2.61	4.50
327414	1.00	8.01
327442	5.91	9.65
327467	6.58	18.01
327473	3.79	7.48
327483	4.08	8.87
327562	0.68	2.86
327568	1.00	2.00
327606	2.06	3.61
327611	5.90	14.26
327642	4.06	8.74
327654	1.05	2.08
327734	1.00	1.00
327775	1.46	11.79
327796	3.47	5.65
327840	3.26	6.64
327940	5.84	15.58
327984	0.36	1.50
328004	1.87	1.42
328021	0.42	0.59
328068	2.83	4.68
328100	3.04	5.39
328101	3.54	5.20
328113	0.72	0.91
328157	5.58	6.16
328196	5.76	11.13
328197	5.98	10.58
328264	3.11	4.88
328299	2.20	3.06
328342	1.49	1.94
328365	1.00	1.00
328369	4.40	7.36
328381	1.86	4.93
328451	5.51	7.56
328481	0.13	0.72
328500	2.71	3.97
328530	5.41	7.62
328600	3.14	10.68
328608	4.56	8.17
328616	2.24	11.91
328623	3.04	5.46
328632	0.70	1.19
328664	3.48	6.80
328666	10.42	26.47
328698	9.68	14.56
328700	2.74	10.22
328708	0.15	0.57
328735	6.23	8.91
328743	3.62	6.54
328806	0.22	0.78
328861	3.68	10.54
328908	5.42	16.36
328933	2.02	5.29
328934	1.73	4.45
328949	3.34	5.41
329005	2.88	7.26
329011	2.52	3.72
329033	1.00	1.03
329037	5.07	8.16
329067	1.98	2.41
329134	2.24	3.25
329157	2.30	11.04
329178	2.64	5.02
329192	6.41	15.27
329194	0.31	0.79
329204	1.60	3.75
329224	2.99	6.11
329228	0.83	0.83
329288	0.63	1.01
329337	1.00	1.00
329541	0.76	1.68
329560	1.34	2.02
329588	1.68	2.22
329643	4.18	11.77
329703	1.00	1.00

329764				5.78	15.50
329816				2.09	5.44
329860				3.13	10.77
329993				7.83	14.21
330020				5.58	13.12
330036				3.32	5.57
330052				4.31	7.97
330085				1.34	1.76
330088				4.70	12.46
330093				0.44	1.06
330100				3.47	4.83
330106				2.14	3.61
330107				3.17	6.87
330120				5.61	11.89
330123				4.50	12.74
330208				1.55	7.62
330263				13.10	23.38
330300				2.81	4.98
330313				3.00	4.41
330366				0.67	0.76
330372				4.76	11.82
330385	AA449749	Hs.182971	karyopherin alpha 5 (importin alpha 6)	2.14	2.15
330397	D14659	Hs.154387	KIAA0103 gene product	0.40	1.15
330458	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	1.11	0.94
330472	L24203	Hs.82237	ataxia-telangiectasia group D-associated	1.67	1.17
330478	L38486	Hs.296049	microfibrillar-associated protein 4	0.46	1.07
330493	M27826	Hs.267319	endogenous retroviral protease	1.07	0.95
330495	M31328	Hs.71642	guanine nucleotide binding protein (G pr	0.97	0.96
330506	M61906	Hs.6241	phosphoinositide-3-kinase, regulatory su	0.17	3.66
330512	M80563	Hs.81256	S100 calcium-binding protein A4 (calcium	0.60	1.06
330537	U19765	Hs.2110	zinc finger protein 9 (a cellular retrov	2.81	2.07
330547	U32989	Hs.183671	tryptophan 2,3-dioxygenase	3.91	1.49
330551	U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	1.15	1.03
330568	U56244		(NONE)	2.83	4.79
330599	U90437		gb:Human RP1 homolog mRNA, 3'UTR region	2.08	1.54
330601	U90916	Hs.82845	Homo sapiens cDNA: FLJ21930 fis, clone H	0.89	1.35
330605	X02419	Hs.77274	plasminogen activator, urokinase	1.87	1.55
330609	X04741	Hs.76118	ubiquitin carboxyl-terminal esterase L1	1.83	1.30
330617	X53587	Hs.85266	integrin, beta 4	1.54	1.15
330630	X78669	Hs.79088	reticulocalbin 2, EF-hand calcium bindin	1.39	1.19
330644	Y07755	Hs.38991	S100 calcium-binding protein A2	3.83	1.13
330650	Z68228	Hs.2340	junction plakoglobin	1.25	0.95
330660	AA347868	Hs.139293	ESTs, Weakly similar to ALU7_HUMAN ALU S	15.50	29.07
330692	AA017045	Hs.6702	ESTs	1.00	1.00
330707	AA133891	Hs.293690	ESTs	0.20	1.35
330715	AA233707	Hs.11571	Homo sapiens cDNA FLJ11570 fis, clone HE	0.12	1.40
330717	AA233926	Hs.52620	integrin, beta 8	6.62	5.42
330722	AA243560	Hs.34382	ESTs	1.40	1.65
330740	AA297746	Hs.22654	Homo sapiens voltage-gated sodium channe	0.27	2.04
330742	AA400979	Hs.25691	receptor (calcitonin) activity modifying	0.44	0.90
330744	AA406142	Hs.12393	dTDP-D-glucose 4,6-dehydratase	0.71	3.23
330751	AA428286	Hs.29543	Homo sapiens cDNA FLJ13103 fis, clone NT	1.66	1.52
330760	AA448663	Hs.30469	ESTs	0.52	0.90
330763	AA450200	Hs.274337	hypothetical protein FLJ20666	0.37	0.97
330786	D60374	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	0.78	0.84
330790	T48536	Hs.105807	ESTs	0.23	3.17
330814	AA015730	Hs.265398	ESTs, Weakly similar to transformation-r	0.37	2.07
330827	AA040332	Hs.12744	ESTs	1.60	1.00
330844	AA063037	Hs.66803	ESTs	0.93	1.16
330901	AA157818	Hs.267319	endogenous retroviral protease	1.02	1.03
330931	F01443	Hs.284256	hypothetical protein FLJ14033 similar to	0.24	0.88
330952	H02855	Hs.29567	ESTs	0.08	1.31
330961	H10998	Hs.7164	a disintegrin and metalloproteinase doma	1.29	1.26
330968	H16568	Hs.23748	ESTs	0.48	0.96
331014	H98597	Hs.30340	hypothetical protein KIAA1165	0.29	0.74
331046	N66563	Hs.191358	ESTs	0.99	8.56
331060	N75081	Hs.157148	Homo sapiens cDNA FLJ11883 fis, clone HE	1.24	1.00
331099	R36671	Hs.83937	hypothetical protein	0.75	1.03
331108	R41408	Hs.21983	ESTs	1.00	2.75
331131	R54797		gb:yg87b07.s1 Soares infant brain 1NIB H	6.04	10.68
331135	R61398	Hs.4197	ESTs	0.80	0.96
331170	T23461	Hs.159293	ESTs	2.63	4.29
331180	T32446	Hs.6640	Human DNA sequence from PAC 75N13 on chr	1.78	2.71
331183	T40769	Hs.8469	ESTs	1.00	3.01
331203	T82310		(NONE)	1.70	3.80
331271	AA059347	Hs.82226	glycoprotein (transmembrane) nmb	1.20	3.19
331306	AA252079	Hs.63931	dachshund (Drosophila) homolog	0.31	1.30
331327	AA281076	Hs.109221	ESTs	2.09	2.41
331341	AA303125	Hs.23240	Homo sapiens cDNA FLJ13496 fis, clone PL	0.72	2.43
331359	AA416979	Hs.46901	KIAA1462 protein	0.09	0.91
331363	AA421562	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	1.02	0.87
331378	AA448881	Hs.49282	hypothetical protein FLJ11088	1.03	1.23
331384	AA456001	Hs.93847	NADPH oxidase 4	1.40	1.00
331402	AA505135	Hs.44037	ESTs	1.80	3.93
331422	F10802	Hs.163628	ESTs, Moderately similar to ALU7_HUMAN	1.65	1.89

140

	331490	N32912	Hs.26813	CDA14	2.48	1.73
	331531	N51343		gb:yz15g04.s1 Soares_multiple_sclerosis_	0.98	1.68
	331547	N54811		gb:od74f04.s1 NCI_CGAP_Ov2 Homo sapiens	3.80	5.75
	331578	N67960	Hs.249989	ESTs	0.11	0.67
5	331589	N71027	Hs.152618	ESTs	1.09	1.38
	331608	N89851	Hs.112110	PTD007 protein	0.93	0.76
	331614	N92293	Hs.240272	EST	0.17	1.34
	331668	W69707	Hs.58030	EST	2.24	3.82
	331671	W72033	Hs.194695	ras homolog gene family, member I	1.00	1.24
10	331676	W79834	Hs.58559	ESTs, Weakly similar to rhotekin [M.musc	0.08	1.07
	331681	W85712	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	8.72	4.27
	331692	W93592	Hs.152213	wingless-type MMTV integration site fami	0.94	0.54
	331717	AA190888	Hs.153881	Homo sapiens NY-REN-62 antigen mRNA, par	1.57	1.34
	331718	AA191404	Hs.104072	ESTs	6.80	11.77
15	331811	AA404500	Hs.301570	ESTs	1.10	1.00
	331820	AA405970	Hs.97996	transcription termination factor, mitoc	0.73	0.59
	331831	AA412031	Hs.97901	EST	2.77	4.08
	331852	AA418988	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	0.23	0.93
	331943	AA453418	Hs.21275	hypothetical protein FLJ11011	0.36	1.88
20	331959	AA460702	Hs.82772	collagen, type XI, alpha 1	1.00	1.00
	331990	AA478102	Hs.139631	ESTs	3.04	3.87
	332002	AA482009	Hs.105104	ESTs	1.19	0.78
	332027	AA489671	Hs.65641	hypothetical protein FLJ20073	1.27	1.03
	332029	AA489697	Hs.145053	ESTs	0.30	1.62
25	332033	AA489840	Hs.251014	EST	2.30	3.70
	332048	AA496019	Hs.201591	ESTs	0.17	0.52
	332071	AA598594	Hs.205293	KIAA1211 protein	1.35	1.23
	332074	AA599012		gb:ae41e11.s1 Gessler Wilms tumor Homo s	0.19	2.00
	332083	AA600200	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	0.31	1.18
30	332085	AA600353	Hs.173933	nuclear factor I/A	0.30	1.50
	332125	AA609861	Hs.312447	ESTs	0.22	0.62
	332177	F10812	Hs.101433	ESTs	8.21	18.03
	332180	H03348	Hs.7327	claudin 1	2.27	1.57
	332185	H10356	Hs.101689	ESTs	0.09	1.18
35	332203	H49388	Hs.317769	EST	8.05	5.02
	332232	N48891	Hs.101915	Stargardt disease 3 (autosomal dominant)	0.78	0.85
	332240	N54803	Hs.324267	ESTs, Weakly similar to putative p150 [	0.96	1.23
	332261	N70294	Hs.269137	ESTs	2.40	3.74
	332275	R08838	Hs.26530	serum deprivation response (phosphatidyl	0.27	0.75
40	332280	R38100	Hs.146381	RNA binding motif protein, X chromosome	0.39	1.88
	332299	R69250	Hs.21201	nectin 3; DKFZP566B0846 protein	5.24	12.76
	332304	R74041	Hs.101539	ESTs	1.44	3.18
	332314	T25862	Hs.101774	hypothetical protein FLJ23045	0.68	1.32
	332384	M11433	Hs.101850	retinol-binding protein 1, cellular	1.71	0.88
45	332434	N75542	Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	0.43	0.86
	332445	T63781	Hs.11112	ESTs	0.68	1.00
	332453	L00205	Hs.111758	keratin 6A	31.54	1.00
	332458	M33493	Hs.250700	tryptase beta 1	0.51	1.00
	332504	AA053917	Hs.15106	chromosome 14 open reading frame 1	0.79	1.24
50	332525	M17252	Hs.278430	cytochrome P450, subfamily XXIA (steroid	0.98	1.70
	332530	M31682	Hs.1735	inhibin, beta B (activin AB beta polypep	0.88	0.66
	332535	N20284	Hs.19280	cysteine-rich motor neuron 1	0.22	1.46
	332539	AA412528	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	0.93	1.49
	332559	M13955	Hs.166189	cytokeratin 2	0.35	1.13
55	332563	N92924	Hs.274407	protease, serine, 16 (thymus)	1.00	1.00
	332565	AA234896	Hs.25272	E1A binding protein p300	0.36	1.05
	332594	AA279313	Hs.3239	methyl CpG binding protein 2 (Rett syndr	0.53	0.59
	332634	S38953	Hs.283750	tenascin XA	0.38	1.16
	332638	AA283034	Hs.50640	JAK binding protein	1.00	1.70
60	332640	AA417152	Hs.5101	protein regulator of cytokinesis 1	6.15	1.16
	332654	AA001296	Hs.288217	hypothetical protein MGC2941	1.50	2.73
	332665	AA223335	Hs.63788	propionyl Coenzyme A carboxylase, beta p	1.20	0.91
	332692	AA496035	Hs.247926	gap junction protein, alpha 5, 40kD (con	0.17	1.12
	332716	L00058	Hs.79070	v-myc avian myelocytomatosis viral oncog	1.00	1.44
65	332736	L13773	Hs.114765	myeloid/lymphoid or mixed-lineage leukem	1.00	1.81
	332758	X93921	Hs.296938	dual specificity phosphatase 7	0.53	0.78
	332781	AA233258	Hs.247112	hypothetical protein FLJ10902	1.44	1.56
	332792				1.70	1.19
	332816				1.85	2.47
70	332858				1.04	1.57
	332906				3.48	8.04
	332911				1.00	1.00
	332912				1.06	4.40
	332922				1.00	1.00
75	332956				0.42	0.88
	332959				1.96	6.34
	332982				0.55	0.99
	332984				0.30	0.78
	332998				1.47	2.01
80	333058				0.47	1.38
	333097				2.14	3.19
	333121				2.76	3.70
	333122				1.92	1.21
	333123				1.85	1.39
85	333138				0.47	0.52

141

ID	Value 1	Value 2
333139	1.88	0.84
333140	0.21	0.64
333221	1.51	1.11
333260	0.75	1.01
333380	6.68	15.75
333387	4.56	12.61
333512	5.05	8.01
333524	2.28	3.98
333585	2.31	1.53
333603	2.23	1.17
333604	2.51	1.58
333618	0.52	0.98
333627	1.44	1.36
333628	1.90	1.90
333650	1.85	2.10
333678	1.85	2.35
333750	2.18	5.67
333763	1.99	2.60
333767	1.02	0.96
333768	1.78	1.65
333769	2.15	2.13
333772	1.46	2.53
333777	1.00	1.42
333846	2.99	4.50
333884	0.47	0.94
333887	0.50	1.00
333891	0.43	0.89
333892	0.51	0.91
333904	0.26	1.13
333906	0.55	0.98
333948	1.70	2.15
333954	0.37	1.09
333966	8.10	14.30
333968	0.63	1.38
334061	4.24	12.30
334094	1.30	12.03
334113	4.55	8.63
334161	0.82	1.59
334183	0.47	0.76
334187	1.36	3.70
334219	0.69	1.04
334222	1.88	1.70
334223	4.72	3.14
334239	0.79	0.62
334255	0.45	1.10
334333	1.00	3.56
334378	3.98	5.76
334382	1.50	1.31
334492	3.59	4.75
334562	5.94	15.40
334588	8.14	19.53
334616	1.55	1.56
334633	5.16	8.07
334648	0.59	2.13
334787	3.70	7.15
334866	8.13	10.60
334891	0.32	1.14
334933	1.00	3.84
334934	4.01	7.43
334945	1.04	2.96
334967	0.29	1.14
334990	1.50	1.39
335015	5.88	18.65
335093	0.55	1.75
335120	4.31	8.01
335125	0.38	1.97
335179	1.24	1.98
335188	0.46	1.47
335211	1.61	1.42
335288	0.73	0.97
335289	0.20	0.26
335361	2.18	1.58
335379	0.50	0.71
335414	3.64	14.94
335416	2.93	3.98
335496	0.96	0.91
335497	1.71	1.92
335548	1.15	2.40
335551	3.22	10.54
335558	3.42	4.89
335586	5.50	12.75
335619	2.99	3.07
335620	3.80	8.29
335621	0.28	0.57
335682	0.46	1.17

	335686	2.55	3.81
	335755	2.24	1.07
	335784	0.20	0.97
	335814	1.13	1.48
5	335815	2.45	3.51
	335823	1.00	4.16
	335835	0.49	1.70
	335851	1.66	1.39
	335868	2.98	6.43
10	335896	0.98	0.99
	335936	12.10	21.93
	335948	1.00	1.64
	335983	1.00	4.21
	335995	0.37	1.17
15	336021	1.04	0.84
	336034	11.40	23.54
	336038	1.19	1.21
	336066	0.54	1.63
	336107	0.95	0.70
20	336205	3.13	6.29
	336275	3.20	10.10
	336292	2.34	3.09
	336331	1.00	1.00
	336419	0.65	0.79
25	336632	2.33	2.16
	336633	2.55	2.23
	336634	2.19	2.03
	336635	2.69	2.48
	336636	2.13	1.83
30	336637	2.43	2.24
	336638	2.31	2.03
	336659	0.60	1.31
	336675	0.31	1.18
	336684	1.50	1.14
35	336694	4.74	7.10
	335716	4.43	6.37
	335721	2.20	0.74
	336798	1.64	2.14
	336900	6.14	12.73
40	336948	1.00	1.00
	337028	1.30	2.09
	337043	4.01	11.53
	337046	1.67	1.84
	337054	2.78	7.35
45	337128	7.20	16.14
	337162	3.45	5.34
	337183	5.72	11.41
	337184	3.72	5.90
	337192	1.27	1.06
50	337194	1.88	1.68
	337229	0.22	1.03
	337268	1.00	3.31
	337299	3.23	5.14
	337325	2.76	3.72
55	337389	5.80	10.42
	337493	2.06	6.30
	337497	7.88	20.29
	337500	3.80	4.48
	337549	1.66	2.31
60	337603	1.27	8.54
	337605	5.76	7.16
	337671	0.73	0.97
	337755	1.54	0.92
	337786	5.07	9.73
65	337809	6.18	12.87
	337862	3.78	12.97
	337871	2.66	8.16
	337958	0.26	1.34
	338008	1.48	1.12
70	338033	2.38	14.59
	338083	0.65	2.16
	338110	1.00	1.61
	338112	5.88	8.25
	338145	1.70	1.97
75	338148	8.07	18.19
	338158	1.30	4.55
	338161	2.58	3.57
	338179	1.00	1.00
	338182	3.32	4.63
80	338189	1.00	3.34
	338197	0.99	1.69
	338199	4.58	7.62
	338215	6.01	15.85
	338279	0.53	0.95
85	338316	20.58	38.66

338322	3.23	7.39
338357	4.10	11.39
338359	10.12	21.59
338366	0.69	1.02
338374	0.40	1.18
338414	0.47	1.06
338418	6.12	13.86
338469	3.09	5.11
338501	6.28	10.32
338506	6.97	12.41
338523	3.10	5.84
338549	1.70	2.70
338561	0.79	0.81
338662	1.72	1.46
338671	0.17	0.91
338676	2.10	15.86
338726	1.20	1.09
338779	0.12	0.57
338804	0.99	1.67
338836	1.00	1.00
338871	4.30	9.81
338872	5.02	12.81
338879	0.23	1.12
338937	6.55	12.26
338966	1.76	5.42
338993	1.00	2.40
339047	5.26	10.81
339100	5.10	6.88
339114	1.00	1.70
339121	1.00	3.75
339170	10.36	19.67
339229	4.08	13.48
339264	2.64	3.63
339293	1.73	1.94

TABLE 8B shows the accession numbers for those Pkeys in Table 8A lacking unigeneiD's. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the 'Accession' column.

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT number	Accessions
322044	187363_1	AW340926 AA249063 N85075
322060	44320_1	AI341937 AW003063 U34725 AA904742
321430	42705_1	X57414 X57415
321467	43034_1	X13075 X13076
322125	46779_1	R93901 AF075073 R93902
322166	46861_1	H69434 AF085958 H69846
322173	46873_1	H52567 H52557 AF085970 H52164
322178	46882_1	H56535 AF085980 H56712
322179	46885_1	H92891 AF085982 H92777
321577	1615102_1	H84849 H84252 H84260 H86664 H85320
321587	1615333_1	H95531 H95521 H84529
313723	111953_1	AA070412 AA102346 AA081885
320997	627492_1	H22544 H46842 AI204929
322278	47271_1	W69304 AF086283 W69200
321687	218439_1	AA625149 AA313030 AA313052 H97463
313883	129439_1	AA665089 AA135130 AA484059 AA102419 AW877765
322320	47422_1	W79150 AF086419
322339	814584_1	AI668646 AI734214 W17348
314648	293660_1	AW979268 AA878419 AA431342 AA431628
300201	682222_1	AI308300 AI308296
305897	25196_-2	AI093967
323155	979809_1	AL120701 AL135041 AL121524
322527	38927_1	AF147359 T58511 T58560
322585	473768_2	W88919 W89125
300362	1574395_1	Z42308 H23514
322635	82296_1	AA005129 AA579084 AA694399
322664	85042_1	AA011522 AA702841 AA011691 AA330797
315454	380580_1	AI239464 AI239473 AA625812 AI208703
322687	37372_1	AF074666 AI110759 AF090902
314852	327472_1	AI903735 AA491283 AI694953 AW976903 AA761362
307783	697809_1	AI347274 AW844024
324072	269032_1	AA381722 AA381829 AW963906 AW963902 AA381242
300527	221345_1	AA488472 W27363 AA317053 BE082689 AW967036 BE079872
323505	196389_1	AW970512 AA280251 AI652287 BE466438 AI650725 AA551854 AA281574 AW571481
315791	403558_1	AA678177 AA677034
324303	233842_1	AL118754 AA333202 H38001
316519	442885_1	AA847835 AA768376
300926	333127_1	AA504860 AA504911

324580	328264_1	AA492588 AA492498 AA492571
301882	275087_1	T78054 T79888 AA398185
324804	398093_1	AI692552 AI393343 AI800510 AI377711 F24263 AA661876
324889	1515978_1	D31010 D30991 D31168 D31166 D31465
302697	43219_1	AJ001409 AJ001410
302711	45419_1	L08442 D51348
302742	458_39	L12051
318499	364430_1	T25451 AA585296 AA585305
310624	34624_4	U88896 U88898 AA916056 T03285 AI341594 AI359534 AI634031 U88897
302847	458_105	X98941 X98942 X98943 X98953 X98949
304122	77271_-5	H28966
303598	270283_1	AA382814 AA402411 AA412355
311409	837264_1	AI698839 AI909260 AI909259
312094	797889_1	Z78390 T97427
319312	1540116_1	Z45481 F12393 T74437
319407	1688823_1	R05329 R01555 R08276
319425	1689571_1	T82930 R02424 T85145
320007	229683_1	AA336314 T82938 AA327744 AW967388 AA539967 T10753
320018	1815987_1	T83263 T85731 T85730
319484	1691553_1	T91772 R07257 R07098
318865	1535937_1	H10818 F07831 Z43072
312220	1671607_1	N74613 T98756 T98589
319546	243305_1	R09692 R09414 AA346353
312389	902067_1	AI863140 W80703 R43474
319611	1566863_1	H14957 R55522 R11908
312437	291472_1	BE080180 AW827313 AW231970 AA995028 AA428584 AW872716 AW892508 AW854593 AA578441 AW975234 AA664937 AA984131 AA528743 AA552874 AA564758 AW063245 AI267534 AW070190 AW893483 AA770330 AA906928 AA906582 AA758746 AA551717 AW063311 AA429538
311896	579192_1	AW205447 AI248530 AI084433 AI400976 R16553
319834	112523_1	AA071267 T65940 T64515 AA071334
321102	80531_1	AA018306 H38925 AA001221
321158	410938_1	H79670 H47798 AA700289
321199	212379_1	N34524 AA305071 AW954803 AA502335 AI433430 AI203597 AW026670 AW265323 AW850787 AA317554 AW993643 AW835572 AW385512 AI334966 W32951 H62656 H53902 R88904 AW835732
305528	28832_-3	AA769156
321270	1662057_1	N59537 N78278 R83560
314126	177666_1	AA226431 AA226569 AA488748
320714	743644_1	R91883 AI445591
306442	AA976899	
306446	AA977348	
306458	AA978186	
306510	AA988546	
305557	AA994530	
305572	AA995686	
306582	AA996248	
306656	AI004024	
306686	AI015615	
306751	AI032589	
308011	AI439473	
306892	AI092465	
308106	AI476803	
308154	AI500600	
306956	AI125111	
306958	AI125152	
308213	AI557041	
308216	AI557135	
308219	AI557246	
308588	AI718299	
308599	AI719893	
308643	AI745040	
308673	AI760864	
308697	AI767143	
308778	AI811109	
308808	AI818289	
308875	AI832332	
308886	AI833240	
308898	AI858845	
308966	AI870704	
308979	AI873111	
303011	41689_1	AF090405 AF090407 AF090406
303077	44060_1	AF163305 AF163307 AF163303
305016	AA626876	
305034	AA630128	
305072	AA641012	
305148	AA654070	
305190	AA665955	
303978	AW513315	
303990	AW515465	
303998	AW516449	
303999	AW516611	
305235	AA670480	
305312	AA700201	
305413	AA724659	
305447	AA737856	
321244	29327_1	AF068654 AF068656 AF068655

305614	AA782866		
305637	AA805124		
305639	AA806138		
305650	AA807709		
305690	AA813477		
305728	AA828209		
305759	AA835353		
305792	AA845256		
307041	AJ144243		
307091	AJ167439		
307181	AJ189251		
305901	AA872958		
305910	AA875981		
307415	AI242118		
307426	AI243364		
307517	AI275055		
307551	AI281556		
307561	AI282207		
307608	AI290295		
307691	AI318285		
307730	AI336092		
307760	AI342387		
307764	AI342731		
307796	AI350556		
309045	AI910902		
309051	AI911975		
307807	AI351799		
307808	AI351826		
307820	AI355761		
307852	AI365541		
309122	AI928178		
309164	AI937761		
309177	AI951118		
307902	AI380462		
309299	AW003478		
309303	AW004823		
309476	AW129368		
309532	AW151119		
309747	AW264889		
309769	AW272346		
309799	AW276964		
309866	AW299916		
302679	311853_1	H65022 AA186889	
309923	AW340684		
309928	AW341418		
309931	AW341683		
309933	AW341936		
302705	31765_1	U09060 U09061	
302789	34161_1	AJ245067 AJ245070	
304006	AW517947		
304024	T03036		
304026	T03160		
304028	T03266		
304046	T54803		
304061	T61521		
304063	T62536		
302802	34487_1	Y08250 Y08245	
304114	R78946		
304155	H68696		
304203	N56929		
304234	W81608		
304348	AA179868		
304430	AA347682		
304456	AA411240		
304521	AA464716		
304526	AA476427		
304607	AA513322		
304735	AA576453		
304760	AA580401		
306015	AA897116		
306063	AA905316		
306065	AA906725		
306104	AA910956		
306109	AA911861		
306242	AA932805		
306288	AA936900		
306396	AA970223		
330568	NOT_FOUND_entrez	U56244	
330599	15323_-12	U90437	
331131	genbank_R54797	R54797	
331203	NOT_FOUND_entrez	T82310	
331531	genbank_N51343	N51343	
331547	467396_1	AA828597 N54811	
332074	genbank_AA599012	AA599012	

146

TABLE 8C shows the genomic position for those Pkeys in Table 8A lacking unigene ID's and accession numbers. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

5   Pkey: Unique number corresponding to an Eos probeset
    Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham L et al." refers to the publication   entitled "The DNA
                sequence of human chromosome 22." Dunham L et al., Nature (1999) 402:489-495.
    Strand: Indicates DNA strand from which exons were predicted.
10 Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
332792	Dunham, I. et.al.	Plus	73381-73768
332816	Dunham, I. et.al.	Plus	359844-360030
332906	Dunham, I. et.al.	Plus	1923101-1923205
332911	Dunham, I. et.al.	Plus	1961767-1961858
332912	Dunham, I. et.al.	Plus	1962120-1962246
332922	Dunham, I. et.al.	Plus	2009620-2009738
332956	Dunham, I. et.al.	Plus	2510528-2510658
332959	Dunham, I. et.al.	Plus	2518145-2518213
333138	Dunham, I. et.al.	Plus	3369205-3369323
333139	Dunham, I. et.al.	Plus	3369495-3369571
333221	Dunham, I. et.al.	Plus	3978070-3978187
333380	Dunham, I. et.al.	Plus	4904775-4904846
333387	Dunham, I. et.al.	Plus	4910935-4910997
333512	Dunham, I. et.al.	Plus	5560510-5560564
333524	Dunham, I. et.al.	Plus	5612620-5612780
333585	Dunham, I. et.al.	Plus	6234778-6234894
333618	Dunham, I. et.al.	Plus	6562391-6562566
333627	Dunham, I. et.al.	Plus	6620584-6620903
333628	Dunham, I. et.al.	Plus	6629004-6629233
333650	Dunham, I. et.al.	Plus	6796852-6797128
333678	Dunham, I. et.al.	Plus	7068223-7068288
333750	Dunham, I. et.al.	Plus	7608165-7608234
333763	Dunham, I. et.al.	Plus	7692491-7692630
333767	Dunham, I. et.al.	Plus	7694407-7694623
333768	Dunham, I. et.al.	Plus	7695440-7695697
333769	Dunham, I. et.al.	Plus	7696825-7696707
333772	Dunham, I. et.al.	Plus	7706773-7706902
333777	Dunham, I. et.al.	Plus	7746805-7746916
333846	Dunham, I. et.al.	Plus	8008623-8008757
333884	Dunham, I. et.al.	Plus	8153960-8154161
333887	Dunham, I. et.al.	Plus	8154882-8155025
333891	Dunham, I. et.al.	Plus	8156437-8156709
333892	Dunham, I. et.al.	Plus	8156825-8157001
333948	Dunham, I. et.al.	Plus	8583497-8583627
333954	Dunham, I. et.al.	Plus	6563186-6563335
333966	Dunham, I. et.al.	Plus	8655643-8655826
333968	Dunham, I. et.al.	Plus	8681004-8681241
334061	Dunham, I. et.al.	Plus	9686941-9687077
334094	Dunham, I. et.al.	Plus	9889953-9890105
334113	Dunham, I. et.al.	Plus	10282459-10282597
334161	Dunham, I. et.al.	Plus	10599033-10599180
334219	Dunham, I. et.al.	Plus	12716160-12716384
334239	Dunham, I. et.al.	Plus	13056569-13056693
334333	Dunham, I. et.al.	Plus	13603544-13603657
334378	Dunham, I. et.al.	Plus	13907239-13907370
334382	Dunham, I. et.al.	Plus	13915866-13916036
334562	Dunham, I. et.al.	Plus	14987847-14987940
334588	Dunham, I. et.al.	Plus	15032740-15032817
334616	Dunham, I. et.al.	Plus	15176123-15176470
334633	Dunham, I. et.al.	Plus	15333206-15333305
334866	Dunham, I. et.al.	Plus	18872214-18872317
334891	Dunham, I. et.al.	Plus	19299770-19299944
334934	Dunham, I. et.al.	Plus	20103970-20104058
335015	Dunham, I. et.al.	Plus	20682792-20682945
335120	Dunham, I. et.al.	Plus	21436286-21436384
335125	Dunham, I. et.al.	Plus	21441390-21441471
335179	Dunham, I. et.al.	Plus	21634405-21634526
335188	Dunham, I. et.al.	Plus	21669118-21669328
335211	Dunham, I. et.al.	Plus	21774611-21774680
335361	Dunham, I. et.al.	Plus	22807292-22807445
335379	Dunham, I. et.al.	Plus	22899306-22899420
335414	Dunham, I. et.al.	Plus	23235546-23235684
335416	Dunham, I. et.al.	Plus	23237354-23237465
335496	Dunham, I. et.al.	Plus	24164386-24164545
335497	Dunham, I. et.al.	Plus	24167666-24167869
335558	Dunham, I. et.al.	Plus	24740167-24740347
335586	Dunham, I. et.al.	Plus	24990333-24990497
335686	Dunham, I. et.al.	Plus	25439839-25439920
335784	Dunham, I. et.al.	Plus	25942710-25942792
335823	Dunham, I. et.al.	Plus	26365925-26366004
335983	Dunham, I. et.al.	Plus	27938968-27939070
335995	Dunham, I. et.al.	Plus	28009044-28009184
336021	Dunham, I. et.al.	Plus	28686482-28686559

	336034	Dunham, l. et.al.	Plus	29014404-29014590
	336038	Dunham, l. et.al.	Plus	29022963-29023165
	336107	Dunham, l. et.al.	Plus	29987731-29987869
	336632	Dunham, l. et.al.	Plus	983890-985529
5	336533	Dunham, l. et.al.	Plus	985591-986221
	336634	Dunham, l. et.al.	Plus	986296-986570
	336635	Dunham, l. et.al.	Plus	987908-988364
	336636	Dunham, l. et.al.	Plus	988418-989185
	336637	Dunham, l. et.al.	Plus	989276-990813
10	336638	Dunham, l. et.al.	Plus	991906-993240
	336659	Dunham, l. et.al.	Plus	1895402-1895478
	336694	Dunham, l. et.al.	Plus	2420546-2420616
	336721	Dunham, l. et.al.	Plus	3371522-3371586
	336900	Dunham, l. et.al.	Plus	10236423-10236523
15	336948	Dunham, l. et.al.	Plus	12692290-12692381
	337028	Dunham, l. et.al.	Plus	16644817-16644942
	337054	Dunham, l. et.al.	Plus	17821742-17821922
	337162	Dunham, l. et.al.	Plus	23478943-23479145
	337183	Dunham, l. et.al.	Plus	23943505-23943696
20	337184	Dunham, l. et.al.	Plus	23973949-23974016
	337268	Dunham, l. et.al.	Plus	28011979-28012034
	337299	Dunham, l. et.al.	Plus	29022656-29022775
	337389	Dunham, l. et.al.	Plus	31401509-31401579
	337493	Dunham, l. et.al.	Plus	33330760-33330981
25	337549	Dunham, l. et.al.	Plus	34474472-34474531
	337755	Dunham, l. et.al.	Plus	3971764-3971900
	337809	Dunham, l. et.al.	Plus	4449069-4449193
	337871	Dunham, l. et.al.	Plus	5443027-5443101
	337958	Dunham, l. et.al.	Plus	6969162-6969270
30	338008	Dunham, l. et.al.	Plus	7697068-7697236
	338033	Dunham, l. et.al.	Plus	8092128-8092271
	338110	Dunham, l. et.al.	Plus	10384481-10384621
	338112	Dunham, l. et.al.	Plus	10391398-10391600
	338145	Dunham, l. et.al.	Plus	11386629-11386692
35	338148	Dunham, l. et.al.	Plus	11448985-11449085
	338179	Dunham, l. et.al.	Plus	12808775-12808833
	338197	Dunham, l. et.al.	Plus	13538107-13538181
	338279	Dunham, l. et.al.	Plus	16168944-16169091
	338316	Dunham, l. et.al.	Plus	17089711-17089988
40	338322	Dunham, l. et.al.	Plus	17132477-17132547
	338357	Dunham, l. et.al.	Plus	18062184-18062402
	338359	Dunham, l. et.al.	Plus	18074402-18074501
	338366	Dunham, l. et.al.	Plus	18252026-18252189
	338374	Dunham, l. et.al.	Plus	18371200-18371282
45	338414	Dunham, l. et.al.	Plus	19345573-19345660
	338418	Dunham, l. et.al.	Plus	19435506-19435596
	338501	Dunham, l. et.al.	Plus	21244713-21244828
	338506	Dunham, l. et.al.	Plus	21221871-21221953
	338523	Dunham, l. et.al.	Plus	21509763-21509864
50	338562	Dunham, l. et.al.	Plus	24404720-24404899
	338804	Dunham, l. et.al.	Plus	27236005-27236108
	338836	Dunham, l. et.al.	Plus	27792166-27792272
	338879	Dunham, l. et.al.	Plus	28410653-28410734
	338937	Dunham, l. et.al.	Plus	29160655-29160725
55	338993	Dunham, l. et.al.	Plus	30077787-30078184
	339047	Dunham, l. et.al.	Plus	30760793-30760968
	339100	Dunham, l. et.al.	Plus	31141580-31141765
	339114	Dunham, l. et.al.	Plus	31456454-31456519
	339121	Dunham, l. et.al.	Plus	31583467-31583536
60	339170	Dunham, l. et.al.	Plus	32216399-32216527
	339293	Dunham, l. et.al.	Plus	33223671-33223819
	332858	Dunham, l. et.al.	Minus	1339607-1339397
	332982	Dunham, l. et.al.	Minus	2628296-2628109
	332984	Dunham, l. et.al.	Minus	2632606-2632457
65	332998	Dunham, l. et.al.	Minus	2711704-2711565
	333058	Dunham, l. et.al.	Minus	3028925-3028811
	333097	Dunham, l. et.al.	Minus	3204124-3204036
	333121	Dunham, l. et.al.	Minus	3308446-3308358
	333122	Dunham, l. et.al.	Minus	3309596-3309531
70	333123	Dunham, l. et.al.	Minus	3310817-3310749
	333140	Dunham, l. et.al.	Minus	3377220-3376309
	333260	Dunham, l. et.al.	Minus	4308400-4308304
	333603	Dunham, l. et.al.	Minus	6465335-6465727
	333604	Dunham, l. et.al.	Minus	6467090-6466768
75	333904	Dunham, l. et.al.	Minus	8217374-8217261
	333906	Dunham, l. et.al.	Minus	8218238-8218063
	334183	Dunham, l. et.al.	Minus	11832582-11832508
	334187	Dunham, l. et.al.	Minus	11921456-11921205
	334222	Dunham, l. et.al.	Minus	12732417-12732289
80	334223	Dunham, l. et.al.	Minus	12734355-12734269
	334255	Dunham, l. et.al.	Minus	13200776-13200592
	334492	Dunham, l. et.al.	Minus	14478333-14478172
	334648	Dunham, l. et.al.	Minus	15363301-15363222
	334787	Dunham, l. et.al.	Minus	16299093-16298937
85	334933	Dunham, l. et.al.	Minus	20078117-20077991

	334945	Dunham, I. et.al.	Minus	20138885-20138637
	334967	Dunham, I. et.al.	Minus	20173311-20173218
	334990	Dunham, I. et.al.	Minus	20341159-20341087
	335093	Dunham, I. et.al.	Minus	21297357-21297214
5	335288	Dunham, I. et.al.	Minus	22304275-22303770
	335289	Dunham, I. et.al.	Minus	22305950-22305708
	335548	Dunham, I. et.al.	Minus	24662773-24662673
	335551	Dunham, I. et.al.	Minus	24678828-24678961
	335619	Dunham, I. et.al.	Minus	25082677-25082498
10	335620	Dunham, I. et.al.	Minus	25092561-25092434
	335621	Dunham, I. et.al.	Minus	25098878-25098767
	335682	Dunham, I. et.al.	Minus	25421215-25421093
	335755	Dunham, I. et.al.	Minus	25763806-25763747
	335814	Dunham, I. et.al.	Minus	26320043-26319845
15	335815	Dunham, I. et.al.	Minus	26320518-26320421
	335835	Dunham, I. et.al.	Minus	26393311-26393245
	335851	Dunham, I. et.al.	Minus	26604863-26604742
	335868	Dunham, I. et.al.	Minus	26711437-26711300
	335896	Dunham, I. et.al.	Minus	26977639-26977558
20	335936	Dunham, I. et.al.	Minus	27360474-27360400
	335948	Dunham, I. et.al.	Minus	27555924-27555788
	336066	Dunham, I. et.al.	Minus	29241080-29240842
	336205	Dunham, I. et.al.	Minus	30477456-30477311
	336275	Dunham, I. et.al.	Minus	32086675-32086536
25	336292	Dunham, I. et.al.	Minus	32818035-32817927
	336331	Dunham, I. et.al.	Minus	33594527-33594371
	336419	Dunham, I. et.al.	Minus	34052568-34052445
	336675	Dunham, I. et.al.	Minus	2020758-2020664
	336684	Dunham, I. et.al.	Minus	2158060-2157993
30	336716	Dunham, I. et.al.	Minus	3259952-3259862
	336798	Dunham, I. et.al.	Minus	5888954-5888757
	337043	Dunham, I. et.al.	Minus	17407330-17407251
	337046	Dunham, I. et.al.	Minus	17610892-17610821
	337128	Dunham, I. et.al.	Minus	22215251-22215034
35	337192	Dunham, I. et.al.	Minus	24591853-24591771
	337194	Dunham, I. et.al.	Minus	24610510-24610359
	337229	Dunham, I. et.al.	Minus	26716579-26716481
	337325	Dunham, I. et.al.	Minus	30015948-30015800
	337497	Dunham, I. et.al.	Minus	33371317-33371258
40	337500	Dunham, I. et.al.	Minus	33376212-33376158
	337603	Dunham, I. et.al.	Minus	1299296-1299194
	337605	Dunham, I. et.al.	Minus	1346555-1346397
	337671	Dunham, I. et.al.	Minus	3260634-3260547
	337786	Dunham, I. et.al.	Minus	4133203-4133081
45	337862	Dunham, I. et.al.	Minus	5347658-5347550
	338083	Dunham, I. et.al.	Minus	9318438-9318301
	338158	Dunham, I. et.al.	Minus	11794465-11794343
	338161	Dunham, I. et.al.	Minus	12124716-12124658
	338182	Dunham, I. et.al.	Minus	12824919-12824827
50	338189	Dunham, I. et.al.	Minus	12878594-12878478
	338199	Dunham, I. et.al.	Minus	13760865-13760780
	338215	Dunham, I. et.al.	Minus	14055447-14055355
	338469	Dunham, I. et.al.	Minus	20520387-20520242
	338549	Dunham, I. et.al.	Minus	22049171-22049081
55	338561	Dunham, I. et.al.	Minus	22311966-22311856
	338671	Dunham, I. et.al.	Minus	24508421-24508346
	338676	Dunham, I. et.al.	Minus	24637427-24637369
	338726	Dunham, I. et.al.	Minus	25926206-25925618
	338779	Dunham, I. et.al.	Minus	27030151-27029795
60	338871	Dunham, I. et.al.	Minus	28301708-28301611
	338872	Dunham, I. et.al.	Minus	28300921-28300790
	338966	Dunham, I. et.al.	Minus	29614876-29614749
	339229	Dunham, I. et.al.	Minus	32722330-32722199
	339264	Dunham, I. et.al.	Minus	32975145-32975053
65	325228	6381940	Plus	2630-2694
	325235	6381943	Minus	162154-162264
	329588	3962484	Plus	1169-1619
	329560	3962491	Plus	2095-2990
	329541	3983503	Minus	2765-3059
70	325328	5866875	Plus	86780-86854
	325340	6017033	Minus	166656-166819
	325373	5866920	Minus	1136686-1136777
	325367	5866920	Minus	922881-922958
	325389	5866921	Plus	239672-239759
75	325436	5866939	Minus	29778-29907
	325498	5866967	Plus	173372-173930
	325471	6017034	Minus	289268-289342
	325557	6056302	Plus	50921-51050
	325559	6249595	Minus	118590-119172
80	325560	6249595	Minus	133794-133981
	325569	6249599	Plus	79927-80217
	325587	6682462	Plus	126724-126967
	325585	6682462	Plus	73476-73574
	325597	5866992	Plus	1065020-1065089
85	325639	5867002	Plus	253525-253608

325739	5867038	Minus	205138-205269
325740	5867038	Minus	207533-207690
325792	6469828	Minus	1018-1176
325735	6552447	Minus	269122-269190
325685	6682468	Plus	117397-117483
325686	6682468	Plus	118337-118439
325819	6682490	Minus	130314-130370
329764	6048195	Minus	109733-109968
329703	6065793	Minus	139994-140138
329543	6448539	Plus	53403-53537
329816	6624888	Minus	70296-70423
329860	6687260	Minus	163474-163605
325883	5867087	Plus	22498-22663
325895	5867097	Plus	358317-358476
325925	5867124	Plus	115749-115962
325932	5867127	Plus	7369-7441
325941	5867133	Minus	64228-64402
325969	5867153	Plus	101911-102081
325971	5867153	Plus	105841-106035
329993	4567166	Minus	101307-101434
330020	6671887	Plus	172397-172491
326163	5867168	Minus	7831-8035
326274	5867171	Minus	410289-410404
326025	5867176	Plus	70854-70915
326046	5867182	Minus	62668-62825
326099	5867186	Minus	661381-661510
326108	5867187	Minus	23784-23903
326165	5867208	Minus	62787-62929
326189	5867212	Plus	69288-69413
326204	5867218	Minus	148088-148200
326230	5867230	Minus	301868-301972
330052	4567182	Plus	352560-352963
330036	6042048	Plus	117120-117216
326360	5867293	Plus	13627-13844
326589	5867320	Plus	22760-22919
326393	5867341	Plus	41702-41841
326505	5867435	Minus	8818-8949
326515	5867439	Plus	36683-36809
326592	6138928	Plus	23689-23828
330107	6015249	Minus	100091-100282
330106	6015249	Minus	99443-99778
330100	6015253	Plus	21166-21301
330093	6015278	Plus	1043-1199
330088	6015293	Plus	37517-37638
330085	6015302	Minus	59613-59770
330120	6671864	Minus	127553-127656
330123	6671869	Minus	35311-35406
326742	5867611	Minus	95187-95248
326605	5867637	Plus	24656-24749
326818	6117831	Minus	15199-15309
326720	6552456	Plus	84525-84677
326770	6598307	Minus	513603-513668
326692	6682502	Plus	117697-117899
326693	6682502	Minus	335002-335095
326983	5867657	Minus	16023-16581
326991	5867660	Plus	18147-18339
326936	6004446	Minus	10217-10357
326964	6469836	Plus	75340-75456
327040	6531965	Plus	783260-783817
327053	6531965	Plus	2247267-2247437
327075	6531965	Plus	4041318-4041431
327085	6531965	Plus	4734947-4735069
327036	6531965	Plus	319951-320040
327130	6531976	Plus	20247-22343
327156	5866841	Minus	2462-2620
327288	5867481	Plus	48583-48773
327332	5867516	Minus	56361-56532
327220	5867525	Minus	65701-65781
327224	5867534	Plus	188468-188544
327321	6249562	Minus	99745-99836
327361	6552412	Minus	61013-62130
327396	5867743	Plus	8702-8820
327414	5867750	Plus	102461-102586
327442	5867759	Plus	111483-111618
327467	5867772	Plus	88030-88151
327473	5867775	Plus	75101-75181
327483	5867783	Plus	181573-181662
327377	5867793	Minus	37610-37676
327562	5867804	Minus	343989-344474
327568	5867811	Minus	46152-46287
327606	6004463	Plus	200262-200495
327611	5867868	Minus	175063-175392
327642	5867891	Minus	2513-2743
327654	5867910	Minus	97564-97710
327734	5867940	Minus	31003-31583

327775	5867964	Minus	130791-130871
327796	5867982	Plus	85267-85405
327840	6249578	Minus	73065-73206
330208	6013599	Plus	66517-66931
330263	6571884	Minus	101503-101634
328004	5867993	Minus	157407-157887
328101	5868020	Plus	289920-290014
328100	5868020	Minus	263545-263635
328113	5868024	Minus	80378-80491
328157	5868064	Plus	73326-73615
328195	5868080	Minus	16551-16729
328197	5868081	Minus	42133-42438
327940	5868197	Minus	95240-95428
327984	5868216	Plus	66611-66677
328021	5902482	Plus	713478-714590
328068	6117819	Plus	253903-254022
328264	6381912	Plus	55086-55404
330300	2905852	Minus	3246-3302
328608	5868222	Minus	87770-87953
328600	5868229	Minus	38889-40010
328616	5868239	Plus	293920-294224
328623	5868246	Minus	120020-120126
328632	5868247	Plus	76734-76853
328666	5868254	Minus	778-901
328698	5868264	Minus	625555-625633
328700	5868264	Plus	764089-764203
328708	5868271	Minus	68114-68854
328735	5868289	Plus	89389-89455
328743	5868289	Plus	274838-274726
328806	5868324	Plus	29408-29684
328299	5868366	Minus	149708-149889
328342	5868383	Plus	59955-60094
328365	5868387	Minus	270724-270798
328369	5868388	Plus	75371-75583
328381	5868392	Plus	662758-662848
328451	5868425	Minus	217275-217336
328481	5868449	Minus	8987-9180
328500	5868464	Plus	59098-59481
328530	5868482	Plus	334973-335406
328664	6004473	Plus	1193739-1193866
328861	6381928	Minus	108317-108403
328908	5868493	Plus	117002-117059
328933	5868500	Plus	771755-771889
328934	5868500	Plus	846342-846448
328949	6456765	Minus	43552-43619
330313	6042030	Minus	33642-33775
329005	5868542	Plus	85470-85673
330366	2944106	Plus	151837-151914
330372	6580495	Minus	317461-317688
329033	5868561	Minus	5390-5479
329037	5868562	Minus	32466-32562
329067	5868591	Minus	146417-147652
329134	5868679	Plus	29959-30018
329157	5868687	Minus	145940-146155
329178	5868704	Plus	179177-179463
329192	5868716	Plus	166936-167020
329194	5868716	Minus	304450-304559
329204	5868720	Minus	3050-3190
329224	5868728	Plus	27422-27664
329228	5868728	Minus	50118-50287
329288	5868771	Plus	25554-26299
329337	5868805	Minus	467155-467222
329011	6682532	Plus	48658-48741

TABLE 9A: Potential Therapeutic, Diagnostic and Prognostic targets for Therapy of Lung Cancer

Table 9A shows about 1312 genes up-regulated in lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) relative to normal body tissues. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 9B show the accession numbers for those Pkey's lacking UnigeneID's for table 9A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 9C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 9A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1:   Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2:   Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
400195			NM_007057*:Homo sapiens ZW10 interactor	1.00	1.00
400205			NM_006265*:Homo sapiens RAD21 (S. pombe)	15.80	396.00
400220			Eos Control	2.28	2.84
400277			Eos Control	7.68	9.72
400285			Eos Control	1.00	1.00
400288	X06256	Hs.149609	integrin, alpha 5 (fibronectin receptor,	1.04	2.24
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin	132.45	4.00
400298	AA032279	Hs.61635	six transmembrane epithelial antigen of	43.86	74.00
400301	X03635	Hs.1657	estrogen receptor 1	1.00	1.00
400303	AA242758	Hs.79136	UV-1 protein, estrogen regulated	1.75	1.65
400328	X87344	Hs.180062	transporter 2, ATP-binding cassette, sub	0.87	1.80
400419	AF084545		Target	156.55	253.00
400512			NM_030878*:Homo sapiens cytochrome P450,	1.00	2.00
400517	AF242388		lengsin	3.67	87.00
400560			NM_030878*:Homo sapiens cytochrome P450,	1.00	1.00
400664			NM_002425:Homo sapiens matrix metallopro	20.26	45.00
400665			NM_002425:Homo sapiens matrix metallopro	1.36	1.07
400666			NM_002425:Homo sapiens matrix metallopro	3.26	3.22
400749			NM_003105*:Homo sapiens sortilin-related	1.00	91.00
400763			Target Exon	7.63	24.00
401027			Target Exon	1.00	1.00
401093			C12000586*:gi|6330167|db|[BAA86477.1] (A	1.00	155.00
401203			Target Exon	1.00	86.00
401212			C12000457*:gi|7512178|pir|[T30337 polypr	1.00	400.00
401411			ENSP00000247172*:HYPOTHETICAL 126.2 kDa	1.00	72.00
401435			C14000397*:gi|7499898|pir|[T33295 hypoth	1.00	64.00
401464	AF039241		histone deacetylase 5	3.82	49.00
401714			ENSP00000241802*:CDNA FLJ11007 FIS, CLON	2.02	40.00
401747			Homo sapiens keratin 17 (KRT17)	128.43	68.00
401760			Target Exon	1.74	35.00
401780			NM_005557*:Homo sapiens keratin 16 (foca	26.47	10.50
401781			Target Exon	10.33	4.61
401785			NM_002275*:Homo sapiens keratin 15 (KRT1	4.13	2.70
401797			Target Exon	1.44	2.10
401961			NM_021626:Homo sapiens serine carboxypep	1.41	1.86
401985	AF053004		class I cytokine receptor	1.00	177.00
401994			Target Exon	61.84	47.00
402075			ENSP00000251056*:Plasma membrane calcium	1.00	1.00
402260			NM_001436*:Homo sapiens fibrillarin (FBL	1.58	1.39
402265			Target Exon	2.09	35.00
402297			Target Exon	1.00	92.00
402408			NM_030920*:Homo sapiens hypothetical pro	28.87	13.00
402420			C1000823*:gi|10432400|emb|CAC10290.1| (A	1.00	1.44
402674			Target Exon	7.44	243.00
402802			NM_001397:Homo sapiens endothelin conver	1.00	70.00
402994			NM_002463*:Homo sapiens myxovirus (influ	1.37	1.43
403137			NM_005381*:Homo sapiens nucleolin (NCL),	1.00	19.00
403306	NM_006825		transmembrane protein (63kD), endoplasmi	1.00	43.00
403329			Target Exon	1.00	61.00
403381			ENSP00000231844*:Ecotropic virus integra	1.00	119.00
403478			NM_022342:Homo sapiens kinesin protein 9	28.13	136.00
403485			C3001813*:gi|12737279|ref|XP_012163.1| k	20.23	76.00
403627			Target Exon	6.30	29.33
403715			Target Exon	1.30	35.00
404044			ENSP00000237855*:DJ398G3.2 (NOVEL PROTEI	1.00	54.00
404076			NM_016020*:Homo sapiens CGI-75 protein (	14.29	91.00
404101			C8000950*:gi|423560|pir|[A47318 RNA-bind	1.00	1.00
404140			NM_006510:Homo sapiens ret finger protei	1.42	1.44
404165			ENSP00000244562:NRH dehydrogenase [quino	1.00	54.00
404185			Target Exon	1.00	117.00
404210			NM_005936:Homo sapiens myeloid/lymphoid	5.93	13.77
404253			NM_021058*:Homo sapiens H2B histone fami	1.00	1.00

	404287			C6001909:gi|704441|dbj|BAA18909.1| (D298	29.71	42.00
	404298			C6001238*:gi|121715|sp|P26697|GTA3_CHICK	1.30	1.00
	404347			Target Exon	1.00	1.00
	404440			NM_021048:Homo sapiens melanoma antigen,	1.00	15.00
5	404721			NM_005596*:Homo sapiens nuclear factor I	1.00	60.00
	404794	NM_000078		cholesteryl ester transfer protein, plas	1.07	1.38
	404854			Target Exon	1.61	2.01
	404877			NM_005365:Homo sapiens melanoma antigen,	1.00	1.00
	404927			Target Exon	1.00	1.00
10	404996			Target Exon	1.00	1.00
	405449			CY000047*:gi|11427234|ref|XP_009399.1| z	1.00	1.00
	405568			NM_031413*:Homo sapiens cat eye syndrome	1.00	78.00
	405572			Target Exon	0.76	1.14
	405646			C12000200:gi|4557225|ref|NP_000005.1| al	1.01	1.28
15	405676	BE336714		cytochrome c-1	1.13	2.89
	405770			NM_002362:Homo sapiens melanoma antigen,	45.52	37.00
	405932			C15000305:gi|3806122|gb|AAC69198.1| (AF0	1.99	1.99
	406137			NM_000179*:Homo sapiens mutS (E. coli) h	2.77	2.38
	406360			Target Exon	1.00	35.00
20	406399			NM_003122*:Homo sapiens serine protease	1.00	39.00
	406467			Target Exon	1.00	1.00
	406621	X57809	Hs.181125	immunoglobulin lambda locus	1.41	1.74
	406642	AJ245210		gb:Homo sapiens mRNA for immunoglobulin	2.16	3.91
	406663	U24683	Hs.293441	immunoglobulin heavy constant mu	2.07	2.93
25	406671	AA129547	Hs.285754	met proto-oncogene (hepatocyte growth fa	15.00	51.00
	406673	M34996	Hs.198253	major histocompatibility complex, class	0.98	3.09
	406676	X58399	Hs.81221	Human L2-9 transcript of unrearranged im.	1.30	1.53
	406678	U77534		gb:Human clone 1A11 immunoglobulin varia	1.33	1.45
	406685	M18728		gb:Human nonspecific crossreacting antig	1.46	2.85
30	406687	M31126	Hs.272822	pregnancy specific beta-1-glycoprotein 9	8.61	8.50
	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad	226.37	350.00
	406698	X03068	Hs.73931	major histocompatibility complex, class	1.01	2.52
	406815	AA833930	Hs.288036	tRNA isopentenylpyrophosphate transferas	20.25	32.00
	406851	AA609784		major histocompatibility complex, class	0.75	1.91
35	406964	M21305		gb:Human alpha satellite and satellite 3	38.15	1114.00
	406967	M24349		gb:Human parathyroid hormone-like protei	1.00	1.00
	406974	M57293		gb:Human parathyroid hormone-related pep	1.00	1.00
	407103	AA424881	Hs.256301	hypothetical protein MGC13170	1.77	1.10
	407128	R83312	Hs.237260	EST	1.00	1.00
40	407137	T97307		gb:ye53h05.s1 Soares fetal liver spleen	142.70	135.00
	407168	R45175	Hs.117183	ESTs	2.16	18.00
	407239	AA076350	Hs.67846	leukocyte immunoglobulin-like receptor,	1.10	1.57
	407242	M18728		gb:Human nonspecific crossreacting antig	1.12	2.85
	407244	M10014	Hs.75431	fibrinogen, gamma polypeptide	3.24	15.38
45	407289	AA135159	Hs.203349	Homo sapiens cDNA FLJ12149 fis, clone MA	3.53	3.68
	407300	AA102616	Hs.120769	gb:zn43e07.s1 Stratagene HeLa cell s3 93	19.74	73.00
	407366	AF026942	Hs.271530	gb:Homo sapiens cig33 mRNA, partial sequ	0.06	8.25
	407378	AA299264	Hs.57776	ESTs, Moderately similar to I38022 hypot	1.00	26.00
	407430	AF169351		gb:Homo sapiens protein tyrosine phospha	1.00	25.00
50	407453	AJ132087		gb:Homo sapiens mRNA for axonemal dynein	1.00	75.00
	407577	AW131324	Hs.246759	hypothetical protein MGC12538	1.00	1.00
	407634	AW016569	Hs.136414	UDP-GlcNAc:betaGal beta-1,3-N-acetylgluc	111.20	228.00
	407710	AW022727	Hs.23616	ESTs	1.00	28.00
	407720	AB037776	Hs.38002	KIAA1355 protein	1.89	1.31
55	407746	AK001962		hypothetical protein FLJ11100	1.00	1.00
	407756	AA116021	Hs.38260	ubiquitin specific protease 18	4.51	5.00
	407758	D50915	Hs.38365	KIAA0125 gene product	1.00	28.00
	407782	AA608956	Hs.112619	ESTs, Moderately similar to PURKINJE CEL	0.97	1.14
	407788	BE514982	Hs.38991	S100 calcium-binding protein A2	7.88	3.83
60	407790	AI027274	Hs.288941	Homo sapiens cDNA FLJ14866 fis, clone PL	3.63	42.00
	407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	89.96	109.00
	407839	AA045144	Hs.161566	ESTs	173.91	108.00
	407944	R34008	Hs.239727	desmocollin 2	111.30	70.00
	408000	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	151.17	8.00
65	408031	AA081395	Hs.42173	Homo sapiens cDNA FLJ10366 fis, clone NT	9.91	93.00
	408063	BE086548	Hs.42346	calcineurin-binding protein calsarcin-1	195.78	231.00
	408070	AW148852		gb:xf05d05.x1 NCI_CGAP_Brn35 Homo sapien	1.00	1.00
	408101	AW968504	Hs.123073	CDC2-related protein kinase 7	37.84	61.00
	408122	AI432652	Hs.42824	hypothetical protein FLJ10718	0.85	1.71
70	408212	AA297567	Hs.43728	hypothetical protein	5.88	7.91
	408243	Y00787	Hs.624	interleukin 8	4.27	9.98
	408349	BE546947	Hs.44276	homeo box C10	3.79	3.46
	408353	BE439838	Hs.44298	mitochondrial ribosomal protein S17	1.88	1.65
	408354	AI382803	Hs.159235	ESTs	1.00	73.00
75	408369	R38438	Hs.182575	solute carrier family 15 (H??? transport	1.41	16.50
	408380	AF123050	Hs.44532	diubiquitin	15.19	37.22
	408482	NM_000676	Hs.45743	adenosine A2b receptor	1.65	1.19
	408522	AI541214	Hs.46320	Small proline-rich protein SPRK [human,	1.98	1.24
	408538	AW381532	Hs.135188	ESTs	1.55	1.50
80	408545	AW235405	Hs.253690	ESTs	1.00	1.00
	408572	AA055611	Hs.226568	ESTs, Moderately similar to ALU4_HUMAN A	1.00	44.00
	408633	AW953372	Hs.46677	PRO2000 protein	107.16	56.00
	408660	AA525775		ESTs, Moderately similar to PC4259 ferri	1.00	1.00
	408761	AA057264	Hs.238936	ESTs, Weakly similar to (defline not ava	52.24	141.00
85	408771	AW732573	Hs.47584	potassium voltage-gated channel, delayed	3.05	109.00

408783	AF192522	Hs.47701	NPC1 (Niemann-Pick disease, type C1, gen	1.02	1.07
408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,	41.19	61.00
408805	H59912	Hs.48269	vaccinia related kinase 1	24.67	45.00
408841	AW438865	Hs.256862	ESTs	1.00	58.00
408873	AL046017	Hs.182278	calmodulin 2 (phosphorylase kinase, delt	1.00	89.00
408908	BE296227	Hs.250822	serine/threonine kinase 15	7.76	1.00
408992	AA059325	Hs.71642	guanine nucleotide binding protein (G pr	1.00	1.00
408996	AI979168	Hs.344096	glycoprotein (transmembrane) nmb	3.71	5.50
409015	BE389387	Hs.49767	NM_004553:Homo sapiens NADH dehydrogenas	1.44	1.24
409038	T97490	Hs.50002	small inducible cytokine subfamily A (Cy	4.28	5.32
409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119	112.42	195.00
409077	AA401369	Hs.190721	ESTs	1.00	17.00
409093	BE243834	Hs.50441	CGI-04 protein	2.02	1.93
409103	AF251237	Hs.112208	XAGE-1 protein	80.44	40.00
409142	AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	14.87	6.00
409187	AF154830	Hs.50956	carbamoyl-phosphate synthetase 1, mitoch	1.00	1.00
409228	AI654298	Hs.271695	ESTs, Weakly similar to 2109260A B cell	1.22	1.00
409234	AI879419	Hs.27206	ESTs	1.00	1.00
409268	AA625304	Hs.187579	ESTs	11.90	23.00
409269	AA576953	Hs.22972	hypothetical protein FLJ13352	1.00	1.00
409361	NM_005982	Hs.54416	sine oculis homeobox (Drosophila) homolo	168.91	35.00
409404	BE220053	Hs.129056	ESTs	1.00	1.00
409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalin	79.74	96.00
409430	R21945	Hs.346735	splicing factor, arginine/serine-rich 5	1.45	2.10
409446	AI561173	Hs.67688	ESTs	1.00	4.00
409506	NM_006153	Hs.54589	NCK adaptor protein 1	3.97	28.00
409522	AA075382		gbzm87b03.s1 Stratagene ovarian cancer	15.98	141.00
409582	AA401369	Hs.190721	ESTs	1.00	17.00
409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	292.12	79.00
409705	M37762	Hs.56023	brain-derived neurotrophic factor	1.00	82.00
409719	AI769160	Hs.108681	Homo sapiens brain tumor associated prot	1.00	1.00
409731	AA125985	Hs.56145	thymosin, beta, identified in neuroblast	0.12	18.12
409744	AW675258	Hs.56265	Homo sapiens mRNA; cDNA DKFZp586P2321 (f	20.75	51.00
409757	NM_001898	Hs.123114	cystatin SN	22.46	15.80
409866	AW502152		gb:UI-HF-BR0p-ajr-f-11-0-UI.r1 NIH_MGC_5	1.00	1.00
409893	AW247090	Hs.57101	minichromosome maintenance deficient (S.	1.50	1.09
409902	AI337658	Hs.156351	ESTs	25.92	50.00
409935	AW511413	Hs.278025	ESTs	2.63	2.11
409956	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	2.17	4.01
409958	NM_001523	Hs.57697	hyaluronan synthase 1	0.91	2.07
410001	AB041036	Hs.57771	kallikrein 11	1.04	2.28
410032	BE065985		gb:RC3-BT0319-120200-014-a09 BT0319 Homo	1.00	58.00
410037	AB020725	Hs.58009	KIAA0918 protein	1.00	34.00
410044	BE566742	Hs.58169	highly expressed in cancer, rich in leuc	1.00	1.00
410048	W76467	Hs.58218	proline oxidase homolog	1.03	1.44
410076	T05387	Hs.7991	ESTs	1.12	1.50
410102	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	9.89	1.00
410153	BE311926	Hs.15830	hypothetical protein FLJ12691	1.00	1.00
410166	AK001376	Hs.59346	hypothetical protein FLJ10514	1.00	1.00
410193	AJ132592	Hs.59757	zinc finger protein 281	42.01	51.00
410274	AA381807	Hs.61762	hypoxia-inducible protein 2	1.72	1.32
410309	BE043077	Hs.278153	ESTs	1.00	2.00
410340	AW182833	Hs.112188	hypothetical protein FLJ13149	32.08	75.00
410348	AW182663	Hs.95469	ESTs	1.00	1.00
410407	X66839	Hs.63287	carbonic anhydrase IX	1.40	1.11
410418	D31382	Hs.63325	transmembrane protease, serine 4	4.30	2.03
410438	AB037756	Hs.45207	hypothetical protein KIAA1335	1.00	18.00
410553	AW016824	Hs.255527	hypothetical protein MGC14128	1.34	1.04
410555	W27235	Hs.64311	a disintegrin and metalloproteinase doma	23.99	1.41
410561	BE540255	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	10.04	1.00
410681	AW246890	Hs.65425	calbindin 1, (28kD)	10.88	18.92
410781	AI375672	Hs.165028	ESTs	1.00	57.00
411027	AF072099	Hs.67846	leukocyte immunoglobulin-like receptor,	1.62	3.78
411074	X60435	Hs.68137	adenylate cyclase activating polypeptide	1.00	1.15
411089	AA456454		cell division cycle 2-like 1 (PITSLRE pr	1.56	1.58
411152	BE069199		gb:QV3-BT0379-010300-105-g03 BT0379 Homo	1.00	84.00
411248	AA551538	Hs.334605	Homo sapiens cDNA FLJ14408 fis, clone HE	1.82	1.45
411252	AB018549	Hs.69328	MD-2 protein	7.32	12.74
411263	BE297802	Hs.69360	kinesin-like 6 (mitotic centromere-assoc	3.44	2.55
411365	M76477	Hs.289082	GM2 ganglioside activator protein	1.35	2.02
411402	BE297855	Hs.69855	NRAS-related gene	1.00	46.00
411573	AB029000	Hs.70823	KIAA1077 protein	11.40	11.35
411579	AC005258	Hs.70830	U6 snRNA-associated Sm-like protein LSm7	1.08	1.90
411617	AA247994	Hs.90063	neurocalcin delta	1.74	2.57
411732	AA059325	Hs.71642	guanine nucleotide binding protein (G pr	1.02	1.00
411773	NM_006799	Hs.72026	protease, serine, 21 (testisin)	1.34	2.19
411789	AF245505	Hs.72157	Adlican	2.19	2.79
411800	N39342	Hs.103042	microtubule-associated protein 1B	23.34	34.00
411945	AL033527	Hs.92137	v-myc avian myelocytomatosis viral oncog	1.00	8.00
412115	AK001763	Hs.73239	hypothetical protein FLJ10901	2.07	1.64
412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	118.48	92.00
412276	BE262621	Hs.73798	macrophage migration inhibitory factor (	1.98	1.49
412464	T78141	Hs.22825	ESTs, Weakly similar to I55214 salivary	1.16	1.34
412530	AA766268	Hs.266273	hypothetical protein FLJ13346	41.52	84.00
412537	AL031778		nuclear transcription factor Y, alpha	17.90	55.00

154

412659	AW753865	Hs.74376	olfactomedin related ER localized protei	14.65	47.00
412719	AW016610	Hs.816	ESTs	382.46	128.00
412723	AA648459	Hs.335951	hypothetical protein AF301222	54.90	1.00
412811	H06382		ESTs	1.00	11.00
412817	AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	1.63	1.42
412863	AA121673	Hs.59757	zinc finger protein 281	17.63	56.00
412924	BE018422	Hs.75258	H2A histone family, member Y	1.00	22.00
413004	T35901	Hs.75117	interleukin enhancer binding factor 2, 4	2.19	2.05
413011	AW068115	Hs.821	biglycan	1.22	1.88
413048	M93221	Hs.75182	mannose receptor, C type 1	0.30	6.23
413063	AL035737	Hs.75184	chitinase 3-like 1 (cartilage glycoprote	3.43	8.71
413129	AF292100	Hs.104613	RP42 homolog	4.67	4.77
413142	M81740	Hs.75212	ornithine decarboxylase 1	1.92	2.59
413223	AI732182	Hs.191856	ESTs	5.73	27.00
413248	T64858	Hs.21433	hypothetical protein DKFZp547J036	0.99	1.06
413273	U75679	Hs.75257	stem-loop (histone) binding protein	1.00	18.00
413278	BE563085	Hs.833	interferon-stimulated protein, 15 kDa	1.10	1.09
413281	AA861271	Hs.222024	transcription factor BMAL2	95.94	69.00
413364	BE536218	Hs.137516	fidgetin-like 1	1.00	1.00
413385	M34455	Hs.840	indoleamine-pyrrole 2,3 dioxygenase	0.95	2.09
413409	AI638418	Hs.1440	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.00	1.00
413453	AA129640	Hs.128065	ESTs	1.00	31.00
413527	BE250788	Hs.179882	hypothetical protein FLJ12443	1.08	1.46
413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	79.15	114.00
413573	AI733859	Hs.149089	ESTs	1.00	1.00
413582	AW295647	Hs.71331	hypothetical protein MGC5350	8.80	10.00
413597	AW302885	Hs.117183	ESTs	1.00	1.00
413690	BE157489		gb:RC1-HT0375-120200-011-e06 HT0375 Homo	1.00	1.00
413691	AB023173	Hs.75478	ATPase, Class VI, type 11B	3.16	2.32
413719	BE439580	Hs.75498	small inducible cytokine subfamily A (Cy	2.88	9.52
413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin	144.10	108.00
413801	M62246	Hs.35406	ESTs, Highly similar to unnamed protein	1.00	17.00
413833	Z15005	Hs.75573	centromere protein E (312kD)	1.00	1.00
413882	AA132973	Hs.184492	ESTs	64.24	148.00
413926	AA133338	Hs.54310	ESTs	1.00	67.00
413943	AW294416	Hs.144687	Homo sapiens cDNA FLJ12981 fis, clone NT	43.42	42.00
413995	BE048146	Hs.75671	syntaxin 1A (brain)	1.23	1.11
414035	Y00630	Hs.75716	serine (or cysteine) proteinase inhibito	2.02	2.51
414142	AW368397	Hs.334485	Homo sapiens cDNA FLJ14438 fis, clone HE	1.00	102.00
414180	AI863304	Hs.120905	Homo sapiens cDNA FLJ11448 fis, clone HE	6.92	77.00
414245	BE148072	Hs.75850	WAS protein family, member 1	1.00	1.00
414275	AW970254	Hs.889	Charot-Leyden crystal protein	1.00	59.00
414317	BE263280	Hs.75868	phosphogluconate dehydrogenase	1.52	1.73
414334	AA824298	Hs.21331	hypothetical protein FLJ10036	1.78	1.72
414341	D80004	Hs.75909	KIAA0182 protein	33.90	151.00
414368	W70171	Hs.75939	uridine monophosphate kinase	171.60	97.00
414416	AW409985	Hs.76084	hypothetical protein MGC2721	2.32	1.85
414430	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1	226.15	66.00
414570	Y00285	Hs.76473	insulin-like growth factor 2 receptor	1.64	1.98
414618	AI204600	Hs.96978	hypothetical protein MGC10764	1.87	72.00
414675	R79015	Hs.296281	interleukin enhancer binding factor 1	1.51	1.39
414683	S78296	Hs.76888	hypothetical protein MGC12702	43.61	64.00
414696	AF002020	Hs.76918	Niemann-Pick disease, type C1	28.63	71.00
414711	AI310440	Hs.288735	Homo sapiens cDNA FLJ13522 fis, clone PL	14.86	42.00
414718	H95348	Hs.107987	ESTs	1.00	5.00
414732	AW410976	Hs.77152	minichromosome maintenance deficient (S.	1.64	1.44
414747	U30872	Hs.77204	centromere protein F (350/400kD, mitosin	65.01	74.00
414761	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2	130.35	121.00
414774	X02419	Hs.77274	plasminogen activator, urokinase	2.24	2.19
414806	D14694	Hs.77329	phosphatidylserine synthase 1	1.63	1.53
414809	AI434699	Hs.77356	transferrin receptor (p90, CD71)	1.97	2.60
414812	X72755	Hs.77367	monokine induced by gamma interferon	3.48	10.60
414825	X06370	Hs.77432	epidermal growth factor receptor (avian	103.22	143.00
414839	X63692	Hs.77462	DNA (cytosine-5-)-methyltransferase 1	1.80	1.69
414883	AA926960		CDC28 protein kinase 1	14.29	10.06
414907	X90725	Hs.77597	polo (Drosophia)-like kinase	1.95	2.20
414914	U49844	Hs.77613	ataxia telangiectasia and Rad3 related	3.00	2.90
414945	BE076358	Hs.77667	lymphocyte antigen 6 complex, locus E	1.02	1.21
414972	BE263782	Hs.77695	KIAA0008 gene product	1.00	1.00
415014	AW954064	Hs.24951	ESTs	1.42	2.84
415091	AL044872	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A sy	1.00	30.00
415138	C18356	Hs.295944	tissue factor pathway inhibitor 2	34.72	107.00
415227	AW621113	Hs.72402	ESTs	1.87	49.00
415238	R37780	Hs.21422	ESTs	1.00	1.00
415263	AA948033	Hs.130853	ESTs	1.00	1.00
415295	R41450	Hs.6546	ESTs	1.00	1.00
415339	NM_015156	Hs.78398	KIAA0071 protein	51.18	166.00
415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	30.84	63.00
415674	BE394784	Hs.78596	proteasome (prosome, macropain) subunit,	1.48	1.39
415709	AA549850	Hs.278558	ESTs	1.00	1.00
415735	AA704162	Hs.120811	ESTs, Weakly similar to I38022 hypotheti	1.00	72.00
415799	AA653718	Hs.225841	DKFZP434D193 protein	6.23	31.00
415817	U88967	Hs.78857	protein tyrosine phosphatase, receptor-t	24.30	1.00
415857	AA866115	Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	32.51	35.00
415989	AI257700		ESTs	78.89	1.00

155

416018	AW138239	Hs.78977	proprotein convertase subtilisin/kexin t	1.00	1.00
416065	BE267931	Hs.78996	proliferating cell nuclear antigen	3.35	2.32
416111	AA033813	Hs.79018	chromatin assembly factor 1, subunit A (	39.03	3.00
416177	AA174069	Hs.187607	ESTs	1.00	9.00
416178	AI808527	Hs.192822	serologically defined breast cancer anti	3.83	3.76
416208	AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	3.67	1.00
416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h	9.70	1.00
416239	AL038450	Hs.48948	ESTs	83.87	129.00
416250	AA581386	Hs.73452	hypothetical protein MGC10791	1.96	2.12
416322	BE019494	Hs.79217	pyrroline-5-carboxylate reductase 1	2.08	1.73
416423	H54375	Hs.268921	ESTs	1.00	89.00
416448	L13210	Hs.79339	lectin, galactoside-binding, soluble, 3	1.28	1.54
416498	U33632	Hs.79351	potassium channel, subfamily K, member 1	27.29	67.00
416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	53.29	51.00
416661	AA634543	Hs.79440	IGF-II mRNA-binding protein 3	9.96	5.00
416722	AA354604	Hs.122546	hypothetical protein FLJ23017	3.68	33.00
416819	U77735	Hs.80205	pim-2 oncogene	1.59	1.84
416936	N21352	Hs.42987	ESTs, Weakly similar to S21348 probable	1.00	1.00
417034	NM_006183	Hs.60962	neurotensin	1.00	1.00
417061	AI675944	Hs.188691	Homo sapiens cDNA FLJ12033 fis, clone HE	32.95	156.00
417079	U65590	Hs.81134	interleukin 1 receptor antagonist	3.91	4.93
417218	AA129547	Hs.285754	met proto-oncogene (hepatocyte growth fa	1.00	51.00
417233	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	3.38	2.05
417308	H60720	Hs.81892	KIAA0101 gene product	82.94	25.36
417315	AI080042	Hs.180450	ribosomal protein S24	106.61	121.00
417324	AW265494		ESTs	1.20	1.28
417366	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)	8.97	3.27
417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor	2.59	1.82
417428	N87579	Hs.278871	gb:LL2030F Human fetal heart, Lambda ZAP	1.00	52.00
417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	304.75	173.00
417466	AI681547	Hs.59457	hypothetical protein FLJ22127	1.24	1.34
417512	AI979168	Hs.344096	glycoprotein (transmembrane) nmb	2.14	5.50
417515	L24203	Hs.82237	ataxia-telangiectasia group D-associated	2.66	1.68
417542	J04129	Hs.82269	progestagen-associated endometrial prote	1.28	1.35
417576	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	42.76	51.00
417715	AW969587	Hs.85366	ESTs	6.35	2.75
417720	AA205625	Hs.208067	ESTs	113.31	58.00
417791	AW965339	Hs.111471	ESTs	39.98	16.00
417830	AW504786	Hs.122579	hypothetical protein FLJ10461	2.61	31.00
417866	AW067903	Hs.82772	collagen, type XI, alpha 1	2.35	2.44
417900	BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	1.52	1.11
417933	X02308	Hs.82962	thymidylate synthetase	4.74	2.55
417944	AU077196	Hs.82985	collagen, type V, alpha 2	3.61	5.21
417975	AA641836	Hs.30085	hypothetical protein FLJ23186	12.49	38.00
417991	AA731452	Hs.190008	ESTs	1.00	26.00
418004	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	3.02	2.12
418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	187.59	1.00
418054	NM_002318	Hs.83354	lysyl oxidase-like 2	2.85	2.63
418057	NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.54	1.69
418113	AI272141	Hs.83484	SRY (sex determining region Y)-box 4	6.82	5.22
418140	BE613836	Hs.83551	microfibrillar-associated protein 2	1.26	1.46
418203	X54942	Hs.83758	CDC28 protein kinase 2	134.19	144.00
418207	C14685	Hs.34772	ESTs	1.00	1.00
418216	AA662240	Hs.283099	AF15q14 protein	64.66	61.00
418236	AW994005	Hs.337534	ESTs	18.53	147.00
418249	H89226	Hs.34892	KIAA1323 protein	30.53	105.00
418281	U09550	Hs.1154	oviductal glycoprotein 1, 120kD (mucin 9	1.00	3.00
418283	S79895	Hs.83942	cathepsin K (pycnodysostosis)	3.95	5.16
418300	AI433074	Hs.86682	Homo sapiens cDNA: FLJ21578 fis, clone C	3.18	2.91
418322	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	11.96	6.68
418327	U70370	Hs.84136	paired-like homeodomain transcription fa	9.23	2.22
418345	AJ001696	Hs.241407	serine (or cysteine) proteinase inhibito	1.00	1.00
418379	AA218940	Hs.137516	fidgetin-like 1	21.68	44.00
418397	NM_001269	Hs.84746	chromosome condensation 1	1.00	8.00
418403	D86978	Hs.84790	KIAA0225 protein	16.91	18.98
418462	BE001596	Hs.85266	integrin, beta 4	1.55	1.16
418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.22	2.38
418506	AA084248	Hs.85339	G protein-coupled receptor 39	2.66	2.22
418526	BE019020	Hs.85838	solute carrier family 16 (monocarboxylic	2.04	2.21
418538	BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	1.33	37.00
418543	NM_005329	Hs.85962	hyaluronan synthase 3	1.04	1.23
418574	N28754		M-phase phosphoprotein 9	48.60	85.00
418592	X99226	Hs.284153	Fanconi anemia, complementation group A	18.24	26.00
418641	BE243136	Hs.86947	a disintegrin and metalloproteinase doma	1.19	1.41
418661	NM_001949	Hs.1189	E2F transcription factor 3	29.05	43.00
418663	AK001100	Hs.41690	desmocollin 3	112.17	19.00
418678	NM_001327	Hs.87225	cancer/testis antigen	1.18	1.10
418686	Z36830	Hs.87268	annexin A8	1.54	1.98
418689	AI360883	Hs.274448	hypothetical protein FLJ11029	1.19	1.04
418712	Z42183		gb:HSC0BF041 normalized infant brain cDN	1.00	12.00
418727	AA227609	Hs.94834	ESTs	1.00	49.00
418738	AW388633	Hs.6682	solute carrier family 7, (cationic amino	49.85	1.00
418819	AA228776	Hs.191721	ESTs	1.00	140.00
418830	BE513731	Hs.88959	hypothetical protein MGC4816	20.97	23.00
418882	NM_004996	Hs.89433	ATP-binding cassette, sub-family C (CFTR	57.09	35.00

156

	418971	AA360392	Hs.87113	ESTs	1.00	12.00
	418973	AA233056	Hs.191518	ESTs	4.89	28.00
	419078	M93119	Hs.89584	insulinoma-associated 1	1.00	10.00
	419079	AW014835	Hs.18844	ESTs	1.09	1.98
5	419080	AW150835	Hs.18878	hypothetical protein FLJ21620	2.06	1.68
	419088	AI538323	Hs.52620	integrin, beta 8	15.60	51.00
	419092	J05581	Hs.89603	mucin 1, transmembrane	1.11	1.83
	419121	AA374372	Hs.89626	parathyroid hormone-like hormone	1.00	1.00
	419171	NM_002846	Hs.89655	protein tyrosine phosphatase, receptor t	1.10	1.14
10	419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	1.00	1.00
	419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy	3.18	2.43
	419288	AA256105	Hs.87507	ESTs	1.00	34.00
	419335	AW960146	Hs.284137	hypothetical protein FLJ12888	1.00	8.00
	419354	M62839	Hs.1252	apolipoprotein H (beta-2-glycoprotein I)	22.63	54.00
15	419359	AL043202	Hs.90073	chromosome segregation 1 (yeast homolog)	2.50	1.98
	419423	D26488	Hs.90315	KIAA0007 protein	1.00	7.00
	419443	D62703		gb:HUM316G10B Clontech human aorta polyA	1.00	12.00
	419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	1.64	1.84
	419474	AW968619	Hs.155849	ESTs	13.63	62.00
20	419485	AA489023	Hs.99807	ESTs, Weakly similar to unnamed protein	4.27	2.26
	419488	AA316241	Hs.90691	nucleophosmin/nucleoplasmin 3	3.66	3.63
	419502	AU076704		fibrinogen, A alpha polypeptide	13.05	115.00
	419539	AF070590	Hs.90869	Homo sapiens clones 24622 and 24623 mRNA	74.60	117.00
	419556	U29615	Hs.91093	chitinase 1 (chitotriosidase)	1.47	4.98
25	419569	AI971651	Hs.91143	jagged 1 (Alagille syndrome)	1.00	4.00
	419594	AA013051	Hs.91417	topoisomerase (DNA) II binding protein	94.30	94.00
	419703	AI793257	Hs.128151	ESTs	15.26	50.00
	419721	NM_001650	Hs.288650	aquaporin 4	1.00	191.00
	419729	AA586442	Hs.21411	gb:no53a03.s1 NCI_CGAP_SS1 Homo sapiens	1.00	59.00
30	419741	NM_007019	Hs.93002	ubiquitin carrier protein E2-C	2.02	1.08
	419745	AF042001	Hs.93005	slug (chicken homolog), zinc finger prot	1.00	1.00
	419752	AA249573	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	29.87	77.00
	419839	U24577	Hs.93304	phospholipase A2, group VII (platelet-ac	50.99	214.00
	419936	AI792788		gb:oI91d05.y5 NCI_CGAP_Kid5 Homo sapiens	1.00	1.00
35	419937	AB040959	Hs.93836	DKFZP434N014 protein	1.64	2.47
	419983	W55956	Hs.94030	Homo sapiens mRNA; cDNA DKFZp586E1624 (f	15.72	94.00
	420005	AW271106	Hs.133294	ESTs	3.15	1.43
	420047	AI478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	12.45	39.00
	420058	AK001423	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	1.00	117.00
40	420162	BE378432	Hs.95577	cyclin-dependent kinase 4	1.43	1.21
	420251	AW374968	Hs.348112	Human DNA sequence from clone RP5-1103G7	2.35	3.23
	420259	AF004884	Hs.96253	calcium channel, voltage-dependent, P/Q	0.77	1.15
	420281	AI623693	Hs.323494	ESTs	45.04	54.00
	420309	AW043637	Hs.21766	ESTs, Weakly similar to ALU5_HUMAN ALU S	49.22	31.00
45	420332	NM_001756	Hs.1305	serine (or cysteine) proteinase inhibito	0.05	2.82
	420380	AA640891	Hs.102406	ESTs	0.99	2.74
	420462	AF050147	Hs.97932	chondromodulin I precursor	1.00	1.00
	420520	AK001978	Hs.98510	similar to rab11-binding protein	49.74	133.00
	420552	AK000492	Hs.98806	hypothetical protein	94.65	88.00
50	420560	AW207748	Hs.59115	ESTs	1.00	17.00
	420610	AI683183	Hs.99348	distal-less homeo box 5	1.00	13.00
	420689	H79979	Hs.88678	ESTs	50.09	95.00
	420721	AA927802	Hs.159471	ZAP3 protein	1.00	31.00
	420759	T11832	Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	1.00	48.00
55	420783	AI659838	Hs.99923	lectin, galactoside-binding, soluble, 7	3.04	1.25
	420900	AL045633	Hs.44269	ESTs	2.24	7.00
	420931	AF044197	Hs.100431	small inducible cytokine B subfamily (Cy	1.00	8.00
	421002	AF116030	Hs.100932	transcription factor 17	1.00	27.00
	421027	AA761198	Hs.55254	ESTs	2.87	38.00
60	421037	AI684808	Hs.197653	ESTs	1.00	46.00
	421041	N36914	Hs.14691	ESTs, Moderately similar to I38022 hypot	1.00	98.00
	421073	NM_004689	Hs.101448	metastasis associated 1	1.34	1.46
	421110	AJ250717	Hs.1355	cathepsin E	119.47	427.00
	421133	AA401369	Hs.190721	ESTs	1.10	17.00
65	421150	AI913562	Hs.189902	ESTs	1.45	1.63
	421155	H87879	Hs.102267	lysyl oxidase	1.00	15.00
	421307	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f	1.37	1.10
	421316	AA287203	Hs.324728	SMA5	1.00	21.00
	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.92	3.94
70	421451	AA291377	Hs.50831	ESTs	5.89	14.00
	421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	1.46	1.76
	421506	BE302796	Hs.105097	thymidine kinase 1, soluble	1.56	1.08
	421508	NM_004833	Hs.105115	absent in melanoma 2	5.11	5.23
	421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase I, I	1.00	3.00
75	421524	AA312082	Hs.105445	GDNF family receptor alpha 1	2.63	10.58
	421526	AL080121	Hs.105460	DKFZP564O0823 protein	1.46	1.88
	421552	AF026692	Hs.105700	secreted frizzled-related protein 4	30.21	50.32
	421574	AJ000152	Hs.105924	defensin, beta 2	1.67	1.74
	421582	AI910275		trefoil factor 1 (breast cancer, estroge	1.23	1.00
80	421633	AF121860	Hs.106260	sorting nexin 10	1.00	116.00
	421659	NM_014459	Hs.106511	protocadherin 17	0.05	6.33
	421677	H54092	Hs.38282	ESTs	1.31	1.42
	421753	BE314828	Hs.107911	ATP-binding cassette, sub-family B (MDR/	1.41	1.20
	421773	W69233	Hs.112457	ESTs	1.12	1.14
85	421777	BE562088	Hs.108196	HSPC037 protein	1.97	1.29

157

	421800	AA298151	Hs.222969	ESTs	1.03	1.30
	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	1.88	1.59
	421896	N62293	Hs.45107	ESTs	11.84	22.80
	421928	AF013758	Hs.109643	polyadenylate binding protein-interactin	45.89	90.00
5	421931	NM_000814	Hs.1440	gamma-aminobutyric acid (GABA) A recepto	1.13	1.49
	421948	L42583	Hs.334309	keratin 6A	51.83	20.25
	421975	AW961017	Hs.6459	hypothetical protein FLJ11856	1.17	1.15
	422026	U80736	Hs.110826	trinucleotide repeat containing 9	1.00	52.00
	422094	AF129535	Hs.272027	F-box only protein 5	67.61	62.00
10	422095	AI868872	Hs.282804	hypothetical protein FLJ22704	4.37	2.34
	422109	S73265	Hs.1473	gastrin-releasing peptide	4.18	95.50
	422128	AW881145		gb:QV0-OT0033-010400-182-a07 OT0033 Homo	40.89	71.00
	422129	AU076535	Hs.1478	serine (or cysteine) proteinase inhibito	1.13	1.38
	422134	AW179019	Hs.112110	mitochondrial ribosomal protein L42	41.59	95.00
15	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	2.37	1.10
	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	3.29	1.68
	422278	AF072873	Hs.114218	frizzled (Drosophila) homolog 6	4.93	5.73
	422282	AF019225	Hs.114309	apolipoprotein L	1.49	1.71
	422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis	25.99	10.91
20	422310	AA316622	Hs.98370	cytochrome P450, subfamily IIS, polypept	1.54	1.41
	422311	AF073515	Hs.114948	cytokine receptor-like factor 1	1.15	1.78
	422330	D30783	Hs.115263	epiregulin	1.00	112.00
	422354	AF067800	Hs.115515	C-type (calcium dependent, carbohydrate-	9.39	60.00
	422406	AF025441	Hs.116206	Opa-interacting protein 5	18.33	53.00
25	422424	AI186431	Hs.295638	prostate differentiation factor	1.71	3.21
	422440	NM_004812	Hs.116724	aldo-keto reductase family 1, member B10	47.53	32.00
	422487.	AJ010901	Hs.198267	mucin 4, tracheobronchial	73.68	35.54
	422511	AU076442	Hs.117938	collagen, type XVII, alpha 1	173.97	26.00
	422515	AW500470	Hs.117950	multifunctional polypeptide similar to S	4.68	2.92
30	422656	AI870435	Hs.1569	LIM homeobox protein 2	1.00	1.00
.	422737	M26939	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	3.89	4.55
	422756	AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	1.05	1.46
	422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	3.88	1.53
	422809	AK001379	Hs.121028	hypothetical protein FLJ10549	99.56	53.00
35	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	1.69	3.17
	422938	NM_001809	Hs.1594	centromere protein A (17kD)	70.46	61.00
	422956	BE545072	Hs.122579	ECT2 protein (Epithelial cell transformi	77.74	3.00
	422960	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)	5.88	8.55
	422963	AA401369	Hs.190721	ESTs	171.41	17.00
40	422976	AU076657	Hs.1600	chaperonin containing TCP1, subunit 5 (e	2.12	1.62
	422981	AF026445	Hs.122752	TATA box binding protein (TBP)-associate	10.49	35.00
	422986	AA319777	Hs.221974	ESTs	12.40	32.47
	423034	AL119930		gb:DKFZp761A092_r1 761 (synonym: hamy2)	16.41	60.00
	423049	X59373	Hs.188023	ESTs, Moderately similar to HXDA_HUMAN H	1.00	1.00
45	423081	AF262992	Hs.123159	sperm associated antigen 4	1.82	2.96
	423184	NM_004428	Hs.1624	ephrin-A1	1.14	1.53
	423217	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermolys	2.14	1.69
	423248	AA380177	Hs.125845	ribulose-5-phosphate-3-epimerase	7.18	14.00
	423309	BE006775	Hs.126782	sushi-repeat protein	21.90	64.00
50	423361	AW170055	Hs.47628	ESTs	1.00	1.00
	423453	AW450737	Hs.128791	CGI-09 protein	55.52	66.00
	423511	AF036329	Hs.129715	gonadotropin-releasing hormone 2	0.88	1.17
	423516	AB007933	Hs.129729	ligand of neuronal nitric oxide synthase	1.76	5.40
	423551	AA327598	Hs.233785	ESTs	3.54	4.33
55	423554	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	1.00	50.00
	423575	C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	38.88	70.00
	423624	AI807408	Hs.166368	ESTs	1.00	67.00
	423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	76.02	1.00
	423642	AW452650	Hs.157148	hypothetical protein MGC13204	19.14	58.00
60	423662	AA642452	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro	3.61	13.57
	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	240.73	40.00
	423698	AA329796	Hs.1098	DKFZp434J1813 protein	1.00	59.00
	423725	AJ403108	Hs.132127	hypothetical protein LOC57822	4.20	1.00
	423761	NM_006194	Hs.132576	paired box gene 9	1.00	1.00
65	423787	AJ295745	Hs.236204	nuclear pore complex protein	7.18	6.64
	423816	AF151064		hypothetical protein	1.00	44.00
	423826	U20325	Hs.1707	cocaine- and amphetamine-regulated trans	1.00	1.00
	423849	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	1.00	1.00
	423887	AL080207	Hs.134585	DKFZP434G232 protein	1.00	1.00
70	423934	U89995	Hs.159234	forkhead box E1 (thyroid transcription f	31.33	31.00
	423954	AW753164	Hs.288604	KIAA1632 protein	5.81	10.87
	423961	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	3.55	3.30
	424012	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog	233.42	68.00
	424016	AW163729	Hs.6140	hypothetical protein MGC15730	0.93	1.01
75	424028	AF055084	Hs.153692	Homo sapiens cDNA FLJ14354 fis, clone Y7	21.30	52.00
	424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	1.00	1.00
	424086	AI351010	Hs.102267	lysyl oxidase	21.91	70.00
	424098	AF077374	Hs.139322	small proline-rich protein 3	137.82	54.00
	424120	T80579	Hs.290270	ESTs	1.00	1.00
80	424165	AW582904	Hs.142255	islet amyloid polypeptide	1.00	34.00
	424200	AA337221		gb:EST41944 Endometrial tumor Homo sapie	13.05	48.00
	424279	L29306	Hs.171814	tryptophan hydroxylase (tryptophan 5-mon	1.00	1.00
	424308	AW975531	Hs.154443	minichromosome maintenance deficient (S.	164.58	87.00
	424326	NM_014479	Hs.145296	disintegrin protease	53.72	302.00
85	424340	AA339036	Hs.7033	ESTs	0.88	1.15

424351	BE622117	Hs.145567	hypothetical protein	0.93	1.03
424364	AW383226	Hs.201189	ESTs, Weakly similar to G01763 atrophin-	7.02	3.24
424381	AA285249	Hs.146329	protein kinase Chk2	95.55	92.00
424411	NM_005209	Hs.146549	crystallin, beta A2	1.63	3.25
424420	BE614743	Hs.146688	prostaglandin E synthase	1.63	1.33
424441	X14850	Hs.147097	H2A histone family, member X	1.82	1.29
424502	AF242388	Hs.149585	lengsin	1.00	1.00
424503	X06256	Hs.149509	integrin, alpha 5 (fibronectin receptor,	1.02	2.24
424513	BE385854	Hs.149894	mitochondrial translational initiation f	1.00	17.00
424539	L02911	Hs.150402	Activin A receptor, type I (ACVR1) (ALK	32.46	108.00
424568	AF005418	Hs.150595	cytochrome P450, subfamily XXVIA, polype	3.40	2.58
424602	AK002055	Hs.151046	hypothetical protein FLJ11193	31.87	25.00
424629	M90656	Hs.151393	glutamate-cysteine ligase, catalytic sub	3.58	2.37
424645	NM_014682	Hs.151449	KIAA0535 gene product	1.00	1.00
424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	2.12	2.23
424717	AW992292	Hs.152213	wingless-type MMTV integration site fami	1.00	1.00
424834	AK001432	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	56.19	12.00
424840	D79987	Hs.153479	extra spindle poles, S. cerevisiae, homo	2.65	1.30
424867	AI024860	Hs.153591	Not56 (D. melanogaster)-like protein	1.23	1.05
424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	21.35	1.00
424979	D87989	Hs.154073	UDP-galactose transporter related	1.36	1.35
424999	AW953120		gb:EST365190 MAGE resequences, MAGB Homo	1.24	1.41
425048	H05468	Hs.164502	ESTs	1.00	11.00
425057	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol	7.46	87.00
425081	X74794	Hs.154443	minichromosome maintenance deficient (S.	2.52	3.82
425118	AU076611	Hs.154572	methylene tetrahydrofolate dehydrogenase	4.84	4.03
425159	NM_004341	Hs.154868	carbamoyl-phosphate synthetase 2, aspart	3.62	2.73
425202	AW962282	Hs.152049	ESTs, Weakly similar to I38022 hypotheti	1.00	53.00
425234	AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypotheti	100.77	44.00
425236	AW067800	Hs.155223	stanniocalcin 2	3.30	2.90
425245	AI751768	Hs.155314	KIAA0095 gene product	1.91	2.32
425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin	1.41	1.49
425266	J00077	Hs.155421	alpha-fetoprotein	1.00	68.00
425274	BE281191	Hs.155462	minichromosome maintenance deficient (mi	1.97	1.63
425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	141.49	123.00
425349	AA425234	Hs.79886	ribose 5-phosphate isomerase A (ribose 5	1.00	84.00
425371	D49441	Hs.155981	mesothelin	0.87	1.59
425397	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	14.90	5.76
425420	BE536911	Hs.234545	hypothetical protein NUF2R	1.00	1.00
425424	NM_004954	Hs.157199	ELKL motif kinase	10.58	9.74
425483	AF231022	Hs.158159	FAT tumor suppressor (Drosophila) homolo	1.74	1.40
425566	AW162943	Hs.250618	UL16 binding protein 2	1.49	1.14
425580	L11144	Hs.1907	galanin	53.29	233.00
425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	33.45	1.00
425692	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	1.00	55.00
425695	NM_005401	Hs.159238	protein tyrosine phosphatase, non-recept	1.00	10.00
425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg	1.00	41.00
425776	U25128	Hs.159499	parathyroid hormone receptor 2	1.00	48.00
425810	AI923627	Hs.31903	ESTs	27.39	98.00
425811	AL039104	Hs.159557	karyopherin alpha 2 (RAG cohort 1, impor	1.99	1.58
425849	AI077288	Hs.296323	serum/glucocorticoid regulated kinase	71.16	3.42
425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member	1.35	1.34
426067	AA401369	Hs.190721	ESTs	1.01	17.00
426088	AF038007	Hs.166195	ATPase, Class I, type 8B, member 1	26.26	47.00
426215	AW067800	Hs.155223	stanniocalcin 2	1.91	2.90
426227	U57058	Hs.154299	Human proteinase activated receptor-2 mR	22.40	25.00
426269	H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (f	1.00	1.00
426283	NM_003937	Hs.169139	kynureninase (L-kynurenine hydrolase)	91.39	229.00
426329	AL389951	Hs.271623	nucleoporin 50kD	4.34	4.08
426427	M86699	Hs.169840	TTK protein kinase	7.02	1.00
426432	AF001601	Hs.169857	paraoxonase 2	1.16	1.68
426440	BE382756	Hs.169902	solute carrier family 2 (facilitated glu	2.59	1.71
426459	AF151812	Hs.169992	hypothetical 43.2 Kd protein	1.56	1.66
426471	M22440	Hs.170009	transforming growth factor, alpha	20.60	26.00
426496	D31765	Hs.170114	KIAA0061 protein	9.81	22.00
426501	AA401369	Hs.190721	ESTs	19.23	17.00
426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogenic	103.74	41.00
426536	AI949749	Hs.44441	ESTs	4.65	23.00
426572	AB037783	Hs.170623	hypothetical protein FLJ11183	1.00	43.00
426682	AV650038	Hs.2055	UDP glycosyltransferase 1 family, polype	160.06	8.00
426691	NM_006201	Hs.171834	PCTAIRE protein kinase 1	1.51	1.35
426746	J03626	Hs.2057	uridine monophosphate synthetase (orotat	2.13	1.68
426752	X69490	Hs.172004	titin	0.02	5.14
426784	U03749	Hs.172216	chromogranin A (parathyroid secretory pr	1.72	1.71
426807	AA385315	Hs.156682	ESTs	1.30	1.64
426812	AF105365	Hs.172613	solute carrier family 12 (potassium/chlo	1.47	1.53
426814	AF036943	Hs.172619	myelin transcription factor 1-like	1.00	1.00
426831	BE296216	Hs.172673	S-adenosylhomocysteine hydrolase	1.51	1.25
426897	AA401369	Hs.190721	ESTs	141.56	17.00
426925	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	32.61	38.00
426935	NM_000088	Hs.172928	collagen, type I, alpha 1	2.65	3.16
426964	AA393739	Hs.287416	Homo sapiens cDNA FLJ11439 fis, clone HE	1.97	3.49
426966	AI493134		sclerostin	1.00	1.00
426991	AK001536		Homo sapiens cDNA FLJ10574 fis, clone NT	3.39	2.28
427099	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	4.24	17.00

	427239	BE270447	Hs.174070	ubiquitin carrier protein	1.58	1.05
	427260	AA663848		gb:ae70b06.s1 Stratagene schizo brain S1	1.34	1.60
	427281	AA906147	Hs.102869	ESTs	1.00	66.00
	427335	AA448542	Hs.251677	G antigen 7B	51.83	4.00
5	427354	T57896	Hs.191095	ESTs	1.17	1.95
	427356	AW023482	Hs.97849	ESTs	7.31	41.00
	427376	AA401533	Hs.19440	ESTs	1.00	57.00
	427383	NM_005411	Hs.177582	surfactant, pulmonary-associated protein	0.42	1.32
	427427	AF077345	Hs.177936	lectin, superfamily member 1 (cartilage-	1.00	20.00
10	427441	AA412605	Hs.343879	SPANX family, member C	1.00	1.00
	427445	X80818	Hs.178078	glutamate receptor, metabotropic 4	0.97	1.03
	427505	AA361552	Hs.178761	26S proteasome-associated pad1 homolog	4.60	4.04
	427510	Z47542	Hs.179312	small nuclear RNA activating complex, po	22.00	45.00
	427528	AU077143	Hs.179565	minichromosome maintenance deficient (S.	97.45	92.00
15	427546	AA188763	Hs.36793	hypothetical protein FLJ23188	1.50	3.24
	427562	R56424	Hs.26534	ESTs	6.81	40.00
	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	69.91	62.00
	427660	AI741320	Hs.114121	Homo sapiens cDNA: FLJ23228 fis, clone C	2.70	49.00
	427666	AI791495	Hs.180142	calmodulin-like skin protein	1.37	1.88
20	427668	AA298760	Hs.180191	hypothetical protein FLJ14904	29.55	67.00
	427677	NM_007045	Hs.180295	FGFR1 oncogene partner	3.52	2.63
	427701	AA411101	Hs.243886	nuclear autoantigenic sperm protein (his	7.41	34.00
	427711	M31659	Hs.180408	solute carrier family 25 (mitochondrial	15.84	70.00
	427719	AI393122	Hs.134726	ESTs	7.03	4.52
25	427722	AK000123	Hs.180479	hypothetical protein FLJ20116	2.92	1.74
	427747	AW411425	Hs.180655	serine/threonine kinase 12	1.76	1.26
	427912	AL022310	Hs.181097	tumor necrosis factor (ligand) superfami	9.63	59.00
	427961	AW293165	Hs.143134	ESTs	41.97	118.00
	428004	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub	23.82	1.00
30	428023	AL038843		Homo sapiens cDNA: FLJ23602 fis, clone L	1.40	1.33
	428046	AW812795	Hs.337534	ESTs, Moderately similar to I38022 hypot	96.28	167.00
	428093	AW594506	Hs.104830	ESTs	1.25	1.29
	428098	AU077258	Hs.182429	protein disulfide isomerase-related prot	1.86	1.60
	428129	AI244311	Hs.26912	ESTs	1.00	42.00
35	428169	AI928984	Hs.182793	golgi phosphoprotein 2	2.76	2.11
	428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT	1.00	1.00
	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	85.59	181.00
	428242	H55709	Hs.2250	leukemia inhibitory factor (cholinergic	8.57	21.64
	428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,	7.77	15.90
40	428434	AI909935	Hs.65551	Homo sapiens, Similar to DNA segment, Ch	0.58	1.43
	428450	NM_014791	Hs.184339	KIAA0175 gene product	237.53	204.00
	428471	X57348	Hs.184510	stratifin	6.00	4.60
	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to	56.54	16.00
	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino	3.53	2.15
45	428505	AL035461	Hs.2281	chromogranin B (secretogranin 1)	1.00	1.00
	428532	AF157326	Hs.184786	TBP-interacting protein	1.00	58.00
	428845	AA431400	Hs.98729	ESTs, Weakly similar to 2017205A dihydro	1.00	16.00
	428664	AK001666	Hs.189095	similar to SALL1 (sal (Drosophila)-like	1.00	1.00
	428698	AA852773	Hs.334838	KIAA1866 protein	187.37	255.00
50	428728	NM_016625	Hs.191381	hypothetical protein	47.24	80.00
	428748	AW593206	Hs.98785	Ksp37 protein	1.00	87.00
	428758	AA433988	Hs.98502	hypothetical protein FLJ14303	1.06	1.13
	428771	AB028992	Hs.193143	KIAA1069 protein	1.98	92.00
	428801	AW277121	Hs.254881	ESTs	1.67	6.15
55	428810	AF068236	Hs.193788	nitric oxide synthase 2A (inducible, hep	1.03	1.27
	428839	AI767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	124.17	43.00
	428845	AL157579	Hs.153610	KIAA0751 gene product	1.00	1.00
	428959	AF100779	Hs.194680	WNT1 inducible signaling pathway protein	15.16	27.00
	428969	AF120274	Hs.194689	artemin	1.36	1.24
60	429038	AL023513	Hs.194766	seizure related gene 6 (mouse)-like	0.97	3.31
	429065	AI753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	6.82	16.47
	429164	AI688663	Hs.116586	ESTs	19.08	67.00
	429170	NM_001394	Hs.2359	dual specificity phosphatase 4	16.18	105.00
	429183	AB014604	Hs.197955	KIAA0704 protein	79.72	104.00
65	429201	X03178	Hs.198246	group-specific component (vitamin D bind	1.00	1.00
	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3	1.33	1.09
	429220	AW207206		ESTs	1.00	7.00
	429228	AI553633	Hs.326447	ESTs	39.47	29.25
	429259	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	2.01	1.18
70	429263	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	1.07	1.00
	429276	AF056085	Hs.198612	G protein-coupled receptor 51	3.70	142.00
	429359	W00482	Hs.2399	matrix metalloproteinase 14 (membrane-in	1.30	1.94
	429412	NM_006235	Hs.2407	POU domain, class 2, associating factor	94.09	86.00
	429413	NM_014058	Hs.201877	DESC1 protein	41.91	10.00
75	429486	AF155827	Hs.203963	hypothetical protein FLJ10339	12.19	1.00
	429504	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	1.61	1.08
	429538	BE182592	Hs.11261	small proline-rich protein 2A	4.43	2.90
	429547	AA401369	Hs.190721	ESTs	1.06	17.00
	429551	AW450624	Hs.220931	ESTs	2.89	65.00
80	429563	BE619413	Hs.2437	eukaryotic translation initiation factor	1.49	1.37
	429597	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma	61.86	100.00
	429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	1.59	1.69
	429612	AF062649	Hs.252587	pituitary tumor-transforming 1	2.78	1.74
	429616	AI982722	Hs.120845	ESTs	1.00	1.00
85	429656	X05608	Hs.211584	neurofilament, light polypeptide (68kD)	1.00	4.00

	429663	M58874	Hs.211587	phospholipase A2, group IVA (cytosolic,	69.95	104.00
	429736	AF125304	Hs.212680	tumor necrosis factor receptor superfami	1.25	1.21
	429782	NM_005754	Hs.220689	Ras-GTPase-activating protein SH3-domain	1.00	7.00
	429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	11.80	1.00
5	429918	AW873986	Hs.119383	ESTs	1.00	78.00
	429978	AA249027		ribosomal protein S6	1.98	3.09
	429986	AF092047	Hs.227277	sine oculis homeobox (Drosophila) homolo	1.00	48.00
	430044	AA464510	Hs.152812	ESTs	69.27	59.00
	430114	AA847744	Hs.99640	ESTs	1.00	1.00
10	430134	BE380149	Hs.105223	ESTs, Weakly similar to T33188 hypotheti	1.00	51.00
	430147	R60704	Hs.234434	hairy/enhancer-of-split related with YRP	1.10	2.22
	430287	AW182459	Hs.125759	ESTs, Weakly similar to LEU5_HUMAN LEUKE	1.00	127.00
	430294	AI538226	Hs.32976	guanine nucleotide binding protein 4	3.80	1.47
	430300	U60805	Hs.238648	oncostatin M receptor	1.00	35.00
15	430315	NM_004293	Hs.239147	guanine deaminase	92.31	28.00
	430337	M35707	Hs.239600	calmodulin-like 3	1.18	1.08
	430378	Z29572	Hs.2556	tumor necrosis factor receptor superfami	5.28	66.00
	430388	AA356923	Hs.240770	nuclear cap binding protein subunit 2, 2	16.76	38.00
	430393	BE185030	Hs.241305	estrogen-responsive B box protein	1.63	1.50
20	430439	AL133561		DKFZP434B061 protein	1.00	1.00
	430451	AA836472	Hs.297939	cathepsin B	1.64	2.12
	430454	AW469011	Hs.105635	ESTs	63.35	44.00
	430466	AF052573	Hs.241517	polymerase (DNA directed), theta	2.47	1.91
	430481	AA479578	Hs.203269	ESTs, Moderately similar to ALU8_HUMAN A	1.00	31.00
25	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	12.28	41.00
	430508	AI015435	Hs.104637	ESTs	4.75	7.27
	430533	AA480895	Hs.57749	ESTs, Weakly similar to T17288 hypotheti	1.00	1.00
	430563	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	1.00	1.59
	430577	Z26317	Hs.94560	desmoglein 2	1.72	1.30
30	430678	AA401369	Hs.190721	ESTs	0.90	17.00
	430686	NM_001942	Hs.2633	desmoglein 1	1.00	1.00
	430788	AI742925	Hs.7179	ESTs, Weakly similar to 2004399A chromos	1.62	1.84
	430890	X54232	Hs.2699	glypican 1	1.58	1.40
	430935	AW072916		zinc finger protein 131 (clone pHZ-10)	90.28	132.00
35	430985	AA490232	Hs.27323	ESTs, Weakly similar to I78885 serine/th	0.94	1.28
	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3	60.25	28.00
	431089	BE041395		ESTs, Weakly similar to unknown protein	23.32	941.00
	431092	AI332764	Hs.125757	ESTs	13.46	63.00
	431124	AF284221	Hs.59506	doublesex and mab-3 related transcriptio	49.43	62.00
40	431164	AA493650	Hs.94367	Homo sapiens cDNA: FLJ23494 fis, clone L	0.44	2.20
	431211	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	182.26	101.00
	431221	AW207837	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye	4.15	13.97
	431277	AA501806	Hs.345824	ESTs	1.00	86.00
	431322	AW970622		gb:EST382704 MAGE resequences, MAGK Homo	40.55	200.00
45	431342	AW971018	Hs.21659	ESTs	1.00	53.00
	431384	BE158000	Hs.285026	gb:MR2-HT0377-150200-202-e03 HT0377 Homo	0.94	1.14
	431462	AW583672	Hs.256311	granin-like neuroendocrine peptide precu	1.30	1.25
	431494	AA991355	Hs.298312	hypothetical protein DKFZp434A1315	3.90	26.00
	431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha	1.41	1.87
50	431548	AI834273	Hs.9711	novel protein	5.66	15.00
	431630	NM_002204	Hs.265829	integrin, alpha 3 (antigen CD49C, alpha	0.99	1.44
	431745	AW972448	Hs.163425	ESTs	0.99	3.51
	431770	BE221880	Hs.268555	5'-3' exoribonuclease 2	67.12	91.00
	431830	Y16645	Hs.271387	small inducible cytokine subfamily A (Cy	3.36	4.71
55	431846	BE019924	Hs.271580	uroplakin 1B	4.49	2.51
	431890	X17033	Hs.271986	integrin, alpha 2 (CD49B, alpha 2 subuni	2.20	3.32
	431934	AB031481	Hs.272214	STG protein	1.01	1.04
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	51.17	46.35
	432006	AL137382	Hs.272320	Homo sapiens mRNA; cDNA DKFZp434L1226 (f	0.94	1.65
60	432023	R43020	Hs.236223	EST	0.94	47.00
	432201	AI538613	Hs.298241	Transmembrane protease, serine 3	1.10	2.24
	432210	AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA,	1.42	1.45
	432226	AW182766	Hs.273558	phosphate cytidylyltransferase 1, cholin	1.00	1.00
	432239	X81334	Hs.2936	matrix metalloproteinase 13 (collagenase	18.67	1.00
65	432265	BE382679	Hs.285753	SCG10-like-protein	1.09	1.21
	432281	AK001239	Hs.274263	hypothetical protein FLJ10377	40.98	58.00
	432365	AK001106	Hs.274419	hypothetical protein FLJ10244	1.00	214.00
	432374	W68815	Hs.301885	Homo sapiens cDNA FLJ11346 fis, clone PL	157.34	37.00
	432375	BE536069	Hs.2962	S100 calcium-binding protein P	1.65	1.06
70	432407	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	73.71	75.00
	432441	AW292425	Hs.163484	ESTs	56.35	72.00
	432489	AI804855	Hs.207530	ESTs	1.00	24.00
	432543	AA552690	Hs.152423	Homo sapiens cDNA: FLJ21274 fis, clone C	137.72	98.00
	432552	AI537170	Hs.173725	ESTs, Weakly similar to ALU8_HUMAN ALU S	1.00	31.00
75	432583	AW023624	Hs.162282	potassium channel TASK-4; potassium chan	0.27	35.18
	432606	NM_002104	Hs.3066	granzyme K (serine protease, granzyme 3;	2.87	6.22
	432625	AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin	26.63	56.00
	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci	1.92	5.29
	432677	NM_004482	Hs.278611	UDP-N-acetyl-alpha-D-galactosamine:polyp	1.00	48.00
80	432715	AA247152	Hs.200483	ESTs, Weakly similar to KIAA1074 protein	45.13	31.00
	432753	NM_014075	Hs.336938	Homo sapiens PRO0593 mRNA, complete cds	1.00	68.00
	432788	AA521091	Hs.178499	Homo sapiens cDNA: FLJ23117 fis, clone L	2.69	3.67
	432842	AW674093	Hs.334822	hypothetical protein MGC4485	1.22	1.34
	432867	AW016936	Hs.233364	ESTs	1.00	1.00
85	432917	NM_014125	Hs.241517	PRO0327 protein	10.25	6.62

	ID	Accession	Hs	Description	Val1	Val2
	432920	U37689	Hs.3128	polymerase (RNA) II (DNA directed) polyp	1.44	1.30
	433001	AF217513	Hs.279905	clone HQ0310 PRO0310p1	154.79	85.64
	433023	AW864793	Hs.87409	thrombospondin 1	20.96	100.00
	433042	AW193534	Hs.281895	Homo sapiens cDNA FLJ11660 fis, clone HE	1.00	10.00
5	433091	Y12642	Hs.3185	lymphocyte antigen 6 complex, locus D	1.20	1.09
	433159	AB035898	Hs.150587	kinesin-like protein 2	13.82	39.00
	433183	AF231338	Hs.222024	transcription factor BMAL2	1.00	69.00
	433258	AA622788	Hs.203613	ESTs, Weakly similar to ALUB_HUMAN !!!!	1.00	1.25
	433409	AI278802	Hs.25661	ESTs	44.81	117.00
10	433437	U20536	Hs.3280	caspase 6, apoptosis-related cysteine pr	70.39	105.00
	433485	AI493076	Hs.201967	aldo-keto reductase family 1, member C2	11.55	2.00
	433537	AI733692	Hs.112488	ESTs	8.66	55.00
	433547	W04978	Hs.303023	beta tubulin 1, class VI	25.16	83.00
	433556	W56321	Hs.111460	calcium/calmodulin-dependent protein kin	1.00	19.00
15	433647	AA603367	Hs.222294	ESTs	20.30	49.00
	433658	L03678	Hs.156110	immunoglobulin kappa constant	5.92	10.03
	433800	AI094221	Hs.135150	lung type-I cell membrane-associated gly	2.29	2.22
	433819	AW511097	Hs.112765	ESTs	3.71	8.00
	433862	D86960	Hs.3610	KIAA0205 gene product	62.08	104.00
20	433980	AA137152	Hs.286049	phosphoserine aminotransferase	108.91	47.00
	434088	AF116577	Hs.249270	hypothetical protein PRO1966	1.00	1.00
	434094	AA305599	Hs.238205	hypothetical protein PRO2013	121.27	87.00
	434105	AW952124	Hs.13094	presenilins associated rhomboid-like pro	1.22	1.23
	434217	AW014795	Hs.23349	ESTs	14.11	57.00
25	434340	AI193043	Hs.128685	ESTs, Weakly similar to T17226 hypotheti	2.10	2.56
	434360	AA401369	Hs.190721	ESTs	40.98	17.00
	434414	AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	1.48	1.56
	434424	AI811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	1.00	64.00
	434467	BE552368	Hs.231853	Homo sapiens cDNA FLJ13445 fis, clone PL	54.91	85.00
30	434551	BE387162	Hs.280858	ESTs, Highly similar to A35661 DNA excis	2.46	2.00
	434627	AI221894	Hs.39311	ESTs	1.00	1.00
	434699	AA643687	Hs.149425	Homo sapiens cDNA FLJ11980 fis, clone HE	1.00	23.00
	434769	AA648884	Hs.134278	Homo sapiens cDNA FLJ12676 fis, clone NT	7.08	56.00
	434792	AA649253	Hs.132458	ESTs	8.52	44.00
35	434808	AF155108	Hs.256150	Homo sapiens, Similar to RIKEN cDNA 2810	11.33	1.00
	434828	D90070	Hs.96	phorbol-12-myristate-13-acetate-induced	1.00	1.00
	434876	AF160477	Hs.61460	Ig superfamily receptor LNIR	1.25	1.29
	434891	AA814309	Hs.123583	ESTs	1.00	6.00
	434928	AW015595	Hs.4267	Homo sapiens clones 24714 and 24715 mRNA	1.00	1.00
40	435013	H91923	Hs.110024	Target CAT	1.26	1.10
	435066	BE261750	Hs.4747	dyskeratosis congenita 1, dyskerin	1.69	1.37
	435087	AW975241	Hs.23567	ESTs	1.00	1.00
	435099	AC004770	Hs.4756	flap structure-specific endonuclease 1	2.90	1.93
	435159	AA568879	Hs.116649	ESTs	1.00	1.00
45	435205	X54136	Hs.181125	immunoglobulin lambda locus	1.02	1.46
	435232	NM_001262	Hs.4854	cyclin-dependent kinase inhibitor 2C (p1	2.04	2.70
	435304	H10709	Hs.269524	ESTs	27.58	139.00
	435313	AI769400	Hs.189729	ESTs	1.00	14.00
	435505	AF200492	Hs.211238	interleukin-1 homolog 1	1.00	38.00
50	435509	AI458579	Hs.181915	ESTs	1.00	1.00
	435525	AI831297	Hs.123310	ESTs	1.00	56.00
	435532	AW291488	Hs.117305	Homo sapiens, clone IMAGE:3682908, mRNA	1.00	2.00
	435550	AI224456	Hs.324507	H.sapiens polyA site DNA	3.42	3.92
	435602	AF217515	Hs.283532	uncharacterized bone marrow protein BM03	3.95	1.80
55	435766	R11673	Hs.186498	ESTs	1.00	28.00
	435793	AB037734	Hs.4993	KIAA1313 protein	23.68	42.00
	436069	AI056879	Hs.263209	ESTs	1.00	58.00
	436170	AW450381	Hs.14529	ESTs	1.00	18.00
	436211	AK001581	Hs.334828	hypothetical protein FLJ10719; KIAA1794	5.84	22.00
60	436213	AA325512	Hs.71472	hypothetical protein FLJ10774; KIAA1709	1.42	1.27
	436217	T53925	Hs.107	fibrinogen-like 1	57.97	31.00
	436238	AK002163	Hs.301724	hypothetical protein FLJ11301	2.51	1.71
	436251	BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	2.33	1.64
	436291	BE568452	Hs.344037	protein regulator of cytokinesis 1	108.99	52.00
65	436302	AL355841	Hs.99330	hypothetical protein FLJ23588	0.75	2.81
	436396	AW992292	Hs.152213	wingless-type MMTV integration site fami	60.01	1.00
	436414	BE264633	Hs.143638	WD repeat domain 4	2.50	2.19
	436419	AI948626	Hs.171356	ESTs	0.95	1.33
	436443	AW138211	Hs.128746	ESTs	1.12	9.26
70	436474	AJ270693	Hs.199887	ESTs	1.00	1.00
	436481	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	3.28	1.56
	436486	AA742221	Hs.120633	ESTs	1.00	19.00
	436511	AA721252	Hs.291502	ESTs	16.76	14.00
	436553	X57809	Hs.181125	immunoglobulin lambda locus	1.08	1.74
75	436557	W15573	Hs.5027	ESTs, Weakly similar to A47582 B-cell gr	19.20	9.75
	436608	AA628980		down syndrome critical region protein DS	33.92	25.00
	436667	AW025183	Hs.127680	ESTs	0.89	1.19
	436771	AW975687	Hs.292979	ESTs	1.00	10.00
	436839	AA401369	Hs.190721	ESTs	1.00	17.00
80	436887	AW953157	Hs.193235	hypothetical protein DKFZp547D155	1.05	1.15
	436944	AW268614	Hs.5840	ESTs	1.00	1.00
	436961	AW375974	Hs.156704	ESTs	25.13	25.00
	436972	AA284679	Hs.25640	claudin 3	1.59	1.46
	437016	AU076916	Hs.5398	guanine monophosphate synthetase	2.35	1.78
85	437044	AL035864	Hs.69517	cDNA for differentially expressed CO16 g	1.34	1.13

	437181	AI306615	Hs.125343	ESTs, Weakly similar to KIAA0758 protein	1.00	17.00
	437204	AL110216	Hs.22826	ESTs, Weakly similar to I55214 salivary	40.55	82.00
	437205	AL110232	Hs.279243	Homo sapiens mRNA; cDNA DKFZp564D2071 (f	1.00	112.00
	437259	AI377755	Hs.120695	ESTs	1.00	205.00
5	437270	R18087	Hs.323769	cisplatin resistance related protein CRR	1.56	1.54
	437271	AL137445	Hs.28846	Homo sapiens mRNA; cDNA DKFZp566O134 (fr	113.25	125.00
	437370	AL359567	Hs.161962	Homo sapiens mRNA; cDNA DKFZp547D023 (fr	1.82	4.57
	437390	AI125859	Hs.112607	ESTs	1.35	1.75
	437412	BE069288	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr	3.58	3.20
10	437435	AI306152	Hs.27027	hypothetical protein DKFZp762H1311	3.03	1.08
	437444	H46008	Hs.31518	ESTs	1.00	39.00
	437568	AI954795	Hs.156135	ESTs	1.00	19.00
	437623	D63880	Hs.5719	chromosome condensation-related SMC-asso	1.95	1.57
	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	1.00	3.00
15	437814	AI088192	Hs.135474	ESTs, Weakly similar to DDX9_HUMAN ATP-D	1.00	45.00
	437840	AA884836	Hs.292014	ESTs	1.07	1.78
	437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365O12.1 [H.sa	1.68	3.26
	437879	BE262082	Hs.5894	hypothetical protein FLJ10305	1.87	2.52
	437915	AI637993	Hs.202312	Homo sapiens clone N11 NTera2D1 teratoca	74.05	35.00
20	437916	BE566249	Hs.20999	hypothetical protein FLJ23142	23.15	89.00
	437937	AI917222	Hs.121655	ESTs	1.00	1.00
	437942	AI888256	Hs.307526	ESTs	12.28	31.00
	438091	AW373062		nuclear receptor subfamily 1, group I, m	1.53	10.85
	438113	AI467908	Hs.8882	ESTs	1.80	2.39
25	438119	AW963217	Hs.203961	ESTs, Moderately similar to AF116721 B9	22.67	36.90
	438274	AI918906	Hs.55080	ESTs	1.00	1.00
	438378	AW970529	Hs.86434	hypothetical protein FLJ21816	38.92	38.00
	438403	AA806607	Hs.292206	ESTs	1.00	1.00
	438494	AA908578	Hs.130183	ESTs	2.05	80.00
30	438546	AW297204	Hs.125811	ESTs	1.00	131.00
	438552	AJ245820	Hs.6314	type I transmembrane receptor (seizure-r	1.43	1.45
	438702	AI879064	Hs.54618	ESTs	1.00	34.00
	438724	AW612553	Hs.114670	Human DNA sequence from clone RP11-16L21	1.33	1.10
	438746	AI885815	Hs.184727	Human melanoma-associated antigen p97 (m	2.42	1.59
35	438779	NM_003787	Hs.6414	nucleolar protein 4	1.00	18.00
	438821	AA826425	Hs.192375	ESTs	2.03	2.57
	438885	AI886558	Hs.184987	ESTs	6.42	88.00
	438898	AA401369	Hs.190721	ESTs	22.41	17.00
	438915	AA280174	Hs.285681	Williams-Beuren syndrome chromosome regi	1.00	1.00
40	438956	W00847	Hs.135056	Human DNA sequence from clone RP5-850E9	2.20	1.88
	439000	AW979121		gb:EST391231 MAGE resequences, MAGP Homo	2.78	4.81
	439023	AA745978	Hs.28273	ESTs	1.17	1.31
	439024	R96696	Hs.35598	ESTs	1.00	28.00
	439128	AI949371	Hs.153089	ESTs	1.00	67.00
45	439146	AW138909	Hs.156110	immunoglobulin kappa constant	1.38	1.41
	439223	AW238299	Hs.250618	UL16 binding protein 2	1.93	1.64
	439285	AL133916	.	hypothetical protein FLJ20093	46.23	139.00
	439318	AW837046	Hs.6527	G protein-coupled receptor 56	2.00	2.20
	439343	AF086161	Hs.114611	hypothetical protein FLJ11808	6.10	7.37
50	439394	AA401369	Hs.190721	ESTs	3.39	17.00
	439410	AA632012	Hs.188746	ESTs	1.83	3.07
	439451	AF086270	Hs.278554	heterochromatin-like protein 1	23.28	52.00
	439452	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	18.76	122.00
	439453	BE264974	Hs.6566	thyroid hormone receptor interactor 13	2.78	1.58
55	439477	W69813	Hs.58042	ESTs, Moderately similar to GFR3_HUMAN G	1.22	1.44
	439492	AF086310	Hs.103159	ESTs	7.46	39.00
	439523	W72348	Hs.185029	ESTs	1.00	1.19
	439592	AF086413	Hs.58399	ESTs	1.00	1.00
	439606	W79123	Hs.58561	G protein-coupled receptor 87	33.61	1.00
60	439670	AF088076	Hs.59507	ESTs, Weakly similar to AC004858 3 U1 sm	1.00	1.00
	439702	AW085525	Hs.134182	ESTs	4.30	10.00
	439706	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	86.55	11.00
	439738	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	2.36	1.88
	439750	AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.02	6.08
65	439759	AL359055	Hs.67709	Homo sapiens mRNA full length insert cDN	1.00	21.00
	439780	AL109688		gb:Homo sapiens mRNA full length insert	7.27	25.00
	439840	AW449211	Hs.105445	GDNF family receptor alpha 1	1.00	1.00
	439926	AW014875	Hs.137007	ESTs	32.58	71.00
	439963	AW247529	Hs.6793	platelet-activating factor acetylhydrola	21.28	9.55
70	439979	AW600291	Hs.6823	hypothetical protein FLJ10430	68.83	61.00
	440006	AK000517	Hs.6844	hypothetical protein FLJ20510	1.83	4.02
	440028	AW473675	Hs.125843	ESTs, Weakly similar to T17227 hypotheti	1.42	2.54
	440106	AA864958	Hs.127699	KIAA1603 protein	1.00	54.00
	440138	AB033023	Hs.318127	hypothetical protein FLJ10201	24.18	52.00
75	440273	AI805392	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	3.21	4.72
	440289	AW450991	Hs.192071	ESTs	38.63	113.00
	440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma	62.88	147.00
	440492	R39127	Hs.21433	hypothetical protein DKFZp547J036	2.35	3.62
	440527	AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha	10.84	57.00
80	440659	AF134160	Hs.7327	claudin 1	3.18	2.37
	440704	M69241	Hs.162	Insulin-like growth factor binding prote	2.89	2.09
	440943	AW082298	Hs.146161	hypothetical protein MGC2408	2.02	1.41
	440994	AI160011	Hs.272068	ESTs	1.29	1.14
	441020	AA401369	Hs.190721	ESTs	142.99	17.00
85	441031	AI110684	Hs.7645	fibrinogen, B beta polypeptide	1.41	99.00

163

	441128	AA570256		ESTs, Weakly similar to T23273 hypotheti	4.13	3.50
	441290	W27501	Hs.89605	cholinergic receptor, nicotinic, alpha p	1.00	1.00
	441362	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	130.23	43.00
	441377	BE218239	Hs.202655	ESTs	22.03	1.00
5	441390	AI692560	Hs.131175	ESTs	3.65	7.70
	441497	R51064	Hs.23172	ESTs	1.00	1.00
	441525	AW241857	Hs.127728	ESTs	1.53	1.42
,	441553	AA281219	Hs.121296	ESTs	1.89	1.57
	441607	NM_005010	Hs.7912	neuronal cell adhesion molecule	1.47	2.11
10	441633	AW958544	Hs.112242	normal mucosa of esophagus specific 1	216.22	363.00
	441636	AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	2.31	2.05
	441737	X79449	Hs.7957	adenosine deaminase, RNA-specific	1.30	1.49
	441790	AA401369	Hs.190721	ESTs	44.15	17.00
	441801	AW242799	Hs.86366	ESTs	1.00	1.00
15	441919	AI553802	Hs.128121	ESTs	1.00	122.00
	441937	R41782	Hs.22279	ESTs	0.86	1.37
	441954	AI744935	Hs.8047	Fanconi anemia, complementation group G	1.48	1.39
	442025	AW887434	Hs.11810	CDA11 protein	1.00	46.00
	442029	AW956698	Hs.14456	neural precursor cell expressed, develop	9.92	45.00
20	442072	AI740832	Hs.12311	Homo sapiens clone 23570 mRNA sequence	25.05	77.00
	442108	AW452649	Hs.166314	ESTs	3.61	3.14
	442117	AW664964	Hs.128899	ESTs	3.00	5.49
	442137	AA977235	Hs.128830	ESTs, Weakly similar to Z192_HUMAN ZINC	1.00	1.00
	442159	AW163390	Hs.278554	heterochromatin-like protein 1	1.92	1.66
25	442179	AA983842	Hs.333555	chromosome 2 open reading frame 2	27.22	50.00
	442328	AI952430	Hs.150614	ESTs, Weakly similar to ALU4_HUMAN ALU S	5.00	3.42
	442432	BE093589	Hs.38178	hypothetical protein FLJ23468	181.59	76.00
	442530	AI580830	Hs.176508	Homo sapiens cDNA FLJ14712 fis, clone NT	10.59	144.00
	442547	AA306997	Hs.217484	ESTs, Weakly similar to ALU1_HUMAN ALU S	109.23	98.00
30	442556	AL137761	Hs.8379	Homo sapiens mRNA; cDNA DKFZp586L2424 (f	1.00	53.00
	442619	AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	29.02	50.00
	442710	AI015631	Hs.23210	ESTs	1.00	19.00
	442717	R88362	Hs.180591	ESTs, Weakly similar to T23976 hypotheti	1.00	5.00
	442875	BE623003	Hs.23625	Homo sapiens clone TCCCTA00142 mRNA sequ	22.85	50.00
35	442914	AW188551	Hs.99519	hypothetical protein FLJ14007	25.33	82.00
	442932	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma	3.18	4.41
	442942	AW167087	Hs.131562	ESTs	8.45	64.00
	443068	AI188710		ESTs	1.00	27.00
	443204	AW205878	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	1.00	24.00
40	443211	AI128388	Hs.143655	ESTs	12.42	2.00
	443247	BE614387	Hs.333893	c-Myc target JPO1	128.84	96.00
	443324	R44013	Hs.164225	ESTs	0.02	4.59
	443383	AI792453	Hs.166507	ESTs	1.00	47.00
	443400	R28424	Hs.250648	ESTs	18.52	61.00
45	443426	AF098158	Hs.9329	chromosome 20 open reading frame 1	4.02	1.75
	443572	AA025610	Hs.9605	cleavage and polyadenylation specific fa	2.98	2.57
	443575	AI078022	Hs.269636	ESTs, Weakly similar to ALU1_HUMAN ALU S	1.00	29.00
	443614	AV655386	Hs.7645	fibrinogen, B beta polypeptide	1.00	16.00
	443533	AL031290	Hs.9654	similar to pregnancy-associated plasma p	1.00	39.00
50	443648	AI085377	Hs.143610	ESTs	39.81	70.00
	443715	AI583187	Hs.9700	cyclin E1	48.74	7.00
	443723	AI144442	Hs.157144	syntaxin 6	1.29	1.30
	443802	AW504924	Hs.9805	KIAA1291 protein	1.75	1.61
	443859	NM_013409	Hs.9914	follistatin	1.35	1.13
55	443892	AA401369	Hs.190721	ESTs	1.00	17.00
	443947	W24187		gb:zb47f09.r1 Soares_fetal_lung_NbHL19W	1.33	1.64
	443991	NM_002250	Hs.10082	potassium intermediate/small conductance	5.71	6.87
	444006	BE395085	Hs.10086	type I transmembrane protein Fn14	1.47	1.92
	444009	AI380792	Hs.135104	ESTs	1.00	77.00
60	444017	U04840	Hs.214	neuro-oncological ventral antigen 1	1.00	1.00
	444127	N63620	Hs.13281	ESTs	1.00	29.00
	444129	AW294292	Hs.256212	ESTs	1.00	1.00
	444279	U62432	Hs.89605	cholinergic receptor, nicotinic, alpha p	0.60	7.80
	444371	BE540274	Hs.239	forkhead box M1	2.91	1.14
65	444378	R41339	Hs.12569	ESTs	1.00	1.00
	444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	469.00	556.00
	444461	R53734	Hs.25978	ESTs, Weakly similar to 2109260A B cell	12.88	105.00
	444471	AB020684	Hs.11217	KIAA0877 protein	24.91	90.00
	444489	AI151010	Hs.157774	ESTs	1.00	111.00
70	444619	BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	1.00	70.00
	444665	BE613126	Hs.47783	B aggressive lymphoma gene	30.56	139.00
	444707	AI188613	Hs.41690	desmocollin 3	1.00	1.00
	444735	BE019923	Hs.243122	hypothetical protein FLJ13057 similar to	77.02	90.00
	444781	NM_014400	Hs.11950	GPI-anchored metastasis-associated prote	1.57	1.31
75	444783	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	77.55	2.00
	445236	AK001676	Hs.12457	hypothetical protein FLJ10814	1.00	27.00
	445258	AI635931	Hs.147613	ESTs	1.00	73.00
	445413	AA151342	Hs.12677	CGI-147 protein	28.14	50.00
	445417	AK001058	Hs.12680	Homo sapiens cDNA FLJ10196 fis, clone HE	1.81	2.62
80	445443	AV653838	Hs.322971	ESTs	1.00	1.00
	445462	AA378776	Hs.288649	hypothetical protein MGC3077	2.09	1.70
	445517	AF208855	Hs.12830	hypothetical protein	1.87	70.00
	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6	1.71	2.72
	445580	AF167572	Hs.12912	skb1 (S. pombe) homolog	1.52	1.34
85	445654	X91247	Hs.13046	thioredoxin reductase 1	1.51	1.52

164

	445669	AI570830	Hs.174870	ESTs	10.95	11.45
	445818	BE045321	Hs.136017	ESTs	1.00	1.00
	445873	AA250970	Hs.251945	poly(A)-binding protein, cytoplasmic 1-l	49.42	54.00
	445885	AI734009	Hs.127699	KIAA1603 protein	1.00	132.00
5	445898	AF070623	Hs.13423	Homo sapiens clone 24458 mRNA sequence	1.00	1.00
	445903	AI347487	Hs.132781	class I cytokine receptor	1.00	36.00
	445932	BE046441	Hs.333555	Homo sapiens clone 24859 mRNA sequence	2.41	2.88
	445982	BE410233	Hs.13501	pescadillo (zebrafish) homolog 1, contai	1.60	1.35
	446078	AI339982	Hs.156061	ESTs	1.00	42.00
10	446102	AW168057	Hs.317694	ESTs	1.00	1.00
	446157	BE270828	Hs.131740	Homo sapiens cDNA: FLJ22562 fis, clone H	1.70	1.53
	446269	AW263155	Hs.14559	hypothetical protein FLJ10540	73.01	48.00
	446292	AF081497	Hs.279682	Rh type C glycoprotein	1.55	1.26
	446293	AI420213	Hs.149722	ESTs	1.00	2.00
15	446423	AW139655	Hs.150120	ESTs	1.10	4.19
	446428	AW082270	Hs.12496	ESTs, Weakly similar to ALU4_HUMAN ALU S	0.53	3.26
	446432	AI377320	Hs.150058	ESTs	1.00	5.00
	446528	AU076640	Hs.15243	nucleolar protein 1 (120kD)	1.36	1.31
	446574	AI310135	Hs.335933	ESTs	3.89	72.00
20	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	32.03	20.23
	446636	AC002553	Hs.15767	citron (rho-interacting, serine/threonin	4.19	5.07
	446783	AW138343	Hs.141867	ESTs	2.82	9.47
	446839	BE091926	Hs.16244	mitotic spindle coiled-coil related prot	110.28	28.00
	446849	AU076617	Hs.16251	cleavage and polyadenylation specific fa	3.26	2.94
25	446856	AI814373	Hs.164175	ESTs	6.38	11.30
	446872	X97058	Hs.16362	pyrimidinergic receptor P2Y, G-protein c	1.98	2.03
	446880	AI811807	Hs.108646	Homo sapiens cDNA FLJ14934 fis, clone PL	94.90	113.00
	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	1.67	3.90
	446989	AK001898	Hs.16740	hypothetical protein FLJ11036	2.82	3.12
30	447022	AW291223	Hs.157573	ESTs	1.00	170.00
	447033	AI357412	Hs.157601	ESTs	7.15	107.00
	447078	AW885727	Hs.9914	ESTs	47.24	24.00
	447081	Y13896	Hs.17287	potassium inwardly-rectifying channel, s	0.12	17.88
	447131	NM_004585	Hs.17466	retinoic acid receptor responder (tazaro	0.97	1.48
35	447149	BE299857	Hs.326	TAR (HIV) RNA-binding protein 2	1.24	1.26
	447153	AA805202	Hs.315562	ESTs	1.00	54.00
	447164	AF026941	Hs.17518	Homo sapiens cig5 mRNA, partial sequence	1.00	67.00
	447178	AW594641	Hs.192417	ESTs	3.42	50.00
	447250	AI878909	Hs.17883	protein phosphatase 1G (formerly 2C), ma	1.60	1.52
40	447289	AW247017	Hs.36978	melanoma antigen, family A, 3	1.00	1.00
	447342	AI199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	28.63	1.00
	447343	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m	146.62	51.00
	447350	AI375572	Hs.172634	ESTs	1.00	12.00
	447377	N27687	Hs.334334	transcription factor AP-2 alpha (activat	2.55	63.00
45	447415	AW937335	Hs.28149	ESTs, Weakly similar to KF3B_HUMAN KINES	0.91	1.13
	447425	AI963747	Hs.18573	acylphosphatase 1, erythrocyte (common)	1.00	35.00
	447519	U46258	Hs.339665	ESTs	59.89	49.00
	447532	AK000614	Hs.18791	hypothetical protein FLJ20607	1.23	1.63
	447534	AA401369	Hs.190721	ESTs	1.00	17.00
50	447636	Y10043		high-mobility group (nonhistone chromoso	1.41	1.11
	447688	N87079	Hs.19236	Target CAT	1.00	39.00
	447733	AF157482	Hs.19400	MAD2 (mitotic arrest deficient, yeast, h	1.17	1.12
	447769	AW873704	Hs.320831	Homo sapiens cDNA FLJ14597 fis, clone NT	6.47	5.95
	447802	AW593432	Hs.161455	ESTs	0.73	2.34
55	447850	AB018298	Hs.19822	SEC24 (S. cerevisiae) related gene famil	86.45	116.00
	447924	AI817226	Hs.313413	ESTs, Weakly similar to T23110 hypotheti	1.00	1.00
	447973	AB011169	Hs.20141	similar to S. cerevisiae SSM4	3.50	4.27
	448030	N30714	Hs.325960	membrane-spanning 4-domains, subfamily A	4.13	142.00
	448105	AI538613	Hs.298241	Transmembrane protease, serine 3	1.15	2.24
60	448243	AW369771	Hs.52620	integrin, beta 8	15.84	1.00
	448278	W07369	Hs.11782	ESTs	0.97	1.90
	448290	AK002107	Hs.20843	Homo sapiens cDNA FLJ11245 fis, clone PL	1.00	1.00
	448296	BE622756	Hs.10949	Homo sapiens cDNA FLJ14162 fis, clone NT	2.42	2.17
	448357	BE274396	Hs.108923	RAB38, member RAS oncogene family	1.44	1.08
65	448390	AL035414	Hs.21068	hypothetical protein	1.00	43.00
	448469	AW504732	Hs.21275	hypothetical protein FLJ11011	2.63	2.49
	448569	BE382657	Hs.21486	signal transducer and activator of trans	1.84	2.53
	448663	BE614599	Hs.106823	hypothetical protein MGC14797	3.29	46.00
	448672	AI955511	Hs.225106	ESTs	1.00	21.00
70	448733	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte	1.82	1.08
	448741	BE614567	Hs.19574	hypothetical protein MGC5469	2.48	1.92
	448757	AI366784	Hs.48820	TATA box binding protein (TBP)-associate	23.53	20.00
	448775	AB025237	Hs.388	nudix (nucleoside diphosphate linked moi	2.34	1.97
	448826	AI580252	Hs.293246	ESTs, Weakly similar to putative p150 [H	74.07	62.67
75	448830	AL031658	Hs.22181	hypothetical protein dJ310O13.3	1.37	1.31
	448844	AI581519	Hs.177164	ESTs	1.00	31.00
	448989	Y09763	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	1.84	1.95
	448993	AI471630		KIAA0144 gene product	1.63	1.49
	449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o	1.00	1.00
80	449029	N28989	Hs.22891	solute carrier family 7 (cationic amino	1.97	2.26
	449040	AF040704	Hs.149443	putative tumor suppressor	0.97	1.56
	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	27.13	90.00
	449053	AI625777	Hs.344766	ESTs	8.33	44.00
	449054	AF148848	Hs.22934	myoneurin	73.85	104.00
85	449101	AA205847	Hs.23016	G protein-coupled receptor	2.58	27.00

	449167	T05095	Hs.19597	KIAA1694 protein	1.61	2.36
	449207	AL044222	Hs.23255	nucleoporin 155kD	2.36	1.56
	449228	AJ403107	Hs.148590	protein related with psoriasis	1.15	1.15
	449230	BE613348	Hs.211579	melanoma cell adhesion molecule	206.65	151.00
5	449305	AI638293		gb:ti09b07.x1 NCI_CGAP_GC6 Homo sapiens	17.28	45.00
	449318	AW236021	Hs.78531	Homo sapiens, Similar to RIKEN cDNA 5730	26.39	35.00
	449448	D60730	Hs.57471	ESTs	1.00	1.00
	449467	AW205006	Hs.197042	ESTs	1.00	1.00
	449523	NM_000579	Hs.54443	chemokine (C-C motif) receptor 5	56.80	216.86
10	449722	BE280074	Hs.23960	cyclin B1	150.03	1.00
	449976	H06350	Hs.135056	Human DNA sequence from clone RP5-850E9	2.16	2.85
	450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitte	1.17	1.45
	450098	W27249	Hs.8109	hypothetical protein FLJ21080	1.79	2.38
	450101	AV649989	Hs.24385	Human hbc547 mRNA sequence	1.00	69.00
15	450149	AW969781	Hs.132863	Zic family member 2 (odd-paired Drosophi	1.00	1.00
	450193	AI916071	Hs.155607	Homo sapiens Fanconi anemia complementat	29.85	34.00
	450221	AA328102	Hs.24641	cytoskeleton associated protein 2	1.00	1.00
	450372	BE218107	Hs.202436	ESTs	1.00	1.00
	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	51.26	93.00
20	450447	AF212223	Hs.25010	hypothetical protein P15-2	123.20	181.00
	450568	AL050078	Hs.25159	Homo sapiens cDNA FLJ10784 fis, clone NT	1.00	19.00
	450589	AI701505	Hs.202526	ESTs	1.00	23.00
	450584	AA872605	Hs.25333	interleukin 1 receptor, type II	1.00	100.00
	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	1.89	1.55
25	450705	U90304	Hs.25351	iroquois homeobox protein 2A (IRX-2A) (	1.00	45.00
	450832	AA401369	Hs.190721	ESTs	25.17	17.00
	450937	R49131	Hs.26267	ATP-dependant interferon response protei	90.92	90.00
	450983	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	3.33	1.70
	451105	AI761324		gb:wi60b11.x1 NCI_CGAP_Co16 Homo sapiens	15.02	124.00
30	451110	AI955040	Hs.265398	ESTs, Weakly similar to transformation-r	1.00	143.00
	451253	H48299	Hs.26126	claudin 10	3.02	2.29
	451291	R39288	Hs.6702	ESTs	1.00	1.00
	451320	AW498974		diacylglycerol kinase, zeta (104kD)	2.92	18.00
	451380	H09280	Hs.13234	ESTs	6.90	6.67
35	451386	AB029006	Hs.26334	spastic paraplegia 4 (autosomal dominant	35.75	72.00
	451437	H24143	Hs.31945	hypothetical protein FLJ11071	1.00	69.00
	451462	AK000367	Hs.26434	hypothetical protein FLJ20360	1.83	2.10
	451524	AK001466	Hs.25516	hypothetical protein FLJ10604	1.13	1.07
	451541	BE279383	Hs.26557	plakophilin 3	1.88	1.33
40	451592	AI805416	Hs.213897	ESTs	1.00	1.00
	451635	AA018899	Hs.127179	cryptic gene	1.52	1.92
	451743	AA401369	Hs.190721	ESTs	4.95	17.00
	451806	NM_003729	Hs.27076	RNA 3'-terminal phosphate cyclase	13.55	31.00
	451807	W52854		hypothetical protein FLJ23293 similar to	1.55	35.00
45	451871	AI821005	Hs.118599	ESTs	1.81	2.53
	451952	AL120173	Hs.301663	ESTs	1.00	22.00
	452012	AA307703	Hs.279766	kinesin family member 4A	3.43	2.26
	452046	AB018345	Hs.27657	KIAA0802 protein	56.59	19.00
	452194	AI694413	Hs.332649	olfactory receptor, family 2, subfamily	1.67	4.09
50	452206	AW340281	Hs.33074	Homo sapiens, clone IMAGE:3606519, mRNA,	9.31	53.00
	452240	AA401369	Hs.190721	ESTs	13.42	17.00
	452256	AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, clone HE	39.03	94.00
	452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	153.01	340.00
	452291	AF015592	Hs.28853	CDC7 (cell division cycle 7, S. cerevisi	1.95	23.00
55	452295	BE379936	Hs.28866	programmed cell death 10	42.33	61.00
	452304	AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	1.17	2.14
	452340	NM_002202	Hs.505	ISL1 transcription factor, LIM/homeodoma	1.00	13.00
	452349	AB028944	Hs.29189	ATPase, Class VI, type 11A	1.09	1.42
	452357	U71207	Hs.29279	eyes absent (Drosophila) homolog 2	54.49	53.00
60	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro	1.00	32.00
	452410	AL133619		Homo sapiens mRNA; cDNA DKFZp434E2321 (f	1.26	1.99
	452461	N78223	Hs.108106	transcription factor	24.47	35.00
	452571	W31518	Hs.34665	ESTs	54.61	102.00
	452613	AA461599	Hs.23459	ESTs	1.39	1.32
65	452699	AW295390	Hs.213062	ESTs	1.00	26.00
	452705	H49805	Hs.246005	ESTs	1.00	1.00
	452747	AF160477	Hs.61460	Ig superfamily receptor LNIR	112.87	1.29
	452787	AW294022	Hs.222707	KIAA1718 protein	1.00	1.00
	452795	AW392555	Hs.18878	hypothetical protein FLJ21620	1.00	1.00
70	452823	AB012124	Hs.30696	transcription factor-like 5 (basic helix	7.91	75.00
	452833	BE559681	Hs.30736	KIAA0124 protein	3.16	1.92
	452838	U65011	Hs.30743	preferentially expressed antigen in mela	174.35	1.00
	452862	AA401369	Hs.190721	ESTs	98.26	17.00
	452865	AW173720	Hs.345805	ESTs, Weakly similar to A47582 B-cell gr	1.55	1.00
75	452934	AA581322	Hs.4213	hypothetical protein MGC16207	1.73	1.19
	452946	X95425	Hs.31092	EphA5	1.00	1.00
	452976	R44214	Hs.101189	ESTs	1.58	1.98
	453028	AB006532	Hs.31442	RecQ protein-like 4	1.80	1.60
	453095	AW295660	Hs.252756	ESTs	0.77	1.50
80	453102	NM_007197	Hs.31664	frizzled (Drosophila) homolog 10	1.00	1.00
	453103	AI301052	Hs.153444	ESTs	1.00	1.00
	453120	AA292891	Hs.31773	pregnancy-induced growth inhibitor	1.23	1.20
	453153	N53893	Hs.24360	ESTs	1.00	83.00
	453160	AI263307	Hs.239884	H2B histone family, member L	1.00	30.00
85	453197	AI916269	Hs.109057	ESTs, Weakly similar to ALU5_HUMAN ALU S	1.00	134.00

453210	AL133161	Hs.32360	hypothetical protein FLJ10867	1.69	1.93		
453240	AI969564	Hs.166254	hypothetical protein DKFZp566I133	1.00	1.00		
453317	NM_002277	Hs.41696	keratin, hair, acidic, 1	1.19	1.27		
453323	AF034102	Hs.32951	solute carrier family 29 (nucleoside tra	4.90	4.11		
453331	AI240665	Hs.8850	ESTs	199.42	340.00		
453392	U23752	Hs.32964	SRY (sex determining region Y)-box 11	1.00	16.00		
453431	AF094754	Hs.32973	glycine receptor, beta	1.00	1.00		
453439	AI572438	Hs.32976	guanine nucleotide binding protein 4	3.44	5.17		
453459	BE047032	Hs.257789	ESTs	2.84	5.58		
453563	AW608906.comp	Hs.181163	hypothetical protein MGC5629	4.58	90.00		
453633	AA357001	Hs.34045	hypothetical protein FLJ20764	1.74	1.60		
453775	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	19.49	1.00		
453830	AA534296	Hs.20953	ESTs	24.92	25.00		
453857	AL080235	Hs.35861	DKFZP586E1621 protein	167.59	66.00		
453867	AI929383	Hs.33032	hypothetical protein DKFZp434N185	1.00	39.00		
453883	AI638516	Hs.347524	cofactor required for Sp1 transcriptiona	1.97	1.58		
453884	AA355925	Hs.36232	KIAA0186 gene product	63.89	20.00		
453900	AW003582	Hs.226414	ESTs, Weakly similar to ALU8_HUMAN ALU S	20.41	16.00		
453922	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	7.09	22.00		
453941	U39817	Hs.36820	Bloom syndrome	29.75	19.00		
453964	AI961486	Hs.12744	ESTs	1.00	1.00		
453968	AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	2.06	1.81		
453976	BE463830	Hs.163714	ESTs	3.02	131.00		
454024	AA993527	Hs.293907	hypothetical protein FLJ23403	1.00	131.00		
454034	NM_000691	Hs.575	aldehyde dehydrogenase 3 family, member	1.23	1.02		
454042	T19228	Hs.172572	hypothetical protein FLJ20093	30.63	171.00		
454059	NM_003154	Hs.37048	statherin	1.00	1.00		
454066	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid	1.01	1.45		
454098	W27953	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	1.26	1.11		
454241	BE144666		gb:CM2-HT0176-041099-017-c02 HT0176 Homo	6.33	5.04		
454417	AI244459	Hs.110826	trinucleotide repeat containing 9	4.30	7.82		
454439	AW819152	Hs.154320	DKFZP566O1646 protein	1.00	1.00		
455175	AW993247		gb:RC2-BN0033-180200-014-h09 BN0033 Homo	13.75	103.00		
455601	AI368680	Hs.816	SRY (sex determining region Y)-box 2	206.11	1.00		
456237	AA203682		gb:zx52e07.r1 Soares_fetal_liver_spleen_	1.00	1.00		
456321	NM_001327	Hs.87225	cancer/testis antigen	1.14	1.10		
456475	NM_000144	Hs.95998	Friedreich ataxia	1.00	48.00		
456508	AA502764	Hs.123469	ESTs, Weakly similar to AF208855 1 BM-01	162.25	189.00		
456534	X91195	Hs.100623	phospholipase C, beta 3, neighbor pseudo	2.12	1.80		
456736	AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	1.15	1.94		
456759	BE259150	Hs.127792	delta (Drosophila)-like 3	1.00	1.00		
456990	NM_004504	Hs.171545	HIV-1 Rev binding protein	16.42	84.00		
457200	U33749	Hs.197764	thyroid transcription factor 1	0.57	1.76		
457234	AW968360	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	2.71	4.15		
457465	AW301344	Hs.122908	DNA replication factor	46.37	47.00		
457489	AI693815	Hs.127179	cryptic gene	1.12	1.35		
457646	AA725650	Hs.112948	ESTs	1.55	2.51		
457733	AW974812	Hs.291971	ESTs	1.00	55.00		
457819	AA057484	Hs.35406	ESTs, Highly similar to unnamed protein	4.36	3.18		
458092	BE545684	Hs.343566	KIAA0251 protein	1.00	1.32		
458098	BE550224		metallothionein 1E (functional)	1.00	22.00		
458207	T28472	Hs.7655	U2 small nuclear ribonucleoprotein auxil	2.06	1.88		
458242	BE299588	Hs.28465	Homo sapiens cDNA: FLJ21869 fis, clone H	1.00	1.00		
458247	R14439	Hs.209194	ESTs	7.00	9.85		
458679	AW975460	Hs.142913	ESTs	1.00	3.00		
458778	AW451034	Hs.326525	arylsulfatase D	1.31	2.01		
458933	AI638429	Hs.24763	RAN binding protein 1	1.98	1.71		
459352	AW810383	Hs.206828	ESTs	12.60	63.00		
459670	F01020	Hs.172004	titin	1.00	1.00		
459702	AI204995		gb:an03o03.x1 Stratagene schizo brain S1	1.00	237.00		

TABLE 9B

Pkey	CAT Number	Accession
407746	10125_1	AK001962 R69415 BE464605 AA418699 AA053293 AA149075 AA058396 AW338226 AW272659 AA454607 AI139535 AW469852 AI275461 AW271982 AA730033 AA576507 AA991217 AA782067 AI985851 AA805864 AA505598 AW469857 R69546 AA988279 AW001647 N53320 D82661 T27343 AA306950 AA360989 R58778
408070	1036688_1	AW148852 BE350895
408660	107294_1	AA525775 AA056342 AI538978 AW975281 AA664986
409522	113735_1	AA075382 AA075431
409866	1156522_1	AW502152 H41202 H29772
410032	1170435_1	BE065985 BE065944 BE066008 BE066083 BE066093
411089	123172_1	AA456454 AA713730 AA091294 AA584921 N86077 AW836781 AA601031 AA579876 AA551106 AA633188 AW905577 AI955808 AI679386 AI679895 AA514764 AA454562 AI082392 AA595822 AA551351 AA586369 AA666384 AA188934 AA666398 AA551297 AA565188
411152	1234028_1	BE069199 AW936012 AW877466 AW819782 AW935798 AW935546 AW936042 BE069121 AW835625 AW877536 AW935885 BE069202 AW820019 AW935937 BE160180 AW935946 BE069101 BE069125 AW877527 BE160316 BE160398 AW935794 AW835701 AW935784
412537	1304_1	AL031778 X59711 NM_002505 M59079 AJ870439 AI494259 AW664010 AA405063 AA436132 BE174516 AA412691 AJ400314 AA436024 T29403 BE079412 BE079428 N90322 AI631202 AI141758 AI016793 AI167566 AI862075 AI375230 AI209445 AW235763 AL044113 AA382556 AW953918 AA927051 AA889823 BE003094 AW390155 AW360805 AW360823 AW360810 AA425472 AI694282 AL044114 AI684577 AI809865

AI478773 AI160445 AI574630 N69088 AW665529 N49278 AI129239 AI457890 AI621264 AW297152 AI268215 AA907787 AI286170 AI017982
AI963541 AI469807 AI969353 BE552356 N66509 AA736741 AA382555 AW075811 AW292026

412811   132943_1   H06382 AW957730 AA352014 R13591 AA121201 D60420 BE263253 BE047862 Z41952 AI424991 AI693507 AI863108 AA599060 AI091148
AA598589 R39887 AA813482 AW016452 H06383 R41807 AI354268 AA620528 AI241940 AW089149 AW090733 AW088875 Z38240
AA121202 R17734

413690   1383256_1   BE157489 BE157560

414883   15024_1   AA926960 AA926959 W76521 W24270 W21526 AA037172 BE267636 H83186 AA469909 N86396 AA001348 BE535736 AA081745 BE566245
AA082436 H72525 H77575 N49786 W80565 H78746 BE569085 W04339 R98127 T55938 BE279271 AW960304 T29812 AA476873 BE297387
AA292753 AA177048 NM_001826 X54941 BE314365 AA908783 AI719075 BE270172 BE269819 AA889955 AI204630 W25243 AI935150
AA872039 W72395 T99530 AI422691 H98460 N31428 BE255916 H03265 AI857576 AA776920 AA910644 AA459522 AA293140 AW514667
R75953 AW662395 AA662522 AI865147 AI423153 AW262230 AA584410 AA583187 AW024595 AW069734 AI828996 AA282997 AA876046
AW613002 AA527373 AW972459 AI831360 AA621337 AA100926 AA772418 AA594628 AI033892 W95096 AI034317 AA398727 AI085031
N95210 AI459432 AI041437 AA932124 AA627684 AA935829 AI004827 AI423513 AI094597 H42079 R54703 AI630359 AA617681 AA978045
AA643280 W44561 AI991988 AI537692 AI090262 AA740817 AI312104 AI911822 AA416871 AI185409 AA129784 AA701623 AI075239
AI139549 AA633648 AI339996 AI336880 AA399239 AI078708 AI085351 AI362835 AI346518 AI146955 AI989380 AI348243 N92892 AA765850
AI494230 AI278887 AA962596 AI492600 W80435 AA001979 R97424 AI129015 N24127 AA157451 AA235549 AA459292 AA037114 AA129785
AI494211 AW059601 AW886710 R92790 N59755 AI361128 AW589407 H47725 H97534 H48076 H48450 T99531 AW300758 H03431 R76789
AA954344 H77576 R96823 AI457100 N92845 N49682 H42038 BE220699 BE220715 H99552 AA701624 N74173 R54704 H79520 H72923
H03266 BE261919 AA769633 AA480310 AA507454 AA910586 AI203723 AW104725 W25611 W25071 T88980 H03513 T77589 R99156
W95095 R97470 AA702275 T77551 AA911952 H82956 N83673 AA283672

415989   156454_1   AI267700 AI720344 AA191424 AI023543 AI469633 AA172056 AW958465 AA172236 AW953397 AA355086

417324   166714_1   AW265494 AA455904 AA195677 AW265432 AW991605 AA456370

418574   17690_1   N28754 N28747 AI568146 AI979339 AA322671 AA322672 AW555043 AI990326 AA776406 AI016250 AA843678 AW451882 N23137 N23129
W70051 AI038748 AA831327 AI925845 AW945895

418712   1784125_1   Z42183 T31521 T97478

419443   184788_1   D62703 AA242966 D79798

419502   18535_1   AU076704 T74854 T74860 T72098 T73265 T73873 T69180 T74658 T58786 T60385 T73410 T68781 T67845 T67593 T73952 T67854 T60630
T68367 T68401 T53959 T72360 T72099 T60377 T58961 T71712 T72821 T64738 T74645 T72037 T68688 T72063 T73258 T72826 T64242
T68220 T74673 T71800 T68355 T61227 T62738 T69317 T53850 T64692 T73768 T73962 T73382 T68914 T70975 T73400 T60631 T73277
T73203 T70498 T61409 T58925 NM_000508 M54982 T68301 T73729 T69445 T60424 T67922 T67736 T68716 T67755 T74765 T73819 T58719
T74756 T60477 T74863 T61109 T68329 T58850 T71857 T73425 T53736 T68607 T58898 T64309 T72031 T72079 T64305 T71908 T68107
T71916 T73787 T56035 T64425 T71870 T60476 T61376 T67820 T71895 T41006 T69441 T68170 T74617 T71958 T69440 T61875 R06796
H48353 T71914 T53939 T64121 AA693996 T72525 T67779 T68078 AA011465 AA345378 AV654847 AV654272 AV654272 AI064740 T82897
N33594 AA344542 AW805054 AI207457 T61743 AA026737 H94389 AA382695 AA918409 T68044 S82092 T39959 AI017721 AA312395
AA312919 T40156 H66239 AV652989 H38728 R98521 AV655200 R95790 W03250 W00913 AA344136 AV660126 R97923 AA343596
AW470774 AV651256 N54417 AA812862 AW182929 AI111192 H61463 H72060 AA344503 H38639 AI277511 AV661108 AI207625 T47810
AA235252 T27853 T47778 R95746 H70620 AA701463 AW827166 R98475 C20925 AV657287 T71959 T71313 T73920 T73333 T61618 T69293
T69283 T73931 T72178 T72456 AV645639 AV653476 T72957 T72300 T58906 T71457 T70494 T72956 T70495 T68267 T74407 T85778
AA344726 T27854 T74485 T74101 T73868 T71518 T72304 AA343853 T73909 T68070 T72065 H72149 T73493 T73495 AV645993 R02293
T70475 T64751 AA344751 AA343667 AA345513 AA344328 AI110639 AA344603 AF063513 T64696 T68516 T72223 T60507 T67633 R29500
T72517 R02292 T60599 T69206 T70452 T74677 R29366 T61277 T74914 T60352 R29675 T74843 AV645792 AA344408 T69197 T72057
T69368 T69358 T68258 AV650429 T73341 T61702 T74598 T40095 K02272 T40106 AA343045 AA341908 AA341907 AA342807 AA341964
T53747 T72042 T62764 AI064899 AA343060 T67832 T72440 T71770 T68091 T69108 T72449 T69167 T71289 T68251 AV654844 T64375
AA345234 T67598 AA011414 T68036 H48262 AI207557 T68219 W86031 T69081 T64232 R93196 T62136 AV650539 H67459 T72978
AA344583 T60362 H58121 T95711 T72803 T68055 T71715 R29036 T72793 T69122 T64595 T62888 T69139 T68291 T64652 T67971 T46862
AA693592 AI248502 R29454 T64764 T57001 T73052 T71429 T51176 T58866 AV655414 H90426 AA342489 T73666 T67848 T72512 T53835
T67837 T73317 T74273 T69420 T68245 T74380 T67862 T74474 T56068

419936   189181_1   AI792788 BE142230 AA252019

421582   2041_1   AI910275 X00474 X52003 X05030 NM_003225 AA314326 AA308400 AA506787 AA314825 AI571948 AA507595 AA614579 AA587613 R83818
AA568312 AA614409 AA307578 AI925552 AW950155 AI910083 M12075 BE074052 AW004668 AA578674 AA582084 BE074053 BE074126
BE074140 AA514776 AA588034 BE074051 BE074068 AW009769 AW050690 AA858276 R55389 AI001051 AW050700 AW750216 AA614539
BE074045 AI307407 AW602303 BE073575 AI202532 AA524242 AI970839 AI909751 BE076078 AI909749 R55292

422128   211994_1   AW881145 AA490718 M85637 AA304575 T06067 AA331991

423034   224122_1   AL119930 AA320696 AW752565

423816   23234_1   AL031985 AL137241 AI792386 AI733664 AI857654 AI049911

424200   236595_1   AA337221 AA336756 AW966196

424999   245835_1   AW953120 R56325 AA349562

426956   273896_1   AI493134 AI498691 AW771508 AI498457 AI768408 AI783624 AI383985 AI580267 D79813 AA393768

426991   27415_1   AK001536 AA191092 AW510354 AI554256 AL353968 AA134266

427260   276598_1   AA663848 AA400100 AA401424

428023   28589_2   AL038843 AA161338 BE268213 AA425597 N87306 AA092969 BE566038 AA247451 N47392 AI928802 AW182584 AW027872 AI819831
AI936994 W56258 AI653448 AI278611 AI283557 AI824306 AW338658 AW150899 AA687514 N47393 N29885 AA973469 AI038904 AI292064
AI034339 AW674593 N72156 AI079733 AI038683 AI291616 AA491599 AA993675 AA837380 BE006554 BE006473 AI087090 T33044
AA652043 AI203503 AA583959 W35283 AI129926 Z41844 AW020925 AW575848 AI684603 AA493297 AI140689 AI277175 AA425444
AI932767 W02632 BE396786 R37261

429220   301384_1   AW207206 AW341473 AA448195 AI951341

429978   31150_1   AA249027 AL038984 AK001993 AL080066 AV652725 BE566226 AA345557 AA315222 AA090585 AA375688 AA301092 AA298454 W05762
AW607939 H51658 D83880 N84323 BE296821 AW947007 D61461 AW079261 AA329482 AW901780 AI354442 AA772275 R31663 AI354441
AI767525 H92431 AI916735 H93575 AI394255 AW014741 AI573090 C06195 AW612857 AW265195 AI339558 AI377532 AI308821 AI919424
AI589705 AW055215 AI336532 AI338051 AA806547 C75509 C00618 AW071172 AW769904 AA630381 AI678018 AI863985 D79662 BE221049
AW265018 AI589700 AW196655 N76573 AI370908 BE042393 N75017 AI698870 AW960115

430439   31808_1   AL133561 AL041090 AL117481 AL122069 AW439292 AI968826

430935   325772_1   AW072916 AI184913 AA489195 AW466994 AW469904 N59350 AI819642 AI280239 AI220572 AA789302 AI473611 AW841126 D60937

431089   327825_1   BE041395 AA491826 AA621946 AA715980 AA666102

431322   331543_1   AW970622 AA503009 AA502998 AA502989 AA502805 T92188

432407   34624_1   AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639
BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821657 AA055720
AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859

434414   38585_1   AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218557 AA055556 AW858231
AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174
T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705
AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824
AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662
AW817705 AW817703 AW817659 BE081531 H59570

436608   42361_3   AA626980 AI126603 BE504035

438091	44954_1	AW373052 T55662 AI299190 BE174210 AW579001 H01811 W40186 R67100 AI923886 AW952164 AA628440 AW898607 AW898616 AA709126 AW898628 AW898544 AA947932 AW898625 AW898622 AI276125 AI185720 AW510698 AA987230 T52522 BE467708 AW243400 AW043642 AI288245 AI186932 D52654 D55017 D52715 D52477 D53933 D54679 AI298739 AI146984 AI922204 N98343 BE174213 AA845571 AI813854 AI214518 AI635262 AI139455 AI707807 AI698085 AW884528 AI024768 AI004723 AW087420 AI565133 N94964 AI268339 AW513280 AI061126 AI435818 AI859106 AI360506 AI024767 AA513019 AA757598 X56196 AA902959 AI334784 AI860794 AA010207 AW890091 AW513771 AI951391 AI337671 T52499 AA890205 AI640908 H75966 AA463487 AA358588 AI961767 AI866295 AA780994 AI985913 BE174196 AA029094 AW592159 T55581 N79072 AI611201 AA910812 AI220713 AW149306 AI758412 AA045713 R79750 N76096
439000	467716_1	AW979121 AA847986 AA829098
439285	47065_1	AL133916 N79113 AF086101 N76721 AW950828 AA364013 AW955584 AI346341 AI867454 N54784 AI655270 AI421279 AW014882 AA775552 N62351 N59253 AA626243 AI341407 BE175639 AA456968 AI358918 AA457077
439780	47673_1	AL109688 R23665 R26578
441128	51021_2	AA570255 AW014761 AA573721 AI473237 AI022165 AA554071 AA127551 N90525 AW973623 AA447991 AA243852 BE328850 AI148171 AI359627 AI005068 AI356557 AA232991 AW016855 AA906902 AA233101 AA127550 BE512923
443068	558874_1	AI188710 AI032142 AW078833 N30308 AW675632 AI219028 AI341201 N22181 H95390
443947	586160_1	W24187 W24194 R17789
447636	7301_1	Y10043 NM_005342 L05085 AL034450 BE614226 AW749053 AA379173 AA248230 BE514634 AA334622 R70656 AA367593 AA214649 AA369318 AW957081 R05760 AA039903 AI886597 AW630122 AA906254 AA041527 R01145 AI088688 BE463637 AA398795 AI354883 AI768938 AI569996 AI452952 AI168582 AI189869 AI086670 AW262560 AW613854 AA862839 AA435840 AA670197 AI024032 AI990659 AI990089 N81095 AA847919 AW960150 AA211075 AA044704 AA367594 AW582587 AW858854 AW818630 AW818281 AW818433 AW582595 AA096002 N83992
448993	79225_1	AI471630 BE540637 BE265481 AW407710 BE513882 BE546739 AA053597 BE140503 BE218514 AW956702 AI656234 AI636283 AI567265 AW340858 BE207794 AA053085 R69173 AA292343 AA454908 AA293504 AI659741 AI927478 AA399460 AI760441 AA346416 BE047245 AA730380 AA394063 AA454833 AI982791 AI567270 AI813332 AI767858 AA427705 D20284 AI221458 BE048537 AI263048 AA346417 AA911497 BE537702
449305	804424_1	AI638293 AW813561
451105	859083_1	AI761324 AW880941 AW880937
451320	86576_1	AW118072 AI631982 T15734 AA224195 AI701458 W20198 F26326 AA890570 N90552 AW071907 AI671352 AI375892 T03517 R88265 AI124088 AA224388 AI084316 AI354686 T33652 AI140719 AI720211 T03490 AI372637 T15415 AW205836 AA630384 T03515 T33230 AA017131 AA443303 T33623 AI222556 T33511 T33785 AI419606 D55612
451807	8865_1	W52854 AL117600 BE208116 BE208432 BE206239 BE082291 AW953423 AA351619 BE180648 BE140560 W60080 AA865478 N90291 AW450652 AW449519 AA993634 AI806539 AA351618 AW449522 AI827626 AA904788 AA380381 AA886045 AA774409 BE003229 Z41756
452410	9163_1	AL133619 AA468118 AA383064 AI476447 T09430 AI673758 AA524895 AI581345 AI300820 AW498812 AA256162 AI559724 AI685732 AA602400 AA905453 AI204595 AW166541 AA157456 AA156269 AA383652 AA431072 AW592707 AI435410 AW272464 AI215594 AA622747 R74039 N35031 AI804128 AW513521 AA868351 AI026826 AI493388 AA614641 W81604 AI567080 AI214351 AA730140 AI125754 AI200813 AI269603 AI565082 AI807095 AI476629 AA505909 AI368449 AI686077 AI582930 AW085038 AA757863 AA730154 AI767072 AA468316 AI734130 AI734138 AA426284 AA433997 AI741241 AW043563 AI732741 AI732734 AA437369 AA425820 AA664048 R74130
454241	1067807_1	BE144666 BE184942 AW238414 BE184946
455175	1257335_1	AW993247 AW861464
456237	168730_1	AA203582 R11958
458098	47395_1	BE550224 AA832519 N45402 AW885857 N29245 BE465409 W07677 AW970089 AI299731 AA482971 BE503548 H18151 W79223 AF086393 AA461301 W74510 R34182 AI090689 N46003 BE071550 R28075 AW134982 AI240204 AI138906 AW026179 AI572316 BE466182 AI205395 AI276154 AI273269 AI422817 AI371014 AI421274 AI188525 AA939164 BE549810 AW137865 AI694996 BE503841 AA459718 BE327407 BE467534 BE218421 BE467767 AA989054 BE467053 AI797130 BE327781

TABLE 9C

Pkey:	Unique number corresponding to an Eos probeset
Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand:	Indicates DNA strand from which exons were predicted.
Nt_position:	Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
400512	9796593	Minus	1439-1615
400517	9796688	Minus	49996-50346
400560	9843598	Plus	94182-94323,97056-97243,101095-101236,102824-103005
400664	8118496	Plus	13558-13721,13942-14090,14554-14679
400665	8118496	Plus	16879-17023
400666	8118496	Plus	17982-18115,20297-20456
400749	7331445	Minus	9162-9293
400763	8131616	Minus	35537-35784
401027	7230983	Minus	70407-70554,71060-71160
401093	8516137	Minus	22335-23166
401203	9743387	Minus	172961-173056,173868-173928
401212	9858408	Plus	87839-88028
401411	7799787	Minus	144144-144329
401435	8217934	Minus	54508-55233
401464	6682291	Minus	170688-170834
401714	6715702	Plus	96484-96681
401747	9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-131932,132451-132575,133580-134011
401760	9929699	Plus	83126-83250,85320-85540,94719-95287
401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573
401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
401785	7249190	Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
401797	6730720	Plus	6973-7118
401961	4581193	Minus	124054-124209
401985	2580474	Plus	61542-61750
401994	4153858	Minus	42904-43124,43211-43336,44607-44763,45199-45281,46337-46732
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124510,125572-126076
402260	3399665	Minus	113765-113910,115653-115765,116808-116940
402265	3287673	Plus	21059-21168
402297	6598824	Plus	35279-35405,35573-35659
402408	9796239	Minus	110326-110491

402420	9796339	Plus	129750-129919
402674	8077108	Minus	39290-39502
402802	3287156	Minus	53242-53432
402994	2996643	Minus	4727-4969
403137	9211494	Minus	92349-92572,92958-93084,93579-93712,93949-94072,94591-94748,95214-95337
403306	8099945	Plus	127100-127251
403329	8516120	Plus	96450-96598
403381	9438267	Minus	26009-26178
403478	9958258	Plus	116458-116564
403485	9966528	Plus	2888-3001,3198-3532,3655-4117
403627	8569879	Minus	23868-24342
403715	7239669	Plus	85128-85292
404044	9558573	Minus	225757-225939
404076	9931752	Minus	3848-3957
404101	8076925	Minus	125742-125997
404140	9843520	Plus	37761-38147
404165	9925489	Minus	69025-69128
404185	4572584	Minus	129171-129327
404210	5006246	Plus	169925-170121
404253	9367202	Minus	55675-56055
404287	2326514	Plus	53134-53281
404298	9944263	Minus	73591-73723
404347	9838195	Plus	74493-74829
404440	7528051	Plus	80430-81581
404721	9856648	Minus	173763-174294
404794	4826439	Plus	101619-101898
404854	7143420	Plus	14260-14537
404877	1519284	Plus	1095-2107
404927	7342002	Plus	68690-69563
404996	6007890	Plus	37999-38145,38652-38998,39727-39872,40557-40674,42351-42450
405449	7622497	Plus	42236-42570
405568	6006906	Plus	35912-36065
405572	3800891	Plus	85230-85938
405646	4914350	Plus	741-969
405676	4557087	Plus	73195-73917
405770	2735037	Plus	61057-62075
405932	7767812	Minus	123525-123713
406137	9166422	Minus	30487-31058
406360	9256107	Minus	7513-7673
406399	9256288	Minus	63448-63554
406457	9795551	Plus	182212-182958

TABLE 10A: Potential Therapeutic, Diagnostic and Prognostic targets for Therapy of Lung Cancer and Non-malignant Lung Disease
Table 2A shows about 307 genes up-regulated in non-malignant lung disease relative to lung tumors and normal body tissues and/or down-regulated in lung tumors relative to normal lung and non-malignant lung disease. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 10B show the accession numbers for those Pkey's lacking UnigeneID's for table 10A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 10C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 10A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2:	Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
404394			ENSP00000241075:TRRAP PROTEIN.	0.79	3.10
404916			Target Exon	1.00	159.00
405257			Target Exon	1.00	422.00
407228	M25079	Hs.155376	hemoglobin, beta	0.47	2.33
407568	AA740964	Hs.62699	ESTs	1.00	123.00
408562	AI436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,	1.00	230.00
409031	AA376836	Hs.76728	ESTs	1.00	128.00
410434	AF051152	Hs.63668	toll-like receptor 2	39.65	149.00
410467	AF102546	Hs.63931	dachshund (Drosophila) homolog	1.00	109.00
410808	T40326	Hs.167793	ESTs	1.14	13.14
412351	AL135960	Hs.73828	T-cell acute lymphocytic leukemia 1	0.37	2.27
412372	R65998	Hs.285243	hypothetical protein FLJ22029	1.00	173.00
413795	AL040178	Hs.142003	ESTs	0.10	11.90
414154	AW205314	Hs.323060	ESTs	0.62	2.09
414214	D49958	Hs.75819	glycoprotein M6A	0.03	4.55
414998	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	0.64	2.97
415122	D60708	Hs.22245	ESTs	0.07	8.97
415765	NM_005424	Hs.78824	tyrosine kinase with immunoglobulin and	0.67	1.65
415775	H00747	Hs.29792	ESTs, Weakly similar to I38022 hypotheti	0.29	2.64
415910	U20350	Hs.78913	chemokine (C-X3-C) receptor 1	1.00	145.00

170

ID	Accession	Hs.	Description	Val1	Val2
416319	AI815601	Hs.79197	CD83 antigen (activated B lymphocytes, I	15.32	237.00
416402	NM_000715	Hs.1012	complement component 4-binding protein,	0.64	4.00
417355	D13168	Hs.82002	endothelin receptor type B	0.01	3.90
417421	AL138201	Hs.82120	nuclear receptor subfamily 4, group A, m	36.30	357.00
417511	AL049176	Hs.82223	chordin-like	1.00	179.00
418489	U76421	Hs.85302	adenosine deaminase, RNA-specific, B1 (h	0.02	6.00
418726	BE241812	Hs.87860	protein tyrosine phosphatase, non-recept	1.00	113.00
418741	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom	0.44	1.90
418883	BE387036	Hs.1211	acid phosphatase 5, tartrate resistant	0.96	2.04
419086	NM_000216	Hs.89591	Kallmann syndrome 1 sequence	0.62	2.74
419150	T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	0.03	6.90
419235	AW470411	Hs.288433	neurotrimin	1.48	5.13
419407	AW410377	Hs.41502	hypothetical protein FLJ21276	37.55	336.00
420556	AA278300	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L	0.80	3.65
420656	AA279098	Hs.187636	ESTs	1.65	8.07
420729	AW964897	Hs.290825	ESTs	2.99	25.82
421177	AW070211	Hs.102415	Homo sapiens mRNA; cDNA DKFZp586N0121 (f	0.46	1.95
422060	R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	1.00	156.00
422426	W79117	Hs.58559	ESTs	0.03	7.44
422652	AW957969	Hs.118958	syntaxin 11	0.14	3.62
423099	NM_002837	Hs.123641	protein tyrosine phosphatase, receptor t	0.01	3.16
424433	H04607	Hs.9218	ESTs	0.75	141.75
424585	AA464840	Hs.131987	ESTs	1.00	167.00
424711	NM_005795	Hs.152175	calcitonin receptor-like	0.43	3.01
424973	X92521	Hs.154057	matrix metalloproteinase 19	0.37	19.45
425023	AW956889	Hs.154210	endothelial differentiation, sphingolipi	0.14	3.35
425664	AJ006276	Hs.159003	transient receptor potential channel 6	1.00	94.00
425998	AU076629	Hs.165950	fibroblast growth factor receptor 4	0.68	1.42
426657	NM_015865	Hs.171731	solute carrier family 14 (urea transport	0.03	3.74
426753	T89832	Hs.170278	ESTs	1.00	141.00
427558	D49493	Hs.2171	growth differentiation factor 10	1.00	117.00
427983	M17706	Hs.2233	colony stimulating factor 3 (granulocyte	0.75	2.20
428467	AK002121	Hs.184465	hypothetical protein FLJ11259	0.76	2.25
428927	AA441837	Hs.90250	ESTs	0.01	3.62
429496	AA453800	Hs.192793	ESTs	1.00	138.00
430468	NM_004673	Hs.241519	angiopoietin-like 1	1.00	132.00
431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	1.00	157.00
431728	NM_007351	Hs.268107	multimerin	1.00	157.00
431848	AI378857	Hs.126758	ESTs, Highly similar to AF175283 1 zinc	0.34	2.24
432129	AA127221	Hs.117037	ESTs	0.00	1.15
432519	AI221311	Hs.130704	ESTs, Weakly similar to BCHUIA S-100 pro	0.01	2.06
433043	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	1.00	267.00
433803	AI823593	Hs.27688	ESTs	1.00	105.00
434730	AA644669	Hs.193042	ESTs	1.05	3.15
435472	AW972330	Hs.283022	triggering receptor expressed on myeloid	0.83	1.94
436532	AA721522		gb:nv54h12.r1 NCI_CGAP_Ew1 Homo sapiens	1.00	218.00
437119	AI379921	Hs.177043	ESTs	1.00	133.00
437140	AA312799	Hs.283689	activator of CREM in testis	0.67	122.67
437211	AA382207	Hs.5509	ecotropic viral integration site 2B	1.00	142.00
437960	AI669586	Hs.222194	ESTs	1.00	147.00
438202	AW169287	Hs.22588	ESTs	1.00	141.00
438873	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L	0.71	3.66
438875	AA827640	Hs.189059	ESTs	23.32	370.00
441048	AA913488	Hs.192102	ESTs	0.77	8.50
441188	AW292830	Hs.255609	ESTs	3.43	16.36
441499	AW298235	Hs.101689	ESTs	1.00	167.00
444513	AL120214	Hs.7117	glutamate receptor, ionotropic, AMPA 1	1.00	151.00
444527	NM_005408	Hs.11383	small inducible cytokine subfamily A (Cy	46.47	153.00
444561	NM_004469	Hs.11392	c-fos induced growth factor (vascular en	0.01	3.08
445279	R41900	Hs.22245	ESTs	0.60	141.00
446017	N98238	Hs.55185	ESTs	0.18	2.39
446984	AB020722	Hs.16714	Rho guanine exchange factor (GEF) 15	0.10	2.16
446998	N99013	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	0.01	2.53
447357	AI375922	Hs.159367	ESTs	0.46	2.64
448106	AI800470	Hs.171941	ESTs	18.05	296.00
448253	H25899	Hs.201591	ESTs	1.00	141.00
449275	AW450848	Hs.205457	periaxin	0.55	1.38
450400	AI694722	Hs.279744	ESTs	0.88	4.33
450698	AI654223	Hs.16026	hypothetical protein FLJ23191	0.52	2.08
450726	AW204600	Hs.250505	retinoic acid receptor, alpha	0.79	2.01
451497	H83294	Hs.284122	Wnt inhibitory factor-1	0.35	2.03
451533	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	0.13	2.25
453636	R67837	Hs.169872	ESTs	1.00	116.00
458332	AI000341	Hs.220491	ESTs	1.00	192.00
459580	AA022888	Hs.176065	ESTs	0.20	2.98
400269			Eos Control	0.40	2.40
403421			NM_016369 Homo sapiens claudin 18 (CLDN	0.53	1.77
407570	Z19002	Hs.37096	zinc finger protein 145 (Kruppel-like, e	0.01	3.18
412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	0.55	1.74
414517	M24461	Hs.76305	surfactant, pulmonary-associated protein	0.64	1.50
417204	N81037	Hs.1074	surfactant, pulmonary-associated protein	0.33	1.16
418307	U70857	Hs.83974	solute carrier family 21 (prostaglandin	0.53	1.55
418935	T28499	Hs.89485	carbonic anhydrase IV	0.20	1.28
421502	AF111856	Hs.105039	solute carrier family 34 (sodium phospha	0.78	1.80
421798	N74880	Hs.29877	N-acylsphingosine amidohydrolase (acid c	0.59	1.54

423354	AB011130	Hs.127436	calcium channel, voltage-dependent, alph	0.59	1.55
423738	AB002134	Hs.132195	airway trypsin-like protease	10.14	51.00
425211	M18667	Hs.1857	progastricsin (pepsinogen C)	0.35	1.62
425438	T62216	Hs.270840	ESTs	0.23	9.45
426828	NM_000020	Hs.172670	activin A receptor type II-like 1	0.03	1.71
427019	AA001732	Hs.173233	hypothetical protein FLJ10970	0.01	1.49
428043	T92248	Hs.2240	uteroglobin	0.42	1.26
430280	AA361258	Hs.237868	interleukin 7 receptor	0.46	2.43
431433	X65018	Hs.253495	surfactant, pulmonary-associated protein	0.57	1.59
431723	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	0.29	1.80
432985	T92363	Hs.178703	ESTs	0.32	2.27
441835	AB036432	Hs.184	advanced glycosylation end product-speci	0.31	1.51
442275	AW449467	Hs.54795	ESTs	0.55	1.78
443709	AI082692	Hs.134662	ESTs	0.00	3.02
444325	AW152618	Hs.16757	ESTs	0.32	2.49
450954	AJ904740	Hs.25691	receptor (calcitonin) activity modifying	0.46	1.74
451558	NM_001089	Hs.26630	ATP-binding cassette, sub-family A (ABC1	0.52	1.87
453310	X70697	Hs.553	solute carrier family 6 (neurotransmitte	0.00	3.30
456855	AF035528	Hs.153863	MAD (mothers against decapentaplegic, Dr	0.01	2.31
444342	NM_014398	Hs.10887	similar to lysosome-associated membrane	0.66	2.20
400754			Target Exon	1.00	297.00
401045			C11001883*:gi|6753278|ref|NP_033938.1| c	1.00	109.00
401083			NM_016582*:Homo sapiens peptide transpor	0.89	1.39
402474			NM_004079:Homo sapiens cathepsin S (CTSS	1.45	4.47
402808			ENSP00000235229:SEMB.	1.00	1.87
403021			C21000030:gi|9955960|ref|NP_063957.1| AT	1.00	149.00
403438			NM_031419*:Homo sapiens molecule possess	1.06	2.96
403587			NM_007037*:Homo sapiens a disintegrin-li	0.04	4.89
403764			NM_005463:Homo sapiens heterogeneous nuc	1.00	225.00
404277			NM_019111*:Homo sapiens major histocompa	0.97	1.93
404288			NM_002944*:Homo sapiens v-ros avian UR2	1.00	68.00
404518	AI815601		CD83 antigen (activated B lymphocytes, i	0.02	1.83
405106			C11001637*:gi|5032241|ref|NP_005732.1| z	1.00	235.00
405381			Target Exon	1.00	93.00
406387			Target Exon	1.37	6.02
406646	M33600		major histocompatibility complex, class	0.86	2.46
406714	AI219304	Hs.266959	hemoglobin, gamma G	0.01	3.19
406753	AA505665	Hs.217493	annexin A2	1.00	147.00
406973	M34996	Hs.198253	major histocompatibility complex, class	1.03	2.04
407248	U82275	Hs.94498	leukocyte immunoglobulin-like receptor,	1.00	64.00
407510	U96191		gb:Human trophoblast hypoxia-regulated f	1.00	90.00
407731	NM_000066	Hs.38069	complement component 8, beta polypeptide	1.00	67.00
407830	NM_001086	Hs.587	arylacetamide deacetylase (esterase)	1.00	102.00
408045	AW138959	Hs.245123	ESTs	1.00	70.00
408074	R20723		ESTs	1.00	112.00
408374	AW025430	Hs.155591	forkhead box F1	0.07	10.17
409064	AA062954	Hs.141883	ESTs	0.39	2.31
409083	AF050083	Hs.673	interleukin 12A (natural killer cell sti	1.00	95.00
409153	W03754	Hs.50813	hypothetical protein FLJ20022	0.01	4.55
409203	AA780473	Hs.687	cytochrome P450, subfamily IVB, polypept	0.01	3.72
409238	AL049990	Hs.51515	Homo sapiens mRNA; cDNA DKFZp564G112 (fr	1.00	79.00
409389	AB007979	Hs.301281	Homo sapiens mRNA, chromosome 1 specific	0.14	27.35
409718	D86640	Hs.56045	src homology three (SH3) and cysteine ri	1.00	113.00
410798	BE178622	Hs.16291	gb:PM3-HT0605-270200-001-a02 HT0605 Homo	0.64	2.47
411020	NM_006770	Hs.67726	macrophage receptor with collagenous str	0.55	2.40
411667	BE160198		gb:QV1-HT0413-010200-059-h03 HT0413 Homo	1.00	111.00
412000	AW576555	Hs.15780	ATP-binding cassette, sub-family A (ABC1	1.00	95.00
412358	BE047490	Hs.24172	ESTs	1.00	87.00
412420	AL035668	Hs.73853	bone morphogenetic protein 2	1.43	8.07
412564	XB3703	Hs.31432	cardiac ankyrin repeat protein	0.02	3.07
412869	AA290712	Hs.82407	CXC chemokine ligand 16	0.93	1.72
412870	N22788	Hs.82407	CXC chemokine ligand 16	0.97	1.51
413529	U11874	Hs.846	interleukin 8 receptor, beta	0.02	2.42
413533	BE146973		gb:QV4-HT0222-011199-019-e05 HT0222 Homo	0.65	1.50
413689	BE157286	Hs.20631	zinc finger protein, subfamily 1A, 5 (Pe	20.87	232.00
413724	AA131466	Hs.23767	hypothetical protein FLJ12666	1.00	80.00
413800	AI129238	Hs.192235	ESTs	1.00	85.00
413802	AW964490	Hs.32241	ESTs, Weakly similar to S65657 alpha-1C-	1.00	213.00
413829	NM_001872	Hs.75572	carboxypeptidase B2 (plasma)	0.02	3.93
414376	BE393856	Hs.66915	ESTs, Weakly similar to 16.7Kd protein [	1.00	115.00
414577	AI056548	Hs.72116	hypothetical protein FLJ20992 similar to	0.49	1.94
414700	H63202	Hs.38163	ESTs	0.03	3.75
415078	AA311223	Hs.283091	found in inflammatory zone 3	0.66	1.95
415120	N64464	Hs.34950	ESTs	1.00	120.00
415323	BE269352	Hs.949	neutrophil cytosolic factor 2 (65kD, chr	0.60	2.48
415335	AA847758	Hs.111030	ESTs	1.00	95.00
415582	W92445	Hs.165195	Homo sapiens cDNA FLJ14237 fis, clone NT	1.00	136.00
416030	H15261	Hs.21948	ESTs	0.02	8.07
416427	BE244050	Hs.79307	Rac/Cdc42 guanine exchange factor (GEF)	1.00	73.00
416464	NM_000132	Hs.79345	coagulation factor VIII, procoagulant co	0.70	3.36
416585	X54162	Hs.79386	leiomodin 1 (smooth muscle)	0.05	6.56
416847	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do	0.70	3.66
417148	AA359896	Hs.293885	hypothetical protein FLJ14902	1.00	114.00
417370	T28651	Hs.82030	tryptophanyl-tRNA synthetase	0.85	1.30
417673	T87281	Hs.16355	ESTs	0.15	15.54

	ID	Accession	Cluster	Description	Val1	Val2
	418067	AI127958	Hs.83393	cystatin E/M	0.81	1.74
	418296	C01566	Hs.86671	ESTs	1.00	99.00
	418643	J03798	Hs.86948	small nuclear ribonucleoprotein D1 polyp	1.00	60.00
	418832	X04011	Hs.88974	cytochrome b-245, beta polypeptide (chro	2.40	14.74
5	418945	BE246762	Hs.89499	arachidonate 5-lipoxygenase	0.67	3.16
	419261	X07876	Hs.89791	wingless-type MMTV integration site fami	1.00	73.00
	419564	U08989	Hs.91139	solute carrier family 1 (neuronal/epithe	1.00	192.00
	419574	AK001989	Hs.91165	hypothetical protein	1.00	94.00
	419968	X04430	Hs.93913	interleukin 6 (interferon, beta 2)	61.16	500.00
10	420256	U84722	Hs.76205	cadherin 5, type 2, VE-cadherin (vascula	0.52	1.70
	420285	AA258124	Hs.293878	ESTs, Moderately similar to ZN91_HUMAN Z	1.00	172.00
	420577	AA278436	Hs.186649	ESTs	1.00	97.00
	421262	AA286746	Hs.9343	Homo sapiens cDNA FLJ14265 fis, clone PL	1.00	64.00
	421445	AA913059	Hs.104433	Homo sapiens, clone IMAGE:4054868, mRNA	0.88	1.51
15	421470	R27496	Hs.1378	annexin A3	0.05	11.26
	421478	AI683243	Hs.97258	ESTs, Moderately similar to S29539 ribos	1.00	73.00
	421563	NM_006433	Hs.105806	granulysin	0.82	2.42
	421566	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	5.50	31.57
	421855	F06504	Hs.27384	ESTs, Moderately similar to ALU4_HUMAN A	1.00	129.00
20	421913	AI934365	Hs.109439	osteoglycin (osteoinductive factor, mime	1.00	101.00
	421952	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 1 H	0.60	63.60
	422232	D43945	Hs.113274	transcription factor EC	1.00	148.00
	422386	AF105374	Hs.115830	heparan sulfate (glucosamine) 3-O-sulfot	1.40	3.98
	423168	R34385	Hs.124940	GTP-binding protein	0.34	3.59
25	423196	AK001866	Hs.125139	hypothetical protein FLJ11004	0.55	2.00
	423387	AJ012074		vasoactive intestinal peptide receptor 1	0.09	2.13
	423424	AF150241	Hs.128433	prostaglandin D2 synthase, hematopoietic	1.00	141.00
	423456	AL110151	Hs.128797	DKFZP586D0824 protein	1.00	66.00
	423696	Z92548		Sushi domain (SCR repeat) containing	0.73	1.27
30	424027	AW337575	Hs.201591	ESTs	0.54	2.58
	424212	NM_005814	Hs.143131	glycoprotein A33 (transmembrane)	0.77	2.47
	425087	R62424	Hs.126059	ESTs	1.00	74.00
	425175	AF020202	Hs.155001	UNC13 (C. elegans)-like	0.85	1.96
	425771	BE561776	Hs.159494	Bruton agammaglobulinemia tyrosine kinas	1.18	2.56
35	426486	BE178285	Hs.170056	Homo sapiens mRNA; cDNA DKFZp586B0220 (f	1.00	76.00
	427507	AF240467	Hs.179152	toll-like receptor 7	1.00	63.00
	427618	NM_000760	Hs.2175	colony stimulating factor 3 receptor (gr	0.60	2.19
	427732	NM_002980	Hs.2199	secretin receptor	0.97	1.42
	427952	AA765368	Hs.293941	ESTs, Moderately similar to A53959 throm	1.00	105.00
40	428709	BE268717	Hs.104916	hypothetical protein FLJ21940	1.00	80.00
	428769	AW207175	Hs.106771	ESTs	0.09	2.55
	428780	AI478578	Hs.50636	ESTs	1.00	98.00
	428833	AI928355	Hs.185805	ESTs	1.00	113.00
	429657	D13626	Hs.2465	KIAA0001 gene product; putative G-protei	1.00	52.00
45	430212	AA469153		gb:nc67f04.s1 NCI_CGAP_Pr1 Homo sapiens	1.00	132.00
	430226	BE245562	Hs.2551	adrenergic, beta-2-, receptor, surface	0.11	15.60
	430376	AW292053	Hs.12532	chromosome 1 open reading frame 21	1.00	103.00
	430414	AW365665	Hs.120388	ESTs	0.50	6.96
	430656	AA482900	Hs.162080	ESTs	1.00	70.00
50	430843	AI734149	Hs.119514	ESTs	1.00	90.00
	430998	AF128847	Hs.204038	indolethylamine N-methyltransferase	0.29	1.84
	431217	NM_013427	Hs.250830	Rho GTPase activating protein 6	1.00	79.00
	431921	N46466	Hs.58879	ESTs	0.91	1.67
	432176	AW090386	Hs.112278	arrestin, beta 1	0.66	2.63
55	432203	AA305746	Hs.49	macrophage scavenger receptor 1	1.00	76.00
	432231	AA339977	Hs.274127	CLST 11240 protein	0.46	1.46
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	0.79	2.25
	432522	D11466	Hs.51	phosphatidylinositol glycan, class A (pa	1.93	4.83
	432596	AJ224741	Hs.278461	matrilin 3	0.04	5.79
60	432850	X87723	Hs.3110	angiotensin receptor 2	1.00	157.00
	433138	AB029496	Hs.59729	semaphorin sem2	0.04	9.16
	433563	AI732637	Hs.277901	ESTs	1.00	91.00
	433588	AI056872	Hs.133386	ESTs	120.16	315.00
	434445	AI349306	Hs.11782	ESTs	0.60	1.84
65	435496	AW840171	Hs.265398	ESTs, Weakly similar to transformation-r	1.00	128.00
	435974	U29690	Hs.37744	Homo sapiens beta-1 adrenergic receptor	1.00	108.00
	436061	AI248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	1.00	91.00
	437157	BE048860	Hs.120655	ESTs	1.00	87.00
	437207	T27503	Hs.15929	hypothetical protein FLJ12910	1.00	105.00
70	437311	AA370041	Hs.9456	SWI/SNF related, matrix associated, acti	1.00	71.00
	437439	H29796	Hs.269622	ESTs	1.00	115.00
	438199	AW016531	Hs.122147	ESTs	1.00	80.00
	439551	W72062	Hs.11112	ESTs	0.30	3.10
	440515	AJ131245	Hs.7239	SEC24 (S. cerevisiae) related gene fami	1.00	77.00
75	440887	AI799488	Hs.135905	ESTs	1.00	85.00
	441025	AA913880	Hs.176379	ESTs	1.00	82.00
	441384	AA447849	Hs.288660	Homo sapiens cDNA: FLJ22182 fis, clone H	0.79	1.89
	441735	AI738675	Hs.127346	ESTs	1.00	75.00
	442200	AW590572	Hs.235768	ESTs	0.78	5.83
80	442832	AW206560	Hs.253569	ESTs	0.03	10.88
	442957	AI949952	Hs.49397	ESTs	1.00	70.00
	443282	T47764	Hs.132917	ESTs	1.00	197.00
	443547	AW271273	Hs.23767	hypothetical protein FLJ12666	1.00	253.00
	443951	F13272	Hs.111334	ferritin, light polypeptide	0.55	2.09
85	444330	AI597655	Hs.49265	ESTs	1.00	90.00

444515	AW204908	Hs.169979	ESTs	1.00	84.00
445769	AI741471	Hs.23666	ESTs	0.02	4.38
445908	R13580	Hs.13436	Homo sapiens clone 24425 mRNA sequence	1.00	97.00
446291	BE397753	Hs.14623	interferon, gamma-inducible protein 30	0.93	1.69
446917	AI347863	Hs.156672	ESTs	1.00	106.00
447261	NM_006691	Hs.17917	extracellular link domain-containing 1	0.40	47.20
447432	AW958473	Hs.301957	nudix (nucleoside diphosphate linked moi	1.00	100.00
447482	AB033059	Hs.18705	KIAA1233 protein	0.05	8.21
447997	H00656	Hs.29792	ESTs, Weakly similar to I38022 hypotheti	0.02	5.42
448299	AA497044	Hs.20887	hypothetical protein FLJ10392	1.00	79.00
448782	AL050295	Hs.22039	KIAA0758 protein	0.42	1.56
450575	NM_005859	Hs.29117	purine-rich element binding protein A	0.17	11.33
450584	AA040403	Hs.60371	ESTs	1.00	94.00
450693	AW450461	Hs.203965	ESTs	1.00	91.00
450715	AI266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein	1.00	152.00
451103	R52804	Hs.25956	DKFZP564D206 protein	1.00	86.00
451220	AF124251	Hs.26054	novel SH2-containing protein 3	0.60	1.30
451668	Z43948	Hs.326444	cartilage acidic protein 1	0.54	1.91
452197	AW023595	Hs.232048	ESTs	1.00	67.00
452331	AA598509	Hs.29117	purine-rich element binding protein A	4.53	11.07
452353	C18825	Hs.29191	epithelial membrane protein 2	0.72	2.24
453049	BE537217	Hs.30343	ESTs	1.00	68.00
453107	NM_016113	Hs.279746	vanilloid receptor-like protein 1	0.83	1.70
453355	AW295374	Hs.31412	Homo sapiens cDNA FLJ11422 fis, clone HE	1.00	132.00
453390	AA862496	Hs.28482	ESTs	1.00	72.00
453531	AA417940		ESTs, Weakly similar to JC5795 CDEP prot	1.00	68.00
454741	BE154396		gb:CM2-HT0342-091299-050-b05 HT0342 Homo	0.57	2.89
456579	AA287827	Hs.284205	up-regulated by BCG-CWS	1.00	82.00
456672	AK002016	Hs.114727	Homo sapiens, clone MGC:16327, mRNA, com	0.79	1.96
457400	AF032906	Hs.252549	cathepsin Z	1.03	3.25
457718	F18572	Hs.22978	ESTs, Weakly similar to ALU4_HUMAN ALU S	1.00	113.00
459696	F03027		gb:HSC1KA072 normalized infant brain cDN	1.00	544.00

TABLE 10B

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
408074	103684_1	R20723 AA263003 AA333976 AA334725 AA334151 AW965490 AA310513 AI810530 D31302 AW134897 AA830127 AA046953 AI668930 C06094 AW104534
411667	1253334_1	BE160198 AW935898 T11520 AW935930 AW856073 AW861034
413533	1375344_1	BE146973 BE146972 BE147042 BE147018 BE146783 BE147020 BE146781 BE147019 BE146766 BE147021 BE146952 BE146767 BE147044 BE146797 BE146776 BE146985 BE146793 BE146768 BE146771 BE146954 BE146760 BE147048 BE147025 BE147030
423387	22779_1	AJ012074 U11087 L13288 X75299 L20295 AW630780 H14880 T28037 AI872991 R72136 AW449839 T81622 T79697 T29519 R94105 T83923 R73300 AI797007 R73390 AA961010 H74168 AI689932 BE045543 AI808418 AI608912 AI806573 AW884084 AW872978 AW872985 AA565655 AI022915 R50647 R73210 H45098 R46451 AW166269 T71132 AI264547 R52146 AI304920 R73391 AW884059 AW884085 H73241 T60038 T79612 R73145 R50549 AI094557 AI668793 R72302 AI564366 W01956 AA418962 W32571 R72840 H45409 R72085 R46356 R46758 AA508805 AA418798 T83751 R94072 T16182 AA928785 AA903896
423696	23112_1	Z92546 AA330586 AI570568 AW341487 AI827050 AW298668 AI792189 AI015693 AI733599 AI572251 AI672488 AW193262 AI244716 AI864375 AI206100 AA912444 AI269365 AI640254 AW772466 AI867336 AA627604 H16914 AA358477 AA338009
430212	314437_1	AA469153 AI718503 AA469225
436532	421802_1	AA721522 AW975443 T93070
453531	97026_1	AA417940 AA036735 T07025
454741	1232559_1	BE154396 AW817959 BE154393

TABLE 10C

Pkey: Unique number corresponding to an Eos probeset
Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand: Indicates DNA strand from which exons were predicted.
Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
400754	7331445	Plus	144559-144684
401045	8117619	Plus	90044-90184,91111-91345
401083	3242744	Plus	33192-33360
402474	7547175	Minus	53526-53628,55755-55920,57530-57757
402808	6456148	Minus	114964-115136,115461-115585,115931-116047,117666-117771,118004-118102
403021	7547270	Plus	120799-120956
403421	9565041	Minus	126509-126773,139986-140205
403438	9719679	Plus	90792-90938
403687	7387384	Plus	9009-9534
403764	7717105	Minus	118692-118853
404277	1834458	Minus	91665-91946
404288	2769644	Plus	3512-3691
404394	3135305	Minus	37121-37205,37491-37762,41053-41140,41322-41593,41773-41919
404518	8151988	Plus	84494-84603
404916	7341826	Plus	91057-91188
405106	8079395	Minus	80877-81418
405257	7329310	Plus	73121-73273
405381	6006920	Minus	7636-8054

TABLE 11A: Genes Distinguishing Adenocarcinoma from Other Lung Diseases and Normal Lung

Table 11A shows about 84 genes upregulated in lung adenocarcinomas relative to other lung tumors, non-malignant lung disease, and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 11B show the accession numbers for those Pkey's lacking UnigeneID's for table 11A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 11C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 11A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
403329			Target Exon	1.00	61.00
406399			NM_003122*:Homo sapiens serine protease	1.00	39.00
406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad	226.37	350.00
407869	AI827976	Hs.24391	hypothetical protein FLJ13612	0.77	1.18
407881	AW072003	Hs.40968	heparan sulfate (glucosamine) 3-O-sulfot	1.00	10.00
408908	BE296227	Hs.250822	serine/threonine kinase 15	7.76	1.00
409103	AF251237	Hs.112208	XAGE-1 protein	80.44	40.00
409187	AF154830	Hs.50966	carbamoyl-phosphate synthetase 1, mitoch	1.00	1.00
409269	AA576953	Hs.22972	hypothetical protein FLJ13352	1.00	1.00
410076	T05387	Hs.7991	ESTs	1.12	1.50
410102	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	9.89	1.00
410399	BE068889		synuclein, gamma (breast cancer-specific	0.92	1.06
411908	L27943	Hs.72924	cytidine deaminase	1.00	1.00
412612	NM_000047	Hs.74131	arylsulfatase E (chondrodysplasia puncta	1.02	1.03
414075	U11862	Hs.75741	amiloride binding protein 1 (amine oxida	0.84	1.07
416208	AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	3.67	1.00
417542	J04129	Hs.82259	progestagen-associated endometrial prote	1.28	1.35
419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	1.00	1.00
419502	AU076704		fibrinogen, A alpha polypeptide	13.05	115.00
419631	AW188117	Hs.303154	popeye protein 3	1.00	13.00
420931	AF044197	Hs.100431	small inducible cytokine B subfamily (Cy	1.00	8.00
421155	H87879	Hs.102267	lysyl oxidase	1.00	15.00
421190	U95031	Hs.102482	mucin 5, subtype B, tracheobronchial	1.17	1.55
421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	1.46	1.76
421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase I, I	1.00	3.00
421582	AI910275		trefoil factor 1 (breast cancer, estroge	1.23	1.00
422026	U80736	Hs.110826	trinucleotide repeat containing 9	1.00	52.00
422095	AI868872	Hs.282804	hypothetical protein FLJ22704	4.37	2.34
422311	AF073515	Hs.114948	cytokine receptor-like factor 1	1.15	1.78
422857	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	1.69	3.17
423472	AF041260	Hs.129057	breast carcinoma amplified sequence 1	48.13	72.00
423554	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	1.00	50.00
424502	AF242388	Hs.149585	lengsin	1.00	1.00
424544	M88700	Hs.150403	dopa decarboxylase (aromatic L-amino aci	1.00	59.00
424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	21.35	1.00
424960	BE245380	Hs.153952	5' nucleotidase (CD73)	1.00	1.00
425523	AB007948	Hs.158244	KIAA0479 protein	1.00	35.00
426230	AA367019	Hs.241395	protease, serine, 1 (trypsin 1)	1.00	83.00
427701	AA411101	Hs.243886	nuclear autoantigenic sperm protein (his	7.41	34.00
428585	AB007863	Hs.185140	KIAA0403 protein	1.00	6.00
428758	AA433988	Hs.98502	hypothetical protein FLJ14303	1.06	1.13
429170	NM_001394	Hs.2359	dual specificity phosphatase 4	16.18	105.00
429253	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	1.07	1.00
429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	1.59	1.69
430508	AI015435	Hs.104637	ESTs	4.75	7.27
430985	AA490232	Hs.27323	ESTs, Weakly similar to I78885 serine/th	0.94	1.28
431548	AI834273	Hs.9711	novel protein	5.66	15.00
431566	AF176012	Hs.260720	J domain containing protein 1	49.76	37.00
431986	AA536130	Hs.149018	Novel human gene mapping to chromosome 20	1.19	1.47
432375	BE536069	Hs.2962	S100 calcium-binding protein P	1.65	1.06
432677	NM_004482	Hs.278611	UDP-N-acetyl-alpha-D-galactosamine:polyp	1.00	48.00
433556	W56321	Hs.111460	calcium/calmodulin-dependent protein kin	1.00	19.00
433819	AW511097	Hs.112765	ESTs	3.71	8.00
434001	AW950905	Hs.3697	serine (or cysteine) proteinase inhibito	29.31	72.00
434424	AI811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	1.00	64.00
434792	AA649253	Hs.132458	ESTs	8.52	44.00
436217	T53925	Hs.107	fibrinogen-like 1	57.97	31.00
436749	AA584890	Hs.5302	lectin, galactoside-binding, soluble, 4	1.10	1.41
436972	AA284679	Hs.25640	claudin 3	1.59	1.46
437866	AA156781		metallothionein 1E (functional)	3.62	101.00
437935	AW939591	Hs.5940	mucin 13, epithelial transmembrane	1.60	1.39
438915	AA280174	Hs.285681	Williams-Beuren syndrome chromosome regi	1.00	1.00
439451	AF086270	Hs.278554	heterochromatin-like protein 1	23.28	52.00

	439759	AL359055	Hs.67709	Homo sapiens mRNA full length insert cDN	1.00	21.00
	441031	AI110684	Hs.7645	fibrinogen, B beta polypeptide	1.41	99.00
	441377	BE218239	Hs.202656	ESTs	22.03	1.00
	443614	AV655386	Hs.7645	fibrinogen, B beta polypeptide	1.00	16.00
5	443813	AA876372	Hs.93961	Homo sapiens mRNA; cDNA DKFZp667D095 (fr	1.20	1.99
	443991	NM_002250	Hs.10082	potassium intermediate/small conductance	5.71	6.87
	444670	H58373	Hs.332938	hypothetical protein MGC5370	1.98	33.00
	444931	AV652066	Hs.75113	general transcription factor IIIA	1.00	54.00
	446102	AW168067	Hs.317694	ESTs	1.00	1.00
10	446163	AA026880	Hs.25252	Homo sapiens cDNA FLJ13603 fis, clone PL	1.00	36.00
	446469	BE094848	Hs.15113	homogentisate 1,2-dioxygenase (homogenti	1.00	11.00
	447388	AW630534	Hs.76277	Homo sapiens, clone MGC:9381, mRNA, comp	1.24	1.16
	447532	AK000614	Hs.18791	hypothetical protein FLJ20607	1.23	1.63
	448243	AW369771	Hs.52620	integrin, beta 8	15.84	1.00
15	448844	AI581519	Hs.177164	ESTs	1.00	31.00
	449444	AW818436	Hs.23590	solute carrier family 16 (monocarboxylic	1.00	83.00
	451807	W52854		hypothetical protein FLJ23293 similar to	1.55	35.00
	452689	F33868	Hs.284176	transferrin	1.54	1.44
	453392	U23762	Hs.32964	SRY (sex determining region Y)-box 11	1.00	16.00
20	453464	AI884911	Hs.32989	receptor (calcitonin) activity modifying	1.55	2.45
	453735	AI066629	Hs.125073	ESTs	1.01	1.30

TABLE 11B

25 Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
30	410399	11995_1	BE068889 BE068882 AF044311 AF017256 NM_003087 AF037207 AF010126 AA633976 AA872836 BE298825 BE299889 AI016464 AI684600 AI936527 AA804675 AA394097 AI139933 AA946606 BE171313 AA722407 AA293803 AI468480 AA056035 AA055968 AW796957 AI637713 AA410737 H49348 AA486472 AA411094 AA235594 AA402624 AA443638 AW452137 AA421708 AW265211 AI493266 AA365132 AW966044
419502	18535_1	AU076704 T74854 T74860 T72098 T73265 T73873 T69180 T74658 T58785 T60385 T73410 T68781 T67845 T67593 T73952 T57864 T60630 T68367 T68401 T53959 T72360 T72099 T60377 T58961 T71712 T72821 T64738 T74645 T72037 T68688 T72063 T73258 T72826 T64242 T68220 T74673 T71800 T68355 T61227 T62738 T69317 T53850 T64692 T7376B T73962 T73382 T68914 T70975 T73400 T60631 T73277 T73203 T70498 T61409 T58925 NM_000508 M64982 T68301 T73729 T69445 T60424 T67922 T67736 T68716 T67755 T74765 T73819 T58719 T74756 T60477 T74863 T61109 T68329 T58850 T71857 T73425 T53736 T68607 T58898 T64309 T72031 T72079 T64305 T71908 T68107 T71916 T73787 T56035 T64425 T71870 T60476 T61376 T67820 T71895 T41005 T69441 T68170 T74617 T71958 T69440 T61875 R05796 H48353 T71914 T53939 T64121 AA693996 T72525 T67779 T68078 AA011465 AA345378 AV656001 AV654272 AV656001 AI064740 T82697 N33594 AA344542 AW805054 AI207457 T61743 AA026737 H94389 AA382695 AA918409 T68044 S82092 T39959 AI017721 AA312395 AA312919 T40156 H66239 AV652989 H38728 R98521 AV655200 R95790 W03250 W00913 AA344136 AV660126 R97823 AA343596 AW470774 AV651256 N54417 AA812862 AW182929 AI111192 H61463 H72060 AA344503 H38639 AI277511 AV661108 AI207625 T47810 AA235252 T27853 T47778 R95746 H70620 AA701463 AW827166 R98475 C20925 AV657287 T71959 T71313 T73920 T73333 T61618 T69293 T69283 T73931 T72178 T72456 AV645639 AV653476 T72957 T72300 T58906 T71457 T70494 T72956 T70495 T68257 T74407 T85778 AA344726 T27854 T74485 T74101 T73868 T71518 T72304 AA343853 T73909 T68070 T72065 H72149 T73493 T73495 AV645993 R02293 T70475 T64751 AA344441 AA343657 AA345732 AA344328 AI110639 AA344603 AF063513 T64696 T68516 T72223 T60507 T67633 R29500 T72517 R02292 T60599 T69206 T70452 T74677 R29366 T61277 T74914 T60352 R29675 T74843 AV645792 AA344408 T69197 T72057 T69368 T69358 T68258 AV650429 T73341 T61702 T74598 T40095 K02272 T40106 AA343045 AA341908 AA341907 AA342807 AA341964 T53747 T72042 T62764 AI054899 AA343080 T67832 T72440 T71770 T68091 T69108 T72449 T69167 T71289 T68251 AV654844 T64375 AA345234 T67598 AA011414 T68036 H48262 AI207557 T68219 W86031 T69081 T64232 R93196 T62136 AV650539 H67459 T72978 AA344583 T60352 H58121 T95711 T72803 T68055 T71715 R29036 T72793 T69122 T64595 T62888 T69139 T68291 T64652 T67971 T46862 AA693592 AI248502 R29454 T64764 T57001 T73052 T71429 T51176 T58866 AV655414 H90426 AA342489 T73666 T67848 T72512 T53835 T67837 T73317 T74273 T69420 T68245 T74380 T67862 T74474 T56068
421582	2041_1	AI910275 X00474 X52003 X05030 NM_003225 AA314326 AA308400 AA506787 AA314825 AI571948 AA507595 AA614579 AA587613 R83818 AA558312 AA614409 AA307578 AI925552 AW950155 AI910083 M12075 BE074052 AW004668 AA578674 AA582084 BE074053 BE074126 BE074140 AA514776 AA588034 BE074051 BE074068 AW009769 AW050690 AA858276 R55389 AI001051 AW050700 AW750216 AA614539 BE074045 AI307407 AW602303 BE073575 AI202532 AA524242 AI970839 AI909751 BE076078 AI909749 R55292
437866	44433_2	AA156781 AW293839 U52054 AA024963 AA778446 BE073977 AW444904 AW602574 BE164040 BE164012 BE163972 BE163974 BE163992 AA837481 AW468444 BE185091 AW468002 AA687333 AA811830 AA581806 AI866686 AI572124 AA043777 AA040926 D20160 AI536733 AA812489 AW874142 AI471883 W84421 AA156850
451807	8865_1	W52854 AL117600 BE208116 BE208432 BE206239 BE082291 AW953423 AA351619 BE180648 BE140560 W60080 AA865478 N90291 AW450652 AW449519 AA993634 AI806539 AA351618 AW449522 AI827626 AA904788 AA380381 AA886045 AA774409 BE003229 Z41756

TABLE 11C

Pkey: Unique number corresponding to an Eos probeset
Ref: Sequence source. The 7 digit numbers in this column are Genbank identifier (GI) numbers. "Dunham I, et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I, et al., Nature (1999) 402:489-495.
Strand: Indicates DNA strand from which exons were predicted.
Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
403329	8516120	Plus	96450-96598
406399	9256288	Minus	63448-63554

TABLE 12A: Genes Distinguishing Squamous Cell Carcinoma from Other Lung Diseases and Normal Lung

Table 12A shows about 72 genes upregulated in squamous cell carcinomas of the lung relative to other lung tumors, non-malignant lung disease, and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 12B show the accession numbers for those Pkey's lacking UnigeneID's for table 12A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 12C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 12A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2:	Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin	132.45	4.00
400666			NM_002425:Homo sapiens matrix metallopro	3.26	3.22
401780			NM_005557*:Homo sapiens keratin 16 (foca	26.47	10.50
401781			Target Exon	10.33	4.61
401785			NM_002275*:Homo sapiens keratin 15 (KRT1	4.13	2.70
401994			Target Exon	61.84	47.00
402075			ENSP00000251056*:Plasma membrane calcium	1.00	1.00
404996			Target Exon	1.00	1.00
407839	AA045144	Hs.161566	ESTs	173.91	108.00
408000	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	151.17	8.00
408522	AI541214	Hs.46320	Small proline-rich protein SPRK (human,	1.98	1.24
410561	BE540255	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	10.04	1.00
415091	AL044872	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A sy	1.00	30.00
415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t	24.30	1.00
416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	53.29	51.00
417034	NM_006183	Hs.80962	neurotensin	1.00	1.00
417366	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)	8.97	3.27
418663	AK001100	Hs.41690	desmocollin 3	112.17	19.00
418678	NM_001327	Hs.87225	cancer/testis antigen	1.18	1.10
419121	AA374372	Hs.89626	parathyroid hormone-like hormone	1.00	1.00
420783	AI659838	Hs.99923	lectin, galactoside-binding, soluble, 7	3.04	1.25
421773	W69233	Hs.112457	ESTs	1.12	1.14
421948	L42583	Hs.334309	keratin 6A	51.83	20.25
421978	AJ243662	Hs.110196	NICE-1 protein	1.01	0.91
422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	2.37	1.10
422440	NM_004812	Hs.116724	aldo-keto reductase family 1, member B10	47.53	32.00
423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	76.02	1.00
423725	AJ403108	Hs.132127	hypothetical protein LOC57822	4.20	1.00
423738	AB002134	Hs.132195	airway trypsin-like protease	10.14	51.00
424012	AW368377	Hs.137559	tumor protein 63 kDa with strong homolog	233.42	68.00
424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	1.00	1.00
424098	AF077374	Hs.139322	small proline-rich protein 3	137.82	54.00
424834	AK001432	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	56.19	12.00
425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	33.45	1.00
427099	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	4.24	17.00
427335	AA448542	Hs.251677	G antigen 7B	51.83	4.00
428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT	1.00	1.00
428645	AA431400	Hs.98729	ESTs, Weakly similar to 2017205A dihydro	1.00	16.00
428748	AW593206	Hs.98785	Ksp37 protein	1.00	87.00
429259	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	2.01	1.18
429538	BE182592	Hs.11261	small proline-rich protein 2A	4.43	2.90
429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	11.80	1.00
430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	12.28	41.00
430890	X54232	Hs.2699	glypican 1	1.58	1.40
431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3	60.25	28.00
431846	BE019924	Hs.271580	uroplakin 1B	4.49	2.51
433091	Y12642	Hs.3185	lymphocyte antigen 6 complex, locus D	1.20	1.09
434360	AW015415	Hs.127780	ESTs	40.98	27.00
434880	U02388	Hs.101	cytochrome P450, subfamily IVF, polypept	1.00	1.00
435505	AF200492	Hs.211238	interleukin-1 homolog 1	1.00	38.00
435793	AB037734	Hs.4993	KIAA1313 protein	23.68	42.00
436511	AA721252	Hs.291502	ESTs	16.76	14.00
438403	AA806607	Hs.292206	ESTs	1.00	1.00
439285	AL133916		hypothetical protein FLJ20093	46.23	139.00
439606	W79123	Hs.58561	G protein-coupled receptor 87	33.61	1.00
439670	AF088076	Hs.59507	ESTs, Weakly similar to AC004858 3 U1 sm	1.00	1.00
439706	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	86.55	11.00
440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma	62.88	147.00
441525	AW241867	Hs.127728	ESTs	1.53	1.42
443162	T49951	Hs.9029	DKFZP434G032 protein	31.11	38.00
444378	R41339	Hs.12569	ESTs	1.00	1.00

446292	AF081497	Hs.279682	Rh type C glycoprotein	1.55	1.26
447078	AW885727	Hs.9914	ESTs	47.24	24.00
447342	AI199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	28.63	1.00
449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o	1.00	1.00
449101	AA205847	Hs.23016	G protein-coupled receptor	2.58	27.00
450832	AW970602	Hs.105421	ESTs	25.17	36.00
452240	AI591147	Hs.61232	ESTs	13.42	1.00
453317	NM_002277	Hs.41696	keratin, hair, acidic,1	1.19	1.27
453830	AA534296	Hs.20953	ESTs	24.92	25.00
454098	W27953	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	1.26	1.11
455601	AI368680	Hs.816	SRY (sex determining region Y)-box 2	206.11	1.00

TABLE 12B

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
439285	47065_1	AL133916 N79113 AF086101 N76721 AW950828 AA364013 AW955684 AI346341 AI867454 N54784 AI655270 AI421279 AW014882 AA775552 N62351 N59253 AA626243 AI341407 BE175639 AA456968 AI358918 AA457077

TABLE 12C

Pkey: Unique number corresponding to an Eos probeset
Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand: Indicates DNA strand from which exons were predicted.
Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
400666	8118496	Plus	17982-18115,20297-20456
401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29557,29705-29787,30224-30573
401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
401785	7249190	Minus	165776-165996,166189-166314,166408-166569,157112-167268,167387-167469,168634-168942
401994	4153858	Minus	42904-43124,43211-43336,44607-44763,45199-45281,46337-46732
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076
404996	6007890	Plus	37999-38145,38652-38998,39727-39872,40557-40674,42351-42450

TABLE 13A: Genes Distinguishing Non-Malignant Lung Disease from Lung Tumors and Normal lung

Table 13A shows about 23 genes upregulated in non-malignant lung disease relative to lung tumors and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 13B show the accession numbers for those Pkey's lacking UnigeneID's for table 13A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 13C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 13A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
UnigeneID:	Unigene number
Unigene Title:	Unigene gene title
R1:	Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2:	Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2
408562	AI436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,	1.00	230.00
409031	AA376836	Hs.76728	ESTs	1.00	128.00
412372	R65998	Hs.285243	hypothetical protein FLJ22029	1.00	173.00
415910	U20350	Hs.78913	chemokine (C-X3-C) receptor 1	1.00	145.00
417511	AL049176	Hs.82223	chordin-like	1.00	179.00
418819	AA228776	Hs.191721	ESTs	1.00	140.00
422060	R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	1.00	156.00
424585	AA464840	Hs.131987	ESTs	1.00	167.00
426753	T89832	Hs.170278	ESTs	1.00	141.00
429496	AA453800	Hs.192793	ESTs	1.00	138.00
430719	AA488988	Hs.293796	ESTs	1.00	133.00
431089	BE041395		ESTs, Weakly similar to unknown protein	23.32	941.00
431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	1.00	157.00
431728	NM_007351	Hs.268107	multimerin	1.00	157.00
436532	AA721522		gb:nv54h12.r1 NCI_CGAP_Ew1 Homo sapiens	1.00	218.00
437960	AI669586	Hs.222194	ESTs	1.00	147.00
438202	AW169287	Hs.22588	ESTs	1.00	141.00
441499	AW298235	Hs.101689	ESTs	1.00	167.00
444513	AL120214	Hs.7117	glutamate receptor, ionotropic, AMPA 1	1.00	151.00
448253	H25899	Hs.201591	ESTs	1.00	141.00
453636	R67837	Hs.169872	ESTs	1.00	116.00
458332	AI000341	Hs.220491	ESTs	1.00	192.00
459587	AA031956		gb:zk15e04.s1 Soares_pregnant_uterus_NbH	1.00	154.00

TABLE 13B

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
Accession:	Genbank accession numbers

Pkey	CAT Number	Accession
431089	327825_1	BE041395 AA491826 AA621946 AA715980 AA666102
436532	421802_1	AA721522 AW975443 T93070

TABLE 13C

Pkey:	Unique number corresponding to an Eos probeset
Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand:	Indicates DNA strand from which exons were predicted.
NI_position:	Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	NI_position
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076

TABLE 14A: Preferred Utility and Subcellular Localization for Potential Lung Disease Targets

Table 14A shows the subcellular localization and preferred utility for the genes appearing in Tables 9A and 10A. mAb symbolizes monoclonal antibody, diag symbolizes diagnostic, s.m. symbolizes small molecule, and CTL symbolizes cytotoxic lymphocytic ligand. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 14B show the accession numbers for those Pkey's lacking UnigeneID's for table 14A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 14C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 14A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
Pref.Utility: Preferred Utility
Pred.Loc: Predicted subcellular localization

Pkey	ExAccn	UnigeneID	Unigene Title	Pref Utility	Pred. Loc
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin	mAb & diag & s.m.	extracellular
400303	AA242758	Hs.79136	LIV-1 protein, estrogen regulated	mAb	plasma membrane
402075			ENSP00000251056*:Plasma membrane calcium	mAb & diag	secreted
407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	diag	secreted
408243	Y00787	Hs.624	interleukin 8	diag	secreted
408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,	mAb & s.m.	plasma membrane
408908	BE296227	Hs.250822	serine/threonine kinase 15	s.m.	cytoplasm
409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119	CTL & diag	secreted
409103	AF251237	Hs.112208	XAGE-1 protein	CTL	nuclear
409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalini	diag	secreted
409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	diag	secreted
409757	NM_001898	Hs.123114	cystatin SN	diag	extracellular
409893	AW247090	Hs.57101	minichromosome maintenance deficient (S.	CTL	nuclear
409956	AW103354	Hs.727	inhibin, beta A (activin A, activin AB a	diag	extracellular
410001	AB041036	Hs.57771	kallikrein 11	diag	extracellular
410407	X66839	Hs.63287	carbonic anhydrase IX	mAb & s.m	plasma membrane
410418	D31382	Hs.63325	transmembrane protease, serine 4	mAb & diag & s.m.	plasma membrane
412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	s.m.	
412719	AW016610	Hs.816	ESTs	s.m.	nuclear
414774	X02419	Hs.77274	plasminogen activator, urokinase	diag	extracellular
414883	AA926960		CDC28 protein kinase 1	s.m.	
415138	C18356	Hs.295944	tissue factor pathway inhibitor 2	CTL & diag	extracellular
415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	mAb & diag & s.m.	secreted
415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t	mAb & s.m.	plasma membrane
416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	diag	extracellular
417034	NM_006183	Hs.80962	neurotensin	diag	extracellular
417079	U65590	Hs.81134	interleukin 1 receptor antagonist	diag	extracellular
417308	H60720	Hs.81892	KIAA0101 gene product	s.m.	mitochondrial
417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor	mAb & diag	secreted
417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	mAb	plasma membrane
417933	X02308	Hs.82962	thymidylate synthetase	s.m.	endoplasmic reticulum
418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	s.m.	cytoplasm
418506	AA084248	Hs.85339	G protein-coupled receptor 39	mAb & s.m.	plasma membrane
418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)	CTL	cytoplasmic
419121	AA374372	Hs.89626	parathyroid hormone-like hormone	diag	secreted
419171	NM_002846	Hs.89655	protein tyrosine phosphatase, receptor t	mAb & s.m.	plasma membrane
419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	CTL & s.m.	mitochondrial
419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy	diag	secreted
419235	AW470411	Hs.288433	neurotrimin	mAb & diag	plasma membrane
419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	mAb & s.m.	plasma membrane
419556	U29615	Hs.91093	chitinase 1 (chitotriosidase)	mAb & diag	extracellular*
420610	AI683183	Hs.99348	distal-less homeo box 5	CTL	nuclear
421110	AJ250717	Hs.1355	cathepsin E	sm & diag	extracellular
421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	diag	secreted
421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	mAb & s.m.	plasma membrane
421552	AF026692	Hs.105700	secreted frizzled-related protein 4	diag	secreted
421753	BE314828	Hs.107911	ATP-binding cassette, sub-family B (MDR/	mAb & s.m.	plasma membrane
421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	mAb & s.m.	plasma membrane
422109	S73265	Hs.1473	gastrin-releasing peptide	diag	secreted
422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	diag	secreted
422282	AF019225	Hs.114309	apolipoprotein L	diag	secreted
422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis	s.m.	nuclear
422424	AI186431	Hs.296638	prostate differentiation factor	s.m.	extracellular
422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	s.m.	cytoplasm
422809	AK001379	Hs.121028	hypothetical protein FLJ10549	s.m.	nuclear
422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	diag	extracellular
422956	BE545072	Hs.122579	ECT2 protein (Epithelial cell transformi	CTL & s.m.	
423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	diag	
423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	mAb & diag & s.m.	secreted
423961	D13666	Hs.136348	periostin (OSF-2os)	mAb & diag	extracellular
424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	diag	secreted
424381	AA285249	Hs.146329	protein kinase Chk2	s.m.	nuclear

424502	AF242388	Hs.149585	tensgin	s.m.	cytoplasmic
424503	NM_002205	Hs.149609	integrin, alpha 5 (fibronectin receptor,	mAb & s.m.	plasma membrane
424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	diag	extracellular
425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin	mAb & diag & s.m.	secreted
425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	s.m.	cytoplasmic
425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	mAb	plasma membrane
425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg	s.m.	
425776	U25128	Hs.159499	parathyroid hormone receptor 2	mAb & diag	plasma membrane
425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member	mAb & s.m.	plasma membrane
426215	AW963419	Hs.155223	stanniocalcin 2	mAb & diag	secreted
426427	M86699	Hs.169840	TTK protein kinase	CTL & s.m.	nuclear
426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogenic	mAb & diag	secreted
427335	AA448542	Hs.251677	G antigen 7B	CTL	cytoplasmic
427747	AW411425	Hs.180655	serine/threonine kinase 12	s.m.	cytoplasmic
428242	H55709	Hs.2250	leukemia inhibitory factor (cholinergic	diag	
428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,	mAb & diag & s.m.	extracellular
428450	NM_014791	Hs.184339	KIAA0175 gene product	s.m.	nuclear
428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to	s.m.	nuclear
428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino	mAb & s.m.	plasma membrane
428664	AK001666	Hs.189095	similar to SALL1 (sal (Drosophila)-like	CTL & s.m.	nuclear
428698	AA852773	Hs.334838	KIAA1866 protein	mAb	
428748	AW593206	Hs.98785	Ksp37 protein	diag	extracellular
428758	AA433988	Hs.98502	CA125 antigen; mucin 16	diag	mitochodria*
428969	AF120274	Hs.194689	artemin	diag	extracellular
429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3	mAb & s.m.	plasma membrane
429263	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	mAb & s.m.	plasma membrane
429547	AW009166	Hs.99376	ESTs	diag	secreted
429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	mAb & diag	secreted
429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	s.m.	
430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	mAb & s.m.	plasma membrane
431462	AW583672	Hs.256311	granin-like neuroendocrine peptide precu	diag	extracellular
431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha	mAb & s.m.	plasma membrane
431846	BE019924	Hs.271580	uroplakin 1B	mAb & diag	plasma membrane
431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	mAb & diag	plasma membrane
432201	AI538613	Hs.298241	Transmembrane protease, serine 3	mAb & diag & s.m.	plasma membrane
433001	AF217513	Hs.279905	clone HQ0310 PRO0310p1	s.m.	nuclear
435505	AF200492	Hs.211238	interleukin-1 homolog 1	diag	secreted
436481	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	s.m.	
437016	AU076916	Hs.5398	guanine monophosphate synthetase	s.m.	cytoplasm
437044	AL035864	Hs.69517	differentially expressed in Fanconi's an	CTL	ER
437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	CTL	nuclear
437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365O12.1 [H.sa	mAb & s.m.	plasma membrane
439223	AW238299	Hs.250518	UL16 binding protein 2	mAb	plasma membrane
439477	W69813	Hs.58042	ESTs, Moderately similar to GFR3_HUMAN G	mAb & s.m.	
439606	W79123	Hs.58561	G protein-coupled receptor 87	mAb & s.m.	plasma membrane
439738	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	mAb & s.m.	plasma membrane
440006	AK000517	Hs.6844	NALP2 protein; PYRIN-Containing APAF1-li	s.m.	nuclear
441362	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	s.m.	
442117	AW664964	Hs.128899	ESTs; hypothetical protein for IMAGE:447	mAb & s.m.	plasma membrane
443247	BE614387	Hs.333693	c-Myc target JPO1	CTL	extracellular*
443426	AF098158	Hs.9329	chromosome 20 open reading frame 1	CTL	
443859	NM_013409	Hs.9914	follistatin	diag	extracellular
444006	BE395085	Hs.10086	type I transmembrane protein Fn14	mAb	plasma membrane
444371	BE540274	Hs.239	forkhead box M1	s.m.	nuclear
444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	diag	secreted
444781	NM_014400	Hs.11950	GPI-anchored metastasis-associated prote	mAb & diag	plasma membrane
445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6	mAb & diag	secreted
446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	diag	secreted
446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	diag	extracellular
447033	AI357412	Hs.157601	ESTs	CTL & diag	secreted
447342	AI199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	CTL	
448243	AW369771	Hs.52620	integrin, beta 8	mAb & s.m.	plasma membrane
448844	AI581519	Hs.177164	ESTs	mAb & s.m.	
449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	mAb	plasma membrane
449722	BE280074	Hs.23960	cyclin B1	s.m.	cytoplasm
450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitte	mAb & s.m.	plasma membrane
450375	AA009647		a disintegrin and metalloproteinase doma	mAb & diag & s.m.	plasma membrane
450701	H39960	Hs.288457	hypothetical protein XP_098151 (leucine-	mAb & diag	plasma membrane
450983	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	diag	secreted
451668	Z43948	Hs.326444	cartilage acidic protein 1	mAb & diag	plasma membrane
452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	diag	
452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro	diag	extracellular
452747	BE153855	Hs.61460	Ig superfamily receptor LNIR	mAb	plasma membrane
452838	U65011	Hs.30743	preferentially expressed antigen in mela	CTL	nuclear
453968	AA847843	Hs.62711	High mobility group (nonhistone chromoso	CTL & s.m.	nuclear
457489	AI693815	Hs.127179	cryptic gene	diag	secreted

TABLE 14B

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey   CAT Number   Accession

414883	15024_1	AA926960 AA926959 W76521 W24270 W21526 AA037172 BE257636 H83186 AA469909 N86396 AA001348 BE535736 AA081745 BE566245 AA082436 H72525 H77575 N49786 W80565 H78746 BE569085 W04339 R98127 T55938 BE279271 AW960304 T29812 AA476873 BE297387 AA292753 AA177048 NM_001826 X54941 BE314366 AA908783 AI719075 BE270172 BE269819 AAB89955 AI204630 W25243 AJ935150 AA872039 W72395 T99630 AI422691 H98460 N31428 BE255916 H03265 AI857576 AA776920 AA910644 AA459522 AA293140 AW514667 R75953 AW662396 AA662522 AI865147 AI423153 AW262230 AA584410 AA583187 AW024595 AW069734 AI828996 AA282997 AAB76046 AW613002 AA527373 AW972459 AI831360 AA621337 AA100926 AA772418 AA594628 AI033892 W95096 AI034317 AA398727 AI085031 N95210 AI459432 AI041437 AA932124 AA627684 AA935829 AI004827 AI423513 AI094597 H42079 R54703 AI630359 AA617681 AA978045 AA643280 W44561 AI991988 AI537692 AI090262 AA740817 AI312104 AI911822 AA416871 AI185409 AA129784 AA701623 AI075239 AI139549 AA633648 AI339996 AI336880 AA399239 AI078708 AI085351 AI362835 AI346618 AI146955 AI989380 AI348243 N92892 AA765850 AI494230 AI278887 AA962596 AI492600 W80435 AA001979 R97424 AI129015 N24127 AA157451 AA235549 AA459292 AA037114 AA129785 AI494211 AW059601 AWB86710 R92790 N59755 AI361128 AW589407 H47725 H97534 H48076 H48450 T99631 AW300758 H03431 R76789 AA954344 H77576 R96823 AI457100 N92845 N49682 H42038 BE220698 BE220715 H99552 AA701624 N74173 R54704 H79520 H72923 H03266 BE261919 AA769633 AA480310 AA507454 AA910586 AI203723 AW104725 W25611 W25071 T88980 H03513 T77589 R99156 W95095 R97470 AA702275 T77551 AA911952 H82956 N83673 AA283672
450375	83327_1	AA009647 AA131254 AA374293 AW954405 H04410 AW606284 AA151166 BE157467 BE157601 H04384 W46291 AW663574 H04021 H01532 AA190993 H03231 H59605 H01642 AAB52876 AA113758 AA626915 AA746952 AI161014 AA099554 R69067

TABLE 14C

Pkey:	Unique number corresponding to an Eos probeset
Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand:	Indicates DNA strand from which exons were predicted.
Nt_position:	Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076

TABLE 15A: Information for all sequences in Table 16

Table 15A shows the Seq ID No, Pkey, ExAccn, UnigeneID, and Unigene Title for all of the sequences in Table 16.

5 Table 15B show the accession numbers for those Pkey's lacking UnigeneID's for table 15A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Table 15C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 15A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

15 Seq ID No: Sequence ID number
Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title

20

Seq ID No:	Pkey	ExAccn	UnigeneID	Unigene Title
Seq ID No: 1 & 2	410407	X66839	Hs.63287	carbonic anhydrase IX
Seq ID No: 3 & 4	412719	AW016510	Hs.816	ESTs
Seq ID No: 5 & 6	417034	NM_006183	Hs.80962	neurotensin
Seq ID No: 7 & 8	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam
Seq ID No: 9 & 10	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
Seq ID No: 11 & 12	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
Seq ID No: 13 & 14	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
Seq ID No: 15 & 16	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
Seq ID No: 17 & 18	439285	AL133916		hypothetical protein FLJ20093
Seq ID No: 19 & 20	413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin
Seq ID No: 21 & 22	120486	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog
Seq ID No: 23 & 24	425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen
Seq ID No: 25 & 26	412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines
Seq ID No: 27 & 28	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage
Seq ID No: 29 & 30	452838	U65011	Hs.30743	preferentially expressed antigen in mela
Seq ID No: 31 & 32	418663	AK001100	Hs.41690	desmocollin 3
Seq ID No: 33 & 34	418663	AK001100	Hs.41690	desmocollin 3
Seq ID No: 35 & 36	409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito
Seq ID No: 37 & 38	429510	AB024937	Hs.211010	LUNX protein; PLUNC (palate lung and nas
Seq ID No: 39 & 40	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad
Seq ID No: 41 & 42	431846	BE019924	Hs.271580	uroplakin 1B
Seq ID No: 43 & 44	418830	BE513731	Hs.88959	hypothetical protein MGC4816
Seq ID No: 45 & 46	424098	AF077374	Hs.139322	small proline-rich protein 3
Seq ID No: 47 & 48	443648	AI085377	Hs.143610	ESTs
Seq ID No: 49	311034	BE567130	Hs.311389	ESTs, Highly similar to NKGD_HUMAN NKG2-
Seq ID No: 50 & 51	408522	AI541214	Hs.46320	Small proline-rich protein SPRK (human,
Seq ID No: 52 & 53	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
Seq ID No: 54 & 55	435505	AF200492	Hs.211238	interleukin-1 homolog 1
Seq ID No: 56 & 57	417366	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)
Seq ID No: 58 & 59	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta
Seq ID No: 60 & 61	441020	W79283	Hs.35962	ESTs
Seq ID No: 62 & 63	423217	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermolys
Seq ID No: 64 & 65	429538	BE182592	Hs.11261	small proline-rich protein 2A
Seq ID No: 66 & 67	448733	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte
Seq ID No: 68 & 69	444371	BE540274	Hs.239	forkhead box M1
Seq ID No: 70 & 71	444371	BE540274	Hs.239	forkhead box M1
Seq ID No: 72 & 73	444371	BE540274	Hs.239	forkhead box M1
Seq ID No: 74 & 75	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias
Seq ID No: 76 & 77	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias
Seq ID No: 78 & 79	429259	AA420450	Hs.292911	Plakophilin
Seq ID No: 80 & 81	426440	BE382756	Hs.169902	solute carrier family 2 (facilitated glu
Seq ID No: 82 & 83	437044	AL035864	Hs.69517	differentially expressed in Fanconi's an
Seq ID No: 84 & 85	423662	AK001035	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro
Seq ID No: 86 & 87	428484	AF104032	Hs.184501	solute carrier family 7 (cationic amino
Seq ID No: 88 & 89	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3
Seq ID No: 90 & 91	417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor
Seq ID No: 92 & 93	423634	AW959908	Hs.1690	heparin-binding growth factor binding pr
Seq ID No: 94 & 95	417515	L24203	Hs.82237	ataxia-telangiectasia group D-associated
Seq ID No: 96 & 97	441362	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re
Seq ID No: 98 & 99	425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic
Seq ID No: 100 & 101	449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o
Seq ID No: 102 & 103	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3
Seq ID No: 104 & 105	409103	AF251237	Hs.112208	XAGE-1 protein
Seq ID No: 106 & 107	417542	J04129	Hs.82269	progestagen-associated endometrial prote
Seq ID No: 108 & 109	428471	X57348	Hs.184510	stratifin
Seq ID No: 110 & 111	418004	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member
Seq ID No: 112 & 113	414761	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2
Seq ID No: 114 & 115	418203	X54942	Hs.83758	CDC28 protein kinase 2
Seq ID No: 116	447343	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m
Seq ID No: 117 & 118	437016	AU076916	Hs.5398	guanine monophosphate synthetase
Seq ID No: 119 & 120	449230	BE613348	Hs.211579	melanoma cell adhesion molecule
Seq ID No: 121 & 122	446989	AK001898	Hs.16740	hypothetical protein FLJ11036
Seq ID No: 123 & 124	457819	AA057484	Hs.35406	ESTs, Highly similar to unnamed protein
Seq ID No: 125 & 126	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B

Seq ID No: 127 & 128	414430	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1
Seq ID No: 129 & 130	418462	BE001596	Hs.85266	integrin, beta 4
Seq ID No: 131 & 132	100668	L05424	Hs.169610	CD44 antigen (homing function and Indian
Seq ID No: 133 & 134	458933	AI638429	Hs.24763	RAN binding protein 1
Seq ID No: 135 & 136	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
Seq ID No: 137 & 138	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
Seq ID No: 139 & 140	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
Seq ID No: 141 & 142	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
Seq ID No: 143 & 144	446269	AW263155	Hs.14559	hypothetical protein FLJ10540
Seq ID No: 145 & 146	422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur
Seq ID No: 147 & 148	436481	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con
Seq ID No: 149 & 150	440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma
Seq ID No: 151 & 152	439606	W79123	Hs.58561	G protein-coupled receptor 87
Seq ID No: 153 & 154	453884	AA355925	Hs.36232	KIAA0186 gene product
Seq ID No: 155 & 156	453884	AA355925	Hs.36232	KIAA0186 gene product
Seq ID No: 157 & 158	453884	AA355925	Hs.36232	KIAA0186 gene product
Seq ID No: 159 & 160	453884	AA355925	Hs.36232	KIAA0186 gene product
Seq ID No: 161 & 162	404877			NM_005365:Homo sapiens melanoma antigen,
Seq ID No: 163 & 164	413129	AF292100	Hs.104613	RP42 homolog
Seq ID No: 165 & 166	413281	AA861271	Hs.222024	transcription factor BMAL2
Seq ID No: 167 & 168	444781	NM_014400	Hs.11850	GPI-anchored metastasis-associated prote
Seq ID No: 169 & 170	416819	U77735	Hs.80205	pim-2 oncogene
Seq ID No: 171 & 172	451320	AW118072		diacylglycerol kinase, zeta (104kD)
Seq ID No: 173 & 174	418543	NM_005329	Hs.85962	hyaluronan synthase 3
Seq ID No: 175 & 176	454034	NM_000691	Hs.575	aldehyde dehydrogenase 3 family, member
Seq ID No: 177 & 178	425397	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)
Seq ID No: 179 & 180	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 181 & 182	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 183 & 184	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 185 & 186	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 187 & 188	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 189 & 190	419121	AA374372	Hs.89626	parathyroid hormone-like hormone
Seq ID No: 191 & 192	448993	AI471630	Hs.8127	KIAA0144 gene product
Seq ID No: 193 & 194	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR
Seq ID No: 195 & 195	430393	BE185030	Hs.241305	estrogen-responsive B box protein
Seq ID No: 197 & 198	425057	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol
Seq ID No: 199 & 200	420462	AF050147	Hs.97932	chondromodulin I precursor
Seq ID No: 201 & 202	102963	X02404	Hs.274534	calcitonin-related polypeptide, beta
Seq ID No: 203 & 204	100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid
Seq ID No: 205 & 206	101175	U82671	Hs.36980	melanoma antigen, family A, 2
Seq ID No: 207 & 208	429038	AL023513	Hs.194766	seizure related gene 6 (mouse)-like
Seq ID No: 209 & 210	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
Seq ID No: 211 & 212	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
Seq ID No: 213 & 214	131927	AJ003112	Hs.34780	doublecortex; lissencephaly, X-linked (d
Seq ID No: 215 & 216	428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT
Seq ID No: 217 & 218	427335	AA448542	Hs.251677	G antigen 7B
Seq ID No: 219 & 220	409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalin)
Seq ID No: 221 & 222	114346	AL137256	Hs.130489	ATPase, aminophospholipid transporter-li
Seq ID No: 223 & 224	438956	W00847	Hs.135056	Human DNA sequence from clone RP5-850E9
Seq ID No: 225 & 226	404440			NM_021048:Homo sapiens melanoma antigen,
Seq ID No: 227 & 228	415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito
Seq ID No: 229 & 230	103312	Y12642	Hs.3185	lysosomal
Seq ID No: 231 & 232	320843	BE069288	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr
Seq ID No: 233	429065	AI753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT
Seq ID No: 234 & 235	446102	AW168067	Hs.317694	ESTs
Seq ID No: 236 & 237	330495	U47924	Hs.71642	guanine nucleotide binding protein (G pr
Seq ID No: 238	413573	AI733859	Hs.149089	ESTs
Seq ID No: 239 & 240	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to
Seq ID No: 241 & 242	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to
Seq ID No: 243 & 244	332180	AF134160	Hs.7327	claudin 1
Seq ID No: 245	437915	AI637993	Hs.202312	Homo sapiens clone N11 NTera2D1 teratoca
Seq ID No: 246 & 247	441553	AA281219	Hs.121296	ESTs
Seq ID No: 248 & 249	331692	AI683487	Hs.152213	wingless-type MMTV integration site fami
Seq ID No: 250 & 251	429413	NM_014058	Hs.201877	DESC1 protein
Seq ID No: 252 & 253	422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis
Seq ID No: 254 & 255	448357	N20169	Hs.108923	RAB38, member RAS oncogene family
Seq ID No: 256 & 257	446292	AF081497	Hs.279682	Rh type C glycoprotein
Seq ID No: 258 & 259	416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h
Seq ID No: 260 & 261	453922	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1
Seq ID No: 262 & 263	424046	AF027856	Hs.138202	serine (or cysteine) proteinase inhibito
Seq ID No: 264 & 265	439223	AW238299	Hs.250618	UL16 binding protein 2
Seq ID No: 266 & 267	429228	AI553633	Hs.326447	ESTs
Seq ID No: 268 & 269	409757	NM_001898	Hs.123114	cystatin SN
Seq ID No: 270 & 271	411089	AA456454	Hs.214291	cell division cycle 2-like 1 (PITSLRE pr
Seq ID No: 272 & 273	436511	AA721252	Hs.291502	ESTs
Seq ID No: 274 & 275	428969	AF120274	Hs.194689	artemin
Seq ID No: 276 & 277	428969	AF120274	Hs.194689	artemin
Seq ID No: 278 & 279	428969	AF120274	Hs.194689	artemin
Seq ID No: 280 & 281	428969	AF120274	Hs.194689	artemin
Seq ID No: 282	407137	T97307		gb:ye53h05.s1 Soares fetal liver spleen
Seq ID No: 283 & 284	412723	AA648459	Hs.335951	hypothetical protein AF301222
Seq ID No: 285 & 286	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
Seq ID No: 287 & 288	405770			NM_002362:Homo sapiens melanoma antigen,
Seq ID No: 289 & 290	439453	BE264974	Hs.6565	thyroid hormone receptor interactor 13
Seq ID No: 291 & 292	414774	X02419	Hs.77274	plasminogen activator, urokinase

Seq ID No				
Seq ID No: 293 & 294	424629	M90656	Hs.151393	glutamate-cysteine ligase, catalytic sub
Seq ID No: 295 & 296	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
Seq ID No: 297 & 298	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
Seq ID No: 299 & 300	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
Seq ID No: 301 & 302	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
Seq ID No: 303 & 304	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
Seq ID No: 305 & 306	453968	AA847843	Hs.62711	High mobility group (nonhistone chromoso
Seq ID No: 307 & 308	403478			NM_022342:Homo sapiens kinesin protein 9
Seq ID No: 309	441525	AW241867	Hs.127728	ESTs
Seq ID No: 310 & 311	434105	AW952124	Hs.13094	presenilins associated rhomboid-like pro
Seq ID No: 312 & 313	428810	AF058236	Hs.193788	nitric oxide synthase 2A (inducible, hep
Seq ID No: 314 & 315	413691	AB023173	Hs.75478	ATPase, Class VI, type 11B
Seq ID No: 316 & 317	423934	U89995	Hs.159234	forkhead box E1 (thyroid transcription f
Seq ID No: 318 & 319	409228	R16811	Hs.22010	ESTs, Weakly similar to 2109260A B cell
Seq ID No: 320 & 321	425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg
Seq ID No: 322 & 323	413582	AW295647	Hs.71331	hypothetical protein MGC5350
Seq ID No: 324 & 325	438403	AA806607	Hs.292206	ESTs
Seq ID No: 326 & 327	403329			unnamed protein product (Homo sapiens)
Seq ID No: 328 & 329	409893	AW247090	Hs.57101	minichromosome maintenance deficient (S.
Seq ID No: 330 & 331	119073	BE245360	Hs.279477	v-ets erythroblastosis virus E26 oncogen
Seq ID No: 332 & 333	113195	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom
Seq ID No: 334 & 335	102283	AW161552	Hs.83381	guanine nucleotide binding protein 11
Seq ID No: 336 & 337	101345	NM_005795	Hs.152175	calcitonin receptor-like
Seq ID No: 338 & 339	103280	U84722	Hs.76206	cadherin 5, type 2, VE-cadherin (vascula
Seq ID No: 340 & 341	102012	BE259035	Hs.118400	singed (Drosophila)-like (sea urchin fas
Seq ID No: 342 & 343	105729	H46612	Hs.293815	Homo sapiens HSPC285 mRNA, partial cds
Seq ID No: 344 & 345	134299	AW580939	Hs.97199	complement component C1q receptor
Seq ID No: 346 & 347	412719	AW016610	Hs.816	ESTs
Seq ID No: 348 & 349	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
Seq ID No: 350 & 351	128924	BE279383	Hs.26557	plakophilin 3
Seq ID No: 352 & 353	100486	T19006	Hs.10842	RAN, member RAS oncogene family
Seq ID No: 354 & 355	419121	AA374372	Hs.89626	parathyroid hormone-like hormone
Seq ID No: 356 & 357	409459	D86407	Hs.54481	low density lipoprotein receptor-related
Seq ID No: 358 & 359	330493	M27826		endogenous retroviral protease
Seq ID No: 360 & 361	417866	AW067903	Hs.82772	collagen, type XI, alpha 1
Seq ID No: 362 & 363	418113	AI272141	Hs.83484	SRY (sex determining region Y)-box 4
Seq ID No: 364 & 365	437016	AU076916	Hs.5398	guanine monphosphate synthetase
Seq ID No: 366 & 367	429612	AF062649	Hs.252587	pituitary tumor-transforming 1
Seq ID No: 368 & 369	440704	M69241	Hs.162	insulin-like growth factor binding prote
Seq ID No: 370 & 371	431221	AA449015	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye
Seq ID No: 372 & 373	431565	AF161470	Hs.260622	butyrate-induced transcript 1
Seq ID No: 374 & 375	431565	AF161470	Hs.260622	butyrate-induced transcript 1
Seq ID No: 376 & 377	132354	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)
Seq ID No: 378 & 379	424441	X14850	Hs.147097	H2A histone family, member X
Seq ID No: 380 & 381	103768	AF086009	Hs.295398	gb:Homo sapiens full length insert cDNA
Seq ID No: 382 & 383	417512	X76534	Hs.82226	glycoprotein (transmembrane) nmb
Seq ID No: 384 & 385	425266	J00077	Hs.155421	alpha-fetoprotein
Seq ID No: 386 & 387	424503	NM_002205	Hs.149609	integrin, alpha 5 (fibronectin receptor,
Seq ID No: 388 & 389	400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin
Seq ID No: 390 & 391	418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial
Seq ID No: 392 & 393	418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial
Seq ID No: 394 & 395	418738	AW388633	Hs.6682	solute carrier family 7, (cationic amino
Seq ID No: 396 & 397	415138	C18356	Hs.295944	tissue factor pathway inhibitor 2
Seq ID No: 398 & 399	418506	AA084248	Hs.85339	G protein-coupled receptor 39
Seq ID No: 400 & 401	423961	D13666	Hs.136348	periostin (OSF-2os)
Seq ID No: 402 & 403	414812	X72755	Hs.77367	monokine induced by gamma interferon
Seq ID No: 404 & 405	417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
Seq ID No: 406 & 407	417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
Seq ID No: 408 & 409	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse
Seq ID No: 410 & 411	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy
Seq ID No: 412 & 413	444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti
Seq ID No: 414 & 415	400303	AA242758	Hs.79136	LIV-1 protein, estrogen regulated
Seq ID No: 416 & 417	411789	AF245505	Hs.72157	Adlican
Seq ID No: 418 & 419	428698	AA852773	Hs.334838	KIAA1866 protein
Seq ID No: 420 & 421	450098	W27249	Hs.8109	hypothetical protein FLJ21080
Seq ID No: 422 & 423	421552	AF026692	Hs.105700	secreted frizzled-related protein 4
Seq ID No: 424 & 425	452747	BE153855	Hs.61460	Ig superfamily receptor LNIR
Seq ID No: 426 & 427	450375	AA009647		a disintegrin and metalloproteinase doma
Seq ID No: 428 & 429	426215	AW963419	Hs.155223	stanniocalcin 2
Seq ID No: 430 & 431	425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin
Seq ID No: 432 & 433	432201	AI538613	Hs.298241	Transmembrane protease, serine 3
Seq ID No: 434 & 435	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph
Seq ID No: 436 & 437	442117	AW664964	Hs.128899	ESTs; hypothetical protein for IMAGE:447
Seq ID No: 438 & 439	431211	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn
Seq ID No: 440 & 441	447033	AI357412	Hs.157601	ESTs
Seq ID No: 442 & 443	447033	AI357412	Hs.157601	ESTs
Seq ID No: 444 & 445	447033	AI357412	Hs.157601	ESTs
Seq ID No: 446 & 447	115522	BE614387	Hs.333893	c-Myc target JPO1
Seq ID No: 448 & 449	410418	D31382	Hs.63325	transmembrane protease, serine 4
Seq ID No: 450 & 451	409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119
Seq ID No: 452 & 453	409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119
Seq ID No: 454 & 455	452461	N78223	Hs.108106	transcription factor
Seq ID No: 456 & 457	412420	AL035668	Hs.73853	bone morphogenetic protein 2
Seq ID No: 458 & 459	416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara
Seq ID No: 460 & 461	407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon

186

Seq ID No				
Seq ID No: 462 & 463	437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365O12.1 [H.sa
Seq ID No: 464 & 465	402075			ENSP00000251056*:Plasma membrane calcium
Seq ID No: 466 & 467	421110	AJ250717	Hs.1355	cathepsin E
Seq ID No: 468 & 469	451668	Z43948	Hs.326444	cartilage acidic protein 1
Seq ID No: 470 & 471	451668	Z43948	Hs.326444	cartilage acidic protein 1
Seq ID No: 472 & 473	451668	Z43948	Hs.326444	cartilage acidic protein 1
Seq ID No: 474 & 475	422282	AF019225	Hs.114309	apolipoprotein L
Seq ID No: 476 & 477	425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member
Seq ID No: 478 & 479	439738	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),
Seq ID No: 480 & 481	427747	AW411425	Hs.180655	serine/threonine kinase 12
Seq ID No: 482 & 483	420281	AI623693	Hs.323494	Predicted cation efflux pump
Seq ID No: 484 & 485	405932			C15000305:gi|3806122|gb|AAC69198.1| (AF0
Seq ID No: 486 & 487	405932			C15000305:gi|3806122|gb|AAC69198.1| (AF0
Seq ID No: 488 & 489	444342	NM_014398	Hs.10887	similar to lysosome-associated membrane
Seq ID No: 490 & 491	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy
Seq ID No: 492 & 493	417079	U65590	Hs.81134	interleukin 1 receptor antagonist
Seq ID No: 494 & 495	430890	X54232	Hs.2699	glypican 1
Seq ID No: 496 & 497	419721	NM_001650	Hs.288650	aquaporin 4
Seq ID No: 498 & 499	444471	AB020684	Hs.11217	KIAA0877 protein
Seq ID No: 500 & 501	413063	AL035737	Hs.75184	chitinase 3-like 1 (cartilage glycoprote
Seq ID No: 502 & 503	433800	AI034361	Hs.135150	lung type-I cell membrane-associated gly
Seq ID No: 504 & 505	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro
Seq ID No: 506 & 507	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro
Seq ID No: 508 & 509	450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitte
Seq ID No: 510 & 511	410407	X66839	Hs.63287	carbonic anhydrase IX
Seq ID No: 512 & 513	309931	AW341683		gb:hd13d01.x1 Soares_NFL_T_GBC_S1 Homo s
Seq ID No: 514 & 515	412719	AW016610	Hs.816	ESTs
Seq ID No: 516 & 517	417034	NM_006183	Hs.80962	neurotensin
Seq ID No: 518 & 519	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam
Seq ID No: 520 & 521	413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin
Seq ID No: 522 & 523	425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen
Seq ID No: 524 & 525	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage
Seq ID No: 526 & 527	418563	AK001100	Hs.41690	desmocollin 3
Seq ID No: 528 & 529	418563	AK001100	Hs.41690	desmocollin 3
Seq ID No: 530 & 531	429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas
Seq ID No: 532 & 533	406590	M29540	Hs.220529	carcinoembryonic antigen-related cell ad
Seq ID No: 534 & 535	431846	BE019924	Hs.271580	uroplakin 1B
Seq ID No: 536 & 537	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
Seq ID No: 538 & 539	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta
Seq ID No: 540 & 541	437044	AL035864	Hs.69517	differentially expressed in Fanconi's an
Seq ID No: 542 & 543	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino
Seq ID No: 544 & 545	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3
Seq ID No: 546 & 547	417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor
Seq ID No: 548 & 549	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3
Seq ID No: 550 & 551	417542	J04129	Hs.82269	progestagen-associated endometrial prote
Seq ID No: 552 & 553	449230	BE613348	Hs.211579	melanoma cell adhesion molecule
Seq ID No: 554 & 555	410555	U92649	Hs.64311	a disintegrin and metalloproteinase doma
Seq ID No: 556 & 557	410555	U92649	Hs.64311	a disintegrin and metalloproteinase doma
Seq ID No: 558 & 559	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B
Seq ID No: 560 & 561	418462	BE001596	Hs.85266	integrin, beta 4
Seq ID No: 562 & 563	410274	AA381807	Hs.61762	hypoxia-inducible protein 2 ·
Seq ID No: 564 & 565	439606	W79123	Hs.58561	G protein-coupled receptor 87
Seq ID No: 566 & 567	404877			NM_005365:Homo sapiens melanoma antigen,
Seq ID No: 568 & 569	444781	NM_014400	Hs.11950	GPI-anchored metastasis-associated prote
Seq ID No: 570 & 571	418543	NM_005329	Hs.85962	hyaluronan synthase 3
Seq ID No: 572 & 573	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 574 & 575	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 576 & 577	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 578 & 579	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 580 & 581	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 582 & 583	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
Seq ID No: 584 & 585	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR
Seq ID No: 586 & 587	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
Seq ID No: 588 & 589	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
Seq ID No: 590 & 591	409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalini
Seq ID No: 592 & 593	332180	AF134160	Hs.7327	claudin 1
Seq ID No: 594 & 595	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,
Seq ID No: 596 & 597	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,
Seq ID No: 598 & 599	439223	AW238299	Hs.250618	UL16 binding protein 2
Seq ID No: 600 & 601	409757	NM_001898	Hs.123114	cystatin SN
Seq ID No: 602 & 603	428969	AF120274	Hs.194689	artemin
Seq ID No: 604 & 605	428969	AF120274	Hs.194689	artemin
Seq ID No: 606 & 607	428969	AF120274	Hs.194689	artemin
Seq ID No: 608 & 609	428969	AF120274	Hs.194689	artemin
Seq ID No: 610 & 611	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
Seq ID No: 612 & 613	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
Seq ID No: 614 & 615	414774	X02419	Hs.77274	plasminogen activator, urokinase
Seq ID No: 616 & 617	407944	R34008	Hs.239727	desmocollin 2
Seq ID No: 618 & 619	407944	R34008	Hs.239727	desmocollin 2
Seq ID No: 620 & 621	457489	AI693815	Hs.127179	cryptic gene
Seq ID No: 622 & 623	429547	AW009166	Hs.99376	ESTs
Seq ID No: 624 & 625	407242	M18728		gb:Human nonspecific crossreacting antig
Seq ID No: 626 & 627	407242	M18728		gb:Human nonspecific crossreacting antig
Seq ID No: 628 & 629	407242	M18728		gb:Human nonspecific crossreacting antig
Seq ID No: 630 & 631	444006	BE395085	Hs.10086	type I transmembrane protein Fn14

Seq ID No: 632 & 633	429597	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma
Seq ID No: 634 & 635	422109	S73265	Hs.1473	gastrin-releasing peptide
Seq ID No: 636 & 637	419235	AW470411	Hs.288433	neurotrimin
Seq ID No: 638 & 639	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc
Seq ID No: 640 & 641	419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy
Seq ID No: 642 & 643	431462	AW583872	Hs.256311	granin-like neuroendocrine peptide precu
Seq ID No: 644 & 645	448243	AW369771	Hs.52620	integrin, beta 8
Seq ID No: 646 & 647	426427	M86699	Hs.169840	TTK protein kinase
Seq ID No: 648 & 649	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6
Seq ID No: 650 & 651	422278	AF072873	Hs.114218	frizzled (Drosophila) homolog 6
Seq ID No: 652 & 653	428450	NM_014791	Hs.184339	KIAA0175 gene product
Seq ID No: 654 & 655	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,
Seq ID No: 656 & 657	453392	U23752	Hs.32964	SRY (sex determining region Y)-box 11
Seq ID No: 658 & 659	426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogenic
Seq ID No: 660 & 661	425776	U25128	Hs.159499	parathyroid hormone receptor 2
Seq ID No: 662 & 663	425776	U25128	Hs.159499	parathyroid hormone receptor 2
Seq ID No: 664 & 665	431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha
Seq ID No: 666 & 667	419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7
Seq ID No: 668 & 669	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
Seq ID No: 670 & 671	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
Seq ID No: 672 & 673	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
Seq ID No: 674 & 675	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
Seq ID No: 676 & 677	410001	AB041036	Hs.57771	kallikrein 11
Seq ID No: 678 & 679	426501	AW043782	Hs.293616	ESTs
Seq ID No: 680 & 681	408369	R38438	Hs.182575	solute carrier family 15 (H??? transport
Seq ID No: 682 & 683	445413	AA151342	Hs.12677	CGI-147 protein
Seq ID No: 684 & 685	422424	AJ186431	Hs.296638	prostate differentiation factor
Seq ID No: 686 & 687	428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,
Seq ID No: 688 & 689	420610	AI683183	Hs.99348	distal-less homeo box 5

TABLE 15B

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
309931	AW341683	
330493	33264_5	M27826 R78416 AA307645 AW957879 AW957800 AA633529 H03662
439285	47065_1	AL133916 N79113 AF086101 N76721 AW950828 AA364013 AW955684 AI346341 AI867454 N54784 AI655270 AI421279 AW014882 AA775552 N62351 N59253 AA626243 AI341407 BE175639 AA456968 AI358918 AA457077
450375	83327_1	AA009647 AA131254 AA374293 AW954405 H04410 AW606284 AA151166 BE157467 BE157601 H04384 W46291 AW663674 H04021 H01532 AA190993 H03231 H59605 H01642 AA852876 AA113758 AA626915 AA746952 AI161014 AA099554 R69057
451320	86576_1	AW118072 AI631982 T15734 AA224195 AI701458 W20198 F26326 AA890570 N90552 AW071907 AI671352 AI375892 T03517 R88265 AI124088 AA224388 AI084316 AI354686 T33652 AI140719 AI720211 T03490 AI372637 T15415 AW205836 AA630384 T03515 T33230 AA017131 AA443303 T33623 AI222556 T33511 T33785 AI419606 D55612

TABLE 15C

Pkey: Unique number corresponding to an Eos probeset
Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA
              sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
Strand: Indicates DNA strand from which exons were predicted.
Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076
403329	8516120	Plus	96450-96598
403478	9958258	Plus	116458-116564
404440	7528051	Plus	80430-81581
404877	1519284	Plus	1095-2107
405770	2735037	Plus	61057-62075
405932	7767812	Minus	123525-123713

Table 16

Seq ID NO: 1 DNA sequence
Nucleic Acid Accession #: NM_001216
Coding sequence: 43..1422

```
    1         11        21        31        41        51
    |         |         |         |         |         |
    GCCCGTACAC ACCGTGTGCT GGGACACCCC ACAGTCAGCC GCATGGCTCC CCTGTGCCCC    60
    AGCCCCTGGC TCCCTCTGTT GATCCCGGCC CCTGCTCCAG GCCTCACTGT GCAACTGCTG   120
    CTGTCACTGC TGCTTCTGAT GCCTGTCCAT CCCCAGAGGT TGCCCCGGAT GCAGGAGGAT   180
    TCCCCCTTGG GAGGAGGCTC TTCTGGGGAA GATGACCCAC TGGGCGAGGA GGATCTGCCC   240
    AGTGAAGAGG ATTCACCCAG AGAGGAGGAT GGGGCGAGGA AGGAGGATCT ACCTGGGAGG   300
    GAGGATCTAC CTGGAGAGGA GGATCTACCT GAAGTTAAGC CTAAATCAGA AGAAGAGGGC   360
    TCCCTGAAGT TAGAGGATCT ACCTACTGTT GAGGCTCCTG GAGATCCTCA AGAACCCCAG   420
    AATAATGCCC ACAGGGACAA AGAAGGGGAT GACCAGAGTC ATTGGCGCTA TGGAGGCGAC   480
    CGGCCCTGGC CCCGGGTGTC CCCAGCCTGC GCGGGCCGCT TCCAGTCCCC GGTGGATATC   540
    CGCCCCCAGC TCGCCGCCTT CTGCCCGGCC CTGCGCCCCC TGGAACTCCT GGGCTTCCAG   600
    CTCCCGCCGC TCCCAGAACT GCGGCTGCGC AACAATGGCC ACAGTGTGCA ACTGACCCTG   660
    CCTCCTGGGC TAGAGATGGC TCTGGGTCCC GGGCGGGAGT ACCGGGCTCT GCAGCTGCAT   720
    CTGCACTGGG GGGCTGCAGG TCGTCCGGGC TCGGAGCACA CTGTGGAAGG CCACCGTTTC   780
    CCTGCCGAGA TCCACGTGGT TCACCTCAGC ACCGCCTTTG CCAGAGTTGA CGAGGCCTTG   840
    GGGCGCCCGG GAGGCCTGGC CGTGTTGGCC GCCTTTCTGG AGGAGGGCCC GGAAGAAAAC   900
    AGTGCCTATG AGCAGTTGCT GTCTCGCTTG GAAGAAATCG CTGAGGAAGG CTCAGAGACT   960
    CAGGTCCCAG GACTGGACAT ATCTGCACTC CTGCCCTCTG ACTTCAGCCG CTACTTCCAA  1020
    TATGAGGGGT CTCTGACTAC ACCGCCCTGT GCCCAGGGTG TCATCTGGAC TGTGTTTAAC  1080
    CAGACAGTGA TGCTGAGTGC TAAGCAGCTC CACACCCTCT CTGACACCCT GTGGGGACCT  1140
    GGTGACTCTC GGCTACAGCT GAACTTCCGA GCGACGCAGC CTTTGAATGG GCGAGTGATT  1200
    GAGGCCTCCT TCCCTGCTGG AGTGGACAGC AGTCCTCGGG CTGCTGAGCC ATTCCAGCTG  1260
    AATTCCTGCC TGGCTGCTGG TGACATCCTA GCCCTGGTTT TTGGCCTCCT TTTTGCTGTC  1320
    ACCAGCGTCG CGTTCCTTGT GCAGATGAGA AGGCAGCACA GAAGGGGAAC CAAAGGGGGT  1380
    GTGAGCTACC GCCCAGCAGA GGTAGCCGAG ACTGGAGCCT AGAGGCTGGA TCTTGGAGAA  1440
    TGTGAGAAGC CAGCCAGAGG CATCTGAGGG GGAGCCGGTA ACTGTCCTGT CCTGCTCATT  1500
    ATGCCACTTC CTTTTAACTG CCAAGAAATT TTTTAAAATA AATATTTATA AT
```

Seq ID NO: 2 Protein sequence:
Protein Accession #: NP_001207

```
    1         11        21        31        41        51
    |         |         |         |         |         |
    MAPLCPSPWL PLLIPAPAPG LTVQLLLSLL LLMPVHPQRL PRMQEDSPLG GGSSGEDDPL    60
    GEEDLPSEED SPREEDPPGE EDLPGEEDLP GEEDLPEVKP KSEEEGSLKL EDLPTVEAPG   120
    DPQEPQNNAH RDKEGDDQSH WRYGGDPPWP RVSPACAGRF QSPVDIRPQL AAFCPALRPL   180
    ELLGFQLPPL PELRLRNNGH SVQLTLPPGL EMALGPGREY RALQLHLHWG AAGRPGSEHT   240
    VEGHRPPAEI HVVHLSTAFA RVDEALGRPG GLAVLAAFLE EGPEENSAYE QLLSRLEEIA   300
    EEGSETQVPG LDISALLPSD FSRYFQYEGS LTTPPCAQGV IWTVFNQTVM LSAKQLHTLS   360
    DTLWGPGDSR LQLNFRATQP LNGRVIEASF PAGVDSSPRA AEPVQLNSCL AAGDILALVF   420
    GLLFAVTSVA FLVQMRRQHR RGTKGGVSYR PAEVAETGA
```

Seq ID NO: 3 DNA sequence
Nucleic Acid Accession #: BC013923
Coding sequence: 438-1391

```
    1         11        21        31        41        51
    |         |         |         |         |         |
    AGCGGGGTTG TCTATTAACT TGTTCAAAAA GTATCAGGAG TTGTCAAGGC AGAGAAGAGA    60
    GTGTTTGCAA AAGGGGGAAA GTAGTTTGCT GCCTCTTTAA GACTAGGACT GAGAGAAAGA   120
    AGAGGAGAGA GAAAGAAAGG GAGAGAAGTT TGAGCCCCAG GCTTAAGCCT TTCCAAAAAA   180
    TAATAATAAC AATCATCGGC GGCGGCAGGA TCGGCCAGAG GAGGAGGGAA GCGCTTTTTT   240
    TGATCCTGAT TCCAGTTTGC CTCTCTCTTT TTTTCCCCCA AATTATTCTT CGCCTGATTT   300
    TCCTCGCGGA GCCCTGCGCT CCCGACACCC CGCCCGCCT CCCCTCCTCC TCTCCCCCCG   360
    CCCGCGGGCC CCCCAAAGTC CCGGCCGGGC CGAGGGTCGG CGGCCGCCGG CGGGCCGGGC   420
    CCGCGCACAG CGCCCGCATG TACAACATGA TGGAGACGGA GCTGAAGCCG CCGGGCCCGC   480
    AGCAAACTTC GGGGGGCGGC GGCGGCAACT CCACCGCGGC GGCGGCCGGC GGCAACCAGA   540
    AAAACAGCCC GGACCGCGTC AAGCGGCCCA TGAATGCCTT CATGGTGTGG TCCCGCGGGC   600
    AGCGGCGCAA GATGCCCCAG GAGAACCCCA AGATGCACAA CTCGGAGATC AGCAAGCGCC   660
    TGGGCGCCGA GTGGAAACTT TTGTCGGAGA CGGAGAAGCG GCCGTTCATC GACGAGGCTA   720
    AGCGGCTGCG AGCGCTGCAC ATGAAGGAGC ACCCGGATTA TAAATACCGG CCCCGGCGGA   780
    AAACCAAGAC GCTCATGAAG AAGGATAAGT ACACGCTGCC CGGCGGGCTG CTGGCCCCCG   840
    GCGGCAATAG CATGGCGAGC GGGGTCGGGG TGGGCGCCGG CCTGGGCGCG GGCGTGAACC   900
    AGCGCATGGA CAGTTACGCG CACATGAACG GCTGGAGCAA CGGCAGCTAC AGCATGATGC   960
    AGGACCAGCT GGGCTACCCG CAGCACCCGG GCCTCAATGC GCACGGCGCA GCGCAGATGC  1020
    AGCCCATGCA CCGCTACGAC GTGAGCGCCC TGCAGTACAA CTCCATGACC AGCTCGCAGA  1080
    CCTACATGAA CGGCTCGCCC ACCTACAGCA TGTCCTACTC GCAGCAGGGC ACCCCTGGCA  1140
    TGGCTCTTGG CTCCATGGGT TCGGTGGTCA AGTCCGAGGC CAGCTCCAGC CCCCCTGTGG  1200
    TTACCTCTTC CTCCCACTCC AGGGCGCCCT GCCAGGCCGG GGACCTCCGG GACATGATCA  1260
    GCATGTATCT CCCCGGCGCC GAGGTGCGCG AACCCGCCGC CCCCAGCAGA CTTCACATGT  1320
    CCCAGCACTA CCAGAGCGGC CCGGTGCCCG GCACGGCCAT TAACGGCACA CTGCCCCTCT  1380
    CACACATGTG AGGGCCGGAC AGCGAACTGG AGGGGGGGAGA AATTTTCAAA GAAAAACGAG  1440
    GGAAATGGGA GGGGTGCAAA AGAGGAGAGT AAGAAACAGC ATGGAGAAAA CCCGGTACGC  1500
    TCAAAAAAAA AAAAAAAAA AAAATCCCAT CACCCACAGC AAATGACAGC TGCAAAAGAG  1560
    AACACCAATC CCATCCACAC TCACGCAAAA ACCGCGATGC CGACAAGAAA ACTTTTATGA  1620
    GAGAGATCCT GGACTTCTTT TKGGGGGACT ATTTTTGTAC AGAGAAAACC TGGGGAGGGT  1680
    GGGGAGGGCG GGGGAATGGA CCTTGTATAG ATCTGGAGGA AAGAAAGCTA CGAAAAACTT  1740
    TTTAAAAGTT CTAGTGGTAC GGTAGGAGCT TTGCAGGAAG TTTGCAAAAG TCTTTACCAA  1800
    TAATATTTAG AGCTAGTCTC CAAGCGACGA AAAAAATGTT TTAATATTTG CAAGCAACTT  1860
    TTGTACAGTA TTTATCGAGA TAAACATGGC AATCAAAATG TCCATTGTTT ATAAGCTGAG  1920
```

189

```
          AATTTGCCAA TATTTTTCAA GGAGAGGCTT CTTGCTGAAT TTTGATTCTG CAGCTGAAAT 1980
          TTAGGACAGT TGCAAACGTG AAAAGAAGAA AATTATTCAA ATTTGGACAT TTTAATTGTT 2040
          TAAAAATTGT ACAAAAGGAA AAAATTAGAA TAAGTACTGG CGAACCATCT CTGTGGTCTT 2100
5         GTTTAAAAAG GGCAAAAGTT TTAGACTGTA CTAAATTTTA TAACTTACTG TTAAAAGCAA 2160
          AAATGGCCAT GCAGGTTGAC ACCGTTGGTA ATTTATAATA GCTTTTGTTC GATCCCAACT 2220
          TTCCATTTTG TTCAGATAAA AAAAACCATG AAATTACTGT GTTTGAAATA TTTTCTTATG 2280
          GTTTGTAATA TTTCTGTAAA TTTATTGTGA TATTTTAAGG TTTTCCCCCC TTTATTTTCC 2340
          GTAGTTGTAT TTTAAAAGAT TCGGCTCTGT ATTATTTGAA TCAGTCTGCC GAGAATCCAT 2400
          GTATATATTT GAACTAATAT CATCCTTATA ACAGGTACAT TTTCAACTTA AGTTTTTACT 2460
10        CCATTATGCA CAGTTTGAGA TAAATAAATT TTTGAAATAT GGACACTGAA AAAAAAAAAA 2520
          AAAAAAACAA AACAAAAAAA CAAAAAAACAA AAACAGAAAA AACAAAAAAA AAAACAAAAC 2580
          CACAACACAA AAACAAAAAA AAAAAAAAGA AACAAACACA CAACACAACA CAACACAAAA 2640
          CCACAACACA AACAACAACA CACAGAGGG
```

15 Seq ID NO: 4 Protein sequence:
    Protein Accession #:CAA83435.1

```
          1          11         21         31         41         51
          |          |          |          |          |          |
20        MYNMMETELK PPGPQQTSGG GGGNSTAAAA GGNQKNSPDR VKRPMNAFMV WSRGQRRKMA 60
          QENPKMHNSE ISKRLGAEWK LLSETEKRPP IDEAKRLRAL HMKEHPDYKY RPRRKTKTLM 120
          KKDKYTLPGG LLAPGGNSMA SGVGVGAGLG AGVNQRMDSY AHMNGWSNGS YSMMQDQLGY 180
          PQHPGLNAHG AAQMQPMHRY DVSALQYNSM TSSQTYMNGS PTYSMSYSQQ GTPGMALGSM 240
          GSVVKSEASS SPPVVTSSSH SRAPCQAGDL RDMISMYLPG AEVPEPAAPS RLHMSQHYQS 300
25        GPVPGTAING TLPLSHM
```

    Seq ID NO: 5 DNA sequence
    Nucleic Acid Accession #: U91618
    Coding sequence: 29-541
30
```
          1          11         21         31         41         51
          |          |          |          |          |          |
          CGGACTTGGC TTGTTAGAAG GCTGAAAGAT GATGGCAGGA ATGAAAATCC AGCTTGTATG 60
          CATGCTACTC CTGGCTTTCA GCTCCTGGAG TCTGTGCTCA GATTCAGAAG AGGAAATGAA 120
35        AGCATTAGAA GCAGATTTCT TGACCAATAT GCATACATCA AAGATTAGTA AAGCACATGT 180
          TCCCTCTTGG AAGATGACTC TGCTAAATGT TTGCAGTCTT GTAAATAATT TGAACAGCCC 240
          AGCTGAGGAA ACAGGAGAAG TTCATGAAGA GGAGCTTGTT GCAAGAAGGA AACTTCCTAC 300
          TGCTTTAGAT GGCTTTAGCT TGGAAGCAAT GTTGACAATA TACCAGCTCC ACAAAATCTG 360
          TCACAGCAGG GCTTTTCAAC ACTGGGAGTT AATCCAGGAA GATATTCTTG ATACTGGAAA 420
          TGACAAAAAT GGAAAGGAAG AAGTCATAAA GAGAAAAATT CCTTATATTC TGAAACGGCA 480
40        GCTGTATGAG AATAAACCCA GAAGACCCTA CATACTCAAA AGAGATTCTT ACTATTACTG 540
          AGAGAATAAA TCATTTATTT ACATGTGATT GTGATTCATC ATCCCTTAAT TAAATATCAA 600
          ATTATATTTG TGTGAAAATG TGACAAACAC ACTTATCTGT CTCTTCTACA ATTGTGGTTT 660
          ATTGAATGTG TTTTTCTGCA CTAATAGAAA TTTAGACTAAG TGTTTTCAAA TAAATCTAAA 720
45        TCTTCAAAAA AAAAAAAAAA AAATGGGGCC GCAATT
```

50 Seq ID NO: 6 Protein sequence:
    Protein Accession #: AAB50564

```
          1          11         21         31         41         51
          |          |          |          |          |          |
55        MMAGMKIQLV CMLLLAFSSW SLCSDSEEEM KALEADFLTN MHTSKISKAH VPSWKMTLLN 60
          VCSLVNNLNS PAEETGEVHE EELVARRKLP TALDGPSLEA MLTIYQLHKI CHSRAFQHWE 120
          LIQEDILDTG NDKNGKEEVI KRKIPYILKR QLYENKPRRP YILKRDSYYY
```

    Seq ID NO: 7 DNA sequence
    Nucleic Acid Accession #: NM_006536.2
60 Coding sequence: 109-2940

```
          1          11         21         31         41         51
          |          |          |          |          |          |
          ACCTAAAACC TTGCAAGTTC AGGAAGAAAC CATCTGCATC CATATTGAAA ACCTGACACA 60
65        ATGTATGCAG CAGGCTCAGT GTGAGTGAAC TGGAGGCTTC TCTACAACAT GACCCAAAGG 120
          AGCATTGCAG GTCCTATTTG CAACCTGAAG TTTGTGACTC TCCTGGTTGC CTTAAGTTCA 180
          GAACTCCCAT TCCTGGGAGC TGGAGTACAG CTTCAAGACA ATGGGTATAA TGGATTGGTC 240
          ATTGCAATTA ATCCTCAGGT ACCTGAGAAT CAGAACCTCA TCTCAAACAT TAAGGAAATG 300
          ATAACTGAAG CTTCATTTTA CCTATTTAAT GCTACCAAGA GAAGAGTATT TTTCAGAAAT 360
70        ATAAAGATTT TAATACCTGC CACATGGAAA GCTAATAATA ACAGCAAAAT AAAACAAGAA 420
          TCATATGAAA AGGCAAATGT CATAGTGACT GACTGGTATG GGGCACATGG AGATGATCCA 480
          TACACCCTAC AATACAGAGG GTGTGGAAAA GAGGGAAAAT ACATTCATTT CACACCTAAT 540
          TTCCTACTGA ATGATAACTT AACAGCTGGC TACGGATCAC GAGGCCGAGT GTTTGTCCAT 600
          GAATGGGCCC ACCTCCGTTG GGGTGTGTTC GATGAGTATA ACAATGACAA ACCTTTCTAC 660
75        ATAAATGGGC AAAATCAAAT TAAAGTGACA AGGTGTTCAT CTGACATCAC AGGCATTTTT 720
          GTGTGTGAAA AAGGTCCTTG CCCCCAAGAA AACTGTATTA TTAGTAAGCT TTTTAAAGAA 780
          GGATGCACCT TTATCTACAA TAGCACCCAA AATGCAACTG CATCAATAAT GTTCATGCAA 840
          AGTTTATCTT CTGTGGTTGA ATTTTGTAAT GCAAGTACCC ACAACCAAGA AGCACCAAAC 900
          CTACAGAACC AGATGTGCAG CCTCAGAAGT GCATGGGATG TAATCACAGA CTTCTGCTGAC 960
80        TTTCACCACA GCTTTCCCAT GAATGGGACT GAGCTTCCAC CTCCTCCCAC ATTCTCGCTT 1020
          GTACAGGCTG GTGACAAAGT GGTCTGTTTA GTGCTGGATG TGTCCAGCAA GATGGCAGAG 1080
          GCTGACAGAC TCCTTCAACT ACAACAAGCC GCAGAATTTT ATTTGATGCA GATTGTTGAA 1140
          ATTCATACCT TCGTTGGGCAT TGCCAGTTTC GACAGCAAAG GAGAGATCAG AGCCCAGCTA 1200
          CACCCAAATTA ACAGCAATGA TGATCGAAAG TTGCTGGTTT CATATCTGCC CACCACTGTA 1260
85        TCAGCTAAAA CAGACATCAG CATTTGTTCA GGGCTTAAGA AAGGATTTGA GGTGGTTGAA 1320
          AAACTGAATG GAAAAGCTTA TGGCTCTGTG ATGATATTAG TGACCAGCGG AGATGATAAG 1380
          CTTCTTGGCA ATTGCTTACC CACTGTGCTC AGCAGTGGTT CAACAATTCA CTCCATTGCC 1440
```

190

```
CTGGGTTCAT CTGCAGCCCC AAATCTGGAG GAATTATCAC GTCTTACAGG AGGTTTAAAG    1500
TTCTTTGTTC CAGATATATC AAACTCCAAT AGCATGATTG ATGCTTTCAG TAGAATTTCC    1560
TCTGGAACTG GAGACATTTT CCAGCAACAT ATTCAGCTTG AAAGTACAGG TGAAAATGTC    1620
AAACCTCACC ATCAATTGAA AAACACAGTG ACTGTGGATA ATACTGTGGG CAACGACACT    1680
ATGTTTCTAG TTACGTGGCA GGCCAGTGGT CCTCCTGAGA TTATATTATT TGATCCTGAT    1740
GGACGAAAAT ACTACACAAA TAATTTTATC ACCAATCTAA CTTTTCGGAC AGCTAGTCTT    1800
TGGATTCCAG GAACAGCTAA GCCTGGGCAC TGGACTTACA CCCTGAACAA TACCCATCAT    1860
TCTCTGCAAG CCCTGAAAGT GACAGTGACC TCTCGCGCCT CCAACTCAGC TGTGCCCCCA    1920
GCCACTGTGG AAGCCTTTGT GGAAAGAGAC AGCCTCCATT TTCCTCATCC TGTGATGATT    1980
TATGCCAATG TGAAACAGGG ATTTTATCCC ATTCTTAATG CCACTGTCAC TGCCACAGTT    2040
GAGCCAGAGA CTGGAGATCC TGTTACGCTG AGACTCCTTG ATGATGGAGC AGGTGCTGAT    2100
GTTATAAAAA ATGATGGAAT TTACTCGAGG TATTTTTTCT CCTTTGCTGC AAATGGTAGA    2160
TATAGCTTGA AAGTGCATGT CAATCACTCT CCCAGCATAA GCACCCCAAC CCACTCTATT    2220
CCAGGGAGTC ATGCTATGTA TGTACCAGGT TACACAGCAA ACGGTAATAT TCAGATGAAT    2280
GCTCCAAGGA AATCAGTAGG CAGAAATGAG GAGGAGCGAA AGTGGGGCTT TAGCCGAGTC    2340
AGCTCAGGAG GCTCCTTTTC AGTGCTGGGA GTTCCAGCTG GCCCCCCACCC TGATGTGTTT    2400
CCACCATGCA AAATTATTGA CCTGGAAGCT GTAAAAGTAG AAGAGGAATT GACCCTATCT    2460
TGGACAGCAC CTGGAGAAGA CTTTGATCAG GGCCAGGCTA CAAGCTATGA AATAAGAATG    2520
AGTAAAAGTC TACAGAATAT CCAAGATGAC TTTAACAATG CTATTTTAGT AAATACATCA    2580
AAGCGAAATC CTCAGCAAGC TGGCATCAGG GAGATATTTA CGTTCTCACC CCAGATTTCC    2640
ACGAATGGAC CTGAACATCA GCCAAATGGA GAAACACATG AAAGCCACAG AATTTATGTT    2700
GCAATACGAG CAATGGATAG GAACTCCTTA CAGTCTGCTG TATCTAACAT TGCCCAGGCG    2760
CCTCTGTTTA TTCCCCCCAA TTCTGATCCT GTACCTGCCA GAGATTATCT TATATTGAAA    2820
GGAGTTTTAA CAGCAATGGG TTTGATAGGA ATCATTTGCC TTATTATAGT TGTGACACAT    2880
CATACTTTAA GCAGGAAAAA GAGAGCAGAC AAGAAAGAGA ATGGAACAAA ATTATTATAA    2940
ATAAATATCC AAAGTGTCTT CCTTCTTAGA TATAAGACCC ATGGCCTTCG ACTACAAAAA    3000
CATACTAACA AAGTCAAATT AACATCAAAA CTGTATTAAA ATGCATTGAG TTTTTGTACA    3060
ATACAGATAA GATTTTTACA TGGTAGATCA ACAATTCTTT TTGGGGGTAG ATTAGAAAAC    3120
CCTTACACTT TGGCTATGAA CAAATAATAA AAATTATTCT TTAAAGTAAT GTCTTTAAAG    3180
GCAAAGGGAA GGGTAAAGTC GGACCAGTGT CAAGGAAAGT TTGTTTTATT GAGGTGGAAA    3240
AATAGCCCCA AGCAGAGAAA AGGAGGGTAG GTCTGCATTA TAACTGTCTG TGTGAAGCAA    3300
TCATTTAGTT ACTTTGATTA ATTTTTCTTT TCTCCTTATC TGTGCAGTAC AGGTTGCTTG    3360
TTTACATGAA GATCATGCTA TATTTTATAT ATGTAGCCCC TAATGCAAAG CTCTTTACCT    3420
CTTGCTATTT TGTTATATAT ATTTCAGATG ACATCTCCCT GCTAATGCTC AGAGATCTTT    3480
TTTCACTGTA AGAGGTAACC TTTAACAATA TGGGTATTAC CTTTGTCTCT TCATACCGGT    3540
TTTATGACAA AGGTCTATTG AATTTATTTG TNTGTAAGTT TCTACTCCCA TCAAAGCAGC    3600
TTTCTAAGTT TATTGCCTTG GGTTATTATG GAATGATAGT TATAGCCCCN TATAATGCCT    3660
TACCTAGGAA A
```

Seq ID NO: 8 Protein sequence:
Protein Accession #: NP_006527.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MTQRSIAGPI CNLKFVTLLV ALSSELPFLG AGVQLQDNGY NGLLIAINPQ VPENQNLISN    60
IKEMITEASF YLFNATKRRV FPRNIKILIP ATWKANNNSK IKQESYEKAN VIVTDWYGAH   120
GDDPYTLQYR GCGKEGKYIH FTPNFLLNDN LTAGYGSRGR VFVHEWAHLR WGVFDEYNND   180
KPFYINGQNQ IKVTRCSSDI TGIFVCEKGP CPQENCIISK LFKEGCTFIY NSTQNATASI   240
MFMQSLSSVV EFCNASTHNQ EAPNLQNQMC SLRSAWDVIT DSADPHHSFP MNGTELPPPP   300
TFSLVQAGDK VVCLVLDVSS KMAEAADRLLQ LQQAAEFYLM QIVEIHTFVG IASFDSKGEI   360
RAQLHQINSN DDRKLLVSYL PTTVSAKTDI SICSGLKKGF EVVEKLNGKA YGSVMILVTS   420
GDDKLLGNCL PTVLSSGSTI HSIALGSSAA PNLEELSRLT GGLKPFVPDI SNSNSMIDAP   480
SRISSGTGDI FQQHIQLEST GENVKPHHQL KNTVTVDNTV GNDTMFLVTW QASGPPEIIL   540
FDPDGRKYYT NNFITNLTFR TASLWIPGTA KPGHWTYTLN NTHHSLQALK VTVTSRASNS   600
AVPPATVEAF VERDSLHFPH PVMIYANVKQ GFYPILNATV TATVEPETGD PVTLRLLDDG   660
AGADVIKNDG IYSRYFFSFA ANGRYSLKVH VNHSPSISTP AHSIPGSHAM YVPGYTANGN   720
IQMNAPRKSV GRNEEERKWG FSRVSSGGSF SVLGVPAGPH PDVFPPCKII DLEAVKVEEE   780
LTLSWTAPGE DFDQGQATSY EIRMSKSLQN IQDDFNNAIL VNTSKRNPQQ AGIREIFTFS   840
PQISTNGPEH QPNGETHESH RIYVAIRAMD RNSLQSAVSN IAQAPLFIPP NSDPVPARDY   900
LILKGVLTAM GLIGIICLII VVTHHTLSRK KRADKKENGT KLL
```

Seq ID NO: 9 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 336-632

```
1          11         21         31         41         51
|          |          |          |          |          |
CTCCCCTCAC CCCGGTCCAG GATGCCCAGT CCCCACGACA CCTCCCACTT CCCACTGTGG    60
CCTGGGTGGG CTCAGGGGCT GCCCTTGACC TGGCCTAGAG CCCTCCCCCA GCTGGTGGTG   120
GAGCTGGCAC TCTCTGGAG GGAGGGGGCT GGGAGGGAAT GGCAAGAGGC GGGAGCAGGG   180
CAGGGTTTGG TGGGATCAGG TTGAGGCAGG TTTGGTTTCC TTAAATGCC AAGTTGGGGG   240
CCAGTGGGGC CCACATATAA ATCCTCACCC TGGGAGCCTG GCTGCCTTGC TCTCCTTCCT   300
GGGTCTGTCT CTGCCACCTG GTCTGCCACA GATCCATGAT GTGCAGTTCT CTGGAGCAGG   360
CGCTGGCTGT GCTGGTCACT ACCTTCCACA AGTACTCCTG CCAAGAGGGC GACAAGTTCA   420
AGCTGAGTAA GGGGGAAATG AAGGAACTTC TGCACAAGGA GCTGCCCAGC TTTGTGGGGG   480
AGAAAGTGGA TGAGGAGGGG CTGAAGAAGC TGATGGGCAG CCTGGATGAG AACAGTGACC   540
AGCAGGTGGA CTTCCAGGAG TATGCTGTTT TCCTGGCACT CATCACTGTC ATGTGCAATG   600
ACTTCTTCCA GGGCTGCCCA GACCGACCCT GAAGCAGAAC TCTTGACTTC CTGCCATGGA   660
TCTCTTGGGC CCAGGACTGT TGATGCCTTT GAGTTTTGTA TTCAATAAAC TTTTTTTGTC   720
TGTTGATAAT ATTTTAATTG CTCAGTGATG TTCCATAACC CGGCTGGCTC AGCTGGAGTG   780
CTGGGAGATG AGGGCCTCCT GGATCCTGCT CCCTTCTGGG CTCTGACTCT CCTGGAAATC   840
TCTCCAAGGC CAGAGCTATG CTTTAGGTCT CAATTTTGGA ATTTCAAACA CCAGCAAAAA   900
ATTGGAAATC GAGATAGGTT GCTGACTTTT ATTTTGTCAA ATAAAGATAT TAAAAAAGGC   960
AAATACCA
```

Seq ID NO: 10 Protein sequence:

Protein Accession #: NP_005969.1

```
        1         11        21        31        41        51
        |         |         |         |         |         |
5       MMCSSLEQAL AVLVTTPHKY SCQEGDKFKL SKGEMKELLH KELPSFVGEK VDEEGLKKLM    60
        GSLDENSDQQ VDFQEYAVFL ALITVMCNDF FQGCPDRP
```

Seq ID NO: 11 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 336-626

```
        1         11        21        31        41        51
        |         |         |         |         |         |
15      CTCCCCTCAC CCCGGTCCAG GATGCCCAGT CCCCACGACA CCTCCCACTT CCCACTGTGG    60
        CCTGGGTGGG CTCAGGGGCT GCCCTTGACC TGGCCTAGAG CCCTCCCCCA GCTGGTGGTG   120
        GAGCTGGCAC TCTCTGGGAG GGAGGGGGCT GGGAGGGAAT GAGTGGGAAT GGCAAGAGGC   180
        CAGGGTTTGG TGGGATCAGG TTGAGGCAGG TTTGGTTTCC TTAAAATGCC AAGTTGGGGG   240
        CCAGTGGGGC CCACATATAA ATCCTCACCC TGGGAGCCTG GCTGCCTTGC TCTCCTTCCT   300
        GGGTCTGTCT CTGCCACCTG GTCTGCCACA GATCCATGAT GTGCAGTTCC CTGGAGCAGG   360
        CGCTGGCTGT GCTGGTCACT ACCTTCCACA AGTACTCCTG CCAAGAGGGC GACAAGTTCA   420
        AGCTGAGTAA GGGGGAAATG AAGGAACTTC TGCACAAGGA GCTGCCCAGC TTTGTGGGGC   480
        ATTCCAGAGA ACCATGTGCT GTGAGGGCCT TCCGAGTCCA TCTGTTTAAT CCTGTCATTG   540
        GAGACTTGAG AAACCAGAGC CCAGAAGGGA AAAGTGATTG TCCCAAGATC ACACAGCACT   600
        GGAGAAAGTG GATGAGGAGG GGCTGAAGAA GCTGATGGGC AGCCTGGATG AGAACAGTGA   660
        CCAGCAGGTG GACTTCCAGG AGTATGCTGT TTTCCTGGCA CTCATCACTG TCATGTGCAA   720
        TGACTTCTTC CAGGGCTGCC CAGACCGACC CTGAAGCAGA ACTCTTGACT TCCTGCCATG   780
        GATCTCTTGG GCCCAGGACT GTTGATGCCT TTGAGTTTTG TATTCAATAA ACTTTTTTTG   840
        TCTGTTGATA ATATTTTAAT TGCTCAGTGA TGTTCCATAA CCCGGCTGGC TCAGCTGGAG   900
        TGCTGGGAGA TGAGGGCCTC CTGGATCCTG CTCCCTTCTG GGCTCTGACT CTCCTGGAAA   960
        TCTCTCCAAG GCCAGAGCTA TGCTTTAGGT CTCAATTTTG GAATTTCAAA CACCAGCAAA  1020
        AAATTGGAAA TCGAGATAGG TTGCTGACTT TTATTTTGTC AAATAAAGAT ATTAAAAAAG  1080
        GCAAATACCA
```

Seq ID NO: 12 Protein sequence:
Protein Accession #: Eos sequence

```
        1         11        21        31        41        51
        |         |         |         |         |         |
40      MMCSSLEQAL AVLVTTPHKY SCQEGDKFKL SKGEMKELLH KELPSFVGHS REPCAVRAFR    60
        VHLFNPVIGD LRNQSPEGKS DCPKITQHWR KWMRRG
```

Seq ID NO: 13 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 58-354

```
        1         11        21        31        41        51
        |         |         |         |         |         |
50      GTGAGCTCAC CATGTGGGGG TGAGGCTGAG AGAAAACAAG TACACAGCCA CAGATCCATG    60
        ATGTGCAGTT CTCTGGAGCA GGCGCTGGCT GTGCTGGTCA CTACCTTCCA CAAGTACTCC   120
        TGCCAAGAGG GCGACAAGTT CAAGCTGAGT AAGGGGGAAA TGAAGGAACT TCTGCACAAG   180
        GAGCTGCCCA GCTTTGTGGG GGAGAAAGTG GATGAGGAGG GGCTGAAGAA GCTGATGGGC   240
        AGCCTGGATG AGAACAGTGA CCAGCAGGTG GACTTCCAGG AGTATGCTGT TTTCCTGGCA   300
        CTCATCACTG TCATGTGCAA TGACTTCTTC CAGGGCTGCC CAGACCGACC CTGAAGCAGA   360
        ACTCTTGACT TCCTGCCATG GATCTCTTGG GCCCAGGACT GTTGATGCCT TTGAGTTTTG   420
        TATTCAATAA ACTTTTTTTG TCTGTTGATA ATATTTTAAT TGCTCAGTGA TGTTCCATAA   480
        CCCGGCTGGC TCAGCTGGAG TGCTGGGAGA TGAGGGCCTC CTGGATCCTG CTCCCTTCTG   540
        GGCTCTGACT CTCCTGGAAA TCTCTCCAAG GCCAGAGCTA TGCTTTAGGT CTCAATTTTG   600
        GAATTTCAAA CACCAGCAAA AAATTGGAAA TCGAGATAGG TTGCTGACTT TTATTTTGTC   660
        AAATAAAGAT ATTAAAAAAG GCAAATACCA
```

Seq ID NO: 14 Protein sequence:
Protein Accession #: NP_005969.1

```
        1         11        21        31        41        51
        |         |         |         |         |         |
        MMCSSLEQAL AVLVTTPHKY SCQEGDKFKL SKGEMKELLH KELPSFVGEK VDEEGLKKLM    60
        GSLDENSDQQ VDFQEYAVFL ALITVMCNDF FQGCPDRP
```

Seq ID NO: 15 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 62-358

```
        1         11        21        31        41        51
        |         |         |         |         |         |
75      GGAGGGTGTG CCGCTGAGTC ACTGCCTGGG CATCTGGGCC TGGAACCTCG GCCACAGATC    60
        CATGATGTGC AGTTCTCTGG AGCAGGCGCT GGCTGTGCTG GTCACTACCT CCACAAGTA   120
        CTCCTGCCAA GAGGGCGACA AGTTCAAGCT GAGTAAGGGG GAAATGAAGG AACTTCTGCA   180
        CAAGGAGCTG CCCAGCTTTG TGGGGGAGAA AGTGGATGAG GAGGGGCTGA AGAAGCTGAT   240
        GGGCAGCCTG GATGAGAACA GTGACCAGCA GGTGGACTTC AGGAGTATG CTGTTTTCCT   300
        GGCACTCATC ACTGTCATGT GCAATGACTT CTTCCAGGGC TGCCCAGACC GACCCTGAAG   360
        CAGAACTCTT GACTTCCTGC CATGGATCTC TTGGGCCCAG GACTGTTGAT GCCTTTGAGT   420
        TTTGTATTCA ATAAACTTTT TTTGTCTGTT GATAATATTT TAATTGCTCA GTGATGTTCC   480
        ATAACCCGGC TGGCTCAGCT GGAGTGCTGG GAGATGAGGG CCTCCTGGAT CCTGCTCCCT   540
        TCTGGGCTCT GACTCTCCTG GAAATCTCTC CAAGGCCAGA GCTATGCTTT AGGTCTCAAT   600
        TTTGGAATTT CAAACACCAG CAAAAAATTG GAAATCGAGA TAGGTTGCTG ACTTTTATTT   660
```

192

TGTCAAATAA AGATATTAAA AAAGGCAAAT ACCA

Seq ID NO: 16 Protein sequence:
Protein Accession #: NP_005969.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MMCSSLEQAL AVLVTTFHKY SCQEGDKPKL SKGEMKELLE KELPSFVGEK VDEEGLKKLM   60
GSLDENSDQQ VDFQEYAVFL ALITVMCNDP FQGCPDRP
```

Seq ID NO: 17 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 939-2372

```
1          11         21         31         41         51
|          |          |          |          |          |
AAGACGGATT CTCAGACAAG GCTTGCAAAT GCCCCGCAGC CATCATTTAA CTGCACCCGC   60
AGAATAGTTA CGGTTTGTCA CCCGACCCTC CCGGATCGCC TAATTTGTCC CTAGTGAGAC  120
CCCGAGGCTC TGCCCGCGCC TGGCTTCTTC GTAGCTGGAT GCATATCGTG CTCCGGGCAG  180
CGCGGGCGCA GGGCACGCGT TCGCGCACAC CCTAGCACAC ATGAACACGC GCAAGAGCTG  240
AACCAAGCAC GGTTTCCATT TCAAAAAGGG AGACAGCCTC TACCGCGATT GTAGAAGAGA  300
CTGTGGTGTG AATTAGGGAC CGGGAGGCGT CGAACGGAGG AACGGTTCAT CTTAGAGACT  360
AATTTTCTGG AGTTTCTGCC CCTGCTCTGC GTCAGCCCTC ACGTCACTTC GCCAGCAGTA  420
GCAGAGGCGG CGGCGGCGGC TCCCGGAATT GGGTTGGAGC AGGAGCCTCG CTGGCTGCTT  480
CGCTCGCGCT CTACGCGCTC AGTCCCCGGC GGTAGCAGGA GCCTGGACCC AGGCGCCGCC  540
GGCGGGCGTG AGGCGCCGGA GCCCGGCCTC GAGGTGCATA CCGGACCCCC ATTCGCATCT  600
AACAAGGAAT CTGCGCCCCA GAGAGTCCCG GGAGCGCCGC CGGTCGGTGC CCGGCGCGCC  660
GGGCCATGCA GCGACGGCCG CCGCGGGAGCT CCGAGCAGCG GTAGCGCCCC CCTGTAAAGC  720
GGTTCGCTAT GCCGGGGCCA CTGTGAACCC TGCCGCCTGC CGGAACACTC TTCGCTCCGG  780
ACCAGCTCAG CCTCTGATAA GCTGGACTCG GCACGCCCGC AACAAGCACC GAGGAGTTAA  840
GAGAGCCGCA AGCGCAGGGA AGGCCTCCCC GCACGGGTGG GGGAAAGCGG CCGGTGCAGC  900
GCGGGGACAG GCACTCGGGC TGGCACTGGC TGCTAGGGAT GTCGTCCTGG ATAAGGTGGC  960
ATGGACCCGC CATGGCGCGG CTCTGGGGCT TCTGCTGGCT GGTTGTGGGC TTCTGGAGGG 1020
CCGCTTTCGC CTGTCCCACG TCCTGCAAAT GCAGTGCCTC TCGGATCTGG TGCAGCGACC 1080
CTTCTCCTGG CATCGTGGCA TTTCCGAGAT TGGAGCCTAA CAGTGTAGAT CCTGAGAACA 1140
TCACCGAAAT TTTCATCGCA AACCAGAAAA GGTTAGAAAT CATCAACGAA GATGATGTTG 1200
AAGCTTATGT GGGACTGAGA AATCTGACAA TTGTGGATTC TGGATTAAAA TTTGTGGCTC 1260
ATAAAGCATT TCTGAAAAAC AGCAACCTGC AGCACATCAA TTTTACCCGA AACAAACTGA 1320
CGAGTTTGTC TAGGAAACAT TTCCGTCACC TTGACTTGTC TGAACTGATC CTGGTGGGCA 1380
ATCCATTTAC ATGCTCCTGT GACATTATGT GGATCAAGAC TCTCCAAGAG GCTAAATCCA 1440
GTCCAGACAC TCAGGATTTG TACTGCCTGA ATGAAAGCAG CAAGAATATT CCCCTGGCAA 1500
ACCTGCAGAT ACCCAATTGT GGTTTGCCAT CTGCAAATCT GGCCGCCACCT AACCTCACTG 1560
TGGAGGAAGG AAAGTCTATC ACATTATCCT GTAGTGTGGC AGGTGATCCG GTTCCTAATA 1620
TGTATTGGGA TGTTGGTAAC CTGGTTTCCA AACATATGAA TGAAACAAGC CACACACAGG 1680
GCTCCTTAAG GATAACTAAC ATTTCATCCG ATGACAGTGG GAAGCAGATC TCTTGTGTGG 1740
CGGAAAATCT TGTAGGAGAA GATCAAGATT CTGTCAACCT CACTGTGCAT TTTGCACCAA 1800
CTATCACATT TCTCGAATCT CCAACCTCAG ACCACCACTG GTGCATTCCA TTCACTGTGA 1860
AAGGCAACCC CAAACCAGCG CTTCAGTGGT TCTATAACGG GGCAATATTG AATGAGTCCA 1920
AATACATCTG TACTAAAATA CATGTTACCA ATCACACGGA GTACCACGGC TGCCTCCAGC 1980
TGGATAATCC CACTCACATG AACAATGGGG ACTACACTCT AATAGCCAAG AATGAGTATG 2040
GGAAGGATGA GAAACAGATT TCTGCTCACT TCATGGGCTG GCCTGGAATT GACGATGGTG 2100
CAAACCCAAA TTATCCTGAT GTAATTTATG AAGATTATGG AACTGCAAGG AATGACATCG 2160
GGGACACCAC GAACAGAAGT AATGAAATCC CTTCCACAGA CGTCACTGAT AAAACCGGTC 2220
GGGAACATCT CTCGGTCTAT GCTGTGGTGG TGATTGCGTC TGTGGTGGGA TTTTGCCTTT 2280
TGGTAATGCT GTTTCTGCTT AAGTTGGCAA GACACTCCAA GTTTGGCATG AAAGGTTTTG 2340
TTTTGTTTCA TAAGATCCCA CTGGATGGGT AGCTGAAATA AAGGAAAAGA CAGAGAAAGG 2400
GGCTGTGGTG CTTGTTGGTT GATGCTGCCA TGTAAGCTGG ACTCCTGGGA CTGCTGTTGG 2460
CTTATCCCGG GAAGTGCTGC TTATCTGGGG TTTTCTGGTA GATGTGGGCG GTGTTTGGAG 2520
GCTGTACTAT ATGAAGCCTG CATATACTGT GAGCTGTGAT TGGGGAACAC CAATGCAGAG 2580
GTAACTCTCA GGCAGCTAAG CAGCACCTCA AGAAAACATG TTAAATTAAT GCTTCTCTTC 2640
TTACAGTAGT TCAAATACAA AACTGAAATG AAATCCCATT GGATTGTACT TCTCTTCTGA 2700
AAAGTGTGCT TTTTGACCCT ACTGGACATT TATTGACTTA ATTGCTTCTG TTTATTAAAA 2760
TTGACCTGCA AAGTTAAAAA AAAATTAAAG TTGAGAACAG GTATAAGTGC ACACTGAATA 2820
GTCTAATCTA CATGTAACAC ATATTTTAGT GTGATTTTCT ATACTCTAAT CAGCACTGAA 2880
TTCCAGAGGGT TTGACTTTTT CATCTATAAC ACAGTGACTA AAAGAGTTAA GGGTATATAT 2940
ACCATCACTGT TGGGACTTGG TAGTATTATT AAAAGGTTAT TTCCTTCACT GTCAATAAAA 3000
GTCCAAATGT TTAGCTTAGG TCTGAGAGTC AAACAATGTT AAGGATTGTC TTAAAGTTCC 3060
TTAGCCAGCA AAACAAAACA AAACAAAACA AACAAATGAA AAACGTTTAA AAAGAAGAAG 3120
AAGAAAAAAA ACAAGAACAA GCAGCAACAG CTGTTTTGTT GGGGCTATAG ATTTAAGTTA 3180
GGCATAGTCA ATTTCAGAAT AACTAAGAGT GGAATATATG CATATGGTGA AATTATAACC 3240
TTGCCCTTTT TTATTTGCCC TCTGCGATCC ACCTGCTTTT TAGAAGTCTG CCGAGTGAGA 3300
AGGCCACAGT ATCTCCATGCT GTTTGCATTA CAGAACTGCA GCTTTTCTAC TCTGAAAAGG 3360
CCTGGGAGCA GAATGGCTGG CCTGCTGTGA GCAGGAGAGG AGATTCTAAG AAGGATAGTC 3420
CCCCTACAA CATACTGTCA TACTGCTGGG TTTTCATGGG TAGGAAAGCT TGTCCTGAAC 3480
CCAGCAGCAA AGAGGTGGCA GGTCGCTAAT GAATATATGC TTTATAATGT CCTTCTTCAT 3540
TGCTGAGAGG GCAGCCTTAG AGCTGTGGAT TTCTGCATCC CCCCTGAGTC TGACCCATGG 3600
ACACCTGTTT CATTCACTTT AGCATCACAG TGACCTTTGT ATGCTCGTGT CAGTCTGTGT 3660
CAGGCAGTAT GCTTGTCCTG AAGAGAGGTT TGGCTATCCC CACCCCACCC CACCCCACCC 3720
TGTTCCTTTT TTATCAGGAG GACTTCAGAG CCAGGCCTGC AGCATTTGT TTGAAAACAC 3780
AATCAGCTCT GACAGTTAGA CATGCACACA GACGCCATAG CTGGATTGGA AACATTGATG 3840
TTTTAAAAAT TTATTTTTTT TGGAAATAGT TGCACAAATG CTGCAATTTA GTTTTAAGGT 3900
TCTATAGATT TTTAACTAGT CCAACACAGT CAGAAACATT GTTTTGAATC CTCTGTAAAC 3960
CAAGGCATTA ATCTTAATAA ACCAGGATCC ATTTAGGTAC CACTTGTATAT AAAAAGGATA 4020
TCCATAATGA ATATTTTATA CTGCATCCTT TACATTAGCC ACTAAATACG TTATTGCTTG 4080
ATGAAGACCT TTCACAGAAT CCTATGGATT GCAGCATTTC ACTTGGCTAC TTCATACCCA 4140
```

```
        TGCCTTAAAG AGGGGCAGTT TCTCAAAAGC AGAAACATGC CGCCAGTTCT CAAGTTTTCC  4200
        TCCTAACTCC ATTTGAATGT AAGGGCAGCT GGCCCCCAAT GTGGGGAGGT CCGAACATTT  4260
        TCTGAATTCC CATTTTCTTG TTCGCGGCTA AATGACAGTT TCTGTCATTA CTTAGATTCT  4320
        GATCTTTCCC AAAAGGTGTTG ATTTACAAAG AGGCCAGCTA ATAGCAGAAA TCATGACCCT  4380
5       GAAAGAGAGA TGAAATTCAA GCTGTGAGCC AGGCAGGAGC TCAGTATGGC AAAGGTTCTT  4440
        GAGAATCAGC CATTTGGTAC AAAAAAGATT TTTAAAGCTT TTATGTTATA CCATGGAACC  4500
        ATAGAAAGGC TATGGGATTGT TTAAGAACTA TTTTAAAGTG TTCCAGACCC AAAAAGGAAA  4560
        AATAAAAAAA AAGGAATATT TGTACCCAAC AGCTAGAAGG ATTGCAAGGT AGATTTTTGT  4620
        TTTAAAATGG AGAGAAGTGG ACAGATAAGG CCATTTAATA TATCAAAGAT CAGTTGACAT  4680
10      CTCCTAGGGA ATGATGAAAA CAGCAGGCTA T
```

Seq ID NO: 18 Protein sequence:
Protein Accession #: CAA53571

```
15      1          11         21         31         41         51
        |          |          |          |          |          |

        MSSWIRWHGP AMARLWGPCW LVVGFWRAAP ACPTSCKCSA SRIWCSDPSP GIVAFPRLEP  60
        NSVDPENITE IPIANQKRLE IINEDDVEAY VGLRNLTIVD SGLKPVAHKA FLKNSNLQHI .  120
        NFTRNKLTSL SRKHFRHLDL SELILVGNPP TCSCDIMWIK TLQEAKSSPD TQDLYCLNES  180
20      SKNIPLANLQ IPNCGLPSAN LAAPNLTVEE GKSITLSCSV AGDPVPNMYW DVGNLVSKHM  240
        NETSHTQGSL RITNISSDDS GKQISCVAEN LVGEDQDSVN LTVHFAPTIT FLESPTSDHH  300
        WCIPPTVKGN PKPALQWFYN GAILNESKYI CTKIHVTNHT EYHGCLQLDN PTHMNNGDYT  360
        LIAKNEYGKD EKQISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST  420
        DVTDKTGREH LSVYAVVVIA SVVGPCLLVM LPLLKLARHS KFGMKGFVLF HKIPLDG    '
```

Seq ID NO: 19 DNA sequence
Nucleic Acid Accession #: NM_000228
Coding sequence: 82-3600

```
30      1          11         21         31         41         51
        |          |          |          |          |          |
        GCTTTCAGGC GATCTGGAGA AAGAACGGCA GAACACACAG CAAGGAAAGG TCCTTTCTGG  60
        GGATCACCCC ATTGGCTGAA GATGAGACCA TTCTTCCTCT TGTGTTTTGC CCTGCCTGGC  120
        CTCCTGCATG CCCAACAAGC CTGCTCCCGT GGGGCCTGCT ATCCACCTGT TGGGGACCTG  180
        CTTGTTGGGA GGACCCGGTT TCTCCGAGCT TCATCTACCT GTGGACTGAC CAAGCCTGAG  240
35      ACCTACTGCA CCCAGTATGG CGAGTGGCAG ATGAAATGCT GCAAGTGTGA CTCCAGGCAG  300
        CCTCACAACT ACTACAGTCA CCGAGTAGAG AATGTGGCTT CATCCTCGG CCCCATGCGC  360
        TGGTGGCAGT CCCAGAATGA TGTGAACCCT GTCTCTCTGC AGCTGGACCT GGACAGGAGA  420
        TTCCAGCTTC AAGAAGTCAT GATGGAGTTC CAGGGGCCCA TGCCCGCCGG CATGCTGATT  480
        GAGCGCTCCT CAGACTTCGG TAAGACCTGG CGAGTGTACC AGTACCTGGC TGCCGACTGC  540
40      ACCTCCACCT TCCCTCGGGT CCGCCAGGGT CGGCCTCAGA GCTGGCAGGA TGTTCGGTGC  600
        CAGTCCCTGC CTCAGAGGCC TAATGCACGC CTAAATGGGG GGAAGGTCCA ACTTAACCTT  660
        ATGGATTTAG TGTCTGGGAT TCCAGCAACT CAAAGTCAAA AAATTCAAGA GGTGGGGGAG  720
        ATCACAAACT TGAGAGTCAA TTTCACCAGG CTGGCCCCTG TGCCCCAAAG GGGCTACCAC  780
45      CCTCCCAGCG CCTACTATGC TGTGTCCCAG CTCCGTCTGC AGGGGAGCTG CTTCTGTCAC  840
        GGCCATGCTG ATCGCTGCGC ACCCAAGCCT GGGGCCTCTG CAGGCCCCTC CACCGCTGTG  900
        CAGGTCCACG ATGTCTGTGT CTGCCAGCAC AACACTGCCG GCCCAATTG TGAGCGCTGT  960
        GCACCCTTCT ACAACAACCG GCCCTGGAGA CCGGCGGAGG GCCAGGACGC CCATGAATGC  1020
        CAAAGGTGCG ACTGCAATGC GCACTCAGAG ACATGTCACT TTGACCCCGC TGTGTTTGCC  1080
50      GCCAGCCAGG GGGCATATGG AGGTGTGTGT GACAATTGCC GGGACCACAC CGAAGGCAAG  1140
        AACTGTGAGC GGTGTCAGCT GCACTATTTC GGGAACCGGC GCCGGGAGC TTCCATTCAG  1200
        GAGACCTGCA TCTCCTGCGA GTGTGATCCG GATGGGCAG TGCCAGGGGC TCCCTGTGAC  1260
        CCAGTGACCG GGCAGTGTGT GTGCAAGGAG CATGTGCAGG AGAGCGCTG TGACCTATGC  1320
        AAGCCGGGCT TCACTGGACT CACCTACGCC AACCGCAGG GCTGCCACCG CTGTGACTGC  1380
55      AACATCCTGG GGTCCCGGAG GGACATGCCG TGTGACGAGG AGAGTGGGGC CTGCCTTTGT  1440
        CTGCCCAACG TGGTGGGTCC CAAATGTGAC CAGTGTGCTC CCTACCACTG GAAGCTGGCC  1500
        AGTGGCCAGG GCTGTGAACC GTGTGCCTGC GACCCGCACA CTCCCCTCA GCCCACAGTG  1560
        CAACCAGTTC ACAGGGCAGT GCCCGTGTCG GAAGGCTTTG GTGGCCTGAT GTGCAGCGT  1620
        GCAGCCATCC GCCAGTGTCC AGACCGGACC TATGGAGACG TGGCCACAGG ATGCCGAGCC  1680
60      TGTGACTGTG ATTTCCGGGG AACAGAGGGC CCGGGCTGCG ACAAGGCATC AGGCCGCTGC  1740
        CTCTGCCGCC CTGGCTTGAC CGGGCCCCGC TGTGACCAGT GCCAGGACGC CTACTGCAAT  1800
        CGCTACCCG TGTGCGTGGC CTGCCACCCT TGCTTCCAGA CCTATGATGC GGACCTCCGG  1860
        GAGCAGGCCC TGCGCTTTGG TAGACTCCGC AATGCCACCG CCAGCCTGTG GTCAGGGCCT  1920
        GGGCTGGAGG ACCGTGGCCT GGCCTCCCGG ATCCTAGATG CAAAGATAA GATTGAGCAG  1980
65      ATCCGAGCAG TTCTCAGCAG CCCCGCAGTC ACAGAGCAGG AGGTGGCTCA GGTGGCCAGT  2040
        GCCATCCTCT CCCTCAGGCG AACTCTCCAG GGCCTGCAGC TGGATCTGCC CCTGGAGGAG  2100
        GAGACGTTGT CCCTTCCGAG AGACCTGGAG AGTCTTGACA GAAGCTTCAA TGGTCTCCTT  2160
        ACTATGTATC AGAGGAAGAG GGAGCAGTTT GAAAAAATAA GCAGTGCTGA TCCTTCAGGA  2220
        GCCTTCCGGA TGCTGAGCAC AGCCTACGAG CAGTCAGCCC AGGCTGCTCA GCAGGTCTCC  2280
70      GACAGCTCGC GCCTTTTGGA CCAGCTCAGG GACAGCCGGA GAGAGGCAGA GAGGCTGGTG  2340
        CGGCAGGCGG GAGGAGGAGG AGGCACCGGC AGCCCAAGC TTGTGGCCCT GAGGCTGGAG  2400
        ATGTCTTCGT TGCCTGACCT GACACCCACC TTCAACAAGC TCTGTGGCAA CTCCAGGCAG  2460
        ATGGCTTGCA CCCCCAATATC ATGCCCTGGT GAGCTATGTC CCAAGACAA TGGCACAGCC  2520
        TGTGGCTCCC GCTGCAGGGG TGTCCTTCCC AGGGCCGGTG GGGCCTTCTT GATGGCGGGG  2580
75      CAGGTGGCTG AGCAGCTGCG GGGCTTCAAT GCCCAGCTCC AGCGGACCAG GCAGATGATT  2640
        AGGGCAGCCG AGGAATCTGC CTCACAGATT CAATCCAGTG CCAGCGCTT GGAGACCCAG  2700
        GTGACGCGCCA GCCGCTCCCA GATGGAGGAA GATGTCAGAC GCACACGGCT CCTAATCCAG  2760
        CAGGTCCGGG ACTTCCTAAC AGACACCCGA CTACTGATGCAG CCACTATCCA GGAGGTCAGC  2820
80      GAGGCCGTGC TGGCCCTGTG GCTGCCCACA GACTCAGCTA CTGTTCTGCA GAAGATGAAT  2880
        GAGATCCAGG CCATTGCAGC CAGGCTCCCC AACGTGGGACT TGGTGCTGTC CCAGACCAAG  2940
        CAGGACATTG CGCGTGCCCG CGGGTTGCAG GCTGAGGCTG AGGAAGCCAG GACCCGAGCC  3000
        CATGCAGTGG AGGGGCCAGGT GGAAGATGTG GTTGGGAACC TGCGGCAGGG GACAGTGGCA  3060
        CTGCAGGAAG CTCAGGACAC CATGCAAGGC ACCAGCCGCT CCCTTCGGCT TATCCAGGAC  3120
85      AGGGTTGCTG AGGTTCAGCA GGTACTGCGG CCAGCAGAAA AGCTAGTGAC AAGCATGACC  3180
        AAGCAGCTGG GTGACTTCTG GACACGGATG GAGGAGCTCC GCCACCAAGC CCGGCAGCAG  3240
        GGGGCAGAGG CAGTCCAGGC CCAGCAGCTT GCGGAAGGTG CCAGCGAGCA GGCATTGAGT  3300
        GCCCAAGAGG GATTTGAGAG AATAAAAACAA AAGTATGCTG AGTTGAAGGA CCGGTTGGGT  3360
```

```
CAGAGTTCCA TGCTGGGTGA GCAGGGTGCC CGGATCCAGA GTGTGAAGAC AGAGGCAGAG   3420
GAGCTGTTTG GGGAGACCAT GGAGATGATG GACAGGATGA AAGACATGGA GTTGGAGCTG   3480
CTGCGGGGCA GCCAGGCCAT CATGCTGCGC TCGGCGGACC TGACAGGACT GGAGAAGCGT   3540
GTGGAGCAGA TCCGTGACCA CATCAATGGG CGCGTGCTCT ACTATGCCAC CTGCAAGTGA   3600
TGCTACAGCT TCCAGCCCGT TGCCCCACTC ATCTGCCGCC TTTGCTTTTG GTTGGGGGCA   3660
GATTGGGTTG GAATGCTTTC CATCTCCAGG AGACTTTCAT GCAGCGTAAA GTACAGCCTG   3720
GACCACCCCT GGTGTGTAGC TAGTAAGATT ACCCTGAGCT·GCAGCTGAGC CTGAGCCAAT   3780
GGGACAGTTA CACTTGACAG ACAAAGATGG TGGAGATTGG CATGCCATTG AAACTAAGAG   3840
CTCTCAAGTC AAGGAAGCTG GGCTGGGCAG TATCCCCGC CTTTAGTTCT CCACTGGGA   3900
GGAATCCTGG ACCAAGCACA AAAACTTAAC AAAAGTGATG TAAAAATGAA AAGCCAAATA   3960
AAAATCTTTG G
```

Seq ID NO: 20 Protein sequence:
Protein Accession #: NP_000219

```
1         11        21        31        41        51
|         |         |         |         |         |
MRPFFLLCPA LPGLLHAQQA CSRGACYPPV GDLLVGRTRF LRASSTCGLT KPETYCTQYG    60
EWQMKCCKCD SRQPHNYYSH RVENVASSSG PMRWWQSQND VNPVSLQLDL DRRFQLQEVM   120
MEFQGPMPAG MLIERSSDFG KTWRVYQYLA ADCTSTPPRV RQGRPQSWQD VRCQSLPQRP   180
NARLNGGKVQ LNLMDLVSGI PATQSQKIQE VGEITNLRVN FTRLAPVPQR GYHPPSAYYA   240
VSQLRLQGSC PCHGHADRCA PKPGASAGPS TAVQVHDVCV CQHNTAGPNC ERCAPPYNNR   300
PWRPAEGQDA HECQRCDCNG HSETCHPDPA VFAASGAYG GVCDNCRDHT EGKNCERCQL   360
HYFRNRRPGA SIQETCISCE CDPDGAVPGA PCDPVTGQCV CKEHVQGERC DLCKPGFTGL   420
TYANPQGCHR CDCNILGSRR DMPCDEESGR CLCLPNVVGP KCDQCAPYHW KLASGQGCEP   480
CACDPHNSPQ PTVQPVHRAV PCREGFGGLW CSAAAIRQCP DRTYGDVATG CRACDCDFRG   540
TEGPGCDKAS GRCLCRPGLT GPRCDQCQRG YCNRYPVCVA CHPCPQTYDA DLREQALRFG   600
RLRNATASLW SGPGLEDRGL ASRILDAKSK IEQIRAVLSS PAVTEQEVAQ VASAILSLRR   660
TLQGLQLDLP LEEETLSLPR DLESLDRSFN GLLTMYQRKR EQFEKISSAD PSGAFRMLST   720
AYEQSAQAAQ QVSDSSRLLD QLRDSRREAE RLVRQAGGGG GTGSPKLVAL RLEMSSLPDL   780
TPTFNKLCGN SRQMACTPIS CPGELCPQDN GTACGSRCRG VLPRAGGAFL MAGQVAEQLR   840
GFNAQLQRTR QMIRAAEESA SQIQSSAQRL ETQVSASRSQ MEEDVRRTRL LIQQVRDFLT   900
DPDTDAATIQ EVSEAVLALW LPTDSATVLQ KMNEIQAIAA RLPNVDLVLS QTKQDIARAR   960
RLQAEAEEAR SRAHAVEGQV EDVVGNLRQG TVALQEAQDT MQGTSRSLRL IQDRVAEVQQ  1020
VLRPAEKLVT SMTKQLGDFW TRMEELRHQA RQQGAEAVQA QQLAEGASEQ ALSAQEGFER  1080
IKQKYAELKD RLGQSSMLGE QGARIQSVKT EAEELPGETM EMMDRMKDME LELLRGSQAI  1140
MLRSADLTGL EKRVEQIRDH INGRVLYYAT CK                                
```

Seq ID NO: 21 DNA sequence
Nucleic Acid Accession #: NM_003722
Coding sequence: 145-1491

```
1         11        21        31        41        51
|         |         |         |         |         |
TCGTTGATAT CAAAGACAGT TGAAGGAAAT GAATTTTGAA ACTTCACGGT GTGCCACCCT    60
ACAGTACTGC CCTGACCCTT ACATCCAGCG TTTCGTAGAA ACCCAGCTCA TTTCTCTTGG   120
AAAGAAAGTT ATTACCGATC CACCATGTCC CAGAGCACAC AGACAAATGA ATTCCTCAGT   180
CCAGAGGTTT TCCAGCATAT CTGGGATTTT CTGGAACAGC CTATATGTTC AGTTCAGCGC   240
ATTGACTTGA ACTTTGTGGA TGAACCATCA GAAGATGGTG CGACAAACAA GATTGAGATT   300
AGCATGGACT GTATCCGCAT GCAGGACTCG GACCTGAGTG ACCCCATGTG GCCACAGTAC   360
ACGAACCTGG GGCTCCTGAA CAGCATGGAC CAGCAGATTC AGAACGGCTC CTCGTCCAAC   420
AGTCCCTATA CACACAGACCA CGCGCAGAAC AGCGTCACGG CGCCCTCGCC CTACGCACAG   480
CCCAGCTCCA CCTTCGATGC TCTCTCTCCA TCACCCGCCA TCCCCTCCAA CACCGACTAC   540
CCAGGCCCGC ACAGTTTCGA CGTGTCCTTC CAGCAGTCGA GCACCGCCAA GTCGGCCACC   600
TGGACGTATT CCACTGAACT GAAGAAACTC TACTGCCAAA TTGCAAAGAC ATGCTCCATC   660
CAGATCAAGG TGATGACCCC ACCTCCTCAG GGAGCTGTTA TCCGCGCCAT GCCTGTCTAC   720
AAAAAAGCTG AGCACGTCAC GGAGGTGGTG AAGCGGTGCC CCAACCATGA GCTGAGCCGT   780
GAATTCAACG AGGGACAGAT TGCCCCTCCT AGTCATTTGA TTGCAGTAGA GGGGAACAGC   840
CATGCCCAGT ATGTAGAAGA TCCCATCACA GGAAGACAGA GTGTGCTGGT ACCTTATGAG   900
CCACCCCAGG TTGGCACTGA ATTCACGACA GTCTTGTACA ATTTCATGTG TAACAGCAGT   960
TGTGTTGGAG GGATGAACCG CCGTCCAATT TTAATCATTG TTACTCTGGA AACCAGAGAT  1020
GGGCAAGTCC TGGGCCGACG CTGCTTTGAG GCCCGGATCT GTGCTTGCCC AGGAAGAGAC  1080
AGGAAGGCGC ATGAAGATAG CATCAGAAAG CAGCAAGTTT CGGACAGTAC AAAGAACGGT  1140
GATGGTACGA AGCGCCCGTT TCGTCAGAAC ACACATGGTA TCCAGATGAC ATCCATCAAG  1200
AAACGAAGAT CCCCAGATGA TGAACTGTTA TACTTACCAG TGAGGGGCCG TGAGACTTAT  1260
GAAATGCTGT TGAAGATCAA AGAGTCCCTG GAACTCATGC AGTACCTTCC TCAGCACACA  1320
ATTGAAACGT ACAGGCAACA GCAACAGCAG CAGCACCAGC ACTTACTTCA GAAACATCTC  1380
CTTTCAGCCT GCTTCAGGAA TGAGCTTGTG GAGCCCCGAA GAGAAACTCA AAAACAATCT  1440
GACGTCTTCT TTAGACATTC CAAGCCCCCA AAACGATCAG TGTACCCATA GAGCCCTATC  1500
TCTATATTTT AAGTGTGTGT GTTGTATTTC CATGTGTATA TGTGAGTGTG TGTGTGTGTA  1560
TGTGTGTGCG TGTGTATCTA GCCCTCCATAA ACAGGACTTG AAGCACTTT GGCTCAGAGA  1620
CCCAACTGCT CAAAGGCACA AAGCCCACTG TGAGAGAATC TTTTGAAGGG ACTCAAACCT  1680
TTACAAGAAA GGATGTTTTC TGCAGATTTT GTATCCTTAG ACCGGCCATT GGTGGGTGAG  1740
GAACCACTGT GTTTGTCTGT GAGCTTTCTG TTGTTTCCTG GGAGGGAGGG GTCAGGTGGG  1800
GAAAGGGGCA TTAAGATGTT TATTGGAACC CTTTTCTGTC TTCTTCTGTT GTTTTTCTAA  1860
AATTCACAGG GAAGCTTTTG AGCAGGTCTC AAACTTAAGA TGTCTTTTTA AGAAAAGGAG  1920
AAAAAAGTTG TTATTGTCTG TGCATAAGTA AGTTGTAGGT GACTAGAGAA CTCAGTCAGA  1980
CCCTTTTAAT GCTGGTCATG TAATAATATT GCAAGTAGTA AGAAACGAAG GTGTCAAGTG  2040
TACTGCTGGG CAGCGAGGTG ATCATTACCA AAAGTAATCA ACTTTGTGGG TGGAGAGTTC  2100
TTTGTGAGAA CTTGCATTAT TTGTGTCCTC CCCTCATGTG TAGGTAGAAC ATTTCTTAAT  2160
GCTGTGTACC TGCCTCTGCC ACTGTATGTT GGCATCTGTT ATGCTAAAGT TTTTCTTGTA  2220
CATGAAACCC TGGAAGACCT ACTACAAAAA AACTGTTGTT TGGCCCCCAT AGCAGGTGAA  2280
CTCATTTTGT GCTTTTAATA GAAAGACAAA TCCACCCCAG TAATATTGCC CTTACGTAGT  2340
TGTTTACCAT TATTCAAAGC TCAAAATAGA ATTTGAAGCC CTCTCACAAA ATCTGTGATT  2400
AATTTGCTTA ATTAGAGCTT CTATCCCTCA AGCCTACCTA CCATAAAACC AGCCATATTA  2460
CTGATACTGT TCAGTGCATT TAGCCAGGAG ACTTACGTTT TGAGTAAGTG AGATCCAAGC  2520
AGACGTGTTA AAATCAGCAC TCCTGGACTG GAAATTAAAG ATTGAAAGGG TAGACTACTT  2580
```

```
TTCTTTTTT TACTCAAAAG TTTAGAGAAT CTCTGTTTCT TTCCATTTTA AAAACATATT 2640
TTAAGATAAT AGCATAAAGA CTTTAAAAAT GTTCCTCCCC TCCATCTTCC CACACCCAGT 2700
CACCAGCACT GTATTTTCTG TCACCAAGAC AATGATTTCT TGTTATTGAG GCTGTTGCTT 2760
TTGTGGATGT GTGATTTTAA TTTTCAATAA ACTTTTGCAT CTTGGTTTAA AAGAAA
```

Seq ID NO: 22 Protein sequence:
Protein Accession #: NP_003713

```
1          11         21         31         41         51
|          |          |          |          |          |
MSQSTQTNEF LSPEVFQHIW DFLEQPICSV QPIDLNFVDB PSEDGATNKI BISMDCIRMQ   60
DSDLSDPMWP QYTNLGLLNS MDQQIQNGSS STSPYNTDHA QNSVTAPSPY AQPSSTFDAL  120
SPSPAIPSNT DYPGPHSFDV SFQQSSTAKS ATWTYSTELK KLYCQIAKTC PIQIKVMTPP  180
PQGAVIRAMP VYKKAEHVTE VVKRCPNHEL SREFNEGQIA PPSHLIRVEG NSHAQYVEDP  240
ITGRQSVLVP YEPPQVGTEF TTVLYNFMCN SSCVGGMNRR PILIIVTLET RDGQVLGRRC  300
FEARICACPG RDRKADEDSI RKQQVSDSTK NGDGTKRPFR QNTHGIQMTS IKKRRSPDDE  360
LLYLPVRGRE TYEMLLKIKE SLELMQYLPQ HTIBTYRQQQ QQQHQHLLQK HLLSACFRNE  420
LVEPRRETPK QSDVFFRHSK PPNRSVYP
```

Seq ID NO: 23 DNA sequence
Nucleic Acid Accession #: NM_001944.1
Coding sequence: 84-3083

```
1          11         21         31         41         51
|          |          |          |          |          |
TTTTCTTAGA CATTAACTGC AGACGGCTGG CAGGATAGAA GCAGCGGCTC ACTTGGACTT   60
TTTCACCAGG GAAATCAGAG ACAATGATGG GGCTCTTCCC CAGAACTACA GGGGCTCTGG  120
CCATCTTCGT GGTGGTCATA TTGGTTCATG GAGAATTGCG AATAGAGACT AAAGGTCAAT  180
ATGATGAAGA AGAGATGACT ATGCAACAAG CTAAAAGAAG GCAAAAACGT GAATGGGTGA  240
AATTTGCCAA ACCCTGCAGA GAAGGAGAAG ATAAACTCAAA AAGAAACCCA ATTGCCAAGA  300
TTACTTCAGA TTACCAAGCA ACCCAGAAAA TCACCTACCG AATCTCTGGA GTGGGAATCG  360
ATCAGCCGCC TTTTGGAATC TTTGTTGTTG ACAAAAACAC TGGAGATATT AACATAACAG  420
CTATAGTCGA CCGGGAGGAA ACTCCAAGCT TCCTGATCAC ATGTCGGGCT CTAAATGCCC  480
AAGGACTAGA TGTAGAGAAA CCACTTATAC TAACGGTTAA AATTTTGGAT ATTAATGATA  540
ATCCTCCAGT ATTTTCACAA CAAATTTTCA TGGGTGAAAT TGAAGAAAAT AGTGCCTCAA  600
ACTCACTGGT GATGATACTA AATGCCACAG ATGCAGATGA ACCAAACCAC TTGAATTCTA  660
AAATTGCCTT CAAAATTGTC TCTCAGGAAC CAGCAGGCAC ACCCATGTTC CTCCTAAGCA  720
GAAACACTGG GGAAGTCCGT ACTTTGACCA ATTCTCTTGA CCGAGAGCAA GCTAGCAGCT  780
ATCGTCTGGT TGTGAGTGGT GCAGACAAAG ATGGAGAAGG ACTATCAACT CAATGTGAAT  840
GTAATATTAA AGTGAAAGAT GTCAACGATA ACTTCCCAAT GTTTAGAGAC TCTCAGTATT  900
CAGCACGTAT TGAAGAAAAT ATTTTAAGTT CTGAATTACT TCGATTTCAA GTAACAGATT  960
TGGATGAAGA GTACACAGAT AATTGGCTTG CAGTATATTT CTTTACCTCT GGGAATGAAG 1020
GAAATTGGTT TGAAATACAA ACTGATCCTA GAACTAATGA AGGCATCCTG AAAGTGGTGA 1080
AGGCTCTAGA TTATGAACAA CTACAAAGCG TGAAACTTAG TATTGCTGTC AAAAACAAAG 1140
CTGAATTTCA CCAATCAGTT ATCTCTCGAT ACCGAGTTCA GTCAACCCCA GTCACAATTC 1200
AGGTAATAAA TGTAAGAGAA GGAATTGCAT TCCGTCCTGC TTCCAAGACA TTTACTGTGC 1260
AAAAAGGCAT AAGTAGCAAA AAATTGGTGG ATTATATCCT GGGAACATAT CAAGCCATCG 1320
ATGAGGACAC TAACAAAGCT GCCTCAAATG TCAAATATGT CATGGGACGT AACGATGGTG 1380
GATACCTAAT GATTGATTCA AAAACTGCTG AAATCAAATT TGTCAAAAAT ATGAACCGAG 1440
ATTCTACTTT CATAGTTAAC AAAACAATCA CAGCTGAGGT TCTGGCCATA GATGAATACA 1500
CGGGTAAAAC TTCTACAGGC ACGGTATATG TTAGAGTACC CGATTTCAAT GACAATTGTC 1560
CAACAGCTGT CCTCGAAAAA GATGCAGTAT GCAGTTCTTC ACCTTCCGTG GTTGTCTCCG 1620
CTAGAACACT GAATAATAGA TACACTGGCC CCTATACATT TGCACTGGAA GATCAACCTG 1680
TAAAGTTGCC TGCCGTATGG AGTATCACAA CCCTCAATGC TACCTCGGCC CTCCTCAGAG 1740
CCCAGGAACA GATACCTCCT GGAGTATACC ACATCTCCCT GGTACTTACA GACAGTCAGA 1800
ACAATCGGTG TGAGATGCCA CGCAGCTTGA CACTGGAAGT CTGTCAGTGT GACAACAGGG 1860
GCATCTGTGG AACTTCTTAC CCAACCACAA GCCCTGGGAC CAGGTATGGC AGGCCGCACT 1920
CAGGGAGGCT GGGGCCTGCC GCCATCGGCC TGCTGCTCCT TGGTCTCCTG CTGCTGCTGT 1980
TGGCCCCCCT TCTGCTGTTG ACCTGTGACT GTGGGGCAGG TTCTACTGGG GGAGTGACAG 2040
GTGGTTTTAT CCCAGTTCCT GATGGCTCAG AAGGAACAAT TCATCAGTGG GGAATTGAAG 2100
GAGCCCATCC TGAAGACAAG GAAATCACAA ATATTTGTGT GCCTCCTGTA ACAGCCAATG 2160
GAGCCGATTT CATGGAAAGT TCTGAAGTTT GTACAAATAC GTATGCCAGA GGCACAGCGG 2220
TGGAAGGCAC TTCAGGAATG GAAATGACCA CTAAGCTTGG AGCAGCCACT GAATCTGGAG 2280
GTGCTGCAGG CTTTGCAACA GGGACAGTGT CAGGAGCTGC TTCAGGATTC GGAGCAGCCA 2340
CTGGAGTTGG CATCTGTTCC TCAGGGCAGT CTGGAACCAT GAGAACAAGG CATTCCACTG 2400
GAGGAACCAA TAAGGACTAC GCTGATGGGG CGATAAGCAT GAATTTTCTG GACTCCTACT 2460
TTTCTCAGAA AGCATTTGCC TGTGCGGAGG AAGACGATGG CCAGGAAGCA AATGACTGCT 2520
TGTTGATCTA TGATAATGAA GGCGCAGATG CCACTGGTTC TCCTGTGGGC TCCGTGGGTT 2580
GTTGCAGTTT TATTGCTGAT GACCTGGATG ACAGCTTCTT GGACTCACTT GGACCCAAAT 2640
TTAAAAAACT TGCAGAGATA AGCCTTGGTG TTGATGGTAA AGGCAAAGAA GTTCAGCCAC 2700
CCTCTAAAGA CAGCGGTTAT GGGATTGAAT CCTGTGGCCA TCCCATAGAA GTCCAGCAGA 2760
CAGGATTTGT TAAGTGCCAG ACTTTGTCAG GAAGTCAAGG AGCTTCTGCT TTGTCCGCCT 2820
CTGGGTCTGT CCAGCCAGCT GTTTCCATCC CTGACCCTCT GCAGCATGGT AACTATTTAG 2880
TAACGGAGAC TTACTCGGCT TCTGGTTCCC TCGTGCAACC TTCCACTGCA GGCTTTGATC 2940
CACTTCTCAC ACAAAATGTG ATAGTGCACG AAAGGGTGAT CTGTCCCATT TCCAGTGTTC 3000
CTGGCAACCT AGCTGGCCCA ACGCAGCTAC GAGGGTCACA TACTATGCTC TGTACAGAGG 3060
ATCCTTGCTC CGTCTAATAA TGACCAGAAT GAGCTGGAAT ACCACACTGA CCAAATCTGG 3120
ATCTTTGGAC TAAAGTATTC AAAATAGCAT AGCAAAGCTC ACTGTATTGG GCTAATAATT 3180
TGGCACTTAT TAGCTTCTCT CATAAACTGA TCACGATTAT AAATTAAATG TTTGGGTTCA 3240
TACCCCAAAA GCAATATGTT GTCACTCCTA ATTCTCAAGT ACTATTCAAA TTGTAGTAAA 3300
TCTTAAAGTT TTTCAAAACC CTAAAATCAT ATTCGC
```

Seq ID NO: 24 Protein sequence:
Protein Accession #: NP_001935.1

```
1          11         21         31         41         51
```

196

```
 |            |            |            |            |            |
     MMGLFPRTTG ALAIFVVVIL VHGELRIETK GQYDEEEMTM QQAKRRQKRE WVKPAKPCRE    60
     GEDNSKRNPI AKITSDYQAT QKITYRISGV GIDQPPFGIP VVDKNTGDIN ITAIVDREET   120
 5   PSFLITCRAL NAQGLDVEKP LILTVKILDI NDNPPVPSQQ IPMGEIEENS ASNSLVMILN   180
     ATDADEPNHL NSKIAFKIVS QEPAGTPMFL LSRNTGEVRT LTNSLDREQA SSYRLVVSGA   240
     DKDGEGLSTQ CECNIKVKDV NDNFPMFRDS QYSARIEENI LSSELLRPQV TDLDEEYTDN   300
     WLAVYFPTSG NEGNWFEIQT DPRTNEGILK VVKALDYEQL QSVKLSIAVK NKAEPHQSVI   360
     SRYRVQSTPV TIQVINVREG IAFRPASKTF TVQKGISSKK LVDYILGTYQ AIDEDTNKAA   420
10   SNVKYVMGRN DGGYLMIDSK TAEIKFVKNM NRDSTPIVNK TITAEVLAID EYTGKTSTGT   480
     VYVRVPDFND NCPTAVLEKD AVCSSSPSVV VSARTLNNRY TGPYTFALED QPVKLPAVWS   540
     ITTLNATSAL LRAQEQIPPG VYHISLVLTD SQNNRCEMPR SLTLEVCQCD NRGICGTSYP   600
     TTSPGTRYGR PHSGRLGPAA IGLLLLGLLL LLLAPLLLLT CDCGAGSTGG VTGGPIPVPD   660
15   GSEGTIHQWG IEGAHPEDKE ITNICVPPVT ANGADFMESS EVCTNTYARG TAVEGTSGME   720
     MTTKLGAATE SGGAAGFATG TVSGAASGFG AATGVGICSS GQSGTMRTRH STGGTNKDYA   780
     DGAISMNPLD SYFSQKAPAC AEEDDGQEAN DCLLIYDNEG ADATGSPVGS VGCCSFIADD   840
     LDDSFLDSLG PKFKKLABIS LGVDGEGKEV QPPSKDSGYG IESCGHPIEV QQTGFVKCQT   900
     LSGSQGASAL SASGSVQPAV SIPDPLQHGN YLVTETYSAS GSLVQPSTAG PDPLLTQNVI   960
     VTERVICPIS SVPGNLAGPT QLRGSHTMLC TEDPCSRLI
```

Seq ID NO: 25 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 56-1642

```
 1          11         21         31         41         51
 |          |          |          |          |          |
     AGTATCCCAG GAGGAGCAAG TGGCACGTCT TCGGACCTAG GCTGCCCCTG CCGTCATGTC    60
     GCAAGGGATC CTTTCTCCGC CAGCGGGCTT GCTGTCCGAT GACGATGTCG TAGTTTCTCC   120
     CATGTTTGAG TCCACAGCTG CAGATTTGGG GTCTGTGGTA CGCAAGAACC TGCTATCAGA   180
     CTGCTCTGTC GTCTCTACCT CCCTAGAGGA CAAGCAGCAG GTTCCATCTG AGGACAGTAT   240
     GGAGAAGGTG AAAGTATACT TGAGGGTTAG GCCCTTGTTA CCTTCAGAGT TGGAACGACA   300
     GGAAGATCAG GGTTGTGTCC GTATTGAGAA TGTGGAGACC CTTGTTCTAC AAGCACCCAA   360
     GGACTCTTTT GCCCTGAAGA GCAATGAACG GGGAATTGGC CAAGCCACAC ACAGGTTCAC   420
     CTTTTCCCAG ATCTTTGGGC CAGAAGTGGG ACAGGCATCC TTCTTCAACC TAACTGTGAA   480
     GGAGATGGTA AAGGATGTAC TCAAAGGGCA GAACTGGCTC ATCTATACAT ATGGAGTCAC   540
     TAACTCAGGG AAAACCCACA CGATTCAAGG TACCATCAAG GATGGAGGGA TTCTCCCCCG   600
     GTCCCTGGCG CTGATCTTCA ATAGCCTCCA AGGCCAACTT CATCCAACAC CTGATCTGAA   660
     GCCCTTGCTC TCCAATGAGG TAATCTGGCT AGACAGCAAG CAGATCCGAC AGGAGGAAAT   720
     GAAGAAGCTG TCCCTGCTAA ATGGAGGCCT CCAAGAGGAG GAGCTGTCCA CTTCCTTGAA   780
     GAGGAGTGTC TACATCGAAA GTCGGATAGG TACCAGCACC AGCTTCGACA GTGGCATTGC   840
     TGGGCTCTCT TCTATCAGTC AGTGTACCAG CAGTAGCCAG CTGGATGAAA CAAGTCATCG   900
     ATGGGCACAG CCAGACACTG CCCCACTACC TGTCCCGGCA AACATTCGCT TCTCCATCTG   960
     GATCTCATTC TTTGAGATCT ACAACGAACT GCTTTATGAC CGCCTAGCCA CGCCTCTGAC  1020
     ACAGCGCAAG AGGCAGACTT TGCCGGCTATG CGAGGATCAA AATGGCAATC CCTATGTGAA  1080
     AGATCTCAAC TGGATTCATG TGCAAGATGC TGAGGAGGCC TGGAAGCTCC TAAAAGTGGG  1140
     TCGTAAGAAC CAGAGCTTTG CCAGCACCCA CCTCAACCAG AACTCCAGCC GCAGTCACGA  1200
     CATCTTCTCA ATCAGGATCC TACACCTTCA GGGGGAAGGA GATATAGTCC CCAAGATCAG  1260
     CGAGCTGTCA CTCTGTGATC TGGCTGGCTC AGAGCGCTGC AAAGATCAGA AGAGTGGTGA  1320
     ACGGTTGAAG GAAGCAGGAA ACATTAACAC CTCTCTACAC ACCCTGGGCC GCTGTATTGC  1380
     TGCCCTTCGT CAAAACCAGC AGAACCGGTC AAAGCAGAAC CTGGTTCCCT TCCGTGACAG  1440
     CAAGTTGACT CGAGTGTTCC AAGGTTTCTT CACAGGCCGA GGCCGTTCCT GCATGATTGT  1500
     CAATGTGAAT CCCTGTGCAT CTACCTATGA TGAAACTCTT CATGTGGCCA AGTTCTCAGC  1560
     CATTGCTAGC CAGGTGACTT GTGCATGCCC CACCTATGCA ACTGGGATTC CCATCCCTGC  1620
     ACTCGTTCAT CAAGGAACAT AGTCTTCAGG TATCCCCCAG CTTAGAGAAA GGGGCTAAGG  1680
     CAGACACAGG CCTTGATGAT GATATTGAAA ATGAAGCTGA CATCTCCATG TATGGCAAAG  1740
     AGGAGCTCCT ACAAGTTGTG GAAGCCATGA AACCACTGCT TTTGAAGGAA CGACAGAAAA  1800
     AGCTACAGCT GGAGATGCAT CTCCGAGATG AAATTTGCAA TGAGATGGTA GAACAGATGC  1860
     AACAGCGGGA ACAGTGGTGC AGTGAACATT TGGACACCCA AAAGGAACTA TTGGAGGAAA  1920
     TGTATGAAGA AAAACTAAAT ATCCTCAAGG AGTCACTGAC AAGTTTTTAC CAAGAAGAGA  1980
     TTCAGGAGCG GGATGAAAAG ATTGAAGAGC TAGAAGCTCT CTTGCAGGAA GCCAGACAAC  2040
     AGTCAGTGGC CCATCAGCAA TCAGGGTCTG AATTGGCCCT ACGGCGGTCA CAAAGGTTGG  2100
     CAGCTTCTGC CTCCACCCAG CAGCTTCAGG AGGTTAAAGC TAAATTACAG CAGTGCAAAG  2160
     CAGAGCTAAA CTCTACCACT GAAGAGTTGC ATAAGTATCA GAAAATGTTA GAACCACCAC  2220
     CCTCAGCCAA GCCCTTCACC ATTGATGTGC ACAAGAAGTT AGAAGAGGGC CAGAAGAATA  2280
     TAAGGCTGTT GCGGACAGAG CTTCAGAAAC TTGGTGAGTC TCTCCAATCA GCAGAGAGAA  2340
     CTTGTTGCCA CAGCACTGGG GCAGGAAAAC TTCGTCAAGC CTTGACCACT TGTGATGACA  2400
     TCTTAATCAA ACAGGACCAG ACTCTGGCTG AACTGCAGAA CAACATGGTG CTAGTGAAAC  2460
     TGGACCTTCG GAAGAAGGCA GCATGTATTG CTGAGCAGTA TCATACTGTG TTGAAACTCC  2520
     AAGGCCAGGT TTCTGCCAAA AAGCGCCTTG GTACCAACCA GGAAAATCAG CAACCAAACC  2580
     AACAACCACC AGGGAAGAAA CCATTCCTTC GAAATTTACT TCCCCGAACA CCAACCTGCC  2640
     AAAGCTCAAC AGACTGCAGC CCTTATGCCC GGATCCTACG CTCACGGCGT TCCCCTTTAC  2700
     TCAAATCTGG GCCTTTTGGC AAAAAGTACT AAGGCTGTGG GGAAAGAGAA GAGCAGTCAT  2760
     GGCCCTGAGG TGGGTCAGCT ACTCTCCTGA AGAAATAGGT CTCTTTTATG CTTTACCATA  2820
     TATCAGGAAT TATATCCAGG ATGCAATACT CAGACACTAG CTTTTTTCTC ACTTTTGTAT  2880
     TATAACCACC TATGTAATCT CATGTTGTTG TTTTTTTTTA TTTACTTATA TGATTTCTAT  2940
     GCACACAAAA ACAGTTATAT TAAAGATATT ATTGTTCACA TTTTTTTATTG AATTCCAAAT  3000
     GTAGCAAAAT CATTAAAACA AATTATAAAA GGGACAGAAA AA
```

Seq ID NO: 26 Protein sequence:
Protein Accession #: Eos sequence

```
 1          11         21         31         41         51
 |          |          |          |          |          |
     MSQGILSPPA GLLSDDDVVV SPMFESTAAD LGSVVRKNLL SDCSVVSTSL EDKQQVPSED    60
     SMEKVKVYLR VRPLLPSELE RQEDQGCVRI ENVETLVLQA PKDSPALKSN ERGIGQATHR   120
     FTPSQIFGPE VGQASFPNLT VKEMVKDVLK GQNWLIYTYG VTNSGKTHTI QGTIKDGGIL   180
     PRSLALIFNS LQGQLHPTPD LKPLLSNEVI WLDSKQIRQE EMKKLSLLNG GLQEEELSTS   240
     LKRSVYIESR IGTSTSPDSG IAGLSSISQC TSSSQLDETS HRWAQPDTAP LPVPANIRFS   300
```

197

```
         IWISFFBIYN ELLYDLLEPP SQQRKRQTLR LCEDQNGNPY VKDLNWIHVQ DAEEAWKLLK   360
         VGRKNQSPAS THLNQNSSRS HSIPSIRILH LQGBGDIVPK ISELSLCDLA GSERCKDQKS   420
         GERLKEAGNI NTSLHTLGRC IAALRQNQQN RSKQNLVPFR DSKLTRVFQG FFTGRGRSCM   480
         IVNVNPCAST YDBTLHVAKF SAIASQVTCA CPTYATGIPI PALVHQGT
```

Seq ID NO: 27 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 13-1424

```
1          11         21         31         41         51
|          |          |          |          |          |
TAGAAGTTTA CAATGAAGTT TCTTCTAATA CTGCTCCTGC AGGCCACTGC TTCTGGAGCT    60
CTTCCCCTGA ACAGCTCTAC AAGCCTGGAA AAAAATAATG TGCTATTTGG TGAAAGATAC   120
TTAGAAAAAT TTTATGGCCT TGAGATAAAC AAACTTCCAG TGACAAAAAT GAAATATAGT   180
GGAAACTTAA TGAAGGAAAA AATCCAAGAA ATGCAGCACT TCTTGGGTCT GAAAGTGACC   240
GGGCAACTGG ACACATCTAC CCTGGAGATG ATGCACGCAC CTCGATGTGG AGTCCCCGAT   300
GTCCATCATT TCAGGGAAAT GCCAGGGGGG CCCGTATGGA GGAAACATTA TATCACCTAC   360
AGAATCAATA ATTACACACC TGACATGAAC CGTGAGGATG TTGACTACGC AATCCGGAAA   420
GCTTTCCAAG TATGGAGTAA TGTTACCCCC TTGAAATTCA GCAAGATTAA CACAGGCATG   480
GCTGACATTT TGGTGGTTTT TGCCCGTGGA GCTCATGGAG ACTTCCATGC TTTTGATGGC   540
AAAGGTGGAA TCCTAGCCCA TGCTTTTGGA CCTGGATCTG GCATTGGAGG GGATGCACAT   600
TTGCATGAGG ACGAATTCTG GACTACACAT TCAGGAGGCA CAAACTTGTT CCTCACTGCT   660
GTTCACGAGA TTGGCCATTC CTTAGGTCTT GGCCATTCTA GTGATCCAAA GGCCGTAATG   720
TTCCCCACCT ACAAATATGT TGACATCAAC ACATTTCGCC TCTCTGCTGA TGACATACGT   780
GGCATTCAGT CCCTGTATGG AGACCCAAAA GAGAACCAAC GCTTGCCAAA TCCTGACAAT   840
TCAGAACCAG CTCTCTGTGA CCCCAATTTG AGTTTTGATG CTGTCACTGC CGTGGGAAAT   900
AAGATCTTTT TCTTCAAAGA CAGGTTCTTC TGGCTGAAGG TTTCTGAGAG ACCAAAGACC   960
AGTGTTAATT TAATTTCTTC CTTATGGCCA ACCTTGCCAT CTGGCATTGA AGCTGCTTAT  1020
GAAATTGAAG CCAGAAATCA AGTTTTTCTT TTTAAAGATG ACAAATACTG GTTAATTAGC  1080
AATTTAAGAC CAGAGCCAAA TTATCCCAAG AGCATACATT CTTTTGGTTT TCCTAACTTT  1140
GTGAAAAAAA TTGATGCAGC TGTTTTTAAC CCACGTTTTT ATAGGACCTA CTTCTTTGTA  1200
GATAACCAGT ATTGGAGGTA TGATGAAAGG AGACAGATGA TGGACCCTGG TTATCCCAAA  1260
CTGATTACCA AGAACTTCCA AGGAATCGGG CCTAAAATTG ATGCAGTCTT CTACTCTAAA  1320
AACAAATACT ACTATTTCTT CCAAGGATCT AACCAATTTG AATATGACTT CCTACTCCAA  1380
CGTATCACCA AAACACTGAA AAGCAATAGC TGGTTTGGTT GTTGAAAATG GTGTAATTAA  1440
TGGTTTTTGT TAGTTCACTT CAGCTTAATA AGTATTTATT GCATATTTGC TATGTCCTCA  1500
GTGTACCACT ACTTAGAGAT ATGTATCATA AAAATAAAAT CTGTAAACCA TAGGTAATGA  1560
TTATATAAAA TACATAATAT TTTTCAATTT TGAAAACTCT AATTGTCCAT TCTTGCTTGA  1620
CTCTACTATT AAGTTTGAAA ATAGTTACCT TCAAAGCAAG ATAATTCTAT TTGAAGCATG  1680
CTCTGTAAGT TGCTTCCTAA CATCCTTGGA CTGAGAAATT ATACTTACTT CTGGCATAAC  1740
TAAAATTAAG TATATATATT TTGGCTCAAA TAAAATTG
```

Seq ID NO: 28 Protein sequence:
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MKPLLILLLQ ATASGALPLN SSTSLEKNNV LFGERYLEKF YGLEINKLFV TRMKYSGNLM    60
KEKIQEMQHF LGLKVTGQLD TSTLEMMHAP RCGVPDVHHF REMPGGPVWR KHYITYRINN   120
YTPDMNREDV DYAIRKAFQV WSNVTPLKFS KINTGMADIL VVFARGAHGD FHAFDGKGGI   180
LAHAFGPGSG IGGDAHFDED EPWTTHSGGT NLFLTAVHEI GHSLGLGHSS DPKAVMFPTY   240
KYVDINTPRL SADDIRGIQS LYGDPKENQR LPNPDNSEPA LCDPNLSFDA VTTVGNKIFF   300
FKDRFFWLKV SERPKTSVNL ISSLWPTLPS GIEAAYEIEA RNQVFLFKDD KYWLISNLRP   360
EPNYPKSIHS FGFPNFVKKI DAAVFNPRFY RTYPFVDNQY WRYDERRQMM DPGYPKLITK   420
NFQGIGPKID AVPYSKNKYY YFPQGSNQFE YDFLLQRITK TLKSNSWFGC
```

Seq ID NO: 29 DNA sequence
Nucleic Acid Accession #: NM_006115.1
Coding sequence: 236..1765

```
1          11         21         31         41         51
|          |          |          |          |          |
GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCCTC AGCACCGCTC    60
CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA   120
ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT   180
GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAAATGGA   240
ACGAAGGCGT TTGTGGGGTT CCATTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG   300
CCCACGGAGA CTTGTGGAGC TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT   360
TGCCCGCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA   420
CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC   480
TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA   540
TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT   600
GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG   660
TCTGTACTCA TTTCCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC AAAAAGTAGA   720
TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGGTGCTCG TAGACCTGTT   780
CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA   840
GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA   900
TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTTGG AAGTGACTTG   960
TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT  1020
GCGTAGACTC CTCCTCTCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA  1080
GCAGTATATC GCCCAGTTCC CCTCTCAGTT CCTCAGTGCTG AGGCTCTCTA  1140
TGTGGACTCT TTATTTTTCT TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA  1200
CCCCCTTGGAA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT  1260
GTCCCAGAGT CCCAGCGTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC  1320
CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA  1380
CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTTGCCCTCC TGCCTTCCCT  1440
GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACGGG AATTCCATCT CCATATCTGC  1500
```

```
CTTGCAGAGT CTCCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC   1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA   1620
TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCCAGCA TGGTCTGGCT   1680
TAGTGCCAAC CCCTGTCCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCCATCCT  1740
GTGCCCCTGT TTCATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC   1800
TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTCAG    1860
ACAAATGTTC AGTGTGAGTG AGGAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT   1920
GTTCAGTGAG GAAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTTGACTTG AGGAGTTAAT   1980
GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA   2040
GATTCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC   2100
TGTTGAAAAT AAAGAGAAGC AATGTGAAGC AAAAAAAAAA AAAAAAAA
```

Seq ID NO: 30 Protein sequence:
Protein Accession #: NP_006106.1

```
1          11         21         31         41         51
|          |          |          |          |          |
GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCGCCTC AGCACCGCTC   60
CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA   120
ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT   180
GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAAATGGA   240
ACGAAGGCGT TTGTGGGGTT CCATTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG   300
CCCACGGAGA CTTGTGGAGC TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT   360
TGCCGCCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA   420
CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC   480
TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA   540
TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT   600
GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG   660
TCTGTACTCA TTTCCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC AAAAAGTAGA   720
TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT   780
CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA   840
GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA   900
TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTGG AAGTGACTTG    960
TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT   1020
GCGTAGACTC CTCCTCTCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA   1080
GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCTA   1140
TGTGGACTCT TTATTTTTCC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA   1200
CCCCCTTGGA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT   1260
GTCCCAGAGT CCCAGCGTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC   1320
CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA   1380
CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTTGCCCTCC TGCCTTCCCT   1440
GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACGGG AATTCCATCT CCATATCTGC   1500
CTTGCAGAGT CTCCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCCACG TGCTGTATCC   1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA   1620
TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCCAGCA TGGTCTGGCT   1680
TAGTGCCAAC CCCTGTCCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCCATCCT  1740
GTGCCCCTGT TTCATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC   1800
TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG   1860
ACAAATGTTC AGTGTGAGTG AGGAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT   1920
GTTCAGTGAG GAAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTTGACTTG AGGAGTTAAT   1980
GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA   2040
GATTCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC   2100
TGTTGAAAAT AAAGAGAAGC AATGTGAAGC AAAAAAAAAA AAAAAAAA
```

Seq ID NO: 31 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 64-2754

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCAGGTCTC GCTCTCGGCA CCCTCCCGGC GCCCGCGTTC TCCTGGCCCT GCCCGGCATC   60
CCGATGGCCG CCGCTGGGCC CCGGCGCTCC GTGCGCGGAG CCGTCTGCCT GCATCTGCTG   120
CTGACCCTCG TGATCTTCAG TCGTGATGGT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA   180
CCTTCTAAAC TAGAGGCAGA CAAAATAATT GGCAGAGTTA ATTTGGAAGA GTGCTTCAGG   240
TCTGCAGACC TCATCCGGTC AAGTGATCCT GATTTCAGAG TTCTAAATGA TGGGTCAGTG   300
TACACAGCCA GGGCTGTTGC GCTGTCTGAT AAGAAAGAT CATTTACCAT ATGGCTTTCT    360
GACAAAGGA AACAGACACA GAAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA    420
TCGAAGACAA GACACACTAG AGAAACTGTT CTCAGGCGTG CCAGAGGAG ATGGGCACCT    480
ATTCCTTGCT CTATGCAAGA GAATTCCTTG GGCCCTTTCC CATTGTTTCT TCAACAAGTT   540
GAATCTGATG CAGCACAGAA CTATACTGTC TTCTACTCAA TAAGTGGACG TGGAGTTGAT   600
AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACACTG GAAATCTATT TTGCACTCGG   660
CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTTGATTG CTTATGCGTC AACTGCAGAT   720
GGATATTCAG CAGATCTGCC CCTCCCCACTA CCCATCAGGG TAGAGGATGA AAATGACAAC   780
CACCCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAGTAG TAGACCTGGT   840
ACTACAGTGG GGGTGGTTTG TGCCACAGAC AGAGATGAAC CGGCACACAAT GCATACGCGC   900
CTGAAATACA GCATTTTGCA GCAGACACCA AGGTCACCTG GGCTCTTTTC TGTGCATCCC   960
AGCACAGGCG TAATCACCAC AGTCTCTCAT TATTTGGACA GAGAGGTTGT AGACAAGTAC   1020
TCATTGATAA TGAAAGTACA AGACATGGAT GGCCAGTTTT TTGGATTGAT AGGCACATCA   1080
ACTTGTATCA TAACAGTAAC AGATTCAAAT GATAATGCAC CCACTTTCAG ACAAAATGCT   1140
TATGAAGCAT TTGTAGAGGA AAATGCATTC AATGTGGAAA TCTTACGAAT ACCTATAGAA   1200
GATAAGGATT TAATTAACAC TGCCAATTGG AGAGTCAATT TTACCATTTT AAAGGGAAAT   1260
GAAAATGGAC ATTTCAAAAT CAGCACAGAC AAAGAAACTA ATGAAGGTGT TCTTTCTGTT   1320
GTAAAGCCAC TGAATTATGA AGAAAACCGT CAAGTGAACC TGGAAAATTGG AGTAAACAAT   1380
GAAGCGCCAT TTGCTAGAGA TATTCCCAGA GTGACAGCCT TGAACAGAGC CTTGGTTACA   1440
GTTCATGTGA GGGATCTGGA TGAGGGGCCT GAATGCACTC CTGCAGCCCA ATATGTGCGG   1500
ATTAAAGAAA ACTTAGCAGT GGGGTCAAAG ATCAACGGCT ATAAGGCATA TGACCCCGAA   1560
```

```
AATAGAAATG GCAATGGTTT AAGGTACAAA AAAATTGCATG ATCCTAAAGG TTGGATCACC 1620
ATTGATGAAA TTTCAGGGTC AATCATAACT TCCAAAATCC TGGATAGGGA GGTTGAAACT 1680
CCCAAAAATG AGTTGTATAA TATTACAGTC CTGGCAATAG ACAAAGATGA TAGATCATGT 1740
ACTGGAACAC TTGCTGTGAA CATTGAAGAT GTAAATGATA ATCCACCAGA AATACTTCAA 1800
GAATATGTAG TCATTTGCAA ACCAAAAATG GGGTATACCG ACATTTTTAGC TGTTGATCCT 1860
GATGAACCTG TCCATGGAGC TCCATTTTAT TTCAGTTTGC CCAATACTTC TCCAGAAATC 1920
AGTAGACTGT GGAGCCTCAC CAAAGTTAAT GATACAGCTG CCCGTCTTTC ATATCAGAAA 1980
AATGCTGGAT TTCAAGAATA TACCATTCCT ATTACTGTAA AAGACAGGGC CGGCCAAGCT 2040
GCAACAAAAT TATTGAGAGT TAATCTGTGT GAATGTACTC ATCCAACTCA GTGTCGTGCG 2100
ACTTCAAGGA GTACAGGAGT AATACTTGGA AAATGGGCAA TCCTTGCAAT ATTACTGGGT 2160
ATAGCACTGC TCTTTTCTGT ATTGCTAACT TTAGTATGTG GAGTTTTTGG TGCAACTAAA 2220
GGGAAACGTT TTCCTGAAGA TTTAGCACAG CAAAACTTAA TTATATCAAA CACAGAAGCA 2280
CCTGGAGACG ATAGAGTGTG CTCTGCCAAT GGATTTATGA CCCAAACTAC CAACAACTCA 2340
AGCCAAGGTT TTTGTGGTAC TATGGGATCA GGAATGAAAA ATGGAGGGCA GGAAACCATT 2400
GAAATGATGA AAGGAGGAAA CCAGACCTTG GAATCCTGCC GGGGGGCTGG GCATCATCAT 2460
ACCCTGGACT CCTGCAGGGG AGGACACACG GAGGTGGACA ACTGCAGATA CACTTACTCG 2520
GAGTGGCACA GTTTTACTCA ACCCCGTCTC GGTGAAAAAT TGCATCGATG TAATCAGAAT 2580
GAAGACCGCA TGCCATCCCA AGATTATGTC CTCACTTATA ACTATGAGGG AAGAGGATCT 2640
CCAGCTGGTT CTGTGGGCTG CTGCAGTGAA AAGCAGGAAG GGACTTTTTA 2700
AATAATTTGG AACCCAAATT TATTACATTA GCAGAAGCAT GCACAAAGAG ATAAATGTCAC 2760
AGTGCTACAA TTAGGTCTTT GTCAGACATT CTGGAGGTTT CCAAAAATAA TATTGTAAAG 2820
TTCAATTTCA ACATGTATGT ATATGATGAT TTTTTTCTCA ATTTTGAATT ATGCTACTCA 2880
CCAATTTATA TTTTTAAAGC CAGTTGTTGC TTATCTTTTC CAAAAAGTGA AAAATGTTAA 2940
AACAGACAAC TGGTAAATCT CAAACTCCAG CACTGGAATT AAGGTCTCTA AAGCATCTGC 3000
TCTTTTTTTT TTTTACGGAT ATTTTAGTAA TAAATATGCT GGATAAATAT TAGTCCAACA 3060
ATAGCTAAGT TATGCTAATA TCACATTATT ATGTATTCAC TTTAAGTGAT AGTTTAAAAA 3120
ATAAACAAGA AATATTGAGT ATCACTATGT GAAGAAAGTT TTGGAAAAGA AACAATGAAG 3180
ACTGAATTAA ATTAAAAATG TTGCAGCTCA TAAAGAATTG GGACTCACCC CTACTGCACT 3240
ACCAAATTCA TTTGACTTTG GAGGCAAAAT GTGTTGAAGT GCCCTATGAA GTAGCAATTT 3300
TCTATAGGAA TATAGTTGGA AATAAATGTG TGTGTGTATA TTATTATTAA TCAATGCAAT 3360
ATTTAAAATG AAATGAGAAC AAAAGAGGAAA ATGGTAAAAA CTTGAAATGA GGCTGGGGTA 3420
TAGTTTGTCC TACAATAGAA AAAAGAGAGA GCTTCCTAGG CCTGGACTCT TAAATGCTGT 3480
ATTATAACTG AGTCTATGAG GAAATAGTTC CTGTCCAATT TGTGTAATTT GTTTAAAATT 3540
GTAAATAAAT TAAACTTTTC TGGTTTCTGT GGGAAGGAAA TAGGGAATCC AATGGAACAG 3600
TAGCTTTGCT TTGCAGTCTG TTTCAAGATT TCTGCATCCA CAAGTTAGTA GCAAACTGGG 3660
GAATACTCGC TGCAGCTGGG GTTCCCTGCT TTTTGGTAGC AAGGGTCCAG AGATGAGGTG 3720
TTTTTTTCGG GGAGCTAATA ACAAAAACAT TTTAAAACTT ACCTTTACTG AAGTTAAATC 3780
CTCTATTGCT GTTTCTATTC TCTCTTATAG TGACCAACAT CTTTTTAATT TAGATCCAAA 3840
TAACCATGTC CTCCTAGAGT TTAGAGGCTA GAGGGAGCTG AGGGGAGGGA CTTACTGAAA 3900
GCACCCTGGG GAGATTGATT GTCCTTAAAC CTAAGCCCCA CAAACTTGAC ACCTGATCAG 3960
GTCTGGGAGC TACAAAATTT CATTTTTCTC CTCACTGCCC TTCTTCTGAG TGGCATTGGC 4020
CTGAATCAAG GAAAGCCAGG CCTTGTGGGC CCCTTCTTT CGGCTTTCTG CTAAAGCAAC 4080
ACCTCCAGCA GAGATTCCCT TAAGTGACTC CAGGTTTTCC ACCATCTTC AGCGTGAATT 4140
AATTTTTAAT CAGTTTGCTT TCTCCAGAGA AATTTTAAAA TAATAGAAGA AATAGAAATT 4200
TTGAATGTAT AAAAGAAAAA GATCAAGTTG TCATTTTAGA ACAGAGGGAA CTTTGGGAGA 4260
AAGCAGCCCA AGTAGGTTAT TTGTACAGTC AGAGGGCAAC AGGAAGATGC AGGCCTTCAA 4320
GGGCAAGGAG AGGCCACAAG GAATATGGGT GGGAGTAAAA GCAACATCGT CTGCTTCATA 4380
CTTTTTCCTA GGCTTGGCAC TGCCTTTTCC TTTCTCAGGC CAATGGCAAC TGCCATTTGA 4440
GTCCGGTGAG GGATCAGCCA ACCTCTTCTC TATGGCTCAC CTTATTTGGA GTGAGAAATC 4500
AAGGAGACAG AGCTGACTGC ATGATGAGTC TGAAGGCATT TGCAGGATGA GCCTGAACTG 4560
GTTGTGCAGA ACAAACAAGG CATTCATGGG AATTGTTGTA TTCCTTCTGC AGCCCTCCTT 4620
CTGGGCACTA AGAAGGTCTA TGAATTAAAT GCCTATCTAA AATTCTGATT TATTCCTACA 4680
TTTTCTGTTT TCTAATTTGA CCCTAAAATC TATGTGTTTT AGACTTAGAC TTTTTATTGC 4740
CCCCCCCCCC TTTTTTTTTG AGAQGGAGTC TCGCTCTGAC GCACAGGCTG GAGTGCAGTG 4800
GCTCCGATCT CTGCTCACTG AAAGCTCCGC CTCCCGGGTT CATGCCATTC TCCTGCCTCA 4860
GCCTCCTGAG TAGCTGGGAC TACAGGCGCC CACCACCACG CCCGGCTAAT TTTTTGTATT 4920
TTTAATAGAG ACGGGGGTTTC ACTGTGTTAG CCAGGATGGT CTCGATCTCC TGACCTCGTG 4980
ATCCGCCTGC CTCGGCCTCC CAAAGTGCTG GGATTACAGG CATGACCCAC CGCTCCCGGC 5040
CTTGTTTTCC GTTTAAAGTC GTCTTCTTTT AATGTAATCA TTTTGAACAT GTGTGAAAGT 5100
TGATCATACG AATTGGATCA ATCTTGAAAT ACTCAACCAA AAGACAGTCG AGAAGCCAGG 5160
GGGAGAAAGA ACTCAGGGCA CAAAATATTG GTCTGAGAAT GGAATTCTCT GTAAGCCTAG 5220
TTGCTGAAAT TTCCTGCTGT AACCAGAAGC CAGTTTTATC TAACGGCTAC TGAAACACCC 5280
ACTGTGTTTT GCTCACTCCC TCACTCACCG ATCAAAACCT GCTACCTCCC CAAGACTTTA 5340
CTAGTGCCGA TAAACTTTCT CAAAGAGCAA CCAGTATCAC TTCCCTGTTT ATAAAACCTC 5400
TAACCATCTC TTTGTTCTTT GAACATGCTC AAAACCACCT GGTCTGCATG TATGCCCGAA 5460
TTTGTAATTC TTTTCTCTCA AATGAAAATT TAATTTTAGG GATTCATTTC TATATTTTCA 5520
CATATGTAGT ATTATTATTT CCTTATATGT GTAAGGTGAA ATTTATGGTA TTTGAGTGTG 5580
CAAGAAAATA TATTTTTAAA GCTTTCATTT TTCCCCCAGT GAATGATTTA GAATTTTTTA 5640
TGTAAATATA CAGAATGTTT TTTCTTACTT TTATAAGGAA GCAGCTGTCT AAAATGCAGT 5700
GGGGTTTGTT TTGCAATGTT TTAAACAGAG TTTTAGTATT GCTATTAAAA GAAGTTACTT 5760
TGCTTTTAAA GAAACTTGGC TGCTTAAAAT AAGCAAAAAT TGGATGCATA AAGTAATATT 5820
TACAGATGTG GGGAGATGTA ATAAAACAAT ATTAACTTGG TTTCTGTTTT TTGCTGTATT 5880
TAGAGATTAA ATAATTCTAA GATGATCACT TTGCAAAATT ATGCTTATGG CTGGCATGGA 5940
AATAGAAATA CTCAATTATG TCTTTGTTGT ATTAATGGGG AATATTTTGG ACAATGTTTC 6000
ATTATCAAAT TGTCGACATC ATTAATATAT ATTGTAATGT TGGGAAGAGA TCACTATTTT 6060
GAAGCACAGC TTTACAGATG AGTATCTATG ATACATATGT ATAATAAATT TTGATCGGGT 6120
ATTAAAAGTA TTAGAAGGTG GTTATAATTG CAGAGTATTC CATGAATAGT ACACTGACAC 6180
AGGGGTTTTA CTTTGAGGAC CAGTGTAGTC AAGGGAAAAC ATGAGTTAAA AAGAAAAGCA 6240
GGCAATATTG CAGTCTTGAT TCTGCCACTT ACAGGATAGA TAATGCCTGA ACTTTAATGA 6300
CAAGATGATC CAACCATAAA GGTGCTCTGT GCTTCACAGT GAATCTTTTC CCCATGCAGG 6360
AGTGTGCTCC CCTACAAACG TTAAGACTGA TCATTTCAAA AATCTATTAG CTATATCAAA 6420
AGCCTTACAT TTTAATATAG GTTGAACCAA AATTTCAATT CCAGTAACTT CTATTGTAAC 6480
CATTATTTTT GTGTATGTCT TCAAGAATGT TCATTGGATT TTTGTTTGTA ATAGTAAAAT 6540
ACCGGATACA TTTCACGTGT CCTTCAGTAT TGATTTGGTT GAATATTGGG TCATAATGGT 6600
TGAGAAGCAT GGACACTAGA GCCAGAATGC TTGGATATGA ATCCTGGATC TGTCACTTAC 6660
TTCTGTGTGA CCTTTGAAAG GCTACTTATT TCCTCTCTTA GCTTTCTCAT TAAAATCAAT 6720
GAACAATGCC AGCCTCATGG GGTTGTTGAA TGATTAAATT AGTTAATATA CCTAAAGTAC 6780
```

```
ATAGAACACT GCCTGCACAT AGTAAAAGAA TTATAAGTGT GAGGTAGTTG GTAAAATTAT  6840
GTAGTTGGAT ATACTACCGA ACAATATCTA ATCTCTTTTT AGGGAAATAA AGTTTGTGCA  6900
TATATATAAT CCCGAAACAT G
```

Seq ID NO: 32 Protein sequence:
Protein Accession #: NP_001932.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEBCFRS   60
ADLIRSSDPD FRVLNDGSVY TARAVALSDK KRSFTIWLSD KRKQTQKEVT VLLEHQKKVS  120
KTRHTRETVL RRAKRRWAPI PCSMQENSLG PFFPLFLQQVE SDAAQNYTVP YSISGRGVDK  180
EPLNLFYIER DTGNLFCTRP VDREEYDVFD LIAYASTADG YSADLFLPLP IRVEDENDNH  240
PVPTEAIYNF EVLESSRPGT TVGVVCATDR DEPDTMHTRL KYSILQQTPR SPGLFSVHPS  300
TGVITTVSHY LDREVVDKYS LIMKVQDMDG QFFGLIGTST CIITVTDSND NAPTFRQNAY  360
EAFVEENAFN VEILRIPIED KDLINTANWR VNFTILKGNE NGHPKISTDK ETNEGVLSVV  420
KPLNYEENRQ VNLEIGVNNE APFARDIPRV TALNRALVTV HVRDLDEGPE CTPAAQYVRI  480
KENLAVGSKI NGYKAYDPEN RNGNGLRYKK LHDPKGWITI DEISGSIITS KILDREVETP  540
KNELYNITVL AIDKDDRSCT GTLAVNIEDV NDNPPEILQE YVVICKPKMG YTDILAVDPD  600
EPVHGAPFYP SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGPQEYTIPI TVKDRAGQAA  660
TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLFSVLLTL VCGVPGATKG  720
KRFPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNSS QGPCGTMGSG MKNGGQBTIE  780
MMKGGNQTLE SCRGAGHHHT LDSCRGGHTE VDNCRYTYSE WHSFTQPRLG EKLHRCNQNE  840
DRMPSQDYVL TYNYEGRGSP AGSVGCCSEK QEEDGLDFLN NLEPKFITLA EACTKR
```

Seq ID NO: 33 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 64-2583

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCAGGTCTC GCTCTCGGCA CCCTCCCGGC GCCCGCGTTC TCCTGGCCCT GCCCGGCATC   60
CCGATGGCCG CCGCTGGGCC CCGGCGCTCC GTGCGCGGAG CCGTCTGCCT GCATCTGCTG  120
CTGACCCTCG TGATCTTCAG TCGTGATGGT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA  180
CCTTCTAAAC TAGAGGCAGA CAAAATAATT GGCAGAGTTA ATTTGGAAGA GTGCTTCAGG  240
TCTGCAGACC TCATCCGGTC AAGTGATCCT GATTTCAGAG TTCTAAATGA TGGGTCAGTG  300
TACACAGCCA GGGCTGTTGC GCTGTCTGAT AAGAAAAGAT CATTTACCAT ATGGCTTTCT  360
GACAAAAGGA AACAGACACA GAAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA  420
TCGAAGACAA GACACACTAG AGAAACTGTT CTCAGGCGTG CCAAGAGGAG ATGGGCACCT  480
ATTCCTTGCT CTATGCAAGA GAATTCCTTG GGCCCTTTCC CATTGTTTCT TCAACAAGTT  540
GAATCTGATG CAGCCACAGAA CTATACTGTC TTCTACTCAA TAAGTGGACG TGGAGTTGAT  600
AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACACTG GAAATCTATT TTGCACTCGG  660
CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTTGATTG CTTATGCGTC AACTGCAGAT  720
GGATATTCAG CAGATCTGCC CCTCCCACTA CCCATCAGGG TAGAGGATGA AAATGACAAC  780
CACCCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAGTAG TAGACCTGGT  840
ACTACAGTGG GGGTGGTTTG TGCCACAGAC AGAGATGAAC CGGACACAAT GCATACGCGC  900
CTGAAATACA GCATTTTGCA GCAGACACCA AGGTCACCTG GGCTCTTTTC TGTGCATCCC  960
AGCACAGGCG TAATCACCAC AGTCTCTCAT TATTTGGACA GAGAGGTTGT AGACAAGTAC 1020
TCATTGATAA TGAAAGTACA AGACATGGAT GGCCAGTTTT TTGGATTGAT AGGCACATCA 1080
ACTTGTATCA TAACAGTAAC AGATTCAAAT GATAATGCAC CCACTTTCAG ACAAAATGCT 1140
TATGAAGCAT TTGTAGAGGA AAATGCATTC AATGTGGAAA TCTTACGAAT ACCTATAGAA 1200
GATAAGGATT TAATTAACAC TGCCAATTGG AGAGTCAATT TTACCATTTT AAAGGGAAAT 1260
GAAAATGGAC ATTTCAAAAT CAGCACAGAC AAAGAAACTA ATGAAGGTGT GCTTTCTGTT 1320
GTAAAGCCAC TGAATTATGA AGAAAACCGT CAAGTGAACC TGGAAATTGG AGTAAACAAT 1380
GAAGCGCCAT TTGCTAGAGA TATTCCCAGA GTGACAGCCT TGAACAGAGC CTTGGTTACA 1440
GTTCATGTGA GGGATCTGGA TGAGGGGCCT GAATGCACTC CTGCAGCCCA ATATGTGCGG 1500
ATTAAAGAAA ACTTAGCAGT GGGGTCAAAG ATCAACGGCT ATAAAGCATA TGACCCCGAA 1560
AATAGAAATG GCAATGGTTT AAGGTACAAA AAATTGCATG ATCCTAAAGG TTGGATCACC 1620
ATTGATGAAA TTTCAGGGTC AATCATAACT TCCAAAATCC TGGATAGGGA GGTTGAAACT 1680
CCCAAAAATG AGTTGTATAA TATTACAGTC CTGGCAATAG ACAAAGATGA TAGATCCATGT 1740
ACTGGAACAC TTGCTGTGAA CATTGAAGAT GTAAATGATA ATCCACCAGA AATACTTCAA 1800
GAATATGTAG TCATTTGCAA ACCAAAAATG GGGTATACCG ACATTTTAGC TGTTGATCCT 1860
GATGAACCTG TCCATGGAGC TCCATTTTAT TTCAGTTTGC CCAATACTTC TCCAGAAATC 1920
AGTAGACTGT GGAGCCTCAC CAAAGTTAAT GATACAGCTG CCGGTCTTTC ATATCAGAAA 1980
AATGCTGGAT TTCAAGAATA TACCATTCCT ATTACTGTAA AAGACAGGGC CGGCCAAGCT 2040
GCAACAAAAT TATTGAGAGT TAATCTGTGT GAATGTACTC ATCCAACTCA GTGTCGTGCG 2100
ACTTCAAGGA GTACAGGAGT AATACTTGGA AAATGGGCAA TCCTTGCAAT ATTACTGGGT 2160
ATAGCACTGC TCTTTTCTGT ATTGCTAACT TTAGTATGTG GAGTTTTTGG TGCAACTAAA 2220
GGGAAACGTT TTCCTGAAGA TTTAGCACAG CAAAACTTAA TTATATCAAA CACAGAAGCA 2280
CCTGGAGACG ATAGAGTGTG CTCTGCCAAT GGATTTATGA CAACAACTAC CAACAACTCT 2340
AGCCAAGGTT TTTGTGGTAC TATGGGATCA GGAATGAAAA ATGGAGGGCA GGAAACCATT 2400
GAAATGATGA AAGGAGGAAA CCAGACCTTG GAATCCTGCC GGGGGGCTGG GCATCATCAT 2460
ACCCTGGACT CCTGCAGGGG AGGACACACG GAGGTGGACA ACTGCAGATA CACTTACTCG 2520
GAGTGGCACA GTTTTACTCA ACCCCGTCTC GGTGAAGAAT CCATTAGAGG ACACACTGGT 2580
TAAAAATTAA ACATAAAAGA AATTGCATCG ATGTAATCAG AATGAAGACC GCATGCCATC 2640
CCAAGATTAT GTCCTCACTT ATAACTATGA GGGAAGAGGA TCTCCAGCTG GTTCTGTGGG 2700
CTGCTGCAGT GAAAAGCAGG AAGAAGATGG CCTTGACTTT TTAAATAATT TGGAACCCAA 2760
ATTTATTACA TTAGCAGAAG CATGCACAAA GAGATAATGT CACAGTGCTA CAATTAGGTC 2820
TTTGTCAGAC ATTCTGGAGG TTTCCAAAAA TAATATTGTA AAGTTCAATT TCAACATGTA 2880
TGTATATGAT GATTTTTTTC TCAATTTTGA ATTATGCTAC TCACCAATTT ATATTTTTAA 2940
AGCCAGTTGT TGCTTATCTT TTCCAAAAAG TGAAAAATGT TAAAACAGAC AACTGGTAAA 3000
TCTCAAACTC CAGCACTGGA ATTAAGGTCT CTAAAGCATC TGCTCTTTTT TTTTTTTACG 3060
GATATTTTAG TAATAAATAT GCTGGATAAA TTATAGTCCA ACAATAGCCA AGTTATGCTA 3120
ATATCACATT ATTATGTATT CACTTTTAAGT GATAGTTTAA AAAATAAACA AGAAATATTG 3180
AGTATCACTA TGTGAAGAAA GTTTTGGAAA AGAAACAATG AAGACTGAAT AAATTAAAA  3240
ATGTTGCAGC TCATAAAGAA TTGGGACTCA CCCCTACTGC ACTACCAAAT TCATTTGACT 3300
```

```
      TTGGAGGCAA AATGTGTTGA AGTGCCCTAT GAAGTAGCAA TTTTCTATAG GAATATAGTT  3360
      GGAAATAAAT GTGTGTGTGT ATATTATTAT TAATCAATGC AATATTTAAA ATGAAATGAG  3420
      AACAAAGAGG AAAATGGTAA AAACTTGAAA TGAGGCTGGG GTATAGTTTG TCCTACAATA  3480
 5    GAAAAAAGAG AGAGCTTCCT AGGCCTGGGC TCTTAAATGC TGCATTATAA CTGAGTCTAT  3540
      GAGGAAATAG TTCCTGTCCA ATTTGTGTAA TTTGTTTAAA ATTGTAAATA AATTAAACTT  3600
      TTCTGGTTTC TGTGGGAAGG AAATAGGGAA TCCAATGGAA CAGTAGCTTT GCTTTGCAGT  3660
      CTGTTTCAAG ATTTCTGCAT CCACAAGTTA GTAGCAAACT GGGGAATACT CGCTGCAGCT  3720
      GGGGTTCCCT GCTTTTTGGT AGCAAGGGTC CAGAGATGAG GTGTTTTTTT CGGGGAGCTA  3780
      ATAACAAAAA CATTTTAAAA CTTACCTTTA CTGAAGTTAA ATCCTCTATT GCTGTTTCTA  3840
10    TTCTCTCTTA TAGTGACCAA CATCTTTTTA ATTTAGATCC AAATAACCAT GTCCTCCTAG  3900
      AGTTTAGAGG CTAGAGGGAG CTGAGGGGAG GATCTTACTG AAAGCACCCT GGGGAGATTG  3960
      ATTGTCCTTA AACCTAAGCC CCACAAACTT GACACCTGAT CAGGTCTGGG AGCTACAAAA  4020
      TTTCATTTTT CTCCTCACTG CCCTTCTTCT GAGTGGCATT GGCCTGAATC AAGGAAAGCC  4080
15    AGGCCTTGTG GGCCCCCTTC TTTCGGCTTT CTGCTAAAGC AACACCTCCA GCAGAGATTC  4140
      CCTTAAGTGA CTCCAGGTTT TCCACCATCC TTCAGCGTGA ATTAATTTTT AATCAGTTTG  4200
      CTTTCTCCAG AGAAATTTTA AAATAATAGA AGAAATAGAA ATTTTGAATG TATAAAAGAA  4260
      AAAGATCAAG TTGTCATTTT AGAACAGAGG GAACTTTGGG AGAAAGCAGC CCAAGTAGGT  4320
      TATTTGTACA GTCAGAGGGC AACAGGAAGA TGCAGGCCTT CAAGGGCAAG GAGAGGCCAC  4380
20    AAGGAATATG GGTGGGAGTA AAAGCAACAT CGTCTGCTTC ATACTTTTTC CTAGGCTTGG  4440
      CACTGCCTTT TCCTTTCTCA GGCCAATGGC AACTGCCATT TGAGTCCGGT GAGGGATCAG  4500
      CCAACCTCTT CTCTATGGCT CACCTTATTT GGAGTGAGAA ATCAAGGAGA CAGAGCTGAC  4560
      TGCATGATGA GTCTGAAGGC ATTTGCAGGA TGAGCCTGAA CTGGTTGTGC AGAACAAACA  4620
      AGGCATTCAT GGGAATTGTT GTATTCCTTC TGCAGCCCTC CTTCTGGGCA CTAAGAAGGT  4680
25    CTATGAATTA AATGCCTATC TAAAATTCTG ATTTATTCCT ACATTTTCTG TTTTCTAATT  4740
      TGACCCTAAA ATCTATGTGT TTTAGACTTA GACTTTTAT TGCCCCCCCC CCCTTTTTTT  4800
      TTGAGACGGA GTCTCGCTCT GACGCACAGG CTGGAGTGCA GTGGCTCCGA TCTCTGCTCA  4860
      CTGAAAGCTC CGCCTCCCGG GTTCATGCCA TTCTCCTGCC TCAGCCTCCT GAGTAGCTGG  4920
      GACTACAGGC GCCCACCACC ACGCCCGGCT AATTTTTTGT ATTTTTAATA GAGACGGGGT  4980
30    TTCACTGTGT TAGCCAGGAT GGTCTCGATC TCCTGACCTC GTGATCCGCC TGCCTCGGCC  5040
      TCCCAAAGTG CTGGGATTAC AGGCATGACC CACCGCTCCC GGCCTTGTTT TCCGTTTAAA  5100
      GTCGTCTTCT TTTAATGTAA TCATTTTGAA CATGTGTGAA AGTTGATCAT ACGAATTGGA  5160
      TCAATCTTGA AATACTCAAC CAAAAGACAG TCGAGAAGCC AGGGGGAGAA AGAACTCAGG  5220
      GCACAAAATA TTGGTCTGAG AATGGAATTC TCTGTAAGCC TAGTTGCTGA AATTTCCTGC  5280
35    TGTAACCAGA AGCCAGTTTT ATCTAACGGC TACTGAAACA CCCACTGTGT TTTGCTCACT  5340
      CCCACTCACC GATCAAAACC TGCTACCTCC CCAAGACTTT ACTAGTGCCG ATAAACTTTC  5400
      TCAAAGAGCA ACCAGTATCA CTTCCCTGTT TATAAAACCT CTAACCATCT CTTTGTTCTT  5460
      TGAACATGCT GAAAACCACC TGGTCTGCAT GTATGCCCGA ATTTGTAATT CTTTTCTCTC  5520
      AAATGAAAT TTAATTTTAG GGATTCATTT CTATATTTTC ACATATGTAG TATTATTATT  5580
40    TCCTTATATG TGTAAGGTGA AATTTATGGT ATTTGAGTGT GCAAGAAAAT ATATTTTTAA  5640
      AGCTTTCATT TTTCCCCCAG TGAATGATTT AGAATTTTTT ATGTAAATAT ACAGAATGTT  5700
      TTTTCTTACT TTTATAAGGA AGCAGCTGTC TAAAATGCAG TGGGGGTTTGT TTTGCAATGT  5760
      TTTAAACAGA GTTTTAGTAT TGCTATTAAA AGAAGTTACT TTGCTTTTAA AGAAACTTGG  5820
      CTGCTTAAAA TAAGCAAAAA TTGGATGCAT AAAGTAATAT TTACAGATGT GGGGAGATGT  5880
45    AATAAAACAA TATTAACTTG GCTGCTTAAA ATAAGCAAAA ATTGGATGCA TAAAGTAATA  5940
      TTTACAGATG TGGGGAGATG TAATAAAACA ATATTAACTT GGTTTCTTGT TTTTGCTGTA  6000
      TTTAGAGATT AAATAATTCT AAGATGATCA CTTTGCAAAA TTATGCTTAT GGCTGGCATG  6060
      GAAATAGAAA TACTCAATTA TGTCTTTGTT GTATTAATGG GGAATATTTT GGACAATGTT  6120
50    TCATTATCAA ATTGTCGACA TCATTAATAT ATATTGTAAT GTTGGGAAGA GATCACTATT  6180
      TTGAAGCACA GCTTTACAGA TGAGTATCTA TGATACATAT GTATAATAAA TTTTGATCGG  6240
      GTATTAAAAG TATTAGAAGG TGGTTATAAT TGCAGAGTAT TCCATGAATA GTACACTGAC  6300
      ACAGGGGTTT TACTTTGAGG ACCAGTGTAG TCAAGGGAAA ACATGAGTTA AAAAGAAAAG  6360
      CAGGCAATAT TGCCAGTCTTG ATTCTGCCAC TTACAGGATA GATAATGCCT GAACTTTAAT  6420
55    GACAAGATGA TCCAACCATA AAGGTGCTCT GTGCTTCACA GTGAATCTTT TCCCCATGCA  6480
      GGAGTGTGCT CCCCTACAAA CGTTAAGACT GATCATTTCA AAAATCTATT AGCTATATCA  6540
      AAAGCCTTAC ATTTTAATAT AGGTTGAACC AAAATTTCAA TTCCAGTAAC TTCTATTGTA  6600
      ACCATTATTT TTGTGTATGT CTTCAAGAAT GTTCATTGGA TTTTTGTTTG TAATAGTAAA  6660
      ATACCGGATA CATTTCACGT GTCCTTCAGT ATTGATTTGG TTGAATATTG GGTCATAATG  6720
60    GTTGAGAAGC ATGGACACTA GAGCCAGAAT GCTTGGATAT GAATCCTGGA TCTGTCACTT  6780
      ACTTCTGTGT GACCTTTGAA AGGCTACTTA TTTCCTCTCT TAGCTTTCTC ATTAAAATCA  6840
      ATGAACAATG CCAGCCTCAT GGGGTTGTTG AATGATTAAA TTAGTTAATA TACCTAAAGT  6900
      ACATAGAACA CTGCCTGCAC ATAGTAAAAG AATTATAAGT GTGAGGTAGT TGGTAAAATT  6960
      ATGTAGTTGG ATATACTACC GAACAATATC TAATCTCTTT TTAGGGAAAT AAAGTTTGTG  7020
      CATATATATA ATCCCGAAAC ATG
```

Seq ID NO: 34 Protein sequence:
Protein Accession #: NP_077741.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS   60
      ADLIRSSDPD FRVLNDGSVY TARAVALSDK KRSFTINLSD KRKQTQKEVT VLLEHQKKVS  120
      KTRHTRETVL RRAKRRWAPI PCSMQENSLG PFPLFLQQVE SDAAQNYTVF YSISGRGVDK  180
      EPINLFYIER DTGNLFCTRP VDREEYDVFD LIAYASTADG YSADLPLPLP IRVEDENDNH  240
      PVFTEAIYNP EVLESSRPGT TVGVVCATDR DEPDTMHTRL KYSILQQTPR SPGLFSVHPS  300
      TGVITTVSHY LDREVVDKYS LIMKVQDMDG QPPGLIGTST CIITVTDSND NAPTFRQNAY  360
      EAFVEENAFN VEILRIPIED KDLINTANWR VNFTILKGNE NGHFKISTDK ETNEGVLSVV  420
      KPLNYEENRQ VNLEIGVNNE APPFARDIPRV TALNRALVTV HVRDLDEGPE CTPAAQYVRI  480
      KENLAVGSKI NGYKAYDPEN RNGNGLRYKK LHDPKGWITI DEISGSIITS KILDREVETP  540
      KNELYNITVL AIDKDDRSCT GTLAVNIEDV NDNPPEILQE YVVICKPKMG YTDILAVDPD  600
      RPVHGAPFYF SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGPQEYTIPI TVKDRAGQAA  660
      TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLFSVLLTL VCGVFGATKG  720
      KRFPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNSS QGFCGTMGSG MKNGGQETIE  780
      MMRGGNQTLE SCRGAGHHHT LDSCRGGHTE VDNCRYTYSE WHSFTQPRLG EESIRGHTG
```

Seq ID NO: 35 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 146-1273

```
      1          11         21         31         41         51
      |          |          |          |          |          |
 5    GGGAGTGGGC GTGGCGGTGC TGCCCAGGTG AGCCACCGCT GCTTCTGCCC AGACACGGTC    60
      GCCTCCACAT CCAGGTCTTT GTGCTCCTCG CTTGCCTGTT CCTTTTCCAC GCATTTTCCA   120
      GGATAACTGT GACTCCAGGC CCGCAATGGA TGCCCTGCAA CTAGCAAATT CGGCTTTTGC   180
      CGTTGATCTG TTCAAACAAC TATGTGAAAA GGAGCCACTG GGCAATGTCC TCTTCTCTCC   240
      AATCTGTCTC TCCACCTCTC TGTCACTTGC TCAAGTGGGT GCTAAAGGTG ACACTGCAAA   300
10    TGAAAATTGGA CAGGTTCTTC ATTTTGAAAA TGTCAAAGAT ATACCCTTTG GATTTCAAAC   360
      AGTAACATCG GATGTAAACA AACTTAGTTC CTTTTACTCA CTGAAACTAA TCAAGCGGCT   420
      CTACGTAGAC AAATCTCTGA ATCTTTCTAC AGAGTTCATC AGCTCTACGA AGAGACCCTA   480
      TGCAAAGGAA TTGGAAACTG TTGACTTCAA AGATAAATTG GAAGAAACGA AAGGTCAGAT   540
      CAACAACTCA ATTAAGGATC TCACAGATGG CCACTTTGAG AACATTTTAG CTGACAACAG   600
15    TGTGAACGAC CAGACCAAAA TCCTTGTGGT TAATGCTGCC TACTTTGTTG GCAAGTGGAT   660
      GAAGAAATTT CCTGAATCAG AAACAAAAGA ATGTCCTTTC AGACTCAACA AGACAGACAC   720
      CAAACCAGTG CAGATGATGA ACATGAGGC CACGTTCTGT ATGGGAAACA TTGACAGTAT   780
      CAATTGTAAG ATCATAGAGC TTCCTTTTCA AAATAAGCAT CTCAGCATGT TCATCCTACT   840
      ACCCAAGGAT GTGGAGGATG AGTCCACAGG CTTGGAGAAG ATTGAAAAAC AACTCAACTC   900
20    AGAGTCACTG TCACAGTGGA CTAATCCCAG CACCATGGCC AATGCCAAGG TCAAACTCTC   960
      CATTCCAAAA TTTAAGGTGG AAAAGATGAT TGATCCCAAG GCTTGTCTGG AAAATCTAGG  1020
      GCTGAAACAT ATCTTCAGTG AAGCACATC TGATTTCTCT GGAATGTCAG AGACCAAGGG  1080
      AGTGGCCCTA TCAAATGTTA TCCACAAAGT GTGCTTAGAA ATAACTGAAG ATGGTGGGGA  1140
      TTCCATAGAG GTGCCAGGAG CACGGATCCT GCAGCACAAG GATGAATTGA ATGCTGACCA  1200
25    TCCCTTTATT TACATCATCA GGCACAACAA AACTCGAAAC ATCATTTTCT TTGGCAAATT  1260
      CTGTTCTCCT TAAGTGGCAT AGCCCATGTT AAGTCCTCCC TGACTTTTCT GTGGATGCCG  1320
      ATTTCTGTAA ACTCTGCATC CAGAGATTCA TTTTCTAGAT ACAATAAATT GCTAATGTTG  1380
      CTGGATCAGG AAGCCGCCAG TACTTGTCAT ATGTAGCCTT CACACAGATA GACCTTTTTT  1440
      TTTTTCCAAT TCTATCTTTT GTTTCCTTTT TTCCCATAAG ACAATGACAT ACGCTTTTAA  1500
30    TGAAAAGGAA TCACGTTAGA GGAAAAAATAT TTATTCATTA TTTGTCAAAT TGTCCGGGGT  1560
      AGTTGGCAGA AATACAGTCA TCCACAAAGA AAAATTCCTAT AAGGAAGATT TGGAAGCTCT  1620
      TCTTCCCAGC ACTATGCTTT CCTTCTTTGG GATAGAGAAT GTTCCAGACA TTCTCGCTTC  1680
      CCTGAAAGAC TGAAGAAAGT GTAGTGCATG GGACCCAGGA AACTGCCCTG GCTCCAGTGA  1740
      AACTTGGGCA CATGCTCAGG CTACTATAGG TCCAGAAGTC CTTATGTTAA GCCCTGGCAG  1800
35    GCAGGTGTTT ATTAAAATTC TGAATTTTGG GGATTTTCAA AAGATAATAT TTTACATACA  1860
      CTGTATGTTA TAGAACTTCA TGGATCAGAT CTGGGGCAGC AACCTATAAA TCAACACCTT  1920
      AATATGCTGC AACAAAATGT AGAATATTCA GACAAAATGG ATACATAAAG ACTAAGTAGC  1980
      CCATAAGGGG TCAAAATTTG CTGCCAAATG CGTATGCCAC CAACTTACAA AAACACTTCG  2040
      TTCGCAGAGC TTTTTCAGATT GTGGAATGTT GGATAAGGAA TTATAGACCT CTAGTAGCTG  2100
40    AAATGCAAGA CCCCAAGAGG AAGTTCAGAT CTTAATATAA ATTCACTTTC ATTTTTGATA  2160
      GCTGTCCCAT CTGGTCATGT GGTTGGCACT AGACTGGTCG CAGGGGCTTC TAGCTGACTC  2220
      GCACAGGGAT TCTCACAATA GCCGATATCA GAATTTGTGT TGAAGGAACT TGTCTCTTCA  2280
      TCTAATATGA TAGCGGGAAA AGGAGAGGAA ACTACTGCCT TTAGAAAATA TAAGTAAAGT  2340
      GATTAAAGTG CTCACGTTAC CTTGACACAT AGTTTTTCAG TCTATGGGTT TAGTTACTTT  2400
45    AGATGCAAG CATGTAACTT ATATTAATAG TAATTTGTAA AGTTGGGTGG ATAAGCTATC  2460
      CCTGTTGCCG GTTCATGGAT TACTTCTCTA TAAAAAAATAT ATATTTACCA AAAAATTTTG  2520
      TGACATTCCT TCTCCCATCT CTTCCTTGAC ATGCATTGTA AATAGGTTCT TCTTGTTCTG  2580
      AGATTCAATA TTGAATTTCT CCTATGCTAT TGACAATAAA ATATTATTGA ACTACC
```

Seq ID NO: 36 Protein sequence:
Protein Accession #: NP_002630.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MDALQLANSA FAVDLFKQLC EKEPLGNVLF SPICLSTSLS LAQVGAKGDT ANEIGQVLHF    60
      ENVKDIPFGF QTVTSDVNKL SSFYSLKLIK RLYVDKSLNL STEFISSTKR PYAKELETVD   120
      FKDKLEETKG QINNSIKDLT DGHFENILAD NSVNDQTKIL VVNAAYFVGK WMKKPPESET   180
      KECPFRLNKT DTKPVQMMNM EATFCMGNID SINCKIIELP FQNKHLSMFI LLPKDVEDES   240
      TGLEKIEKQL NSESLSQWTN PSTMANAKVK LSIPKFKVEK MIDPKACLEN LGLKHIFSED   300
      TSDFSGMSET KGVALSNVIH KVCLEITEDG GDSIEVPGAR ILQHKDELNA DHPFIYIIRH   360
      NKTRNIIFFG KFCSP
```

Seq ID NO: 37 DNA sequence
Nucleic Acid Accession #: NM_0168583
Coding sequence: 72-842

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GGAGTGGGGG AGAGAGAGGA GACCAGGACA GCTGCTGAGA CCTCTAAGAA GTCCAGATAC    60
      TAAGAGCAAA GATGTTTCAA ACTGGGGGCC TCATTGTCTT CTACGGGCTG TTAGCCCAGA   120
      CCATGGCCCA GTTTGGAGGC CTGCCCGTGC CCCTGGACCA GACCCTGCCC TTGAATGTGA   180
      ATCCAGCCCT GCCCTTGAGT CCCACAGGTC TTGCAGGAAG CTTGACAAAT GCCCTCAGCA   240
      ATGGCCTGCT GTCTGGGGGC CTGTTGGGCA TTCTGGAAAA CCTTCCGCTC CTGGACATCC   300
      TGAAGCCTGG AGGAGGTACT TCTGGTGGCC TCCTTGGGGG ACTGCTTGGA AAAGTGACGT   360
      CAGTGATTCC TGGCCTGAAC AACATCATTG ACATAAAGGT CACTGACCCC CAGCTGCTGG   420
      AACTTGGCCT TGTGCAGAGC CCTGATGGCA ACCGTCTCTA TGTCACCATC CCTCTCGGCA   480
      TAAAGCTCCA AGTGAATACG CCCCTGGTCG GTGCAAGTCT GTTGAGGCTG GCTGTGAAGC   540
      TGGACATCAC TGCAGAAATC TTAGCTGTGA GAGATAAGCA GGAGAGGATC CACCTGGTCC   600
      TTGGTGACTG CACCCATTCC CCTGGAAGCC TGCAAATTTC TCTGCTTGAT GGACTTGGCC   660
      CCCTCCCCAT TCAAGGTCTT CTGGACAGCC TCACAGGGAT CTTGAATAAA GTCCTGCCTG   720
      AGTTGGTTCA GGGCAACGTG TGCCCTCTGG TCAATGAGGT TCTCAGAGGC TTGGACATCA   780
      CCCTGGTGCA TGACATTGTT AACATGCTGA TCCACGGACT ACAGTTTGTC ATCAAGGTCA   840
      AAGCCTTCCA GGAAGGGGCT GGCCTCTGCT GAGCTGCTTC CCAGTGCTCA CAGATGGCTG   900
      GCCCATGTGC TGGAAGATGA CACAGTTGCC TTCTCTCCGA GGAACCTGCC CCCTCTCCTT   960
      TCCCACCAGG CGTGTGTAAC ATCCCATGTG CCTCACCTAA TAAAATGGCT CTTCTTCTGC  1020
      AAAAAAAAAA AAAAAAAAAA AAAAAAAA
```

203

Seq ID NO: 38 Protein sequence:
Protein Accession #: NP_057667

```
      1          11         21         31         41         51
      |          |          |          |          |          |
5     MFQTGGLIVP YGLLAQTMAQ FGGLPVPLDQ TLPLNVNPAL PLSPTGLAGS LTNALSNGLL   60
      SGGLLGILEN LPLLDILKPG GGTSGGLLGG LLGKVTSVIP GLNNIIDIKV TDPQLLELGL  120
      VQSPDGHRLY VTIPLGIKLQ VNTPLVGASL LRLAVKLDIT AEILAVRDKQ ERIHLVLGDC  180
      THSPGSLQIS LLDGLGPLPI QGLLDSLTGI LNKVLPELVQ GNVCPLVNEV LRGLDITLVH  240
10    DIVNMLIHGL QFVIKV
```

Seq ID NO: 39 DNA sequence
Nucleic Acid Accession #: NM_004363.1
15   Coding sequence: 115-2223

```
      1          11         21         31         41         51
      |          |          |          |          |          |
20    CTCAGGGCAG AGGGAGGAAG GACAGCAGAC CAGACAGTCA CAGCAGCCTT GACAAAACGT   60
      TCCTGGAACT CAAGCTCTTC TCCACAGAGG AGGACAGAGC AGACAGCAGA GACCATGGAG  120
      TCTCCCTCGG CCCCTCCCCA CAGATGGTGC ATCCCTGGC AGAGGCTCCT GCTCACAGCC  180
      TCACTTCTAA CCTTCTGGAA CCCGCCCACC ACTGCCAAGC TCACTATTGA ATCCACGCCG  240
      TTCAATGTCG CAGAGGGGAA GGAGGTGCTT CTACTTGTCC ACAATCTGCC CCAGCATCTT  300
25    TTTGGCTACA GCTGGTACAA AGGTGAAAGA GTGGATGGCA ACCGTCAAAT TATAGGGATAT  360
      GTAATAGGAA CTCAACAAGC TACCCCAGGG CCCGCATACA GTGGTCGAGA GATAATATAC  420
      CCCAATGCAT CCCTGCTGAT CCAGAACATC ATCCAGAATG ACACAGGATT CTACACCCTA  480
      CACGTCATAA AGTCAGATCT TGTGAATGAA GAAGCAACTG GCCAGTTCCG GGTATACCCG  540
      GAGCTGCCCA AGCCCTCCAT CTCCAGCAAC AACTCCAAAC CCGTGGAGGA CAAGGATGCT  600
30    GTGGCCTTCA CCTGTGAACC TGAGACTCAG GACGCAACCT ACCTGTGGTG GGTAAACAAT  660
      CAGAGCCTCC CGGTCAGTCC CAGGCTGCAG CTGTCCAATG GCAACAGGAC CCTCACTCTA  720
      TTCAATGTCA CAAGAAATGA CACAGCAAGC TACAAATGTG AAACCCAGAA CCCAGTGAGT  780
      GCCAGGCGCA GTGATTCAGT CATCCTGAAT GTCCTCTATG GCCCGGATGC CCCCACCATT  840
      TCCCCTCTAA ACACATCTTA CAGATCAGGG GAAAATCTGA ACCTCTCCTG CCACGCAGCC  900
35    TCTAACCCAC CTGCACAGTA CTCTTGGTTT GTCAATGGGA CTTTCCAGCA ATCCACCCAA  960
      GAGCTCTTTA TCCCCAACAT CACTGTGAAT AATAGTGGAT CCTATACGTG CCAAGCCCAT 1020
      AACTCAGACA CTGGCCTCAA TAGGACCACA GTCACGACGA TCACAGTCTA TGCAGAGCCA 1080
      CCCAAACCCT TCATCACCAG CAACAACTCC AACCCGTGG AGGATGAGGA TGCTGTAGCC 1140
      TTAACCTGTG AACCTGAGAT TCAGAACACA ACCTACCTGT GGTGGGTAAA TAATCAGAGC 1200
40    CTCCCGGTCA GTCCCAGGCT GCAGCTGTCC AATGACAACA GGACCCTCAC TCTACTCAGT 1260
      GTCACAAGGA ATGATGTAGG ACCCTATGAG TGTGGAATCC AGAACGAATT AAGTGTTGAC 1320
      CACAGCGACC CAGTCATCCT GAATGTCCTC TATGGCCCAG ACGACCCCAC CATTTCCCCC 1380
      TCATACACCT ATTACCGTCC AGGGGTGAAC CTCAGCCTCT CCTGCCATGC AGCCTCTAAC 1440
      CCACCTGCAC AGTATTCTTG GCTGATTGAT GGGAACATCC AGCAACACAC ACAAGAGCTG 1500
45    TTTATCTCCA ACATCACTGA GAAGAACAGC GGACTCTATA CCTGCCAGGC CAATAACTCA 1560
      GCCAGTGGCC ACAGCAGGAC TACAGTCAAG ACAATCACAG TCTCTGCGGA GCTGCCCAAG 1620
      CCCTCCATCT CCAGCAACAA CTCCAAACCC GTGGAGGACA AGGATGCTGT GGCCTTCACC 1680
      TGTGAACCTG AGGCTCAGAA CACAACCTAC CTGTGGTGGG TAAATGGTCA GAGCCTCCCA 1740
      GTCAGTCCCA GGCTGCAGCT GTCCAATGGC AACAGGACCC TCACTCTATT CAATGTCACA 1800
50    AGAAATGACG CAAGAGCCTA TGTATGTGGA ATCCAGAACT CAGTGAGTGC AAACCGCAGT 1860
      GACCCAGTCA CCCTGGATGT CCTCTATGGG CCGGACACCC CCATCATTTC CCCCCCAGAC 1920
      TCGTCTTACC TTTCGGGAGC GAACCTCAAC CTCTCCTGCC ACTCGGCCTC TAACCCATCC 1980
      CCGCAGTATT CTTGGCGTAT CAATGGGATA CCGCAGCAAC ACACACAAGT TCTCTTTATC 2040
      GCCAAAATCA CGCCAAATAA TAACGGGACC TATGCCTGTT TTGTCTCTAA CTTGGCTACT 2100
55    GGCCGCAATA ATTCCATAGT CAAGAGCATC ACAGTCTCTG CATCTGGAAC TTCTCCTGGT 2160
      CTCTCAGCTG GGGCCACTGT CGGCATCATG ATTGGAGTGC TGGTTGGGGT TGCTCTGATA 2220
      TAGCAGCCCT GGTGTAGTTT CTTCATTTCA GGAAGACTGA CAGTTGTTTT GCTTCTTCCT 2280
      TAAAGCATTT GCAACAGCTA CAGTCTAAAA TTGCTTCTTT ACCAAGGATA TTTACAGAAA 2340
      AGACTCTGAC CAGAGATCGA GACCATCCTA GCCAACATCG TGAAACCCCA TCTCTACTAA 2400
60    AAATACAAAA ATGAGCTGGG CTTGGTGGCG CGCACCTGTA GTCCCAGTTA CTCGGGAGGC 2460
      TGAGGCAGGA GAATCGCTTG AACCCGGGAG GTGGAGATTG CAGTGAGCCC AGATCGCACC 2520
      ACTGCACTCC AGTCTGGACA CAGAGCAAGA CTCCATCTCA AAAAGAAAAG AAAAGAAGAC 2580
      TCTGACCTGT ACTCTTGAAT ACAAGTTTCT GATACCACTG CACTGTCTGA GAATTTCCAA 2640
      AACTTTAATG AACTAACTGA CAGCTTCATG AAACTGTCCA CCAAGATCAA GCAGAGAAAA 2700
65    TAATTAATTT CATGGGACTA AATGAACTAA TGAGGATTGC TGATTCTTTA AATGTCTTGT 2760
      TTCCCAGATT TCAGGAAACT TTTTTTTCTTT TAAGCTATCC ACTCTTACAG CAATTTGATA 2820
      AAATATACTT TTGTGAACAA AAATTGAGAC ATTTACATTT TCTCCCTATG TGGTCGCTCC 2880
      AGACTTGGGA AACTATTCAT GAATATTTAT ATTGTATGGT AATATAGTTA TTGCACAAGT 2940
      TCAATAAAAA TCTGCTCTTT GTATAACAGA AAAA
```

70   Seq ID NO: 40 Protein sequence:
Protein Accession #: NP_004354.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
75    MESPSAPPHR WCIPWQRLLL TASLLTFWNP PTTAKLTIES TPFNVAEGKE VLLLVHNLPQ   60
      HLFGYSWYKG ERVDGNRQII GYVIGTQQAT PGPAYSGREI IYPNASLLIQ NIIQNDTGFY  120
      TLHVIKSDLV NEEATGQFRV YPELPKPSIS SNNSKPVEDK DAVAFTCEPE TQDATYLWWV  180
      NNQSLPVSPR LQLSNGNRTL TLFNVTRNDT ASYKCETQNP VSARRSDSVI LNVLYGPDAP  240
      TISPLNTSYR SGENLNLSCH AASNPPAQYS WFVNGTFQQS TQELFIPNIT VNNSGSYTCQ  300
80    AHNSDTGLNR TTVTTITVYA EPPKPFITSN NSNPVEDEDA VALTCEPEIQ NTTYLWVVNN  360
      QSLPVSPRLQ LSNDNRTLTL LSVTRNDVGP YECGIQNELS VDHSDPVILN VLYGPDDPTI  420
      SPSYTYYRPG VNLSLSCHAA SNPPAQYSWL IDGNIQQHTQ ELFISNITER NSGLYTCQAN  480
      NSASGHSRTT VKTITVSAEL PKPSISSNNS KPVEDKDAVA FTCEPEAQNT TYLWWVNGQS  540
      LPVSPRLQLS NGNRTLTLFN VTRNDARAYV CGIQNSVSAN RSDPVTLDVL YGPDTPIISP  600
85    PDSSYLSGAN LNLSCHSASN PSPQYSWRIN GIPQQHTQVL FIAKITPNNN GTYACFVSNL  660
      ATGRNNSIVK SITVSASGTS PGLSAGATVG IMIGVLVGVA LI
```

204

```
Seq ID NO: 41 DNA sequence
Nucleic Acid Accession #: NM_006952.1
Coding sequence: 11-793

1          11         21         31.        41         51
|          |          |          |          |          |
AATCCCGACA ATGGCGAAAG ACAACTCAAC TGTTCGTTGC TTCCAGGGCC TGCTGATTTT    60
TGGAAATGTG ATTATTGGTT GTTGCGGCAT TGCCCTGACT GCGGAATGCA TCTTCTTTGT   120
ATCTGACCAA CACAGCCTCT ACCCACTGCT TGAAGCCACC GACAACGATG ACATCTATGG   180
GGCTGCCTGG ATCGGCATAT TTGTGGGCAT CTGCCTCTTC TGCCTGTCTG TTCTAGGCAT   240
TGTAGGCATC ATGAAGTCCA GCAGGAAAAT TCTTCTGGCG TATTTCATTC TGATGTTTAT   300
AGTATATGCC TTTGAAGTGG CATCTTGTAT CACAGCAGCA ACACAACGAG ACTTTTTCAC   360
ACCCAACCTC TTCCTGAAGC AGATGCTAGA GAGGTACCAA AACAACAGCC CTCCAAACAA   420
TGATGACCAG TGGAAAAACA ATGGAGTCAC CAAAACCTGG GACAGGCTCA TGCTCCAGGA   480
CAATTGCTGT GGCGTAAATG GTCCATCAGA CTGGCAAAAA TACACATCTG CCTTCCGGAC   540
TGAGAATAAT GATGCTGACT ATCCCTGGCC TCGTCAATGC TGTGTTATGA ACAATCTTAA   600
AGAACCTCTC AACCTGGAGG CTTGTAAACT AGGCGTGCCT GGTTTTTATC ACAATCAGGG   660
CTGCTATGAA CTGATCTCTG GTCCAATGAA CCGACACGCC TGGGGGGTTG CCTGGTTTGG   720
ATTTGCCATT CTCTGCTGGA CTTTTTGGGT TCTCCTGGGT ACCATGTTCT ACTGGAGCAG   780
AATTGAATAT TAAGAA                                                   796
```

```
Seq ID NO: 42 Protein sequence:
Protein Accession #: NP_008883.1

1          11         21         31         41         51
|          |          |          |          |          |
MAKDNSTVRC FQGLLIFGNV IIGCCGIALT AECIFFVSDQ HSLYPLLEAT DNDDIYGAAW    60
IGIFVGICLF CLSVLGIVGI MKSSRKILLA YFILMPIVYA FEVASCITAA TQRDFFTPNL   120
FLKQMLERYQ NNSPPNNDDQ WKNNGVTKTW DRLMLQDNCC GVNGPSDWQK YTSAFRTENN   180
DADYPWPRQC CVMNNLKEPL NLEACKLGVP GFYHNQGCYE LISGPMNRHA WGVAWFGFAI   240
LCWTFWVLLG TMFYWSRIEY
```

```
Seq ID NO: 43 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 83-2605

1          11         21         31         41         51
|          |          |          |          |          |
GCCGGACAGA TCTGCGCGTA TCCTGGAGCC GGCCCAGTTG TGAACTAGGA GAGCTTTGGG    60
ACCTCTGTCC CAAGCAAGAG AGATGAATGG AGAGTATAGA TTGGACGAGG TTGGACGAGG   120
AAGATTTCAA AGCTGGAAAA GGGGAAGAGG TGGTGGGAAC TTCTCAGGAA AATGGAGAGA   180
AAGAGAACAC AGACCTGATC TGAGTAAAAC CACAGGAAAA CGTACTTCTG AACAAACCCC   240
ACAGTTTTTG CTTTCAACAA AGACCCCACA GTCAATGCAG TCAACATTGA ATCGATTCAT   300
ACCATATAAA GGCTGGAAGC TTTATTTCTC TGAAGTTTAC AGCGATAGCT CTCCTTTGAT   360
TGAGAAGATT CAAGCATTTG AAAAATTTTT CACAAGGCAT ATTGATTTGT ATGACAAGGA   420
TGAAATAGAA AGAAAGGGAA GTATTTTGGT AGATTTTAAA GAACTGACAG AAGGTGGTGA   480
AGTAACTAAC TTGATACCGA ATATAGCAAC TGAACTAAGA GATGCACCTG AGAAAACCTT   540
GGCTTGCATG GGTTTGGCAA TACATCAGGT GTTAACTAAG GACCTTGAAA GGCATGCAGC   600
TGAGTTACAA GCCCAGGAAG GATTGTCTAA TGATGGAGAA ACAATGGTAA ATGTGCCACA   660
TATTCATGCA AGGGTGTACA ACTATGAGCC TTTGACACAG CTCAAGAATG TCAGAGCAAA   720
TTACTATGGA AAATACATTG CTCTCAAGAGG GACAGTGGTT CGTGTCAGTA ATATAAAGCC   780
TCTTTGCACC AAGATGGCTT TTCTTTGTGC TGCATGTGGA GAAATTCAGA GCTTTCCTCT   840
TCCAGATGGA AAATACAGTC TTCCCACAAA GTGTCCTGTG CCTGTGTGTC GAGGCAGGTC   900
ATTTACTGCT CTCCGCAGCT CTCCTCTCAC AGTTACGATG GACTGGCAGT CAATCAAAAT   960
CCAGGAATTG ATGTCTGATG ATCAGAGAGA AGCAGGTCGG ATTCCACGAA CAATAGAATG   1020
TGAGCTTGTT CATGATCTTG TGGATAGCTG TGTCCCGGGA GACACAGTGA CTATTACTGG   1080
AATTGTCAAA GTCTCAAATG CGGAAGAAGG TTCTCGAAAT AAGAATGACA AGTGTATGTT   1140
CCTTTTGTAT ATTGAAGCAA ATTCTATTAG TAATAGCAAA GGACAGAAAA CAAAGAGTTC   1200
TGAGGATGGG TGTAAGCATG GAATGTTGAT GGAGTTCTCA CTTAAAGACC TTTATGCCAT   1260
CCAAGAGATT CAAGCTGAAG AAAACCTGTT TAAACTCATT GTCAACTCGC TTTGCCCTGT   1320
CATTTTTGGT CATGAACTTG TTAAAGCAGG TTTGGCATTA GCACTCTTTG GAGGAAGCCA   1380
GAAATACGCA GATGACAAAA ACAGAATTCC AATTCGGGGA GACCCCACA TCCTTGTTGT    1440
TGGAGATCCA GGCCTAGGAA AAGTCAAAT GCTACAGGCA GCGTGCAATG TTGCCCCACG    1500
TGGCGTGTAT GTTTGTGGTA ACACCACGAC CACCTCTGGT CTGACGGTAA CTCTTTCAAA   1560
AGATAGTTCC TCTGGAGATT TTGCTTTGGA AGCTGGTGCC CTGGTACTTG GTGATCAAGG   1620
TATTTGTGGA ATCGATGAAT TTGATAAGAT GGGGAATCAA CATCAAGCCT TGTTGGAAGC   1680
CATGGAGCAG CAAAGTATTA GTCTTGCTCA GGCTGGTGTG GTTTGTAGCC TTCCTGCAAG   1740
AACTTCCATT ATTGCTGCTG CAAATCCAGT TGGAGGACAT TACAATAAAG CCAAAACAGT   1800
TTCTGAGAAT TTAAAAATGG GGAGTGCACT ACTATCCAGA TTTGATTTGG TCTTTATCCT   1860
GTTAGATACT CCAAATGAGC ATCATGATCA CTTACTCTCT GAACATGTGA TTGCAATAAG   1920
AGCTGGAAAG CAGAGAACCA TTAGCAGTGC CACAGTAGCT CGTATGAATA GTCAAGATTC   1980
AAATACTTCC GTACTTGAAG TAGTTTCTGA GAAGCCATTA TCAGAAAGAC TAAAGGTGGT   2040
TCCTGGAGAA ACAATAGATC CCATTCCCCA CCAGCTATTG AGAAAGTACA TTGGCTATGC   2100
TCGGCAGTAT GTGTACCCAA GGCTATCCAC AGAAGCTGCT CGAGTTCTTC AAGATTTTTA   2160
CCTTGAGCTC CGGAAACAGA GCCAGAGGTT AAATAGCTCA CCAATCACTA CCAGGCAGCT   2220
GGAATCTTTG ATTCGTCTGA CAGAGGCACG AGCAAGGTTG GAATTGAGAG AGGAAGCAAC   2280
CAAAGAAGAC GCTGAGGATA TAGTGGAAAT TATGAAATAT AGCATGCTAG GAACTTACTC   2340
TGATGAATTT GGGAACCTAG ATTTTGAGCG ATCCCAGCAT GGTTCTGAA TGAGCAACAG    2400
GTCAACAGCG AAAAGATTTA TTTCTGCTCT CAACAACGTT GCTGAAAGAA CTTATAATAA   2460
TATATTTCAA TTTCATCAAC TTCGGCAGAT TGCCAAAGAA CTAAACATTC AGGTTGCTGA   2520
TTTTGAAAAT TTTATTGGAT CACTAAATGA CCAGGGTTAC CTCTTGAAAA AAGGCCCAAA   2580
AGTTTACCAG CTTCAAACTA TGTAAAAGGA CTTCACCAAG TTAGGGCCTC CTGGGTTTAT   2640
TGCAGATTAA AGCCATCTCA GTGAAGATAT GCGTGCACGC ACAGACAGAC AGACACACAC   2700
ACACACACAC ACACACACAC ACACACACAC ACACAGTCA AAATACTGTT CTCTGAAAAA    2760
TGATGTCCCA AAAGTATTAT AATAGGAAAA AAGCATTAAA TATAATAAAC TAATTTAAGA   2820
```

```
      AGTGATAAAG TCTCCAGATG CAGTAGCTCA CACTGTAATC ACAGTGACTC AGGAGGCTGA   2880
      GGTGAGAGGA TTCCTTGAGG CCAGGGTTCG AGACCAACCT TGGGCAACAT AGCAAGACCC   2940
      CATTTCTTAA AAAAAAAAAA AAAAAATTTA AACTTAGCTG GGTATGGTGG CACATGCCTA   3000
      TAGTCTCAGC TACTTGTGAG GCTGAGGCAG GAGGATTCTT TGAGCCCAGG AGTTTGAGGT   3060
 5    TACAGTGAGC CACAATCACA CCAATCACTG CACTCCAGCC TGGGCAATAA AGTAACTCTT   3120
      GACTCAAAAA AATAAAAAAA ATTGTAGTGG TAGCCATGTG TTAATTGTTA AATAAATTCT   3180
      CCAAAGGGCT AAAAGTAAAT TACTTATAAA TTTTTTATAG TTGTATTTTT GACCTGCCTT   3240
      TTATATGTAT GAATATTTCA TAGTTTTGCA TATCAGATGT AGGCATACAG ACAAATACAT   3300
      AAACCAATGA ATATATTACA TATTCTGTGT TCCAATAAAA CTTTATTTAT GGACACTAAA   3360
 10   ATTTGAATTT CATAAAATTT TCCCATGTCA AGAATACAAA ATACTTGAGT TTTGTTTTTA   3420
      GCTATTTAAT AATAGGTCTC ATTTATTCCA CAGGCTGTAG TTTGTAGTCT TGCTTGAAAC   3480
      AATAGAAACA GACTGATTAA GCAGGAGAAG TTTTTTGAAA GAATTTTGTT TGGCTCACGG   3540
      AATTATTAGA AGGCAGGTGA ACCAGGAGGG TAAGCTTCCA GCAGCAATTT GTAAAACCAT   3600
      GCCTTAGAAT TGGACTAAGG AAGAAGCTGC TGACACTCCA CTGCCACACA GGGCACTGGA   3660
 15   AGAAAGTGCT GCTGCCTCCC TGCCCCACCT TTGCCACTTC TGCAGCAGGA ATAGGTAGAA   3720
      GAATGCCCCC ACCCGCACCG GAACAGCAAC AAAAGGATTC TGCATGAGAT GCCTCCCTAA   3780
      ATTGCTGAAT TCAAAAAAGA AGTTGCATAC AAAGACATCT GATTGAAAAA GGGTATGTTA   3840
      TATGCCCCTT TCATAGGCTG CTAGGGAGTT TTCCTGGTTC TACTTTCAGG TGGTGGGATC   3900
      AATAAGACCA GAATTTCTCA TATGTTGTGA GAGGATTCAA ATGTTACAGG GTTGCCAGCC   3960
 20   AAACTATCAA TCATGTATAA ATCCAACAAA CACTTTGTAA CATACAAGAA CTCAGGAAAT   4020
      GTGAACCATT GTTGGAGAAT CTACTAAAAT ACGGCTTCCC GCAAACGAAG ATGAATGGAA   4080
      AATGTAAATA AAAAGAACTG GCAGTGTATA TCAGATGTTT AACTATAGGA CCAGAACTAA   4140
      GATGTGGAGA CTATTGCCAT AGACCACAAT GTAAATTTTT AAGTGAGGAA GGAAAAAATCA   4200
      GGAATCAAAA GGGGCCAGGT GCAGTGGCTC ACATCTATAA TCCCAGAGCT TTGGGAGTTC   4260
 25   GAGGCAGGAG GATCACTTGA AGCCAGTTTT GAGACCAGCC TATGCAACAC ATTGAGACCC   4320
      TATCTCTACA AAAAATAGAT TAGCTGGGCA CGGTGGTGCA TGCCTATTGT CCTACCTACT   4380
      GTGGAGGCTG AAGTAGGAAA TCACTTGAGC CCGAGAGTTT GAGGTTACAG TGAGCTATGA   4440
      TTATACCACT GCACTCCAGC CTGGGCAAGA GAGCAAGACC TTGTCTCTT
```

Seq ID NO: 44 Protein sequence:
Protein Accession #: CAB55276.2

```
      1          11         21         31         41          51
      |          |          |          |          |           |
      MNGEYRGRGF GRGRFQSWKR GRGGGNFSGK WREREHRPDL SKTTGKRTSE QTPQFLLSTK   60
      TPQSMQSTLD RFIPYKGWKL YFSEVYSDSS PLIEKIQAPE KPFTRHIDLY DKDEIERKGS   120
      ILVDFKELTE GGEVTNLIPD IATELRDAPE KTLACMGLAI HQVLTKDLER HAAELQAQEG   180
      LSNDGETMVN VPHIHARVYN YEPLTQLKNV RANYYGKYIA LRGTVVRVSN IKPLCTKMAF   240
      LCAACGEIQS FPLPDGKYSL PTKCPVPVCR GRSFTALRSS PLTVTMDWQS IKIQELMSDD   300
      QREAGRIPRT IECELVHDLV DSCVPGDTVT ITGIVKVSNA EEGSRNKNDK CMFLLYIEAN   360
      SISNSKGQKT KSSEDGCKHG MLMEFSLKDL YAIQEIQAEE NLFKLIVNSL CPVIPGHELV   420
      KAGLALALPG GSQKYADDKN RIPIRGDPHI LVVGDPGLGK SQMLQAACNV APRGVYVCGN   480
      TTTTSGLTVT LSKDSSSGDP ALEAGALVLG DQGICGIDEF DKMGNQHQAL LEAMEQQSIS   540
      LAKAGVVCSL PARTSIIAAA NFVGGHYNKA KTVSENLKMG SALLSRFDLV FILLDTPNEH   600
      HDHLLSEHVI AIRAGKQRTI SSATVARMNS QDSNTSVLEV VSEKPLSERL KVVPGETIDP   660
      IPHQLLRKYI GYARQYVYPR LSTEAARVLQ DFYLELRKQS QRLNSSPITT RQLESLIRLT   720
      EARARLELRE EATKEDAEDI VEIMKYSMLG TYSDEFGNLD FERSQHGSGM SNRSTAKRPI   780
      SALNNVAERT YNNIFQFHQL RQIAKELNIQ VADPENFIGS LNDQGYLLKK GPKVYQLQTM
```

Seq ID NO: 45 DNA sequence
Nucleic Acid Accession #: NM_005416.1
Coding sequence: 149..658

```
      1          11         21         31         41          51
      |          |          |          |          |           |
      ACCAGATCCC AGAGGCTGAA CACCTCGACC TTCTCTGCAC AGCAGATGAT CCCTGAGCAG   60
      CTGAAGACCA GAAAAGCCAC TAAGACTTTC TGCTTAATTC AGGAGCTTAG AGGATTCTTC   120
      AAAGAGTGTG TCCACGATCC TTTGAAGCAT GAGTTCTTAC CAGCAGAAGC AGACCTTTAC   180
      CCCACCACCT CAGCTTCAAC AGCAGCAGGT GAAACAACCC AGCCAGCCTC CACCTCAGGA   240
      AATATTTGTT CCCACAACCA AGGAGCCATG CCACTCAAAG GTTCCACAAC CTGGAAACAC   300
      AAAGATTCCA GAGCCAGGCT GTACCAAGGT CCCTGAGCCA GGCTGTACCA AGGTCCCTGA   360
      GCCAGGCTGT ACCAAGGTCC CTGAGCCAGG TTGTACCAAG GTCCCTGAGC CAGGCTGTAC   420
      CAAGGTCCCT GAGCCAGGTT GTACCAAGGT CCCTGAGCCA GGCTACACCA AGGTCCCTGA   480
      ACCAGGCAGC ATCAAGGTCC CTGACCAAGG CTTCATCAAG TTTCCTGAGC CAGGTGCCAT   540
      CAAAGTTCCT GAGCAAGGAT ACACCAAAGT TCCTGTGCCA GGCTACACAA AGCTACCAGA   600
      GCCATGTCCT TCAACGGTCA CTCCAGGCCC AGCTCAGCAG AAGACCAAGC AGAAGTAATT   660
      TGGTGCACAG AAACCCTT GAGAAGCCAA CCACCAGATG CTGGACACCC TCTTCCCATC   720
      TGTTTCTGTG TCTTAATTGT CTGTAGACCT TGTAATCAGC ACATTGTCAC CCCAAGCCAT   780
      AGTCTCTCTC TTATTTGTAT CCTAAAAATA CGTACTATAA AGCTTTTGTT CACACACACT   840
      CTGAAGAATC CTGTAAGCCC CTGAATTAAG CAGAAAGTCT TCATGGCTTT TCTGGTCTTC   900
      GGCTGCTCAG GGTTCATCTG AAGATTCGAA TGAAAAGAAA TGCATGTTTC CTGCTCTTCC   960
      CTCATTAAAT TGCTTTTAAT TCCA
```

Seq ID NO: 46 Protein sequence:
Protein Accession #: NP_005407.1

```
      1          11         21         31         41          51
      |          |          |          |          |           |
      MSSYQQKQTF TPPPQLQQQQ VKQPSQPPPQ EIPVPTTKEP CHSKVPQPGN TKIPEPGCTK   60
      VPEPGCTKVP EPGCTKVPEP GCTKVPEPGC TKVPEPGCTK VPEPGYTKVP EPGSIKVPDQ   120
      GPIKFPEPGA IKVPEQGYTK VPVPGYTKLP EPCPSTVTPG PAQQKTKQK
```

Seq ID NO: 47 DNA sequence
Nucleic Acid Accession #: Eos sequence

206

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       GCGTCGTGTG CAGGCGTCCC CGGGCTGTGG ATAATTAGAC ACGTTCTTCC CTCATTGCCC    60
       AAGGCTCGTT AGAATTCGCC CTAGAGCTGT ATCATGTATT TTCTTTCAAA TTAACTTTGC   120
       TTGCAATTAA GCTTAGGGAA CCAGCAACAA AAGCAAACTT GGCCCGAGGT CGTTCACCGC   180
       GAAAATGGAT TAGAGAAACT TCTTCCCCGA TTTAAGGGGA AAGATTCCTG CGGCCACGCGC  240
       TTTGGGGAAA GTGCCCCGAC CGCAGAGGCG ACGACAGGGG AGCAGGAAGC TGCTCACGGT   300
       AGTCGGCGTT GGCGGCAGCG GTGGCCTTCC TCATCTGGGC GATGTGGGCT CCTAGAAGAG   360
       TAAGGATAAC ATCCTGGAAA TGACTTCTGT ACGGTTTGAG CCCAACTGCA CACTCATGAC   420
       TTGGAGCTGC CCTGTGGAGT TACAGTTTAC CAAACACATT CATGAACATA ATCTCATTTA   480
       CTAAAAACTT TGTGAGAATT TTCTTTTACT AAAATTTTTT CTTATTACAA A
```

Seq ID NO: 48 DNA sequence:
Nucleic Acid Accession #: CAT cluster

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       TTCCAAATTT TTTTTTTTGT AATAAGAAAA AATTTTAGTA AAAGAAAATT CTCACAAAGT    60
       TTTTAGTAAA TGAGATTATG TTCATGAATG TGTTTGGTAA ACTGTAACTC CACAGGGCAG   120
       CTCCAAGTCA TGAGTGTGCA GTTGGGCTCA AACCGTACAG AAGTCATTTC CAGGATGTTA   180
       TCCTTACTCT TCTCGGAGCC CACATCGCCC AGATGAGGAA GCCGCCAACG   240
       CCGACTACCG TGAGCAGCTT CCTGCTCCCC TGTCGTCGCC TCTGCGGTCG GGGCACTTTC   300
       CCCAAAGCGC TGGCCGCAGG AATCTTTCCC CTTAAATCGG GGAAGAAGTT TCTCTAATCC   360
       ATTTTCGCGG TGAACGACCT CGGGCCAAGT TTGCTTTTGT TGCTGGTTCC CTAAGCTTAA   420
       TTGCAAGCAA AGTTAATTTG AAAGAAAAATA CATGATACAG CTCTAGGGGG AATTCTAACG   480
       AGCCTTGGGC AATGAGGGAA GAACGTGTCT AGTTATCCAC AGCCCGGGGA CGCCTGCACA   540
       CGACGCT
```

Seq ID NO: 49 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       TCTTTCTTCT GCTGCTCGTT TGTCTCTCCT GTGCTCTTCT TCTTTCTTTC CCTCGCCGCT    60
       CCTGCCGACC TCTGTTGTCT CTTCTCTGAT GGCGGGGGGC GGGAGAAGCT GACCGGTGAG   120
       ACCGTAGACC CGAAACCATT GGGTGTCACA AGCCGGTCGC CGGCTTTTTT GGGAGAACCC   180
       GACACACATGCA GACCAGTTTT CCTGGAACNG CATGACCATG TTATTACTAT GGGCCGCCTC   240
       CCCAACCAAA GTGTTTAAAA CTTTTTAGGG CACCCCCAAA ATTTTTTTTT TTTTTTTTTT   300
       TTCATTTAAA AAACTCTAAT ATTTATATTA AATACAAAGA TACCCAAACC CTTTATGCTT   360
       CTTTCTCTGA TCTGTGTCTT TTTTCTTTGA CAGCATCTCC ATTTTTTTTC TGCTGCTTCA   420
       TCGCTGTAGC CATGGGAATC CGTTTCATTA TTATGGTAGC AATATGGAGT GCTGTATTCC   480
       TAAAGAAACT GACACAGGAG AATCACTTGA ACTTGGGAGG CAGAGTTTGC AGTGAGCCGA   540
       GATTGAACCA GTGCACTCCA GCCTTGGCAG CGGAGCAAGA TTCTGTCACA GTTCCTGAAG   600
       TGCTGGTATC GTCCTGCAGC CCCATCCTCG GTTCCATTGC GCTGCCAGGC AGGGTGCTGG   660
       GACGTGGGGA GAGCTGGTCT ATATATCCGG GTGAAGCTCA GCTGTGGCAC ACCTTGGATG   720
       CCGGGTCTCT CCTGGCCCCG GGGACCTAGT ATTTTTGCCA CGAGTGTACA CCAAACAAAG   780
       GAGACAGCAT CATTTATGAG CCTGCAGCAT CCACCCTACT GCTGTATCCA GTTTCCATTG   840
       ACTG
```

Seq ID NO: 50 DNA sequence
Nucleic Acid Accession #: L05187
Coding sequence: 1991..2260

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CTGCAGGGAG GCAGGTAGAA AAGGCTTTTG GGTTTTCAGG TGGGGGGCAG TCTAGCCTGA    60
       TCAGAAAGGA GGAAAAGGCC AGGGCAGATG TCTGGGTGGA GTGAAGGGAA AAAGTGATCC   120
       CAGAAGAAGG ATTAGCCCCT GAAAGTCCCT GAAGTAGGAG AAGGGTAAAG GTGTGGTTGG   180
       TGAAGGAAAG CAGGTTTTCC CAGATTAGCA ACCAGTCAGG GGGAGGAAGG TGAGAGTGGG   240
       AGAGTCATAA GTAAATTATT CTGAATGTGT GTAGTTTAAT GGAATTGGGA AAAAGATGGG   300
       GGAAATGGAT GGAAGGTCTT GGACTCTGAG ACAAGGGGTC TATAATCAGT CCATTTCATT   360
       ATTTCTAGCT TCCACCTTCA CCAAGGCAGA CAAGGAGGGC CCACCTCAGC TCCTCTGCTC   420
       CCCCTCCCTT TCCCACCTAT TCATGTGTGC AAGAGTGCCC TGTCCCACAG AACACGGGGA   480
       ACAACCATCT CAATGACAAG GACAGCAGGT GGCAAGGCTC AACAGGACTC AGATGTCCCC   540
       CCAGGGTTAA CTCATGAAAC CCTCCATGAA GCCTGCTGCT CACCCCTCCC TCAAGGCAAG   600
       CCCTGCACCT GGGTCTGAGG ATGAGGGTGG CAGTGAAAAT TAGGCCAGTG ACATCATTTT   660
       CAGCCAGCTA GTGCCAAAAA ATATCAGGTG GTGTTCATCA AATAAGCCGA GCCAACCGGT   720
       GATGAGGATG GTAGTGTGAG TCATGTGTGA CAGGTGAGGA ATGAAAACAG AGTGCCCGAG   780
       AGCTTCTATT TCCTTGAGGC AGGGCTCATT CATCTTATAA AAGCCAGCTG GCCATTGCCT   840
       TCACACCAAA CCCAAGGGAC CACACAGCCC ATTCTGCTCC GTATACCAGG TAAGTCTCTG   900
       ATTGCAACAA ACTGGCAATT CTAGTGTACT TTTTCATTAT TAGAAATTAG CTAAAGGCAA   960
       ATATGTGTAA GCAGGTTAAT CCAGGGTTTC AATGGGAGAT AGAGAATAGT GGAATATCTT  1020
       TATTTTAAGT TAAATTACAG TCTGGATTTG AAAGGACCTT AGAGATGGTT AGGGCTCCCA  1080
       CCTCAGTAGA TAGTCATTGA ACTGGGAGTC CTGGAGAAGA TTGTTCAAAT GCCCATGGGA  1140
       AGTTCATAGC AGAACTAGAA CTCAGGCCAG AGCACTCTCA GTAACACTGC AATTTCCCCC  1200
       TGACAAGATA TTTATAGAAA TTTTAATTTA TTAGATGGAT CTCTACTGAG CATTTATTCC  1260
       ATTTAAGGCA GTATGCTAGG CACTTTGGAC AAATCAATGC CCTAACGTAC TTACTTAACA  1320
       AACATAAAAC CTAGCAGGAA GGTAATACAT ATATATAAAT AAATGAAATG CAAAGTAGAT  1380
       AGTAATTGGC ATGACGGAGA TGGGCAGAGA AGGGCTGTGC ACTTTTGGGA GACTTGCTCA  1440
       AGGAGACCTC TAGGGTGTCA AGTGATGTGA GCTATGATGG AGGGGTATTT GGACAAGCAG  1500
       AGATGGGAAG AAAAGCATTT GGAAGGGACT GTGTAAGCAC AGACCAGAAG CAAAACCATA  1560
       GAGGCTTAGA TGAATATAAA GCCATCCTAT AAGTCACAGG CTTTCTACAT GGTACTAGGA  1620
       GAGGAAAGTG GTCTGATGCC ATTTTCCAAA AGACCTAATA TGCGGACCTC ATGTCCCTCA  1680
       GAAGCCAGCT TTAGTAGGGC ATTTTTCCAG AACAGATATA AGGTGCCTTG GGTAGGAAGG  1740
       GAGCCAAGAA GAGAACTCCA ATAAAATGGA GCAGAAGAAA TTGCCTTTTA GCTCCTCCTC  1800
       TTCAAAGGGC CTGAAAATTA TCCAAGCTTA TTTCATTTTT AAATGTAATG GGGGAGCTAA  1860
```

```
     GGGAGATGAA AGGCTTTCTC TTCTAAAGGG TCCTGAAATA AAATCTGTTT GGCATTGAAT  1920
     TTGTATCCAT CTTTCTTTAA TTGAATCACT GTGTCAGCTT TCTGTCTCTA GAAAAAAACA  1980
     CATTTGAAGC ATGAATTCTC AGCAGCAGAA GCAGCCTTGC ACCCCACCCC CTCAGCCTCA  2040
     GCAGCAGCAG GTGAAACAAC CTTGCCAGCC TCCACCCCAG GAACCATGCA TCCCCAAAAC  2100
     CAAGGAGCCC TGCCAACCCA AGGTGCCTGA GCCCTGCCAC CCCAAAGTGC CTGAGCCCTG  2160
     CCAGCCCAAG ATTCCAGAGC CCTGCCAGCC CAAGGTGCCT GAGCCCTGCC CTTCAACGGT  2220
     CACTCCAGCA CCAGCCCAGC AGAAGACCAA GCAGAAGTAA TGTGGTCCAC AGCCATGCCC  2280
     TTGAGGAGCT GGCCACTGGA TACTGAACAC CCTACTCCAT TCTGCTTATG AATCCCATTT  2340
     GCCTATTGAC CCTGCAGTTA GCATGCTGTC ACCCTGAAТC ATAATCGCTC CTTTGCACCT  2400
     CTAAAAAGAT GTCCCTTACC CTCATTCTGG AGGCTCCTGA GCCTCTGCGT AAGGCTGAAC  2460
     GTCTCACTGA CTGAGCTAGT CTTCTTGTTG CTCGGGTGCA TTTGAGGATG GATTTGGGGA  2520
     AGGTCAAGTG ACCATCCCTA G
```

Seq ID NO: 51 Protein sequence:
Protein Accession #:AAC26838

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MNSQQQKQPC TPPPQPQQQQ VKQPCQPPPQ EPCIPKTKEP CQPKVPEPCH PKVPEPCQPK   60
     IPEPCQPKVP EPCPSTVTPA PAQQKTKQK
```

Seq ID NO: 52 DNA sequence
Nucleic Acid Accession #: NM_002638.1
Coding sequence: 120-473

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CAATACAGCT AAGGAATTAT CCCTTGTAAA TACCACAGAC CCGCCCTGGA GCCAGGCCAA   60
     GCTGGACTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA  120
     TGAGGGCCAG CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGCTGGGACG CTGGTTCTAG  180
     AGGCAGCTGT CACGGGAGTT CCTGTTAAAG GTCAAGACAC TGTCAAAGGC CGTGTTCCAT  240
     TCAATGGACA AGATCCCGTT AAAGGACAAG TTTCAGTTAA AGGTCAAGAT AAAGTCAAAG  300
     CGCAAGAGCC AGTCAAAGGT CCAGTCTCCA CTAAGCCTGG CTCCTGCCCC ATTATCTTGA  360
     TCCGGTGCGC CATGTTGAAT CCCCTAACC GCTGCTTGAA AGATACTGAC TGCCCAGGAA  420
     TCAAGAAGTG CTGTGAAGGC TCTTGCGGGA TGGCCTGTTT CGTTCCCCAG TGAAGGGAGC  480
     CGGTCCTTGC TGCACCTGTG CCGTCCCCAG AGCTACAGGC CCCATCTGGT CCTAAGTCCC  540
     TGCTGCCCTT CCCCTTCCCA CACTGTCCAT TCTTCCTCCC ATTCAGGATG CCCACGGCTG  600
     GAGCTGCCTC TCTCATCCAC TTTCCAATAA A
```

Seq ID NO: 53 Protein sequence:
Protein Accession #: NP_002629.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MRASSPLIVV VFLIAGTLVL EAAVTGVPVK GQDTVKGRVP FNGQDPVKGQ VSVKGQDKVK   60
     AQEPVKGPVS TKPGSCPIIL IRCAMLNPPN RCLKDTDCPG IKKCCEGSCG MACFVPQ
```

Seq ID NO: 54 DNA sequence
Nucleic Acid Accession #: NM_019618
Coding sequence: 75-584

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGCACGAGCC ACGATTCAGT CCCCTGGACT GTAGATAAAG ACCCTTTCTT GCCAGGTGCT   60
     GAGACAACCA CACTATGAGA GGCACTCCAG GAGACGCTGA TGGTGGAGGA AGGGCCGTCT  120
     ATCAATCAAT GTGTAAACCT ATTACTGGGA CTATTAATGA TTTGAATCAG CAAGTGTGGA  180
     CCCTTCAGGG TCAGAACCTT GTGGCAGTTC CACGAAGTGA CAGTGTGACA CCAGTCACTG  240
     TTGCTGTTAT CACATGCAAG TATCCAGAGG CTCTTGAGCA AGGCAGAGGG GATCCCATTT  300
     ATTTGGGAAT CCAGAATCCA GAAATGTGTT TGTATTGTGA GAAGGTTGGA GAACAGCCCA  360
     CATTGCAGCT AAAAGAGCAG AAGATCATGG ATCTGTATGG CCAACCCGAG CCCGTGAAAC  420
     CCTTCCTTTT CTACCGTGCC AAGACTGGTA GGACCTCCAC CCTTGAGTCT GTGGCCTTCC  480
     CGGACTGGTT CATTGCCTCC TCCAAGAGAG ACCAGCCCAT CATTCTGACT TCAGAACTTG  540
     GGAAGTCATA CAACACTGCC TTTGAATTAA ATATAAATGA CTGAACTCAG CCTAGAGGTG  600
     GCAGCTTGGT CTTTGTCTTA AAGTTTCTGG TTCCCAATGT GTTTTCGTCT ACATTTTCTT  660
     AGTGTCATTT TCACGCTGGT GCTGAGACAG GGGCAAGGCT GCTGTTATCA TCTCATTTTA  720
     TAATGAAGAA GAAGCAATTA CTTCATAGCA ACTGAAGAAC AGGATGTGGC CTCAGAAGCA  780
     GGAGAGCTGG GTGGTATAAG GCTGTCCTCT CAAGCTGGTG CTGTGTAGGC CACAAGGCAT  840
     CTGCATGAGT GACTTTAAGA CTCAAAGACC AAACACTGAG CTTTCTTCTA GGGGTGGGTA  900
     TGAAGATGCT TCAGAGCTCA TGCGCGTTAC CCACGATGGC ATGACTAGCA CAGAGCTGAT  960
     CTCTGTTTCT GTTTTGCTTT ATTCCCTCTT GGGATGATAT CATCCAGTCT TTATATGTTG 1020
     CCAATATACC TCATTGTGTG TAATAGAACC TTCTTAGCAT TAAGACCTTG TAAACAAAAA 1080
     TAATTCTTGT GTTAAGTTAA ATCATTTTTG TCCTAATTGT AATGTGTAAT CTTAAAGTTA 1140
     AATAAACTTT GTGTATTTAT ATAATAAAAA AAAAAAAAAA AAA
```

Seq ID NO: 55 Protein sequence:
Protein Accession #: NP_062564

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MRGTPGDADG GGRAVYQSMC KPITGTINDL NQQVWTLQGQ NLVAVPRSDS VTPVTVAVIT   60
     CKYPEALEQG RGDPIYLGIQ NPEMCLYCEK VGEQPTLQLK EQKIMDLYGQ PEPVKPPLFY  120
     RAKTGRTSTL ESVAPPDWFI ASSKRDQPII LTSELGKSYN TAPELNIND
```

Seq ID NO: 56 DNA sequence
Nucleic Acid Accession #: NM_003125
Coding sequence: 65-334

```
       1         11        21        31      .  41      .  51
       |         |         |         |          |          |
 5     AGCAGTTCTA AGGGACCATA CAGAGTATTC CTCTCTTCAC ACCAGGACCA GCCACTGTTG   60
       CAGCATGAGT TCCCAGCAGC AGAAGCAGCC CTGCATCCCA CCCCCTCAGC TTCAGCAGCA  120
       GCAGGTGAAA CAGCCTTGCC AGCCTCCACC TCAGGAACCA TGCATCCCCA AAACCAAGGA  180
       GCCCTGCCAC CCCAAGGTGC CTGAGCCCTG CCACCCCAAA GTGCCTGAGC CTGCCAGCC ·  240
       CAAGCTTCCA GAGCCATGCC ACCCCAAGGT GCCTGAGCCC TGCCCTTCAA TAGTCACTCC  300
10     AGCACCAGCC CAGCAGAAGA CCAAGCAGAA GTAATGTGGT CCACAGCCAT GCCCTTGAGG  360
       AGCCGGCCAC CAGATGCTGA ATCCCCTATC CCATTCTGTG TATGAGTCCC ATTTGCCTTG  420
       CAATTAGCAT TCTGTCTCCC CCAAAAAAGA ATGTGCTATG AAGCTTTCTT TCCTACACAC  480
       TCTGAGTCTC TGAATGAAGC TGAAGGTCTT AGTACCAGAG CTAGTTTTCA GCTGCTCAGA  540
       ATTCATCTGA AGAGAGACTT AAGATGAAAG CAAATGATTC AGCTCCCTTA TACCCCCATT  600
15     AAATTCACTT TCAATTCCA                                               600
```

Seq ID NO: 57 Protein sequence:
Protein Accession #: NP_003116

```
       1         11        21        31        41        51
       |         |         |         |         |         |
       MSSQQQKQPC IPPPQLQQQQ VKQPCQPPPQ EPCIPKTKEP CHPKVPEPCH PKVPEPCQPK   60
       LPEPCHPKVP EPCPSIVTPA PAQQKTKQK
```

Seq ID NO: 58 DNA sequence
Nucleic Acid Accession #: NM_001793.2
Coding sequence: 71-2560

```
       1         11        21        31        41        51
       |         |         |         |         |         |
       AAAGGGGCAA GAGCTGAGCG GAACACCGGC CCGCCGTCGC GGCAGCTGCT TCACCCCTCT   60
       CTCTGCAGCC ATGGGGCTCC CTCGTGGACC TCTCGCGTCT CTCCTCCTTC TCCAGGTTTG  120
       CTGGCTGCAG TGCGCGGCCT CCGAGCCGTG CCGGGCGGTC TTCAGGGAGG CTGAAGTGAC  180
       CTTGGAGGCG GGAGGCGCGG AGCAGGAGCC CGGCCAGGCC CTGGGGAAAG TATTCATGGG  240
       CTGCCCTGGG CAAGAGCCAG CTCTGTTTAG CACTGATAAT GATGACTTCA CTGTGCGGAA  300
       TGGCGAGACA GTCCAGGAAA GAAGGTCACT GAAGGAAAGG AATCCATTGA AGATCTTCCC  360
       ATCCAAACGT ATCTTACGAA GACACAAGAG AGATTGGGTG GTTGCTCAA TATCTGTCCC  420
       TGAAAATGGC AAGGGTCCCT TCCCCCAGAG ACTGAATCAG CTCAAGTCTA ATAAAGATAG  480
       AGACACCAAG ATTTTCTACA GCATCACGGG GCCGGGGGCA GACAGCCCCC CTGAGGGTGT  540
       CTTCGCTGTA GAGAAGGAGA CAGGCTGGTT GTTGTTGAAT AAGCCACTGG ACCGGGAGGA  600
       GATTGCCAAG TATGAGCTCT TTGGCCACGC TGTGTCAGAG AATGGTGCCT CAGTGGAGGA  660
       CCCCATGAAC ATCTCCATCA TCGTGACCGA CCAGAATGAC CACAAGCCCA AGTTTACCCA  720
       GGACACCTTC CGAGGGAGTG TCTTAGAGGG AGTCCTACCA GGTACTTCTG TGATGCAGGT  780
       GACAGCCACG GATGAGGATG ATGCCATCTA CACCTACAAT GGGGTGGTTG CTTACTCCAT  840
       CCATAGCCAA GAACCAAAGG ACCCACACGA CCTCATGTTC ACCATTCACC GGAGCACAGG  900
       CACCATCAGC GTCATCTCCA GTGGCCTGGA CCGGGAAAAA GTCCCTGAGT ACACACTGAC  960
       CATCCAGGCC ACAGACATGG ATGGGGACGG CTCCACCACC ACGGCAGTGG CAGTAGTGGA 1020
       GATCCTTGAT GCCAATGACA ATGCTCCCAT GTTTGACCCT CAGAAGTACG AGGCCCATGT 1080
       GCCTGAGAAT GCAGTGGGCC ATGAGGTGCA GAGGCTGACG GTCACTGATC TGGACGCCCC 1140
       CAACTCACCA GCGTGGCGTG CCACCTACCT TATCATGGGC GGTGACGACG GGGACCATTT 1200
       TACCATCACC ACCCACCCTG AGAGCAACCA GGGCATCCTG ACAACCAGGA AGGGTTTGGA 1260
       TTTTGAGGCC AAAAACCAGC ACACCCTGTA CGTTGAAGTG ACCAACGAGG CCCCTTTTGT 1320
       GCTGAAGCTC CCAACCTCCA CAGCCACCAT AGTGGTCCAC GTGGAGGATG TGAATGAGGC 1380
       ACCTGTGTTT GTCCCACCCT CCAAAGTCGT TGAGGTCCAG GAGGGCATCC CCACTGGGGA 1440
       GCCTGTGTGT GTCTACACTG CAGAAGACCC TGACAAGGAG AATCAAAAGA TCAGCTACCG 1500
       CATCCTGAGA GACCCAGCAG GGTGGCTAGC CATGGACCCA GACAGTGGGC AGGTCACAGC 1560
       TGTGGGCACC CTCGACCGTG AGGATGAGCA GTTTGTGAGG AACAACATCT ATGAAGTCAT 1620
       GGTCTTGGCC ATGGACAATG GAAGCCCTCC CACCCACTGG CACGGAACCC TTCTGCTAAC 1680
       ACTGATTGAT GTCAATGACC ATGGCCCAGT CCCTGAGCCC CGTCAGATCA CCATCTGCAA 1740
       CCAAAGCCCT GTGCGCCAGG TGCTGAACAT CACGGACAAG GACCTGTCTC CCCACACCTC 1800
       CCCTTTCCAG GCCCAGCTCA CAGATGACTC AGACATCTAC TGGACGGCAG AGGTCAACGA 1860
       GGAAGGTGAC ACAGTGGTCT TGTCCCTGAA GAAGTTCCTG AAGCAGGATA CATATGACGT 1920
       GCACCTTTCT CTGTCTGACC ATGGCAACAA AGAGCAGCTG ACGGTGATCA GGGCCACTGT 1980
       GTGCGACTGC CATGGCCATG TCGAAACCTG CCCTGGACCC TGGAAGGGAG GTTTCATCCT 2040
       CCCTGTGCTG GGGGCTGTCC TGGCTCTGCT GTTCCTCCTG CTGGTGCTGC TTTTGTTGGT 2100
       GAGAAAGAAG CGGAAGATCA AGGAGCCCCT CCTACTCCCA GAAGATGACA CCCGTGACAA 2160
       CGTCTTCTAC TATGGCGAAG AGGGGGGTGG CGAAGAGGAC CAGGACTATG ACATCACCCA 2220
       GCTCCACCGA GGTCTGGAGG CCAGGCCGGA GGTGGTTCTC CGCAATGACG TGGCACCAAC 2280
       CATCATCCCG ACACCCATGT ACCGTCCTCG GCCAGCCAAC CCAGATGAAA TCGGCAACTT 2340
       TATAATTGAG AACCTGAAGG CGGCTAACAC AGACCCCACA GCCCCGCCCT ACGACACCCT 2400
       CTTGGTGTTC GACTATGAGG GCAGCGGCTC CGACGCGCGG TCCCTGAGCT CCCTCACCTC 2460
       CTCCGCCTCC GACCAAGACC AAGATTACGA TTATCTGAAC GAGTGGGGCA GCCGCTTCAA 2520
       GAAGCTGGCA GACATGTACG GTGGCGGGGA GGACGACTAG GCGGCCTGCC TGCAGGGCTG 2580
       GGGACCCAAAC GTCAGGCCAC AGAGCATCTC CAAGGGGTCT CAGTTCCCCC TTCAGCTGAG 2640
       GACTTCGGAG CTTGTCAGGA AGTGGCCGTA GCAACTTGGC GGAGACAGGC TATGAGTCTG 2700
       ACGTTAGAGT GGTTGCTTCC TTAGCCTTTC AGGATGGAGG AATGTGGGCA GTTTGACTTC 2760
       AGCACTGAAA ACCTCTCCAC CTGGGACCAGG GTTGCCTCAG AGGCCAAGTT TCCAGAAGCC 2820
       TCTTACCTGC CGTAAAATGC TCAACCCTGT GTCCTGGGCG TGGGCCTGCT GTGACTGACC 2880
       TACAGTGGAC TTTCTCTCTG GAATGGAACC TTCTTAGGCC TCCTGGTGCA ACTTAATTTT 2940
       TTTTTTAAT GCTATCTTCA AACGTTAGA GAAAGTTCTT CAAAAGTGCA GCCCAGAGCT 3000
       GCTGGGCCCA CTGGCCGTCC TGCATTTCTG GTTTCCAGAC CCCAATGCCT CCCATTCGGA 3060
       TGGATCTCTG CGTTTTTATA CTGAGTGTGC CTAGGTTGCC CCTTATTTTT TATTTTCCCT 3120
       GTTGCGTTGC TATAGATGAA GGGTGAGGAC AATCGTGTAT ATGTACTAGA ACTTTTTTAT 3180
       TAAAGAAACT TTTCCCAGAA AAAAA
```

Seq ID NO: 59 Protein sequence:

209

Protein Accession #: NP_001784.2

```
     1         11        21        31        41        51
     |         |         |         |         |         |
MGLPRGPLAS LLLLQVCWLQ CAASEPCRAV FREAEVTLEA GGAEQEPGQA LGKVPMGCPG     60
QEPALPSTDN DDPTVRNGET VQERRSLKER NPLKIFPSKR ILRRHKRDWV VAPISVPENG    120
KGPFPQRLNQ LKSNKDRDTK IFYSITGPGA DSPPEGVFAV EKETGWLLLN KPLDREEIAK    180
YELFGHAVSE NGASVEDPMN ISIIVTDQND HKPKFTQDTF RGSVLEGVLP GTSVMQVTAT    240
DEDDAIYTYN GVVAYSIHSQ EPKDPHDLMF TIHRSTGTIS VISSGLDREK VPEYTLTIQA    300
TDMDGDGSTT TAVAVVEILD ANDNAPMFDP QKYEAHVPEN AVGHEVQRLT VTDLDAPNSP    360
AWRATYLIMG GDDGDHFTIT THPESNQGIL TTRKGLDFEA KNQHTLYVEV TNEAPFVLKL    420
PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ EGIPTGEPVC VYTAEDPDKE NQKISYRILR    480
DPAGWLAMDP DSGQVTAVGT LDREDEQFVR NNIYEVMVLA MDNGSPPTTG TGTLLLTLID    540
VNDHGPVPEP RQITICNQSP VRQVLNITDK DLSPHTSPFQ AQLTDDSDIY WTAEVNEEGD    600
TVVLSLKKPL KQDTYDVHLS LSDHGNKEQL TVIRATVCDC HGHVETCPGP WKGGFILPVL    660
GAVLALLFLL LVLLLLVRKK RKIKEPLLLP EDDTRDNVFY YGEEGGGEED QDYDITQLHR    720
GLEARPEVVL RNDVAPTIIP TPMYRPRPAN PDEIGNFIIE NLKAANTDPT APPYDTLLVF    780
DYEGSGSDAA SLSSLTSSAS DQDQDYDYLN EWGSRFKKLA DMYGGGEDD
```

Seq ID NO: 60 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 162-428

```
     1         11        21        31        41        51
     |         |         |         |         |         |
GCGTTCCGTT GGCGGCGGAT TCGAACGTTC GGACTGAGGT TTTTCTGCCT GAAGAAGCGT     60
CATACGGACC GGATTGTTTT CGCTGGCCCA GTGTCCCCGG AGCTTGTGTG CGATACAGAG    120
AGCACCTCGG AAGCTGAGGC AGCTGGTACT TGACAGAGAG GATGGCGCTG TCGACCATAG    180
TCTCCCAGAG GAAGCAGATA AAGCGGAAGG CTCCCCGTTG CTTTCTAAAG CGAGTCTTTCA    240
AGCGAAAGAA GCCTCAACTT CGTCTGGAGA AAAGTGGTGA CTTATTGGTC CATCTGAACT    300
GTTTACTGTT TGTTCATCGA TTAGCAGAAG AGTCCAGGAC AAACGCTTGT GCGAGTAAAT    360
GTAGAGTCAT TAACAAGGAG CATGTACTGG CCGCAGCAAA GGTAATTCTA AAGAAGAGCA    420
GAGGTTAGAA GTCAAAGAAC ATATTCTTGA AAGTTATGAT GCATTCTTTT GGGTGGTAAC    480
AGATCATAAA GACATTTTTT CACACATCAGT TAATATGGGA TTATTAAATA TTGG
```

Seq ID NO: 61 Protein sequence:
Protein Accession #: Eos sequence

```
     1         11        21        31        41        51
     |         |         |         |         |         |
MALSTIVSQR KQIKRKAPRG FLKRVFKRKK PQLRLEKSGD LLVHLNCLLF VHRLAEESRT     60
NACASKCRVI NKEHVLAAAK VILKKSRG
```

Seq ID NO: 62 DNA sequence
Nucleic Acid Accession #: NM_000094.2
Coding sequence: 99-8933

```
     1         11        21        31        41        51
     |         |         |         |         |         |
GGGCTGGAGG GGCGCTGGGC TCGGACCTGC CAAGGCCACC GCAGGGGGGA GCAAGGGACA     60
GAGGCGGGGG TCCTAGCTGA CGGCTTTTAC TGCCTAGGAT GACGCTGCGG CTTCTGGTCG    120
CCGCGCTCTG CGCCGGGATC CTGGCAGAGG CGCCCCGAGT GCGAGCCCAG CACAGGGAGA    180
GAGTGACCTG CACGCGCCTT TACGCCGCTG ACATTGTGTT CTTACTGGAT GGCTCCTCAT    240
CCATTGGCCG CAGCAATTTC CGCGAGGTCC GCAGCTTTCT CGAAGGGCTG GTGCTGCCTT    300
TCTCTGGAGC AGCCAGTGCA CAGGGTGTGC GCTTTGCCAC AGTGCAGTAC AGCGATGACC    360
CACCGGACAGA GTTCGGCCTG GATGCACTTG GCTCTGGGGG TGATGTGATC CGCGCCATCC    420
GTGAGCTTAG CTACAAGGGG GGCAACACTC GCACAGGGGC TGCAATTCTC CATGTGGCTG    480
ACCATGTCTT CCTGCCCCAG CTGGCCCGAC CTGGTGTCCC CAAGGTCTGC ATCCTGATCA    540
CAGACGGGGA GTCCCAGGAC CTGGTGGACA CAGCTGCCCA AAGGCTGAAG GGGCAGGGGG    600
TCAAGCTATT TGCTGTGGGG ATCAAGAATG CTGACCCTGA GGAGCTGAAG CGAGTTGCCT    660
CACAGCCAAC CTCCGACTTC TTCTTCTTCG TCAATGACTT CAGCATCTTG AGGACACTAC    720
TGCCCCTCGT TTCCCGGAGA GTGTGCACGA CTGCTGGTGG CGTGCCTGTG ACCCGACCTC    780
CGGATGACTC GACCTCTGCT CCACGAGACC TGGTGCTGTC TGAGCCAAGC AGCCAATCCT    840
TGAGAGTACA GTGGACAGCG GCCAGTGGCC CTGTGACTAG CTACAAGGTC CAGTACACTC    900
CTCTGACGGG GCTGGGACAG CCACTGCCGA GTGAGCGGCA GGAGGTGAAC GTCCCAGCTG    960
GTGAGACCAG TGTGCGGCTG CGGGGTCTCC GGCCACTGAC CGAGTACCAA GTGACTGTGA   1020
TTGCCCTCTA CGCCAACAGC ATCGGGGAGG CTGTGAGCGG GACAGCTCGG ACCACTGCCC   1080
TAGAAGGGCC GGAACTGACC ATCCAGAATA CCACAGCCCA CAGCCTCCTG GTGGCCTGGC   1140
GGAGTGTGCC AGGTGCCACT GGCTACCGTG TGACATGGCG GGTCCTCAGT GGTGGGCCCA   1200
CACAGCAGCA GGAGCTGGGC CCTGGGCAGG GTTCAGTGTT GCTGCGTGAC TTGGAGCCTG   1260
GCACGGACTA TGAGGTGACC GTGAGCACCC TATTTGGCCG CAGTGTGGGG CCCGCCACTT   1320
CCCTGATGGC TCGCACTGAC GCTTCTGTTG AGCAGACCCT GCGCCCGGTC ATCCTGGGCC   1380
CCACATCCAT CCTCCTTTCC TGGAACTTGG TGCCTGAGGC CGTGGCTAC  CGGTTGGAAT   1440
GGCGGCGGTGA GACTGGCTTG GAGCCACCGC AGAAGGTGGT ACTGCCCTCT GATGTGACCC   1500
GCTACCAGTT GGATGGGCTG CAGCCGGGCA CTGAGTACCG CCTCACACTC TACACTCTGC   1560
TGGAGGGCCA CGAGGTGGCC ACCCCTGCAA CCGTGGTTCC CACTGGACCA GAGCTGCCTG   1620
TGAGCCCTGT AACAGACCTG CAAGCCACCG AGCTGCCCGG GCAGCGGGTG CGAGTGTCCT   1680
GGAGCCCAGT CCCTGGTGCC ACCCAGTACC GCATCATTGT GCGCAGCACC CAGGGGGTTG   1740
AGCGGACCCT GGTGCTTCCT GGGAGTCAGA CAGCATTCGA CTTGGATGAC GTTCAGGCTG   1800
GGCTTAGCTA CACTGTGCGG GTGTCTGCTC GAGTGGGTCC CCGTGAGGGC AGTGCCAGTG   1860
TCCTCACTGT CCGCCGGGAG CGGGAAACTC CACTTGCTGT TCCAGGGCTG CGGGTTGTGG   1920
TGTCAGATGC AACGCGCAGTG AGGGTGGCCT GGGGACCCGT CCCTGGAGCC AGTGGATTTC   1980
GGATTAGCTG GAGCACAGGC AGTGGTCCGG AGTCCAGCCA GACACTGCCC CCAGACTCTA   2040
CTGCCACAGA CATCACAGGG CTGCAGCCTG GAACCACCTA CCAGGTGGCT GTGTCGGTAC   2100
TGCGAGGCAG AGAGGAGGGC CCTGCTGCAG TCATCGGTGG CTCGAACGGAC CCACTGGGCC   2160
CAGTGAGGAC GGTCCATGTG ACTCAGGCCA GCAGCTCATC TGTCACCATT ACCTGGACCA   2220
GGGTTCCTGG CGCCACAGGA TACAGGGTTT CCTGGCACTC AGCCCACGGC CCAGAGAAAT   2280
```

```
CCCAGTTGGT TTCTGGGGAG GCCACGGTGG CTGAGCTGGA TGGACTGGAG CCAGATACTG  2340
AGTATACGGT GCATGTGAGG GCCCATGTGG CTGGCGTGGA TGGGCCCCCT GCCTCTGTGG  2400
TTGTGAGGAC TGCCCCTGAG CCTGTGGGTG GTGTGTCGAG GCTGCAGATC CTCAATGCTT  2460
CCAGCGACGT TCTACGGATC ACCTGGGTAG GGGTCACTGG AGCCACAGCT TACAGACTGG  2520
CCTGGGGCCG GAGTGAAGGC GGCCCCATGA GGCACCAGAT ACTCCCAGGA AACACAGACT  2580
CTGCAGAGAT CCGGGGTCTC GAAGGTGGGA TCAGCTACTC AGTGCGAGTG ACTGCCATTG  2640
TCGGGGACCG CGAGGGCACA CCTGTCTCCA TTGTTGTCAC TACGCCGCCT GAGGCTCCGC  2700
CAGCCCTGGG GACGCTTCAC GTGGTGCAGC GCGGGGAGCA CTCGCTGAGG CTGCGCTGGG  2760
AGCCGGTGCC CAGAGCGCAG GGCTTCCTTC TGCACTGGCA ACCTGAGGGT GGCCAGGAAC  2820
AGTCCCGGGT CCTGGGGCCC GAGCTCAGCA GCTATCACCT GGACGGGCTG GAGCCAGCGA  2880
CACAGTACCG CGTGAGGCTG AGTGTCCTAG GGCCGGCTGG AGAAGGGCCC TCTGCAGAGG  2940
TGACTGCGCG CACTGAGTCA CCTCGTGTTC CAAGCATTGA ACTACGTGTG GTGGACACCT  3000
CGATCGACTC GGTGACTTTG GCCTGGACTC CAGTGTCCAG GGCATCCAGC TACATCCTAT  3060
CCTGGCGGCC ACTCAGAGGC CCTGGCCAGG AAGTGCCTGG GTCCCGCAG ACACTTCCAG  3120
GGATCTCAAG CTCCCAGCGG GTGACAGGGC TAGAGCCTGG CGTCTCTTAC ATCTTCTCCC  3180
TGACGCCTGT CCTGGATGGT GTGCGGGGTC CTGAGGCATC TGTCACACAG ACGCCAGTGT  3240
GCCCCCGTGG CCTGGCGGAT GTGGTGTTCC TACCACATGC CACTCAAGAC AATGCTCACC  3300
GTGCGGAGGC TACGAGGAGG GTCCTGGAGC GTCTGGTGTT GGCACTTGGG CCTCTTGGGC  3360
CACAGGCAGT TCAGGTTGGC CTGCTGTCTT ACAGTCATCG GCCCTCCCCA CTGTTCCCAC  3420
TGAATGGCTC CCATGACCTT GGCATTATCT TGCAAAGGAT CCGTGACATG CCCTACATGG  3480
ACCCAAGTGG GAACAACCTG GGCACAGCCG TGGTCACAGC TCACAGATAC ATGTTGGCAC  3540
CAGATGCTCC TGGGCGCCGC CAGCACGTAC CAGGGGTGAT GGTTCTGCTA GTGGATGAAC  3600
CCTTGAGAGG TGACATATTC AGCCCCATCC GTGAGGCCCA GGCTTCTGGG CTTAATGTGG  3660
TGATGTTGGG AATGGCTGGA GCGGACCCAG AGCAGCTGCG TCGCTTGGCG CCGGGTATGG  3720
ACTCTGTCCA GACCTTCTTC GCCGTGGATG ATGGGCCAAG CCAGTCAGTG GCAGTCAGTG  3780
GTCTGGCCAC AGCCCTGTGT CAGGCATCCT TCACTACTCA GCCCCGGCCA GAGCCCTGCC  3840
CAGTGTATTG TCCAAAGGGC CAGAAGGGGG AACCTGGAGA GATGGGCCTG AGAGGACAAG  3900
TTGGGCCTCC TGGCGACCCT GGCTCCCGG GCAGGACCGG TGCTCCCGGC CCCCAGGGGC  3960
CCCCTGGAAG TGCCACTGCC AAGGGCGAGA GGGGCTTCCC TGGAGCAGAT GGGCGTCCAG  4020
GCAGCCCTGG CCGCGCCGGG AATCCTGGGA CCCCTGGAGC CCCTGGCCTA AAGGGCTCTC  4080
CAGGGTTGCC TGGCCCTCGT GGGGACCCGG GAGAGCGAGG ACCTCGAGGC CCAAAGGGGG  4140
AGCCGGGGGC TCCCGGACAA GTCATCGGAG GTGAAGGACC TGGGCTTCCT GGGCGGGAAAG  4200
GGGACCCTGG ACCATCGGGC CCCCCTGGAC CTCGTGGACC ACTGGGGGAC CCAGGACCCC  4260
GTGGCCCCCC AGGGCTTCCT GGAACAGCCA TGAAGGGTGA CAAAGGCGAT CGTGGGGAGC  4320
GGGGTCCCCC TGGACCAGGT GAAGGTGGCA TTGCTCCTGG GGAGCCTGGG CTGCCGGGTC  4380
TTCCCGGAAG CCCTGGACCC CAAGGCCCCG TTGCCCCCCC TGGAAAGAAA GGAGAAAAAG  4440
GTGACTCTGA GGATGGAGCT CCAGGCCTCC CAGGACAACC TGGGTCTCCG GGTGAGCAGG  4500
GCCCACGGGC ACCTCCTGGA GCTATTGGCC CCAAAGGTGA CCGGGGCTTT CCAGGGCCCC  4560
TGGGTGAGGC TGGAGAGAAG GGCGAACGTG GACCCCCAGG CCCAGCGGGA TCCCGGGGGC  4620
TGCCAGGGGT TGCTGGACGT CCTGGAGCCA AGGGTCCTGA AGGGCCACCA GGACCCACTG  4680
GCCGCCAAGG AGAGAAGGGG GAGCCTGGTC GCCCTGGGGA CCCTGCAGTG GTGGGACCTG  4740
CTGTTGCTGG ACCCAAAGGA GAAAAGGGAG ATGTGGGCGC CGCTGGGCCC AGAGGAGCTA  4800
CCGGAGTCCA AGGGGAACGG GGGCCACCCG GCTTGGTTCT TCCTGGAGAC CCTGGCCCCA  4860
AGGGAGACCC TGGAGACCGG GGTCCCATTG GCCTTACTGG CAGAGCAGGA CCCCCAGGTG  4920
ACTCAGGGCC TCCTGGAGAG AAGGGAGACC CTGGGCGGCC TGGCCCCCCA GGACCTGTTG  4980
GCCCCCGAGG ACGAGATGGT GAAGTTGGAG AGAAAGGTGA CGAGGGTCCT CCGGGTGACC  5040
CGGGTTTGCC TGGAAAAGCA GGCGAGCGTG GCCTTCGGGG GGCACCTGGA GTTCGGGGGC  5100
CTGTGGGTGA AAAGGGAGAC CAGGGAGATC CTGGAGAGGA TGGACGAAAT GGCAGCCCTG  5160
GATCATCTGG ACCCAAGGGT GACCGTGGGG AGCCGGGTC CCCAGGACCC CGGGACGGC  5220
TGGTAGACAC AGGAACCTGGA GCCAGAGAGA AGGGAGAGCC TGGGGACCGC GGACAAGAGG  5280
GTCCTCGAGG GCCCAAGGGT GATCCTGGCC TCCCTGGAGC CCCTGGAGGA AGGGGCATTG  5340
AAGGGTTTCG GGGACCCCCA GGCCCACAGG GGGACCCAGG TGTCCGAGGC CCAGCAGGAG  5400
AAAAGGGTGA CCGGGGTCCC CCTGGGCTGG ATGGCCGGAG CGGACTGGAT GGGAAACCAG  5460
GAGCCGCTGG GCCCTCTGGG CCGAATGGTG CTGCAGGCAA AGCTGGGGAC CCAGGGAGAG  5520
ACGGGCTTCC AGGCCTCCGT GGAGAACAAG GCCTCCCTGG CCCCTCTGGT CCCCCTGGAT  5580
TACCGGGAAA GCCAGGCGAG GATGGGAAAC CTGGCCTGAA TGGAAAAAAC GGAGAACCTG  5640
GGGACCCTGG AGAAGACGGG AGGAAGGGAG AGAAAGGAGA TTCAGGCGGC TCTGGGAGAG  5700
AAGGTCGTGA TGGCCCCAAG GGTGAGCGTG GAGCTCCTGG TATCCTTGGA CCCCAGGAGG  5760
CTCCAGGCCT CCCAGGGCCA GTGGGCCCTC CTGGCCAGGG TTTTCCTGGT GTCCCAGGAG  5820
GCACGGGCCC CAAGGGTGAC CGTGGGGAGA CTGGATCCAA AGGGGAGCAG GGCCTCCCTG  5880
GAGAGCGTGG CCTGCGAGGA GAGCCTGGAA GTGTGCCGAA TGTGGATCGG TTGCTGGAAA  5940
CTGCTGGCAT CAAGGCATCT GCCCTGCGGG AGATCGTGGA GACCTGGGAT GAGAGCTCTG  6000
GTAGCTTCCT GCCTGTGCCC GAACGGCGTC GAGGCCCCAA GGGGGACTCA GGCGAACAGG  6060
GCCCCCCAGG CAAGGAGGGC CCCATCGGCT TTCCTGGAGA ACGCGGGCTG AAGGGCGACC  6120
GTGGAGACCC TGGCCCTCAG GGGCCACCTG GTCGGCCCCT TGGGGAGAGG GGCCCCCCCG  6180
GGCCTTCCGG CCTTGCCGGG GAGCCTGGAA AGCCTGGTAT TCCCGGGCTC CCAGGCAGGG  6240
CTGGGGGTGT GGGAGAGGCA GGAAGGCCAG GAGAGAGGGG AGAACGGGGA GAGAAAGGAG  6300
AACGTGGAGA ACAGGGCAGA GATGGGCCTC CTGGACTCCC TGGAACCCCT GGGCCCCCCG  6360
GACCCCCTGG CCCCAAGGTG TCTGTGGATG AGCCAGTCC TGGACTCTCT GGAGAACAGG  6420
GACCCCCTGG ACTCAAGGGT GCTAAGGGGG AGCCGGGCAG CAATGGTGAC CAAGGTCCAG  6480
AAGGAGACAG GGGTGTGCCA GGCATCAAAG GAGACCGGGG AGAGCCTGGA CCGAGGGGTC  6540
AGGACGGCAA CCCGGGTCTA CAGGAGAGC GTGGTATGGC TGGGCCTGAA GGGAAGCCGG  6600
GTCTGCAGGG TCCAAGAGGC CCCCCTGGCC CAGTGGGTGG TCATGGGAAC CCTGGACCAC  6660
CTGGTGCCCC GGGTCTTGCT GGCCCTGCAG GACCCCAAGG ACCTTCTGGC CTGAAGGGGG  6720
AGCCTGGAGA GACAGGACCT CCAGGACGGG GCCTGACTGG ACCTACTGGA GCTGTGGGCAC  6780
TTCCTGGACC CCCCGGCCCT TCAGGCCTTG TGGGTCCACA GGGGTCTCCA GGTTTGCCTG  6840
GACAAGTGGG GGAGACAGGG AAGCCGGGAG CCCCAGGTCG AGATGGTGCC AGTGGAAAAG  6900
ATGGAGACAG AGGGAGCCCC GGTGTGCCAG GGTCACCAGG TCTGCCTGGC CCTGTCGGAC  6960
CTAAAGGAGA ACCTGGCCCC ACGGGGGCCC CTGGACAGGC TGTGGTCGGG CTCCCTGGAG  7020
CAAAGGGAGA GAAGGGAGCC CCTGGAGGCC TTGCTGGAGA CCTGGTGGGT GAGCCGGGAG  7080
CCAAAGGTGA CCGGAGGACTG CCAGGGCGCC GAGGCGAGAA GGGTGAAGCT GGCCGTGCAG  7140
GGGAGCCCGG AGACCCTGGG GAAGATGGTG AGAAAGGGGC TCCAGGACCC AAAGGTTTCA  7200
AGGGTGACCC AGGAGTCGGG GTCCCGGGCT CCCCTGGGCC TCCTGGCCCT CCAGGTGTGA  7260
AGGGAGATCT GGGCCTCCCT GGCCTGCCCG GTGCTCCTGG TGTTGTTGGG TTCCCGGGTC  7320
AGACAGGCCC TCGAGGGAG ATGGGTCAGC CAGGCCCTAG TGGAGAGCGG GGTCTGCGCAG  7380
GCCCCCCAGG GAGAGAAGGA ATCCCAGGAC CCCTGGGGCC ACCTGGACCA CCGGGGTCAG  7440
TGGGACCACC TGGGGCCTCT GGACTCAAAG GAGACAAGGG AGACCCTGGA GTAGGGCTGC  7500
```

```
     CTGGGCCCCG AGGCGAGCGT GGGGGAGCCAG GCATCCGGGG TGAAGATGGC CGCCCCGGCC  7560
     AGGAGGGACC CCGAGGGACTC ACGGGGCCCC CTGGCAGCAG GGGAGAGCGT GGGGAGAAGG  7620
     GTGATGTTGG GAGTGCAGGA CTAAAGGGTG ACAAGGGAGA CTCAGCTGTG ATCCTGGGGC  7680
     CTCCAGGCCC ACGGGGTGCC AAGGGGGACA TGGGTGAACG AGGGCCTCGG GGCTTGGATG  7740
5    GTGACAAAGG ACCTCGGGGA GACAATGGGG ACCCTGGTGA CAAGGGCAGC AAGGGAGAGC  7800
     CTGGTGACAA GGGCTCAGCC GGGTTGCCGA GACTGCGTGG ACTCCTGGGA CCCCAGGGTG  7860
     AACCTGGTGC AGCAGGGATC CCTGGTGACC CGGGATCCCC AGGAAAGGAT GGAGTGCCTG  7920
     GTATCCGAGG AGAAAAAGGA GATGTTGGCT TCATGGGTCC CCGGGGCCTC AAGGGTGAAC  7980
     GGGGAGTGAA GGGAGCCTGT GGCCTTGATG GAGAGAAGGG AGACAAGGGA GAAGCTGGTC  8040
10   CCCCAGGCCG CCCCGGGCTG GCAGGACACA AAGGAGAGAT GGGGGGAGCCT GGTGTGCCGG  8100
     GCCAGTCGGG GGCCCCTGGC AAGGAGGGCC TGATCGGTCC CAAGGGTGAC CGAGGCTTTG  8160
     ACGGGCAGCC AGGCCCCAAG GGTGACCAGG GCGAGAAAGG GGAGCGGGGA ACCCCAGGAA  8220
     TTGGGGGCTT CCCAGGCCCC AGTGGAAATG ATGGCTCTGC TGGTCCCCCA GGGCCACCTG  8280
15   GCAGTGTTGG TCCCAGAGGC CCCGAAGGAC TTCAGGGCCA GAAGGGTGAG CGAGGTCCCC  8340
     CCGGCAGAGAG AGTGGTGGGG GCTCCTGGGG TCCCTGGAGC TCCTGGCGAG AGAGGGGAGC  8400
     AGGGGCGGGCC AGGGCCTGGC GGTCCTCGAG GCGAGAAGGG AGAAGCTGCA CTGACGGAGG  8460
     ATGACATCGG GGGCTTTGTG CGCCAAGAGA TGAGTCAGCA CTGTGCCTGC CAGGGCCAGT  8520
     TCATCGCATC TGGATCACGA CCCCTCCCTA GTTATGCTGC AGACACTGCC GGCTCCCAGC  8580
20   TCCATGCTGT GCCTGTGCTC CGCGTCTCTC ATGCAGAGGA GGAAGAGCGG GTACCCCCTG  8640
     AGGATGATGA GTACTCTGAA TACTCCGAGT ATTCTGTGGA GGAGTACCAG GACCCTGAAG  8700
     CTCCTTGGGA TAGTGATGAC CCCTGTTCCC TGCCACTGGA TGAGGGCTCC TGCACTGCCT  8760
     ACACCCTGCG CTGGTACCAT CGGGCTGTGA CAGGCAGCAC AGAGGCCTGT CACCCTTTTG  8820
     TCTATGGTGG CTGTGGAGGG AATGCCAACC GTTTTGGGAC CCGTGAGGCC TGCGAGCGCC  8880
25   GCTGCCCACC CCGGGTGGTC CAGAGCCAGG GGACAGGTAC TGCCCAGGAC TGAGGCCCAG  8940
     ATAATGAGCT GAGATTCAGC ATCCCCTGGA GGAGTCGGGG TCTCAGCAGA ACCCCACTGT  9000
     CCCTCCCCTT GGTGCTAGAG GCTTGTGTGC ACGTGAGCGT GCGAGTGCAC GTCCGTTATT  9060
     TCAGTGACTT GGTCCCGTGG GTCTAGCCTT CCCCCCTGTG GACAAACCCC CATTGTGGCT  9120
     CCTGCCACCC TGGCAGATGA CTCACTGTGG GGGGTGGCT GTGGGCAGTG AGCGGATGTG  9180
30   ACTGGCGTCT GACCCGCCCC TTGACCCAAG CCTGTGATGA CATGGTGCTG ATTCTGGGGG  9240
     GCATTAAAGC TGCTGTTTTA AAAGGCAAAA AA
```

Seq ID NO: 63 Protein sequence:
Protein Accession #: NP_000085.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
     MTLRLLVAAL CAGILAEAPR VRAQHRERVT CTRLYAADIV PLLDGSSSIG RSNFREVRSF   60
     LEGLVLPPSG AASAQGVRFA TVQYSDDPRT EFGLDALGSG GDVIRAIREL SYKGGNTRTG  120
     AAILHVADHV FLPQLARPGV PKVCILITDG KSQDLVDTAA QRLKGQGVKL FAVGIKNADP  180
     EELKRVASQP TSDFFFFVND FSILRTLLPL VSRRVCTTAG GVPVTRPPDD STSAPRDLVL  240
     SEPSSQSLRV QWTAASGPVT GYKVQYTPLT GLGQPLPSER QEVNVPAGET SVRLRGLRPL  300
     TEYQVTVIAL YANSIGEAVS GTARTTALEG PELTIQNTTA HSLLVAWRSV PGATGYRVTW  360
     RVLSGGPTQQ QELGPGQGSV LLRDLEPGTD YEVTVSTLFG RSVGPATSLM ARTDASVEQT  420
     LRPVILGPTS ILLSWNLVPE ARGYRLEWRR ETGLEPPQKV VLPSDVTRYQ LDGLQPGTEY  480
     RLTLYTLLEG HEVATPATVV PTGPELPVSP VTDLQATELP GQRVRVSWSP VPGATQYRII  540
     VRSTQGVERT LVLPGSQTAF DLDDVQAGLS YTVRVSARVG PREGSASVLT VRREPETPLA  600
     VPGLRVVVSD ATRVRVAWGP VPGASGFRIS WSTGSGPESS QTLPPDSTAT DITGLQPGTT  660
     YQVAVSVLRG REEGPAAVIV ARTDPLGPVR TVHVTQASSS SVTITWTRVP GATGYRVSWH  720
     SAHGPEKSQL VSGEATVAEL DGLEPDTEYT VHVRAHVAGV DGPPASVVVR TAPEPVGRVS  780
     RLQILNASSD VLRITWVGVT GATAYRLAWG RSEGGPMRHQ ILPGNTDSAE IRGLEGGVSY  840
     SVRVTALVGD REGTPVSIVV TTPPBAPPAL GTLHVVQRGS HSLRLRWEPV PRAQGFLLHW  900
     QPEGGQEQSR VLGPELSSYH LDGLEPATQY RVRLSVLGPA GEGPSAEVTA RTESPRVPSI  960
     ELRVVDTSID SVTLAWTPVS RASSYILSWR PLRGPGQEVP GSPQTLPGIS SSQRVTGLEP 1020
     GVSYIFSLTP VLDGVRGPEA SVTQTPVCPR GLADVVFLPH ATQDNAHRAE ATRRVLERLV 1080
     LALGPLGPQA VQVGLLSYSH RPSPLFPLNG SHDLGIILQR IRDMPYMDPS GNNLGTAVVT 1140
     AHRYMLAPDA PGRRQHVPGV MVLLVDEPLR GDIFSPIREA QASGLNVVML GMAGADPEQL 1200
     RRLAPGMDSV QTFFAVDDGP SLDQAVSGLA TALCQASFTT QPRPEPCPVY CPKGQKGEPG 1260
     EMGLRGQVGP PGDPGLPGRT GAPGPQGPPG SATARGERGF PGADGRPGSP GRAGNPGTPG 1320
     APGLKGSPGL PGPRGDPGER GPRGPKGEPG APGQVIGGEG PGLPGRKGDP GPSGPPGPRG 1380
     PLGDPGPRGP PGLPGTAMKG DKGDRGERGP PGPGEGGIAP GEPGLPGLPG SPGPQGPVGP 1440
     PGKKGEKGDS EDGAPGLPGQ PGSPGEQGPR GPPGAIGPKG DRGFPGPLGE AGEKGERGPP 1500
     GPAGSRGLPG VAGRPGAKGP EGPRGPGTRGRQ GEKGEPGRPG DPAVVGPAVA GPKGEKGDVG 1560
     PAGPRGATGV QGERGPPGLV LPGDPGPKGD PGDRGPIGLT GRAGPPGDSG PPGEKGDPGR 1620
     PGPPGPVGPR GRDGEVGEKG DEGPPGDPGL PGKAGERGLR GAPGVRGPVG EKGDQGDPGR 1680
     DGRNGSPGSS GPKGDRGEPG PPGPPGRLVD TGPGAREKGE PGDRGQEGPR GPKGDPGLPG 1740
     APGERGIEGF RGPPGPQGDP GVRGPAGEKG DRGPPGLDGR SGLDGKPGAA GPSGPNGAAG 1800
     KAGDPGRDGL PGLRGEQGLP GPSGPPGLPG KPGEDGKPGL NGRNGEPGDP GEDGRKGERG 1860
     DSGASGREGR DGPKGERGAP GILGPVGPPG LPGPVGPPGQ GPPGVPGGTG PKGDRGETGS 1920
     KGEQGLPGER GLRGEPGSVP NVDRLLETAG IKASALREIV ETWDESSGSF LPVPERRRGP 1980
     KGDSGEQGPP GKEGPIGFPG ERGLKGDRGD PGPQGPPGLA LGERGPPGPS GLAGEPGKPG 2040
     IPGLPGRAGG VGEAGRPGER GERGEKGERG EQGRDGPPGL PGTPGPPGPP GPKVSVDEPG 2100
     PGLSGEQGPP GLKGAKGEPG SNGDQGPKGD RGVPGIKGDR GEPGPRGQDG NPGLPGERGM 2160
     AGPEGKPGLQ GPRGPPGPVG GHGDPGPPGA PGLAGPAGPQ GPSGLKGEPG ETGPPGRGLT 2220
     GPTGAVGLPG PPGPSGLVGP QGSPGLPGQV GETGKPGAPG RDGASGKDGD RGSPGVPGSP 2280
     GLPGPVGPKG EPGPTGAPGQ AVVGLPGAKG EKGAPGGLAG DLVGEPGAKG DRGLPGPRGE 2340
     KGEAGRAGEP GDPGEDGQKG APGPKGPKGD PGVGVPGSPG PPGPPGVKGD LGLPGLPGAP 2400
     GVVGPPGQTG PRGEMGQPGP SGERGLAGPP GREGIPGPLG PPGPPGSVGP PGASGLKGDK 2460
     GDPGVGLPGP RGERGEPGIR GEDGRPGQEG PRGLTGPPGS RGERGEKGDV GSAGLKGDKG 2520
     DSAVILGPPG PRGAKGDMGB RGPRGLDGDK GPRGDNGDPG DKGSKGEPGD KGSAGLPGLR 2580
     GLLGPQGQPG AAGIPGDPGS PGKDGVPGIR GEKGDVGFMG PRGLKGERGV KGACGLDGER 2640
     GDKGEAGPPG RPGLAGHKGE MGEPGVPGQS GAPGKEGLIG PKGDRGFDGQ PGPKGDQGEK 2700
     GERGTPGIGG FPGPSGNDGS AGPPGPPGSV GPRGGPEGLQG QKGERGPPGE RVVGAPGVPG 2760
     APGERGEQGR PGPAGPRGEK GEAALTEDDI RGFVRQEMSQ HCACQGQFIA SGSRPLPSYA 2820
     ADTAGSQLHA VPVLRVSHAE EEERVPPEDD EYSEYSEYSV EEYQDPEAPW DSDDPCSLPL 2880
     DEGSCTAYTL RWYHRAVTGS TEACHPFVYG GCGGNANRFG TREACERRCP PRVVQSQGTG 2940
     TAQD
```

Seq ID NO: 64 DNA sequence
Nucleic Acid Accession #: NM_006945
Coding sequence: 1-219

```
5      1         11        21        31        41        51
       |         |         |         |         |         |
       ATGTCTTATC AACAGCAGCA GTGCAAGCAG CCCTGCCAGC CACCTCCTGT GTGCCCCACG   60
       CCAAAGTGCC CAGAGCCATG TCCACCCCCG AAGTGCCCTG AGCCCTGCCC ACCACCAAAG  120
       TGTCCACAGC CCTGCCCACC TCAGCAGTGC CAGCAGAAAT ATCCTCCTGT GACACCTTCC  180
10     CCACCCTGCC AGCCAAAGTA TCCACCGAAG AGCAAGTAA                         219
```

Seq ID NO: 65 Protein sequence:
Protein Accession #: NP_008876

```
15     1         11        21        31        41        51
       |         |         |         |         |         |
       MSYQQQQCKQ PQPPPPVCPT PKCPEPCPPP KCPEPCPPPK CPQPCPPQQC QQKYPPVTPS   60
       PPCQPKYPPK SK
```

20   Seq ID NO: 66 DNA sequence
       Nucleic Acid Accession #: NM_005629.1
       Coding sequence: 639-2546

```
25     1         11        21        31        41        51
       |         |         |         |         |         |
       TAGTCGGAGC GAGGTGGCGA GTCGCTGAGC CCGCCGCGGC CCCGAGAGCG GCTGCAGCCG   60
       CCGCCGCCGG GAAGGAGAGG GCGAGGCGCG CCCGAGCCGC CGCCGCCGCC GCCACCGCCG  120
       CCGCCGCCAC CACCGCCACC GGAGTCGCGG GCCAGCCGGG CAGCCTCCGC GGGCCCCGGC  180
       CGGGGCGGGG GGCGCGGGCC ACAGGCCCCT GCTCCGGCCG TCGTTTGCAG ACCGCGGGCG  240
30     CCGATGTCGC CCGCGCCCCG TTAGGATGAG TCTCGGGTCG GGCGAGGAGC CGCCGCAGCC  300
       GCCGCCGCCC GAGCCGCGGG CAGGAGCCTC GGGAGCCGCC GCCGCCGCCG CCGCCGCCCG  360
       GCCGGGCCCC GACGCCGCCC GCGCGCCCCC GGGCCCCCGA CACACATGAG ATTCTTCAGG  420
       CTCACTTTCA AGTGCTTCGT GGACTGCTTC TGACTGCGCC GCCCGCGCCC CGCACCCCGC  480
       CGTCCGCCCG CCGCCCCGTC CCCCGGCCCG GCGCCCCCCC GGCCCCCGGC CGGCCCGCGC  540
       CCTCGGGGCC CTCCCCGGTG CCGCCGGTGC CCCCCGCCTG ACCGCCGCCC CCCGTGAGGC  600
       GCCGCGACCC CGGCCCGGCC GTGCGGCCCC CCGGGGCCAT GGCCGAAGAAG AGCGCCGAGA  660
35     ACGGCATCTA TAGCGTGTCC GGCGACGAGA AGAAGGGCCC CCTCATCGCG CCCGGGCCCG  720
       ACGGGGCCCC GGCCAAGGGC GACGGCCCCG TGGGCCTGGG GACACCCGGC GGCCGGCCTGG  780
       CCGTGCCGCC GCGCGAGACC TGGACGCGCC AGATGGACTT CATCATGTCG TGCGTGGGCT  840
40     TCGCCGTGGG CTTGGGCAAC GTGTGGCGCT TCCCCTACCT GTGCTACAAG AACGGCGGAG  900
       GTGTGTTCCT TATTCCCTAC GTCCTGATCG CCCTGGTTGG AGGAATCCCC ATTTTCTTCT  960
       TAGAGATCTC GCTGGGCCAA TTCATGAAGG CCGGCAGCAT CAATGTCTGG AACATCTGTC 1020
       CCCTGTTCAA AGGCCTGGGC TACGCCTCCA TGGTGATCGT CTTCTACTGC AACACCTACT 1080
       ACATCATGGT GCTGGCCTGG GGCTTCTATT ACCTGGTCAA GTCCTTTACC ACCACGCTGC 1140
45     CCTGGGCCAC ATGTGGCCAC ACCTGGAACA CTCCCGACTG CGTGGAGATC TTCCGGCCATG 1200
       AAGACTGTGC CAATGCCAGC CTGGCCAACC TCACCTGTGA CCAGCTTGCT GACCGCCGGT 1260
       CCCCTGTCAT CGAGTTCTGG GAGAACAAAG TCTTGAGGCT GTCTGGGGGA CTGGAGGTGC 1320
       CAGGGGCCCT CAACTGGGAG GTGACCCTTT GTCTGCTGGC CTGCTGGGTG CTGGTCTACT 1380
       TCTGTGTCTG GAAGGGGGTC AAATCCACGG GAAAGATCGT GTACTTCACT GCTACATTCC 1440
50     CCTACGTGGT CCTGGTCGTG CTGCTGGTGC GTGGAGTGCT GCTGCCTGGC GCCCTGGATG 1500
       GCATCATTTA CTATCTCAAG CCTGACTGGT CAAAGCTGGG GTCCCCTCAG GTGTGTGATAG 1560
       ATGCGGGGAC CCAGATTTTC TTTTCTTACG CCATTGGCCT GGGGGCGCCCTC ACAGCCCTGG 1620
       GCAGCTACAA CCGCTTCAAC AACAACTGCT ACAAGGACGC CATCATCCTG GCTCTCATCA 1680
       ACAGTGGGAC CAGCTTCTTT GCTGGCTTCG TGGTCTTCTC CATCCTGGGC TTCATGGCTC 1740
55     CAGAGCAGGCG CGTGCACATC TCCAAGGTGG CAGAGTCAGG GCCGGGCCTG GCCTTCATCG 1800
       CCTACCCGCG GGCTGTCACG CTGATGCCAG TGGCCCCACT CTGGGCTGCC CTGTTCTTCT 1860
       TCATGCTGGTT GCTGCTTGGT CTCGACAGCC AGTTTGTAGG TGTGGAGGGC TTCATCACCG 1920
       GCCTCCTCGA CCTCCTCCCG GCCTCCTACT ACTTCCGTTT CCAAAGGGAG ATCTCTGTGG 1980
60     CCCTCTGTTG TGCCCTCTGC TTTGTCATCG ATCTCTCCAT GGTGACTGAT GGCGGGATGT 2040
       ACGTCTTCCA GCTGTTTGAC TACTACTCGG CCAGCGGCAC CACCCTGCTC TGGCAGGCCT 2100
       TTGGGGAGTG CGTGGTGGTG GCCTGGGTGT ACGGAGCTGA CCGCTTCATG GACGACATTG 2160
       CCTGTATGAT CGGGTACCGA CCTTGCCCCT GGATGAAATG GTGCTGGTCC TTCTTCACCC 2220
       CGCTGGTCTG CATGGGCATC TTCATCTTCA ACGTTGTGTA CTACGAGCCG CTGGTCTACA 2280
65     ACAACACCTA CGTGTACCCG TGGTGGGGTG AGGCCATGGG CTGGGCCTTC GCCCTGCTCT 2340
       CCATGCTGTG CGTGCCGCTG CACCTCCTGG GCTGCCTCCT CAGGGCCAAG GGCACCATGG 2400
       CTGAGCGCTG GCAGCACCTG ACCCAGCCCA TCTGGGGCCT CCACCACTTG GAGTACCGAG 2460
       CTCAGGACGC AGATGTCAGG GGCCTGACCA CCCTGACCCC AGTGTCCGAG AGCAGCAAGG 2520
       TCGTCGTGGT GGAGAGTGTC ATGTGACAAC TCAGCTCACA TCACCAGCTC ACCTCTGGTA 2580
70     GCCATAGCAG CCCCTGCTTC AGCCCCACCG CACCCCTCCA GGGGGCTGC CTTTCCCTGA 2640
       CACTTTTGGG GTCTGCCTGG GGGAGGAGGG GAGAAAGCAC CATGAGTGCT CACTAAAACA 2700
       ACTTTTTCCA TTTTTAATAA AACGCCAAAA ATATCACAAC CCACCAAAAA TAGATGCCTC 2760
       TCCCCTCCA GCCCCTAGCCG AGCTGGTCCT AGGCCCCGCC TAGTGCCCCA CCCCCACCCA 2820
       CAGTGCTGCA CTCCTCCTGC CCCTGCCACG CCCACCCCCT GCCCACCTCT CCAGGCTCTG 2880
75     CTCTGCAGCA CACCCGTGGG TGACCCCTCA CCCCAGAAGC AGCAGTGGCA GCTTGGGAAA 2940
       TGTGAGGAAG GGAAGGAGGG AGAGACGGGA GGGAGGGAGG AGAGGAGAAG GGAGGCAGGG 3000
       GAGGGGCAGC AGAACCAAGG CAAATATTTC AGCTGGGCTA TACCCCTCTC CCCATCCCTG 3060
       TTATAGAAGC TTAGAGAGCC AGCCAGCAAT GGAACCTTCT GGTTCCTGCG CCAATCGCCA 3120
       CCAGTCATCAA TTGTGTGAGC TTGGGTGCGA GTGCACGCGT GCGTGAGTAC GGAGAGTATA 3180
80     TATAGATCTC TATCTCTTAG CAAAGGTGAA TGCCAGATGT AAATGGCGCC TCTGGGCAAA 3240
       GGAGGCTTGT ATTTTGCACA TTTTTATAAA ACTTGAGAGA ATGAGATTTC TGCTTGTATA 3300
       TTTCTAAAAA GAGGAAGGAG CCCAAACCAT CCTCTCCTTA CCACTCCCAT CCCTGTGAGA 3360
       CCTACCTTAC CCCTCTGCCC CTAGCCAAGG AGTGTGAATT TATAGATCTA ACTTTCATAG 3420
       GCAAAACAAA AGCTTCGAGC TGTTGCGTGT GTGAGTCTGT TGTGTGGATG TGCGTGTGTG 3480
85     GTCCCCAGCC CCAGACTGGA TTGGAAAAGT GCATGGTGGG GGCTGCGGGG CTGTCCCCAC 3540
       GCTGTCCCTT TGCCACAAGT CTGTGGGGCA AGAGGCTGCA ATATTCCGTC CTGGGTGTCT 3600
       GGGCTGCTAA CCTGGCCTGC TCAGGCTTCC CACCCTGTGC GGGGCACACC CCCAGGAAGG 3660
       GACCCTGGAC ACGGCTCCCA CGTCCAGGCT TAAGGTGGAT GCACTTCCCG CACCTCCAGT 3720
```

```
        CTTCTGTGTA GCAGCTTTAA CCCACGTTTG TCTGTCACGT CCAGTCCCGA GACGGCTGAG  3780
        TGACCCCAAG AAAGGCTTCC CCGACACCCA GACAGAGGCT GCAGGGCTGG GGCTGGGTGA  3840
        GGGTGGCGGG CCTGCGGGGA CATTCTACTG TGCTAAAAAG CCACTGCAGA CATAGCAATA  3900
  5     AAAACATGTC ATTTTCC

        Seq ID NO: 67 Protein sequence:
        Protein Accession #: NP_005620.1


        1          11         21         31         41         51
 10     |          |          |          |          |          |
        MAKKSAENGI YSVSGDEKRG PLIAPGPDGA PAKGDGPVGL GTPGGRLAVP PRETWTRQMD   60
        PIMSCVGPAV GLGNVWRFPY LCYKNGGGVP LIPYVLIALV GGIPIPFLEI SLGQFMKAGS  120
        INVWNICPLF KGLGYASMVI VFYCNTYYIM VLAWGFYYLV KSFTTTLPWA TCGHTWNTPD  180
        CVEIFRHEDC ANASLANLTC DQLADRRSPV IEFWENKVLR LSGGLEVPGA LNWEVTLCLL  240
 15     ACWVLVYPCV WKGVKSTGKI VYFTATPPYV VLVVLLVRGV LLPGALDGII YYLKPDWSKL  300
        GSPQVWIDAG TQIFFSYAIG LGALTALGSY NRFNNNCYKD AIILALINSG TSFFAGFVVF  360
        SILGFMAAEQ GVHISKVAES GPGLAFIAYP RAVTLMPVAP LWAALFFPML LLLGLDSQFV  420
        GVEGFITGLL DLLPASYYFR FQREISVALC CALCFVIDLS MVTDGGMYVP QLFDYYSASG  480
        TTLLWQAFWE CVVVAWVYGA DRFMDDIACM IGYRPCPWMK WCWSFFTPLV CMGIFIFNVV  540
 20     YYEPLVYNNT YVYPWWGEAM GWAPALSSML CVPLHLLGCL LRAKGTMAER WQHLTQPIWG  600
        LHHLEYRAQD ADVRGLTTLT PVSESSKVVV VESVM


        Seq ID NO: 68 DNA sequence
 25     Nucleic Acid Accession #: NM_021953.1
        Coding sequence: 178-2469


        1          11         21         31         41         51
 30     |          |          |          |          |          |
        GGCACGAGGG GGACCCGGCC GGTCCGGCGC GAGCCCCCGT CCGGGGCCCT GGCTCGGCCC    60
        CCAGGTTGGA GGAGCCCGGA GCCCGCCTTC GGAGCTACGG CCTAACGGCG GCGGCGACTG   120
        CAGTCTGGAG GGTCCACACT TGTGATTCTC AATGGAGAGT GAAAACGCAG ATTCATAATG   180
        AAAGCTAGCC CCCGTCGGCC ACTGATTCTC AAAAGACGGA GGCTGCCCCT TCCTGTTCAA   240
        AATGCCCCAA GTGAAACATC AGAGGAGGAA CCTAAGAGAT CCCCTGCCCA ACAGGAGTCT   300
 35     AATCAAGCAG AGGCCTCCAA GGAAGTGGCG GAGTCCAACT CTTGCAAGTT TCCAGCTGGG   360
        ATCAAGATTA TTAACCACCC CACCATGCCC AACACGCAAG TAGTGGCCAT CCCCAACAAT   420
        GCTAATATTC ACAGCATCAT CACAGCACTG ACTGCCAAGG GAAAAGAGAG TGGCAGTAGT   480
        GGGCCCAACA AATTCATCCT CATCAGCTGT GGGGGAGCCC CAACTCAGCC TCCAGGACTC   540
        CGGCCTCAAA CCCAAACCAG CTATGATGCC AAAAGGACAG AAGTGACCCT GGAGACCTTG   600
 40     GGACCAAAAC CTGCAGCTAG GGATGTGAAT CTTCCTAGAC CACCTGGAGC CCTTTGCGAG   660
        CAGAAACGGG AGACCTGTGC AGATGGTGAG GCAGCAGGCT GCACTATCAA CAATAGCCTA   720
        TCCAACATCC AGTGGCTTCG AAAGATGAGT TCTGATGGAC TGGGCTCCCG CAGCATCAAG   780
        CAAGAGATGG AGGAAAAGGA GAATTGTCAC CTGGAGCAGC GACAGGTTAA GGTTGAGGAG   840
        CCTTCGAGAC CATCAGCGTC CTGGCAGAAC TCTGTGTCTG AGCGGCCACC CTACTCTTAC   900
 45     ATGGCCATGA TACAATTCGC CATCAACAGC ACTGAGAGGA AGCGCATGAC TTTGAAAGAC   960
        ATCTATACGT GGATTGAGGA CCACTTTCCC TACTTTAAGC ACATTGCCAA GCCAGGCTGG  1020
        AAGAACTCCA TCCGCCACAA CCTTTCCCTG CACGACATGT TTGTCCCGGA GACGTCTGCC  1080
        AATGGCAAGG TCTCCTTCTG GACCATTCAC CCCAGTGCCA ACCGCTACTT GACATTGGCA  1140
        CAGGTGTTTA AGCCACTGGA CCCCAGGGTCT CCACAATTGC CCGAGCACTT GGAATCACAG  1200
 50     CAGAAACGAC CGAATCCAGA GCTCCGCCGG AACATGACCA TCAAAACCGA ACTCCCCCTG  1260
        GGGCGCACGGC GGAAGATGAA GCCACTGCTA CCACGGGTCA GCTCATACCT GGTACCTATC  1320
        CAGTTCCCGG TGAACCAGTC ACTGGTGTTG CAGCCCTCGG TGAAGGTGCC ATTGCCCCTG  1380
        GCGGCTTCCC TCATGAGCTC AGAGCTTGCC CGCCATAGCA AGCGAGTCCG CATTGCCCCC  1440
        AAGGTGCTGC TAGCTGAGGA GGGGATAGCT CCTCTTTCTT CTGCAGGACC AGGGAAAGAG  1500
 55     GAGAAACTCC TGTTTGGAGA AGGGTTTTCT CCTTTGCTTC CAGTTCAGAC TATCAAGGAG  1560
        GAAGAAATCC AGCCTGGGGA GGAAATGCCA CACTTAGCGA GACCCATCAA AGTGGAGAGC  1620
        CCTCCCTTGG AAGAGTGGCC CTCCCCGGCC CCATCTTTCA AAGAGGAATC ATCTCACTCC  1680
        TGGGAGGATT CGTCCCAATC TCCCACCCCA AGACCCAAGA AGTCCTACAG TGGGCTTAGG  1740
        TCCCCAACCC GGTGTGTCTC GGAAATGCTT GTGATTCAAC ACAGGGAGAG GAGGGAGAGG  1800
 60     AGCCGGTCTC GGAGGAAACA GCATCTACTG CCTCCCTGTG TGGATGAGCC GGAGCTGCTC  1860
        TTCTCAGAGG GGCCCAGTAC TTCCCGCTGG GCCGCAGAGC TCCGGTTCCC AGCAGACTCC  1920
        TCTGACCCTG CCTCCCAGCT CAGCTACTCG CAGGAAGTGG GAGGACCTTT TAAGACACCC  1980
        ATTAAGGAAA CGCTGCCCAT CTCCTCCACC CCGAGCCAAAT CTGTCCTCCC CAGAACCCCT  2040
        GAATCCTGGA GGCTCACGCC CCCAGCCAAA GTAGGGGGAC TGGATTTCAG CCCAGTACAA  2100
 65     ACCTCCCAGG GTGCCTCTGA CCCCTTGCCT GACCCCCTGG GGCTGATGGA TCTCAGCACC  2160
        ACTCCCTTGC AAAGTGCTCC CCCCCTTGAA TCACCGCAAA GGCTCCTCAG TTCAGAACCC  2220
        TTAGACCTCA TCTCCGTCCC CTTTGGCAAC TCTTCTCCCT CAGATATAGA CGTCCCCAAG  2280
        CCAGGCTCCC CGGAGCCACA GGTTTCTGGC CTTGCAGCCA ATCGTTCTCT GACAGAAGGC  2340
        CTGGTCCTGG ACACAATGAA TGACAGCCTC AGCAAGATCC TGCTGGACAT CAGCTTTCCT  2400
 70     GGCCTGGACG AGGACCCACT GGGCCCTGAC AACATCAACT GGTCCCAGTT TATTCCTGAG  2460
        CTACAGTAGA GCCCTGCCCT TGCCCCTGTG CTCAAGCTGT CCACCATCCC GGGCACTCCA  2520
        AGGCTCAGTG CACCCCAAGC CTCTGAGTGA GGACAGCAGG CAGGGACTGT TCTGCTCCTC  2580
        ATAGCTCCCT GCTGCCTGAT TATGCAAAAG TAGCAGTCAC ACCCTAGCCA CTGCTGGGAC  2640
        CTTGTGTTCC CCAAGAGTAT CTGATTCCTC TGCTGTCCCT GCCAGGAACT GAAGGGTGGG  2700
 75     AACAACAAAG GCAATGGTGA AAAGAGATTA GGAACCCCCC AGCCTGTTTC CATTCTCTGC  2760
        CCAGCAGTCT CTTACCTTCC CTGATCTTTG CAGGGTGGTC CGTGTAAATA GTATAAATTC  2820
        TCCAAATTAT CCTCTAATTA TAAATGTAAG CTTATTTCCT TAGATCATTA TCCAGAGACT  2880
        GCCAGAAGGT GGGTAGGATG ACCTGGGGGT TCAATTGACT TCTGTTCCTT GCTTTTAGTT  2940
        TTGATAGAAG GGAAGACCTG CAGTGCACGG TTTCTTCCAG GCTGAGGTAC CTGGATCTTG  3000
 80     GGTTCTTCAC TGCAGGGACC CAGACAAGTG GATCTGCTTG CCAGAGTCCT TTTTGCCCCT  3060
        CCCTGCCACC TCCCCGTGTT TCCAAGTCAG CTTTCCTGCA AGAAGAAATC CTGGTTAAAA  3120
        AAGTCTTTTG TATTGGGTCA GGAGTTGAAT TTGGGGTGGG AGGATGGATG CAACTGAAGC  3180
        AGAGTGTGGG TGCCCAGATG TGCGCTATTA GATGTTTCTC TGATAATGTC CCCAATCATA  3240
        CCAGGGAGAC TGGCATTGAC GAGAACTCAG GTGGAGGCTT GAGAAGGCCG AAAGGGCCCC  3300
 85     TGACCTGCCT GGCTTCCTTA GCTTGCCCCT CAGCTTTGCA AAGAGCCACC CTAGGCCCCA  3360
        GCTGACCGCA TGGGTGTGAG CCAGCTTGAG AACACTAACT ACTCAATAAA AGCGAAGGTG  3420
        GACCNAAAAA AAAAAAAAAA AAAA
```

Seq ID NO: 69 Protein sequence:
Protein Accession #: NP_068772.1

```
 5        1         11        21        31        41        51
          |         |         |         |         |         |
          MKASPRRPLI LKRRRLPLPV QNAPSETSEE EPKRSPAQQE SNQAEASKEV AESNSCKFPA    60
          GIKIINHPTM PNTQVVAIPN NANIHSIITA LTAKGKESGS SGPNKPILIS CGGAPTQPPG   120
          LRPQTQTSYD AKRTEVTLET LGPKPAARDV NLPRPPGALC EQKRETCADG EAAGCTINNS   180
10        LSNIQWLRKM SSDGLGSRSI KQEMEEKENC HLEQRQVKVE EPSRPSASWQ NSVSERPPYS   240
          YMAMIQFAIN STERKRMTLK DIYTWIEDHP PYFKHIAKPG WKNSIRHNLS LHDMFVRETS   300
          ANGKVSFWTI HPSANRYLTL DQVFKPLDPG SPQLPEHLES QQKRPNPELR RNMTIKTELP   360
          LGARRKMKPL LPRVSSYLVP IQFPVNQSLV LQPSVKVPLP LAASLMSSEL ARESKRVRIA   420
          PKVLLAEEGI APLSSAGPGK EEKLLFGEGP SPLLPVQTIK EEEIQPGEEM PHLARPIKVE   480
15        SPPLEEWPSP APSFKEESSH SWEDSSQSPT PRPKKSYSGL RSPTRCVSEM LVIQHRERRE   540
          RSRSRRKQHL LPPCVDEPEL LPSEGPSTSR WAAELPFPAD SSDPASQLSY SQEVGGPFKT   600
          PIKETLPISS TPSKSVLPRT PESWRLTPPA KVGGLDFSPV QTSQGASDPL PDPLGLMDLS   660
          TTPLQSAPPL ESPQRLLSSE PLDLISVPPG NSSPSDIDVP KPGSPEPQVS GLAANRSLTE   720
20        GLVLDTMNDS LSKILLDISF PGLDEDPLGP DNINWSQFIP ELQ
```

Seq ID NO: 70 DNA sequence
Nucleic Acid Accession #: BC006529.1
Coding sequence: 178-2424

```
25        1         11        21        31        41        51
          |         |         |         |         |         |
          GGCACGAGGG GGACCCGGCC GGTCCGGCGC GAGCCCCCGT CCGGGGCCCT GGCTCGGCCC    60
          CCAGGTTGGA GGAGCCCGGA GCCGCCCTTC GGAGCTACGG CCTAACGGCG GGAGCTACGG   120
          CAGTCTGGAG GGTCCACACT TGTGATTCTC AATGGAGAGT GAAAACGCAG ATTCATAATG   180
30        AAAACTAGCC CCCGTCGGCC ACTGATTCTC AAAAGACGGA GGCTGCCCCT TCCTGTTCAA   240
          AATGCCCCAA GTGAAACATC AGAGGAGGAA CCTAAGAGAT CCCCTGCCCA ACAGGAGTCT   300
          AATCAAGCAG AGGCCTCCAA GGAAGTGGCA GAGTCCAACT CTTGCAAGTT TCCAGCTGGG   360
          ATCAAGATTA TTAACCACCC CACCATGCCC AACACGCAAG TAGTGGCCAT CCCCAACAAT   420
35        GCTAATATTC ACAGCATCAT CACAGCCACTG ACTGCCAAGG GAAAAGAGAG TGGCAGTAGT   480
          GGGCCCAACA AATTCATCCT CATCAGCTGT GGGGGAGCCC CAACTCAGCC TCCAGGACTC   540
          CGGCCTCAAA CCCAAACCAG CTATGATGCC AAAAGGACAG AAGTGACCCT GGAGACCTTG   600
          GGACCAAAAC CTGCAGCTAG GGATGTGAAT CTTCCTAGAC CACCTGGAGC CCTTTGCGAG   660
          CAGAAACGGG AGACCTGTGC AGATGGTGAG GCAGCAGGCT GCACTATCAA CAATAGCCTA   720
40        TCCAACATCC AGTGGCTTGC AAAGATGAGT TCTGATGGAC TGGGCTCCCG CAGCATCAAG   780
          CAAGAGATGG AGGAAAAGGA GAATTGTCAC CTGGAGCAGC GACAGGTTAA GGTTGAGGAG   840
          CCTTCGAGAC CATCAGCGTC CTGGCAGAAC TCTGTGTCTG AGCGGCCACC CTACTCTTAC   900
          ATGGCCATGA TACAATTCGC CATCAACAGC ACTGAGAGGA AGCGCATGAC TTTGAAAGAC   960
45        ATCTATACGT GGATTGAGGA CCACTTTCCC TACTTTAAGC ACATTGCCAA GCCAGGCTGG  1020
          AAGAACTCCA TCCGCCACAA CCTTTCCCTG CACGACATGT TTGTCCGGGA GACGTCTGCC  1080
          AATGGCAAGG TCTCCTTCTG GACCATTCAC CCCAGTGCCA ACCGCTACTT GACATTGGAC  1140
          CAGGTGTTTA AGCAGCAGAA ACGACCGAAT CCAGAGCTCC GCCGGAACAT GACCATCAAA  1200
          ACCGAACTCC CCCTGGGCGC ACGGCGGAAG ATGAAGCCAC TGCTACCACG GGTCAGCTCA  1260
50        TACCTGGTAC CTATCCAGTT CCCGGTGAAC CAGTCACTGG TGTTGCAGCC CTCGGTGAAG  1320
          GTGCCATTGC CCCTGGCGGC TTCCCTCATG AGCTCAGAGC TTGCCGCCA  TAGCAAGCGA  1380
          GTCCGCCATTG CCCCCAAGGT GCTGCTAGCT GAGGAGGGGA TAGCTCCTCT TTCTTCTGCA  1440
          GGACCAGGGA AAGAGGAGAA ACTCCTGTTT GGAGAAGGGT TTTCTCCTTT GCTTCCAGTT  1500
          CAGACTATCA AGGAGGAAGA AATCCAGCCT GGGGAGGAAA TGCCACACTT AGCGAGACCC  1560
55        ATCAAAGTGG AGAGCCCTCC CTTGGAAGAG TGGCCCTCCC CGGCCCCATC TTTCAAAGAG  1620
          GAATCATCTC ACTCCTGGGA GGATTCGTCC CAATCTCCCA CCCCAAGACC CAAGAAGTCC  1680
          TACAGTGGGC TTAGGTCCCC AACCCGGTGT GTCTCGGAAA TGCTTGTGAT TCAACACAGG  1740
          GAGAGGAGGG AGAGGAGCCG GTCTCGGAGG AAACAGCATC TACTGCCTCC CTGTGTGGAT  1800
          GAGCCGGAGC TGCTCTTCTC AGAGGGGCCC AGTACTTCCC GCTGGGCCGC AGAGCTCCCG  1860
60        TTCCCAGCAG ACTCCTCTGA CCCTGCCTCC CAGCTCAGCT ACTCCCAGGA AGTGGGAGGA  1920
          CCTTTTAAGA CACCCATTAA GGAAACGCTG CCCATCTCCT CCACCCCGAG CAAATCTGTC  1980
          CTCCCCAGAA CCCCTGAATC CTGGAGGCTC ACGCCCCCAG CCAAAGTAGG GGGACTGGAT  2040
          TTCAGCCCAG TACAAACCCC CCAGGGTGCC TCTGACCCCT TGCCTGACCC CCTGGGGCTG  2100
          ATGGATCTCA GCACCACTCC CTTGCAAAGT GCTCCCCCCC TTGAATCACC GCAAAGGCTC  2160
65        CTCAGTTCAG AACCCTTAGA CCTCATCTCC GTCCCCTTTG GCAACTCTTC TCCCTCAGAT  2220
          ATAGACGTCC CCAAGCCAGG CTCCCCGGAG CCACAGGTTT CTGGCCTTGC AGCCAATCGT  2280
          TCTCTGACAG AAGGCCTGGT CCTGGACACA ATGAATGACA GCCTCAGCAA GATCCTGCTG  2340
          GACATCAGCT TTCCTGGCCT GGACGAGGAC CCACTGGGCC CTGACAACAT CAACTGGTCC  2400
          CAGTTTATTC CTGAGCTACA GTAGAGCCCT GCCCTTGCCC GCTGTCCACC CTGTGTCCAC  2460
70        ATCCCGGGCA CTCCAAGGCT CAGTGCACCC CAAGCCTCTG AGTGAGGACA GCAGGCAGGG  2520
          ACTGTTCTGC TCCTCATAGC TCCCTGCTGC CTGATTATGC AAAAGTAGCA GTCACACCCT  2580
          AGCCACTGCT GGGACCTTGT GTTCCCCAAG AGTATCTGAT TCCTCTGCTG TCCCTGCCAG  2640
          GAGCTGAAGG GTGGGAACAA CAAAGGCAAT GGTGAAAAGA GATTAGGAAC CCCCCAGCCT  2700
          GTTTCCATTC TCTGCCCAGC AGTCTCTTAC CTTCCCTGAT CTTTGCAGGG TGGTCCGTGT  2760
75        AAATAGTATA AATTCTCCAA ATTATCCTCT AATTATAAAT GTAAGCTTAT TTCCTTAGAT  2820
          CATTATCCAG AGACTGCCAG AAGGTGGGTA GGATGACCTG GGGTTTCAAT TGACTTCTGT  2880
          TCCTTGCTTT TAGTTTTGAT AGAAGGGAAG ACCTGCAGTG CACGGTTTCT TCCAGGCTGA  2940
          GGTACCTGGA TCTTGGGTTC TTCACTGCAG GGACCCAGAC AAGTGGATCT GCTTGCCAGA  3000
          GTCCTTTTTG CCCCTCCCTG CCACCTCCCC GTGTTTCCAA GTCAGCTTTC CTGCAAGAAG  3060
80        AAATCCTGGT TAAAAAAGTC TTTTGTATTG GGTCAGGAGT TGAATTGGG  GTGGGAGGAT  3120
          GGATGCAACT GAAGCAGAGT GTGGGTGCCC AGATGTGCGC TATTAGATGT TTCTCTGATA  3180
          ATGTCCCCAA TCATACCAGG GAGACTGGCA TTGACGAGAA CTCAGGTGGA GGCTTGAGAA  3240
          GGCCGAAAGG GCCCCTGACC TGCCTGGCTT CCTTAGCTTG CCCCTCAGCT TTGCAAAGAG  3300
          CCACCCTAGG CCCCAGCTGA CCGCATGGGT GTGAGCCAGC TTGAGAACAC TAACTACTCA  3360
85        ATAAAAGCGA AGGTGGAAAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 71 Protein sequence:
Protein Accession #: AAH06529.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MKTSPRRPLI LKRRRLPLPV QNAPSETSEE EPKRSPAQQE SNQAEASKEV AESNSCKFPA    60
     GIKIINHPTM PNTQVVAIPN NANIHSIITA LTAKGKESGS SGPNKFILIS CGGAPTQPPG   120
     LRPQTQTSYD AKRTEVTLET LGPKPAARDV NLPRPPGALC EQKRETCADG EAAGCTINNS   180
     LSNIQWLRKM SSDGLGSRSI KQEMEEKENC HLEQRQVKVE EPSRPSASWQ NSVSERPPYS   240
     YMAMIQFAIN STERKRMTLK DIYTWIEDHF PYFKHIAKPG WKNSIRHNLS LHDMFVRETS   300
     ANGKVSFWTI HPSANRYLTL DQVFKQQKRP NPELRRNMTI KTELPLGARR KMKPLLPRVS   360
     SYLVPIQPPV NQSLVLQPSV KVPLPLAASL MSSELARHSK RVRIAPKVLL AEEGIAPLSS   420
     AGPGKEEKLL FGEGFPSPLLP VQTIKEEEIQ PGEEMPHLAR PIKVESPPLE EWPSPAPSFK   480
     EESSHSWEDS SQSPTPRPKK SYSGLRSPTR CVSEMLVIQH RERRERSRSR RKQHLLPPCV   540
     DEPELLFSEG PSTSRWAAEL PFPADSSDPA SQLSYSQEVG GPFKTPIKET LPISSTPSKS   600
     VLPRTPESWR LTPPAKVGGL DFSPVQTPQG ASDPLPDPLG LMDLSTTPLQ SAPPLESPQR   660
     LLSSEPLDLI SVPPGNSSPS DIDVPKPGSP EPQVSGLAAN RSLTEGLVLD TMNDSLSKIL   720
     LDISFPGLDE DPLGPDNINW SQFIPELQ
```

Seq ID NO: 72 DNA sequence
Nucleic Acid Accession #: U74612.1
Coding sequence: 178-2583

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGCACGAGGG GGACCCGGCC GGTCCGGCGC GAGCCCCCGT CCGGGGCCCT GGCTCGGCCC    60
     CCAGGTTGGA GGAGCCCGGA GCCCGCCTTC GGAGCTACGG CCTAACGGCG GCGGCGACTG   120
     CAGTCTGGAG GGTCCACACT TGTGATTCTC AATGGAGAGT GAAAACGCAG ATTCATAATG   180
     AAAACTAGCC CCCGTCGGCC ACTGATTCTC AAAAGACGGA GGCTGCCCCT TCCTGTTCAA·   240
     AATGCCCCAA GTGAAACATC AGAGGAGGAA CCTAAGAGAT CCCCTGCCCA ACAGGAGTCT   300
     AATCAAGCAG AGGCCTCCAA GGAAGTGGCA GAGTCCAACT CTTGCAAGTT TCCAGCTGGG   360
     ATCAAGATTA TTAACCACCC CACCATGCCC AACACGCAAG TAGTGGCCAT CCCCAACAAT   420
     GCTAATATTC ACAGCATCAT CACAGCACTG ACTGCCAAGG GAAAAGAGAG TGGCAGTAGT   480
     GGGCCCAACA AATTCATCCT CATCAGCTGT GGGGGAGCCC CAACTCAGCC TCCAGGACTC   540
     CGGCCTCAAA CCCAAACCAG CTATGATGCC AAAAGGACAG AAGTGACCCT GGAGACCTTG   600
     GGACCAAAAC CTGCAGCTAG GGATGTGAAT CTTCCTAGAC CACCTGGAGC CCTTTGCGAG   660
     CAGAAACGGG AGACCTGTGC AGATGGTGAG GCAGCAGGCT GCACTATCAA CAATAGCCTA   720
     TCCAACATCC AGTGGCTTCG AAAGATGAGT CTGATGGAC TGGGCTCCCG CAGCATCAAG   780
     CAAGAGATGG AGGAAAAGGA GAATTGTCAC CTGGAGCAGC GACAGGTTAA GGTTGAGGAG   840
     CCTTCGAGAC CATCAGCGTC CTGGCAGAAC TCTGTGTCTG AGCGGCCACC CTACTCTTAC   900
     ATGGCCATGA TACAATTCGC CATCAACAGC ACTGAGAGGA AGCGCATGAC TTTGAAAGAC   960
     ATCTATACGT GGATTGAGGA CCACTTTCCC TACTTTAAGC ACATTGCCAA GCCAGGCTGG  1020
     AAGAACTCCA TCCGCCACAA CCTTTCCCTG CACGACATGT TTGTCCGGGA GACGTCTGCC  1080
     AATGGCAAGG TCTCCTTCTG GACCATTCAC CCCAGTGCCA ACCGCTACTT GACATTGGAC  1140
     CAGGTGTTTA AGCCACTGGA CCCAGGGTCT CCACAATTGC CCGAGCACTT GGAATCACAG  1200
     CAGAAACGAC CGAATCCAGA GCTCCGCCGG AACATGACCA TCAAAACCGA ACTCCCCCTG  1260
     GGCGCACGGC GGAAGATGAA GCCACTGCTA CCACGGGTCA GCTCATACCT GGTACCTATC  1320
     CAGTTCCCGG TGAACCAGTC ACTGGTGTTG CAGCCCTCGG TGAAGGTGCC ATTGCCCCTG  1380
     GCGGCTTCCC TCATGAGCTC AGAGCTTGCC CGCCATAGCA AGCGAGTCCG CATTGCCCCT  1440
     AAGGTTTTTG GGGAACAGGT GGTGTTTGGT TACATGAGTA AGTTCTTTAG TGGCGATCTG  1500
     CGAGATTTTG GTACACCCAT CACCCAGCTTG TTTAATTTTA TCTTTCTTTG TTTATCAGTG  1560
     CTGCTAGCTG AGGAGGGGAT AGCTCCTCTT TCTTCTGCAG GACCAGGGAA AGAGGAGAAA  1620
     CTCCTGTTTG GAGAAGGGTT TTCTCCTTTG CTTCCAGTTC AGACTATCAA GGAGGAAGAA  1680
     ATCCAGCCTG GGGAGGAAAT GCCACACTTA GCGAGACCCA TCAAAGTGGA GAGCCCTCCC  1740
     TTGGAAGAGT GGCCCTCCCC GGCCCCATCT TTCAAAGAGG AATCATCTCA CTCCTGGGAG  1800
     GATTCGTCGT AATCTCCCAC CCCAAGACCC AAGAAGTCCT ACAGTGGGCT TAGGTCCCCA  1860
     ACCCGGTGTG TCTCGGAAAT GCTTGTGATT CAACACAGG AGAGGAGGGA GAGGAGCCGG  1920
     TCTCGGAGGA AACAGCATCT ACTGCCTCCC TGTGTGGATG AGCCGGAGCT GCTCTTCTCA  1980
     GAGGGGCCCA GTACTTCCCG CTGGGCCGAA GAGCTCCCGT TCCCAGCAGA CTCCTCTGAC  2040
     CCTGCCTCCC AGCTCAGCTA CTCCCAGGAA GTGGGAGGAC CTTTTAAGAC ACCCATTAAG  2100
     GAAACGCTGC CCATCTCCTC CACCCCGAGC AAATCTGTCC TCCCCAGAAC CCCTGAATCC  2160
     TGGAGGCTCA CGCCCCCAGC CAAAGTAGGG GGACTGGATT TCAGCCCAGT ACAAACCTCC  2220
     CAGGGTGCCT CTGACCCCTT GCCTGACCCC CTGGGGCTGA TGGATCTCAG CACCACTCCC  2280
     TTGCAAAGTG CTCCCCCCCT TGAATCACCG CAAAGGCTCC TCAGTTCAGA ACCCTTAGAC  2340
     CTCATCTCCG TCCCCTTTGG CAACTCTTCT CCCTCAGATA TAGACGTCCC CAAGCCAGGC  2400
     TCCCCGGAGC CACAGGTTTC TGGCCTTGCA GCCAATCGTT CTCTGACAGA AGGCCTGGTC  2460
     CTGGACACAA TGAATGACAG CCTCAGCAAG ATCCTGCTGG ACATCAGCTT TCCTGGCCTG  2520
     GACGAGGACC CACTGGGCCC TGACAACATC AACTGGTCCC AGTTTATTCC TGAGCTACAG  2580
     TAGAGCCCTG CCCTTGCCCC TGTGCTCAAG CTGTCCACCA TCCCGGGCAC TCCAAGGCTC  2640
     AGTGCACCCC AAGCCTCTGA GTGAGGACAC CAGGCAGGGA CTGTTCTGCT CCTCATAGCT  2700
     CCCTGCTGCC TGATTATGCA AAAGTAGCAG TCACACCCTA GCCACTGCTG GGACCTTGTG  2760
     TTCCCCAAGA GTATCTGATT CCTCTGCTGT CCCTGCCAGG AGCTGAAGGG TGGGAACAAC  2820
     AAAGGCAATG GTGAAAAGAG ATTAGGAACC CCCCAGCCTG TTTCCATTCT CTGCCCAGCA  2880
     GTCTCTTACC TTCCCTGATC TTTGCAGGGT GGTCCGTGTA AATAGTATAA ATTCTCCAAA  2940
     TTATCCTCTA ATTATAAATG TAAGCTTATT TCCTTAGATC ATTATCCAGA AGGTGGGTAG  3000
     GATGACCTGG GGTTTCAATT GACTTCTGTT CCTTGCTTTT AGTTTTGATA GAAGGGAAGA  3060
     CCTGCAGTGC ACGGTTTCTT CCAGGCTGAG GTACCTGGAT CTTGGGTTCT TCACTGCAGG  3120
     GACCCAGACA AGTGGATCTG CTTGCCAGAG TCCTTTTTGC CCCTCCCTGC CACCTCCCCG  3180
     TGTTTCCAAG TCAGCTTTCC TGCAAGAAGA AATCCTGGTT AAAAAAGTCT TTTGTATTGG  3240
     GTCAGGAGTT GAATTTGGGG TGGGAGGATG GATGCAACTG AAGCAGAGTG TGGGTGCCCA  3300
     GATGTGCGCT ATTAGATGTT CTCTGATAA TGTCCCCAAT CATACCAGGG AGACTGGCAT  3360
     TGACGAGACC TCAGGTGGAG GCTTGAGAAG GCCGAAAGGG CCCCTGACCT GCCTGGCTTC  3420
     CTTAGCTTGC CCCTCAGCTT TGCAAAGAGC CACCCTAGGC CCCAGCTGAC CGCATGGGTG  3480
     TGAGCCAGCT TGAGAACACT AACTACTCAA TAAAAGCGAA GGTGGACAAA             3540
     AAAAAAAAAA AAAAA
```

Seq ID NO: 73 Protein sequence:
Protein Accession #: AAC51128.1

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      MKTSPRRPLI LKRRRLPLPV QNAPSETSEE EPKRSPAQQE SNQAEASKEV AESNSCKFPA   60
      GIKIINHPTM PNTQVVAIPN NANIHSIITA LTAKGKESGS SGPNKFILIS CGGAPTQPPG  120
      LRPQTQTSYD AKRTEVTLET LGPKPAARDV NLPRPPGALC EQKRETCADG EAAGCTINNS  180
      LSNIQWLRKM SSDGLGSRSI KQEMEEKENC HLEQRQVKVE EPSRPSASWQ NSVSERPPYS  240
      YMAMIQPAIN STERKRMTLK DIYTWIEDHP PYPKHIAKPG WKNSIRHNLS LHDMFVRETS  300
      ANGKVSPWTI HPSANRYLTL DQVFKPLDPG SPQLPEHLES QQKRPNPELR RNMTIKTELP  360
      LGARRKMKPL LPRVSSYLVP IQFPVNQSLV LQPSVKVPLP LAASLMSSEL ARHSKRVRIA  420
      PKVFGEQVVP GYMSKFFSGD LRDFGTPITS LFNPIPLCLS VLLAEEGIAP LSSAGPGKEE  480
      KLLFGEGPSP LLPVQTIKEE EIQPGEEMPH LARPIKVESP PLEEWPSPAP SPKEESSHSW  540
      EDSSQSPTPR PKKSYSGLRS PTRCVSEMLV IQHRERRERS RSRRKQHLLP PCVDEPELLF  600
      SEGPSTSRWA AELPFPADSS DPASQLSYSQ EVGGPPKTPI KETLPISSTP SKSVLPRTPB  660
      SWRLTPPAKV GGLDFSPVQT SQGASDPLPD PLGLMDLSTT PLQSAPPLES PQRLLSSEPL  720
      DLISVPFGNS SPSDIDVPKP GSPEPQVSGL AANRSLTEGL VLDTMNDSLS KILLDISFPG  780
      LDEDPLGPDN INWSQPIPEL Q
```

Seq ID NO: 74 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 111-416

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      GGGAAGAGCC AGGCTGAGCC TTATAAAGGA CTGCTCTTTG TCCAAACACA CACATCTCAC   60
      TCATCCTTCT ACTCGTGACG CTTCCCAGCT CTGGCTTTTT GAAAGCAAAG ATGAGCAACA  120
      CTCAAGCTGA GAGGTCCATA ATAGGCATGA TCGACATGTT TCACAAATAC ACCAGACGTG  180
      ATGACAAGAT TGAGAAGCCA AGCCTGCTGA CGATGATGAA GGAGAACTTC CCCAACTTCC  240
      TTAGTGCCTG TGACAAAAAG GGCACAAATT ACCTCGCCGA TGTCTTTGAG AAAAAGGACA  300
      AGAATGAGGA TAAGAAGATT GATTTTTCTG AGTTTCTGTC CTTGCTGGGA GACATAGCCA  360
      CAGACTACCA CAAGCAGAGC CATGGAGCAG CGCCCTGTTC CGGGGGCAGC CAGTGACCCA  420
      GCCCCACCAA TGGGCCTCCA GAGACCCCAG GAACAATAAA ATGTCTTCTC CCACCAGA
```

Seq ID NO: 75 Protein sequence:
Protein Accession #: Eos sequence

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      MSNTQAERSI IGMIDMFHKY TRRDDKIEKP SLLTMMKENF PNFLSACDKK GTNYLADVFE   60
      KKDKNEDKKI DFSEFLSLLG DIATDYHKQS HGAAPCSGGS Q
```

Seq ID NO: 76 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 111-416

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      GGGAAGAGCC AGGCTGAGCC TTATAAAGGA CTGCTCTTTG TCCAAACACA CACATCTCAC   60
      TCATCCTTCT ACTCGTGACA CTTCCCAGTT CTGGCTTTTT GAAAGCAAAG ATGAGCAACA  120
      CTCAAGCTGA GAGGTCCATA ATAGGCATGA TCGACATGTT TCACAAATAC ACCGGACGTG  180
      ATGGCAAGAT TGAGAAGCCA AGCCTGCTGA CGATGATGAA GGAGAACTTC CCCAATTTCC  240
      TCAGTGCCTG TGACAAAAAG GGCATACATT ACCTCGCCAC TGTCTTTGAG AAAAAGGACA  300
      AGAATGAGGA TAAGAAGATT GATTTTTCTG AGTTTCTGTC CTTGCTGGGA GACATAGCCG  360
      CAGACTACCA CAAGCAGAGC CATGGAGCGG CGCCCTGTTC TGGGGGAAGC CAGTGATCCA  420
      GCCCCACCAA GGGGCCTCCA GAGACCCCAG GAACAATAAG TGTCTCCTCC CACCAGA
```

Seq ID NO: 77 Protein sequence:
Protein Accession #: XP_048124.1

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      MSNTQAERSI IGMIDMFHKY TGRDGKIEKP SLLTMMKENF PNFLSACDKK GIHYLATVFE   60
      KKDKNEDKKI DFSEFLSLLG DIAADYHKQS HGAAPCSGGS Q
```

Seq ID NO: 78 DNA sequence
Nucleic Acid Accession #: Z73678.1
Coding sequence: 253-2433

```
         1          11         21         31         41         51
         |          |          |          |          |          |
      GGGGTGGTGC AGGGCAGGGG TGGTATATCC TGTCTGACGG AGGGCGGGCC TCGCCAGTGC   60
      CAGAGAGGGA CGAACCAGGG TGGAAGCGCC AGGAGCAGCT GCAGGAGCCG CTCACGCGGA  120
      CCTCGCACTC TATGGCCGTA GGGAGCCGCT GAGAGCGAGA AGAGCACGCT CCTGCCCGCC  180
      CGCTGCACCG CACCTCGCCT CGCCTCTCTG CTCTCCTAGG CCCCGGCCGC GCGCCACCCG  240
      CCTCCCGCCA CCATGAACCA CTCGCCGCTC AAGACCGCCT TGGCGTACGA ATGCTTCCAG  300
      GACCAGGACA ACTCCACGTT GGCTTTGCCG TCGGACCAAA AGATGAAAAC AGGCACGTCT  360
      GGCAGGCAGC GCGTGCAGGA GCAGGTGATG ATGACCGTCA AGCGGCAGAA GTCCAAGTCT  420
      TCCCAGTCGT CCACCCTGAG CCACTCCAAT CGAGGTTCCA TGTATGATGG CTTGGCTGAC  480
      AATTACAACT ATGGGACCAC CAGCAGGAGC AGCTACTACT CCAAGTTCCA GGCAGGGAAT  540
      GGCTCATGGG GATATCCGAT CTACAATGGA ACCCTCAAGC GGGAGCCTGA CAACAGGCGC  600
      TTCAGCTCCT ACAGCCAGAT GGAGAACTGG AGCCGGCACT ACCCCCGGGG CAGCTGTAAC  660
      ACCACGGCG CAGGCAGCGA CATCTGCTTC ATGCAGAAAA TCAAGGCGAG CCGCAGTGAG  720
      CCCGACCTCT ACTGTGACCC ACGGGGCACC CTGCGCAAGG GCACGCTGGG CAGCAAGGGC  780
      CAGAAGACCA CCCAGAACCG CTACAGCTTT TACAGCACCT GCAGTGGTCA GAAGGCCATA  840
      AAGAAGTGCC CTGTGCGCCC GCCCTCTTGT GCCTCCAAGC AGGACCCTGT GTATATCCCG  900
```

```
CCCATCTCCT GCAACAAGGA CCTGTCCTTT GGCCACTCTA GGGCCAGCTC CAAGATCTGC    960
AGTGAGGACA TCGAGTGCAG TGGGCTGACC ATCCCCAAGG CTGTGCAGTA CCTGAGCTCC   1020
CAGGATGAGA AGTACCAGGC CATTGGGGCC TATTACATCC AGCATACCTG CTTCCAGGAT   1080
GAATCTGCCA AGCAACAGGT CTATCAGCTG GGAGGCATCT GCAAGCTGGT GGACCTCCTC   1140
CGCAGCCCCA ACCAGAACGT CCAGCAGGCC GCGGCAGGGG CCCTGCGCAA CCTGGTGTTC   1200
AGGAGCACCA CCAACAAGCT GGAGACCCGG AGGCAGAATG GGATCCGCGA GGCAGTCAGC   1260
CTCCTGAGGA GAACCGGGAA CGCCGAGATC CAGAAGCAGC TGACTGGGCT GCTCTGGAAC   1320
CTGTCTTCCA CTGACGAGCT GAAGGAGGAA CTCATTGCCG ACGCCCTGCC TGTTCTGGCC   1380
GACCGCGTCA TCATTCCCTT CTCTGGCTGG TGCGATGGCA ATAGCAACAT GTCCCGGCAA   1440
GTGGTGGACC CTGAGGTCTT CTTCAATGCC ACAGGCTGCT TGAGGAACCT GAGCTCGGCC   1500
GATGCAGGCC GCCAGACCAT GCGTAACTAC TCAGGGCTCA TTGATTCCCT CATGGCCTAT   1560
GTCCAGAACT GTGTAGCGGC CAGCCGCTGT GACGACAAGT CTGTGGAAAA CTGCATGTGT   1620
GTTCTGCACA ACCTCTCCTA CCGCCTGGAC GCCGAGGTGC CCACCCGCTA CCGCCAGCTG   1680
GAGTATAACG CCCGCAACGC CTACACCGAG AAGTCCTCCA CTGGCTGCTT CAGCAACAAG   1740
AGCGACAAGA TGATGAACAA CAACTATGAC TGCCCCCTGC CTGAGGAAGA GACCAACCCC   1800
AAGGGCAGCG GCTGGTTGTA CCATTCAGAT GCCATCCGCA CCTACCTGAA CCTCATGGGC   1860
AAGAGCAAGA AAGATGCTAC CCTGGAGGCC TGTGCTGGTG CCCTGCAGAA CCTGACAGCC   1920
AGCAAGGGGC TGATGTCCAG TGGCATGAGC CAGTTGATTG GGCTGAAGGA AAAGGGCCTG   1980
CCACAAATTG CCCGCCTCCT GCAATCTGGC AACTCTGATG TGGTGCGGTC CGGGAGCCTCC   2040
CTCCTGAGCA ACATGTCCCG CCACCCTCTG CTGCACAGAG TGATGGGGAA CCAGGTGTTC   2100
CCGGAGGTGA CCAGGCTCCT CACCCAGCCAC ACTGGCAATA CCAGCAACTC CGAAGACATC   2160
TTGTCCTCGG CCTGCTACAC TGTGAGGAAC CTGATGGCCT CGCACGCCA ACTGGCCAAG   2220
CAGTACTTCT CCAGCAGCAT GCTCAACAAC ATCATCAACC TGTGCCGAAG CAGTGCCTCA   2280
CCCAAGGCCG CAGAAGCTGC CCGGCTTCTC CTGTCTGACA TGTGGTCCAG CAAGGAACTG   2340
CAGGGTGTCC TCAGACAGCA AGGTTTCGAT AGGAACATGC TGGGAACCTT AGCTGGGGCC   2400
AACAGCCTCA GGAACTTCAC CTCCCGATTC TAAGAAGAGA CTGTCCAAGC AAGTTAGGCT   2460
TGCAGGAAGA TATGACCCAG CTGAGAAGCC CTCAGGCCTC GCTGGATGGG GTTTTCTGTC   2520
CATCCTGTGC AGTATTTGGG AAAGTTCACA AGAAACTGAG AAGAAACCTA AAAACTGTGG   2580
ATAGTGGAAA GATTTTTAGA TTTTTTTTTT CCTTGGGGAA ACTGGCAGGC AATGGGGGTT   2640
AGGGAGGTTG GGCGGGGGG GGCTTTCTTG AGTTAAAGGG GCTTATATGT GATGTCAATA   2700
TTTCTTCCTC TGAGAAATGG TATATATATG TGTCTAATGT AAGTGTGTGC ATGCATGTGC   2760
GCGTGCATGT GTGTGTGTGT GAGTGTCTTA AAGCATAACC ACAAACTGCA AAAAGCTAGG   2820
TAAGCTATTT TGTTGCAGCT CATAAGGTGG TGAAAAGGAC TCTCCTGTGT TTCTTACTCA   2880
TAGGCAAGGA CAACATGTGC TTTTTGGTGA GCTGCTCATA ATTCCTGAAA TGTGTGGTGC   2940
CAGGGCAAGG GGGCCATCAC TGCAGTCAGG CCCTCAGAGG AGTCCTGCAG GCTTCCTACC   3000
AGTGGTCTCC AAGGGTGCAG GAGTAACTGG GGCTGGGCCA GCCTCCCCCC TTACAAGGCT   3060
GCTTTCCACG AAGGGAGGTC TGGTGTATCT CATGGGAGAA TCTGGGGTGT CTGTAGTGTC   3120
ACCCCTCCAG CAGCGCCACA AGGACTGAGG TTGGGTAGGT GTGAGGTTCC AGAGGACAGC   3180
AGGACACTCT CGCATACTTT GCCAAATGAG GCCTGCTCAG AGGAGTAGGA GCTGAAAGAT   3240
GGTGCCTTCC ACCCTCTTGG GCTGTGTGCC CATCAGAGCA GGCTCAGCCT GCAAAGGCCC   3300
TGCATTCAGA GGTCTTGTAA TCTACTTGTT GCAGGAGAAA GAAGGTAAAA AATGATTTTT   3360
TTAAGAAAAG CTATTTTATT GCAGCTCTTT CCCAAGAGCT GTTCTGGGAA TGGCTGGTCT   3420
TCATATTCCC AGTGGAGAGG GGAACAAGTG GGGCTGGGCA TATACCTATT CCGGCTTCTA   3480
GTGGGATGGA GTTGGGGTAT AGAAATTAAC CAGGAAGATG TTTCCACCAA GCCTGCTGTG   3540
AGTCAATTGA GGGAGTGTTT GGGTCCCAGG AGACTTGGAC GGGGGGGAGTT TGGGTAGACT   3600
AGGAAAGGAA AGTGCCATAT CAGGGTACCG GTACCGGCAA GCTCACATCT CAGCCAGGGG   3660
CCATGCCCCA CTTCCCCTGA CCCCAGCTGT CTTGTCTCCA CTCTGTGAAA CCCACAGGGG   3720
ATGTGATAAA CAGGGCTATT AGGGGTATCA GCCACGTCGA GCCCCCAGAC TCTGTGCACT   3780
TCAGACCAGC AGCAGCAGGA GGGCTCCCGA GGGCCTTATG AGAAAACCTG TGTGGACATC   3840
CCTTGGTGTA CACTAAGACA GAGCAGAGCC CAGCGCTCCC AAGCCTTCCT CCTTCCAGCT   3900
TCTACCTCCA TGCTAGCATT GCTGGTGTTA GAGAGGAATT AACTTCCTGG TCTGTGCCCT   3960
TCTCTAGAAG AATATAAGAT GCTCCTCCTC CTCACCCCTT CTCAGCCTCC TCCCAAGTCT   4020
TCCTCTTCTG CACCACCCCC GAGTCCAAAC CCACCTCTTG CCCCAGCATT CAGGCTGGAA   4080
AACACTGATG TGGACTCAGT ATGACAACTG AGATGGGGGA AGCCAGACAT GTGAGGACGC   4140
TGTCCTCCGA GAGGTGTCCC CGGCTGTTAG CCAGCTGTGC TGTGGTGCTG TGGGTCTGTC   4200
ATACCCTCCC TTGCTTCTGT TCACACTGGG AGGCCCACTC CTGGCTCACC TCTCCCTCTC   4260
AGGGACCCAC GTGGGAGCCT GGATCCCTGG ACTGTCCTGCA GCATAGGTTT CAGGGGCCTC   4320
CTTTGTTGTC ATCAGAACCC AGAGGAATTC TTCTCCTAAA AAATACGTAT GGCATACCAA   4380
TCTGTGCGGG GCAGTGTCCT AAGCACTTAG ACTACATCAG GGAAGAACAC AGACCACATC   4440
CCCGTCCTCA TGCGGCTTAT GTTTTCTGGA GGAAAGTGGA GACACAAGTC CTTGGCTTTA   4500
GGGCTCCCCC GGCTGGGGGC TGTGCAGTCC GGTCAGGGCG GGAGGGGAAA TGCACCGCTG   4560
CATGTGAACC TTACCAGCCA AGGCGGATGC CCCTTCCCCT TAGCACTACC CTGGCCTCCT   4620
GCATCCCCTC GCCTCATGTT CCTCCCACCT TCAAAGAATG AAGAGCCCCA TGGGCCCAGC   4680
CCCTGCCCTG GGAACCAGGC AGCCTTCCAG ACCTCAGGGG CTGAGGCAGA CTATTAGGGC   4740
AGGGCTGACT TTGGTGACAC TGCCCATTCC CTCTCAGGCC AGCTCAGGTC ACCCGGGCCT   4800
CTGACCCAGG CCTGTCACTT TGAGAGGGGC AAAACTGAGA GGGGCTTTTC CTAGAGAAAG   4860
AGAACAAGGA GCTTGCCAGG CTTCATGTAG CCGACACACG TCTCAGGATT TTAAGTCCAC   4920
ATTGGCCTCA CACTAGCCTA GGCCAATGCC CAAAATAAGG AGTTCCAATT TGGGGCCAAA   4980
TGAGGAAGGA CACAGACTCT GCCCTGGGAT CTCCTGTGCT AGCGGCCAAT GACAAATCCA   5040
GTCATTGGCC ACCAGCCACC TCTGCAGTGG GGACCACACT AGCAGCCCTG ACTCCACACT   5100
CCTCCTGGGG ACCCAAGAGG CAGTGTTGCT GTCTGCGTGT CCACCTTGGA ATCTGGCTGA   5160
ACTGGCTGGG AGGACCAAGA CTGCGGCTGG GGTGGGCAGG GAAGGGAAGC CGGGGGCTGC   5220
TGTGAGGGAT CTTGGAGCTT CCCTGTAGCC CACCTTCCCC TTGCTTCATG TTTGTAGAGG   5280
AACCTTGTGC CGGCCAGGCC CAGTTTCCTT GTGTGATACA CTAATGTATT TGCTTTTTTT   5340
GGAAATAGAG AAAATCAATA AATTGCTAGT GTTTCTTTGA AAAAAAAA
```

Seq ID NO: 79 Protein sequence:
Protein Accession #: CAA98022.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MNHSPLKTAL AYECFQDQDN STLALPSDQK MKTGTSGRQR VQEQVMMTVK RQKSKSSQSS    60
TLSHSNRGSM YDGLADNYNY GTTSRSSYYS KPQAGNGSWG YPIYNGTLKR EPDNRRFSSY   120
SQMENWSRHY PRGSCNTTGA GSDICFMQKI KASRSEPDLY CDPRGTLRKG TLGSKGQKTT   180
QNRYSFYSTC SGQKAIKKCP VRPPSCASKQ DPVYIPPISC NKDLSPGHSR ASSKICSEDI   240
ECSGLTIPKA VQYLSSQDEK YQAIGAYYIQ ETCFQDESAK QQVYQLGGIC KLVDLLRSPN   300
QNVQQAAAGA LRNLVFRSTT NKLETRRQNG IREAVSLLRR TGNAEIQKQL TGLLWNLSST   360
```

```
        DELKEELIAD ALPVLADRVI IPPSGWCDGN SNMSREVVDP EVFFNATGCL RNLSSADAGR   420
        QTMRNYSGLI DSLMAYVQNC VAASRCDDKS VENCMCVLHN LSYRLDAEVP TRYRQLEYNA   480
        RNAYTEKSST GCFSNKSDKM MNNNYDCPLP EEETNPKGSG WLYHSDAIRT YLNLMGKSKK   540
        DATLEACAGA LQNLTASKGL MSSGMSQLIG LKEKGLPQIA RLLQSGNSDV VRSGASLLSN   600
        MSRHPLLHRV MGNQVFPEVT RLLTSHTGNT SNSEDILSSA CYTVRNLMAS QPQLAKQYFS   660
        SSMLNNIINL CRSSASPKAA EAARLLLSDM WSSKELQGVL RQQGFDRNML GTLAGANSLR   720
        NFTSRP
```

Seq ID NO: 80 DNA sequence
Nucleic Acid Accession #: NM_006516.1
Coding sequence: 180-1658

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        TAGTCGCGGG TCCCCGAGTG AGCACGCCAG GGAGCAGGAG ACCAAACGAC GGGGGTCGGA    60
        GTCAGAGTCG CAGTGGGAGT CCCCGGACCG GAGCACGAGC CTGAGCGGGA GAGCGCCGCT   120
        CGCACGCCCG TCGCCACCCG CGTACCCGGC GCAGCCAGAG CCACCAGCGC AGCGCTGCCA   180
        TGGAGCCCAG CAGCAAGAAG CTGACGGGTC GCCTCATGCT GGCTGTGGGA GGAGCAGTGC   240
        TTGGCTCCCT GCAGTTTGGC TACAACACTG GAGTCATCAA TGCCCCCCAG AAGGTGATCG   300
        AGGAGTTCTA CAACCAGACA TGGGTCCACC GCTATGGGGA GAGCATCCTG CCCACCACGC   360
        TCACCACGCT CTGGTCCCTC TCAGTGGCCA TCTTTTCTGT TGGGGGCATG ATTGGCTCCT   420
        TCTCTGTGGG CCTTTTCGTT AACCGCTTTG GCCGGCGGAA TTCAATGCTG ATGATGAACC   480
        TGCTGGCCTT CGTGTCCGCC GTGCTCATGG GCTTCTGAA ACTGGGCAAG TCCTTTGAGA   540
        TGCTGATCCT GGGCCGCTTC ATCATCGGTG TGTACTGCGG CCTGACCACA GGCTTCGTGC   600
        CCATGTATGT GGGTGAAGTG TCACCCACAG CCTTTCGTGG GGCCCTGGGC ACCCTGCACC   660
        AGCTGGGCAT CGTCGTCGGC ATCCTCATCG CCCAGGTGTT CGGCTGGAC TCCATCATGG   720
        GCAACAAGGA CCTGTGGCCC CTGCTGCTGA GCATCATCTT CATCCCGGCC CTGCTGCAGT   780
        GCATCGTGCT GCCCTTCTGC CCCGAGAGTC CCGGCTTCCT GCTCATCAAC CGCAACGAGG   840
        AGAACCGGGC CAAGAGTGTG CTAAAGAAGC TGCGCGGGAC AGCTGACGTG ACCCATGACC   900
        TGCAGGAGAT GAAGGAAGAG AGTCGGCAGA TGATGCGGGA GAAGAAGGTC ACCATCCTGG   960
        AGCTGTTCCG CTCCCCCGCC TACGCCAGC CCATCCTCAT CGCTGTGGTG CTGCAGCTGT  1020
        CCCAGCAGCT GTCTGGCATC AACGCTGTCT TCTATTACTC CACGCAGCATC TTCGAGAAGG  1080
        CGGGGGTGCA GCAGCCTGTG TATGCCACCA TTGGCTCCGG TATCGTCAAC ACGGCCTTCA  1140
        CTGTCGTGTC GCTGTTTGTG GTGGAGCGAG CAGGCCGGCG GACCCTGCAC CTCATAGGCC  1200
        TCGCTGGCAT GGCGGGTTGT GCCATACTCA TGACCATCGC GCTAGCACTG CTGGAGCAGC  1260
        TACCCTGGAT GTCCTATCTG AGCATCGTGG CCATCTTTGG CTTTGTGGCC TTCTTTGAAG  1320
        TGGGTCCTGG CCCCATCCCA TGGTTCATCG TGGCTGAACT CTTCAGCCAG GGTCCACGTC  1380
        CAGCTGCCAT TGCCGTTGCA GGCTTCTCCA ACTGGACCTC AAATTTCATT GTGGGCATGT  1440
        GCTTCCAGTA TGTGGAGCAA CTGTGTGGTC CCTACGTCTT CATCATCTTC ACTGTGCTCC  1500
        TGGTTCTGTT CTTCATCTTC ACCTACTTCA AAGTTCCTGA GACTAAAGGC CGGACCTTCG  1560
        ATGAGATCGC TTCCGGCTTC CGGCAGGGGG GAGCCAGCCA AAGTGATAAG ACACCCGAGG  1620
        AGCTGTTCCA TCCCCTGGGG GCTGATTCCC AAGTGTGAGT CGCCCCAGAT CACCAGCCCG  1680
        GCCTGCTCCC AGCAGCCCTA AGGATCTCTC AGGAGCACAG GCAGCTGGAT GAGACTTCCA  1740
        AACCTGACAG ATGTCAGCCG AGCCGGGCCT GGGGCTCCTT TCTCCAGCCA GCAATGATGT  1800
        CCAGAAGAAT ATTCAGGACT TAACGGCTCC AGGATTTTAA CAAAAGCAAG ACTGTTGCTC  1860
        AAATCTATTC AGACAAGCAA CAGGTTTTAT AATTTTTTTA TTACTGATTT TGTTATTTTT  1920
        ATATCAGCCT GAGTCTCCTG TGCCCACATC CCAGGCTTCA CCCTGAATGG TTCCATGCCT  1980
        GAGGGTGGAG ACTAAGCCCT GTCGAGACAC TTGCCTTCTT CACCCAGCTA ATCTGTAGGG  2040
        CTGGACCTAT GTCCTAAGGA CACACTAATC GAACTATGAA CTACAAAGCT TCTATCCCAG  2100
        GAGGTGGCTA TGGCCACCCG TTCTGCTGGC CTGGATCTCC CCACTCTAGG GGTCAGGCTC  2160
        CATTAGGATT TGCCCCTTCC CATCTCTTCC TACCCAACCA CTCAAATTAA TCTTTCTTTA  2220
        CCTGAGACCA GTTGGGAGCA CTGGAGTGCA GGGAGGGAGG GGGAAGGGCC AGTCTGGGCT  2280
        GCCGGGTTCT AGTCTCCTTT GCACTGAGGG CCACACTATT ACCATGAGAA GAGGGCCTGA  2340
        GGGAGCCTGC AAACTCACTG CTCAAGAAGA CATGGAGACT CCTGCCCTGT TGTGTATAGA  2400
        TGCAAGATAT TTATATATAT TTTTGGTTGT CAATATTAAA TACAGACACT AAGTTATAGT  2460
        ATATCTGGAC AAGCCAACTT GTAAATACAC CACCTCACTC CTGTTACTTA CCTAAACAGA  2520
        TATAAATGGC TGGTTTTTAG AAACATGGTT TTGAAATGCT TGTGGATTGA GGGTAGGAGG  2580
        TTTGGATGGG AGTGAGACAG AAGTAAGTGG GGTTGCAACC ACTGCAACGG CTTAGACTTC  2640
        GACTCAGGAT CCAGTCCCTT ACACGTACCT CTCATCAGTG TCCTCTTGCT CAAAAATCTG  2700
        TTTGATCCCT GTTACCCAGA GAATATATAC ATTCTTTATC TTGACATTCA AGGCATTTCT  2760
        ATCACATATT TGATAGTTGG TGTTCAAAAA AACACTAGTT TTGTGCCAGC CGTGATGCTC  2820
        AGGCTTGAAA TCGCATTATT TTGAATGTGA AGGGAA
```

Seq ID NO: 81 Protein sequence:
Protein Accession #: NP_006507.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MEPSSKKLTG RLMLAVGGAV LGSLQFGYNT GVINAPQKVI EEFYNQTWVH RYGESILPTT    60
        LTTLWSLSVA IFSVGGMIGS FSVGLFVNRF GRRNSMLMMN LLAFVSAVLM GPSKLGKSPE   120
        MLILGRPIIG VYCGLTTGFV PMYVGEVSPT AFRGALGTLH QLGIVVGILI AQVFGLDSIM   180
        GNKDLWPLLL SIIPIPALLQ CIVLPPCPES PRFLLINRNE ENRAKSVLKK LRGTADVTHD   240
        LQEMKEESRQ MMREKKVTIL ELFRSPAYRQ PILIAVVLQL SQQLSGINAV FYYSTSIFEK   300
        AGVQQPVYAT IGSGIVNTAF TVVSLFVVER AGRRTLHLIG LAGMAGCAIL MTIALALLEQ   360
        LPWMSYLSIV AIPGFVAPFE VGPGPIPWFI VAELFSQGPR PAAIAVAGFS NWTSNPIVGM   420
        CPQYVEQLCG PYVPIIPTVL LVLFPIPTYF KVPETKGRTF DEIASGFRQG GASQSDKTPE   480
        ELFHPLGADS QV
```

Seq ID NO: 82 DNA sequence
Nucleic Acid Accession #: BC001291
Coding sequence: 44-541

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GGGGGCGCCG CGCGCTGACC CTCCCTGGGC ACCGCTGGGG ACGATGCGC TGCTCGCCTT    60
        GCTGCTGGTC GTGGCCCTAC CGCGGGTGTG GACAGACGCC AACCTGACTG CGAGACAACG   120
```

```
     AGATCCAGAG GACTCCCAGC GAACGGACGA GGGTGACAAT AGAGTGTGGT GTCATGTTTG    180
     TGAGAGAGAA AACACTTTCG AGTGCCAGAA CCCAAGGAGG TGCAAATGGA CAGAGCCATA    240
     CTGCGTTATA GGGGCCGTGA AAATATTTCC ACGTTTTTTC ATGGTTGCGA AGCAGTGCTC    300
     CGCTGGTTGT GCAGCGATGG AGAGACCCAA GCCAGAGGAG AAGCGGTTTC TCCTGGAAGA    360
     GCCCATGCCC TTCTTTTACC TCAAGTGTTG TAAAATTCGC TACTGCAATT TAGAGGGGCC    420
     ACCTATCAAC TCATCAGTGT TCAAAGAATA TGCTGGGAGC ATGGGTGAGA GCTGTGGTGG    480
     GCTGTGGCTA GCCATCCTCC TGCTGCTGGC CTCCATTGCA GCCGGCCTCA GCCTGTCTTG    540
     AGCCACGGGA CTGCCACAGA CTGAGCCTTC CGGAGCATGG ACTCGCTCCA GACCGTTGTC    600
     ACCTGTTGCA TTAAACTTGT TTTCTGTTGA TTACCTCTTG GTTTGACTTC CCAGGGTCTT    660
     GGGATGGGAG AGTGGGGATC AGGTGCAGTT GGCTCTTAAC CCTCAAGGGT TCTTTAACTC    720
     ACATTCAGAG GAAGTCCAGA TCTCCTGAGT AGTGATTTTG GTGACAAGTT TTTCTCTTTG    780
     AAATCAAACC TTGTAACTCA TTTATTGCTG ATGGCCACTC TTTTCCTTGA CTCCCCTCTG    840
     CCTCTGAGGG CTTCAGTATT GATGGGGAGG GAGGCCTAAG TACCACTCAT GGAGAGTATG    900
     TGCTGAGATG CTTCCGACCT TTCAGGTGAC GCAGGAACAC TGGGGGAGTC TGAATGATTG    960
     GGGTGAAGAC ATCCCTGGAG TGAAGGACTC CTCAGCATGG GGGGCAGTGG GGCACACGTT   1020
     AGGGCTGCCC CCATTCCAGT GGTGGAGGCG CTGTGGATGG CTGCTTTTCC TCAACCTTTC   1080
     CTACCAGATT CCAGGAGGCA GAAGATAACT AATTGTGTTG AAGAAACTTA GACTTCACCC   1140
     ACCAGCTGGC ACAGGTGCAC AGATTCATAA ATTCCCACAC GTGTGTGTTC AACATCTGAA   1200
     ACTTAGGCCA AGTAGAGAGC ATCAGGGTAA ATGGCGTTCA TTTCTCTGTT AAGATGCAGC   1260
     CATCCATGGG GAGCTGAGAA ATCAGACTCA AAGTTCCACC AAAAACAAAT ACAAGGGGAC   1320
     TTCAAAAGTT CACGAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAA
```

Seq ID NO: 83 Protein sequence:
Protein Accession #: AAH01291

```
    1          11         21         31         41         51
    |          |          |          |          |          |
    MALLALLLVV ALPRVWTDAN LTARQRDPED SQRTDEGDNR VWCHVCEREN TPECQNPRRC    60
    KWTEPYCVIA AVKIFPRFPM VAKQCSAGCA AMERPKPEEK RFLLEEPMPF FYLKCCKIRY   120
    CNLEGPPINS SVFKEYAGSM GESCGGLWLA ILLLLASIAA GLSLS
```

Seq ID NO: 84 DNA sequence
Nucleic Acid Accession #: NM_022893.1
Coding sequence: 229-2726

```
    1          11         21         31         41         51
    |          |          |          |          |          |
    TTTTTTTTTT TTTTTTGCTT AAAAAAAAGC CATGACGGCT CTCCCACAAT TCATCTTCCC    60
    TGCGCCATCT TTGTATTATT TCTAATTTAT TTTGGATGTC AAAAGGCACT GATGAAGATA   120
    TTTTCTCTGG AGTCTCCTTC TTTCTAACCC GGCTCTCCCG ATGTGAACCG AGCCGTCGTC   180
    CGCCCGCCGC CGCCGCCGCC GCCGCCGCCG CCCGCCCCGC AGCCCACCAT GTCTCGCCGC   240
    AAGCAAGGCA AACCCCAGCA CTTAAGCAAA CGGGAATTCT CGCCCGAGCC TCTTGAAGCC   300
    ATTCTTACAG ATGATGAACC AGACCACGGC CGGTTGGGAG CTCCAGAAGG GGATCATGAC   360
    CTCCTCACCT GTGGGCAGTG CCAGATGAAC TTCCCATTGG GGACATTCT TATTTTTATC   420
    GAGCACAAAC GGAAACAATG CAATGGCAGC CTCTGCTTAG AAAAAGCTGT GGATAAGCCA   480
    CCTTCCCCTT CACCAATCGA GATGAAAAAA GCATCCAATC CCGTGGAGGT TGGCATCCAG   540
    GTCACGCCAG AAGATGACGA TTGTTTATCA ACGTCATCTA GAAGAATTTG CCCCAAACAG   600
    GAACACATAG CAGATAAACT TCTGCACTGG AGGGGCCTCT CCTCCCCTCG TTCTGCACAT   660
    GGAGCTCTAA TCCCCACGCC TGGGATGAGT GCAGAATATG CCCCGCAGGG TATTTGTAAA   720
    GATGAGCCCA GCAGCTACAC ATGTACAACT TGCAAACAGC CATTCACCAG TGCATGGTTT   780
    CTCTTGCAAC ACGCACAGAA CACTCATGGA TTAAGAATCT ACTTAGAAAG CGAACACGGA   840
    AGTCCCCTGA CCCCGCGGGT TGGTATCCCT TCAGGACTAG GTGCAGAATG TCCTTCCCAG   900
    CCACCTCTCC ATGGGGATTCA TATTGCAGAC AATAACCCCT TTAACCTGCT AAGAATACCA   960
    GGATCAGTAT CGAGAGAGGC TTCCGGCCTG GCAGAAGGGC GCTTTCCACC CACTCCCCCC   1020
    CTGTTTAGTC CACCACCGAG ACATCACTTG GACCCCCACC GCATAGAGCG CCTGGGGGCG   1080
    GAAGAAATGG CCCTGGCCAC CCATCACCCG AGTGCCTTTG ACAGGGTGCT GCGGTTGAAT   1140
    CCAATGGCTA TGGAGCCTCC CGCCATGGAT TTCTCTAGGA GACTTAGAGA GCTGGCAGGG   1200
    AACACGTCTA GCCCACCGCT GTCCCCAGGC CGGCCCAGCC CTATGCAAAG GTTACTGCAA   1260
    CCATTCCAGC CAGGTAGCAA GCCGCCCTTC CTGGCGACGC CCCCCCTCCC TCCTCTGCAA   1320
    TCCGCCCCTC CTCCCTCCCA GCCCCCGGTC AAGTCCAAGT CATGCGAGTT CTGCGGCAAG   1380
    ACGTTCAAAT TTCAGAGCAA CCTGGTGGTG CACCGGCGCA GCCACACGGG CGAGAAGCCA   1440
    TACAAGTGCA ACCTGTGCGA CCACGCGTGC ACCCAGGCCA GCAAGCTGAA GCGCCACATG   1500
    AAGACGCACA TGCACAAATC GTCCCCCATG ACGGTCAAGT CCGACGACGG TCTCTCCACC   1560
    GCCAGCTCCC CGGAACCCGG CACCAGCGAC TTGGTGGGCA GCGCCAGCAG CGCGCTCAAG   1620
    TCCGTGGTGG CCAAGTTCAA GAGCGAGAAC GACCCCAACC TGATCCCGGA GAACGGGGAC   1680
    GAGGAGGAAG AGGAGGACGA CGAGGAAGAG GAAGAAGAGG AGGAAGAGGA GGAGGAGGAG   1740
    CTGACGGAGA GCGAGAGGGT GGACTACGGC TTCGGGCTGA GCCTGGAGGC GGCGCGCCAC   1800
    CACGAGAACG GCTCGCGGGG CGCGGTCGTG GGCGTGGGCG ACGAGAGCCG CCCCCTGCCC   1860
    GACGTCATGC AGGGCATGGT GCTCAGCTCC ATGCAGCACT CAGCGAGGC CTTCCACCAG   1920
    GTCCTGGCCG AGAAGCATAA GCGCGGCCAC CTGGCCGAGG CCGAGGGCCA CAGGGACACT   1980
    TGCGACGAAG ACTCGGTGGC CGGCGAGTCG GACCGACATAG ACGATGGCAC TGTTAATGGC   2040
    CGCGGCTGCT CCCCCGGGCGA GTCGGCCTCG GGGGGCCTGT CCAAAAAGCT GCTGCTGGGC   2100
    AGCCCCAGCT CGCTGAGCCC CTTCTCTAAG CGCATCAAGC TCGAGAAGGA GTTCGACCTG   2160
    CCCCCGGGCA CGATGCCCAA CACGGAGAAC GTGTACTCGC AGTGGCTCGC CGGCTACGCG   2220
    GCCTCCAGGC AGCTCAAAGA TCCCTTCCTT AGCTTCGGAG ACTCCAGACA ATCGCCTTTT   2280
    GCCTCCTCGT CGGAGCACTC CTCGGAGAAC GGGAGCTTGC GCTTCTCCAC ACCGCCCGGG   2340
    GAGCTGGACG GAGGGGATCTC GGGGCGCAGC GGCACGGGAA GTGGAGGGAG CACGCCCCAT   2400
    ATTAGTGGTC CGGGCACGGG CAGGCCCAGC TCAAAAGAGG GCAGACGCAG CGACACTTGT   2460
    GAGTACTGTG GAAAAGTCTT CAAGAACTGT AGCAATCTCA CTGTCCACAG GAGAAGCCAC   2520
    ACGGGCGAAA GGCCTTATAA ATGCGAGCTG TGCAACTATG CCTGTGCCCA GAGTAGCAAG   2580
    CTCACCAGGC ACATGAAAAC GCATGGCCAG GTGGGGAAGG ACGTTTACAA ATGTGAAATT   2640
    TGTAAGATGC CTTTTAGCGT GTACAGTACC CTGGAGAAAC ACATGAAAAA ATGGCACAGT   2700
    GATCGAGTGT TGAATAATGA TATAAAAACT GAATAGAGGT ATATTAATAC CCCTCCCTCA   2760
    CTCCCACCTG ACACCCCCTT TTTCACCACT CCCTTTCCCC ATGCCCCTCC ATCCCCCTCT   2820
    CCTGTAGGAT TTTTTTCTAG TCCCATGTGA TTTAAACAAA CAAACAAACA AACAGAAGTA   2880
    ACGAAGCTAA GAATATGAGA GTGCTTGTCA CCAGCACACC TGTTTTTTTT CTTTTTCTTT   2940
    TTCTTTTTTC TTTTTCCTTT TTTTTTTTTT TCCTTTATGT TCTCACCGTT TGAATGCATG   3000
```

```
      ATCTGTATGG GGCAATACTA TTGCATTTTA CGCAAACTTT GAGCCTTTCT CTTGTGCAAT   3060
      AATTTACATG TTGTGTATGT TTTTTTTTAA ACTTAGACAG CATGTATGGT ATGTTATGGC   3120
      TATTTTAAAT TGTCCCTAAT TCGTTGCCTGA GCAAACATGT TGCTGTTTCC AGTTCCGTTC   3180
      TGAGAGAAAA AGAGAGAGAG AGAGAAAAAG ACCATGCTGC ATACATTCTG TAATACATAT   3240
 5    CATGTACAGT TTTATTTTAT AACGTGAGGA GGAAAAACAG TCTTTGGATT AACCCTCTAT   3300
      AGACAGAATA GATAGCACTG AAAAAAAATC TCTATGAGCT AAATGTCTGT CTCTAAAGGG   3360
      TTAAATGTAT CAATTGGAAA GGAAGAAAAA AGGCCTTGAA TTGACAAATT AACAGAAAAA   3420
      CAGAACAAGT TTATTCTATC ATTTGGTTTT AAAATATGAG TGCCTTGGAT CTATTAAAAC   3480
      CACATCGATG GTTCTTTCTA CTTGTTATAA ACTTGTAGCT TAATTCAGCA TTGGGTGAGG   3540
10    TAATAAACCT TAGGAACTAG CATATAATTC TATATTGTAT TTCTCACAC AATGGCTACC    3600
      TAAAAAGATG ACCCATTATG TCCTAGTTAA TCATCATTTT TCCTTTAGTT TAATTTTATA   3660
      AACAAAACTG ATTATACCAG TATAAAAGCT ACTTTGCTCC TGGTGAGAGC TTAAAAGAAA   3720
      TGGGCTGTTT TGCCCAAAGT TTTATTTTTT TTAAACAATG ATTAAATTGA ATGTGTAATG   3780
      TGCAAAAGCC CTGGAACGCA ATTAAATACA CTAGTAAGGA GTTCATTTTA TGAAGATATT   3840
15    TGCTTTAATA ATGTCTTTTT AAAAAATACTG GCACCAAAAG AAATAGATCC AGATCTACTT   3900
      GGTTGTCAAG TGGACAATCA AATGATAAAC TTTAAGACCT TGTATACCAT ATTGAAAGGA   3960
      AGAGGCTGAC AATAAGGTTT GACAGAGGGG AACAGAAGAA AATAATATGA TTTATTAGCA   4020
      CAACGTGGTA CTATTTGCCA TTTAAAACTA GAACAGGTAT ATAAGCTAAT ATTGATACAA   4080
      TGATGATTAA CTATGAATTC TTAAGACTTG CATTTAAATG TGACATTCTT AAAAAAGAA    4140
20    GAGAAAGAAT TTTAAGAGTA GCAGTATATA TGTCTGTGCT CCCTAAAAGT TGTACTTCAT   4200
      TTCTTTTCCA TACACTGTGT GCTATTTGTG TTAACATGGA AGAGGATTCA TTGTTTTTAT   4260
      TTTTATTTTT TTAATTTTTT CTTTTTTATT AAGCTAGCAT CTGCCCCAGT TGGTGTTCAA   4320
      ATAGCACTTG ACTCTGCCTG TGATATCTGT ATCTTTTCTC TAATCAGAGA TACAGAGGTT   4380
      GAGTATAAAA TAAACCTGCT CAGATAGGAC AATTAAGTGC ACTGTACAAT TTTCCCAGTT   4440
25    TACAGGTCTA TACTTAAGGG AAAAGTTGCA AGAATGCTGA AAAAAAATTG AACACAATCT   4500
      CATTGAGGAG CATTTTTTAA AAACTAAAAA AAAAAAAACT TTGCAGCCA TTTACTTGAC    4560
      TATTGAGCTT ACTTACTTGG ACGCAACATT GCAAGCGCTG TGAATGGAAA CAGAATACAC   4620
      TTAACATAGA AATGAATGAT TGCTTTCGCT TCTACAGTGC AAGGATTTTT TTGTACAAAA   4680
      CTTTTTTAAA TATAAATGTT AAGAAAAATT TTTTTAAAA AACACTTCAT TATGTTTAGG    4740
30    GGGGAACTGC ATTTTAGGGT TCCATTGTCT TGGTGGTGTT ACAAGACTTG TTATCCATTT   4800
      AAAAATGGTA GTGGAAATTC TATGCCTTGG ATACACACCG CTCTTCAGGT TGTAAAAAAA   4860
      AAAAACATAC ATTGGGGAAA GGTTTAAGAT TATATAGTAC TTAAATATAG GAAAATGCAC   4920
      ACTCATGTTG ATTCCTATGC TAAAATACAT TTATGGTCTT TTTTCTGTAT TTCTAGAATG   4980
35    GTATTTGAAT TAAATGTTCA TCTAGTGTTA GGCACTATAG TATTTATATT GAAGCTTGTA   5040
      TTTTTAACTG TTGCTTGTTC TCTTAAAAGG TATCAATGTA CCTTTTTTGG TAGTGGAAAA   5100
      AAAAAAGACA GGCTGCCACA GTATATTTTT TTAATTTGGC AGGATAATAT AGTGCAAATT   5160
      ATTTGTATGC TTCAAAAAAA AAAAAAAGAG AGAAACAAAA AAGTGTGACA TTACAGATGA   5220
      GAAGCCATAT AATGGCGGTT TGGGGGAGCC TGCTAGAATG TCACATGGAT GGCTGTCATA   5280
      GGGGTTGTAC ATATCCTTTT TTGTTCCTTT TTCCTGCTGC CATACTGTAT GCAGTACTGC   5340
40    AAGCTAATAA CGTTGGTTTG TTATGTAGTG TGCTTTTTGT CCCTTTCCTT CTATCACCCT   5400
      ACATTCCAGC ATCTTACCTT CATATGCAGT AAAAGAAAGA AAGAAAAAAA AAGGAAAAAA   5460
      AAAAAAAAC CAATGTTTTG CAGTTTTTTT CATTGCCAAA AACTAAATGG TGCTTTATAT    5520
      TTAGATTGGA AAGAATTTCA TATGCAAAGC ATATTAAAGA GAAAGCCCGC TTTAGTCAAT   5580
45    ACTTTTTTGT AAATGGCAAT GCAGAATATT TTGTTATTGG CCTTTTCTAT TCCTGTAATG   5640
      AAAGCTGTTT GTCGTAACTT GAAATTTTAT CTTTTACTAT GGGAGTCACT ATTTATTATT   5700
      GCTTATGTGC CCTGTTCAAA ACAGAGGCAC TTAATTTGAT CTTTTATTTT TCTTTGTTTT   5760
      TATTTTTTTT TTTATTTAGA TGACCAAAGG TCATTACAAC CTGGCTTTTT ATTGTATTTG   5820
      TTTCTGGTCT TTGTTAAGTT CTATTGGAAA AACCCACTGTC TGTGTTTTTT TGGCAGTTGT   5880
50    CTGCATTAAC CTGTTCATAC ACCCATTTTG TCCCTTTATT GAAAAAATAA AAAAAATTAA   5940
      A
```

Seq ID NO: 85 Protein sequence:
Protein Accession #: NP_075044.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MSRRKQGKPQ HLSKREFSPE PLEAILTDDE PDHGPLGAPE GDHDLLTCGQ CQMNFPLGDI   60
      LIFIEHKRKQ CNGSLCLEKA VDKPPSPSPI EMKKASNPVE VGIQVTPEDD DCLSTSSRRI   120
      CPKQEHIADK LLHWRGLSSP RSAHGALIPT PGMSAEYAPQ GICKDEPSSY TCTTCKQPFT   180
      SAWFLLQHAQ NTHGLRIYLE SEHGSPLTPR VGIPSGLGAE CPSQPPLEGI HIADNNPFNL   240
      LRIPGSVSRE ASGLAEGRFP PTPPLFSPPP RHHLDPHRIE RLGAEEMALA THHPSAFDRV   300
      LRLNPMAMEP PAMDFSRRLR ELAGNTSSPP LSPGRPSPMQ RLLQPFQPGS KPPFLATPPL   360
      PPLQSAPPPS QPPVKSKSCE FCGKTFKFQS NLVVHRRSHT GEKPYKCNLC DHACTQASKL   420
      KRHMKTHMHK SSPMTVKSDD GLSTASSPEP GTSDLVGSAS SALKSVVAKF KSENDPNLIP   480
      ENGDEEEEED DEEEEEEBEE EEEHLTESER VDYGFGLSLE AARHHENSSR GAVVGVGDES   540
      RALPDVMQGM VLSSMQHPSE AFHQVLGEKH KRGHLAEAEG HRDTCDEDSV AGESDRIDDG   600
      TVNGRGCSPG ESASGGLSKK LLLGSPSSLS PPSKRIKLEK EFDLPPATMP NTENVYSQWL   660
      AGYAASRQLK DPFLSFGDSR QSPPASSSEH SSENGSLRFS TPPGELDGGI SGRSGTGSGG   720
      STPHISGPGT GRPSSKEGRR SDTCEYCGKV FKNCSNLTVH RRSHTGERPY KCELCNYACA   780
      QSSKLTRHMK THGQVGKDVY KCEICKMPFS VYSTLEKHMK KWHSDRVLNN DIKTE
```

Seq ID NO: 86 DNA sequence
Nucleic Acid Accession #: XM_035292.2
Coding sequence: 53-1576

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GCTCGCTGGG CCGCGGCTCC CGGGTGTCCC AGGCCCGGCC GGTGCGCAGA GCATGGCGGG   60
      TGCGGGCCCG AAGCGGCGCG CGCTAGCGGC GCCGGCGGCC GAGGAGAAGG AAGAGGCGCG   120
      GGAGAAGATG CTGGCCGCCA AGAGCGGCGA CGGCTCGGCG CCGGCAGGCG AGGGCGAGGG   180
      CGTGACCCTG CAGCGGAACA TCACGCTGCT CAACGGCGTG GCCATCATCG TGGGGACCAT   240
      TATCGGCTCG GGCATCTTCG TGACGCCCAC GGGCGTGCTC AAGGAGGCAG GCTCGCCGGG   300
      GCTCGGCGCTG GTGGTGTGGG CCGCGTGCGG CGTCTTCTCC ATCGTGGGCG CGCTCTGCTA   360
      CGCGGAGCTC GGCACCACCA TCTCCAAATC GGGCGGCGAC TACGCCTACA TGCTGGAGGT   420
      CTACGGCTCG CTGCCCGCCT TCCTCAAGCT CTGGATCGAG CTGCTCATCA TCCGGCCTTC   480
      ATCGCAGTAC ATCGTGGCCC TGGTCTTCGC CACCTACCTG CTCAAGCCGC TCTTCCCCAC   540
```

```
CTGCCCGGTG CCCGAGGAGG CAGCCAAGCT CGTGGCCTGC CTCTGCGTGC TGCTGCTCAC    600
GGCCGTGAAC TGCTACAGCG TGAAGGCCGC CACCCGGGTC CAGGATGCCT TTGCCGCCGC    660
CAAGCTCCTG GCCCTGGCCC TGATCATCCT GCTGGGCTTC GTCCAGATCG GGAAGGGTGA    720
TGTGTCCAAT CTAGATCCCA ACTTCTCATT TGAAGGCACC AAACTGGATG TGGGGAACAT    780
TGTGCTGGCA TTATACAGCG GCCTCTTTGC CTATGGAGGA TGGAATTACT TGAATTTCGT    840
CACAGAGGAA ATGATCAACC CCTACAGAAA CCTGCCCCTG GCCATCATCA TCTCCCTGCC    900
CATCGTGACG CTGGTGTACG TGCTGACCAA CCTGGCCTAC TTCACCACCC TGTCCACCGA    960
GCAGATGCTG TCGTCCGAGG CCGTGGCCGT GGACTTCGGG AACTATCACC TGGGCGTCAT   1020
GTCCTGGATC ATCCCCGTCT TCGTGGGCCT GTCCTGCTTC GGCTCCGTCA ATGGGTCCCT   1080
GTTCACATCC TCCAGGCTCT TCTTCGTGGG GTCCCGGGAA GGCCACCTGC CCTCCATCCT   1140
CTCCATGATC CACCCACAGC TCCTCACCCC CGTGCCCGTCC CTCGTGTTCA CGTGTGTGAT   1200
GACGCTGCTC TACGCCTTCT CCAAGGACAT CTTCTCCGTC ATCAACTTCT TCAGCTTCTT   1260
CAACTGGCTC TGCGTGGCCC TGGCCATCAT CGGCATGATC TGGCTGCGCC ACAGAAAGCC   1320
TGAGCTTGAG CGGCCCATCA AGGTGAACCT GGCCCTGCCT GTGTTCTTCA TCCTGGCCTG   1380
CCTCTTCCTG ATCGCCGTCT CCTTCTGGAA GACACCCGTG GAGTGTGGCA TCGGCTTCAC   1440
CATCATCCTC AGCGGGCTGC CCGTCTACTT CTTCGGGGTC TGGTGGAAAA ACAAGCCCAA   1500
GTGGCTCCTC CAGGGCATCT TCTCCACGAC CGTCCTGTGT CAGAAGCTCA TGCAGGTGGT   1560
CCCCCAGGAG ACATAGCCAG GAGGCCGAGT GGCTGCCGGA GGAGCATGC
```

Seq ID NO: 87 Protein sequence:
Protein Accession #: XP_035292.2

```
1          11         21         31         41         51
|          |          |          |          |          |
MAGAGPKRRA LAAPAAEEKE EAREKMLAAK SADGSAPAGE GEGVTLQRNI TLLNGVAIIV    60
GTIIGSGIFV TPTGVLKEAG SPGLALVVWA ACGVFSIVGA LCYAELGTTI SKSGGDYAYM   120
LEVYGSLPAF LKLWIELLII RPSSQYIVAL VFATYLLKPL FPTCPVPEEA AKLVACLCVL   180
LLTAVNCYSV KAATRVQDAP AAAKLLALAL IILLGFVQIG KGDVSNLDPN PSFPGTKLDV   240
GNIVLALYSG LFAYGGWNYL NFVTEEMINP YRNLPLAIII SLPIVTLVYV LTNLAYFTTL   300
STEQMLSSEA VAVDFGNYHL GVMSWIIPVF VGLSCPGSVN GSLFTSSRLF FVGSREGHLP   360
SILSMIHPQL LTPVPSLVFT CVMTLLYAFS KDIFSVINFF SFFNWLCVAL AIIGMIWLRH   420
RKPELERPIK VNLALPVFFI LACLFLIAVS FWKTPVECGI GPTIILSGLP VYFFGVWWKN   480
KPKWLLQGIF STTVLCQKLM QVVPQET                                       
```

Seq ID NO: 88 DNA sequence
Nucleic Acid Accession #: NM_005268.1
Coding sequence: 168-989

```
1          11         21         31         41         51
|          |          |          |          |          |
TAAAAAGCAA AAGAATTCGC GGCCGCGTCG ACACGGGCTT CCCCGAAAAC CTTCCCCGCT    60
TCTGGATATG AAATTCAAGC TGCTTGCTGA GTCCTATTGC CGGCTGCTGG GAGCCAGGAG   120
AGCCCTGAGG AGTAGTCACT CAGTAGCAGC TGACGCGTGG GTCCACCATG AACTGGAGTA   180
TCTTTGAGGG ACTCCTGAGT GGGGTCAACA AGTACTCCAC AGCCTTTGGG CGCATCTGGC   240
TGTCTCTGGT CTTCATCTTC CGCGTGCTGG TGTACCTGGT GACGGCCGAG CGTGTGTGGA   300
GTGATGACCA CAAGGACTTC GACTGCAATA CTCGCCAGCC CGGCTGCTCC AACGTCTGCT   360
TTGATGAGTT CTTCCCTGTG TCCCATGTGC GCCTCTGGGC CCTGCAGCTT ATCCTGGTGA   420
CATGCCCCTC ACTGCTCGTG GTCATGCACG TGGCCTACCG GGAGGTTCAG GAGAAGAGGC   480
ACCGAGAAGC CCATGGGGAG AACAGTGGGC GCCTCTACCT GAACCCCGGC AAGAAGCGGG   540
GTGGGCTCTG GTGGACATAT GTCTGCAGCC TAGTGTTCAA GGCGAGCGTG GACATCGCCT   600
TTCTCTATGT GTTCCACTCA TTCTACCCCA AATATATCCT CCCTCCTGTG GTCAAGTGCC   660
ACGCAGATCC ATGTCCCAAT ATAGTGGACT GCTTCATCTC CAAGCCCTCA GAGAAGAACA   720
TTTTCACCCT CTTCATGGTG GCCACAGCTG CCATCTGCAT CCTGCTCAAC CTCGTGGAGC   780
TCATCTACCT GGTGAGCAAG AGATGCCACG AGTGCCTGGC AGCAAGGAAA GCTCAAGCCA   840
TGTGCACAGG TCATCACCCC CACGGTACCA CCTCTTCCTG CAAACAAGAC GACCTCCTTT   900
CGGGTGACCT CATCTTTCTG GGCTCAGACA GTCATCCTCC TCTCTTACCA GACCGCCCCC   960
GAGACCATGT GAAGAAAACC ATCTTGTGAG GGGCTGCCTG GACTGGTCTG GCAGGTTGGG  1020
CCTGGATGGG GAGGCTCTAG CATCTCTCAT AGGTGCAACC TGAGAGTGGG GGAGCTAAGC  1080
CATGAGGTAG GGGCAGGCAA GAGAGAGGAT TCAGACGCTC TGGGAGCCAG TTCCTAGTCC  1140
TCAACTCCAG CCACCTGCCC CAGCTCGACG GCACTGGGCC AGTTCCCCCT CTGCTCTGCA  1200
GCTCGGTTTC CTTTTCTAGA ATGGAAATAG TGAGGGCCAA TGC
```

Seq ID NO: 89 Protein sequence:
Protein Accession #: NP_005259.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MNWSIFEGLL SGVNKYSTAF GRIWLSLVFI FRVLVYLVTA ERVWSDDHKD FDCNTRQPGC    60
SNVCFDEFFP VSHVRLWALQ LILVTCPSLL VVMHVAYREV QEKRHREAHG ENSGRLYLNP   120
GKKRGGLWWT YVCSLVFKAS VDIAFLYVFH SFYPKYILPP VVKCHADPCP NIVDCFISKP   180
SEKNIFTLFM VATAAICILL NLVELIYLVS KRCHECLAAR KAQAMCTGHH PHGTTSSCKQ ·  240
DDLLSGDLIF LGSDSHPPLL PDRPRDHVKK TIL
```

Seq ID NO: 90 DNA sequence
Nucleic Acid Accession #: NM_002391.1
Coding sequence: 26-457

```
1          11         21         31         41         51
|          |          |          |          |          |
CGGGCGAAGC AGCGCGGGCA GCGAGATGCA GCACCGAGGC TTCCTCCTCC TCACCCTCCT    60
CGCCCTGCTG GCGCTCACCT CCGCGGTCGC CAAAAAGAAA GATAAGGTGA AGAAGGGCGG   120
CCCGGGGAGC GAGTGCGCTG AGTGGGCCTG GGGGCCCTGC ACCCCCAGCA GCAAGGATTG   180
CGGCGTGGGT TTCCGCGAGG GCACCTGCGG GGCCCAGACC CAGCGCATCC GGTGCAGGGT   240
GCCCTGCAAC TGGAAGAAGG AGTTTGGAGC CGACTGCAAG TACAAGTTTG AGAACTGGGG   300
TGCGTGTGAT GGGGGCACAG GCACCAAAGT CCGCCAAGGC ACCCTGAAGA AGGCGCGCTA   360
```

```
      CAATGCTCAG TGCCAGGAGA CCATCCGCGT CACCAAGCCC TGCACCCCCA AGACCAAAGC    420
      AAAGGCCAAA GCCAAGAAAG GGAAGGGAAA GGACTAGACG CCAAGCCTGG ATGCCAAGGA    480
      GCCCCTGGTG TCACATGGGG CCTGGCCACG CCCTCCCTCT CCCAGGCCCG AGATGTGACC    540
      CACCAGTGCC TTCTGTCTGC TCGTTAGCTT TAATCAATCA TGCCCTGCCT TGTCCCTCTC    600
 5    ACTCCCCAGC CCCACCCCTA AGTGCCCAAA GTGGGGAGGG ACAAAGGGATT CTGGGAAGCT    660
      TGAGCCTCCC CCAAAGCAAT GTGAGTCCCA GAGCCCGCTT TTGTTCTTCC CCACAATTCC    720
      ATTACTAAGA AACACATCAA ATAAACTGAC TTTTTCCCCC CAATAAAAGC TCTTCTTTTT    780
      TAATAT
```

10   Seq ID NO: 91 Protein sequence:
       Protein Accession #: NP_002382.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
15    MQHRGFLLLT LLALLALTSA VAKKKDKVKK GGPGSECAEW AWGPCTPSSK DCGVGFREGT    60
      CGAQTQRIRC RVPCNWKKEF GADCKYKFEN WGACDGGTGT KVRQGTLKKA RYNAQCQETI   120
      RVTKPCTPKT KAKAKAKKGK GKD
```

20   Seq ID NO: 92 DNA sequence
       Nucleic Acid Accession #: NM_005130.1
       Coding sequence: 98-802

```
      1          11         21         31         41         51         .
      |          |          |          |          |          |
25    CTCTACCTGA CACAGCTGCA GCCTGCAATT CACTCCCACT GCCTGGGATT GCACTGGATC    60
      CGTGTGCTCA GAACAAGGTG AACGCCCAGC TGCAGCCATG AAGATCTGTA GCCTCACCCT   120
      GCTCTCCTTC CTCCTACTGG CTGCTCAGGT GCTCCTGGTG GAGGGGAAAA AAAAGTGAA    180
      GAATGGACTT CACAGCAAAG TGGTCTCAGA ACAAAAGGAC ACTCTGGGCA ACACCCAGAT   240
30    TAAGCAGAAA AGCAGGCCCG GGAACAAAGG CAAGTTTGTC ACCAAAGACC AAGCCAACTG    300
      CAGATGGGCT GCTACTGAGC AGGAGGAGGG CATCTCTCTC AAGGTTGAGT GCACTCAATT   360
      GGACCATGAA TTTTCCTGTG TCTTTGCTGG CAATCCAACC TCATGCCTAA AGCTCAAGGA   420
      TGAGAGAGTC TATTGGAAAC AAGTTGCCCG GAATCTGCGC TCACAGAAAG ACATCTGTAG   480
      ATATTCCAAG ACAGCTGTGA AAACCAGAGT GTGCAGAAAG GATTTTCCAG AATCCAGTCT   540
35    TAAGCTAGTC AGCTCCACTC TATTTGGGAA CACAAAGCCC AGGAAGGAGA AAACAGAGAT    600
      GTCCCCCAGG GAGCACATCA AGGGCAAAGA GACCACCCCC TCTAGCCTAG CAGTGACCCA   660
      GACCATGGCC ACCAAAGCTC CCGAGTGTGT GGAGGACCCA GATATGCAA CCAGAGGAA    720
      GACTGCCCTG GAGTTCTGTG GAGAGACTTG GAGCTCTCTC TGCACATTCT TCCTCAGCAT   780
      AGTGCAGGAC ACGTCATGCT AATGAGGTCA AAAGAGAACG GGTTCCTTTA AGAGATGTCA   840
40    TGTCGTAAGT CCCTCTGTAT ACTTTAAAGC TCTCTACAGT CCCCCCAAAA TATGAACTTT   900
      TGTGCTTAGT GAGTGCAACG AAATATTTAA ACAAGTTTTG TATTTTTTGC TTTTGTGTTT   960
      TGGAATTTGC CTTATTTTTC TTGGATGCGA TGTTCAGAGG CTGTTTCCTG CAGCATGTAT  1020
      TTCCATGGCC CACACAGCTA TGTGTTTGAG CAGCGAAGAG TCTTTGAGCT GAATGAGCCA  1080
      GAGTGATAAT TTCAGTGCAA CGAACTTTCT GCTGAATTAA TGGTAATAAA ACTCTGGGTG  1140
45    TTTTTCAAAA AAAAAAAAAA AAA
```

       Seq ID NO: 93 Protein sequence:
       Protein Accession #: NP_005121.1

```
50    1          11         21         31         41         51         .
      |          |          |          |          |          |
      MKICSLTLLS PLLLAAQVLL VEGKKKVKNG LHSKVVSEQK DTLGNTQIKQ KSRPGNKGKP    60
      VTKDQANCRW AATEQEEGIS LKVECTQLDH EPSCVFAGNP TSCLKLKDER VYWKQVARNL   120
      RSQKDICRYS KTAVKTRVCR KDFPESSLKL VSSTLFGNTK PRKEKTEMSP REHIKGKETT   180
55    PSSLAVTQTM ATKAPECVED PDMANQRKTA LEPCGETWSS LCTFFLSIVQ DTSC
```

       Seq ID NO: 94 DNA sequence
       Nucleic Acid Accession #: NM_012101
       Coding sequence: 125-1891

```
60    1          11         21         31         41         51
      |          |          |          |          |          |
      CTCCTCACAG GTGTGTCTCT AGTCCTCGTG GTTGCCTGCC CCACTCCCTG CCGAGACGCC    60
      TGCCAGAAAG GTCACCTATC CTGAACCCCA GCAAGCCTGA AACAGCTCAG CCAAGCACCC   120
      TGCGATGGAA GCTGCAGATG CCTCCAGGAG CAACGGGTCG AGCCCAGAAG CCAGGGATGC   180
65    CGGGAGCCCG TCGGGCCCCA GTGGCAGCCT GGAGAATGGC ACCAAGGCTG ACGGCAAGGA   240
      TGCCAAGACC ACCAACGGGC ACGGCGGGGA GGCAGCTGAG GGCAAGAGCC TGGGCAGCGC   300
      CCTGAAGCCA GGGGAAGGTA GGAGCGCCCT GTTCGCGGGC AATGAGTGGC GGCGACCCAT   360
      CATCCAGTTT GTCGAGTCCG GGACGACAA GAACTCCAAC TACTTCAGCA TGGACTCTAT   420
      GGAAGGCAAG AGGTCGCCGT ACGCAGGGCT CCAGCTGGGG GCTGCCAAGA AGCCACCCGT   480
70    TACCTTTGCC GAAAAGGGCA ACGTGCGCAA GTCCATTTTC TCGGAGTCCC GGAAGCCCAC   540
      GGTGTCCATC ATGGAGCCCG GGGAGACCCG GCGGAACAGC TACCCCGGG CCGACACGGG   600
      CCTTTTTTCA CGGTCCAAGT CCGGCTCCGA GGAGGTGCTG TGCGACTCCT GCATCGGCAA   660
      CAAGCAGAAG GCGGGTCAAGT CCTGCCTGGT GTGCCAGGCC TCCTTCTGCG AGCTGCATCT   720
75    CAAGCCCCAC CTGGAGGGCG CCGCCTTCCG AGACCACCAG CTGCTCGAGC CCATCCGGGA   780
      CTTTGAGGCC CGCAAGTGTC CCGTGCATGG CAAGACGATG GAGCTCTTCT GCCAGACCGA   840
      CCAGACCTGC ATCTGCTACC TTTGCATGTT CCAGGAGCAC AAGAATCATA GCACCGTGAC   900
      AGTGGAGGAG GCCAAGGCCG AGAAGGAGAC GGAGCTGTCA CTGCAAAAGG AGCAGCTGCA   960
      GCTCAAGATC ATTGAGATTG AGGATGAAGC TGAGAAGTGG CAGAAGGAGA AGGACCGCAT  1020
80    CAAAGAGCTTC ACCACCAATG AGAAGGCCAT CCTGGAGCAG AACTTCCGGG ACCTGGTGCG  1080
      GGACCTGGAG AAGCAAAAGG AGGAAGTGAG GGCTGCGCTG GAGCAGCGGG AGCAGGATGC  1140
      TGTGGACCAA GTGAAGGTGA TCATGGATGC TCTGGATGAG AGAGCCAAGG TGCTGCATGA  1200
      GGACAAGCAG ACCCGGGAGC AGCTGCATAG CATCAGCGAC TCTGTGTTGT TTCTGCAGGA  1260
      ATTTGGTGCA TTGATGAGCA ATTACTCTCT CCCCCCACCC CTGCCCACCT ATCATGTCCT  1320
85    GCTGGAGGGG GAGGGCCTGG GACAGTCACT AGGCAACTTC AAGGACGACC TGCTCAATGT  1380
      ATGCATGCGC CACGTTGAGA AGATGTGCAA GGCGGACCTG AGCCGTAACT TCATTGAGAG  1440
      GAACCACATG GAGAACGGTG GTGACCATCG CTATGTGAAC AACTACACGA ACAGCTTCGG  1500
```

```
         GGGTGAGTGG AGTGCACCGG ACACCATGAA GAGATACTCC ATGTACCTGA CACCCAAAGG   1560
         TGGGGTCCGG ACATCATACC AGCCCTCGTC TCCTGGCCGC TTCACCAAGG AGACCACCCA   1620
         GAAGAATTTC AACAATCTCT ATGGCACCAA AGGTAACTAC ACCTCCCGGG TCTGGGAGTA   1680
         CTCCTCCAGC ATTCAGAACT CTGACAATGA CCTGCCCGTC GTCCAAGGCA GCTCCTCCTT   1740
  5      CTCCCTGAAA GGCTATCCCT CCCTCATGCG GAGCCAAAGC CCCAAGGCCC AGCCCCAGAC   1800
         TTGGAAATCT GGCAAGCAGA CTATGCTGTC TCACTACCGG CCATTCTACG TCAACAAGG   1860
         CAACGGGATT GGGTCCAACG AAGCCCCATG AGCTCCTGGC GGAAGGAACG AGGCGCCACA   1920
         CCCCTGCTCT TCCTCCTGAC CCTGCTGCTC TTGCCTTCTA AGCTACTGTG CTTGTCTGGG   1980
         TGGGAGGGAG CCTGGTCCTG CACCTGCCCT CTGCAGCCCT CTGCCAGCCT CTTGGGGGCA   2040
  10     GTTCCGGCCT CTCCGACTTC CCCACTGGCC ACACTCCATT CAGACTCCTT TCCTGCCTTG   2100
         TGACCTCAGA TGGTCACCAT CATTCCTGTG CTCAGAGGCC AACCCATCAC AGGGGTGAGA   2160
         TAGGTTGGGG CCTGCCCTAA CCCGCCAGCC TCCTCCTCTC GGGCTGGATC TGGGGGCTAG   2220
         CAGTGAGTAC CCGCATGGTA TCAGCCTGCC TCTCCCGCCC ACGCCCTGCT GTCTCCAGGC   2280
         CTATAGACGT TTCTCTCCAA GGCCCTATCC CCCAATGTTG TCAGCAGATG CCTGGACAGC   2340
  15     ACAGCCACCC ATCTCCCATT CACATGGCCC ACCTCCTGCT TCCCAGAGGA CTGGCCCTAC   2400
         GTGCTCTCTC TGTCCTACC TATCAATGCC CAGCATGGCA GAACCTGCAG TGGCCAAGGG   2460
         CTGCAGATGG AAACCTCTCA GTGTCTTGAC ATCACCCTAC CCAGGCGGTG GGTCTCCACC   2520
         ACAGCCACTT TGAGTCTGTG GTCCCTGGAG GGTGGCTTCT CCTGACTGGC AGGATGACCT   2580
         TAGCCAAGAT ATTCCTCTGT TCCCTCTGCT GAGATAAAGA ATTCCCTTAA CATGATATAA   2640
  20     TCCACCCATG CAAATAGCTA CTGGCCCAGC TACCATTTAC CATTTGCCTA CAGAATTTCA   2700
         TTCAGTCTAC ACTTTGGCAT TCTCTCTGGC GATGGAGTGT GGCTGGGCTG ACCGCAAAAG   2760
         GTGCCTTACA CACTGCCCCC ACCCTCAGCC GTTGCCCCAT CAGAGGCTGC CTCCTCCTTC   2820
         TGATTACCCC CCATGTTGCA TATCAGGGTG CTCAAGGATT GGAGAGGAGA CAAAACCAGG   2880
         AGCAGCACAG TGGGGACATC TCCCGTCTCA ACAGCCCCAG GCCTATGGGG GCTCTGGAAG   2940
  25     GATGGGCCAG CTTGCAGGGG TTGGGGAGGG AGACATCCAG CTTGGGCTTT CCCCTTTGGA   3000
         ATAAAACCATT GGTCTGTC .
```

         Seq ID NO: 95 Protein sequence:
  30   Protein Accession #: NP_036233.1

```
         1          11         21         31         41         51
         |          |          |          |          |          |
  35     MEAADASRSN GSSPEARDAR SPSGPGSSLE NGTKADGKDA KTTNGHGGEA AEGKSLGSAL    60
         KPGEGRSALF AGNEWRRPII QFVESGDDKN SNYFSMDSME GKRSPYAGLQ LGAAKKPPVT   120
         FAEKGDVRKS IPSESRKPTV SIMEPGETRR NSYPRADTGL FSRSKSGSEE VLCDSCIGNK   180
         QKAVKSCLVC QASPCELHLK PHLEGAAFRD HQLLEPIRDF EARKCPVHGK TMELFCQTDQ   240
         TCICYLCMFQ EHKNHSTVTV EEAKAEKETE LSLQKEQLQL KIIEIEDEAE KWQKEKDRIK   300
  40     SPTTNEKAIL EQNFRDLVRD LEKQKEEVRA ALEQREQDAV DQVKVIMDAL DERAKVLHED   360
         KQTREQLHSI SDSVLFLQEF GALMSNYSLP PPLPTYHVLL EGEGLGQSLG NFKDDLLNVC   420
         MRHVEKMCKA DLSRNFIERN HMENGGDHRY VNNYTNSPGG EWSAPDTMKR YSMYLTPKGG   480
         VRTSYQPSSP GRPTKETTQK NFNNLYGTKG NYTSRVWEYS SSIQNSDNDL PVVQGSSSFS   540
         LRGYPSLMRS QSPKAQPQTW KSGKQTMLSH YRPFYVNKGN GIGSNEAP
```

  45   Seq ID NO: 96 DNA sequence
         Nucleic Acid Accession #: NM_080668.1
         Coding sequence: 83-841

```
         1          11         21         31         41         51
  50     |          |          |          |          |          |
         GGCACGAGGG CAGCGAGTGG CCTTCCCGGT TGGCGCGCGC CCGGGGCGGC GGCGCTGGAG    60
         GAGCTCGAGA CGGAGCCTAG TTATGTCTGG GAGGCGAACG CGGTCCGGAG GAGCCGCTCA   120
         GCGCTCCGGG CCAAGGGCCC CATCTCCTAC TAAGCCTCTG CGGAGGTCCC AGCCGGAAATC   180
         AGGCTCTGAA CTCCCGAGCA TCCTCCCTGA AATCTGGCCG AAGACACCCA GTGCGGCTGC   240
  55     AGTCAGAAAG CCCATCGTCT TAAAGAGGAT CGTGGCCCAT GCTGTAGAGG TCCCAGCTGT   300
         CCAATCACCT CGCAGGAGCC CTAGGATTTC CTTTTTCTTG GAGAAAGAAA ACGAGCCCCC   360
         TGGCAGGGAG CTTACTAAGG AGGACCTTTT CAAGACACAC AGCGTCCCTG CCACCCCCAC   420
         CAGCACTCCT GTGCCGAACC CTGAGGCCGA GTCCAGCTCC AAGGAAGGAG AGCTGGACGC   480
         CAGAGACTTG GAAATGTCTA AGAAAGTCAG GCGGTTCCTAC AGCCGGCTGG AGACCCTGGG   540
  60     CTCTGCCTCT ACCTCCACCC CAGGCCGCCG GTCCTGCTTT GGCTTCGAGG GGCTGCTGGG   600
         GGCAGAAGAC TTGTCCGGAG TCTCGCCAGT GGTGTGCTCC AAACTCACCG AGGTCCCCAG   660
         GGTTTGTGCA AAGCCCTGGG CCCCAGACAT GACTCTCCCT GGAATCTCCC CACCACCCGA   720
         GAAACAGAAA CGTAAGAAGA AGAAAATGCC AGAGATCTTG AAAACGGAGC TGGATGAGTG   780
         GGCTGCGGCC ATGAATGCCG AGTTTGAAGC TGCTGAGCAG TTTGATCTCC TGGTTGAATG   840
  65     AGATGCAGTG GGGGGTGCAC CTGGCCAGAC TCTCCCTCCT GTCCTGTACA TAGCCACCTC   900
         CCTGTGGAGA GGACACTTAG GGTCCCCTCC CCTGGTCTTG TTACCTGTGT GTGTGCTGGT   960
         GCTGCGCATG AGGACTGTCT GCCTTTGAGG GCTTGGGCAG CAGCGGCAGC CATCTTGGTT  1020
         TTAGGAAATG GGGCCGCCTG GCCCAGCCAC TCACTGGTGT CCTGTCTCTT GTCGTCCTGT  1080
         CCTTCCTATC TCCCCAAAGT ACCATAGCCA GTTTCCAGAT GGGCCACAGA CTGGGGAGGA  1140
  70     GAATCAGTGG CCCAGCCAGA AGTTAAAGGG CTGAGGGTTG AGGTGAGAGG CACCTCTGCT  1200
         CTTGTTGGGA GGGGTGGCTG CTTGGAAATA GGCCCAAGGG CTCTGCCAGC CTCGGCCTCT  1260
         CCCTCCTGAG TTGCCTTCTG TTGGTGGCTT TCTTCTTGAA CCCACCTGTG TAAAGAGGTT  1320
         TTCAGTTCCG TGGGTTTCCC CTTTGATTCT GTAAATAGTC CCAGAGAGAA TTCGTGGGCT  1380
         GAGGGCAATT CTGTCTTGGA GGAAGAAGCT GGACATTCAG CCTGTGGAGT CTGAGTTTTG  1440
  75     AAGGATGTAG GGAGCCTTAG TTGGGTCTCA GACCATAAGT GTGTACTACA CAGAAGCTGT  1500
         GTTTTCTAGT TCTGGTCTGC TGTTGAGATG TTTGGTAAAT GCCAGGTTGA TAGGGCGCTG  1560
         GCTGCTTGGA GCAAAGGGTG CATTTCAGGG TGTGGCCACC AGGTGCTGTG AGTTTCTGTG  1620
         GCTCATGGCC TCTGGGCTGG TCCCTTGCAC AGGGCCCACG CTGGAGTCTT ACCACTCTGC  1680
         TGCAGGGGTG GAAGGTGGCC CCTCTTGTCA CCCATACCCA TTTCTTACAA AATAAGTTAC  1740
  80     ACCGAGTCTA CTTGGCCCTA GAAGAGAAAG TTGAAGAGTC CCAGACCTAC TAGCATTTTG  1800
         CAACTATGCT TGTAAAGTCC TCGGAAAGTT TCCTCGCGTA CCAGACAGCG GCGGGGGCTG  1860
         ATAGCAATTT TAGTTTTTGG CCTCCCTATC ·CTCTCACATG AGAACACTGC CTGGATGCAT  1920
         CTCATGATCT CTGGAGAATT TCCCCATCTT TCTCTTCTTT CCATCGTGTG GATTCAATAG  1980
         TTTGGATTTG AAGGCTGCCC TGCCCCCGAC TCTCCTGCCG CACCCCTGGC CATTGTACCT  2040
  85     TTTGATGTTT AGAAGTTCGT GGAAGTAGAC GCTGAGGTGT GCAGAGGAGC TGGTGGATAA  2100
         CAGAGAATGC CAGGGAAGAT GAGTGCTGGG TCAGGGTACT TGGATGAAAC GGTGCAGGCC  2160
         AGGCGGGCCC TAATAAAACC CTCTGCCAGG TCTGGGAGTC CCAGGCCATC TGCTCAACGC  2220
```

                                         224

```
        TCTGTGGTTT GTCAGACCTG CAAGCAAGCC CCCTGCTGGG GAAGCCTAGG TGTCCTTGAG  2280
        CTGAACCGCA CTGAAGAACT CTTGTCCTCA CTGGCTGATG CAGCAGAACT CTTGGGAAAT  2340
        GTCTTAGTCC TGCAGAATCA GGAGTCACCA GATGATGCAG AGTTGAGATC ATCATTGCAA  2400
        AGTTCTCTGT TCCTGAGGAA CTAAATTTAA GGAAAAAAATG GGATTTTGTT TTAGAGTTGG  2460
5       AAAAAAAGCC TGATTAAAGA GTTTCTGCCT GTTAAAAAAA AAAAAAAAAA AAAAAA
```

Seq ID NO: 97 Protein sequence:
Protein Accession #: NP_542399.1

```
10      1          11         21         31         41         51
        |          |          |          |          |          |
        MSGRRTRSGG AAQRSGPRAP SPTKPLRRSQ RKSGSELPSI LPEIWPKTPS AAAVRKPIVL   60
        KRIVAHAVEV PAVQSPRRSP RISFPFLEKEN EPPGRELTKE DLFKTHSVPA TPTSTPVFNP  120
        EAESSSKEGE LDARDLEMSK KVRRSYSRLE TLGSASTSTP GRRSCFGPEG LLGAEDLSGV   180
15      SPVVCSKLTE VPRVCAKPWA PDMTLPGISP PPERQKRKKK KMPEILKTEL DEWAAAMNAE   240
        FEAAEQFDLL VE
```

Seq ID NO: 98 DNA sequence
Nucleic Acid Accession #: Eos sequence
20   Coding sequence: 58-12444

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GGGGCATTTC CGGGTCCGGG CCGAGCGGGC GCACGCGCGG GAGCGGGACT CGGCGGCATG   60
25      GCGGGCTCCG GAGCCGGTGT GCGTTGCTCC CTGCTGCGGC TGCAGGAGAC CTTGTCCGCT  120
        GCGGACCGCA GCGGTGCTGC CCTGGCCGGT CATCAACTGA TCCGCGGCCT GGGGCAGGAA  180
        TGCGTCCTGA GCAGCAGCCC CGCCGGTGCTG GCATTACAGA CATCTTTAGT TTTTTCCAGA  240
        GATTTCGGTT TGCTTGTATT TGTCCGGAAG TCACTCAACA GTATTGAATT TCGTGAATGT  300
        AGAGAAGAAA TCCTAAAGTT TTTATGTATT TTCTTAGAAA AAATGGGCCA GAAGATCGCA  360
30      CCTTACTCTG TTGAAATTAA GAACACTTGT ACCAGTGTTT ATACAAAAGA TAGAGCTGCT  420
        AAATGTAAAA TTCCAGCCCT GGACCTTCTT ATTAAGTTAC TTCAGACTTT TAGAAGTTCT  480
        AGACTCATGG ATGAATTTAA AATTGGAGAA TTATTTAGTA AATTCTATGG AGAACTTGCA  540
        TTGAAAAAAA AAATACCAGA TACAGTTTTA GAAAAAGTAT ATGAGCTCCT AGGATTATTG  600
        GGTGAAGTTC ATCCTAGTGA GATGATAAAT AATGCAGAAA ACCTGTTCCG CGCTTTTCTG  660
35      GGTGAACTTA AGACCCAGAT GACATCAGCA GTAAGAGAGC CCAAACTACC TGTTCTGGCA  720
        GGATGTCTGA AGGGGGTTGTC CTCACTTCTG TGCAACTTCA CTAAGTCCAT GGAAGAAGAT  780
        CCCCAGACTT CAAGGGGAGAT TTTTAATTTT GTACTAAAGG CAATTCGTCC TCAGATTGAT  840
        CTGAAGAGAT ATGCTGTGCC CTCAGCTGGC TTGCGCCTAT TTGCCCTGCA TGCATCTCAG  900
        TTTAGCACCT GCCTTCTGGA CAACTACGTG TCTCTATTTG AAGTCTTGTT AAAGTGGTGT  960
40      GCCCACACAA ATGTAGAATT GAAAAAAGCT GCACTTTCAG CCCTGGAATC CTTTCTGAAA  1020
        CAGGTTTCTA ATATGGTGGC GAAAAATGCA GAAATGCATA AAAATAAACT GCAGTACTTT  1080
        ATGGAGCCAGT TTTATGGAAT CATCAGAAAT GTGGATTCGA ACAACAAGGA GTTATCTATT  1140
        GCTATCCGTG GATATGGACT TTTTGCAGGA CCGTGCAAGG TTATAAACGC AAAAGATGTT  1200
        GACTTCATGT ACGTTGAGCT CATTCAGCGC TGCAAGCAGA TGTTCCTCAC CCAGACAGAC  1260
45      ACTGGTGACG ACCGTGTTTA TCAGATGCCA AGCTTCCTCC AGTCTGTTGC AAGCGTCTTG  1320
        CTGTACCTTG ACACAGTTCC TGAGGTGTAT ACTCCAGTTC TGGAGCACCT CGTGGTGATG  1380
        CAGATAGACA GTTTCCCACA GTACAGTCCA AAAATGCAGC TGGTGTGTTG CAGAGCCATA  1440
        GTGAAGGTGT TCCTAGCTTT GGCAGCAAAA GGGCCAGTTC TCAGGAATTG CATTAGTACT  1500
        GTGGTGCATC AGGGGTTTAAT CAGAATATGT TCTAAACCAG TGGTCCTTCC AAAGGGCCCT  1560
50      GAGTCTGAAT CTGAAGACCA CCGTGCTTCA GGGGAAGTCA GAACTGGCAA ATGGAAGGTG  1620
        CCCACATACA AAGACTACGT GGATCTCTTC AGACATCTCC TGAGCTCTGA CCAGATGATG  1680
        GATTCTATTT TAGCAGATGA AGCATTTTTC TCTGTGAATT CCTCCAGTGA AAGTCTGAAT  1740
        CATTTACTTT ATGATGAATT TGTAAAATCC GTTTTGAAGA TTGTTGAGAA ATTGGATCTT  1800
        ACACTTGAAA TACAGACTGT TGGGGAACAA GAGAATGGAG ATGAGGCGCC TGGTGTTTGG  1860
55      ATGATCCCAA CTTCAGATCC AGCGGCTAAC TTGCATCCAG CTAAACCTAA AGATTTTTCG  1920
        GCTTTCATTA ACCTGGTGGA ATTTTGCAGA GAGATTCTCC CTGAGAAACA AGCAGAATTC  1980
        TTTGAACCAT GGGTGTACTC ATTTTCATAT GAATTAATTT TGCAATCTAC AAGGTTGCCC  2040
        CTCATCAGTG GTTTCTACAA ATTGCTTTCT ATTACAGTAA GAAAATAAAA  2100
        TATTTCGAGG GAGTTAGTCC AAAGAGTCTG AAACACTCTC CTGAAGACCC AGAAAAGTAT  2160
60      TCTTGCTTTG CTTTATTTGT GAAATTTGGC AAAGAGGTGG CAGTTAAAAT GAAGCAGTAC  2220
        AAAGATGAAC TTTTGGCCTC TTGTTTGACC TTTCTTCTGT CCTTGCCACA CAACATCATT  2280
        GAACTCGATG TTAGAGCCTA CGTTCCTGCA CTGCAGATGG CTTTCAAACT GGGCCTGAGC  2340
        TATACCCCCT TGGCAGAAGT AGGCCTGAAT GCTCTAGAAG AATGGTCAAT TTATATTGAC  2400
        AGACATGTAA TGCAGCCTTA TTACAAAGAC ATTCTCCCCT GCCTGGATGG ATACCTGAAG  2460
65      ACTTCAGCCT TGTCAGATGA GACCAAGAAT AACTGGGAAG TGTCAGCTCT TTCTCGGGCT  2520
        GCCCAGAAAG GATTTAATAA AGTGGTGTTA AAGCATCTGA GAAGACAAA GAACCTTTCA  2580
        TCAAACGAAG CAATATCCTT AGAAGAAATA AGAATTAGAG TAGTACAAAT GCTTGGATCT  2640
        CTAGGAGGAC AAATAAACAA AAATCTTCTG ACAGTCACGT CCTCAGATGA GATGATGAAG  2700
        AGCTATGTGG CCTGGGACAG AGAGAAGCGG CTGAGCTTTG CAGTGCCCTT TAGAGAGATG  2760
70      AAACCTGTCA TTTTCCTGGA TGTGTTCCTG CCTCGAGTCA CAGAATTAGC GCTCACAGCC  2820
        AGTGACAGAC AAACTAAAGT TGCAGCCTGT GAACTTTTAC ATAGCATGGT TATGTTTATG  2880
        TTGGGCAAAG CCACGCAGAT GCCAGAAGGG GGACAGGGAG CCCCACCCAT GTACCAGCTC  2940
        TATAAGCGGA CGTTTCCTGT GCTGCTTCGA CTTGCGTGTG ATGTTGATCA GGTGACAAGG  3000
        CAACTGTATG AGCCACTAGT TATGCAGCTG ATTCACTGGT TCACTAACAA CAAGAAATTT  3060
75      GAAAGTCAGG ATACTGTTGC CTTACTAGAA GCTATATTGG ATGGAATTGT GGACCCTGTT  3120
        GACAGTACTT TAAGAGATTT TTGTGGTCGG TGTATTCGAG AATTCCTTAA ATGGTCCATT  3180
        AAGCAAATAA CACCACAGCA GCAGGAGAAG AGTCCAGTAA ACACCAAATC GCTTTTCAAG  3240
        CGACTTTATA GCCTTGCGCT TCACCCCAAT GCTTTCAAGA GGCTGGGAGC ATCACTTGCC  3300
        TTTAATAATA TCTACAGGGA ATTCAGGGAA GAAGAGTCTC TGGTGGAACA GTTTGTGTTT  3360
80      GAAGCCTTGG TGATATACAT GGAGAGTCTG GCCTTAGCAC ATGCAGATGA GAAGTCCTTA  3420
        GGTACAATTC AACAGTGTTG TGATGCCATT GATCACCTAT GCCGCATCAT TGAAAAGAAG  3480
        CATGTTTCTT TAAATAAAGC AAAGAAACGA CGTTTGCCGC GAGGATTTCC ACCTTCCGCA  3540
        TCATTGTGTT TATTGGATCT GGTCAAGTGG CTTTTAGCTC ATTGTGGGAG GCCCCAGACA  3600
        GAATGTCGAC ACAAATCCAT TGAACTCTTT TATAAATTCG TTCCTTTATT GCCAGGCAAC  3660
85      AGATCCCCTA ATTTGTGGCT GAAAGATGTT CTCAAGGAAG AAGGTGTCTC TTTTCTCATC  3720
        AACACCTTTG AGGGGGGTGG CTGTGGCCAG CCCTCGGGCA TCCTGGCCCA GCCCACCCTC  3780
        TTGTACCTTC GGGGGCCATT CAGCCTGCAG GCCACGCTAT GCTGGCTGGA CCTGCTCCTG  3840
```

225

```
      GCCGCGTTGG AGTGCTACAA CACGTTCATT GGCGAGAGAA CTGTAGGAGC GCTCCAGGTC  3900
      CTAGGTACTG AAGCCCAGTC TTCACTTTTG AAAGCAGTGG CTTTCTTCTT AGAAAGCATT  3960
      GCCATGCATG ACATTATAGC AGCAGAAAAG TGCTTTGGCA CTGGGGCAGC AGGTAACAGA  4020
      ACAAGCCCAC AAGAGGGAGA AAGGTACAAC TACAGCAAAT GCACCGTTGT GGTCGGATT   4080
  5   ATGGAGTTTA CCACGACTCT GCTAAACACC TCCCCGGAAG GATGGAAGCT CCTGAAGAAG  4140
      GACTTGTGTA ATACACACCT GATGAGAGTC CTGGTGCGAA CGCTGTGTGA GCCCGCAAGC  4200
      ATAGGTTTCA ACATCGGAGA CGTCCAGGTT ATGGCTCATC TTCCTGATGT TTGTGTGAAT  4260
      CTGATGAAAG CTCTAAAGAT GTCCCCATAC AAAGATATCC TAGAGACCCA TCTGAGAGAG  4320
      AAAATAACAG CACAGAGCAT TGAGGAGCTT TGTGCCGTCA ACTTGTATGG CCCTGACGCG  4380
 10   CAAGTGGACA GGAGCAGGCT GGCTGCTGTT GTGTCTGCCT GTAAACAGCT TCACAGAGCT  4440
      GGGCTTCTGC ATAATATATT ACCGTCTCAG TCCACAGATT TGCATCATTC TGTTGGCACA  4500
      GAACTTCTTT CCCTGGTTTA TAAAGGCATT GCCCCTGGAG ATGAGAGACA GTGTCTGCCT  4560
      TCTCTAGACC TCAGTTGTAA GCAGCTGGCC AGCGGACTTC TGGAGTTAGC CTTTGCTTTT  4620
      GGAGGACTGT GTGAGCGCCT TGTGAGTCTT CTCCTGAACC CAGCGGTGCG GTCCACGGCG  4680
 15   TCCTTGGGCA GCTCACAGGG CAGCGTCATC CACTTCTCCC ATGGGGAGTA TTTTCTATAGC  4740
      TTGTTCTCAG AAACGATCAA CACGGAATTA TTGAAAAATC TGGATCTTGC TGTATTGGAG  4800
      CTCATGCAGT CTTCAGTGGA TAATACCAAA ATGGTGAGTG CCGTTTTGAA CGGCATGTTA  4860
      GACCAGAGCT TCAGGGAGCG AGCAAACCAG AAACACCAAG GACTGAAACT TGCGACTACA  4920
      ATTCTGCAAC ACTGGAAGAA GTGTGATTCA TGGTGGGCCA AAGATTCCCC TCTCGAAACT  4980
 20   AAAATGGCAG TGCTGGCCTT ACTGGCAAAA ATTTTACAGA TTGATTCATC TGTATCTTTT  5040
      AATACAAGTC ATGGTTCATT CCCTGAAGTC TTTACAACAT ATATTAGTCT ACTTGCTGAC  5100
      ACAAAGCTGG ATCTACATTT AAAGGGCCAA GCTGTCACTC TTCTTCCATT CTTCACCAGC  5160
      CTCACTGGAG GCAGTCTGGA GGAACTTAGA CGTGTTCTGG AGCAGCTCAT CGTTGCTCAC  5220
      TTCCCCATGC AGTCCAGGGA ATTTCCTCCA GGAACTCCGC GGTTCAATAA TTATGTGGAC  5280
 25   TGCATGAAAA AGTTTCTAGA TGCATTGGAA TTATCTCAAA GCCCTATGTT GTTGGAATTG  5340
      ATGACAGAAG TTCTTTGTCG GGAACAGCAG CATGTCATGG AAGAATTATT TCAATCCAGT  5400
      TTCAGGAGGA TTGCCAGAAG GGGTTCATGT GTCACACAAG TAGGCCTTCT GGAAAGCGTG  5460
      TATGAAATGT TCAGGAAGGA TGACCCCCGC CTAAGTTTCA CACGCCAGTC CTTTGTGGAC  5520
      CGCTCCCTCC TCACTCTGCT GTGGCACTGT AGCCTGGATG CTTTGAGAGA ATTCTTCCAG  5580
 30   ACAATTGTGG TGGATGCCAT TGATGTGTTG AAGTCCAGGT TTACAAAGCT AAATGAATCT  5640
      ACCTTTGATA CTCAAATCAC CAAGAAGATG GGCTACTATA AGATTCTAGA CGTGATGTAT  5700
      TCTCGCCTTC CCAAAGATGA TGTTCATGCT AAGGAATCAA AAATTAATCA AGTTTTCCAT  5760
      GGCTCGTGTA TTACAGAAGG AAATGAACTT ACAAAGACAT TGATTAAATT GTGCTACGAT  5820
      GCATTTACAG AGAACATGGC AGGAGAGAAT CAGCTGCTGG AGAGGAGAAG ACTTTACCAT  5880
 35   TGTCAGCAT ACAACTGCGC CATATCGTC ATCTGCTGTG TCTTCAATGA GTTAAAATTT  5940
      TACCAAGGTT TTCTGTTTAG TGAAAAACCA GAAAAGAACT TGCTTATTTT TGAAAATCTG  6000
      ATCGACCTGA AGCGCCGCTA TAATTTTCCT GTAGAAGTTG AGGTTCCTAT GGAAAGAAAG  6060
      AAAAAGTACA TTGAAATTAG GAAAGAAGCC AGAGAAGCAG CAAATGGGGA TTCAGATGGT  6120
      CCTTCCTATA TGTCTTCCCT GTCATATTTG GCAGACAGTA CCCTGAGTGA GGAAATGAGT  6180
 40   CAATTTGATT TCTCAACCGG AGTTCAGAGC TATTCATACA GCTCCCAAGA CCCTAGACCT  6240
      GCCACTGGTC GTTTTCGGAG ACGGGAGCAG CGGGACCCCA CGGTGCATGA TGATGTGCTG  6300
      GAGCTGGAGA TGGACGAGCT CAATCGGCAT GAGTGCATGG CGCCCCTGAC GGCCCTGGTC  6360
      AAGCACATGC ACAGAAGCCT GGGCCCGCCT CAAGGAGAAG AGGATTCAGT GCCAAGAGAT  6420
      CTTCCTTCTT GGATGAAATT CCTCCATGGC AAACTGGGAA ATCCAATAGT ACCATTAAAT  6480
 45   ATCCGTCTCT TCTTAGCCAA GCTTGTTATT AATACAGAAG CGTCTTTCG CCCTTACGCG  6540
      AAGCACTGGC TTAGCCCCTT GCTGCAGCTG GCTGCTTCTG AAAACAATGG AGGAGAAGGA  6600
      ATTCACTACA TGGTGGTTGA GATAGTGGCC ACTATTCTTT CATGGCAGG CTTGGCCACT  6660
      CCAACAGGGG TCCCTAAAGA TGAAGTGTTA GCAAATCGAT TGCTTAATTT CCTAATGAAA  6720
      CATGTCTTTC ATCCAAAAAG AGCTGTGTTT AGACACAACC TTGAAATTAT AAAGACCCTT  6780
 50   GTCGAGTGCT GGAAGGATTG TTTATCCATC CCTTATAGGT TAATATTTGA AAAGTTTTCC  6840
      GGTAAAGATC CTAATTCTAA AGACAACTCA GTAGGGATTC AATTGCTAGG CATCGTGATG  6900
      GCCAATGACC TGCCTCCCTA TGACCCACAG TGTGGCATCC AGAGTAGCGA ATACTTCCAG  6960
      GCTTTGGTGA ATAATATGTC CTTTGTAAGA TATAAAGAAG TGTATGCCGC TGCAGCAGAA  7020
      GTTCTAGGAC TTATACTTCG ATATGTTATG GAGAGAAAAA ACATACTGGA GGAGTCTCTG  7080
 55   TGTGAACTGG TTGCGAAACA ATTGAAGCAA CATCAGAATA CTATGGAGGA CAAGTTTATT  7140
      GTGTGCTTGA ACAAAGTGAC CAAGAGCTTC CCTCCTCCTTG CAGACAGGTT CATGAATGCT  7200
      GTGTTCTTTC TGCTGCCAAA ATTTCATGGA GTGTTGAAAA CACTCTGTCT GGAGGTGGTA  7260
      CTTTGTCGTG TGGAGGGAAT GACAGACCTG TACTTCCAGT TAAAGAGCAA GGACTTCGTT  7320
      CAAGTCATGA GACATAGAGA TGATGAAAGA CAAAAAGTAT GTTTGGACAT AATTTATAAG  7380
 60   ATGATGCCAA AGTTAAAACC AGTAGAACTC CGAGAACTTC TGAACCCCGT TGTGGAATTC  7440
      GTTTCCCATC CTTCTACAAC ATGTAGGGAA CAAATGTATA ATATTCTCAT GTGGATTCAT  7500
      GATAATTACA GAGATCCAGA AAGTGAGACA GATAATGACT CCCAGGAAAT ATTTAAGTTG  7560
      GCAAAAGATG TGCTGATTCA AGGATTGATC GATGAGAACC CTGGACTTCA ATTAATTATT  7620
      CGAAATTTCT GGAGCCATGA AACTAGGTTA CCTTCAAATA CCTTGGACCG GTTGCTGGCA  7680
 65   CTAAATTCCT TATATTCTCC TAAGATAGAA GTGCACTTTT TAAGTTTAGC AACAAAATTTT  7740
      CTGCTCGAAA TGACCAGCAT GAGCCCAGAT TATCCAAACC CCATGTTCGA GCATCCTCTG  7800
      TCAGAATGCG AATTTCAGGA ATATACCATT GATTCTGATT GGCGTTTCCG AAGTACTGTT  7860
      CTCACTCCGA TGTTTGTGGA GACCCAGGCC TCCCAGGGCA CTCTCCAGAC CGGTACCCAG  7920
      GAAGGGTCCC TCTCAGCTCG CTGGCCAGTG GCAGGGCAGA TAAGGGCCAC CCAGCAGCAG  7980
 70   CATGACTTCA CACTGACACA GACTGCAGAT GGAAGAAGCT CATTTGATTG GCTGACCGGC  8040
      AGCAGCACTG ACCCGCTGGT CGACCACACC AGTCCCTCAT CTGACTCCTT GCTGTTTGCC  8100
      CACAAGAGGA GTGAAAGGTT ACAGAGAGCA CCCCTTGAAGT CAGTGGGGCC TGATTTGGG   8160
      AAAAAAAGGC TGGGCCTTCC AGGGGACGAG GTGGATAACA AAGTGAAAGG TGCGGCCGGC  8220
 75   CGGACGGACC TACTACGACT GCGCAGACGG TTTATGAGGG ACCAGGAGAA GCTCAGTTTG  8280
      ATGTATGCCA GAAAAGGCGT TGCTGAGCAA AAACGAGAGA AGGAAATCAA GAGTGAGTTA  8340
      AAAATGAAGC AGGATGCCCA GGTCGTTCTG TACAGAAGCT ACCGGCACGG AGACCTTCCT  8400
      GACATTCAGA TCAAGCACAG CAGCCTCATC ACCCGGTTAC AGGCCGTGGC CCAGAGGGAC  8460
      CCAATAATTG CAAAACAGCT CTTTAGCAGC TTGTTTTCTG GAATTTTGAA AGAGATGGAT  8520
 80   AAATTTAAGA CACTGTCTGA AAAAAACAAC ATCACTCAAA AGTTGCTTCA AGACTTCAAT  8580
      CGTTTTCTTA ATACCACCTT CTCTTTCTTT CCACCCTTTG TCTCTTGTAT TCAGGACATT  8640
      AGCTGTTCAGC ACGCAGCCCT GCTGAGCCTC GACCCAGCGG CTGTTAGCGC TGGTTGCCTG  8700
      GCCAGCCTAC AGCAGCCCGT GGGCATCCGC CTGCTAGAGG AGGCTCGCT CCCGCCTGCTG  8760
      CCTGCTGAGC TGCCTGCCAA GCGAGTCCGT GGGAAGGCCC GCCTCCCTCC TGATGTCCTC  8820
      AGATGGGTGG AGCTTGCTAA GCTGTATAGA TCAATTGGAG AATACGACCT CCTCCGTGGG  8880
 85   ATTTTTACCA GTGAGATAGG AACAAAGCAA ATCACTCAGA GTGCATTATT AGCAGAAGCC  8940
      AGAAGTGATT ATTCTGAAGC TGCTAAGCAG TATGATGAGG CTCTCAATAA ACAAGACTGG  9000
      GTAGATGGTG AGCCCACAGA AGCCGAGAAG GATTTTTGGG AACTTGCATC CCTTGACTGT  9060
```

```
          TACAACCACC TTGCTGAGTG GAAATCACTT GAATACTGTT CTACAGCCAG TATAGACAGT  9120
          GAGAACCCCC CAGACCTAAA TAAAATCTGG AGTGAACCAT TTTATCAGGA AACATATCTA  9180
          CCTTACATGA TCCGCACAAGC GCTGAAGCTG CTGCTCCAGG GAGAGGCTGA CCAGTCCCTG  9240
          CTGACATTTA TTGACAAAGC TATGCACGGG GAGCTCCAGA AGGCGATTCT AGAGCTTCAT  9300
  5       TACAGTCAAG AGCTGAGTCT GCTTTACCTC CTGCAAGATG ATGTTGACAG AGCCAAATAT  9360
          TACATTCAAA ATGGCATTCA GAGTTTTATG CAGAATTATT CTAGTATTGA TGTCCTCTTA  9420
          CACCAAAGTA GACTCACCAA ATTGCAGTCT GTACAGGCTT TAACAGAAAT TCAGGAGTTC  9480
          ATCAGCTTTA TAAGCAAACA AGGCAATTTA TCATCTCAAG TTCCCCTTAA GAGACTTCTG  9540
          AACACCTGGA CAAACAGATA TCCAGATGCT AAAATGGACC CAATGAACAT CTGGGATGAC  9600
  10      ATCATCACAA ATCGATGTTT CTTTCTCAGC AAAATAGAGG AGAAGCTTAC CCCTCTTCCA  9660
          GAAGATAATA GTATGAATGT GGATCAAGAT GGAGACCCCA GTGACAGGAT GGAAGTGCAA  9720
          GAGCAGGAAG AAGATATCAG CTCCCTGATC AGGAGTTGCA AGTTTTCCAT GAAAATGAAG  9780
          ATGATAGACA GTGCCGGAA GCAGAACAAT TTCTCACTTG CTATGAAACT ACTGAAGGAG  9840
  15      CTGCATAAAG AGTCAAAAAC CAGAGACGAT TGGCTGGTGA GCTGGGTGCA GAGCTACTGC  9900
          CGCCTGAGCC ACTGCCGGAG CCGGTCCCAG GGCTGCTCTG AGCAGGTGCT CACTGTGCTG  9960
          AAAACAGTCT CTTTGTTGGA TGAGAACAAC GTGTCAAGCT ACTTAAGCAA AAATATTCTG 10020
          GCTTTCCGTG ACCAGAAACT TCTCTTGGGT ACAAACTTACA GGATCATAGC GAATGCTCTC 10080
          AGCAGTGAGC CAGCCTGCCT TGCTGAAATC GAGGAGGACA AGGCTAGAAG AATCTTAGAG 10140
  20      CTTTCTGGAT CCAGTTCAGA GGATTCAGAG AAGGTGATCG CGGGTCTGTA CCAGAGAGCA 10200
          TTCCAGCACC TCTCTGAGGC TGTGCAGGCG GCTGAGGAGG AGGCCCAGCC TCCCTCCTGG 10260
          AGCTGTGGGC CTGCAGCTGG GGTGATTGAT GCTTACATGA CGCTGGCAGA TTTCTGTGAC 10320
          CAACAGCTGC GCAAGGAGGA AGAGAATGCA TCAGTTATTG ATTCTGCAGA ACTGCAGGCG 10380
          TATCCAGCAC TTGTGGTGGA GAAAATGTTG AAAGCTTTAA AATTAAATTC CAATGAAGCC 10440
  25      AGATTGAAGT TTCCTAGATT ACTTCAGATT ATAGAACGGT ATCCAGAGGA GACTTTGAGC 10500
          CTCATGACAA AAGAGATCTC TTCCGTTCCC TGCTGGCAGT TCATCAGCTG GATCAGCCAC 10560
          ATGGTGGCCT TACTGGACAA AGACCAAGCG GTTGCTGTTC AGCACTCTGT GGAAGAAATC 10620
          ACTGATAACT ACCCGCAGGC TATTGTTTAT CCCTTCATCA TAAGCAGCGA AAGCTATTCC 10680
          TTCAAGGATA CTTCTACTGG TCATAAGAAT AAGGAGTTTG TGGCAAGGAT TAAAAGTAAG 10740
  30      TTGGATCAAG GAGGAGTGAT TCAAGATTTT ATTAATGCCT GTAAGAGCTG AACTAGCAAA 10800
          GAACTGCTCT TTAAGGATTG GAGCAATGAT GTAAGAGCTG AACTAGCAAA AACCCCTGTA 10860
          AATAAAAAAA ACATTGAAAA AATGTATGAA AGAATGTATG CAGCCTGGGG TGACCCAAAG 10920
          GCTCCAGGCC TGGGGGCCTT TAGAAGGAAG TTTATTCAGA CTTTTGGAAA AGAATTTGAT 10980
          AAACATTTTG GGAAAGGAGG TTCTAAACTA CTGAGAATGA AGCTCAGTGA CTTCAACGAC 11040
  35      ATTACCAACA TGCTACTTTT AAAAATGAAC AAAGACTCAA AGCCCCTGG GAATCTGAAA 11100
          GAATGTTCAC CCTGGATGAG CGACTTCAAA GTGGAGTTCC TGAGAAATGA GCTGGAGATT 11160
          CCCGGTCAGT ATGACGGTAG GGGAAAGCCA TTGCCAGAGT ACCACGTGCG AATCGCCGGG 11220
          TTTGATGAGC GGGTGACAGT CATGGCGTCT CTGCGAAGGC CCAAGCGCAT CATCATCCGT 11280
          GGCCATGACG AGAGGGAACA CCCTTTCCTG GTGAAGGGTG GCGAGGACCT GCGGCAGGAC 11340
  40      CAGCGCGTGG AGCAGCTCTT CCAGGTCATG AATGGGATCC TGGCCCAAGA CTCCGCCTGC 11400
          AGCCAGAGGG CCCTGCAGCT GAGGACCTAT AGCGTTGTGC CCATGACCTC CAGGTTAGGA 11460
          TTAATTGAGT GGCTTGAAAA TACTGTTACC TTGAAGGACC TTCTTTTGAA CACCATGTCC 11520
          CAAGAGGAGA AGGCGGCTTA CCTGAGTGAT CCCAGGGCAC CGCCGTGTGA ATATAAAGAT 11580
          TGGCTGACAA AAATGTCAGG AAAACATGAT GTTGGGAGCTT ACATGCTAAT GTATAAGGGC 11640
  45      GCTAATCGTA CTGAAACAGT CACGTCTTTT AGAAAACGAG AAAGTAAAGT GCCTGCTGAT 11700
          CTCTTAAAGC GGGCCTTCGT GAGGATGAGT ACAAGCCCTG AGGCTTTCCT GGCGCTCCGC 11760
          TCCCACTTCG CCAGCTCTCA CGCTCTGATA TGCATCAGCC ACTGGATCCT CGGGATTGGA 11820
          GACAGACATC TGAACAACTT TATGGTGGCC ATGGAGACTG GCGGCGTGAT CGGGATCGAC 11880
          TTTGGGCATG CGTTTGGATC CGCTACACAG TTTCTGCCAG TCCCTGAGTT GATGCCTTTT 11940
  50      CGGCTAACTC GCCAGTTTAT CAATCTGATG TTACCAATGA AAGAAACGGG CCTTATGTAC 12000
          AGCATCATGG TACACGCACT CCGGGGCCTTC CGCTCAGACC CTGGCCTGCT CACCAACACC 12060
          ATGGATGTGT TTGTCAAGGA GCCCTCCTTT GATTGGAAAA ATTTTGAACA GAAAATGCTG 12120
          AAAAAAGGAG GGTCATGGAT TCAAGAAATA AATGTTGCTG AAAAAAATTG GTACCCCCGA 12180
          CAGAAAATAT GTTACGCTAA GAGAAAGTTA GCAGGTGCCA ATCCAGCAGT CATTACTTGT 12240
  55      GATGAGCTAC TCCTGGGTCA TGAGAAGGCC CCTGCCTTCA GAGACTATGT GGCTGTGGCA 12300
          CGAGGAAGCA AAGATCACAA CATTCGTGCC CAAGAACCAG AGAGTGGGCT TTCAGAAGAG 12360
          ACTCAAGTGA AGTGCCTGAT GGACCAGGCA ACAGACCCCA ACATCCTTGG CAGAACCTGG 12420
          GAAGGATGGG AGCCCTGGAT GTGAGGTCTG TGGGAGTCTG CAGATAGAAA GCATTACATT 12480
          GTTTAAAGAA TCTACTATAC TTTGGTTGGC AGCATTCCAT GAGCTGATTT TCCTGAAACA 12540
  60      CTAAAGAGAA ATGTCTTTTG TGCTACAGTT TCGTAGCATG AGTTTAAATC AAGATTATGA 12600
          TGAGTAAATG TGTATGGGTT AAATCAAAGA TAAGGTTATA GTAACATCAA AGATTAGGTG 12660
          AGGTTATAG AAAGATAGAT ATCCAGGCTT ACCAAAGTAT TAAGTCAAGA ATATAATATG 12720
          TGATCAGCTT TCAAAGCATT TACAAGTGCT GCAAGTTAGT GAAACAGCTG TCTCCGTAAA 12780
          TGGAGGAAAT GTGGGGAAGC CTTGGAATGC CCTTCTGGTT CTGGCACATT GGAAAGCACA 12840
  65      CTCAGAAGGC TTCATCACCA AGATTTTGGG AGAGTAAAGC TAAGTATAGT TGATGTAACA 12900
          TTGTAGAAGC AGCATAGGAA CAATAAGAAC AATAGGTAAA GCTATAATTA TGGCTTATAT 12960
          TTAGAAATGA CTGCATTTGA TATTTTAGGA TATTTTTCTA GGTTTTTTCC TTTCATTTTA 13020
          TTCTCTTCTA GTTTTGACAT TTTATGATAG ATTTGCTCTC TAGAAGGAAA CGTCTTTATT 13080
          TAGGAGGGCA AAAATTTTGG TCATAGCATT CACTTTTGCT ATTCCAATCT ACAACTGGAA 13140
  70      GATACATAAA AGTGCTTTGC ATTGAATTTG GGATAACTTC AAAAATCCCA TGGTTGTTGT 13200
          TAGGGATAGT ACTAAGCATT TCAGTTCCAG GAGAATAAAA GAAATTCCTA TTTGAAATGA 13260
          ATTCCTCATT TGGAGGAAAA AAAGCATGCA TTCTAGCACA ACAAGATGAA ATTATGGAAT 13320
          ACAAAAGTGG CTCCTTCCCA TGTGTCAGTCC CTGTCCCCCC CCGCCAGTCC TCCACACCCA 13380
          AACTGTTTCT GATTGGCTTT TAGCTTTTTG TTGTTTTTTT TTTTCCTTCT AACACTTGTA 13440
  75      TTTGGAGGCT CTTCTGTGAT TTTGAGAAGT ATACTCTTGA GTGTTTAATA AAGTTTTTTT 13500
          CCAAAAGTA
```

Seq ID NO: 99 Protein sequence:
Protein Accession #: NP_008835.5

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MAGSGAGVRC SLLRLQETLS AADRCGAALA GHQLIRGLGQ ECVLSSSPAV LALQTSLVPS    60
      RDFGLLVFVR KSLNSIEFRE CREEILKFLC IFLEKMGQKI APYSVBIKNT CTSVYTKDRA   120
      ARCKIPALDL LIKLLQTFRS SRLMDEFKIG ELFSKFYGEL ALKKKIPDTV LEKVYELLGL   180
      LGEVHPSEMI NNAENLPRAF LGELKTQMTS AVREPKLPVL AGCLKGLSSL LCNFTKSMEE   240
      DPQTSREIFN FVLKAIRPQI DLKRYAVPSA GLRLFALHAS QFSTCLLDNY VSLFEVLLKW   300
      CAHTNVELKK AALSALESFL KQVSNMVAKN AEMHKNKLQY FMEQFYGIIR NVDSNNKELS   360
```

```
     IAIRGYGLPA GPCKVINARD VDFMYVELIQ RCKQMPLTQT DTGDDRVYQM PSFLQSVASV   420
     LLYLDTVPEV YTPVLEHLVV MQIDSFPQYS PKMQLVCCRA IVKVFLALAA KGPVLRNCIS   480
     TVVHQGLIRI CSKPVVLPKG PESESEDHRA SGEVRTGKWK VPTYKDYVDL FRHLLSSDQM   540
 5   MDSILADEAF PSVNSSSESL NHLLYDEFVK SVLKIVEKLD LTLEIQTVGE QENGDEAPGV   600
     WMIPTSDPAA NLHPAKPKDF SAFINLVEFC REILPEKQAE FPEPWVYSPS YELILQSTRL   660
     PLISGFYKLL SITVRNAKKI KYPEGVSPKS LKHSPEDPEK YSCFALFVKF GKEVAVKMKQ   720
     YKDELLASCL TPLLSLPHNI IELDVRAYVP ALQMAFKLGL SYTPLAEVGL NALEEWSIYI   780
     DRHVMQPYYR DILPCLDGYL KTSALSDETK NNWEVSALSR AAQKGFNKVV LKHLKKTKNL   840
10   SSNEAISLER IRIRVVQMLG SLGGQINKNL LTVTSSDEMM KSYVAWDREK RLSFAVPFRE   900
     MKPVIPLDVP LPRVTELALT ASDRQTKVAA CELLHSMVMP MLGKATQMPE GGQGAPPMYQ   960
     LYXRTPPVLL RLACDVDQVT RQLYEPLVMQ LIHWFTNNKK FBSQDTVALL EAILDGIVDP  1020
     VDSTLRDPCG RCIREFLKWS IKQITPQQQE KSPVNTKSLP KRLYSLALHP NAFKRLGASL  1080
     APNNIYREFR EEESLVEQFV PEALVIYMES LALAHADEKS LGTIQQCCDA IDHLCRIIEK  1140
15   KHVSLNKAKK RRLPRGFPPS ASLCLLDLVK WLLAHCGRPQ TECRHKSIEL FYKPVPLLPG  1200
     NRSPNLWLKD VLKEEGVSFL INTFEGGGCG QPSGILAQPT LLYLRGPPSL QATLCWLDLL ·1260
     LAALECYNTF IGERTVGALQ VLGTEAQSSL LKAVAPFLES IAMHDIIAAE KCFGTGAAGN  1320
     RTSPQEGERY NYSKCTVVVR IMEFTTTLLN TSPEGWKLLK KDLCNTHLMR VLVQTLCEPA  1380
     SIGFNIGDVQ VMAHLPDVCV NLMKALKMSP YKDILETHLR EKITAQSIEE LCAVNLYGPD  1440
20   AQVDRSRLAA VVSACKQLHR AGLLHNILPS QSTDLHHSVG TELLSLVYKG IAPGDERQCL  1500
     PSLDLSCKQL ASGLLELAFA PGGLCERLVS LLLNPAVLST ASLGSSQGSV IHPSHGEYFY  1560
     SLFSETINTE LLKNLDLAVL ELMQSSVDNT KMVSAVLNGM LDQSFRERAN QKHQGLKLAT  1620
     TILQHWKKCD SWWAKDSPLE TKMAVLALLA KILQIDSSVS PNTSHGSFPB VFTTYISLLA  1680
     DTKLDLHLKG QAVTLLPFPT SLTGGSLEEL RRVLEQLIVA HPPMQSREFP PGTPRFNNYV  1740
25   DCMKKFLDAL ELSQSPMLLE LMTEVLCREQ QHVMEELPQS SFRRIARRGS CVTQVGLLES  1800
     VYEMFRKDDP RLSFTRQSFV DRSLLTLLWH CSLDALREPF STIVVDAIDV LKSRFTKLNE  1860
     STPDTQITKK MGYYKILDVM YSRLPKDDVH AKESKINQVF HGSCITEGNE LTKTLIKLCY  1920
     DAPTENMAGE NQLLERRRLY HCAAYNCAIS VICCVPNELK FYQGFLFSEK PEKNLLIFEN  1980
     LIDLKRRYNP PVEVEVPMER KKKYIEIRKE AREAANGDSD GPSYMSSLSY LADSTLSEEM  2040
30   SQFDFSTGVQ SYSYSSQDPR PATGRFRRRE QRDPTVHDDV LELEMDELNR HECMAPLTAL  2100
     VKHMHRSLGP PQGEEDSVPR DLPSWMKFLH GKLGNPIVPL NIRLFLAKLV INTEEVFRPY  2160
     AKHWLSPLLQ LAASENNGGE GIHYMVVBIV ATILSWTGLA TPTGVPKDEV LANRLLNFLM  2220
     KHVPHPKRAV FRHNLEIIKT LVECWKDCLS IPYRLIFEKP SGKDPNSKDN SVGIQLLGIV  2280
     MANDLPPYDP QCGIQSSEYP QALVNNMSFV RYKEVYAAAA EVLGLILRYV MERKNILEES  2340
35   LCELVARQLK QHQNTMEDKF IVCLNKVTKS FPPLADRFMN AVFFLLPKFH GVLKTLCLEV  2400
     VLCRVEGMTE LYFQLKSKDP VQVMRHRDDE RQKVCLDIIY KMMPKLKPVE LRELLNPVVE  2460
     FVSHPSTTCR EQMYNILMWI HDNYRDPESE TDNDSQEIFK LAKDVLIQGL IDENPGLQLI  2520
     IRNFWSHETR LPSNTLDRLL ALNSLYSPKI EVHFLSLATN PLLEMTSMSP DYFNPMPEHP  2580
     LSECEFQEYT IDSDWRFRST VLTPMFVETQ ASQGTLQTRT QEGSLSARWP VAGQIRATQQ  2640
40   QHDFTLTQTA DGRSSFDWLT GSSTDPLVDH TSPSSDSLLF AHKRSERLQR APLKSVGFDP  2700
     GKKRLGLPGD EVDNKVKGAA GRTDLLRLRR RPMRDQEKLS LMYARKGVAE QKREKEIKSE  2760
     LKMKQDAQVV LYRSYRHGDL PDIQIKHSSL ITPLQAVAQR DPIIAKQLFS SLFSGILKEM  2820
     DKPKTLSEKN NITQKLLQDF NRFLNTTPSF PPPFVSCIQD ISCQHAALLS LDPAAVSAGC  2880
     LASLQQPVGI RLLEEALLRL LPAELPAKRV RGKARLPPDV LRWVELAKLY RSIGEYDVLR  2940
45   GIFTSEIGTK QITQSALLAE ARSDYSEAAK QYDEALNKQD WVDGEPTEAE KDFWELASLD  3000
     CYNHLAEWKS LEYCSTASID SENPPDLNKI WSEPPYQETY LPYMIRSKLK LLLQGEADQS  3060
     LLTFIDKAMH GELQKAILEL HYSQELSLLY LLQDDVDRAK YYIQNGIQSP MQNYSSIDVL  3120
     LHQSRLTKLQ SVQALTEIQE PISFSISKQGN LSSQVPLKRL LNTWTNRYPD AKMDPMNIWD  3180
     DIITNRCFPL SKIEEKLTPL PEDNSMNVDQ DGDPSDRMEV QEQEEDISSL IRSCKFSMKM  3240
50   KMIDSARKQN NFSLAMKLLK ELHKESKTRD DWLVSWVQSY CRLSHCRSRS QGCSEQVLTV  3300
     LKTVSLLDDEN NVSSYLSKNI LAFRDQNILL GTTYRIIANA LSSEPACLAE IEEDKARRIL  3360
     ELSGSSSEDS EKVIAGLYQR APQHLSEAVQ AAEEEAQPPS WSCGPAAGVI DAYMTLADFC  3420
     DQQLRKEEEN ASVIDSAELQ AYPALVVEKM LKALKLNSNE ARLKFPRLLQ IIERYPEETL  3480
     SLMTKEISSV PCWQFISWIS HMVALLDKDQ AVAVQHSVEE ITDNYPQAIV YPFIISSESY  3540
55   SFKDTSTGHK NKEFVARIKS KLDQGGVIQD FINALDQLSN PELLFKDWSN DVRAELAKTP  3600
     VNKKNIEKMY ERMYAALGDP KAPGLGAFRR KFIQTPGKEF DKHFGKGGSK LLRMKLSDFN  3660
     DITNMLLLKM NKDSKPPGNL KECSPWMSDF KVEFLRNELB IPGQYDGRGK PLPEYHVRIA  3720
     GFDERVTVMA SLRRPKRIII RGHDEREHPF LVKGGEDLRQ DQRVEQLFQV MNGILAQDSA  3780
     CSQRALQLRT YSVVPMTSRL GLIEWLENTV TLKDLLLNTM SQEEKAAYLS DPRAPPCEYK  3840
60   DWLTKMSGKH DVGAYMLMYK GANRTETVTS FRKRESKVPA DLLKRAFVRM STSPEAPLAL  3900
     RSHPASSHAL ICISHWILGI GDRHLANFMV AMETGGVIGI DPGHAFGSAT QFLPVPELMP  3960
     FRLTRQPINL MLPMKETGLM YSIMVHALRA PRSDPGLLTN TMDVFVKEPS FDWKNFEQKM  4020
     LKKGGSWIQE INVAEKNWYP RQKICYAKRK LAGANPAVIT CDELLLGHEK APAFRDYVAV  4080
     ARGSKDHNIR AQEPESGLSE ETQVKCLMDQ ATDPNILGRT WEGWEPWM
```

```
65   Seq ID NO: 100 DNA sequence
     Nucleic Acid Accession #: NM_000673
     Coding sequence: 101-1225
```

```
     1          11    .    21         31         41      · 51
70   |          |         |          |          |         |
     ATGTGAAGGC ACAAGCTGCT GTTATATACA ACAGAGTGAA CTGAGCATCA GTCAGAAAAA   60
     GTCTATGTTT GCAGAAATAC AGATCCAAGA CAAAGACAGG ATGGGCACTG CTGGAAAAGT  120
     TATTAAATGC AAAGCAGCTG TGCTTTGGGA GCAGAAGCAA CCCTTCTCCA TTGAGGAAAT  180
     AGAAGTTGCC CCACCAAAGA CTAAAGAAGT TCGCATTAAG ATTTTGGCCA CAGGAAATCG  240
75   TCGCACAGAT GACCATGTGA TAAAAGGAAC AATGGTGTCC AAGTTTCCAG TGATTGTGGG  300
     ACATGAGGCA ACTGGGATTG TAGAGAGCAT TGGAGAAGGA GTGACTACAG TGAAACCAGG  360
     TGACAAAGTC ATCCCTCTCT TTCTGCCACA ATGTAGAGAA TGCAATGCTT GTCGCAACCC  420
     AGATGGCAAC CTTTGCATTA GGAGCGGATAT TACTGGTCGT GGAGTACTGG CTGATGGCAC  480
     CACCAGATTT ACATGCAAGG GCAAACCAGT ACACCACTTC ATGAACACCA GTACATTTAC  540
80   CGAGTACACA GTGGTGGATG AATCTTCTGT TGCTAAGATT GATGATGCAG CTCCTCCTGA  600
     GAAAGTCTGT TTAATTGGCT GTGGGTTTTC CACTGGATAT GGCGCTGCTG TAAAACTGG  660
     CAAGGTCAAA CCTGGTTCCA CTTGCGTCGT CTTTGGCCTG GGAGGAGTTG GCCTGTCAGT  720
     CATCATGGGC TGTAAGTCAG CTGGTGCATC TAGGATCATT GGGATTGACC TCAACAAAGA  780
     CAAATTTGAG AAGGCCATGG CTGTAGGTGC CACTGAGTGT ATCAGTCCCA AGGACTCTGC  840
85   CAAACCCATC AGTGAGGTGC TGTCAGAAAT GACAGGCAAC AACGTGGGAT ACACCTTTGA  900
     AGTTATTGGG CATCTTGAAA CCATGATTGA TGCCCTGGCA TCCTGCCACA TGAACTATGG  960
     GACCAGCGTG GTTGTAGGAG TTCCTCCATC AGCCAAGATG CTCACCTATG ACCCGATGTT 1020
```

```
      GCTCTTCACT GGACGCACAT GGAAGGGATG TGTCTTTGGA GGTTTGAAAA GCAGAGATGA  1080
      TGTCCCAAAA CTAGTGACTG AGTTCCTGGC AAAGAAATTT GACCTGGACC AGTTGATAAC  1140
      TCATGTTTTA CCATTTAAAA AAATCAGTGA AGGATTTGAG CTGCTCAATT CAGGACAAAG  1200
      CATTCGAACG GTCCTGACGT TTTGAGATCC AAAGTGGCAG GAGGTCTGTG TTGTCATGGT  1260
 5    GAACTGGAGT TTCTCTTGTG AGAGTTCCCT CATCTGAAAT CATGTATCTG TCTCACAAAT  1320
      ACAAGCATAA GTAGAAGATT TGTTGAAGAC ATAGAACCCT TATAAAGAAT TATTAACCTT  1380
      TATAAACATT TAAAGTCTTG TGAGCACCTG GGAATTAGTA TAATAACAAT GTTAATATTT  1440
      TTGATTTACA TTTTGTAAGG CTATAATTGT ATCTTTTAAG AAAACATACA CTTGGATTTC  1500
      TATGTTGAAA TGGAGATTTT TAAGAGTTTT AACCAGCTGC TGCAGATATA TAACTCAAAA  1560
10    CAGATATAGC GTATAAAGAT ATAGTAAATG CATCTCCCAG AGTAATATTC ACTTAACACA  1620
      TTGAAACTAT TATTTTTTAG ATTTGAATAT AAATGTATTT TTTAAACACT TGTTATGAGT  1680
      TAACTTGGAT TACATTTTGA AATCAGTTCA TTCCATGATG CATATTACTG GATTAGATTA  1740
      AGAAAGACAG AAAAGATTAA GGGACGGGCA CATTTTTCAA CGATTAAGAA TCATCATTAC  1800
      ATAACTTGGT GAAACTGAAA AAGTATATCA TATGGGTACA CAAGGCTATT TGCCAGCATA  1860
15    TATTAATATT TTAGAAAATA TTCCTTTTGT AATACTGAAT ATAAACATAG AGCTAGAGTC  1920
      ATATTATCAT ACTTATCATA ATGTTCAATT TGATACAGTA GAATTGCAAG TCCCTAAGTC  1980
      CCTATTCACT GTGCTTAGTA GTGACTCCAT TTAATAAAAA GTGTTTTTAG TTTTTAACAA  2040
      CTAAACCG
```

```
20    Seq ID NO: 101 Protein sequence:
      Protein Accession #: NP_000664


      1          11         21         31         41         51
25    MGTAGKVIKC KAAVLWEQKQ PPSIEEIEVA PPKTKEVRIK ILATGICRTD DHVIKGTMVS   60
      KFPVIVGHEA TGIVESIGEG VTTVKPGDKV IPLFLPQCRE CNACRNPDGN LCIRSDITGR  120
      GVLADGTTRP TCKGKPVHHF MNTSTFTEYT VVDESSVAKI DDAAPPEKVC LIGCGPSTGY  180
      GAAVKTGKVK PGSTCVVFGL GGVGLSVIMG CKSAGASRII GIDLNKDKFE KAMAVGATEC  240
      ISPKDSTKPI SEVLSEMTGN NVGYTFEVIG HLETMIDALA SCHMNYGTSV VVGVPPSAKM  300
30    LTYDPMLLFT GRTWKGCVFG GLKSRDDVPK LVTEFLAKKF DLDQLITHVL PFKKISEGFE  360
      LLNSGQSIRT VLTF
```

```
      Seq ID NO: 102 DNA sequence
      Nucleic Acid Accession #: NM_006783.1
35    Coding sequence: 1..786


      1          11         21         31         41         51
      ATGGATTGGG GGACGCTGCA CACTTTCATC GGGGGTGTCA ACAAACACTC CACCAGCATC   60
40    GGGAAGGTGT GGATCACAGT CATCTTTATT TTCCGAGTCA TGATCCTAGT GGTGGCTGCC  120
      CAGGAAGTGT GGGGTGACGA GCAAGAGGAC TTCGTCTGCA ACACACTGCA ACCGGGATGC  180
      AAAAATGTCG GCTATGACCA CTTTTTCCCG GTGTCCCACA TCCGGCTGTG GGCCCTCCAG  240
      CTGATCTTCG TCTCCACCCC AGCGCTGCTG GTGGCCATGC ATGTGGCCTA CTACAGGCAC  300
      GAAACCACTC GCAAGTTCAG GCGAGGGAGA AAGAGGAATG ATTTCAAAGA CATAGAGGAC  360
45    ATTAAAAAGC ACAAGGTTCG GATAGAGGGG TCGCTGTGGT GGACGTACAC CAGCAGCATC  420
      TTTTTCCGAA TCATCTTTGA AGCAGCCTTT ATGTATGTGT TTTACTTCCT TTACAATGGG  480
      TACCACCTGC CCTGGGTGTT GAAATGTGGG ATTGACCCCT GCCCCAACCT TGTTGACTGC  540
      TTTATTTCTA GGCCAACAGA GAAGACCGTG TTTACCATTT TTATGATTTC TGCGTCTGTG  600
      ATTTGCATGC TGCTTAACGT GGCAGAGTTG TGCTACCTGC TGCTGAAAGT GTGTTTTAGG  660
50    AGATCAAAGA GAGCACAGAC GCAAAAAAAT CACCCCAATC ATGCCCTAAA GGAGAGTAAG  720
      CAGAATGAAA TGAATGAGCT GATTTCAGAT AGTGGTCAAA ATGCAATCAC AGGTTTCCCA  780
      AGCTAA
```

```
55    Seq ID NO: 103 Protein sequence:
      Protein Accession #: NP_006774.1


      1          11         21         31         41         51
60    MDWGTLHTFI GGVNKHSTSI GKVWITVIFI FRVMILVVAA QEVWGDEQED FVCNTLQPGC   60
      KNVCYDHFFP VSHIRLWALQ LIFVSTPALL VAMHVAYYRH ETTRKFRRGE KRNDFKDIED  120
      IKHHKVRIEG SLNWTYTSSI FFRIIPEAAP MYVFPYLYNG YHLPWVLKCG IDPCFNLVDC  180
      PISRPTEKTV FTIFMISASV ICMLLNVAEL CYLLLKVCFR RSKRAQTQKN HPNHALKESK  240
      QNEMNELISD SGQNAITGPP S
```

```
65    Seq ID NO: 104 DNA sequence
      Nucleic Acid Accession #: NM_020411
      Coding sequence: 86-526


      1          11         21         31         41         51
70    GGACCTGGGA AGGAGCATAG GACAGGGCAA GGCGGGATAA GGAGGGGCAC CACAGCCCTT   60
      AAGGCACGAG GGAACCTCAC TGCGCATGCT CCTTTGGTGC CCACCTCAGT GCGCATGTTC  120
      ACTGGGCGTC TTCCCATCGG CCCCTTCGCC AGTGTGGGGA ACGCGGCGGA GCTGTGAGCC  180
      GGCGACTCGG GTCCCTGAGG TCTGGATTCT TTCTCCGCTA CTGAGACACG GGCGGCACAC  240
75    ACAAACACAG AACCACACAG CCAGTCCCAG GAGCCCAGTA ATGGAGAGCC CCAAAAAGAA  300
      GAACCAGCAG CTGAAAGTCG GGATCCTACA CCTGGGCAGC AGACAGAAGA AGATCAGGAT  360
      ACAGCTGAGA TCCCAGTGCG CGACATGGAA GGTGATCTGC AAGAGCTGCA TCAGTCAAAC  420
      ACCGGGGATA AATCTGGATT TGGGTTCCGG CGTCAAGGTG AAGATAATAC CTAAAGAGGA  480
      ACACTGTAAA ATGCCAGAAG CAGGTGAAGA GCAACCACAA GTTTAAATGA AGACAAGCTG  540
80    AAACAACGCA AGCTGGTTTT ATATTAGATA TTTGACTTAA ACTATCTCAA TAAAGTTTTG  600
      CAGCTTTCAC CAAAAAAAAA AAAAAA
```

```
      Seq ID NO: 105 Protein sequence:
85    Protein Accession #: NP_065144.1


      1          11         21         31         41         51
```

```
   |          |          |          |          |          |
   MLLWCPPQCA CSLGVFPSAP SPVWGTRRSC EPATRVPEVW ILSPLLRHGG HTQTQNHTAS   60
   PRSPVMESPK KKNQQLKVGI LHLGSRQKKI RIQLRSQCAT WKVICKSCIS QTPGINLDLG  120
   SGVKVKIIPK EEHCKMPEAG EEQPQV
```

Seq ID NO: 106 DNA sequence
Nucleic Acid Accession #: J04129
Coding sequence: 99-587

```
   1         11         21         31         41         51
   |          |          |          |          |          |
   CATCCCTCTG GCTCCAGAGC TCAGAGCCAC CCACAGCCGC AGCCATGCTG TGCCTCCTGC   60
   TCACCCTGGG CGTGGCCCTG GTCTGTGGTG TCCCGGCCAT GGACATCCCC CAGACCAAGC  120
   AGGACCTGGA GCTCCCAAAG TTGGCAGGGA CCTGGCACTC CATGGCCATG GCGACCAACA  180
   ACATCTCCCT CATGGCGACA CTGAAGGCCC CTCTGAGGGT CCACATCACC TCACTGTTGC  240
   CCACCCCCGA GGACAACCTG GAGATCGTTC TGCACAGATG GGAGAACAAC AGCTGTGTTG  300
   AGAAGAAGGT CCTTGGAGAG AAGACTGGGA ATCCAAAGAA GTTCAAGATC AACTATACGG  360
   TGGCGAACGA GGCCACGCTG CTCGATACTG ACTACGACAA TTTCCTGTTT CTCCTGCCTAC  420
   AGGACACCAC CACCCCCATC CAGAGCATGA TGTGCCAGTA CCTGGCCAGA GTCCTGGTGG  480
   AGGACGATGA GATCATGCAG GGATTCATCA GGGCTTTCAG GCCCCTGCCC AGGCACCTAT  540
   GGTACTTGCT GGACTTGAAA CAGATGGAAG AGCCGTGCCG TTTCTAGCTC ACCTCCGGCCT  600
   CCAGGAAGAC CAGACTCCCA CCCTTCCACA CCTCCAGAGC AGTGGGACTT CCTCCTGCCC  660
   TTTCAAAGAA TAACCACAGC TCAGAAGACG ATGACGTGGT CATCTGTGTC GCCATCCCCT  720
   TCCTGCTGCA CACCTGCACC ATTGCCATGG GGAGGCTGCT CCCTGGGGGC AGAGTCTCTG  780
   GCAGAGGTTA TTAATAAACC CTTGGAGCAT G
```

Seq ID NO: 107 Protein sequence:
Protein Accession #: AAA60147

```
   1         11         21         31         41         51
   |          |          |          |          |          |
   MDIPQTKQDL ELPKLAGTWH SMAMATNNIS LMATLKAPLR VHITSLLPTP EDNLEIVLHR   60
   WENNSCVEKK VLGEKTGNPK KFKINYTVAN EATLLDTDYD NFLFLCLQDT TTPIQSMMCQ  120
   YLARVLVEDD EIMQGFIRAF RPLPRHLWYL LDLKQMEEPC RF
```

Seq ID NO: 108 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 48-794

```
   1         11         21         31         41         51
   |          |          |          |          |          |
   TCCCAGGCAG CAGTTAGCCC GCCGCCCGCC TGTGTGTCCC CAGAGCCATG GAGAGAGCCA   60
   GTCTGATCCA GAAGGCCAAG CTGGCAGAGC AGGCCGAACG CTATGAGGAC ATGGCAGCCT  120
   TCATGAAAGG CGCCGTGGAG AAGGGCGAGG AGCTCTCCTG CGAAGAGCGA AACCTGCTCT  180
   CAGTAGCCTA TAAGAACGTG GTGGGCGGCC AGAGGGCTGC CTGGAGGGTG CTGTCCAGTA  240
   TTGAGCAGAA AAGCAACGAG GAGGGCTCGG AGGAGAAGGG GCCCGAGGTG CGTGAGTACC  300
   GGGAGAAGGT GGAGACTGAG CTCCAGGGCG TGTGCGACAC CGTGCTGGGC CTGCTGGACA  360
   GCCACCTCAT CAAGGAGGCC GGGGACGCCG AGAGCCGGGT CTTCTACCTG AAGATGAAGG  420
   GTGACTACTA CCGCTACCTG GCCGAGGTGG CCACCGGTGA CGACAAGAAG CGCATCATTG  480
   ACTCAGCCCG GTCAGCCTAC CAGGAGGCCA TGGACATCAG CAAGAAGGAG ATGCCGCCCA  540
   CCAACCCCAT CCGGCCTGGC CTGGCCCTGA ACTTTTCCGT CTTCCACTAC GAGATCGCCA  600
   ACAGCCCCGA GGAAGCCATC TCTCTGGCCA AGACCACTTT CGACGAGGCC ATGGCTGATC  660
   TGCACACCCT CAGCGAGGAC TCCTACAAAG ACAGCACCCT CATCATGCAG CTGCTGCGAG  720
   ACAACCTGAC ACTGTGGACG GCCGACAACG CCGGGGAAGA GGGGGGCGAG GCTCCCCAGG  780
   AGCCCCAGAG CTGAGTGTTG CCCGCCACCG CCCCGCCCTG CCCCCTCCAG TCCCCCACCC  840
   TGCCGAGAGG ACTAGTATGG GGTGGGGAGGC CCCACCCTTC TCCCCTAGGC GCTGTTCTTG  900
   CTCCAAAGGG CTCCGTGGAG AGGGACTGGC AGAGCTGAGG CCACCTGGGG CTGGGGATCC  960
   CACTCTTCTT GCAGCTGTTG AGCGCACCTA ACCACTGGTC ATGCCCCCAC CCCTGCTCTC 1020
   CGCACCCGCT TCCTCCCGAC CCCAGGACCA GGCTACTTCT CCCCTCCTCT TGCCTCCCTC 1080
   CTGCCCCTGC TGCCTCTGAT CGTAGGAATT GAGGAGTGTC GCTGAGAACT 1140
   GGACAGTGGC AGGGGCTGGA GATGGGTGTG TGTGTGTGTG TGTGTGTGTG TGTGTGTGTG 1200
   CGCGCGCGCC AGTGCAAGAC CGAGATTGAG GGAAAGCATG TCTGCTGGGT GTGACCATGT 1260
   TTCCTCTCAA TAAAGTTCCC CTGTGACACT C
```

Seq ID NO: 109 Protein sequence:
Protein Accession #: NP_006133.1

```
   1         11         21         31         41         51
   |          |          |          |          |          |
   MERASLIQKA KLAEQAERYE DMAAFMKGAV EKGEELSCEE RNLLSVAYKN VVGGQRAAWR   60
   VLSSIEQKSN EEGSEEKGPE VREYREKVET ELQGVCDTVL GLLDSHLIKE AGDAESRVFY  120
   LKMKGDYYRY LAEVATGDDK KRIIDSARSA YQEAMDISKK EMPPTNPIRL GLALNFSVFH  180
   YEIANSPEEA ISLAKTTFDE AMADLHTLSE DSYKDSTLIM QLLRDNLTLW TADNAGEEGG  240
   EAPQEPQS
```

Seq ID NO: 110 DNA sequence
Nucleic Acid Accession #: NM_000695
Coding sequence: 407-1564

```
   1         11         21         31         41         51
   |          |          |          |          |          |
   CACGAGTTGG TTTGGGAGCT GCCAGTCTCC TGGGAGGATC GCAGTCAGCA GAGCAGGGCT   60
   GAGGCCTGGG GGTAGGAGCA GAGCCTGCGC ATCTGGAGGC AGCATGTCCA AGAAAGGGAG  120
   TGGAGGTGCA GCGAAGGACC CAGGGGCAGA GCCCACGCTG GGGATGGACC CCTTCGAGGA  180
   CACACTGCGG CGGCTGCGTG AGGCCTTCAA CTGAGGGCGC ACGCGGCGGG CCGAGTTCCG  240
   GGCTGCGCAG CTCCAGGGCC TGGGCCACTT CCTTCAAGAA AACAAGCAGC TTCTGCGCGA  300
```

```
        CGTGCTGGCC CAGGACCTGC ATAAGCCAGC TTTCGAGGCA GACATATCTG AGCTCATCCT   360
        TTGCCAGAAC GAGGTTGACT ACGCTCTCAA GAACCTTCAG GCCTGGATGA AGGATGAACC   420
        ACGGTCCACG AAACTGTTCA TGAAGCTGGA CTCGGTCTTC ATCTGGAAGG AACCCTTTGG   480
        CCTGGTCCTC ATCATCGCAC CCTGGAACTA CCCATTGAAC CTGACCCTGG TGCTCCTGGT   540
 5      GGGCACCCTC CCCGCAGGGA ATTGCGTGGT GCTGAAGCCG TCAGAAATCA GCCAGGGCAC   600
        AGAGAAGGTC CTGGCTGAGG TGCTGCCCCA GTACCTGGAC CAGAGCTGCT TTGCCGTGGT   660
        GCTGGGCGGA CCCCAGGAGA CAGGGCAGCT GCTAGAGCAC AAGTTGGACT ACATCTTCTT   720
        CACAGGGAGC CCTCGTGTGG GCAAGATTGT CATGACTGCT GCCACCAAGC ACCTGACGCC   780
        TGTCACCCTG GAGCTGGGGG GCAAGAACCC CTGCTACGTG GACGACAACT GCGACCCCCA   840
 10     GACCGTGGCC AACCGCGTGG CCTGGTTCTG CTACTTCAAT GCCGGCCAGA CCTGCGTGGC   900
        CCCTGACTAC GTCCTGTGCA GCCCCGAGAT GCAGGAGAGG CTGCTGCCCG CCCTGCAGAG   960
        CACCATCACC CGTTTCTATG GCGACGACCC CCAGAGCTCC CCAAACCTGG GCGGCATCAT  1020
        CAACCAGAAA CAGTTCCAGC GGCTGCGGGC ATTGCTGGGC TGCGGCCGCG TGGCCATTGG  1080
        GGGCCAGAGC AACGAGAGCG ATCGCTACAT CGCCCCCACG GTGCTGGTGG ACGTGCAGGA  1140
 15     GACGGAGCCT GTGATGCAGG AGGAGATCTT CGGGCCCATC CTGCCCATCG TGAACGTGCA  1200
        GAGCGTGGAC GAGGCCATCA AGTTCATCAA CCGGCAGGAG AAGCCCCTGG CCCTGTACGC  1260
        CTTCTCCAAC AGCAGACAGG TTGTGAACCA GATGCTGGAG CGGACCAGCA GCGGCAGCTT  1320
        TGGAGGCAAT GAGGGCTTCA CCTACATATC TCTGCTGTCC GTGCCATTCG GGGGAGTCGG  1380
        CCACAGTGGG ATGGGCCGGT ACCACGGCAA GTTCACCTTC GACACCTTCT CCCACCACCG  1440
 20     CACCTGCCTG CTCGCCCCCT CCGGCCTGGA GAAATTAAAG GAGATCCGCT ACCCACCCTA  1500
        TACCGACTGG AACCAGCAGC TGTTACGCTG GGGCATGGGC TCCCAGAGCT GCACCCTCCT  1560
        GTGAGCGTCC CACCCGCCTC CAACGGGTCA CACAGAGAAA CCTGAGTCTA GCCATGAGGG  1620
        GCTTATGCTC CCAACTCACA TTGTTCCTCC AGACCGCAGG CTCCCCCAGC CTCAGGTTGC  1680
        TGGAGCTGTC ACATGACTGC ATCCTGCCTG CCAGGGCTGC AAAGCAAGGT CTTGCTTCTA  1740
 25     TCTGGGGGAC GCTGCTCGAG AGAGGCCGAG AGGCCGCAGA ACATGCCAGG TGTCCTCACT  1800
        CACCCCACCC TCCCCAATTC CAGCCCTTTG CCCTCTCGGT CAGGGTTGGC CAGGCCCAGT  1860
        CACAGGGGCA GTGTCACCCT GGAAAATACA GTGCCCTGCC TTCTTAGGGG CATCAGCCCT  1920
        GAACGGTTGA GAGCGTGGAG CCCTCCAGGC CTTTGCTCTC CCCTCTAGGC ACACGCGCAC  1980
        TTCCCACCTCT GCCCCATCCC AACTGCACCA GCACTGCCTC CCTCTCACAT  2040
 30     CCCACACTGG TCTCTGCACC ACCCCTCTGG TTCACACCGC ACCCTGCACT CACCCACAGC  2100
        AGCTCCATCC ACTGGGAAAA CTGGGGTTTG CATCACTCCA CTGCACAGTG TTAGTGGGAC  2160
        CTGGGGCAA GTCCCTTGAC TTCTCTGAGC CTCAGTTTCC TTATGTGAAA GTTGCTGGAA  2220
        CCAAAATGGA GTCACTTATG CCAAACTCTA ATAAAATGGA GTCGGGGGGG CACATAGAAG  2280
        CCCTCACACA CACATGCCCG TAACAGGATT TATCACCAAG ACACGCCTGC ATGTAAGACC  2340
 35     AGACACAGGG CGTATGGAAA AGCACGTCCT CAAAGACTGT AGTATTCCAG ATGAGCTGCA  2400
        GATGCTTACC TACCACGGCC GTCTCCACCA GAAAACCATC GCCAACTCCT GCGATCAGCT  2460
        TGTGACTTAC AAACCTTGTT TAAAAGCTGC TTACATGGAC TTCTGTCCTT TAAAACGTTC  2520
        CCCTTGGCTG TGGCCCTCTG TGTATGCCTG GGATCCTTCC AAGCACTCAT AGCCCAGATA  2580
 40     GGAATCCTCT GCTCCTCCCA AATAAATTCA TCTGTTC
```

Seq ID NO: 111 Protein sequence:
Protein Accession #: NP_000686

```
 45     1          11         21         31         41         51
        |          |          |          |          |          |
        MKDEPRSTNL PMKLDSVFIW KEPFGLVLII APWNYPLNLT LVLLVGTLPA GNCVVLKPSE   60
        ISQGTEKVLA EVLPQYLDQS CFAVVLGGPQ ETGQLLEHKL DYIFFTGSPR VGKIVMTAAT  120
        KHLTPVTLEL GGKNPCYVDD NCDPQTVANR VAWFCYFNAG QTCVAPDYVL CSPEMQERLL  180
 50     PALQSTITRF YGDDPQSSPN LGRIINQKQF QRLRALLGCG RVAIGGQSNE SDRYIAPTVL  240
        VDVQETEPVM QEEIPGPILP IVNVQSVDEA IKFINRQEKP LALYAFSNSR QVVNQMLERT  300
        SSGSFGGNEG FTYISLLSVP FGGVGHSGMG RYHGKPTFDT PSHHRTCLLA PSGLEKLKEI  360
        RYPPYTDWNQ QLLRWGMGSQ SCTLL
```

 55   Seq ID NO: 112 DNA sequence
        Nucleic Acid Accession #: NM_004456
        Coding sequence: 58-2298

```
 60     1          11         21         31         41         51
        |          |          |          |          |          |
        GAATTCCGGG CGACGCGCGG GAACAACGCG AGTCGGCGCG CGGGACGAAG AATAATCATG   60
        GGCCAGACTG GGAAGAAATC TGAGAAGGGA CCAGTTTGTT GGCGGAAGCG TGTAAAATCA  120
        GAGTACATGC GACTGAGACA GCTCAAGAGG TTCAGACGAG CTGATGAAGT AAAGAGTATG  180
        TTTAGTTCCA ATCGTCAGAA AATTTTGGAA AGAACGGAAA TCTTAAACCA AGAATGGAAA  240
 65     CAGCGAAGGA TACAGCCTGT GCACATCCTG ACTTCTGTGA GCTCATTGCG CGGGACTAGG  300
        GAGTGTTCGG TGACCAGTGA CTTGGATTTT CCAACACAAG TCATCCCATT AAAGACTCTG  360
        AATGCAGTTG CTTCAGTACC CATAATGTAT TCTTGGTCTC CCCTACAGCA GAATTTTATG  420
        GTGGAAGATG AAACTGTTTT ACATAACATT CCTTATATGG AAGTGAAGT TTTAGATCAG  480
        GATGGTACTT TCATTGAAGA ACTAATAAAA AATTATGATG GGAAAGTACA CGGGGATAGA  540
 70     GAATGTGGGT TTATAAATGA TGAAATTTTT GTGGAGTTGG TGAATGCCCT TGGTCAATAT  600
        AATGATGATG ACGATGATGA TGATGGAGAC GATCCTGAAG AAAGAGAAA AAAGCAGAAA  660
        GATCTGGAGG ATCACCGAGA TGATAAAGAA AGCCGCCCAC CTCGGAAATT TCCTTCTGAT  720
        AAAATTTTGG AGGCCATTTC CTCAATGTTT CCAGATAAGG GCACAGCAGA AGAACTAAAG  780
        GAAAAATATA AAGAACTCAC CGAACAGCAG CTCCCAGGCG CACTTCCTCC TGAATGTAAC  840
 75     CCCAACATAG ATGGACCAAA TGCTAAATCT GTTCAGAGAG AGCAAAGCTT ACACTCCTTT  900
        CATACGCTTT TCTGTAGGCG ATGGTTTTAAA TATGACTGCT TCCTACATCC TTTTCATGCA  960
        ACACCCAACA CTTATAAGCG GAAGAACACA GAAACAGCTC TAGACAACAA ACCTTGTGGA 1020
        CCACAGTGTT ACCAGCATTT GGAGGGAGCA AAGGAGTTTG CTGCTGCTCT CACCGCTGAG 1080
        CGGATAAAGA CCCCACCAAA ACGTCCAGGA GGCCGCAGAA GAGGACGGCT TCCCAATAAC 1140
 80     AGTAGCAGGC CCAGCACCCC CACCATTAAT GTGCTGGAAT CAAAGGATAC AGACAGTGAT 1200
        AGGGAAGCAG GGACTGAAAC GGGGGGAGAG AACAATGATA AAGAAGAAGA AGAGAAGAAA 1260
        GATGAAACTT CGAGCTCCTC TGAAGCAAAT TCTCGGGTGTC AAACACCAAT AAAGATGAAG 1320
        CCAAATATTG AAACCTCCTGA GAATGTGGAG TGGAGTGGTG CTGAAGCCTC AATGTTTAGA 1380
        GTCCTCATTG GCACTTACTA TGACAATTTC TGTGCCATTG CTAGGTTAAT TGGGACCAAA 1440
 85     ACATGTAGAC AGGTGTGATGA GTTTAGAGTC AAAGAATCTA GCATCATAGC TCCAGCTCCC 1500
        GCTGAGGATG TGGATACTCC TCCAAGGAAA AAGAAGAGGA AACACCGGTT GTGGGCTGCA 1560
        CACTGCAGAA AGATACAGCT GAAAAAGGAC GGCTCCTCTA ACCATGTTTA CAACTATCAA 1620
```

```
     CCCTGTGATC ATCCACGGCA GCCTTGTGAC AGTTCGTGCC CTTGTGTGAT AGCACAAAAT   1680
     TTTTGTGAAA AGTTTTGTCA ATGTAGTTCA GAGTGTCAAA ACCGCTTTCC GGGATGCCGC   1740
     TGCAAAGCAC AGTGCAACAC CAAGCAGTGC CCGTGCTACC TGGCTGTCCG AGAGTGTGAC   1800
     CCTGACCTCT GTCTTACTTG TGGAGCCGCT GACCATTGGG ACAGTAAAAA TGTGTCCTGC   1860
     AAGAACTGCA GTATTCAGCG GGGCTCCAAA AAGCATCTAT TGCTGGCACC ATCTGACGTG   1920
     GCAGGCTGGG GGATTTTTAT CAAAGATCCT GTGCAGAAAA ATGAATTCAT CTCAGAATAC   1980
     TGTGGAGAGA TTATTTCTCA AGATGAAGCT GACAGAAGAG GGAAAGTGTA TGATAAATAC   2040
     ATGTGCAGCT TTCTGTTCAA CTTGAACAAT GATTTTGTGG TGGATGCAAC CCGCAAGGGT   2100
     AACAAAATTC GTTTTGCAAA TCATTCGGTA AATCCAAACT GCTATGCAAA AGTTATGATG   2160
     GTTAACGGTG ATCACAGGAT AGGTATTTTT GCCAAGAGAG CCATCCAGAC TGGCGAAGAG   2220
     CTGTTTGTTG ATTACAGATA CAGCCAGGCT GATGCCCTGA AGTATGTCGG CATCGAAAGA   2280
     GAAATGGAAA TCCCTTGACA TCTGCTACCT CCTCCCCCTC CTCTGAAACA GCTGCCTTAG   2340
     CTTCAGGAAC CTCGAGTACT GTGGGCAATT TAGAAAAAGA ACATGCAGTT TGAAATTCTG   2400
     AATTTGCAAA GTACTGTAAG AATAATTTAT AGTAATGAGT TTAAAAATCA ACTTTTTATT   2460
     GCCTTCTCAC CAGCTGCAAA GTGTTTTGTA CCAGTGAATT TTTGCAATAA TGCAGTATGG   2520
     TACATTTTTC AACTTTGAAT AAAGAATACT TGAACTTGAA AAAAAAAAAA AAAAAA
```

Seq ID NO: 113 Protein sequence:
Protein Accession #: NP_004447

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MGQTGKKSEK GPVCWRKRVK SEYMRLRQLK RFRRADEVKS MFSSNRQKIL ERTEILNQEW   60
     KQRRIQPVHI LTSVSSLRGT RECSVTSDLD FPTQVIPLKT LNAVASVPIM YSWSPLQQNF   120
     MVEDETVLHN IPYMGDEVLD QDGTFIEELI KNYDGKVHGD RECGFINDEI FVELVNALGQ   180
     YNDDDDDDDG DDPEEREEKQ KDLEDHRDDK ESRPPRKFPS DKILEAISSM FPDKGTAEEL   240
     KEKYKELTEQ QLPGALPPEC TPNIDGPNAK SVQREQSLHS FHTLPCRRCF KYDCFLHPFH   300
     ATPNTYKRKN TETALDNKPC GPQCYQHLEG AKEPAAALTA ERIKTPPKRP GGRRRGRLPN   360
     NSSRPSTPTI NVLESKDTDS DREAGTETGG ENNDKEEEEK KDETSSSSEA NSRCQTPIKM   420
     KPNIEPPENV EWSGAEASMF RVLIGTYYDN FCAIARLIGT KTCRQVYEFR VKESSIIAPA   480
     PAEDVDTPPR KKKRKHRLWA AHCRKIQLKK DGSSNHVYNY QPCDHPRQPC DSSCPCVIAQ   540
     NPCEKPCQCS SECQNRFPGC RCKAQCNTKQ CPCYLAVREC DPDLCLTCGA ADHWDSKNVS   600
     CKNCSIQRGS KKHLLLAPSD VAGWGIFIKD PVQKNEFISE YCGEIISQDE ADRRGKVYDK   660
     YMCSFLFNLN NDPVVDATRK GNKIRFANHS VNPNCYAKVM MVNGDHRIGI FAKRAIQTGE   720
     ELFVDYRYSQ ADALKYVGIE REMEIP
```

Seq ID NO: 114 DNA sequence
Nucleic Acid Accession #: NM_001827
Coding sequence: 96-335

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     AGTCTCCGGC GAGTTGTTGC CTGGGCTGGA CGTGGTTTTG TCTGCTGCGC CCGCTCTTCG   60
     CGCTCTCGTT TCATTTTCTG CAGCGCGCCA CGAGGATGGC CCACAAGCAG ATCTACTACT   120
     CGGACAAGTA CTTCGACGAA CACTACGAGT ACCGGCATGT TATGTTACCC AGAGAACTTT   180
     CCAAACAAGT ACCTAAAACT CATCTGATGT CTGAAGAGGA GTGGAGGAGA CTTGGTGTCC   240
     AACAGAGTCT AGGCTGGGTT CATTACATGA TTCATGAGCC AGAACCACAT ATTCTTCTCT   300
     TTAGACGACC TCTTCCAAAA GATCAACAAA AATGAAGTTT ATCTGGGAT CGTCAAATCT   360
     TTTTCAAATT TAATGTATAT GTGTATATAA GGTAGTATTC AGTGAATACT TGAGAAATGT   420
     ACAAATCTTT CATCCATACC TGTGCATGAG CTGTATTCTT CACAGCAACA GAGCTCAGTT   480
     AAATGCAACT GCAAGTAGGT TACTGTAAGA TGTTTAAGAT AAAAGTTCTT CCAGTCAGTT   540
     TTTCTCTTAA GTGCCTGTTT GAGTTTACTG AAACAGTTTA CTTTTGTTCA ATAAAGTTTG   600
     TATGTTGCAT TTAAAAAAAA AAAAAAA
```

Seq ID NO: 115 Protein sequence:
Protein Accession #: NP_001818

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MAHKQIYYSD KYFDEHYEYR HVMLPRELSK QVPKTHLMSE EEWRRLGVQQ SLGWVHYMIH   60
     EPEPHILLFR RPLPKDQQK
```

Seq ID NO: 116 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     TCAGACCTCA TGAGTCACTT GGACTCTTGA GCCACCTCTG GGGGTGGAGT CTCTCTCCTG   60
     GCATCTGGAC CCTTGGTGCT ATCGACGAAG CTTGGGTGGG GCTCTTAGCT GCTATGTGCA   120
     AGAGGTGTGT TCCAGGGAAA GCCCCTATCT CTCTGCCAGAG GTCAAGTGAA AGCGACGGCC   180
     GCAGCCAACA GAGTTCAAAA TGCAGGCTTG GAAAGTACAG GGGGCTCTGT GGAGGATGGG   240
     AAGGACTGAT CCACATTCCC ACCAGGAAGT TTAGCAGAAC CCCCGCGTGC CAACTGGACC   300
     CCTTGGAAGG ACCTGGCTCA GGCTGGACCA CCTCTTGAGA GGGAGGACCT CTGGATTTGA   360
     TCAAGAATTC TTTGCTGAGC ATGGTGCCTC ATGCCTATAA TACCAACACT TTGGGAGGCC   420
     AGTGTGGGAG GATCTCTTGA GCCCAGGAGT TCAAGACTAG CCTGGGCAAC ACAGAGAGAA   480
     CCCATCTCTA AAATAATAAT AATAATAAAA TAAAAAATTA GCAGGGCATG GTGGCATGTG   540
     CCTGTAGTTC CAGCTACCCA GGAGGCTGAG GCAAGAGGAT GGCTGGAGCC TGGGATGTTG   600
     AGGCTGCAAT GAACTGTGAT TACCCCACTG CACTCCAGCC TGGGCAAAAG AGCGAGAGAA   660
     CCTGTCTCAA ATAATAATAA TAATAATAAT CTTATTTTGG AGAATAAAGA GACCTCTGGA   720
     TTTGAGGTGC CATTTGGGTA GAAAGAAAAG ACGTTTACAC CGAGAAAATAG TCTGTGTTGC   780
     CCTGAAGGAG CAGAGGGATG CATCGCTGGA GGTGACCTAC AGTTGAAGAA GACTCATTAT   840
     GACAGACCTT GTCCTTCTTC CTTGTGGAAA GTGTTTCCTC TGCTGCTACT GCTCATGAGA   900
     CTCTTCCCCC TCCCTGTCCC AGGGAACCAA AGGGCTTTCT ACCACCCCT TTCTTGCCCA   960
     CCGCCTCCCA TGTCTGCTGT GCCTTTGTAC TCAGCAATTC TTGTTTGCTC CATTATCTTC   1020
     CAGCGGGATA CAGAGTGAAT AGTTAACCAC ACTTAGGTCA AATAGGATCT AAATTTTTGT   1080
     TCCTGCTCCG TGTAAAGAGG CCAGTGTTTG TGTGTTGCAA GCAGCCTTGG AATAGTAACT   1140
```

232

```
CTTCTCATTT GTTTGGGATC TGGCCACCAA GTTCCAGAAT GATACACGGA TCAGTGCAGA 1200
AGTTCATCAG GCTCTCGGAC CTTAGGGCTG TTGGAGAAGG CTTCAGCAGC AGAACTGATG 1260
GTGAAGGCTC GTGTTCTCCA TCCTCAACTT TCTTTGCTTC GATCATACAC AAGAATACAT 1320
TTGGAAGGGC AAAAAATGAA CACTGTCGTT CATTGCAGCC GTGTTTTGTG ACACAGATGC 1380
ACAGTCTGCT GTGAAGACCT TCTCTCAAGT GGCATTTGGG AGTCCATGCC AGATCATGGT 1440
GCTTCATGAG AGACTGACAG CTATCAGGGG TTGTGGCACT TAGTGAGGAC TCTCCTCCCC 1500
CAGTGTGTGC TGATGACACA TACACACCTG ACAATAGCTT GAGTCTTCTC TGTTCCTTTT 1560
ACTCTGTAGC CAACATACAC ATGATTTAAA ACCCTTTCTA AATATCTATC ATGGTTCATC 1620
CTTGTCCAAA TGCAGAGTCA GAGCTATTTG TACTTCATTA TTATTTCCAA GGCGAATAGT 1680
TGGCTTTCTT TTTGCAAAAA TAATTAAAGT TTTTGTATGT TGCAAAAAAA AAAAAAAAAA 1740
AAACAAAAAA
```

Seq ID NO: 117 DNA sequence
Nucleic Acid Accession #: BC012178.1
Coding sequence: 204-2285

```
1          11         21         31         41         51
|          |          |          |          |          |
CTTCTCTCCC GCGGCGCTGG GGCCCGCGCT CCGCTGCTGT TGCTCCATTC GGCGCTTTTC   60
TGGCGGCTGG CTCCTCTCCG CTGCCGGCTG CTCCTCGACC AGGCCTCCTT CTCAACCTCA   120
GCCCGCGGCG CCGACCCTTC CGGCACCCTC CCGCCCCGTC TCGTACTGTC GCCGTCACCG   180
CCGCGGCTCC GGCCCTGGCC CCGATGGCTC TGTGCAACGG AGACTCCAAG CTGGAGAATG   240
CTGGAGGAGA CCTTAAGGAT GGCCACCACC ACTATGAAGG AGCTGTTGTC ATTCTGGATG   300
CTGGTGCTCA GTACGGGAAA GTCATAGACC GAAGAGTGAG GGAACTGTTC GTGCAGTCTG   360
AAATTTTCCC CTTGGAAACA CCAGCATTTG CTATAAAGGA ACAAGGATTC CGTGCTATTA   420
TCATCTCTGG AGGACCTAAT TCTGTGTATG CTGAAGATGC TCCCTGGTTT GATCCAGCAA   480
TATTCACTAT TGGCAAGCCT GTTCTTGGAA TTTGCTATGG TATGCAGATG ATGAATAAGG   540
TATTTGGAGG TACTGTGCAC AAAAAAAGTG TCAGAGAAGA TGGAGTTTTC AACATTAGTG   600
TGGATAATAC ATGTTCATTA TTCAGGGGCC TTCAGAAGGA AGAAGTTGTT TTGCTTACAC   660
ATGGAGATAG TGTAGACAAA GTAGCTGATG GATTCAAGGT TGTGGCACGT TCTGGAAACA   720
TAGTAGCAGG CATAGCAAAT GAATCTAAAA AGTTATATGG AGCACAGTTC CACCCTGAAG   780
TTGGCCTTAC AGAAAATGGA AAAGTAATAC TGAAGAATTT CCTTTATGAT ATAGCTGGAT   840
GCAGTGGAAC CTTCACCGTG CAGAACAGAG AACTTGAGTG TATTCGAGAG ATCAAAGAGA   900
GAGTAGGCAC GTCAAAAGTT TTGGTTTTAC TCAGTGGTGG AGTAGACTCA ACAGTTTGTA   960
CAGCTTTGCT AAATCGTGCT TTGAACCAAG AACAAGTCAT TGCTGTGCAC ATTGATAATG   1020
GCTTTATGAG AAAACGAGAA AGCCAGTCTG TTGAAGAGGC CCTCAAAAAG CTTGGAATTC   1080
AGGTCAAAGT GATAAATGCT GCTCATTCTT TCTACAATGG AACAACAACC CTACCAATAT   1140
CAGATGAAGA TAGAACCCCA CGGAAAAGAA TTAGCAAAAC GTTAAATATG ACCACAAGTC   1200
CTGAAGAGAA AAGAAAAATC ATTGGGGATA CTTTTGTTAA GATTGCCAAT GAAGTAATTG   1260
GAGAAATGAA CTTGAAACCA GAGGAGGTTT TCCTTGCCCA AGGTACTTTA CGGCCTGATC   1320
TAATTGAAAG TGCATCCCTT GTTGCAAGTG GCAAAGCTGA ACTCATCAAA ACCCATCACA   1380
ATGACACAGA GCTCATCAGA AAGTTGAGAG AGGAGGGAAA AGTAATAGAA CCTCTGAAAG   1440
ATTTTCATAA AGATGAAGTG AGAATTTTGG GCAGAGAACT TGGACTTCCA GAAGAGTTAG   1500
TTTCCAGGCA TCCATTTCCA GGTCCTGGCC TGGCAATCGA GGTAATATGT GCTGAAGAAC   1560
CTTATATTTG TAAGGACTTT CCTGAAACCA ACAATATTTT GAAAATAGTA GCTGATTTTT   1620
CTGCAAGTGT TAAAAAGCCA CATACCCTAT TACAGAGAGT CAAAGCCTGC ACAACAGAAG   1680
AGGATCAGGA GAAGCTGATG CAAATTACCA GTCTGCATTC ACTGAATGCC TTCTTGCTGC   1740
CAATTAAAAC TGTAGGTGTG CAGGGTGACT GTCGTTCCTA CAGTTACGTG TGTGGAATCT   1800
CCAGTAAAGA TGAACCTGAC TGGGAATCGA TTATTTTTCT GGCTAGGCTT ATACCTCGCA   1860
TGTGTCACAA CGTTAACAGA GTTGTTTATA TATTTGGCCC ACCAGTTAAA GAACCTCCTA   1920
CAGATGTTAC TCCCACTTTC TTGACAACAG GGGTGCTCAG TACTTTACGC CAAGCTGATT   1980
TTGAGGCCCA TAACATTCTC AGGGAGTCTG GGTATGCTGG GAAAATCAGC CAGATGCCGG   2040
TGATTTTGAC ACCATTACAT TTTGATCGGG ACCCACTTCA AAAGCAGCCT TCATGCCAGA   2100
GATCTGTGGT TATTCGAACC TTTATTACTA GTGACTTCAT GACTGGTATA CCTGCAACAC   2160
CTGGCAATGA GATCCCTGTA GAGGTGGTAT TAAAGATGGT CACTGAGATT AAGAAGATTC   2220
CTGGTATTTC TCGAATTATG TATGACTTAA CATCAAAGCC CCCAGGAACT ACTGAGTGGG   2280
AGTAATAAAC TTCTTGTTCT ATTAAAA
```

Seq ID NO: 118 Protein sequence:
Protein Accession #: AAH12178.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MALCNGDSKL ENAGGDLKDG HHHYEGAVVI LDAGAQYGKV IDRRVRELFV QSEIFPLETP   60
APAIKEQGFR AIIISGGPNS VYAEDAPWFD PAIFTIGKPV LGICYGMQMM NKVFGGTVHK   120
KSVREDGVFN ISVDNTCSLP RGLQKEEVVL LTHGDSVDKV ADGFKVVARS GNIVAGIANE   180
SKKLYGAQFH PEVGLTENGK VILKNFLYDI AGCSGTFTVQ NRELECIREI KERVGTSKVL   240
VLLSGGVDST VCTALLNRAL NQEQVIAVHI DNGFMRKRES QSVEEALKKL GIQVKVINAA   300
HSFYNGTTTL PISDEDRTPR KRISKTLNMT TSPEEKRKII SKTLNMTTSP EEKRKII VIGEMNLKPE   360
EVFLAQGTLR PDLIESASLV ASGKAELIKT HHNDTELIRK LREEGKVIEP LKDFHKDEVR   420
ILGRELGLPE ELVSRHPPPG PGLAIRVICA EEPYICKDFP ETNNILKIVA DPSASVKKPH   480
TLLQRVKACT TEEDQEKLMQ ITSLHSLNAF LLPIKTVGVQ GDCRSYSYVC GISSKDEPDW   540
ESLIFLARLI PRMCHNVNRV VYIFGPPVKE PPTDVTPTFL TTGVLSTLRQ ADFEAHNILR   600
ESGYAGKISQ MPVILTPLHF DRDPLQKQPS CQRSVVIRTF ITSDFMTGIP ATPGNEIPVE   660
VVLKMVTEIK KIPGISRIMY DLTSKPPGTT EWE
```

Seq ID NO: 119 DNA sequence
Nucleic Acid Accession #: NM_006500.1
Coding sequence: 27..1967

```
1          11         21         31         41         51
|          |          |          |          |          |
ACTTGGGTCT CGCCCTCCGG CCAAGCATGG GGCTTCCCAG GCTGGTCTGC GCCTTCTTGC   60
TGCCGCCTG CTGCTGCTGT CCTCGCGTCG CGGGTGTGCC CGGAGAGGCT GAGCAGCCTG   120
CGCCTGAGCT GGTGGAGGTG GAAGTGGGCA GCACAGCCCT TCTGAAGTGC GGCCTCTCCC   180
AGTCCCAAGG CAACCTCAGC CATGTCGACT GGTTTTCTGT CCACAAGGAG AAGCGGACGC   240
```

233

```
TCATCTTCCG TGTGCGCCAG GGCCAGGGCC AGAGCGAACC TGGGGAGTAC GAGCAGCGGC    300
TCAGCCTCCA GGACAGAGGG GCTACTCTGG CCCTGACTCA AGTCACCCCC CAAGACGAGC    360
GCATCTTCTT GTGCCAGGGC AAGCGCCCTC GGTCCCAGGA GTACCGCATC CAGCTCCGCG    420
TCTACAAAGC TCCGGAGGAG CCAAACATCC AGGTCAACCC CCTGGGCATC CCTGTGAACA    480
GTAAGGAGCC TGAGGAGGTC GCTACCTGTG TAGGGAGGAA CGGGTACCCC ATTCCTCAAG    540
TCATCTGGTA CAAGAATGGC CGGCCTCTGA AGGAGGAGAA GAACCGGGTC CACATTCAGT    600
CGTCCCAGAC TGTGGAGTCG AGTGGTTTGT ACACCTTGCA GAGTATTCTG AAGGCACAGC    660
TGGTTAAAGA AGACAAAGAT GCCCAGTTTT ACTGTGAGCT CAACTACCGG CTGCCCAGTG    720
GGAACCACAT GAAGGAGTCC AGGGAAGTCA CCGTCCCTGT TTTCTACCCG ACAGAAAAAG    780
TGTGGCTGGA AGTGGAGCCC GTGGGAATGC TGAAGGAAGG GGACCGGCGTG GAAATCAGGT    840
GTTTGGCTGA TGGCAACCCT CCACCACACT TCAGCATCAG CAAGCAGAAC CCCAGCACCA    900
GGGAGGCAGA GGAAGAGACA AATAACGACA ACGGGGTCCT GGTGCTGGAG CCTGCCCGGA    960
AGGAACACAG TGGGCGCTAT GAATGTCAGG CCTGGAACTT GGACACCATG ATATCGCTGC   1020
TGAGTGAACC ACAGGAACTA CTGGTGAACT ATGTGTCTGA CGTCCGAGTG AGTCCCGCAG   1080
CCCCTGAGAG ACAGGAAGGC AGCAGCCTCA CCCTGACCTG TGAGGCAGAG AGTAGCCAGG   1140
ACCTCGAGTT CCAGTGGCTG AGAGAAGAGA CAGACCAGGT GCTGGAAAGG GGGCCTGTGC   1200
TTCAGTTGCA TGACCTGAAA CGGGAGGCAG GAGGCGGCTA TCGCTGCGTG GCGTCTGTGC   1260
CCAGCATACC CGGCCTGAAC CGCACACAGC TGGTCAAGCT GGCCATTTTT GGCCCCCCTT   1320
GGATGGCATT CAAGGAGAGG AAGGTGTGGG TGAAAGAGAA TATGGTGTTG AATCTGTCTT   1380
GTGAAGCGTC AGGGCACCCC CGGCCCACCA TCTCCTGGAA CGTCAACGGC ACGGCAAGTG   1440
AACAAGACCA AGATCCACAG CGAGTCCTGA GCACCCTGAA TGTCCTCGTG ACCCCGGAGC   1500
TGTTGGAGAC AGGTGTTGAA TGCACGGCCT CCAACGACCT GGGCAAAAAC ACCAGCATCC   1560
TCTTCCTGGA GCTGGTCAAT TTAACCACCC TCACACCAGA CTCCAACACA ACCACTGGCC   1620
TCAGCACTTC CACTGCCAGT CCTCATACCA GAGCCAACAG CACCTCCACA GAGAGAAAGC   1680
TGCCGGAGCC GGAGAGCCGG GGCGTGGTCA TCGTGGCTGT GATTGTGTGC ATCCTGGTCC   1740.
TGGCGGTGCT GGGCGCTGTC CTCTATTTCC TCTATAAGAA GGGCAAGCTG CCGTGCAGGC   1800
GCTCAGGGAA GCAGGAGATC ACGCTGCCCC CGTCTCGTAA GACCGAACTT GTAGTTGAAG   1860
TTAAGTCAGA TAAGCTCCCA GAAGAGATGG GCCTCCTGCA GGGCAGCAGC GGTGACAGGA   1920
GGGCTCCGGG AGACCAGGGA GAGAAATACA TCGATCTGAG GCATTAGCCA CGAATCACTT   1980
CAGCTCCCTT CCCTGCCTGG ACCATTCCCA GCTCCCTGCT CACTCTTCTC TCAGCCAAAG   2040
CCTCCAAAGG GACTAGAGAG AAGCCTCCTG CTCCCCTCAC CTGCACACCC CCTTTCAGAG   2100
GGCCACTGGG TTAGGACCTG AGGACCTCAC TTGGCCCTGC AAGCCGCTTT TCAGGGACCA   2160
GTCCACCACC ATCTCCTCCA CGTTGAGTGA AGCTCATCCC AAGCAAGGAG CCCCAGTCTC   2220
CCGAGCGGGT AGGAGAGTTT CTTGCAGAAC GTGTTTTTTC TTTACACACA TTATGGCTGT   2280
AAATACCTGG CTCCTGCCAG CAGCTGAGCT GGGTAGCCTC TCTGAGCTGG TTTCCTGCCC   2340
CAAAGGCTGG CTTCCACCAT CCAGGTGCAC CACTGAAGTG AGGACACACC GGAGCCAGGC   2400
GCCTGCTCAT GTTGAAGTGC GCTGTTCACA CCCGCTCCGG AGAGCACCCC AGCGGCATCC   2460
AGAAGCAGCT GCAGTGTTGC TGCCACCACC CTCCTGCTCG CCTCTTCAAA GTCTCCTGTG   2520
ACATTTTTTC TTTGGTCAGA AGCCAGGAAC TGGTGTGCATT CCTTAAAAGA TACGTGCCGG   2580
GGCCAGGTGT GGTGGCTCAC GCCTGTAATC CCAGCACTTT GGGAGGCCGA GGCGGGCGGA   2640
TCACAAAGTC AGGACGAGAC CATCCTGGCT AACACGGTGA AACCCTGTCT CTACTAAAAA   2700
TACAAAAAAA AATTAGCTAG GCGTAGTGGT TGGCACCTAT AGTCCCAGCT ACTCGGAAGG   2760
CTGAAGCAGG AGAATGGTAT GAATCCAGGA GGTGGAGCTT GCAGTGAGCC GAGACCGTGC   2820
CACTGCACTC CAGCCTGGGC AACACAGCGA GACTCCGTCT CGAGGAAAAA AAAAGAAAAG   2880
ACGCGTACCT GCGGTGAGGA AGCTGGGCGC TGTTTTCGAG TTCAGGTGAA TTAGCCTCAA   2940
TCCCCGTGTT CACTTGCTCC CATAGCCCTC TTGATGGATC ACGTAAAACT GAAAGGCAGC   3000
GGGGAGCAGA CAAAGATGAG GTCTACACTG TCCTTCATGG GGATTAAAGC TATGGTTATA   3060
TTAGCACCAA ACTTCTACAA ACCAAGCTCA GGGCCCCAAC CCTAGAAGGG CCCAAATGAG   3120
AGAATGGTAC TTAGGGATGG AAAACGGGGC CTGGCTAGAG CTTCGGGTGT GTGTGTCTGT   3180
CTGTGTGTAT GCATACATAT GTGTGTATAT ATGGTTTTGT CAGGTGTGTA AATTTGCAAA   3240
TTGTTTCCTT TATATATGTA TGTATATATA TATATGAAAA TATGAAAAAT                3300
AAAGCTTAAT TGTCCCAGAA AATCATACAT TGCTTTTTTA TTCTACATGG GTACCACAGG   3360
AACCTGGGGG CCTGTGAAAC TACAACCAAA AGGCACACAA AACCGTTTCC AGTTGGCAGC   3420
AGAGATCAGG GGTTACCTCT GCTTCTGAGC AAATGGCTCA AGCTCTACCA GAGCAGACAG   3480
CTACCCTACT TTTCAGCAGC AAAACGTCCC GTATGACGCA GCACGAAGGG CCTGGCAGGC   3540
TGTTAGCAGG AGCTATGTCC CTTCCTATCG TTTCCGTCCA CTT
```

Seq ID NO: 120 Protein sequence:
Protein Accession #: NP_006491.1

```
1        11       21       31       41       51
|        |        |        |        |        |
MGLPRLVCAP LLAACCCCPR VAGVPGEAEQ PAPELVEVEV GSTALLKCGL SQSQGNLSHV    60
DWFSVHKEKR TLIFRVRQGQ GQSEPGEYEQ RLSLQDRGAT LALTQVTPQD ERIFLCQGKR   120
PRSQEYRIQL RVYKAPBEPN IQVNPLGIPV NSKEPBEVAT CVGRNGYPIP QVIWYKNGRP   180
LKEEKNRVHI QSSQTVESSG LYTLQSILKA QLVKEDKDAQ FYCELNYRLP SGNHMKESRB   240
VTVPVPYPTE KVWLEVEPVG MLKBGDRVEI RCLADGNPPP HFSISKQNPS TREAEEETTN   300
DNGVLVLEPA RKEHSGRYEC QAWNLDTMIS LLSEPQELLV NYVSDVRVSP AAPERQEGSS   360
LTLTCEABSS QDLEFQWLRE ETDQVLERGP VLQLHDLKRE AGGGYRCVAS VPSIPGLNRT   420
QLVKLAIPGP PWMAFKERKV WVKENMVLNL SCEASGHPRP TISWNVNGTA SEQDQDPQRV   480
LSTLNVLVTP ELLETGVECT ASNDLGKNTS ILFLELVNLT TLTPDSNTTT GLSTSTASPH   540
TRANSTSTER KLPEPESRGV VIVAVIVCIL VLAVLGAVLY FLYKKGKLPC RRSGKQEITL   600
PPSRKTELVV EVKSDKLPEE MGLLQGSSGD KRAPGDQGEK YIDLRH
```

Seq ID NO: 121 DNA sequence
Nucleic Acid Accession #: NM_018306
Coding sequence: 60-671

```
1        11       21       31       41       51
|        |        |        |        |        |
ATAGTCTACA CAGAGCTCCC CTTGCTGCCTC AGACAAGCTG AAGGACCACA GGAAAAGCCA    60
TGGAGACTTC AGCATCCTCC TCCCAGCCTC AGGACAACAG TCAAGTCCAC AGAGAAACAG   120
AAGATGTAGA CTATGGAGAG ACAGATTTCC ACAAGCAAGA CGGGAAGGCT GGACTCTTTT   180
CCCAAGAACA ATATGAGAGA AACAAGTCTT CTTCCTCCTC CTTCTCTTCC TCCTCATCCT   240
CCTCATCTTC TTCATCCTCC TCCTCCTCAG GTCCTGGGCA TGGGGAGCCT GACGTTTTGA   300
```

```
     AGGATGAGCT TCAACTCTAT GGAGATGCTC CTGGAGAGGT GGTACCCTCT GGGGAATCAG    360
     GACTCCGAAG GAGAGGCTCT GACCCAGCAA GTGGAGAAGT GGAGGCCTCT CAGTTAAGAA    420
     GACTGAATAT AAAGAAAGAT GATGAGTTTT TCCATTTCGT CCTCCTGTGC TTTGCCATCG    480
     GGGCCTTGCT GGTGTGTTAT CACTATTACG CAGACTGGTT CATGTCTCTT GGGGTCGGCC    540
     TGCTCACCTT CGCCTCCCTG GAAACCGTTG GCATCTACTT CGGACTAGTG TACGGTATCC    600
     ACAGCGTCCT CCAAGGCTTC ATCCCCCTCT TCCAGAAGTT TAGGCTGACA GGGTTCAGGA    660
     AGACTGACTG AGGCCACTTC CAGGTGGGCA GCAGAGGCAG GCCCCAGTGT GACCACCACT    720
     GCGACCCCTG AGCCCACAAG GGCAGAGCAG CATTCTGAGA GACGCACAGG AGACCAAGCC    780
     AGACCAATAA ACAGAACACT TTTCCTTCCA TGTGGTCTGA ATGTTGGCAC CAGCCCGGGC    840
     AGGGGCATCT CATTTGGGCA GTACTGCTGT GCAACCCAGC TGCAAGGGATG GAAGGCAGAG    900
     GGTGGGTGTG GGGCCTGAGG CTTCACAGTA CCTGGACCAG CAGGAAGATT CTGGGAGGTC    960
     ACTGCTCTCA GAGGACAGCA AGGGACCCTG AGCTCTGCAA GCTGTGATCT GTCTGGGTTC   1020
     ATGGTTTTTC TCAAATCCCA GGCTATCTGC ATGCGCTCTC AGGTGCTACC GAGCCATCCT   1080
     GGGAGAGATG GATGGTCCAC TGCTTTGAGG CAGGGGAGCCA TCGGGCTGGG GCCCCTTGGT   1140
     GAACCTGATG CAGGTAAGAT GCTGAGGACT AAAACCATTT TTTTTGCACC CAAAAAAAAG   1200
     GGCAGGAAAA TGATCATCAG AAACTAAATG GCAGCCAGGC ATGGGGGCTC ACGACTGTAA   1260
     TCCTCGCACT TTGGGAGGCT CAGGCTAAGG GTCGCTTGAA GCTGAGAGTT CAAGACCAAC ·  1320
     CTGGGCAACA TAGTGAGACC CCCATCTCTA CAATTTTTTT TTAATGACCA AATGTGGCGG   1380
     TACATACCTG TACATACCTG CGGTTCCAGC TACTCAAGAG GCTGAGGCAG GAGGACTGCT   1440
     TGAGCCCAGG AGTTCAGGGC TGCAGTGAGG TACGATCAAG CCACTGCACT CCAGCCTGGG   1500
     CGACAGAGCA AGATCGTTTC TCTAAAATT
```

Seq ID NO: 122 Protein sequence:
Protein Accession #: NP_060776

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     METSASSSQP QDNSQVHRET EDVDYGETDF HKQDGKAGLF SQEQYERNKS SSSSFSSSSS   60
     SSSSSSSSSS GPGHGEPDVL KDELQLYGDA PGEVVPSGES GLRRRGSDPA SGEVEASQLR   120
     RLNIKKDDEF FHFVLLCPAI GALLVCYHYY ADWFMSLGVG LLTFASLETV GIYFGLVYRI   180
     HSVLQGFIPL FQKFRLTGFR KTD
```

Seq ID NO: 123 DNA sequence
Nucleic Acid Accession #: BC022542
Coding sequence: 243..896

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     ACTTGGTCCC AGCCGATAAA TCTGGGGCAG CGCGCGGTAG GAGCTGCGGG CGGCCAGGCC    60
     CCTTCCTGCG TCCGCACCTG GCCCCGCGCG CCCCTCTCGG CGGTCGGCGCT TCCGGCGTCC   120
     TGGCGGCTCG GGTGGCGGCG GTTCGGGCGG CCGCCTGGCT GCTCCTCGGG GCGGGCGACGG   180
     GGCTCACGCG CGGGCCCGCC ACGGCCTTCA CCGCCGCGCG CTCTGACGCC GGCATAAGGG   240
     CCATGTGTTC TGAAATTATT TTGAGGCAAG AAGTTTTGAA AGATGGTTTC CACAGAGACC    300
     TTTTAATCAA AGTGAAGTTT GGGGAAAGCA TTGAGGACTT GCACACGTGC CGTCTCTTAA   360
     TTAAACAGGA CATTCCTGCA GGACTTTATG TGGATCCGTA TGAGTTGGCT TCATTACGAG   420
     AGAGAAACAT AACAGAGGCA GTGATGGTTT CAGAAAATTT TGATATAGAG GCCCCTAACT   480
     ATTTGTCCAG GGAGTCTGAA GTTCTCATTT ATGCCAGACG AGATTCACAG TGCATTGACT   540
     GTTTTCAAGC CTTTTTGCCT GTGCACTGCC GCTATCATCG GCCGCACAGT GAAGATGGAG   600
     AAGCCTCGAT TGTGGTCAAT AACCCAGATT TGTTGATGTT TTGTGACCAA GAGTTCCCGA   660
     TTTTGAAATG CTGGGCTCAC TCAGAAGTGG CAGCCCCTTG TGCTTTGGAT AATGAGGATA   720
     TATGCCAATG GAACAAGATG AAGTATAAAT CAGTATATAA GAATGTGATT CTACAAGTTC   780
     CAGTGGGACT GACTGTACAT ACCTCTCTAG TATGTTCTGT GACTCTGCTC ATTACAATCC   840
     TGTGCTCTAC ATTGATCCTT GTAGCAGTTT TCAAATATGG CCATTTTCC CTATAAGTTT   900
     TATGTAGTTA AATGCTTCCT AGAAACCTAA ATAAGATCTA TTAATTTCTG ACGGAGAGGTG   960
     TTCTTCTAGA ATTAATTACT TTTATCTTTT GTCTTCATTT GTGGCCAAAA TTATGTTTAC  1020
     TAGAGGAAAT TTGGGATCAT TCTCAGCTAA TTCCAAAATG TAGTGCTCTA TTGCATGGAT  1080
     CCTTGGTAAT CCTCAAGCAT CAGATGCCAT AAGGGGAAAC TTAATTCTGC TAAATTAATG  1140
     TTTATTTTGT GAGAAGTGAC TTTATCTTCA TTTGGGGTAG AAAAAATTATT TCTTTATGTA  1200
     GTAGAGACAA ATTATTCTCA TTTTGCAAGT ACTTTCAATT TAAGCTACAA ATTGAGAAAA  1260
     CCGTTATAAA TAAGAATAAA ATAGGCCAGG CACAGTGGCT CACACCTGTA ATCCCAGCAC  1320
     TTTGGGAGGC CGAGGTGGGC GGATCACCAG AGGTCAAGAG TTTGAGACCA GCTTGGTGAA  1380
     ACCCTGTCTC TACTAAAAAT ACAAAAGTTA GCTGGGCTG GTGGTGGGCA TCTGTAGTCC  1440
     CAGCTAATTG GAAGGGTGAG GCGGGAGGAT CGCTTGAACC TGGGAGGCGG AGGTTCCAGA  1500
     GAGCCAAGAT CGCACCACTG CACTACAGCC TGGGCGACAG AACGAGACCC TGTCTCCAAA  1560
     GGAAAAACAA AAAAGAAGAA TAAAATAATT TGGATGAAAA TCATGTTTAT TTAAATAGTA  1620
     ATGTCATGAG ACTATTAAAG ATGTGCCAGA GTTTCAATGA AATCATTAA AGTAGGACAG  1680
     CTAAGAAATT AATATTAATA TAAAAATTAT TGATAATCTT AAATTATTGA TTATTCCTTA  1740
      ACGCACTCCA TTCTCCTTTT ACATTTTATC ATGTTTCTTT TGAATATATG AATTGGCAAA  1800
      GGACTTGATG AAACTGAGTA CTAAGATTTG GTACAGAGTA TGTCAGGAAG ACAACTCAGA  1860
      TTGCCATTTT AAATAAAGTT GTACATGAAC AAAAAAAAAA AAAAAA
```

Seq ID NO: 124 Protein sequence:
Protein Accession #: AAH22542

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MCSEIILRQE VLKDGFHRDL LIKVKFGESI EDLHTCRLLI KQDIPAGLYV DPYELASLRE   60
     RNITEAVMVS ENFDIEAPNY LSKESEVLIY ARRDSQCIDC FQAFLPVHCR YHRPHSEDGE   120
     ASIVVNNPDL LMFCDQAGSR RMIRFRFDSP DKTIEFPILK CWAHSEVAAP CALENEDICQ   180
     WNKMKYKSVY KNVILQVPVG LTVHTSLVCS VTLLITILCS KKKKK
```

Seq ID NO: 125 DNA sequence
Nucleic Acid Accession #: NM_004994.1
Coding sequence: 20..2143

235

```
          1         11        21        31        41        51
          |         |         |         |         |         |
     AGACACCTCT GCCCTCACCA TGAGCCTCTG GCAGCCCCTG GTCCTGGTGC TCCTGGTGCT     60
     GGGCTGCTGC TTTGCTGCCC CCAGACAGCG CCAGTCCACC CTTGTGCTCT TCCCTGGAGA    120
     CCTGAGAACC AATCTCACCG ACAGGCAGCT GGCAGAGGAA TACCTGTACC GCTATGGTTA    180
     CACTCGGGTG GCAGAGATGC GTGGGAGAGTC GAAATCTCTG GGGCCTGCGC TGCTGCTTCT    240
     CCAGAAGCAA CTGTCCCTGC CCGAGACCGG TGAGCTGGAT AGCGCCACGC TGAAGGCCAT    300
     GCGAACCCCA CGGTGCGGGG TCCCAGACCT GGGCAGATTC CAAACCTTTG AGGGCGACCT    360
     CAAGTGGCAC CACCACAACA TCACCTATTG GATCCAAAAC TACTCGGAAG ACTTGCCGCG    420
     GGCGGTGATT GACGACGCCT TTGCCCGCGC CTTCGCACTG TGGAGCGCGG TGACGCCGCT    480
     CACCTTCACT CGCGTGTACA GCCGGGACGC AGACATCGTC ATCCAGTTTG GTGTCGCGGA    540
     GCACGGAGAC GGGTATCCCT CGACGGGAA GGACGGGCTC CTGGCACACG CCTTTCCTCC    600
     TGGCCCCGGC ATTCAGGGAG ACGCCCATTT CGACGATGAC GAGTTGTGGT CCCTGGGCAA    660
     GGGCGTCGTG GTTCCAACTC GGTTTGGAAA CGCAGATGGC GCGGCCTGCC ACTTCCCCTT    720
     CATCTTCGAG GGCCGCTCCT ACTCTGCCTG CACCACCGAC GGTCGCTCCG ACGGCTTGCG    780
     CTGGTGCAGT ACCACGGCCA ACTACGACAC CGACGACCGG TTTGGCTTCT GCCCCAGCGA    840
     GAGACTCTAC ACCCGGGACG GCAATGCTGA TGGGAAACCC TGCCAGTTTC CATTCATCTT    900
     CCAAGGCCAA TCCTACTCCG CCTGCACCAC GGACGGTCGC TCCGACGGCT ACCGCTGGTG    960
     CGCCACCACC GCCAACTACG ACCGGGACAA GCTCTTCGGC TTCTGCCCGA CCCGAGCTGA   1020
     CTCGACGGTG ATGGGGGGCA ACTCGGCGGG GGAGCTGTGC GTCTTCCCCT TCACTTTCCT   1080
     GGGTAAGGAG TACTCGACCT GTACCAGCGA GGGCCGCGGA GATGGGCGCC TCTGGTGCGC   1140
     TACCACCTCG AACTTTGACA GCGACAAGAA GTGGGGCTTC TGCCCGGACC AAGGATACAG   1200
     TTTGTTCCTC GTGGCGGCGC ATGAGTTCGG CCACGCGCTG GGCTTAGATC ATTCCTCAGT   1260
     GCCGGAGGCG CTCATGTACC CTATGTACCG CTTCACTGAG GGGCCCCCCT TGCATAAGGA   1320
     CGACGTGAAT GGCATCCGGC ACCTCTATGG TCCTCGCCCT GAACCTGAGC CACGGCCTCC   1380
     AACCACCACC ACACCGCAGC CCACGGCTCC CCGACGGTC TGCCCCACCG GACCCCCCAC   1440
     TGTCCACCCC TCAGAGCGCC CCACAGCTGG CCCCACAGGT CCCCCCTCAG CTGGCCCCAC   1500
     AGGTCCCCCC ACTGCTGGCC CTTCTACGGC CACTACTGTG CCTTTGAGTC CGGTGGACGA   1560
     TGCCTGCAAC GTGAACATCT TCGACGCCAT CGCGGAGATT GGGAACCAGC TGTATTTGTT   1620
     CAAGGATGGG AAGTACTGGC GATTCTCTGA GGGCAGGGGG AGCCGGCCGC AGGGCCCCTT   1680
     CCTTATCGCC GACAAGTGGC CGGCGCTGCC CCGCAAGCTG GACTCGGTCT TTGAGGAGCC   1740
     GCTCTCCAAG AAGCTTTTCT TCTTCTGG GCGCCAGGTG TGGGTGTACA CAGGCGCGTC   1800
     GGTGCTGGGC CCGAGGCGTC TGGACAAGCT GGGCCTGGGA GCCGACGTGG CCCAGGTGAC   1860
     CGGGGCCCTC CGGAGTGGCA GGGGGGAAGAT GCTGCTGTTC AGCGGGCGGC GCCTCTGGAG   1920
     GTTCGACGTG AAGGCGCAGA TGGTGGATCC CCGGAGCGCC ACCGGATGTT   1980
     CCCCGGGGTG CCTTTGGACA CGCACGACGT CTTCCAGTAC CGAGAGAAAG CCTATTTCTG   2040
     CCAGGACCGC TTCTACTGGC GCGTGAGTTC CCGGAGTGAG TTGAACCAGG TGGACCAAGT   2100
     GGGCTACGTG ACCTATGACA TCCTGCAGTG CCCTGAGGAC TAGGGCTCCC GTCCTGCTTT   2160
     GCAGTGCCAT GTAAATCCCC ACTGGGACCA ACCCTGGGGA AGGAGCCAGT TTGCCGGATA   2220
     CAAACTGGTA TTCTGTTCTG GAGGAAAGGG AGGAGTGGAG GTGGGCTGGG CCCTCTCTTC   2280
     TCACCTTTGT TTTTTGTTGG AGTGTTTCTA ATAAACTTGG ATTCTCTAAC CTTT
```

```
          1         11        21        31        41        51
          |         |         |         |         |         |
     MSLWQPLVLV LLVLGCCFAA PRQRQSTLVL FPGDLRTNLT DRQLAEEYLY RYGYTRVAEM     60
     RGESKSLGPA LLLLQKQLSL PETGELDSAT LKAMRTPRCG VPDLGRFQTF EGDLKWHHHN    120
     ITYWIQNYSE DLPRAVIDDA FARAFALWSA VTPLTFTRVY SRDADIVIQF GVAEHGDGYP    180
     FDGKDGLLAH AFPPGPIQG DAHFDDDELW SLGKGVVVPT RFGNADGAAC HFPPIFEGRS    240
     YSACTTDGRS DGLPWCSTTA NYDTDDRFGF CPSERLYTRD GNADGKPCQF PPIFQGQSYS    300
     ACTTDGRSDG YRWCATTANY DRDKLFGFCP TRADSTVMGG NSAGELCVFP PTFLGKEYST    360
     CTSEGRGDKR LWCATTSNFD SDKKWGPCPD QGYSLFLVAA HEFGHALGLD HSSVPEALMY    420
     PMYRFTEGPP LHKDDVNGIR HLYGPRPEPE PRPPTTTTPQ PTAPPTVCPT GPPTVHPSER    480
     PTAGPTGPPS AGPTGPPTAG PSTATTVPLS PVDDACNVNI FDAIAEIGNQ LYLFKDGKYW    540
     RFSEGRGSRP QGPFLIADKW PALPRKLDSV FEEPLSKKLF PFSGRQVWVY TGASVLGPRR    600
     LDKLGLGADV AQVTGALRSG RGKMLLFSGR RLWRFDVKAQ MVDPRSASEV DRMPPGVPLD    660
     THDVFQYREK AYFCQDRFYW RVSSRSELNQ VDQVGYVTYD ILQCPED
```

```
          1         11        21        31        41        51
          |         |         |         |         |         |
     GCAGAAATAG CCTAGGGAGA TCAACCCCGA GATGCTGAAC AAAGTGCTGT CCCGGCTGGG     60
     GGTCGCCGGC CAGTGGCGCT TCGTGGACGT GCTGGGGCTG GAAGAGGAGT CTCTGGGCTC    120
     GGTGCCAGCG CCTGCCTGCG CGCTGCTGCT GCTGTTTCCC CTCACGGCCC AGCATGAGAA    180
     CTTCAGGAAA AAGCAGATTG AAGAGCTGAA GGGACAAGAA GTTAGTCCTA AAGTGTACTT    240
     CATGAAGCAG ACCATTGGGA ATTCCTGTGG CACAATCGGA CTTATTCACG CAGTGGCCAA    300
     TAATCAAGAC AAACTGGGAT TTGAGGATGG ATCAGTTCTG AAACAGTTTC TTTCTGAAAC    360
     AGAGAAAATG TCCCCTGAAG ACAGAGCAAA ATGCTTTGAA AAGAATGAGG CCATACAGGC    420
     AGCCCATGAT GCCGTGGCAC AGGAAGGCCA ATGTCGGGTA GATGACAAGG TGAATTTCCA    480
     TTTTATTCTG TTTAACAACG TGGATGGCCA CCTCTATGAA CTTGATGGAC GAATGCCTTT    540
     TCCGGTGAAC CATGGCGCCA GTTCAGAGGA CACCCTGCTC AAGGACGCTG CCAAGGTGTG    600
     CAGAGAATTC ACCGAGCGTG AGCAAGGAGA AGTCCGCTTC TCTGCCGTGG CTCTCTGCAA    660
     GGCAGCCTAA TGCTCTGTGG GAGGGGACTTT GCTGATTCC CCTCTTCCCT TCAACATGAA    720
     AATATATACC CCCCATGCAG TCTAAAATGC TTCAGTACTT GTGAAACACA GCTGTTCTTC    780
     TGTTCTGCAG ACACGCCTTC CCCTCAGCCA CACCCAGGCA CTTAAGCACA AGCAGAGTGC    840
     ACAGCTGTCC ACTGGGCCAT TGTGGTGTGA GCTTCAGATG GTGAAGCATT CTCCCCAGTG    900
     TATGTCTTGT ATCCGATATC TAACGCTTTA AATGGCTACT TTGGTTTCTG TCTGTAAGTT    960
     AAGACCTTGG ATGTGGTTAT GTTGTCCTAA AGAATAAATT TTGCTGATAG TAGC
```

```
          1         11        21        31        41        51
          |         |         |         |         |         |
   MLNKVLSRLG VAGQWRFVDV LGLEEESLGS VPAPACALLL LFPLTAQHEN FRKKQIEELK    60
   GQEVSPKVYF MKQTIGNSCG TIGLIHAVAN NQDKLGPEDG SVLKQFLSET EKMSPEDRAK   120
   CFEKNEAIQA AHDAVAQEGQ CRVDDKVNFH FILFNNVDGH LYELDGRMPF PVNHGASSED   180
   TLLKDAAKVC REFTEREQGE VRFSAVALCK AA
```

Seq ID NO: 129 DNA sequence
Nucleic Acid Accession #: NM_000213
Coding sequence: 127-5385

```
        1         11        21        31        41        51
        |         |         |         |         |         |
   CGCCCGCGCG CTGCAGCCCC ATCTCCTAGC GGCAGCCCAG GCGCGGAGGG AGCGAGTCCG    60
   CCCCGAGGTA GGTCCAGGAC GGGCGCACAG CAGCAGCCGA GGCTGGCCGG GAGAGGGAGG   120
   AAGAGGATGG CAGGGCCCACG CCCCAGCCCA TGGGCCAGGC TGCTCCTGGC AGCCTTGATC   180
   AGCGTCAGCC TCTCTGTGGAC CTTGGCAAAC CGCTGCAAGA AGGCCCCAGT GAAGAGCTGC   240
   ACGGAGTGTG TCCGTGTGGA TAAGGACTGC GCCTACTGCA CAGACGAGAT GTTCAGGGAC   300
   CGGCGCTGCA ACACCCAGGC GGAGCTGCTG GCCGCGGGCT GCCAGCGGGA GAGCATCGTG   360
   GTCATGGAGA GCAGCTTCCA AATCACAGAG GAGACCCAGA TTGACACCAC CCTGCGGCGC   420
   AGCCAGATGT CCCCCCCAAGG CCTGCGGGTC CGTCTGCGGC CCGGTGAGGA GCGGCATTTT   480
   GAGCTGGAGG TGTTTGAGCC ACTGGAGAGC CCCGTGGACC TGTACATCCT CATGGACTTC   540
   TCCAACTCCA TGTCCGATGA TCTGGACAAC CTCAAGAAGA TGGGGCAGAA CCTGGCTCGG   600
   GTCCTGAGCC AGCTCACCAG CGACTACACT ATTGGATTTG GCAAGTTTGT GGACAAAGTC   660
   AGCGTCCCGC AGACGGACAT GAGGCCTGAG AAGCTGAAGG AGCCCTGGCC CAACAGTGAC   720
   CCCCCCTTCT CCTTCAAGAA CGTCATCAGC CTGACAGAAG ATGTGGATGA GTTCCGGAAT   780
   AAACTGCAGG GAGAGCGGAT CTCAGGCAAC CTGGATGCTC CTGAGGGCGG CTTCGATGCC   840
   ATCCTGCAGA CAGCTGTGTG CACGAGGGAC ATTGGCTGGC GCCGGACAG CACCCACCTG   900
   CTGGTCTTCT CCACCGAGTC AGCCTTCCAC TATGAGGCTG ATGGCGCCAA CGTGCTGGCT   960
   GGCATCATGA GCGCAACGA TGAACGGTGC CACCTGGACA CCACGGGCAC CTACACCCAG  1020
   TACAGGACAC AGGACTACCC GTCGGTGCCC ACCCTGGTGC GCCTGCTCGC CAAGCACAAC  1080
   ATCATCCCCA TCTTTGCTGT CACCAACTAC TCCTATAGCT ACTACGAGAA GCTTCACACC  1140
   TATTTCCCTG TCTCCTCACT GGGGGTGCTG CAGGAGGACT CGTCCAACAT CGTGGAGCTG  1200
   CTGGAGGAGG CCTTCAATCG GATCCGCTCC AACCTGGACA TCCGGGCCCT AGACAGCCCC  1260
   CGAGGCCTTC GGACAGAGGT CACCTCCAAG ATGTTCCAGA AGACGAGGAC TGGGGTCCTTT  1320
   CACATCCGGC GGGGGGAAGT GGGTATATAC CAGGTGCAGC TGCGGGCCCT TGAGCACGTG  1380
   GATGGGACGC ACGTGTGCCA GCTGCCGGAG GACCAGAAGG GCAACATCCA TCTGAAACCT  1440
   TCCTTCTCCG ACGGCCTCAA GATGGACGCG GGCATCATCT GTGATGTGTG CACCTGCGAG  1500
   CTGCAAAAAG AGGTGCGGTC AGCTCGCTGC AGCTTCAACG GAGACTTCGT GTGCGGACAG  1560
   TGTGTGTGCA GCGAGGGCTG GAGTGGCCAG ACCTGCAACT GCTCCACCGG CTCTCTGAGT  1620
   GACATTCAGC CCTGCCTGCG GGAGGGGCGA GACAAGCCGT GCTCCGGCCG TGGGGAGTGC  1680
   CAGTGCGGGC ACTGTGTGTG CTACGGCGAA GGCCGCTACG AGGGTCAGTT CTGCGAGTAT  1740
   GACAACTTCC AGTGTCCCCG CACTTCCGGG TTCCTCTGCA ATGACCGAGG ACGCTGCTCC  1800
   ATGGGCCAGT GTGTGTGTGA GCCTGGTTGG ACAGGCCCAA GCTGTGACTG TCCCCTCAGC  1860
   AATGCCACCT GCATCGACAG CAATGGGGGC ATCTGTAATG GACGTGGCCA CTGTGAGTGT  1920
   GGCCGCTGCC ACTGCCACCA GCAGTCGCTC TACACGGACA CCATCTGCGA GATCAACTAC  1980
   TCGGCGATCC ACCCGGGCCT CTGCGAGGAC CTACGCTCCT GCGTGCAGTG CCAGGCGTGG  2040
   GGCACCGGCG AGAAGAAGGG GCGCACGTGT GAGGAATGCA ACTTCAAGGT CAAGATGGTG  2100
   GACGAGCTTA AGAGAGCCGA GGAGGTGGTG GTGCGCTGCT CCTTCCGGGA CGAGGATGAC  2160
   GACTGCACCT ACAGCTACAC CATGGAAGGT GACGGCGCCC CTGGGCCCAA CAGCACTGTC  2220
   CTGGTGCACA AGAAGAAGGA CTGCCCTCCG GGCTCCTTCT GGTGGCTCAT CCCCCTGCTC  2280
   CTCCTCCTCC TGCCGCTCCT GGCCCTGCTA CTGCTGCTAT GCTGGAAGTA CTGTGCCTGC  2340
   TGCAAGGCCT GCCTGGCACT TCTCCCGTGC TGCAACCGAG GTCACATGGT GGGCTTTAAG  2400
   GAAGACCACT ACATGCTGCG GGAGAACCTG ATGGCCTCTG ACCACTTGGA CACGCCCATG  2460
   CTGCGCAGCG GGAACCTCAA GGGCCGGTGAC GTGGTCCGCT GGAAGGTCAC CAACAACATG  2520
   CAGCGGCCTG GCTTTGCCAC TCATGCCGCC AGCATCAACC CCACAGAGCT GGTGCCCTAC  2580
   GGGCTGTCCT TGCCGCTGGC CCGCCTTTGC ACCGAGAACC TGCTGAAGCC TGACACTCGG  2640
   GAGTGCGCCC AGCTGCGCCA GGAGGTGGAG GAGAACCTGA ACGAGGTCTA CAGGCAGATC  2700
   TCGGTGTAC ACAAGCTCCA GCAGACCAAG TTCCGGCAGC AGCCCAATGC CGGGGAAAAAG  2760
   CAAGACCACA CCATTGTGGA CACAGTGCTG ATGGCGCCCC GCTCGGCCAA GCCGGCCCTG  2820
   CTGAAGCTTA CAGAGAAGCA GGTGGAACAG AGGGCCTTCC ACGACCTCAA GGTGGCCCCC  2880
   GGCTACTACA CCCTCACTGC AGACCAGGAC GCCCGGGGCA TGGTGGAGTT CCAGGAGGGC  2940
   GTGGAGCTGG TGGACGTACG GGTGCCCCTC TTTATCCGGC CTGAGGATGA CGACGAGAGA  3000
   CAGCTGCTGG TGGAGGGCCAT CGACGTGCCC GCAGGCACTG CCACCCTCGG CCGCCGGCTG  3060
   GTAAACATCA CCATCATCAA GGAGCAAGCC AGAGACGTGG TGTCCTTTGA CCAGCCTGAG  3120
   TTCTCGGTCA GCCGCGGGGA CCAGGTGGCC CGCATCCCTG TCATCCGGCG TGTCCTGGAC  3180
   GGCGGGAAGT CCCAGGTCTC CTACCGCACA CAGGATGGCA CCGGCAGGG CAACCGGGAC  3240
   TACATCCCCG TGGAGGGTGA GCTGCTGTTC CAGCCTGGGG AGGCCTGGAA AGAGCTGCAG  3300
   GTGAAGCTCC TGGAGCTGCA AGAAGTTGAC TCCCTCCTGC GGGGCGCCA GGTCCGCCGT  3360
   TTCCACGTCC AGCTCAGCAA CCCTAAGTTT GGGGCCCACC TGGGCCAGCC CCACTCCACC  3420
   ACCATCATCA TCAGGGACCC AGATGAACTG GACCGGAGCT TCACGAGTCA GATGTTGTCA  3480
   TCACAGCCAC CCCCTCACGG CGACCTGGGC GCCCCGCAGA ACCCCAATGC TAAGGCCGCT  3540
   GGGTCCAGGA AGATCCATTT CAACTGGCTG CCCCCTTCTG GCAAGCCAAT GGGGTACAGG  3600
   GTAAAGTACT GGATTCAGGG TGACTCCGAA TCCGAAGCCC ACCTGCTCGA CAGCAAGGTG  3660
   CCCTCAGTGG AGCTCACCAA CCTGTACCCG TATTGCGACT ATGAGATGAA GGTGTGCGCA  3720
   TACGGGGCTC AGGGCGAGGG ACCCTACAGC TCCCTGGTGT CCTGCCGCAC CCACCAGGAA  3780
   GTGCCCAGCG AGCCAGGGCG TCTGGCCTTC AATGTCGTCT CCTCCACGGT GACCCAGCTG  3840
   AGCTGGGCTG AGCCGGCTGA GACCAACGGT GAGATCACAG CCTACGAGGT CTGCTATGGC  3900
   CTGGTCAACG ATGACAACCG ACCTATTGGG CCCATGAAGA AAGTGCTGGT TGACAACCCT  3960
   AAGAACCGGA TGCTGCTTAT TGAGAACCTT CGGGAGTCCC AGCCCTACCG CTACACGGTG  4020
   AAGGCGCGCA ACGGGGCCGG CTGGGGGCCT GAGCGGGAGG CCATCATCAA CCTGGCCACC  4080
   CAGCCCAAGA GGCCCATGTC CATCCCCATC ATCCCTGACA TCCCTATCGT GGACGCCCAG  4140
   AGCGGGGAGG ACTACGACAG CTTCCTTATG TACAGCGATG ACGTTCTACG CTCTCCATCG  4200
   GGCAGCCAGA GGCCCAGCGT CTCCGATGAC ACTGAGCACC TGGTGAATGG CCGGATGGAC  4260
   TTTGCCTTCC CGGGCAGCAC CAACTCCCTG CACAGGATGA CCACGACCAG TGCTGCTGCC  4320
   TATGGCACCC ACCTGAGCCC ACACGTGCCC CACCGCGTGC TAAGCACATC CTCCACCCTC  4380
```

```
     ACACGGGACT ACAACTCACT GACCCGCTCA GAACACTCAC ACTCGACCAC ACTGCCGAGG  4440
     GACTACTCCA CCCTCACCTC CGTCTCCTCC CACGACTCTC GCCTGACTGC TGGTGTGCCA  4500
     GACACGCCCA CCCGCCTGGT GTTCTCTGCC CTGGGGCCCA CATCTCTCAG AGTCGAGCTGG  4560
     CAGGAGCCGC GGTGCGAGCG GCCGCTGCAG GGCTACAGTG TGGAGTACCA GCTGCTGAAC  4620
 5   GGCGGTGAGC TGCATCGGCT CAACATCCCC AACCCTGCCC AGACCTCGGT GGTGGTGGAA  4680
     GACCTCCTGC CCAACCACTC CTACGTGTTC CGCGTGCGGG CCCAGAGCCA GGAAGGCTGG  4740
     GGCCGAGAGC GTGAGGGTGT CATCACCATT GAATCCCAGG TGCACCCGCA GAGCCCACTG  4800
     TGTCCCCTGC CAGGCTCCGC CTTCACTTTG AGCACTCCCA GTGCCCCAGG CCCGCTGGTG  4860
     TTCACTGCCC TGAGCCCAGA CTCGCTGCAG CTGAGCTGGG AGCGGCCACG GAGGCCCAAT  4920
10   GGGGATATCG TCGGCTACCT GGTGACCTGT GAGATGGCCC AAGGAGGAGG GCCAGCCACC  4980
     GCATTCCGGG TGGATGGAGA CAGCCCCGAG AGCCGGCTGA CCGTGCCGGG CCTCAGCGAG  5040
     AACGTGCCCT ACAAGTTCAA GGTGCAGGCC AGGACCACTG AGGGCTTCGG GCCAGAGCGC  5100
     GAGGGCATCA TCACCATAGA GTCCCAGGAT GGAGGACCCT TCCCGCAGCT GGGCAGCCGT  5160
15   GCCGGGCTCT TCCAGCACCC GCTGCAAAGC GAGTACAGCA GCATCACCAC CACCCACACC  5220
     AGGGCCACCG AGCCCTTCCT AGTGGATGGG CCGACCCTGG GGGCCCAGCA CCTGGAGGCA  5280
     GGCGGCTCCC TCACCCGGCA TGTGACCCAG GAGTTTGTGA GCCGGACACT GACCACCAGC  5340
     GGAACCCTTA GCACCCACAT GGACCAACAG TTCTTCCAAA CTTGACCGCA CCCTGCCCCA  5400
     CCCCCGCCAT GTCCCACTAG GCGTCCTCCC GACTCCTCTC CCGGAGCCTC CTCAGCTACT  5460
20   CCATCCTTGC ACCCCTGGGG GCCCAGCCCA CCCGCATGCA CAGAGCAGGG GCTAGGTGTC  5520
     TCCTGGGAGG CATGAAGGGG GCAAGGTCCG TCCTCTGTGG GCCCAAACCT ATTTGTAACC  5580
     AAAGAGCTGG GAGCAGCACA AGGACCCAGC CTTTGTTCTG CACTTAATAA ATGGTTTTGC  5640
     ACTG
```

Seq ID NO: 130 Protein sequence:
Protein Accession #: NP_000204

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MAGPRPSPWA RLLLAALISV SLSGTLANRC KKAPVKSCTE CVRVDKDCAY CTDEMFRDRR   60
     CNTQAELLAA GCQRESIVVM ESSFQITEET QIDTTLRRSQ MSPQGLRVRL RPGEERHFEL  120
     EVFEPLESPV DLYILMDPSN SMSDDLDNLK KMGQNLARVL SQLTSDYTIG FGKFVDKVSV  180
     PQTDMRPEKL KEPWPNSDPP PSFKNVISLT EDVDEFRNKL QGERISGNLD APEGGPDAIL  240
     QTAVCTRDIG WRPDSTHLLV PSTESAPHYE ADGANVLAGI MSRNDERCHL DTTGTYTQYR  300
     TQDYPSVPTL VRLLAKHNII PIFAVTNYSY SYYEKLHTYF PVSSLGVLQE DSSNIVELLE  360
     EAFNRIRSNL DIRALDSPRG LRTEVTSKMF QKTRTGSFHI RRGEVGIYQV QLRALEHVDG  420
     THVCQLPEDQ KGNIHLKPSF SDGLKMDAGI ICDVCTCELQ KEVRSARCSP NGDPVCGQCV  480
     CSEGWSGQTC NCSTGSLSDI QPCLREGEDK PCSGRGECQC GHCVCYGEGR YEGQFCEYDN  540
     FQCPRTSGFL CNDRGRCSMG QCVCEPGWTG PSCDCPLSNA TCIDSNGGIC NGRGHCECGR  600
     CHCHQQSLYT DTICEINYSA IHPGLCEDLR SCVQCQAWGT GEKKGRTCEE CNFKVKMVDE  660
     LKRAEEVVVR CSFRDEDDDC TYSYTMEGDG APGPNSTVLV HKKKDCPPGS FWWLIPLLLL  720
     LLPLLALLLL LCWKYCACCK ACLALLPCCN RGHMVGFKED HYMLRENLMA SDHLDTPMLR  780
     SGNLKGRDVV RWKVTNNMQR PGFATHAASI NPTELVPYGL SLRLARLCTE NLLKPDTREC  840
     AQLRQEVEEN LNEVYRQISG VHKLQQTKFR QQPNAGKKQD HTIVDTVLMA PRSAKPALLK  900
     LTEKQVEQRA FHDLKVAPGY YTLTADQDAR GMVEFQEGVE LVDVRVPLFI RPEDDDEKQL  960
     LVEAIDVPAG TATLGRRLVN ITIIKEQARD VVSFEQPEFS VSRGDQVARI PVIRRVLDGG 1020
     KSQVSYRTQD GTAQGNRDYI PVEGELLFQP GEAWKELQVK LLELQEVDSL LRGRQVRRFH 1080
     VQLSNPKFGA HLGQPHSTTI IIRDPDELDR SFTSQMLSSQ PPPHGDLGAP QNPNAKAAGS 1140
     RKIHFNWLPP SGKPMGYRVK YWIQGDSBSE AHLLDSKVPS VELTNLYPYC DYEMKVCAYG 1200
     AQGEGPYSSL VSCRTHQEVP SEPGRLAFNV VSSTVTQLSW AEPAETNGEI TAYEVCYGLV 1260
     NDDNRPIGPM KKVLVDNPKN RMLLIENLRE SQPYRYTVKA RNGAGWGPER EAIINLATQP 1320
     KRPMSIPIIP DIPIVDAQSG EDYDSFLMYS DDVLRSPSGS QRPSVSDDTB HLVNGRMDFA 1380
     FPGSTNSLHR MTTTSAAAYG THLSPHVPHR VLSTSSTLTR DYNSLTRSEH SHSTTLPRDY 1440
     STLTSVSSHD SRLTAGVPDT PTRLVFSALG PTSLRVSWQE PRCERPLQGY SVEYQLIAGG 1500
     ELHRLNIPNP AQTSVVVEDL LPNHSYVFRV RAQSQEGWGR EREGVITIES QVHPQSPLCP 1560
     LPGSAFTLST PSAPGPLVFT ALSPDSLQLS WERPRRPNGD IVGYLVTCEM AQGGGPATAF 1620
     RVDGDSPESR LTVPGLSENV PYKFKVQART TEGFGPEREG IITIESQDGG PFFPQLGSRAG 1680
     LFQHPLQSEY SSITTTHTSA TEPFLVDGPT LGAQHLEAGG SLTRHVTQEF VSRTLTTSGT 1740
     LSTHMDQQFF QT
```

Seq ID NO: 131 DNA sequence
Nucleic Acid Accession #: BC004372
Coding sequence: 132..2231

```
     1          11         21         31    ,    41         51
     |          |          |          |          |          |
     CCTCGTGCCG CGGACCCCAG CCTCTGCCAG GTTCGGTCCG CCATCCTCGT CCCGTCCTCC   60
     GCCGGCCCCT GCCCCGCGCC CAGGGATCCT CCAGCTCCTT TCGCCCGCGC CCTCCGTTCG  120
     CTCCCGGACAC CATGGACAAG TTTTGGTGGC ACGCAGCCTG GGGACTCTGC CTCGTGCCGC  180
     TGAGCCTGGC GCAGATGAT TTGAATATAA CCTGCCGCTT TGCAGGTGTA TTCCACGTGG  240
     AGAAAAATGG TCGCTACAGC ATCTCTCGGA CGGAGGCCGC TGACCTCTGC AAGGCTTTCA  300
     ATAGCACCTT GCCCACAATG GCCCAGATGG AGAAAGCTCT GAGCATCGGA TTTGAGACCT  360
     GCAGGTATGG GTTCATAGAA GGGCATGTGG TGATTCCCCG GATCCACCCC AACTCCATCT  420
     GTGCAGCAAA CAACACAGGG GTGTACATCC TCACATCCAA CACCTCCCAG TATGACACAT  480
     ATTGCTTCAA TGCTTCAGCT CCACCTGAAG AAGATTGTAC ATCAGTCACA GACCTGCCCA  540
     ATGCCTTTGA TGGACCAATT ACCATAACTA TTGTTAACCG TGATGGCACC CGCTATGTCC  600
     AGAAAGGAGA ATACAGAACG AATCCTGAAG ACATCTACCC CAGCAACCCT ACTGATGATG  660
     ACGTGAGCAG CGGCTCCTCC AGTGAAAGGA GCAGCACTTC AGGAGGTTAC ATCTTTTACA  720
     CCTTTTCTAC TGTACACCCC ATCCCAGACG AAGACAGTCC CTGGATCACC GACAGCACAG  780
     ACAGAATCCC TGCTACCAGT ACGTCTTCAA ATACCATCTC AGCAGGCTGG GAGCCAAATG  840
     AAGAAAATGA AGATGAAAGA GACAGACACC TCAGTTTTTC TGGATCAGGC ATTGATGATG  900
     ATGAAGATTT TATCTCCAGC ACCATTTCAA CCACACCACG GGCTTTTGAC CACACAAAAC  960
     AGAACCAGGA CTGGACCCAG TGGAACCCAA GCCATTCAAA TCCGGAAGTG CTACTTCAGA 1020
     CAACCACAAG GATGACTGAT GTAGACAGAA ATGGCACCAC TGCTTATGAA GGAAACTGGA 1080
     ACCCAGAAGC ACACCCTCCC CTCATTCACC ATGAGCATCA TGAGGAAGAA GAGACCCCAC 1140
     ATTCTACAAG CACAATCCAG GCAACTCCTA GTAGTACAAC GGAAGAAACA GCTACCCAGA 1200
     AGGAACAGTG GTTTGGCAAC AGATGGCATG AGGGGATATCG CCAAACACCC AGAGAAGACT 1260
```

```
       CCCATTCGAC AACAGGGACA GCTGCAGCCT CAGCTCATAC CAGCCATCCA ATGCAAGGAA   1320
       GGACAACACC AAGCCCAGAG GACAGTTCCT GGACTGATTT CTTCAACCCA ATCTCACACC   1380
       CCATGGGACG AGGTCATCAA GCAGGAAGAA GGATGGGATAT GGACTCCAGT CATAGTACAA   1440
       CGCTTCAGCC TACTGCAAAT CCAAACACAG GTTTGGTGGA AGATTTGGAC AGGACAGGAC   1500
       CTCTTTCAAT GACAACGCAG CAGAGTAATT CTCAGAGCTT CTCTACATCA CATGAAGGCT   1560
       TGGAAGAAGA TAAAGACCAT CCAACAACTT CTACTCTGAC ATCAAGCAAT AGGAATGATG   1620
       TCACAGGTGG AAGAAGAGAC CCAAATCATT CTGAAGGCTC AACTACTTTA CTGGAAGGTT   1680
       ATACCTCTCA TTACCCACAC ACGAAGGAAA GCAGGACCTT CATCCCAGTG ACCTCAGCTA   1740
       AGACTGGGTC CTTTGGAGTT ACTGCAGTTA CTGTTGGAGA TTCCAACTCT AATGTCAATC   1800
       GTTCCTTATC AGGAGACCAA GACACATTCC ACCCCAGTGG GGGGTCCCAT ACCACTCATG   1860
       GATCTGAATC AGATGGACAC TCACATGGGA GTCAAGAAGG TGGAGCAAAC ACAACCTCTG   1920
       GTCCTATAAG GACACCCCAA ATTCCAGAAT GGCTGATCAT CTTGGCATCC TCTCTTGGCCT   1980
       TGGCTTTGAT TCTTGCAGTT TGCATTGCAG TCAACAGTCG AAGAAGGTGT GGGCAGAAGA   2040
       AAAAGCTAGT GATCAACAGT GGCAATGGAG CTGTGGAGGA CAGAAAGCCA AGTGGACTCA   2100
       ACGGAGAGGC CAGCAAGTCT CAGGAAATGG TGCATTTGGT GAACAAGGAG TCGTCAGAAA   2160
       CTCCAGACCA GTTTATGACA GCTGATGAGA CAAGGAACCT GCAGAATGTG GACATGAAGA   2220
       TTGGGGTGTA ACACCTACAC CATTATCTTG GAAAGAAACA ACCGTTGGAA ACATAACCAT   2280
       TACAGGGAGC TGGGACACTT AACAGATGCA ATGTGCTACT GATTGTTTCA TTGCGAATCT   2340
       TTTTTAGCAT AAAATTTTCT ACTCTTAAAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 132 Protein sequence:
Protein Accession #: AAH04372

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MDKFWWHAAW GLCLVPLSLA QIDLNITCRF AGVFHVEKNG RYSISRTEAA DLCKAFNSTL    60
       PTMAQMEKAL SIGFETCRYG PIEGHVVIPR IHPNSICAAN NTGVYILTSN TSQYDTYCFN   120
       ASAPPEEDCT SVTDLPNAFD GPITITIVNR DGTRYVQKGE YRTNPEDIYP SNPTDDDVSS   180
       GSSSERSSTS GGYIFYTFST VHPIPDEDSP WITDSTDRIP ATSTSSNTIS AGWEPNEENE   240
       DERDRHLSFS GSGIDDDEDF ISSTISTTPR AFDHTKQNQD WTQWNPSHSN PEVLLQTTTR   300
       MTDVDRNGTT AYBGNWNPEA HPPLIHHEHH EEEETPHSTS TIQATPSSTT EETATQKEQW   360
       FGNRWHEGYR QTPREDSHST TGTAAASAHT SHPMQGRTTP SPEDSSWTDF FNPISHPMGR   420
       GHQAGRRMDM DSSHSTTLQP TANPNTGLVE DLDRTGPLSM TTQQSNSQSF STSHBGLEED   480
       KDHPTTSTLT SSNRNDVTGG RRDPNHSEGS TTLLEGYTSH YPRTKESRTF IPVTSAKTGS   540
       FGVTAVTVGD SNSNVNRSLS GDQDTFHPSG GSHTTHGSES DGHSHGSQEG GANTTSGPIR   600
       TPQIPEWLII LASLLALALI LAVCIAVNSR RRCGQRKKLV INSGNGAVED RKPSGLNGEA   660
       SKSQEMVHLV NKESSETPDQ FMTADETRNL QNVDMKIGV
```

Seq ID NO: 133 DNA sequence
Nucleic Acid Accession #: NM_002882
Coding sequence: 150-755

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CGAGGTTCGG GTCGTGGGGC GGAGGGAAGA GCGGGCGGGC GGGAGGCGCC GGCGCCAGAC    60
       GCGGAGGGAA GGAGCTACGA GTAGCCGCCG AGAGGCCGCG GAGCCAGCGA CGACCGACCC   120
       AGCCGAGCCG CCGCCGCCGC CGCGCCCCCA TGGCGGCCGC CAAGGACACT CATGAGGACC   180
       ATGATACTTC CACTGAGAAT ACAGACGAGT CCAACCATGA CCCTCAGTTT GAGCCAATAG   240
       TTTCTCTTCC TGAGCAAGAA ATTAAAACAC TGGAAGAAGA TGAAGAGGAA CTTTTTAAAA   300
       TGCGGGCAAA ACTGTTCCGA TTTGCCTCTG AGAACGATCT CCCAGAATGG AAGGAGCGAG   360
       GCACTGGTGA CGTCAAGCTC CTGAAGCACA AGGAGAAAGG GGCCATCCGC CTCCTCATGC   420
       GGAGGGACAA GACCCTGAAG ATCTGTGCCA ACCACTACAT CACGCCGATG ATGGAGCTGA   480
       AGCCCAACGC AGGTAGCGAC CGTGCCTGGG TCTGGAACAC CCACGCTGAC TTCGCCGACG   540
       AGTGCCCCAA GCCAGAGCTG CTGGCCATCC GCTTCCTGAA TGCTGAGAAT GCACAGAAAT   600
       TCAAAACAAA GTTTGAAGAA TGCAGGAAAG AGATCGAAGA GAGAGAAAAG AAAGCAGGAT   660
       CAGGCAAAAA TGATCATGCC GAAAAAGTGG CGGAAAAGCT AGAAGCTCTC TCGGTGAAGG   720
       AGGAGACCAA GGAGGATGCT GAGGAGAAGC AATAAATCGT CTTATTTTAT TTTCTTTTCC   780
       TCTCTTTCCT TTCCTTTTTT TAAAAAAATTT TACCCTGCCC CTCTTTTTCG GTTTGTTTTT   840
       ATTCTTTCAT TTTTTACAAGG GACGTTATAT AAAGAACTGA ACTC
```

Seq ID NO: 134 Protein sequence:
Protein Accession #: NP_002873

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MAAAKDTHED HDTSTENTDE SNHDPQFEPI VSLPEQEIKT LEEDEEELFK MRAKLPRFAS    60
       ENDLPEWKER GTGDVKLLKH KEKGAIRLLM RRDKTLKICA NHYITPMMEL KPNAGSDRAW   120
       VWNTHADFAD ECPKPELLAI RFLNAENAQK FKTKFEECRK EIEEREKKAG SGKNDHAEKV   180
       AEKLEALSVK EETKEDAEEK Q
```

Seq ID NO: 135 DNA sequence
Nucleic Acid Accession #: NM_000077.2
Coding sequence: 277-742

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CCCAACCTGG GGCGACTTCA GGTGTGCCAC ATTCGCTAAG TGCTCGGAGT TAATAGCACC    60
       TCCTCCGAGC ACTCGCTCAC GGCGTCCCCT TGCCTGGAAA GATACCGCGG TCCCTCCAGA   120
       GGATTTGAGG GACAGGGTCG GAGGGGGCTC TTCCGCCAGC ACCGGAGGAA GAAAGAGGAG   180
       GGGCTGGCTG GTCACCAGAG GGTGGGCGG ACCGCGTGCG CTCGGCGGCT CGGGAGAGGG   240
       GGAGAGCAGG CAGCGGGCGG CGGGGAGCAG CATGGAGCCG CGGGCGGGGA GCAGCATGGA   300
       GCCTTCGGCT GACTGGCTGG CCACGGCCGC GGCCCGGGGT CGGGTAGAGG AGGTGCGGGC   360
       GCTGCTGGAG GCGGGGGCGC TGCCCAACGC ACCGAATAGT TACGGTCGGA GGCCGATCCA   420
       GGTCATGATG ATGGGCAGCG CCCGAGTGGC GGAGCTGCTG CTGCTCCACG GCGCGGGAGCC   480
```

```
CAACTGCGCC GACCCCGCCA CTCTCACCCG ACCCGTGCAC GACGCTGCCC GGGAGGGCTT    540
CCTGGACACG CTGGTGGTGC TGCACCGGGC CGGGGCGCGG CTGGACGTGC GCGATGCCTG    600
GGGCCGTCTG CCCGTGGACC TGGCTGAGGA GCTGGGCCAT CGCGGATGTCG CACGGTACCT    660
GCGCGCGGCT GCGGGGGGCA CCAGAGGCAG TAACCATGCC CGCATAGATG CCGCGGAAGG    720
TCCCTCAGAC ATCCCCGATT GAAAGAACCA GAGAGGCTCT GAGAAACCTC GGGAAACTTA    780
GATCATCAGT CACCGAAGGT CCTACAGGGC CACAACTGCC CCCGCCACAA CCCACCCCGC    840
TTTCGTAGTT TTCATTTAGA AAATAGAGCT TTTAAAAATG TCCTGCCTTT TAACGTAGAT    900
ATATGCCTTC CCCCACTACC GTAAATGTCC ATTTATATCG TTTTTTTATAT ATTCTTATAA    960
AAATGTAAAA AAGAAAAACA CCGCTTCTGC CTTTTCACTG TGTTGGAGTT TTCTGGAGTG   1020
AGCACTCACG CCCTAAGCGC ACATTCATGT GGGCATTCT TGCGAGCCTC GCAGCCTCCG   1080
GAAGCTGTCG ACTTCATGAC AAGCATTTTG TGAACTAGGG AAGCTCAGGG GGGTTACTGG   1140
CTTCTCTTGA GTCACACTGC TAGCAAATGG CAGAACCAAA GCTCAAATAA AAATAAAATA   1200
ATTTTCATTC ATTCACTC
```

Seq ID NO: 136 Protein sequence:
Protein Accession #: NP_000068.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MEPAAGSSME PSADWLATAA ARGRVEEVRA LLEAGALPNA PNSYGRRPIQ VMMMGSARVA    60
ELLLLHGAEP NCADPATLTR PVHDAAREGP LDTLVVLHRA GARLDVRDAW GRLPVDLAEE   120
LGHRDVARYL RAAAGGTRGS NHARIDAAEG PSDIPD
```

Seq ID NO: 137 DNA sequence
Nucleic Acid Accession #: NM_058196.1
Coding sequence: 104-421

```
1          11         21         31         41         51
|          |          |          |          |          |
TGTGTGGGGG TCTGCTTGGC GGTGAGGGGG CTCTACACAA GCTTCCTTTC CGTCATGCCG    60
GCCCCCACCC TGGCTCTGAC CATTCTGTTC TCTCTGGCAG GTCATGATGA TGGGCAGCGC   120
CCGAGTGGCG GAGCTGCTGC TGCTCCACGG CGCGGAGCCC AACTGCGCG ACCCCGCCAC   180
TCTCACCCGA CCCGTGCACG ACGCTGCCCG GGAGGGCTTC CTGGACACGC TGGTGGTGCT   240
GCACCGGGCC GGGGCGCGGC TGGACGTGCG CGATGCCTGG GGCCGTCTGC CCGTGGACCT   300
GGCTGAGGAG CTGGGCCATC GCGATGTCGC ACGGTACCTG CGCGCGGCTG CGGGGGGCAC   360
CAGAGGCAGT AACCATGCCC GCATAGATGC CGCGGAAGGT CCCTCAGACA TCCCCGATTG   420
AAAGAACCAG AGAGGCTCTG AGAAACCTCG GGAAACTTAG ATCATCAGTC ACCGAAGGTC   480
CTACAGGGCC ACAACTGCCC CCGCCACAAC CCACCCCGCT TTCGTAGTTT TCATTTAGAA   540
AATAGAGCTT TTAAAAATGT CCTGCCTTTT AACGTAGATA TAAGCCTTCC CCCACTACCG   600
TAAATGTCCA TTTATATCGT TTTTTATATA TTCTTATAAA AATGTAAAAA AGAAAAACAC   660
CGCTTCTGCC TTTTCACTGT GTTGGAGTTT TCTGGAGTGA GCACTCACG CCTAAGCGCA   720
CATTCATGTG GGCATTTCTT GCGAGCCTCG CAGCCTCCGG AAGCTGTCGA CTTCATGACA   780
AGCATTTTGT GAACTAGGGA AGCTCAGGGG GGTTACTGGC TTCTCTTGAG TCACACTGCT   840
AGCAAATGGC AGAACCAAAG CTCAAATAAA AATAAAATAA TTTTCATTCA TTCACTC
```

Seq ID NO: 138 Protein sequence:
Protein Accession #: NP_478103.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MMMGSARVAE LLLLHGAEPN CADPATLTRP VHDAAREGFL DTLVVLHRAG ARLDVRDAWG    60
RLPVDLAEEL GHRDVARYLR AAAGGTRGSN HARIDAAEGP SDIPD
```

Seq ID NO: 139 DNA sequence
Nucleic Acid Accession #: NM_058197.1
Coding sequence: 272-684

```
1          11         21         31         41         51
|          |          |          |          |          |
CCCAACCTGG GGCGACTTCA GGTGTGCCAC ATTCGCTAAG TGCTCGGAGT TAATAGCACC    60
TCCTCCGAGC ACTCGCTCAC GGCGTCCCCT TGCCTGGAAA GATACCGCGG TCCCCTCCAGA   120
GGATTTGAGG GACAGGGTCG GAGGGGGCTC TTCCGCCAGC ACCGGAGGAA GAAAGAGGAG   180
GGGCTGGCTG GTCACCAGAG GGTGGGGCGG ACCGCGTGCG CTCGGCGGCT GCGGAGAGGG   240
GGAGAGCAGG CAGCGGGCGG CGGGGAGCAG CATGGAGCCG GCGGCGGGGA GCAGCATGGA   300
GCCGGCGGCG GGGAGCAGCA TGGAGCCTTC GGCTGACTGG CTGGCCACGG CCGCGGCCCG   360
GGGTCGGGTA GAGGAGGTGC GGGCGCTGCT GGAGGCGGGG GCGCTGCCCA ACGCACCGAA   420
TAGTTACGGT CGGAGGCCGA TCCAGGTGGG TAGAAGGTCT GCAGCGGGAG CAGGGGATGG   480
CGGGCGACTC TGGAGGACGA AGTTTGCAGG GGAATTGGAA TCAGGTAGCG CTTCGATTCT   540
CCGGAAAAAG GGGAGGCTTC CTGGGGAGTT TTCAGAAGGG GTTTGTAATC ACAGACCTCC   600
TCCTGGCGAC GCCCTGGGGG CTTGGGAAAC CAAGGAAGAG GAATGAGGAG CCACGCGCGT   660
ACAGATCTCT CGAATGCTGA GAAGATCTGA AGGGGGGAAC ATATTTGTAT TAGATGGAAG   720
TCATGATGAT GGGCAGCGCC CGAGTGGCGG AGCTGCTGCT GCTCCACGGC GCGGAGCCCA   780
ACTGCGCCGA CCCCGCCACT CTCACCCGAC CCGTGCACGA CGCTGCCCGG GAGGGCTTCC   840
TGGACACGCT GGTGGTGCTG CACCGGGCCG GGGCGCGGCT GGACGTGCGC GATGCCTGGG   900
GCCGTCTGCC CGTGGACCTG GCTGAGGAGC TGGGCCATCG CGATGTCGCA CGGTACCTGC   960
GCGCGGCTGC GGGGGGCACC AGAGGCAGTA ACCATGCCCG CATAGATGCC GCGGAAGGTC  1020
CCTCAGACAT CCCCGATTGA AAGAACCAGA GAGGCTCTGA GAAACCTCGG GAACTTAGAT  1080
CATCAGTCAC CGAAGGTCCT ACAGGGCCAC AACTGCCCCC GCCACAACCC ACCCCGCTTT  1140
CGTAGTTTTC ATTTAGAAAA TAGAGCTTTT AAAAATGTCC TGCCTTTTAA CGTAGATATA  1200
TGCCTTCCCC CACTACCGTA AATGTCCATT TATATCATTT TTTATATATT CTTATAAAAA  1260
TGTAAAAAAG AAAAACACCG CTTCTGCCTT TTCACTGTGT TGGAGTTTTC TGGAGTGAGC  1320
ACTCACGCCC TAAGCGCACA TTCATGTGGG CATTTCTTGC GAGCCTCGCA GCCTCCGGAA  1380
GCTGTCGACT TCATGACAAG CATTTTGTGA ACTAGGGAAG CTCAGGGGGG TTACTGGCTT  1440
CTCTTGAGTC ACACTGCTAG CAAATGGCAG AACCAAAGCT CAAATAAAAA TAAAATAATT  1500
```

TTCATTCATT CACTC

Seq ID NO: 140 Protein sequence:
Protein Accession #: NP_478104.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MEPAAGSSME PAAGSSMEPS ADWLATAAAR GRVEEVRALL EAGALPNAPN SYGRRPIQVG   60
RRSAAGAGDG GRLWRTKFAG ELESGSASIL RKKGRLPGEF SEGVCNHRPP PGDALGAWET  120
KEEE
```

Seq ID NO: 141 DNA sequence
Nucleic Acid Accession #: NM_058195.1
Coding sequence: 163-684

```
1          11         21         31         41         51
|          |          |          |          |          |
CCTCCCTACG GGCGCCTCCG GCAGCCCTTC CCGCGTGCGC AGGGCTCAGA GCCGTTCCGA   60
GATCTTGGAG GTCCGGGTGG GAGTGGGGGT GGGGTGGGGG TGGGGGTGAA GGTGGGGGGC  120
GGGCGCGCTC AGGGAAGGCG GGTGCGCGCC TGCGGGGCGG AGATGGGCAG GGGGCGGTGC  180
GTGGGTCCCA GTCTGCAGTT AAGGGGGCAG GAGTGGCGCT GCTCACCTCT GGTGCCAAGG  240
GGCGGCGCAG CGGCTGCCGA GCTCGGCCCT GGAGGCGGCG AGAACATGGT GCGCAGGTTC  300
TTGGTGACCC TCCGGATTCG GCGCGCGTGC GGCCCGCCGC GAGTGAGGGT TTTCGTGGTT  360
CACATCCCGC GGCTCACGGG GGAGTGGGCA GCGCCAGGGG CGCCCGCCGC TGTGGCCCTC  420
GTGCTGATGC TACTGAGGAG CCAGCGTCTA GGGCAGCAGC CGCTTCCTAG AAGACCAGGT  480
CATGATGATG GGCAGCGCCC GAGTGGCGGA GCTGCTGCTG CTCCACGGCG CGGAGCCCAA  540
CTGCGCCGAC CCCGCCACTC TCACCCGACC CGTGCACGAC GCTGCCCGGG AGGGCTTCCT  600
GGACACGCTG GTGGTGCTGG ACCGGGCCGG GGCGCGGCTG GACGTGCGCG ATGCCTGGGG  660
CCGTCTGCCC GTGGACCTGG CTGAGGAGCT GGGCCATGCC GATGTCGCAC GGTACCTGCG  720
CGCGGCTGCG GGGGGCACCA GAGGCAGTAA CCATGCCCGC ATAGATGCCG CGGAAGGTCC  780
CTCAGACATC CCCGATTGAA AGAACCAGAG AGGCTCTGAG AAACCTCGGG AAACTTAGAT  840
CATCAGTCAC CGAAGGTCCT ACAGGGCCAC AACTGCCCCC GCCACAACCC ACCCCGCTTT  900
CGTAGTTTTC ATTTAGAAAA TAGAGCTTTT AAAAATGTCC TGCCTTTTAA CGTAGATATA  960
TGCCTTCCCC CACTACCGTA AATGTCCATT TATATCATTT TTTATATATT CTTATAAAAA 1020
TGTAAAAAAG AAAAACACCG CTTCTGCCTT TTCACTGTGT TGGAGTTTTC TGGAGTGAGC 1080
ACTCACGCCC TAAGCGCACA TTCATGTGGG CATTTCTTGC GAGCCTCGCA GCCTCCGGAA 1140
GCTGTCGACT TCATGACAAG CATTTTGTGA ACTAGGGAAG CTCAGGGGGG TTACTGGCTT 1200
CTCTTGAGTC ACACTGCTAG CAAATGGCAG AACCAAAGCT CAAATAAAAA TAAAATAATT 1260
TTCATTCATT CACTC
```

Seq ID NO: 142 Protein sequence:
Protein Accession #: NP_478102.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGRGRCVGPS LQLRGQEWRC SPLVPKGGAA AAELGPGGGE NMVRRPLVTL RIRRACGPPR   60
VRVFVVHIPR LTGEWAAPGA PAAVALVLML LRSQRLGQQP LPRRPGHDDG QRPSGGAAAA  120
PRRGAQLRRP RHSHPTRARR CPGGLPGHAG GAAPGRGAAG RARCLGPSAR GPG
```

Seq ID NO: 143 DNA sequence
Nucleic Acid Accession #: NM_018131
Coding sequence: 412..1107

```
1          11         21         31         41         51
|          |          |          |          |          |
GAAATTGCAC ACTTAAAGAC ATCAGTGGAT GAAATCACAA GTGGGAAAGG AAAGCTGACT   60
GATAAAGAGA GACAGAGACT TTTGGAGAAA ATTCGAGTCC TTGAGGCTGA GAAGGAGAAG  120
AATGCTTATC AACTCACAGA GAAGGACAAA GAAATACAGC GACTGAGAGA CCAACTGAAG  180
GCCAGATATA GTACTACCGC ATTGCTTGAA CAGCTGGAAG AGACAACGAG AGAAGGAGAA  240
AGGAGGGAGC AGGTGTTGAA AGCCTTATCT GAAGAGAAAG ACGTATTGAA ACAACAGTTG  300
TCTGCTGCAA CCTCACGAAT TGCTGAACTT GAAAGCAAAA CCAATACACT CCGTTTATCA  360
CAGACTGTGG CTCCAAACTG CTTCAACTCA TCAATAAATA ATATTCATGA AATGGAAATA  420
CAGCTGAAAG ATGCTCTGGA GAAAAATCAG CAGTGGCTCG TGTATGATCA GCAGCGGGAA  480
GTCTATGTAA AAGGACTTTT AGCAAAGATC TTTGAGTTGG AAAAAGAAAC GGAAACAGCT  540
GCTCATTCAC TCCCACAGCA GACAAAAAAG CCTGAATCAG AAGGTTATCT TCAAGAAGAG  600
AAGCAGAAAT GTTACAACGA TCTCTTGGCA AGTGCAAAAA AAGATCTTGA GGTTGAACGA  660
CAAACCATAA CTCAGCTGAG TTTTGAACTG AGTGAATTTC GAAGAAAATA TGAAGAAACC  720
CAAAAGAAAG TTCACAATTT AAATCAGCTG TTGTATTCAC AAAGAAGGGC AGATGTGCAA  780
CATCTGGAAG ATGATAGGCA TAAAACAGAG AAGATACAAA AACTCAGGGA AGAGAATGAT  840
ATTGCTAGGG GAAAACTTGA AGAAGAGAAG AAGAGATCCG AAGAGCTCTT ATCTCAGGTC  900
CAGTCTCTTT ACACATCTCT GCTAAAGCAG CAAGAAGAAC AAACAAGGGT AGCTCTGTTG  960
GAACAACAGA TGCAGGCATG TACTTTAGAC TTTGAAAATG AAAAACTCGA CCGTCAACAT 1020
GTGCAGCATC AATTGCATGT AATTCTTAAG GAGCTCCGAA AGCAAGAAA AAATAACACA 1080
GTTGGAATCC TTGAAACAGC TTCATGAGTT TGCCATCACA GAGCCATTAG TCACTTTCCA 1140
AGGAGAGACT GAAAACAGAG AAAAAGTTGC CGCCTCACCA AAAAGTCCCA CTGCTGCACT 1200
CAATGGAAGC CTGGTGGAAT GTCCCAAGTG CAATATACAG TATCCAGCCA CTGAGCATCG 1260
CGATCTGCTT GTCCATGTGG AATACTGTTC AAAGTAGCAA AATAAGTATT TGTTTTGATA 1320
TTAAAAGATT CAATACTGTA TTTTCTGTTA GCTTGTGGGC ATTTTGAATT ATATATTTCA 1380
CATTTTGCAT AAAACTGCCT ATCTACCTTT GACACTCCAG CATGCTAGTG AATCATGTAT 1440
CTTTTAGGCT GCTGTGCATT TCTCTTGGCA GTGATACCTC CCTGACATGG TTCATCATCA 1500
GGCTGCAATG ACAGAATGTG GTGAGCAGCG TCTACTGAGA TACTAACATT TTGCACTGTC 1560
AAAATACTTG GTGAGGAAAA GATAGCTCAG GTTATTGCTA ATGGGTTAAT GCACCAGCAA 1620
GCAAAATATT TTATGTTTCG GGGGTTTTGA AAAATCAAAG ATAATTAACC AAGGATCTTA 1680
ACTGTGTTCG CATTTTTTAT CCAAGCACTT AGAAAACCTA CAATCCTAAT TTTGATGTCC 1740
ATTGTTAAGA GGTGGTGATA GATACTATTT TTTTTTCATA TTGTATAGCG GTTATTAGAA 1800
```

```
AAGTTGGGGA TTTTCTTGAT CTTTATTGCT GCTTACCATT GAAACTTAAC CCAGCTGTGT 1860
TCCCCAACTC TGTTCTGCGC ACGAAACAGT ATCTGTTTGA GGCATAATCT TAAGTGGCCA 1920
CACACAATGT TTTCTCTTAT GTTATCTGGC AGTAACTGTA ACTTGAATTA CATTAGCACA 1980
TTCTGCTTAG CTAAAATTGT TAAAATAAAC TTTAATAAAC CCATGTAGCC CTCTCATTTG 2040
ATTGACAGTA TTTTAGTTAT TTTTGGCATT CTTAAAGCTG GGCAATGTAA TGATCAGATC 2100
TTTGTTTGTC TGAACAGGTA TTTTTATACA TGCTTTTTGT AAACCAAAAA CTTTTAAATT 2160
TCTTCAGGTT TTCTAACATG CTTACCACTG GGCTACTGTA AATGAGAAAA GAATAAAATT 2220
ATTTAATGTT TT
```

Seq ID NO: 144 Protein sequence:
Protein Accession #: NP_060601

```
1          11         21         31         41         51
|          |          |          |          |          |
MBIQLKDALE KNQQWLVYDQ QREVYVKGLL AKIFELEKKT ETAAHSLPQQ TKKPESEGYL   60
QEEKQKCYND LLASAKKDLE VERQTITQLS FELSEFRRKY EETQKEVHNL NQLLYSQRRA  120
DVQHLEDDRH KTEKIQKLRE ENDIARGKLE EEKKRSEELL SQVQSLYTSL LKQQEEQTRV  180
ALLEQQMQAC TLDFENEKLD RQHVQHQLHV ILKELRKARK NNTVGILETA S
```

Seq ID NO: 145 DNA sequence
Nucleic Acid Accession #: NM_001168
Coding sequence: 50..478

```
1          11         21         31         41         51
|          |          |          |          |          |
CCGCCAGATT TGAATCGCGG GACCCGTTGG CAGAGGTGGC GGCGGCGGCA TGGGTGCCCC   60
GACGTTGCCC CCTGCCTGGC AGCCCTTTCT CAAGGACCAC CGCATCTCTA CATTCAAGAA  120
CTGGCCCTTC TTGGAGGGCT GCGCCTGCAC CCCGGAGCGG ATGGCCGAGG CTGGCTTCAT  180
CCACTGCCCC ACTGAGAACG AGCCAGACTT GGCCCAGTGT TTCTTCTGCT TCAAGGAGCT  240
GGAAGGCTGG GAGCCAGATG ACGACCCCAT AGAGGAACAT AAAAAGCATT CGTCCGGTTG   300
CGCTTTCCTT TCTGTCAAGA AGCAGTTTGA AGAATTAACC CTTGGTGAAT TTTTGAAACT   360
GGACAGAGAA AGAGCCAAGA ACAAAATTGC AAAGGAAACC AACAATAAGA AGAAAGAATT   420
TGAGGAAACT GCGAAGAAAG TGCGCCGTGC CATCGAGCAG CTGGCTGCCA TGGATTGAGG   480
CCTCTGGCCG GAGCTGCCTG GTCCCAGAGT GGCTGCACCA CTTCCAGGGT TTATTCCCTG   540
GTGCCACCAG CCTTCCTGTG GGCCCCTTAG CAATGTCTTA GGAAAGGAGA TCAACATTTT   600
CAAATTAGAT GTTTCAACTG TGCTCCTGTT TTGTCTTGAA AGTGGCACCA GAGGTGCTTC   660
TGCCTGTGCA GCGGGTGCTG CTGGTAACAG TGGCTGCTTC TCTCTCTCTC TCTCTTTTTT   720
GGGGCTCAT TTTTGCTGTT TTGATTCCCG GGCTTACCAG GTGAGAAGTG AGGGAGGAAG   780
AAGGCAGTGT CCCTTTTGCT AGAGCTGACA GCTTGTTCG CGTGGGCAGA GCCTTCCACA   840
GTGAATGTGT CTGGACCTCA TGTTGTTGAG GCTGTCACAG TCCTGAGTGT GGACTTGGCA   900
GGTGCCTGTT GAATCTGAGC TGCAGGTTCC TTATCTGTCA CACCTGTCAT TCCTCAGAGG   960
ACAGTTTTTT TGTTGTTGTG TTTTTTTGTT TTTTTTTTTT GGTAGATGCA TGACTTGTGT  1020
GTGATGAGAG AATGGAGACA GAGTCCCTGG CTCCCTCTACT GTTTAACAAC ATGGCTTTCT  1080
TATTTTGTTT GAATTGTTAA TTCACAGAAT AGCACAAACT ACAATTAAAA CTAAGCACAA  1140
AGCCATTCTA AGTCATTGGG GAAACGGGGT GAACTTCAGG TGGATGAGGA GACAGAATAG  1200
AGTGATAGGA AGCGTCTGGC AGATACTCCT TTTGCCACTG CTGTGTGATT AGACAGGCCC  1260
AGTGAGCCGC GGGGCACATG CTGGCCGCTC CTCCCTCAGA AAAAGGCAGT GGCCTAAATC  1320
CTTTTTAAAT GACTTGGCTC GATGCTGTGG GGGACTGGCT GGGCTGCTGC AGGCCGTGTG  1380
TCTGTCAGCC CAACCTTCAC ATCTGTCACG TTCTCCACAC GGGGGAGAGA CGCAGTCCGC  1440
CCAGGTCCCC GCTTTCTTTG GAGGCAGCAG CTCCCGCAGG GCTGAAGTCT GGCGTAAGAT  1500
GATGGATTTG ATTCGCCCTC CTCCCTGTCA TAGAGCTGCA GGGTGGATTG TTACAGCTTC  1560
GCTGGAAACC TCTGGAGGTC ATCTCGGCTG TTCCTGAGAA ATAAAAAGCC TGTCATTTC
```

Seq ID NO: 146 Protein sequence:
Protein Accession #: NP_001159

```
1          11         21         31         41         51
|          |          |          |          |          |
MGAPTLPPAW QPFLKDHRIS TFKNWPPLEG CACTPERMAB AGPIHCPTEN EPDLAQCPFC   60
FKELEGWEPD DDPIEEHKKH SSGCAPLSVK KQFEELTLGE FLKLDRERAK NKIAKETNNK  120
KKEFEETAKK VRRAIEQLAA MD
```

Seq ID NO: 147 DNA sequence
Nucleic Acid Accession #: NM_014176.1
Coding sequence: 127-720

```
1          11         21         31         41         51
|          |          |          |          |          |
GCGCGCAGCG CTGGTACCCC GTTGGTCCGC GCGTTGCTGC GTTGTGAGGG GTGTCAGCTC   60
AGTGCATCCC AGGCAGCTCT TAGTGTGGAG CAGTGAACTG TGTGTGGTTC CTTCTACTTG  120
GGGATCATGC AGAGAGCTTC ACGTCTGAAG AGAGAGCTGC ACATGTTAGC CACAGAGCCA  180
CCCCCAGGCA TCACATGTTG GCAAGATAAA GACCAAATGC ATGACCTGCG AGCTCAAATA  240
TTAGGTGGAG CCAACACACC TTATGAGAAA GGTGTTTTTA AGCTAGAAGT TATCATTCCT  300
GAGAGGTACC CATTTGAACC TCCTCAGATC CGATTTCTCA CTCCAATTTA TCATCCAAAC  360
ATTGATTCTG CTGGAAGGAT TTGTCTGGAT GTTCTCAAAT TGCCACCAAA AGGTGCTTGG  420
AGACCATCCC TCAACATCGC AACTGTGTTG ACCTCTATTC AGCTGCTCAT GTCAGAACCC  480
AACCCTGATG ACCCGCTCAT GGCTGACATA TCCTCAGAAT TTAAATATAA TAAGCCAGCC  540
TTCCTCAAGA ATGCCAGACA GTGGACAGAG AAGCATGCAA GACAGAAACA AAAGGCTGAT  600
GAGGAAGAGA TGCTTGATAA TCTACCAGAG GCTGGTGACT CCAGAGTACA CAACTCAACA  660
CAGAAAAGGA AGGCCAGTCA GCTAGTAGGC ATAGAAAAGA AATTTCATCC TGATGTTTAG  720
GGGACTTGTC CTGGTTCATC TTAGTTAATG TGTTCTTTGC CAAGGTGATC TAAGTTGCCT  780
ACCTTGAATT TTTTTTTAAA TATATTTGAT GACATAATTT TTGTGTAGTT TATTTATCTT  840
GTACATATGT ATTTTGAAAT CTTTTAAACC TGAAAAATAA ATAGTCATTT AATGTTGAAA  900
```

AAAAAAAAAA AAAAAAAAAA AAAAAAAA

Seq ID NO: 148 Protein sequence:
Protein Accession #: NP_054895.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MQRASRLKRE LHMLATEPPP GITCWQDKDQ MDDLRAQILG GANTPYEKGV FKLEVIIPER    60
YPFEPPQIRF LTPIYHPNID SAGRICLDVL KLPPKGAWRP SLNIATVLTS IQLLMSEPNP   120
DDPLWADISS EFKYNKPAFL KNARQWTEKH ARQKQKADEE EMLDNLPEAG DSRVHNSTQK   180
RKASQLVGIE KKFHPDV
```

Seq ID NO: 149 DNA sequence
Nucleic Acid Accession #: NM_003812
Coding sequence: 224-2722

```
1          11         21         31         41         51
|          |          |          |          |          |
TCCTCTGCGT CCCGCCCGG GAGTGGCTGC GAGGCTAGGC GAGCCGGGAA AGGGGGCGCC    60
GCCCAGCCCC GAGCCCCGCG CCCCGTGCCC CGAGCCCGGA GCCCCCTGCC CGCGGCGGCA   120
CCATGCGCGC CGAGCCGGCG TGACCGGCTC CGCCCGCGGC CGCCCCGCAG CTAGCCCGGC   180
GCTCTCGCCG GCCACACGGA GCGGCGCCCG GGAGCTATGA GCCATCGAAGC CGCCCGGCAG   240
CAGCTCGCGG CAGCCGCCCC TGGCGGGCTG CAGCCTTGCC GGCGCTTCCT GCGGCCCCCA   300
ACGCGGCCCC GCCGGCTCGG TGCCTGCCAG CGCCCCGGCC CGCACGCCGC CCTGCCGCCT   360
GCTTCTCGTC CTTCTCCTGC TGCCTCCGCT CGCCGCCTCG TCCCGGCCCC GCGCCTGGGG   420
GGCTGCTGCG CCCAGCGCTC CGCATTGGAA TGAAACTGCA GAAAAAAATT TGGGAGTCCT   480
GGCAGATGAA GACAATACAT TGCAACAGAA TAGCAGCAGT AATATCAGTT ACAGCAATGC   540
AATGCAGAAA GAAATCACAC TGCCTTCAAG ACTCATATAT TACATCAACC AAGACTGGA   600
AAGCCCTTAT CACGTTCTTG ACACAAAGGC AAGACACCAG CAAAAACATA ATAAGGCTGT   660
CCATCTGGCC CAGGCAAGCT TCCAGATTGA AGCCTTCGGC TCCAAATTCA TTCTTGACCT   720
CATACTGAAC AATGGTTTGT TGTCTTCTGA TTATGTGGAG ATTCACTACG AAAATGGGAA   780
ACCACAGTAC TCTAAGGGTG GAGAGCACTG TTACTACCAT GGAAGCATCA GAGGCGTCAA   840
AGACTCCAAG GTGGCTCTGT CAACCTGCAA TGGACTTCAT GGCATGTTTG AAGATGATAC   900
CTTCGTGTAT ATGATAGAGC CACTAGAGCT GGTTCATGAT GAGAAAAGCA CAGGTGTGACC   960
ACATATAATC CAGAAAACCT TGGCAGGACA GTATTCTAAG CAAATGAAGA ATCTCACTAT  1020
GGAAAGAGGT GACCAGTGGC CCTTTCTCTC TGAATTACAG TGGTTGAAAA GAAGGAAGAG  1080
AGCAGTGAAT CCATCACGTG GTATATTTGA AGAAATGAAA TATTTGGAAC TTATGATTGT  1140
TAATGATCAC AAAACGTATA AGAAGCATCG CTCTTCTCAT GCACATACCA ACAACTTTGC  1200
AAAGTCCGTG GTCAACCTTG TGGATTCTAT TTACAAGGAG CAGCTCAACA CCAGGGTTGT  1260
CCTGGTGGCT GTAGAGACCT GGACTGAGAA GGATCAGATT GACATCACCA CCAACCCTGT  1320
GCAGATGCTC CATGAGTTCT CAAAATACCG GCAGCGCATT AAGCAGCATG CTGATGCTGT  1380
GCACCTCATC TCGCGGGTGA CATTTCACTA TAAGAGAAGC AGTCTGAGTT ACTTTGGAGG  1440
TGTCTGTTCT CGCACAAGAG GAGTTGGTGT GAATGAGTAT GGTCTTCCAA TGGCAGTGGC  1500
ACAAGTATTA TCGCAGAGCC TGGCTCAAAA CCTTGGAATC CAATGGGAAC CTTCTAGCAG  1560
AAAGCCAAAA TGTGACTGCA CAGAATCCTG GGGTGGCTGC ATCATGGAGG AAAACAGGGGT  1620
GTCCCATTCT CGAAAATTTT CAAAGTGCAG CATTTTGGAG TATAGAGACT TTTTACAGAG  1680
AGGAGGTGGA GCCTGCCTTT TCAACAGGCC AACAAAGCTA TTTGAGCCCA CGGAATGTGG  1740
AAATGGATAC GTGGAAGCTG GGGAGGAGTG TGATTGTGGT TTTCATGTGG AATGCTATGG  1800
ATTATGCTGT AAGAAATGTT CCCTCTCCAA CGGGGCTCAC TGCAGCGACG GGCCCTGCTG  1860
TAACAATACC TCATGTCTTT TTCAGCCACG AGGGTATGAA TGCCGGGATG CTGTGAACGA  1920
GTGTGATATT ACTGAATATT GTACTGGAGA CTCTGGTCAG TGCCCACCAA ATCTTCATAA  1980
GCAAGACGGA TATGCATGCA ATCAAAATCA GGGCCGCTGC TACAATGGCG AGTGCAAGAC  2040
CAGAGACAAC CAGTGTCAGT ACATCTGGGG AACAAAGGCT GCAGGGTCTG ACAAGTTCTG  2100
CTATGAAAAG CTGAATACAG AAGGGACACC TGCGGGAAAGC ATGGAGAACGG ATGGAACGC  2160
GTGGATTCAG TGCAGCAAAC ATGATGTGTT CTGTGGATTC TTACTCTGTA CCAATCTTAC  2220
TCGAGCTCCA CGTATTGGTC AACTTCAGGG TGAGATCATT CCAACTTCCT TCTACCATCA  2280
AGGCCGGGTG ATTGACTGCA GTGGTGCCCA TGTAGTTTTA GATGATGATA CGGATGTGGG  2340
CTATGTAGAA GATGGAACGC CATGTGGCCC GTCTATGATG TGTTTAGATC GGAAGTGCCT  2400
ACAAATTCAA GCCCTAAATA TGAGCAGCTG TCCACTCGAT TCCAAGGGTA AAGTCTGTTC  2460
GGGCCATGGG GTGTGTAGTA ATGAAGCCAC CTGCATTTGT GATTTCACCT GGGCAGGGAC  2520
AGATTGCAGT ATCCGGATC CAGTTAGGAA CCTTCACCCC CCCAAGGATA AAGGACCCAA  2580
GGGTCCTAGT GCCACCAATC TCATAATAGG CTCCATCGCT GGTGCCATCC TGGTAGCAGC  2640
TATTGTCCTT GGGGGCACAG GCTGGGGATT TAAAAATGTC AAGAAGAGAA GGTTCGATCC  2700
TACTCAGCAA GGCCCCATCT GAATCAGCTG CGCTGGATGG ACACCGCCTT GCACTGTTGG  2760
ATTCTGGGTA TGACATACTC GCAGCAGTGT TACTGGAACT ATTAAGTTTG TAAACAAAAC  2820
CTTTGGGTGG TAATGACTAC GGAGCTAAAG TTGGGGTGAC AAGGATGGGG TAAAAGAAAA  2880
CTGTCTCTTT TGGAAATAAT GTCAAAGAAC ACCTTTCACC ACTGTGTCAGT AAACGGGGGA  2940
GGGGGCAAAA GACCATGCTA TAAAAAGAAC TGTTCCAGAA TCTTTTTTTT TCCCTAATGG  3000
ACGAAGGAAC AACACACACA CAAAAATTAA ATGCAATAAA GGAATCATTA AAAA
```

Seq ID NO: 150 Protein sequence:
Protein Accession #: NP_003803

```
1          11         21         31         41         51
|          |          |          |          |          |
MKPPGSSSRQ PPLAGCSLAG ASCGPQRGPA GSVPASAPAR TPPCRLLLVL LLLPPLAASS    60
RPRAWGAAAP SAPHWNETAE KNLGVLADED NTLQQNSSSN ISYSNAMQKE ITLPSRLIYY   120
INQDSESPYH VLDTKARHQQ KHNKAVHLAQ ASFQIEAPGS KPILDLILNN GLLSSDYVEI   180
HYENGKPQYS KGGEHCYYHG SIRGVKDSKV ALSTCNGLHG MFEDDTFVYM IEPLELVHDE   240
KSTGRPHIIQ KTLAGQYSKQ MKNLTMERGD QWPFLSELQW LKRRKRAVNP SRGIFEEMKY   300
LELMIVNDHK TYKKHRSSHA HTNNFAKSVV NLVDSIYKEQ LNTRVVLVAV ETWTEKDQID   360
ITTNPVQMLH EFSKYRQRIK QHADAVHLIS RVTFHYKRSS LSYFGGVCSR TRGVGVNEYG   420
LPMAVAQVLS QSLAQNLGIQ WEPSSRKPKC DCTESWGGCI MEETGVSHSR KPSKCSILEY   480
RDFLQRGGGA CLFNRPTKLF EPTECGNGYV EAGEECDCGP HVECYGLCCK KCSLSNGAHC   540
SDGPCCNNTS CLFQPRGYEC RDAVNECDIT EYCTGDSGQC PPNLHKQDGY ACNQNQGRCY   600
NGECKTRDNQ CQYIWGTKAA GSDKFCYEKL NTEGTEKGNC GKDGDRWIQC SKHDVPCGFL   660
```

```
        LCTNLTRAPR IGQLQGEIIP TSFYHQGRVI DCSGAHVVLD DDTDVGYVED GTPCGPSMMC    720
        LDRKCLQIQA LNMSSCPLDS KGRVCSGHGV CSNEATCICD PTWAGTDCSI RDPVRNLHPP    780
        KDEGPKGPSA TNLIIGSIAG AILVAAIVLG GTGWGFKNVK KRRFDPTQQG PI
```

5   Seq ID NO: 151 DNA sequence
    Nucleic Acid Accession #: NM_023915
    Coding sequence: 250-1326

```
        1          11         21         31         41         51
        |          |          |          |          |          |
10      GGCACGAGGG TTTCGTTTTC ATGCTTTACC AGAAAATCCA CTTCCCTGCC GACCTTAGTT    60
        TCAAAGCTTA TTCTTAATTA GAGACAAGAA ACCTGTTTCA ACTTGAAGAC ACCGTATGAG    120
        GTGAATGGAC AGCCAGCCAC CACAATGAAA GAAATCAAAC CAGGAATAAC CTATGCTGAA    180
        CCCACGCCTC AATCGTCCCC AAGTGTTTCC TGACACGCAT CTTTGCTTAC AGTTGCATCAC   240
15      AACTGAAGAA TGGGGTTCAA CTTGACGCTT GCAAAATTAC CAAATAACGA GCTGCACGAC    300
        CAAGAGAGTC ACAATTCAGG CAACAGGAGC GACGGGCCAG GAAAGAACAC CACCCTTCAC    360
        AATGAATTTG ACACAATTGT CTTGCCGGTG CTTTATCTCA TTATATTTGT GGCAAGCATC    420
        TTGCTGAATG GTTTAGCAGT GTGGATCTTC TTCCACATTA GGAATAAAAC CAGCTTCATA    480
        TTCTATCTCA AAAACATAGT GGTTGCAGAC CTCATAATGA CGCTGACATT TCCATTTCGA    540
20      ATAGTCCATG ATGCAGGATT TGGACCTTGG TACTTCAAGT TTATTCTCTG CAGATACACT    600
        TCAGTTTTGT TTTATGCAAA CATGTATACT TCCATCGTGT TCCTTGGGCT GATAAGCATT    660
        GATCGCTATC TGAAGGTGGT CAAGCCATTT GGGGACTCTC GGATGTACAG CATAACCTTC    720
        ACGAAGGTTT TATCTGTTTG TGTTTGGGTG ATCATGGCTG TTTTGTCTTT GCCAAACATC    780
        ATCCTGACAA ATGGTCAGCC AACAGAGGAC AATATCCATG ACTGCTCAAA ACTTAAAAGT    840
25      CCTTTGGGGG TCAAATGGCA TACGGCAGTC ACCTATGTGA ACAGCTGCTT GTTTGTGGCC    900
        GTGCTGGTGA TTCGATCGGG ATGTTACATA GCCATATCCA GGTACATCCA CAAATCCAGC    960
        AGGCAATTCA TAAGTCAGTC AAGCCGAAAG CGAAAACATA ACCAGAGCAT CAGGGTTGTT    1020
        GTGGCTGTGT TTTTTACCTG CTTTCTACCA TATCACTTGT GCAGAATTCC TTTTACTTTT    1080
        AGTCACTTAG ACAGGCTTTT AGATGAATCT GCACAAAAAA TCCTATATTA CTGCAAAGAA    1140
30      ATTACACTTT TCTTGTCTGC GTGTAATGTT TGCCTGGATC CAATAATTTA CTTTTTTCATG  1200
        TGTAGGTCAT TTTCAAGAAG GCTGTTCAAA AAATCAAATA TCAGAACCAG GAGTGAAAGC    1260
        ATCAGATCAC TGCAAAGTGT GAGAAGATCG GAAGTTCGCA TATATTATGA TTACACTGAT    1320
        GTGTAGGCCT TTTATTGTTT GTTGGAATCG ATATGTACAA AGTGTAAATA AATGTTTCTT    1380
        TTCATTATCC TTAAAAAAAA AA
```

35

    Seq ID NO: 152 Protein sequence:
    Protein Accession #: NP_076404

```
40      1          11         21         31         41         51
        |          |          |          |          |          |IIFVASILLN
        MGFNLTLAKL PNNELHGQES HNSGNRSDGP GKNTTLHNEF DTIVLPVLYL IIFVASILLN   60
        GLAVWIFFHI RNKTSFIFYL KNIVVADLIM TLTFPFRIVH DAGFGPWYFK FILCRYTSVL   120
        FYANMYTSIV FLGLISIDRY LKVVKPFGDS RMYSITFTKV LSVCWVIMA VLSLPNIILT    180
        NGQPTEDNIH DCSKLKSPLG VKWHTAVTYV NSCLFVAVLV ILIGCYIAIS RYIHKSSRQF   240
45      ISQSSRKRKH NQSIRVVVAV FFTCFLPYHL CRIPFTPSHL DRLLDESAQK ILYYCKEITL   300
        FLSACNVCLD PIIYFFMCRS FSRRLFKKSN IRTRSESIRS LQSVRRSEVR IYYDYTDV
```

50 Seq ID NO: 153 DNA sequence
    Nucleic Acid Accession #: D80008.1
    Coding sequence: 149-739

```
        1          11         21         31         41         51
        |          |          |          |          |          |
55      GTTCGGCGCC AAAGCGCGGA GCGGAGGCCG AGGCGAGAGC CTGGCGCTGT AGGACTAGAA    60
        CGAAAGGAGT GAGGCGCCGA GAGCCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC    120
        AAGGCGCGG GAGTGGGAAG CGTCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG      180
        CGAGCTGCAT CGCGCGCCCG AAGGGCAACT GCCTGCCTTC AACGAGGATG GACTCAGACA    240
        AGTTCTGGAG GAGATGAAAG CTTTGTATGA ACAAAACCAG TCTGATGTGA ATGAAGCAAA    300
60      GTCAGGTGGA CGAAGTGATT TGATACCAAC TATCAAATTT CGACACTGTT CTCTGTTAAG    360
        AAATCGACGC TGCACTGTAG CATACCTGTA TGACCGCTTG CTTCGGATCA GAGCACTCAG    420
        ATGGGAAAT GGTAGCGTCT TGCCAAATGC ATTACGATTT CACATGGCTG CTGAAGAAAT    480
        GGAGTGGTTT AATAATTATA AAAGATCTCT TGCTACTTAT ATGAGGTCAC TGGGAGGAGA    540
        TGAAGGTTTG GACATTACAC AGGATATGAA ACCACCAAAA GTCCTATATA TTGAAGTCCG    600
65      GTGTCTAAAA GACTATGAG AATTTGAAGT TGATGATGGC ACTTCAGTCC TATTAAAAAA     660
        AAATAGCCAG CACTTTTTAC CTCGATGGAA ATGTGAGCAG CTGATCAGAC AAGGAGTCCT    720
        GGAGCACATC CTGTCATGAC CATGCGCCGA GGCACTTCCA GGCTTCACTC AACTCATGGA    780
        CTCCTCTGTA CTCACTCTCT CCACCACTCC CTTCACCTCC CTCTTTGATT TTAGAAGCTA    840
        TAGACATTGT TTAAGATAAC TAAGAATACT TGGCTAAGAA GTATAATTTG CTAACTATTA    900
70      AGGACTTTCT TTTTTTAATG TTGTACACTA TTCTTCCTAC TCTTTTTTGG TTTTGGTTTT    960
        GTTTTGTAGA GACTGTCTCA CTATGTTGCC CAAGCTGGTC TCAAACTCCT GGCCTCAAGC    1020
        AGTCCTCCCA CCTTAGCTTC TCAAAGTGTT GAGATCACAG GCGTGAGCCA CTGCACCCGG    1080
        CCCCTACTCC TTTTTCTAAT AAGCTGTATC TGTAATCACA GCATTCCTAC AGTTGTTACA    1140
        GTGTGTTTTT TAAATGAAAG TAAACATGGT TACATTTGAA TCTCTTAAAT AAGCAGTCAC    1200
75      TTGGCTGGAC AGGAAGAAGG TAGATCCTGT GTGTCTTGTT TTCTGGTCAT GTGTATTGTA    1260
        CAAGCTAGAG AGCTGAATTT CTGAGATACA CATTTTCAAA TCACATGCAA GTGAAGATGA    1320
        TGGTCTGTAG AAATTTTCAG TATATATAAT GTTTAATGAC ATACTAATTT ATCATCTGGC    1380
        TATTTGGAAA GGAAGGACAC ACATGGATTT TGCACATTTC CACCATGGTG GCTGGTGTGG    1440
        CTTGTGGCTA TGGGGTGATC ACCAGTATCA CCACTTTGGA AGGGGACAGT GAAATTGGGG    1500
80      CTAGAGAAGG AACTTTGTAC AGTTTTCCCT GAGATTCAGA TTGACTGAAA AGTCACATGA    1560
        AGAGTTGATT GTCTTTTAAT GGTATGTTTT AAACAGCTGA CATTTTAAAT TTTGATGAAA    1620
        TCCAGTTTAT TCGTTTGTTC TTTTATGCTT TGGGTGTTGC ATCCGAGAAA TCTTTTCCCA    1680
        TCCCAAGATC ACAATTTTTT TTCCTTTTTA CTTCTAGAAG TGTTATAATT TTAAGCTTTA    1740
        TACTTTGGTC TATGACCCGT TTTTTTTTTT GTTTTGTTTT GTTTTTTCGT TTGTTTCTTT    1800
85      GTTTTGAGAT GGAGTCTTGT TCTGTCACCC AGGCTGGGGT GCAGTGGCGT GATCTTGGCT    1860
        CACTGCAATC TCTATCCCCT GGGTTCAAGT GATTCTCTTG TCTCAGCCTC CCAAGTAGCT    1920
        GGGATTACAG GCACAGGCCG CCACGCCTGG CTAATTTTTG TATTTTTAGT AGAGACAGAG    1980
```

```
        TTTTACCATG TTGGCCAGGC TGGTTTCAAA CTCCTGACCT CAAGTGACCC ACCTTGGCCT   2040
        CCCAAAGTTT TGGGATTACA AGTGTGGGCC ACCGCGGCCA GCCTATGATC CATTTTGAAT   2100
        GAATTTTTTA TATGGTGCAA GGTGTCAATC CACCTTCACT TTTTCTTGGG AATATAGATA   2160
        TCCAGCTGTT TCACTACCAT TTTTTGAAAG GACTGCCCTT TGCTCTATCA CCTTTGCATT   2220
  5     TTTGTTAAAA AGTAGTTGTC AATGTATATG TGGGTTTATT TCAGGACTCT GTTTTGTTCC   2280
        ATTGACCTGT TTTTCTCTCC TGAATGCCAA TACCATATTT GTATGTAGTG TATGTAATTT   2340
        TCTAATAATT CTTGAAACAG ATAGTATTAA TGTGTCATAT TTTTGCTGTT GTTTGTATTT   2400
        TTTGTAGAGA TGGGGTTTCA CCGTGTTGGC CAGGCTGTGT TGAACTCCTG AGCTAAAGCA   2460
        ATACACTTGC CTCGTCCTCC CCATGTGCTG GGATTACAGG CGTGAGCCTT GGTGCTGGCC   2520
  10    CAGTGTACCA CATTTCTTTT TGAGATTTGT TTTGGCTATG TTAAGTCCTT TGCTTTTGAT   2580
        GTGAAATTTG GGAACAGGCA GGGTGTGGTG GCTTATGCCT GTAATCCTAG AACTTTGGGA   2640
        GGCCTAGATG GGTGGATCAC TTGAGCTCAG GAGTTCCAGA CCAGCCGGG CCTATGGCAA   2700
        AACTCCGTCT CTACAAAAAA TAGAAAAAAT TAGCCAGGTG TGGTGGTGCA TGCCTGTAGT   2760
        CACAGTTACA CGGCAGGCTG AGGTGGGAGG ATCACTTGAA CCCCAGAGGT CAAGACTGCA   2820
  15    GTGAGCTGAG ATCACACCAC TGTACTCCAG CCTGGGTGAC AAAGTGAGAC TCTATCTCAA   2880
        AAAGAAATTA GGATCAATTT GTCAATTTCT ACAACAACAA CAACAAAAAC CCCTGTTGGG   2940
        CACCTTGATT GAGATTGCAT TGAATTTATA TAAAACTGTT GGGAGAATTG ACATCTTAAT   3000
        AATATTGAGT CTTCTGGCCT ATAAACAAGG TCTGTCTTCC TAGGTATTAA TGTTTTGTCT   3060
        TCTATTTCTC TTAATAATCT TTTGTAGTTT TCAGTGTACA GGTCTACCAT GTCAGCATTT   3120
  20    CATAGTTTTG ATGCTAAATG GTATTTTAAA ATTTCAAATT CTAACCACTT GTTGCTAGTA   3180
        AATAGAAATA CAATTGATGT TGAACTTGTA TCCTTCAGCC TTGCTAAACT GTGAGTTCTC   3240
        ATGGTGTTTT TGTAAATTAC ATCAACAGTC ATGTGTTCTA TGAATAAAGA GTTTTACTCC   3300
        TTC
```

  25   Seq ID NO: 154 Protein sequence:
        Protein Accession #: BAA11503.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  30    MFCEKAMELI RELHRAPEGQ LPAFNEDGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP   60
        TIKFRHCSLL RNRRCTVAYL YDRLLRIRAL RWEYGSVLPN ALRFHMAAEE MEWFNNYKRS   120
        LATYMRSLGG DEGLDITQDM KPPKSLYIEV RCLKDYGEFE VDDGTSVLLK KNSQHFLPRW   180
        KCEQLIRQGV LEHILS
```

  35   Seq ID NO: 155 DNA sequence
        Nucleic Acid Accession #: Eos sequence
        Coding sequence: 149-709

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  40    GTTCGGCGCC AAAGCGCGGA GCGGAGGCCG AGGCGAGAGC CTGGCGCTGT AGGACTAGAA   60
        CGAAAGGAGT GAGGCGCCGA GAGCCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC   120
        AAGGCCGCGG GAGTGGGAAG CGTCCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG   180
        CGAGCTGCAT CGCGCGCCCG AAGGGCAACT GCCTGCCTTC AACGAGGATG GACTCAGACA   240
  45    AGTTCTGGAG GAGATGAAAG CTTTGTATGA ACAAAACCAG TCTGATGTGA ATGAAGCAAA   300
        GTCAGGTGGA CGAAGTGATT TGATACCAAC TATCAAATTT CGACACTGTT CTCTGTTAAG   360
        AAATCGACGC TGCACTGTAG CATACCTGTA TGACCGCTTG CTTCGGATCA GAGCACTCAG   420
        ATGGGAATAT GGTAGCGTCT TGCCAAATGC ATTACGATTT CACATGGCTG CTGAAGAAAT   480
        GGAGTGGTTT AATAATTATA AAAGATCTCT TGCTACTTAT ATGAGGTCAC TGGGAGGAGA   540
  50    TGAAGGTTTG GACATTACAC AGGATATGAA ACCACCAAAA AGCCTATATA TTGAAGCTGG   600
        ATGCAGTGGC GCGATCTCGG CTCAACCTGC AACCTCCACC TCCCAGGTTC ACCTCAACTG   660
        CAACCTCCAC CTCCCAGGTC CGGTGTCTAA AAGACTATGG AGAATTTGAA GTTGATGATG   720
        GCACTTCAGT CCTATTAAAA AAAAATAGCC AGCACTTTTT ACCTCGATGG AAATGTGAGC   780
        AGCTGATCAG ACAAGGAGTC CTGGAGCACA TCCTGTCATG ACCATGCGCC GAGGCACTTC   840
  55    CAGGCTTCAC TCAACTCATG GACTCCTCTG TACTCACTCT CTCCACCACT CCCTTCACCT   900
        CCCTCTTTGA TTTTAGAAGC TATAGACATT GTTTAAGATA ACTAAGAATA CTTGGCTAAG   960
        AAGTATAATT TGCTAACTAT TAAGGACTTT CTTTTTTTAA TGTTGTACAC TATTCTTCCT   1020
        ACTCTTTTTT GGTTTTGGTT TTGTTTTGTA GAGACTGTCT CACTATGTTG CCCAAGCTGG   1080
        TCTCAAACTC CTGGCCTCAA GCAGTCCTCC CACCTTAGCT TCTCAAAGTG TTGAGATCAC   1140
  60    AGGCGTGAGC CACTGCACCC GGCCCCTACT CCTTTTTCTA ATAAGCTGTA TCTGTAATCA   1200
        CAGCATTCCT ACAGTTGTTA CAGTGTGTTT TTTAAATGAA AGTAAACATG GTTACATTTG   1260
        AATCTCTTAA ATAAGCAGTC ACTTGGCTGG ACAGGAAGAA GGTAGATCCA GTGTGTCTTG   1320
        TTTTCTGGTC ATGTGTATTG TACAAGCTAG AGAGCTGAAT TTCTGAGATA CACATTTTCA   1380
        AATCACATGC AAGTGAAGAT GATGGTCTGT AGAAATTTTC AGTATATATA ATGTTTAATG   1440
  65    ACATACTAAT TTATCATCTG GCTATTTGGG AAGGAAGGAC ACACATGGAT TTTGCACATT   1500
        TCCACCATGG TGGCTGGTGT GGCTTGTGGC TATGGGGTGA TCACCAGTAT CACCACTTTG   1560
        GAAGGGGACA GTGAAATTGG GGCTAGAGAA GGAACTTTGT ACAGTTTTCC CTGAGATTCA   1620
        GATTGACTGA AAAGTCACAT GAAGAGTTGA TTGTCTTTTA ATGGTATGTT TTAAACAGCT   1680
        GACATTTTAA ATTTTGATGA AATCCAGTTT ATTCGTTTGT TCTTTTATGC TTTGGGTGTT   1740
  70    GCATCGCGAGA AATCTTTTCC CATCCCAAGA TCACAATTTT TTTTCCTTTT TACTTCTAGA   1800
        AGTGTTATAA TTTTAAGCTT TATACTTTGG TCTATGACCC GTTTTTTTTT TTGTTTTGTT   1860
        TTGTTTTTTC GTTTGTTTCT TTGTTTTGAG ATGGAGTCTT GTTCTGTCAC CCAGGCTGGG   1920
        GTGCAGTGGC GTGATCTTGG CTCACTGCAA TCTCTATCCC CTGGGTTCAA GTGATTCTCT   1980
        TGTCTCAGCC TCCCAAGTAG CTGGGATTAC AGGCACAGGC CGCCACGCCT GGCTAATTTT   2040
  75    TGTATTTTTA GTAGAGACAG AGTTTTACCA TGTTGGCCAG GCTGGTTTCA AACTCCTGAC   2100
        CTCAAGTGAC CCACCTTGGC CTCCCAAAGT TTTGGGATTA CAAGTGTGGG CCACCGCGGC   2160
        CAGCCTATGA TCCATTTTGA ATGAATTTTT TATATGGTGC AAGGTGTCAA TCCACCTTCA   2220
        CTTTTTCTTG GGAATATAGA TATCCAGCTG TTTCACTACC ATTTTTTGAA AGGACTGCCC   2280
        TTTGCTCTAT CACCTTTGCA TTTTTTGTTAA AAAGTAGTTG TCAATGTATA TGTGGGTTTA   2340
  80    TTTCAGGACT CTGTTTTGTT CCATTGACCT GTTTTTCTCT CCTGAATGCC AATACCATAT   2400
        TTGTATGTAG TGTATGTAAT TTTCTAATAA TTCTTGAAAC AGATAGTATT AATGTGTCAT   2460
        ATTTTTGCTG TTGTTTGTAT TTTTTGTAGA GATGGGGTTT CACCGTGTTG GCCAGGCTGT   2520
        GTTGAACTCC TGAGCTAAAG CAATACACTT GCCTCGTCCT CCCCATGTGC TGGGATTACA   2580
        GGCGTGAGCC TTGGTGCTGG CCCAGTGTAC CACATTTCTT TTTGAGATTT GTTTTGGCTA   2640
  85    TGTTAAGTCC TTTGCTTTTG ATGTGAAATT TGGGAACAGG CAGGGTGTGG TGGCTTATGC   2700
        CTGTAATCCT AGAACTTTGG GAGGCCTAGA TGGGTGGATC ACTTGAGCTC AGGAGTTCCA   2760
        GACCAGCCCG GGCCTATGGC AAAAACTCCGT CTCTACAAAA AATAGAAAAA ATTAGCCAGG   2820
```

```
        TGTGGTGGTG CATGCCTGTA GTCACAGTTA CACGGCAGGC TGAGGTGGGA GGATCACTTG  2880
        AACCCCAGAG GTCAAGACTG CAGTGAGCTG AGATCACACC ACTGTACTCC AGCCTGGGTG  2940
        ACAAAGTGAG ACTCTATCTC AAAAAGAAAT TAGGATCAAT TTGTCAATTT CTACAACAAC  3000
        AACAACAAAA ACCCCTGTTG GGCACCTTGA TTGAGATTGC ATTGAATTTA TATAAAACTG  3060
5       TTGGGAGAAT TGACATCTTA ATAATATTGA GTCTTCTGGC CTATAAACAA GGTCTGTCTT  3120
        CCTAGGTATT AATGTTTTGT CTTCTATTTC TCTTAATAAT CTTTTGTAGT TTTCAGTGTA  3180
        CAGGTCTACC ATGTCAGCAT TTCATAGTTT TGATGCTAAA TGGTATTTTA AAATTTCAAA  3240
        TTCTAACCAC TTGTTGCTAG TAAATAGAAA TACAATTGAT GTTGAACTTG TATCCTTCAG  3300
        CCTTGCTAAA CTGTGAGTTC TCATGGTGTT TTTGTAAATT ACATCAACAG TCATGTGTTC  3360
10      TATGAATAAA GAGTTTTACT CCTTC
```

Seq ID NO: 156 Protein sequence:
Protein Accession #: Eos sequence

```
15      1          11         21         31         41         51
        |          |          |          |          |          |
        MPCEKAMELI RELHRAPEGQ LPAFNEDGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP   60
        TIKFRHCSLL RNRRCTVAYL YDRLLRIRAL RWEYGSVLPN ALRFHMAAEE MEWFNNYKRS  120
        LATYMRSLGG DEGLDITQDM KPPKSLYIEA GCSGAISAQP ATSTSQVHLN CNLHLPGPVS  180
20      KRLWRI
```

Seq ID NO: 157 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-621

```
25
        1          11         21         31         41         51
        |          |          |          |          |          |
        TTCGGCGCCA AAGCGCGGAG CGGAGGCCGA GGCGAGAGCC TGGCGCTGTA GGACTAGAAC·   60
        GAAAGGAGTG AGGCGCCGAG AGCCCAGATA CCATTTTGGC GTGAGAGCTG GTGGTTGGCA  120
        AGGCCGCGGG AGTGGGAAGC GTCCGCCATG TTCTGCGAAA AAGCCATGGA ACTGATCCGC  180
30      GAGCTGCATC GCGCGCCCGA AGGGCAACTG CCTGCCTTCA ACGAGGATGG ACTCAGACAA  240
        GTTCTGGAGG AGATGAAAGC TTTGTATGAA CAAAACCAGT CTGATGTGAA TGAAGCAAAG  300
        TCAGGTGGAC GAAGTGATTT GATACCAACT ATCAAATTTC GACACTGTTC TCTGTTAAGA  360
        AATCGACGCT GCACTGTAGC ATACCTGTAT GACCGCTTGC TTCGGATCAG AGCACTCAGA  420
35      TGGGAATATG GTAGCGTCTT GCCAAATGCA TTACGATTTC ACATGGCTGC TGAAGAAGTC  480
        CGGTGTCTAA AAGACTATGG AGAATTTGAA GTTGATGATG GCACTTCAGT CCTATTAAAA  540
        AAAAATAGCC AGCACTTTTT ACCTCGATGG AAATGTGAGC AGCTGATCAG ACAAGGAGTC  600
        CTGGAGCACA TCCTGTCATG ACCATGCGCC GAGGCACTTC CAGGCTTCAC TCAACTCATG  660
        GACTCCTCTG TACTCACTCT CTCCACCACT CCCTTCACCT CCCTCTTTGA TTTTAGAAGC  720
40      TATAGACATT GTTTAAGATA ACTAAGAATA CTTGGCTAAG AAGTATAATT TGCTAACTAT  780
        TAAGGACTTT CTTTTTTTAA TGTTGTACAC TATTCTTCCT ACTCTTTTTT GGTTTTGGTT  840
        TTGTTTTGTA GAGACTGTCT CACTATGTTG CCCAAGCTGG TCTCAAACTC CTGGCCTCAA  900
        GCAGTCCTCC CACCTTAGCT TCTCAAAGTG TTGAGATCAC AGGCGTGAGC CACTGCACCC  960
45      GGCCCCTACT CCTTTTTCTA ATAAGCTGTA TCTGTAATCA CAGCATTCCT ACAGTTGTTA 1020
        CAGTGTGTTT TTTAAATGAA AGTAAACATG GTTACATTTG AATCTCTTAA ATAAGCAGTC 1080
        ACTTGGCTGG ACAGGAAGAA GGTAGATCCT GTGTGTCTTG TTTTCTGGTC ATGTGTATTG 1140
        TACAAGCTAG AGAGCTGAAT TTCTGAGATA CACATTTTCA AATCACATGC AAGTGAAGAT 1200
        GATGGTCTGT AGAAATTTTC AGTATATATA ATGTTTAATG ACATACTAAT TTATCATCTG 1260
50      GCTATTTGGG AAGGAAGGAC ACACATGGAT TTTGCACATT TCCACCATGG TGGCTGGTGT 1320
        GGCTTGTGGC TATGGGGTGA TCACCAGTAT CACCACTTTG GAAGGGGACA GTGAAATTGG 1380
        GGCTAGAGAA GGAACTTTGT ACAGTTTTCC CTGAGATTCA GATTGACTGA AAAGTCACAT 1440
        GAAGAGTTGA TTGTCTTTTA ATGGTATGTT TTAAACAGCT GACATTTTAA ATTTTGATGA 1500
        AATCCAGTTT ATTCGTTTGT TCTTTTATGC TTTGGGTGTT GCATCCGAGA AATCTTTTCC 1560
55      CATCCCAAGA TCACAATTTT TTTTCCTTTT TACTTCTAGA AGTGTTATAA TTTTAAGCTT 1620
        TATACTTTGG TCTATGACCC GTTTTTTTTT TTGTTTTGTT TTGTTTTTTC GTTTGTTTCT 1680
        TTGTTTTGAG ATGGAGTCTT GTTCTGTCAC CCAGGCTGGG GTGCAGTGGC GTGATCTTGG 1740
        CTCACTGCAA TCTCTATCCC CTGGGTTCAA GTGATTCTCT TGTCTCAGCC TCCCAAGTAG 1800
        CTGGGATTAC AGGCACAGGC CGCCACGCCT GGCTAATTTT TGTATTTTTA GTAGAGACAG 1860
60      AGTTTTACCA TGTTGGCCAG GCTGGTTTCA AACTCCTGAC CTCAAGTGAC CCACCTTGGC 1920
        CTCCCAAAGT TTTGGGATTA CAAGTGTGGG CCACCGCGGC CAGCCTATGA TCCATTTTGA 1980
        ATGAATTTTT TATATGGTGC AAGGTGTCAA TCCACCTTCA CTTTTTCTTG GGAATATAGA 2040
        TATCCAGCTG TTTCACTACC ATTTTTTGAA AGGACTGCCC TTTGCTCTAT CACCTTTGCA 2100
        TTTTTGTTAA AAAGTAGTTG TCAATGTATA TGTGGGTTTA TTTCAGGACT CTGTTTTGTT 2160
65      CCATTGACCT GTTTTTCTCT CCTGAATGCC AATACCATAT TTGTATGTAG TGTATGTAAT 2220
        TTTCTAATAA TTCTTGAAAC AGATAGTATT AATGTGTCAT ATTTTTGCTG TTGTTTGTAT 2280
        TTTTTGTAGA GATGGGGTTT CACCGTGTTG GCCAGGCTGT GTTGAACTCC TGAGCTAAAG 2340
        CAATACACTT GCCTCGTCCT CCCCATGTGC TGGGATTACA GGCGTGAGCC TTGGTGCTGG 2400
70      CCCAGTGTAC CACATTTCTT TTTGAGATTT GTTTTGGCTA TGTAAGTCC TTTGCTTTTG 2460
        ATGTGAAATT TGGGAACAGG CAGGGTGTGG TGGCTTATGC CTGTAATCCT AGAACTTTGG 2520
        GAGGCCTAGA TGGGTGGATC ACTTGAGCTC AGGAGTTCCA GACCAGCCCG GGCCTATGGC 2580
        AAAACTCCGT CTCTACAAAA AATAGAAAAA ATTAGCCAGG TGTGGTGGTG CATGCCTGTA 2640
        GTCACAGTTA CACGGCAGGC TGAGGTGGGA GGATCACTTG AACCCCAGAG GTCAAGACTG 2700
75      CAGTGAGCTG AGATCACACC ACTGTACTCC AGCCTGGGTG ACAAAGTGAG ACTCTATCTC 2760
        AAAAAGAAAT TAGGATCAAT TTGTCAATTT CTACAACAAC AACAACAAAA ACCCCTGTTG 2820
        GGCACCTTGA TTGAGATTGC ATTGAATTTA TATAAAACTG TTGGGAGAAT TGACATCTTA 2880
        ATAATATTGA GTCTTCTGGC CTATAAACAA GGTCTGTCTT CTTCTATTTC TCTTAATAAT 2940
        CTTTTGTAGT TTTCAGTGTA CAGGTCTACC ATGTCAGCAT 3000
        TTCATAGTTT TGATGCTAAA TGGTATTTTA AAATTTCAAA TTCTAACCAC TTGTTGCTAG 3060
        TAAATAGAAA TACAATTGAT GTTGAACTTG TATCCTTCAG CCTTGCTAAA CTGTGAGTTC 3120
80      TCATGGTGTT TTTGTAAATT ACATCAACAG TCATGTGTTC TATGAATAAA GAGTTTTACT 3180
        CCTTC
```

Seq ID NO: 158 Protein sequence:
Protein Accession #: Eos sequence

```
85      1          11         21         31         41         51
        |          |          |          |          |          |
```

.246

MFCEKAMELI RELHRAPEGQ LPAFNEDGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP   60
TIKFRHCSLL RNRRCTVAYL YDRLLRIRAL RWEYGSVLPN ALRPHMAAEE VRCLKDYGEP   120
EVDDGTSVLL KKNSQHFLPR WKCEQLIRQG VLEHILS

Seq ID NO: 159 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 149-229

```
1          11         21         31         41         51
|          |          |          |          |          |
GTTCGGCGCC AAAGCGCGGA GCGGAGGCCG AGGCGAGAGC CTGGCGCTGT AGGACTAGAA    60
CGAAAGGAGT GAGGCGCCGA GAGCCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC   120
AAGGCCGCGG GAGTGGGAAG CGTCCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG   180
CGAGCTGCAT CGCGCGCCCG AAGGGCAACT GCCTGCCTTC AACAATTAGC TGGGTGTGGT   240
GGCACACACC TGTAGTCCCA GCAACTTAGG AGGCTGAAGT GAGAGGATTG CATGGCTCCA   300
GGAAGTTGAA ACTGCAGTGA ACTGTGGTCA CGCTATTACA CTCCAGCCTG GGTGACAGAC   360
TGAATCCCTG TCTCAAAAAG GAAAAGGAGG ATGGACTCAG ACAAGTTCTG GAGGAGATGA   420
AAGCTTTGTA TGAACAAAAC CAGTCTGATG TGTTCTCTGT TAAGAAATCG ACGCTGCACT   480
GTAGCATACC TGTATGACCG CTTGCTTCGG ATCAGAGCAC TCAGATGG
```

Seq ID NO: 160 Protein sequence:
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGTTCTGCG AAAAAGCCAT GGAACTGATC CGCGAGCTGC ATCGCGCGCC CGAAGGGCAA    60
CTGCCTGCCT TCAACAATTA G
```

Seq ID NO: 161 DNA sequence
Nucleic Acid Accession #: U10694
Coding sequence: 1333-2280

```
1          11         21         31         41         51
|          |          |          |          |          |
GGATCCGGCC GGATCTCAGG GAGGTGAGGA CTTTGTTCTC AGAGGGTGTG TGTGGACAAA    60
ACAGGGAGGC CCTGTGTTCG ACAGACACAG TGGTCCCAGG ATTGGAGAGC AGTCCAGGTG   120
AGGAACCTAA GGGAGGATCG AGGGTACCTC CAGGCCAGAG AAACTCTCAG ATCAAGAGAG   180
TTTGCCCTGC CCCTACTGTC ACCCCAGAGA GCCCGGGCAG GGCTGTCTGC TGAGGTCCTT   240
CCTTTATCCT GGGATCACTG GTGTCGGGGA GGGCTGGCCT TGGTCTGAGG GGGCTGCACT   300
CACGTCAGCA GAGGGAGGGT CCCAGGCCCT GCCAGGAGTC CAGGTGCAGA CTGAGGGGAC   360
CCCACTCACC AAACACAGAG GACCTAGCCC CACCCTGCCC CTTGTGTCAG CTGAGGGAAG   420
CCGCTGGGTG GATGGACTCC CCTCACTTCC TCTTCAGGTG TCTCCTGGAG ATAGGGCCTC   480
AGGTCAACAG AGGGAGGGTT CCAGACCCTG CAGGCATCAA GATGAGGACC AGGCAGTATC   540
CTCACCCCAG GACACATGGA CCCCATTGAA TTTAGACATC TCTTACTGTA CTTCCGAGGA   600
AACCCTGGGC AGGTGTGGGC AGATGTTGGT TGGGGCATGT CCTTCTGTTC CATATCAGGG   660
ATGTGAGCTC CTGATCTGAG AGACTCTCAG GCAAGTAGAG GAGTAGAGTC CAGTCCCTGC   720
CAGGAGAAAG GTCAGGGCCC TGAGTGAGCG CAGAGGGGAC CATCCACCCC AAAAGTGTGT   780
AGAACTCAAG AGTGTCCAGC CCGCCCTCTT GACAGCACTG AGGGACCGGG GCTCTGCCTG   840
CAGTCTGCAG CCTAAGGGCC CCTCGATTCC TCTTCCAGGA GCTCCAGGAA GCAGGCAGGC   900
CTTGGTCTGA GACAGTGTCC TCAGGTCGCA GAGCAGAGGA GACCCAGGCA GTGTCAGCAG   960
TGAAGGTGAA GTGTTCACCC TGAATGTGCA CCAAGGGCCC CACCTGCCCC AGCACACATG  1020
GGACCCCATA GCACCTGGCC CCATTCCCCA TACTGTCACT CATAGAGCCT TGATCTCTGC  1080
AGGCTAGCTG CACGCTGAGT AGCCCTCTCA CTTCCTCCCT CAGGTTCTCG GGACAGGCTA  1140
ACCAGGAGGA CAGGAGCCCC AAGAGGCCCC AGAGCAGCAC TGACGAAGAC CTGTAAGTCA  1200
GCCCTTGTTA GAACCTCCAA GGTTCGGTTC TCAGCTGAAG TCTCTCACAC ACTCCCTCTC  1260
TCCCCAGGCC TGTGGGTCTC CATCGCCCAG CTCCTGCCCA CGCTCCTGAC TGCTGCCCTG  1320
ACCAGAGTCA TCATGTCTCT CGAGCAGAGG AGTCCGCACT GCAAGCCTGA TGAAGACCTT  1380
GAAGCCCAAG GAGAGGACTT GGGCCTGATG GGTGCACAGG AACCCACAGG CGAGGAGGAG  1440
GAGACTACCT CCTCCTCTGA CAGCAAGGAG GAGGAGGTGT CTGCTGCTGG GTCATCAAGT  1500
CCTCCCCAGA GTCCTCAGGG AGGCGCTTCC TCCTCCATTT CCGTCTACTA CACTTTATGG  1560
AGCCAATTCG ATGAGGGCTC CAGCAGTCAA GAAGAGGAAG AGCCAAGCTC CTCGGTCGAC  1620
CCAGCTCAGC TGGAGTTCAT GTTCCAAGAA GCACTGAAAT TGAAGGTGGC TGAGTTGGTT  1680
CATTTCCTGC TCCACAAATA TCGAGTCAAG GAGCCGGTCA CAAAGGCAGA AATGCTGGAG  1740
AGCGTCATCA AAAATTACAA GCGCTACTTT CCTGTGATCT TCGGCAAAGC CTCCGAGTTC  1800
ATGCAGGTGA TCTTTGGCAC TGATGTGAAG GAGGTGGACC CCGCCGGCCA CTCCTACATC  1860
CTTGTCACTG CTCTTGGCCT CTCGTGCGAT AGCATGCTGG GTGATGGTCA TAGCATGCCC  1920
AAGGCCGCCC TCCTGATCAT TGTCCTGGGT GTGATCCTAA CCAAAGACAA CTGCGCCCCT  1980
GAAGAGGTTA TCTGGGAAGC GTTGAGTGTG ATGGGGGTGT ATGTTGGGGA GGAGCACATG  2040
TTCTACGGGG AGCCCAGGAA GCTGCTCACC CAAGATTGGG TGCAGGAAAA CTACCTGGAG  2100
TACCGGCAGG TGCCCGGCAG TGATCCTGCG CACTACGAGT TCCTGTGGGG TTCCAAGGCC  2160
CACGCTGAAA CCAGCTATGA GAAGGTCATA AATTATTTGG TCATGCTCAA TGCAAGAGAG  2220
CCCATCTGCT ACCCATCCCT TTATGAAGAG GTTTTGGGAG AGGAGCAAGA GGGAGTCTGA  2280
GCACCAGCCG CAGCCGGGGC CAAAGTTTGT GGGGTCAGGG CCCCATCCAG CAGCTGCCCT  2340
GCCCCATGTG ACATGAGGCC CATTCTTCGC TCTGTGTTTG AAGAGAGCAA TCAGTGTTCT  2400
CAGTGGCAGT GGGTGGAAGT GAGCACACTG TATGTCATCT CTGGGTTCCT TGTCTATTGG  2460
GTGATTTGGA GATTTATCCT TGCTCCCTTT TGGAATTGTT CAAATGTTCT TTTAATGGTC  2520
AGTTTAATGA ACTTCACCAT CGAAGTTAAT GAATGACAGT AGTCACACAT ATTGCTGTTT  2580
ATGTTATTTA GGAGTAAGAT TCTTGCTTTT GAGTCACATG GGGAAATCCC TGTTATTTTG  2640
TGAATTGGGA CAAGATAACA TAGCAGAGGA ATTAATAATT TTTTTGAAAC TTGAACTTAG  2700
CAGCAAAATA GAGCTCATAA AGAAATAGTG AAATGAAAAT GTAGTTAATT CTTGCCTTAT  2760
ACCTCTTTCT CTCTCCTGTA AAATTAAAAC ATATACATGT ATACCTGGAT TTGCTTGGCT  2820
TCTTTGAGCA TGTAAGAGAA ATAAAAATTG AAAGAATAAT TTTTCCTGTT CACTGGCTCA  2880
TTTTTTCTTC AGACACGCAC TGAACATCTG TTATTCGGAA CACCCTGGGT T
```

Seq ID NO: 162 Protein sequence:
Protein Accession #: AAA68877.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
5      MSLEQRSPHC KPDEDLEAQG EDLGLMGAQE PTGEEEETTS SSDSKEEEVS AAGSSSPPQS    60
       PQGGASSSIS VYYTLWSQFD EGSSSQEEEE PSSSVDPAQL EFMFQEALKL KVAELVHFLL   120
       HKYRVKEPVT KAEMLESVIK NYKRYFPVIF GKASEFMQVI FGTDVKEVDP AGHSYILVTA   180
       LGLSCDSMLG DGHSMPKAAL LIIVLGVILT KDNCAPEEVI WEALSVMGVY VGKEHMFYGE   240
       PRKLLTQDWV QENYLEYRQV PGSDPAHYEF LWGSKAHAET SYEKVINYLV MLNAREPICY   300
10     PSLYEEVLGE EQEGV
```

Seq ID NO: 163 DNA sequence
Nucleic Acid Accession #: AF292100
Coding sequence: 30-809

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       GGGGGGGGAG AGGCCTGGAG GACACCAACA TGAACAAGTT GAAATCATCG CAGAAGGATA    60
       AAGTTCGTCA GTTTATGATC TTCACACAAT CTAGTGAAAA AACAGCAGTA AGTTGTCTTT   120
20     CTCAAAATGA CTGGAAGTTA GATGTTGCAA CAGATAATTT TTTCCAAAAT CCTGAACTTT   180
       ATATACGAGA GAGTGTAAAA GGATCATTGG ACAGGAAGAA GTTAGAACAG CTGTACAATA   240
       GATACAAAGA CCCTCAAGAT GAGAATAAAA TTGGAATAGA TGGCATACAG CAGTTCTGTG   300
       ATGACCTGGC ACTCGATCCA GCCAGCATTA GTGTGTTGAT TATTGCGTGG AAGTTCAGAG   360
       CAGCAACACA GTGCGAGTTC TCCAAACAGG AGTTCATGGA TGGCATGACA GAATTAGGAT   420
25     GTGACAGCAT AGAACAACTA AAGGCCCAGA TACCCAAGAT GGAACAAGAA TTGAAAGAAC   480
       CAGGACGATT TAAGGATTTT TACCAGTTTA CTTTTAATTT TGCAAAGAAT CCAGGACAAA   540
       AAGGATTAGA TCTAGAAATG GCCATTGCCT ACTGGAACTT AGTGCTTAAT GGAAGATTTA   600
       AATTCTTAGA CTTATGGAAT AAATTTTTGT TGGAACATCA TAAACGATCA ATACCAAAAG   660
       ACACTTGGAA TCTTCTTTTA GACTTCAGTA CGATGATTGC AGATGACATG TCTAATTATG   720
30     ATGAAGAAGG AGCATGGCCT GTTCTTATTG ATGACTTTGT GGAATTTGCA CGCCCTCAAA   780
       TTGCTGGGAC AAAAAGTACA ACAGTGTAGC ACTAAAGGAA CCTTTTAGAA TGTACATAGT   840
       CTGTACAATA AATACAACAG AAAATTGCAC AGTCAATTTC TGCTGGCTGG ACTGAACTGA   900
       AGATCAATCC TCACAATTCA GACTGAGGGT TGAGACAAAA CTTTAAGGAT ACATCTTGGA   960
       CCATATCGTA TTTCATTCTT CTAATGGTGG TTTGGGCTTG TCTTCTAGTC TGGGCCGGCTC  1020
35     TAAACATTTA TAATTCCAAC ATTGTGGATT TCATCTTATA TCTGTGGACC ATCCTAGTTT  1080
       ATTCTCCCAT AAGTCTTAGA AGCTTTATGG TGATTATTTT GAGGTTTTCA TTCTCGCATA  1140
       AAGCACAATG CTGTCTTCAT CAGAAAACAG TTGGCATAAG AATTAAACAT ATGAACATCA  1200
       CAAAACAATT TATAAAAACT TCTTAAATAT ACGCTTTGGG CTAGTTGCAA AGACTATGCT  1260
       AATAGCACTT CCAGTGAGAG TGATATATATT AAGTGTACTG GATCTGGAAT GGTGTTTGG  1320
40     TTTGGGGGGA ATTTTTTTTT TTTCCTGGCA AATCACATAT GTTGTTGATG TGAGTATCTG  1380
       ATGAAAAAAC AATGTCAGAA TAACCGACAT GAAAATTTTT TAGGATAACT TGGTGCCTAC  1440
       CTGAAAAATG TATTGTGTTT TAGACTCTTG ATTTCAAAAG GTTCCACAGA ACTAGTCTGC  1500
       GCTTACCTTA CCCATGTTTA TATATAGCTG TCCTACAGGG AGCTTTTATT TAGAAAATGT  1560
       CTGCATAATG TTAGATTCTT CTCCTGTCTA CATTATGCAC TACATAATTG GACTTCATTA  1620
45     TGCTTTTGAA ATGCTTATCT GCCTGTCACA TAAGTTAAAC TATTTAATTT GTTTTGAATG  1680
       TTTTGGATTG CTACACAATA CAATATTCTA AATTTAGGCA TGAGGGTTTT TTTGTTTTAT  1740
       TTTTACTTTT TTTTTGTCAT TGCACTATGG AACACAAATG AAATTCTCTT AATTTATAAG  1800
       AAGATAGTAG GAGTTAAATT TTGAAAATGG TTGTGATGAG CCACGAAATT CAATCTTTAT  1860
       AATATAGGTA CTGCTCTTTC AGACAAACAG TCCATTTTTA ATGACTTCTT ATTTTGTTGA  1920
50     AATTACTTTA ACTGCTAATC ACTGTGGTTG CCAAATATTT ACTTCAGAAG CAAAGATTTT  1980
       CAAACAAGCA TACACGATGC AAAATACCAG TCTGGCTTCT AGTCTATTTA CTGTTTTGTT  2040
       TCACTCAGAT TAGCTCAGTT TTCTCATCAA AGCAGAATGC TACTTGCGT GTGTGTGTGT  2100
       GTGTGTGTGT GTGTGTGTGT GTATGTGTGT ATATATATAT ATATATATAT ATATATATTT  2160
       TTTTTTTTTT TTTTTTTTAA ATTACAAAAG CCATGAGCTG CTTTTTATGCT GAAAATGGTC  2220
55     ATTTCCCTGT TCACTTACTG ACATGTGAAG AAGGGTTTCT TGCTTTCTTA AACATTTCCG  2280
       TAAGGCAGGC TAGAAATGTA ATACTTCAAA TGTTTGATGA TTATGGTCTT TTGATAGGAA  2340
       TAGATTCTGC TTGGGATATA TATCCAGGCA CTCTCTAAGG TCTAGGGTTG ATATTAACAA  2400
       AGGAATGTAC TTAGAATAGC AGTACATTTT ATGCAAATAT GGAAATTATT TTAAGAAACA  2460
       ATGACATATC AAAACTGCTT TTTACATGAT TTTGAAATAG ACTAGAAAGC TTTCCCTATA  2520
60     GACATATTAA TATTCCAATC ATAACTTTAA TTCAAGAATG CAGTTTTACC AAAAGAAAAA  2580
       TTTGAAAATT TCTATTCAGG CTACTGGAAT TGGTTATTAA AAGAAAAAGG AAAAAGAAGA  2640
       ATCTTGCTGC TTTCAGTATT TCCTGATTTT TTTGTAAATA TAAAGAGGAA CTTCAATTAT  2700
       GAAAAATTTT TAAAAGATAT ATATATCTAT ATATCTATAT ATATGTACTG TTTTGTTTCC  2760
       TGTCTTGAAG ATTTTGAGTT ATGGTTATTG GTTTCAGATT GATTAATTCA CATATGCTGT  2820
65     GTTTTCTTTA AAAGTCATAT GGGTTCGTGG CCTAATGCCT TGGATTTTAC ATATTTTTCT  2880
       TTTTAAATGC AAAACCTTTT CAACAAAATA GTGTTTGTCA TCAGGTTGGT ACTAAACATT  2940
       TATAATTACT GTGTAATTAT AAACAAAAAT ACATAAAGCT TTGAATATAA TTATGTAGCA  3000
       TAAAAGTTAA GGTTGTTCAC TATGATGGCA TCTTAGAATT AAACAAAACT TTTACTAGGG  3060
       CTGAAAAGAG AAGACTGATT TAATGTGGTG TGATTATTCT GAAGATAAAT GTCTGGCTAC  3120
70     AGGGAATATT TTGTACTAAA AAATGATTAC ACATATGGCT GTGTGTGTTT GAGTCTGTGT  3180
       CTGTGAGAGA GCCAGAGAGA GTGAGAGAGA TTGACAGAGA AAGGGAGAGA CACACACACG  3240
       CCCCTTGAAT TGCTTTAACT CCTAAGTGTT TCAGTCCTCA TTCCGGTAAA CTCCCCATGC  3300
       TGATTCTTTG TTTTAACTG AACCATAGGT ACAGTTTCCT TTTTGCCAAA TGTCAAAACA  3360
       GGTACAAATT TTAAAATGTA ATGCTTTTTA AATAGAAAAA TGTATAAAAT TAGAAGTGCC  3420
75     CACATATAAA AAATACTTGA GATGAAGATT ATCTTTAGTG AATATCATCT GCATATCTCT  3480
       GTAAGTTCAA TTGTGTTTCT TACAGTCCCT GTCATATTAC CAACAGAGGC AATAAAAGCT  3540
       GCAGTGAAAT TG
```

Seq ID NO: 164 Protein sequence:
Protein Accession #: AAG00606

```
        1          11         21         31         41         51
        |          |          |          |          |          |
       MNKLKSSQKD KVRQFMIFTQ SSEKTAVSCL SQNDWKLDVA TDNFFQNPEL YIRESVKGSL    60
       DRKKLEQLYN RYKDPQDENK IGIDGIQQFC DDLALDPASI SVLIIAWKFR AATQCEFSKQ   120
85     EFMDGMTELG CDSIEQLKAQ IPKMEQELKE PGRFKDFYQF TFNFAKNPGQ KGLDLEMAIA   180
       YWNLVLNGRP KFLDLWNKFL LEHHKRSIPK DTWNLLLDFS TMIADDMSNY DEEGAWPVLI   240
       DDFVEFARPQ IAGTKSTTV
```

Seq ID NO: 165 DNA sequence
Nucleic Acid Accession #: AF256215
Coding sequence: 220-2028

```
        1         11        21        31        41        51
        |         |         |         |         |         |
      CTCCAGTCCG CATGCTCAGT AGCTGCTGCC GGCCGGGCTG CGGGGCGGCG TCCGCTGCGC   60
      GCCTACGGGC TGCGGTGGCG GCCGCCGCGG CACCGGCGAG GGCCGGCCAG TCCCCGCTTC   120
      CCTGCTCCAG AGCCGCCGCC TGGGCCGGGG CAGGGCGGGC CCGGGGCTCC TCCATGCTGC   180
      CAGCCGCCGG GCTGCGGGAGC CGACCAAGTG GCTCCTGCGA TGGCGGCGGA AGAGGAGGCT   240
      GCGGCGGGAG GTAAAGTGTT GAGAGAGGAG AACCAGTGCA TTGCTCCTGT GGTTTCCAGC   300
      CGCGTGAGTC CAGGGACAAG ACCAACAGCT ATGGGGTCTT TCAGCTCACA CATGACAGAG   360
      TTTCCACGAA AACGCAAAGG AAGTGATTCA GACCCATCCC AAGTGGAAGA TGGTGAACAC   420
      CAAGTTAAAA TGAAGGCCTT CAGAGAAGCT CATAGCCAAA CTGAAAAGCA GAGGAGAGAT   480
      AAAAATGAATA ACCTGATTGA AGAACTGTCT GCAATGATCC CTCAGTGCAA CCCCATGGCG   540
      CGTAAACTGG ACAAACTTAC AGTTTTAAGA ATGGCTGTTC AACACTGAG ATCTTTAAAA   600
      GGCTTGACAA ATTCTTATGT GGGAAGTAAT TATAGACCAT CATTCTTCA GGATAATGAG   660
      CTCAGACATT TAATCCTTAA GACTGCAGAA GGCTTCTTAT TTGTGGTTGG ATGTGAAAGA   720
      GGAAAAATTC TCTTCGTTTC TAAGTCAGTC TCCAAAATAC TTAATTATGA TCAGGCTAGT   780
      TTGACTGGAC AAAGCTTATT TGACTTCTTA CATCCAAAAG ATGTTGCCAA AGTAAAGGAA   840
      CAACTTTCTT CTTTTGATAT TTCACCAAGA GAAAAGCTAA TAGATGCCAA AACTGGTTTG   900
      CAAGTTCACA GTAATCTCCA CGCTGGAAGG ACACGTGTGT ATTCTGGCTC AAGACGATCT   960
      TTTTTCTGTC GGATAAAGAG TTGTAAAATC TCTGTCAAAG AAGAGCATGG ATGCTTACCC   1020
      AACTCAAAGA AGAAAGAGCA CAGAAAATTC TATACTATCC ATTGCACTGG TTACTTGAGA   1080
      AGCTGGCCTC CAAATATTGT TGGAATGGAA GAAGAAAGGA ACAGTAAGGA AGACAACAGT   1140
      AATTTTACCT GCCTTGTGGC CATTGGAAGA TTACAGCCAT ATATTGTTCC ACAGAACAGT   1200
      GGAGAGATTA ATGTGAAACC AACTGAATTT ATAACCGGT TTGCAGTGAA TGGAAAATTT   1260
      GTCTATGTAG ATCAAAGGGC AACAGCGATT TTAGGATATC TGCCTCAGGA ACTTTTGGGA   1320
      ACTTCTTGTT ATGAATATTT TCATCAAGAT GACCACAATA ATTTGACTGA CAAGCACAAA   1380
      GCAGTTCTAC AGAGTAAGGA GAAAATACTT ACAGATTCCT ACAAATTCAG AGCAAAAGAT   1440
      GGCTCTTTTG TAACTTTAAA AAGCCAATGG TTTAGTTTCA CAAATCCTTG GACAAAAGAA   1500
      CTGGAATATA TTGTATCTGT CAACACTTTA GTTTTGGGAC ATAGTGAGCC TGGAGAAGCA   1560
      TCATTTTTAC CTTGTAGCTC TCAATCATCA GAAGAATCCT CTAGACAGTC CTGTATGAGT   1620
      GTACCTGGAA TGTCTACTGG AACAGTACTT GGTGCTGGTA GTATTATTGCA AGATATTGCA   1680
      AATGAAATTC TGGATTTACA GAGGTTACAG TCTTCTTCAT ACCTTGATGA TTCGAGTCCA   1740
      ACAGGTTTAA TGAAAGATAC TCATACTGTA AACTGCAGGA GTATGTCAAA TAAGGAGTTG   1800
      TTTCCACCAA GTCCTTCTGA AATGGGGGAG CTAGAGGCTA CCAGGCAAAA CCAGAGTACT   1860
      GTTGCTGTCC ACAGCCATGA GCCACTCCTC AGTGATGGTG CACAGTTGGA TTTCGATGCC   1920
      CTATGTGACA ATGATGACAC AGCCATGGCT GCATTTATGA ATTACTTAGA AGCAGAGGGG   1980
      GGCTGGGAG ACCCTGGGGA CTTCAGTGAC ATCCAGTGGA CCCTCTAGCC TTTGATTTTT   2040
      AACTCCAAAA ATGAGAAACA TTTTAAAGCA TTATTTACGA AAAAACTGTC TCAACTATTC   2100
      TTAAGTACTG TATTGATATT GTTTGTATCT TTTATTAATG TTCTACCACT TTTTATAGAT   2160
      TTGCATCTTC CTGTCACAGG GATGTGGGGA AATACGTTTT CCTCCCAAGA GAACCAAGTT   2220
      TATTATAGAC TCCTTTATTC AGTGAAATGG CTTATAATCC ACTAGTTGCC ATATTTTTGC   2280
      TAAAAATATTT CTAACCAAGA ATACTACTTA CATATTGTTT TGGCTTTGTT TTATTTTTGA   2340
      TGCAGTTTTT TTTAGTTGAG GTAATGTAAT ATATTGATGT TTTCCTTTGT GTCTAAGATT   2400
      GATTTATAAT AGTAGGTTTG TATAATTTGG AACATTTTCC ATGCCTTGCG AATTTCCTTA   2460
      ATTGAGGATA GGGCTTACAC ACTTTAAGAA AACAGTGAGT ACTTGAACAT TTAAAGGGAC   2520
      AGTGCAATTT ATAGTCATAA TCACATTGAA TACTGTATTT GATCTTTGGA GACTTAGGCA   2580
      AGCACAGAGC TGGGATATTT ATGCTCAGTT GAGCACTTTA AGATGAATTT TAAGTGAGAT   2640
      GATTTCTTGC TTAAAACTCA GAAAGTCAAA AGAGTTTCAG CTTTCCTTAC AGAAAAGGAA   2700
      GGATCTTGGG CCCTAGATCT TGGGGATTAA CCTCTGCATA TAAGATTTAC TCTTAATAGG   2760
      CCAGACGTGG TGCTCACGCC TGTAATCCCA GTACTTTGGG AGGCTGAGGC GGGCAGATCA   2820
      CTTGAGGTCA GGAGTTCAAG ACCAGCCTGG CCAATATGGT GAAACCCCGT TTCTACTAAA   2880
      AATACAAAAA AAATTACCCA GGCACTCACT CTTGAGGTAA CTAACCAACT CCCACGATAA   2940
      TGACAGTCCA TTCATGAGCG CAAAGGCCTC ATGACCTAAT GGCACACACC TGTAATCCCA   3000
      ACTGCTTGGG AGGCTGAGGC GAGAGGATTG CTTGAACCTG GGAGGCAGAG GTTGCAGTGA   3060
      GCCGAGATCG CACCACTGCA CTCCAGTCTG GGCAACAGAG TGAGACTTCA TCTCAAAAAA   3120
      AGTAAAAAAA AAGATTTAAT ATAATCACTG AAGATCTCTA TTATAGATAG ATTAGGTTTT   3180
      TGACATTGGA AACATACTTA GGGATAGATT TGTCCTAAAG GAAAAAAGTA GGCCCGGGCA   3240
      GATTAAAATGT CTTGTGTAAA GTCACACATT AAATTCAGTC ACACATTAAA TTCATAGAGT   3300
      TTTAAATGTT TAATGTATAT AAACCAGTTT CTTTATACAC ATTTGGGAAA ACATTGGTCT   3360
      CACAGATTAA ATGATTAACT AACTGACCCA GGAACTAGTT GTAGCTTTCT AAGTAATTAG   3420
      GCAATTACAG TTATTGCCTG TAACCAAAGG TAATAAAACA AAATGACAAG TACATGTTTA   3480
      AAATTATGAG GCAATGAGAA ATAATTTAAA AACCAATTTT CTAGTTATAA TTTAAAATTT   3540
      GGAGAGCATT TTTAACAGTA ATTAATCCAG AGGTGGCTCA AATTGAGTAT AAGAATTAAG   3600
      ATTATTTAAA ATACTGCATG TCTACCTTCT CGGGGATCAT ACTTTATAAC ACTTTCTGCT   3660
      TCAGTAGCTC TTCATAGCTT GCCAAGTATG CTCCCATATT TTCTCTCTCG TGCCTCGCAA   3720
      ATGAAAGTCA GATAGGCTGG GAACTCATGG GGCAGCCCTC AGACTTCAAT GTGGGCTTCA   3780
      AATCCAGTTT CCTGTTCTAT ATGGTGCTAC ATCTTTCCAG AAAAATTTCCC TCAGAGCCCC   3840
      TCGCCAAAAC AAAGCATTAT TTGACCCTG CATGCTATTT CTTTAGCTGT AGGTAGATGA   3900
      TTAGAACTTC TGTCAGACAT GTTAATGACA AACATACCAA CAGACAATAA CCAAAGCAAA   3960
      TGTTTCCTTC AAGTGTGAAA TGTGCAAGGG CTCGTGGGCA AGGATGTATT GGCACACTGT   4020
      CCTCTTGAAC TGATAGTGTC CCAGCAATGT TGGAGGTTGG CACCATTCCT GGTCCGACAC   4080
      TTGAGGACCT GAGAGACATC AGGTTTAGAA TGAGCCAAAG AAATCCTACA AGATGGGGAG   4140
      AATTGGTGTG CAGCAGCCTA AGTGTTATAG TTAAGTCTAA AGAAGTATGA AAGATCCCCT   4200
      GTGTTCTCTA AATTGAGCAG AGGGGCCTGC CTACCAATAT CACTTTTTAG GGGACTGAAC   4260
      CATTGCAGGT TAGACTTGGC TTCCAAAGAG TCTGCCTAAG CCAGGGGTGG CAGGGTAGGC   4320
      CATCATAGCT GGATGGCCTC AAAAGCAGAT GGGGGCAGAC TTGCCTCCGT GATGCCAGGA   4380
      TTTGAGAGGC AGAGTTTCTA GAGGGAGACC AGTGCTGCCT CTCACAGTGG CAGTTTTTTC   4440
      TCTTTGCAAG AGGAGGGGCT GTTCAATTCC ATAGACCAGT GGGCAGATAG CCAGTTGAAT   4500
      ACTCTGTGCA TGGTTTGATC CTTTATTAGT TCGCTCTAAT ATTTTTCTGT AGATCCTTTT   4560
      GTCCTGGACT CAAAATCTAA TCCATGCATT GTATGATACC GTAGCTCTCC TAAGGTTTGT   4620
      GTTTCCTTCA AAATGTTTTA GTTTTCTTCA ACTAAATTTG ATTTTTGCTG TTAGAAGTGA   4680
      CATATTTTTA TGGTATACAC TATGTTCCTT TTTTCTACTG CGAGTCAATT TTTTGAATTT   4740
      TCGTGAGAAA GAATATATCT ACAAATTGCA CGAAAGTATC ATAAAAACAG TACTCTAGAG   4800
```

```
        CAGCGCTGTC CAATAGAAAT ATAATCTGAG CCACATGTAT AATTTTATTT TCTTCTAGCC    4860
        ACATTAAAGA AGTAAAAAGA TACAAGTAGA ACTAATTTTA ATGTTTTAAT TCAGTATATC    4920
        CAAAATATCA TTTGAACATG TAATTAATAT AAAATTATTA ATGTGATATT TTACATTCTT    4980
        TTGGTAATAC TAGTCTTCAA AATCTGGTAT GTATCTTACA TTGATAGCAC ATCTCACTTT    5040
5       GTACTAGCCA CATTGCAAGT GCTCAGTAGC CACATGTGGC TAGTGGCTAC TGCACTGGAC    5100
        AGCACAGTTC TAGGTTCCAC CCTAACACCC AAGTCCTGTG GATTAGAATC CCAGAATCAG    5160
        AGCTGGAAGT AAACATAGAG ATCAAACCTC CTTTTAAAAA TGAGGACGCT GAGGCACAGA    5220
        GTTTAAATGG CTTGCATGAG GTCATACAGC TAAATTCAGC CTCAACAGGG TCTTCTGATT    5280
        CCAGGCACTC TTCCCACTCC ACTACATTAC TGTAGTGGTA ATTCTTAGGG TTAAAAAAAG    5340
10      TGTAGAGTAG GCCGGGCGCA GTGGCTCATG CCTGTAATCC CAGCACTTTG GGAGGCCGAA    5400
        GTGGGCGGAT CACGAGGTCA GGAGATCGAG ACCATCCTGG CCAACATGGT GAAACCCCGT    5460
        CTCTACTCTGAA AATACAAAGC AAAATTAGCC AGGTGTGGTG GCGGGCGCCT GTGGTCCCAG    5520
        CTGCTCTGGA GGCTGAGGCA GAATGGCCTG AACCCAGGAG GCAGAGATGG CAGTGAGCCA    5580
        AGATCGCGCC ACTGCACCCC AGCCTGGGCG ACAGAGCGAG ACTCCATCTC AAAAAAAAAA    5640
15      AAAAAAAAAA AAGAAAAGAA AAGAAAAGTC TAGAGAACAT TATATTAAGT GGTTATTATT    5700
        GAAGTAGACC AAAGTTTATA CCATAAGGAT ATTTTTCCTT AAATACCATG TTTGAAGAAC    5760
        AATTATTTAT TGATCCTTGA ATCTGTAAGA TCAAATAACA AGTCTCTATC CATGTTACCA    5820
        AATTTAACCT TTTGAAAATA ATAAACTTTA AAATATCAGA TGTGTTATTA CAGGATGATA    5880
        CTTGGAATCA AGTGAAATGA GTTATATGGT CATCACTAAA TTTAGAAATC TATTGTGAAA    5940
20      CAAAGACAAA CAGGAAAGTA CAGAATAGAG ACTTTTAGTA AATAAATGGA ATTTAAAAGA    6000
        AAGTGTTTAT TTACAGTGTC ACGACAGAAA AGGATGTCTT TGTTGTCATA GTCTTTGAGG    6060
        GATCTCCGTA AAATCTGGGG CACAGGTACA AGAAATAGCC AATATTTAGT TCCCAGACCA    6120
        TGTTTAGTAG TGTCCAGTTT CAGATCATGC TGCCAAGAGG TATCTCCCCC TCAGGTGGGT    6180
        CATCACTGAG CCCTGGAATT GGAGACTCAT ACTTGCCCAG CACAATGTTA CGGGCAGACA    6240
25      GGCCGACATC TATGATTAGC TAGAAGCCAT AAAGAAAAGC TGCTAAGTGG CCACTAGGTG    6300
        CCACTTTTCT GTTTTTGTAA TGCTTTCATT AGCAGATCTT TTTTTTCCAA GCTCCATGGG    6360
        GCCTATGAGA GGCATTTATG ATTTTTGTGC CTACAATAAG TCAGCCTGTC TGGTGTGAGT    6420
        TGTTTTATGA GAAATGCTTT CCAAGGGAGG TCTAGGAAGA TCCTGACACA TAAGAACTTT    6480
        GGCTTAGAGA GCTTTCCAGG TGTAGTGCCA ATAAAAACTG ACCTGGAAAG AAAACCTGGT    6540
30      CAGCACGGAA CATGCTTTCT GAACTCACTT GAGAGTGTAT GGTGTATGTC ACTTCTCATA    6600
        TATTCTTGAG TTTAGATTTG TCTTTTATAC AATTTTTAGC TCTTTTTCCAG TTCACTTGTG    6660
        CTCGTCTGTA TATTGGTATT TTTAAATTTT TGTGGTAAAT AATGAAAAGA GTGAAATTAT    6720
        ATTTTATAAT TACTCATTTG TAGTTTTTTT .TTTTAATTTA ATAAACTTCC TCCAAAAAGT    6780
35      GCTCCCTTAA AA
```

Seq ID NO: 166 Protein sequence:
Protein Accession #: AAG34652

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MAAEEAAAG GKVLREENQC IAPVVSSRVS PGTRPTAMGS PSSHMTEFPR KRKGSDSDPS    60
        QVEDGEHQVK MKAFREAHSQ TEKRRRDKMN NLIEELSAMI PQCNPMARKL DKLTVLRMAV   120
        QHLRSLKGLT NSYVGSNYRP SFLQDNELRH LILKTABGFL FVVGCERGKI LFVSKSVSKI   180
        LNYDQASLTG QSLFDPLHPK DVAKVKEQLS SFDISPREKL IDAKTGLQVH SNLHAGRTRV   240
        YSGSRRSFFC RIKSCKISVK EEHGCLPNSK KKEHRKFYTI HCTGYLRSWP PNIVGMEEER   300
        NSKKDNSNFT CLVAIGRLQP YIVPQNSGEI NVKPTEFITR FAVNGKFVYV DQRATAILGY   360
        LPQELLGTSC YEYFHQDDHN NLTDKHKAVL QSKEKILTDS YKFRAKDGSF VTLKSQWFSP   420
        TNPWTKELEY IVSVNTLVLG HSEPGEASFL PCSSQSSEES SRQSCMSVPG MSTGTVLGAG   480
        SIGTDIANEI LDLQRLQSSS YLDDSSPTGL MKDTHTVNCR SMSNKELFPP SPSEMGELEA   540
        TRQNQSTVAV HSHEPLLSDG AQLDFDALCD NDDTAMAAFM NYLEAEGGLG DPGDFSDIQW   600
        TL
```

Seq ID NO: 167 DNA sequence
Nucleic Acid Accession #: NM_014400
Coding sequence: 86-1126

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GGTTACTCAT CCTGGGCTCA GGTAAGAGGG CCCGAGCTCG GAGGCGGCAC ACCCAGGGGG    60
        GACGCCAAGG GAGCAGGACG GAGCCATGGA CCCCGCCAGG AAAGCAGGTG CCCAGGCCAT   120
        GATCTGGACT GCAGGCTGGC TGCTGCTGCT GCTGCTTCGC GGAGGAGCGC AGGCCCTGGA   180
        GTGCTACAGC TGCGTGCAGA AAGCAGATGA CGGATGCTCC CCGAACAAGA TGAAGACAGT   240
        GAAGTGCGCG CCGGGCGTGG ACGTCTGCAC CGAGGCCGTG GGGGCGGTGG AGACCATCCA   300
        CGGACAATTC TCGCTGGCAG TGCGGGGTTG CGGTTCGGGA CTCCCCGGCA AGAATGACCG   360
        CGGCCTGGAT CTTCACGGGC TTCTGGCGTT CATCCAGCTG CAGCAATGCG CTCAGGATCG   420
        CTGCAACGCC AAGCTCAACC TCACCTCGCG GGCGCTCGAC CCGGCAGGTA ATGAGAGTGC   480
        ATACCCGCCC AACGGCGTGG AGTGCTACAG CTGTGTGGGC CTGAGCCGGG AGGCGTGCCA   540
        GGGTACATCG CCGCCGGTCG TGAGCTGCTA CAACGCCAGC GATCATGTCT ACAAGGGCTG   600
        CTTCGACGGC AACGTCACCT TGACGGCAGC TAATGTGACT GTGTCCTTGC CTGTCCGGGG   660
        CTGTGTCCAG GATGAATTCT GCACTCGGGA TGGAGTAACA GGCCCAGGGT TCACGCTCAG   720
        TGGCTCCTGT TGCCAGGGGT CCCGCTGTAA CTCTGACCTC CGCAACAAGA CCTACTTCTC   780
        CCCTCGAATC CCACCCCTTG TCCGGCTGCC CCCTCCAGAG CCCACGACTG TGGCCTCAAC   840
        CACATCTGTC ACCACTTCTA CCTCGGCCCC AGTGAGACCC ACATCCACCA CCAAACCCAT   900
        GCCAGCGCCA ACCAGTCAGA CTCCGAGACA GGGAGTAGAA CACGAGGCCC CCGGGATGA   960
        GGAGCCCAGG TTGACTGGAG GCGCCGCTGG CCACCAGGAC CGCAGCAATT CAGGGCAGTA  1020
        TCCTGCAAAA GGGGGGCCCC AGCAGCCCCA TAATAAAGGC TGTGTGGCTC CCACAGCTGG  1080
        ATTGGCAGCC CTTCTGTTGG CCGTGGCTGC TGGTGTCCTA CTGTGAGCTT CTCCACCTGG  1140
        AAATTTCCCT CTCACCTACT TCTCTGGCCC TGGGTACCCC TCTTCTCATC ACTTCCTGTT  1200
        CCCACCACTG GACTGGGCTG GCCCAGCCCC TGTTTTTCCA ACATTCCCCA GTATCCCCAG  1260
        CTTCTGCTGC GCTCTTTTGC GGCTTTGGGA AATAAAAATAC CGTTGTATAT ATTCTGGCAG  1320
        GGGTGTTCTA GCTTTTTGAG GACAGCTCCT GTATCCTTCT CATCCTTGTC TCTCCGCTTG  1380
        TCCTCTTGTG ATGTTAGGAC AGAGTGAGAG AAGTCAGCTG TCACGGGGAA GGTGAGAGAG  1440
        AGGATGCTAA GCTTCCTACT CACTTTCTCC TAGCCAGCCT GGCTTTGGA GCGTGGGGTG  1500
        GGTGGGACAA TGGCTCCCCA CTCTAAGCAC TGCCTCCCCT ACTCCCCGCA TCTTTGGGGA  1560
        ATCGGTTCCC CATATGTCTT CCTTACTAGA CTGTGAGCTC CTCGAGGGCA GGGACCGTGC  1620
        CTTATGTCTG TGTGTGATCA GTTTCTGGCA CATAAATGCC TCAATAAAGA TTTAATTACT  1680
```

TTGTATAGTG AAAAAAAA

Seq ID NO: 168 Protein sequence:
Protein Accession #: NP_055215

```
1          11         21         31         41         51
|          |          |          |          |          |
MDPARKAGAQ AMIWTAGWLL LLLLRGGAQA LECYSCVQKA DDGCSPNKMK TVKCAPGVDV    60
CTEAVGAVET IHGQFSLAVX GCGSGLPGKN DRGLDLHGLL APIQLQQCAQ DRCNAKLNLT   120
SRALDPAGNE SAYPPNGVEC YSCVGLSREA CQGTSPPVVS CYNASDHVYK GCFDGNVTLT   180
AANVTVSLPV RGCVQDEPCT RDGVTGPGFT LSGSCCQGSR CNSDLRNKTY FSPRIPPLVR   240
LPPPEPTTVA STTSVTTSTS APVRPTSTTK PMPAPTSQTP RQGVEHEASR DEEPRLTGGA   300
AGHQDRSNSG QYPAKGGPQQ PHNKGCVAPT AGLAALLLAV AAGVLL
```

Seq ID NO: 169 DNA sequence
Nucleic Acid Accession #: NM_006875
Coding sequence: 186-1190

```
1          11         21 .       31         41         51
|          |          |          |          |          |
GAATTCGGCA CGAGCGCGCG GCGAATCTCA ACGCTGCGCC GTCTGCGGGC GCTTCCGGGC    60
CACCAGTTTC TCTGCTTTCC ACCCTGGCGC CCCCCAGCCC TGGCTCCCCA GCTGCGCTGC   120
CCCGGGCGTC CACGCCCTGC GGGCTTAGCG GGTTCAGTGG GCTCAATCTG CGCAGCGCCA   180
CCTCCATGTT GACCAAGCCT CTACAGGGGC CTCCCGCGCC CCCCGGGACC CCCACGCCCGC   240
CGCCAGGAGG CAAGGATCGG GAAGCGTTCG AGGCCGAGTA TCGACTCGGC CCCCTCCTGG   300
GTAAGGGGGG CTTTGGCACC GTCTTCGCAG GACACCGCCT CACAGATCGA CTCCAGGTGG   360
CCATCAAAGT GATTCCCCGG AATCGTGTGC TGGGCTGGTC CCCCTTGTCA GACTCAGTCA   420
CATGCCCACT CGAAGTCGCA CTGCTATGGA AAGTGGGTGC AGGTGGTGGG CACCCTGGCG   480
TGATCCGCCT GCTTGACTGG TTTGAGACAC AGGAAGGCTT CATGCTGGTC CTCGAGCGGC   540
CTTTGCCCGC CCAGGATCTC TTTGACTATA TCACAGAGAA GGGCCCACTG GGTGAAGGCC   600
CAAGCCGCTG CTTCTTTGGC CAAGTAGTGG CAGCCATCCA GCACTGCCAT TCCGTGGGAG   660
TTGTCCATCG TGACATCAAG GATGAGAACA TCCTGATAGA CCTACGCCGT GGCTGTGCCA   720
AACTCATTGA TTTTGGTTCT GGTGCCCTGC TTCATGATGA ACCCTACACT GACTTTGATG   780
GGACAAGGGT GTACAGCCCC CCAGAGTGGA TCTCTCGACA CCAGTACCAT GCACTCCCGG   840
CCACTGTCTG GTCACTGGGC ATCCTCCTCT ATGACATGGT GTGTGGGGAC ATTCCCTTTG   900
AGAGGGACCA GGAGATTCTG GAAGCTGAGC TCCACTTCCC AGCCCATGTC TCCCCAGACT   960
GCTGTGCCCT AATCCGCCGG TGCCTGGCCC CCAAACCTTC TTCCCGACCC TCACTGGAAG  1020
AGATCCTGCT GGACCCCTGG ATGCAAACAC CAGCCGAGGA TGTTACCCCT CAACCCCTCC  1080
AAAGGAGGCC CTGCCCCTTT GGCCTGGTCC TTGCTACCCT AAGCCTGGCC TGGCCTGGCC  1140
TGGCCCCCAA TGGTCAGAAG AGCCATCCCA TGGCCATGTC ACAGGGATAG ATGGACATTT  1200
GTTGACTTGG TTTTACAGGT CATTACCAGT CATTAAAGTC CAGTATTACT AAGGTAAGGG  1260
ATTGAGGATC AGGGGTTAGA AGACATAAAC CAAGTTTGCC CAGTTCCCTT CCCAATCCTA  1320
CAAAGGAGCC TTCCTCCCAG AAACCTGTGGT CCCTGATTTT GGAGGGGGAA CTTCTTGCTT  1380
CTCATTTTGC TAAGGAAGTT TATTTTGGTG AAGTTGTTCC CATTTTGAGC CCCGGGACTC  1440
TTATTTTGAT GATGTGTCAC CCCACATTGG CACCTCCTAC TACCACCACA CAAACTTAGT  1500
TCATATGCTT TTACTTGGGC AAGGGTGCTT TCCTTCCAAT ACCCCAGTAG CTTTTATTTT  1560
AGTAAAGGGA CCCTTTCCCC TAGCCTAGGG TCCCATATTG GGTCAAGCTG CTTACCTGCC  1620
TCAGCCCAGG ATTTTTTATT TTGGGGGAGG TAATGCCCTG TTGTTACCCC AAGGCTTCTT  1680
TTTTTTTTTT TTTTTTTTTG GGTGAGGGGA CCCTACTTTG TTATCCCAAG TGCTCTTATT  1740
CTGGTGAGAA GAACCTTAAT TCCATAATTT GGGAAGGAAT GGAAGATGGA CACCACCGGA  1800
CACCACCAGA CAATAGGATG GGATGGATGG TTTTTTGGGG GATGGGCTAG GGGAAATAAG  1860
GCTTGCTGTT TGTTTTCCTG GGGCGCTCCC TCCAATTTTG CAGATTTTTG CAACCTCCTC  1920
CTGAGCCGGG ATTGTCCAAT TACTAAAATG TAAATAATCA CGTATTGTGG GGAGGGGAGT  1980
TCCAAGTGTG CCCTCCTTTT TTTTCCTGCC TGGATTATTT AAAAAGCCAT GTGTGGAAAC  2040
CCACTATTTA ATAAAAGTAA TAGAATCAGA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 170 Protein sequence:
Protein Accession #: NP_006866

```
1          11         21         31         41         51
|          |          |          |          |          |
MLTKPLQGPP APPGTPTPPP GGKDREAFEA EYRLGPLLGK GGPGTVFAGH RLTDRLQVAI    60
KVIPRNRVLG WSPLSDSVTC PLEVALLWKV GAGGGHPGVI RLLDWFETQB GFMLVLERPL   120
PAQDLFDYIT EKGPLGEGPS RCFFGQVVAA IQHCHSRGVV HRDIKDENIL IDLRRGCAKL   180
IDFGSGALLH DEPYTDFDGT RVYSPPEWIS RHQYHALPAT VWSLGILLYD MVCGDIPFER   240
DQEILEAELH FPAHVSPDCC ALIRRCLAPK PSSRPSLEEI LLDPWMQTPA EDVTPQPLQR   300
RPCPFGLVLA TLSLAWPGLA PNGQKSHPMA MSQG
```

Seq ID NO: 171 DNA sequence
Nucleic Acid Accession #: NM_003646
Coding sequence: 89..2875

```
1          11         21         31         41         51
|          |          |          |          |          |
GCGGCGCGGA GCGGGCGTGC TGAGCCCCGG CCGCCGGCCC GGCATGGGCG TCTCCCGCGG    60
GCCCTCCGCC GGCCGGGGCT AGGGCCGGAT GGAGCCGCGG GACGGGTAGCC CCGAGGCCCG   120
GAGCAGCGAC TCCGAGTCGG CTTCCGCCTC GTCCAGCGGC TCCGAGCGCG ACGCCGGTCC   180
CGAGCCGGAC AAGGCGCCGC GGCGACTCAA CAAGCGGCGC TTCCCGGGGC TGCGGCTCTT   240
CGGGCACAGG AAAGCCATCA CCAAGTCGGG CCTCCAGCAC CTGGCCCCCC CTCCCGCCCAC   300
CCCTGGGGCC CCGTGCAGCG AGTCAGAGCG GCAGATCCGG AGTACAGTGG ACTGGAGCGA   360
GTCAGCGACA TATGGGGAGC ACATCTCGGTT CGAGACCAAC GTGTCCGGGG ACTTCTGCTA   420
CGTTGGGGAG CAGTACTGTG TAGCCAGGAT GCTGAAGTCA GTGTCTCGAA GAAAGTGCGC   480
AGCCTGCAAG ATTGTGGTGC ACACGCCCTG CATCGAGCAG CTGGAAGAAA TAAATTTCGG   540
CTGTAAGCCG TCCTTCCGTG AATCAGGCTC CAGGAATGTC CGCGAGCCAA CCTTTGTACG   600
GCACCACTGG GTACACAGAC GACGCCAGGA CGGCAAGTGT CGGCACTGTG GGAAGGGATT   660
CCAGCAGAAG TTCACCTTCC ACAGCAAGGA GATTGTGGCC ATCAGCTGCT CGTGGTGCAA   720
```

```
        GCAGGCATAC CACAGCAAGG TGTCCTGCTT CATGCTGCAG CAGATCGAGG AGCCGTGCTC    780
        GCTGGGGGTC CACGCAGCCG TGGTCATCCC GCCCACCTGG ATCCTCCGCG CCCGGAGGCC    840
        CCAGAATACT CTGAAAGCAA GCAAGAAGAA GAAGAGGGCA TCCTTCAAGA GGAAGTCCAG    900
        CAAGAAAGGG CCTGAGGAGG GCCGCTGGAG ACCCTTCATC ATCAGGCCCA CCCCCTCCCC   .960
        GCTCATGAAG CCCCTGCTGG TGTTTGTGAA CCCCAAGAGT GGGGGCAACC AGGGGTGCAAA  1020
        GATCATCCAG TCTTTCCTCT GGTATCTCAA TCCCCGACAA GTCTTCGACC TGAGCCAGGG   1080
        AGGGCCCAAG GAGGCGCTGG AGATGTACCG CAAAGTGCAC AACCTGCGGA TCCTGGCGTG   1140
        CGGGGGCGAC GGCACGGTGG GCTGGATCCT CTCCACCCTG GACCAGCTAC GCCTGAAGCC   1200
        GCCACCCCCT GTTGCCATCC TGCCCCTGGG TACTGGCAAC GACTTGGCCC GAACCCTCAA   1260
        CTGGGGTGGG GGCTACACAG ATGAGCCTGT GTCCAAGATC CTCTCCCACG TGGAGGAGGG   1320
        GAACGTGGTA CAGCTGGACC GCTGGGACCT CCACGCTGAG CCCAACCCCG AGGCAGGGCC   1380
        TGAGGACCGA GATGAAGGCG CCACCGACCG GTTGCCCCTG GATGTCTTCA ACAACTACTT   1440
        CAGCCTGGGC TTTGACGCCC ACGTCACCCT GGAGTTCCAC GAGTCTCGAG AGGCCAACCC   1500
        AGAGAAATTC AACAGCCGCT TTCGGAATAA GATGTTCTAC GCCGGGACAG CTTTCTCTGA   1560
        CTTCCTGATG GGCAGCTCCA AGGACCTGGC CAAGCACATC CGAGTGGTGT GTGATGGAAT   1620
        GGACTTGACT CCCAAGATCC AGGACCTGAA ACCCCAGTGT GTTGTTTTCC TGAACATCCC   1680
        CAGGTACTGT GCGGGCACCA TGCCCTGGGG CCACCCTGGG GAGCACCACG ACTTTGAGCC   1740
        CCAGCGGCAT GACGACGGCT ACCTCGAGGT CATTGGCTTC ACCATGACGT CGTTGGCCGC   1800
        GCTGCAGGTG GGGGACACG GCGAGCGGCT GACGCAGTGT CGCGAGGTGG TGCTCACCAC   1860
        ATCCAAGGCC ATCCCGGTGC AGGTGGATGG CGAGCCCTGC AAGCTTGCAG CCTCACGCAT   1920
        CCGCATCGCC CTGCGCAACC AGGCCACCAT GGTGCAGAAG GCCAAGCGGC GGAGCGCCGC   1980
        CCCCCTGCAC AGCGACCAGC AGCCGGTGCC AGAGCAGTTG CAGGTCATCC AGGTCAGGA   2040
        CAGCATGCAC GACTATGAGG CCCTGCACTA CGACAAGGAG CAGCTCAAGG AGGCCTCTGT   2100
        GCCGCTGGGC ACTGTGGTGG TCCCAGGAGA CAGTGACCTA GAGCTCTGCC GTGCCCACAT   2160 .
        TGAGAGACTC CAGCAGGAGC CCGATGGTGC TGGAGCCAAG TCCCCGACAT GCCAGAAACT   2220
        GTCCCCCAAG TGGTGCTTCC TGGACGCCAC CACTGCCAGC CGCTTCTACA GGATCGACCG   2280
        AGCCCAGGAG CACCTCAACT ATGTGACTGA GATCGCACAG GATGAGATTT ATATCCTGGA   2340
        CCCTGAGCTG CTGGGGGCAT CGGCCCGGCC TGACCTCCCA ACCCCCACTT CCCCTCTCCC   2400
        CACCTCACCC TGCTCACCCA CGCCCCGGTC ACTGCAAGGG GATGCTGCAC CCCCTCAAGG   2460
        TGAAGAGCTG ATTGAGGCTG CCAAGAGGAA CGACTTCTGT AAGCTCCAGG AGCTGCACCG   2520
        AGCTGGGGGC GACCTCATGC ACCGAGACGA GCAGAGTCGC ACGCTCCTGC ACCACGCAGT   2580
        CAGCACTGGC AGCAAGGATG TGGTCCGCTA CCTGCTGGAC CACGCCCCCC CAGAGATCCT   2640
        TGATGCGGTG GAGGAAAACG GGGAGACCTG TTTGCACCAA GCAGCGGCCC TGGGCCAGCG   2700
        CACCATCTGC CACTACATCG TGGAGGCCGG GGCCTCGCTC ATGAAGACAG ACCAGCAGGG   2760
        CGACACTCCC CGGCAGCGGG CTGAGAAGGC TCAGGACACC GAGCTGGCCG CCTACCTGGA   2820
        GAACCGGCAG CACTACCAGA TGATCCAGCG GGAGGACCAG GAGACGGCTG TGTAGCGGGC   2880
```

Seq ID NO: 172 Protein sequence:
Protein Accession #: NP_003637

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MEPRDGSPEA RSSDSESASA SSSGSERDAG PEPDKAPRRL NKRRFPGLRL FGHRKAITKS    60
        GLQHLAPPPP TPGAPCSESE RQIRSTVDWS ESATYGEHIW FETNVSGDFC YVGEQYCVAR   120
        MLKSVSRRKC AACKIVVHTP CIEQLEKINF RCKPSFRESG SRNVREPTFV RHHWVHRRRQ   180
        DGKCRHCGKG FQQKFTFHSK EIVAISCSWC KQAYHSKVSC FMLQQIEEPC SLGVHAAVVI   240
        PPTWILRARR PQNTLKASKK KKRASFKRKS SKKGPEEGRW RPFIIRPTPS PLMKPLLVFV   300
        NPKSGGNQGA KIIQSFLWYL NPRQVFDLSQ GGPKEALEMY RKVHNLRILA CGGDGTVGWI   360
        LSTLDQLRLK PPPPVAILPL GTGNDLARTL NWGGGYTDEP VSKILSHVEE GNVVQLDRWD   420
        LHAEPNPEAG PEDRDEGATD RLPLDVFNNY FSLGFDAHVT LEFHESREAN PEKFNSRFRN   480
        KMFYAGTAFS DFLMGSSKDL AKHIRVVCDG MDLTPKIQDL KPQCVVFLNI PRYCAGTMPW   540
        GHPGEHHDPE PQRHDDGYLE VIGFTMTSLA ALQVGGHGER LTQCREVVLT TSKAIPVQVD   600
        GEPCKLAASR IRIALRNQAT MVQKAKRRSA APLHSDQQPV PEQLRIQVSR VSMHDYEALH   660
        YDKEQLKEAS VPLGTVVVPG DSDLELCRAH IERLQQEPDG AGAKSPTCQK LSPKWCFLDA   720
        TTASRFYRID RAQEHLNYVT EIAQDEIYIL DPELLGASAR PDLPTPTSPL PTSPCSPTPR   780
        SLQGDAAPPQ GEELIEAAKR NDPCKLQELH RAGGDLMHRD EQSRTLLHHA VSTGSKDVVR   840
        YLLDHAPPEI LDAVEENGET CLHQAAALGQ RTICHYIVEA GASLMKTDQQ GDTPRQRAEK   900
        AQDTELAAYL ENRQHYQMIQ REDQETAV
```

Seq ID NO: 173 DNA sequence
Nucleic Acid Accession #: AF232772
Coding sequence: 1-1662

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        ATGCCGGTGC AGCTGACGAC AGCCCTGCGT GTGGTGGGCA CCAGCCTGTT TGCCCTGGCA    60
        GTGCTGGGTG GCATCCTGGC AGCCTATGTG ACGGGCTACC AGTTCATCCA CACGGAAAAG   120
        CACTACCTGT CCTTCGGCCT GTACGGCGCC ATCCTGGGCC TGCACCTGCT CATTCAGAGC   180
        CTTTTTGCCT TCCTGGAGCA CCGGCGCATG CGACGTGCCG GCCAGGCCCT GAAGCTGCCC   240
        TCCCCGCGGC GGGGCTCGGT GGCACTGTGC ATTGCCGCAT ACCAGGAGGA CCCTGACTAC   300
        TTGCGCAAGT GCCTGCGCTC GGCCCAGCGA ATCTCCTTCC CTGACCTCAA GGTGGTCATG   360
        GTGGTGGATG GCAACCGCCA GGAGGACGCC TACATGCTGG ACATCTTCCA CGAGGTGCTG  · 420
        GGCGGCACCG AGCAGGCCGG CTTCTTTGTG TGGCGCAGCA ACTTCCATGA GGCAGGCGAG   480
        GGTGAGACGG AGGCCAGCCT GCAGGAGGGC ATGGACCGTG TGCCGGATGT GGTGCGGGCC   540
        AGCACCTTCT CGTGCATCAT GCAGAAGTGG GGAGGCAAGC GCGAGGTCAT GTACACGGCC   600
        TTCAAGGCCC TCGGCGATTC GGTGGACTAC ATCCAGGTGT GCGACTCTGA CACTGTGCTG   660
        GATCCAGCCT GCACCATCGA GATGCTTCGA GTCCTGGAGG AGGATCCCCA AGTAGGGGGA   720
        GTCGGGGGAG ATGTCCAGAT CCTCAACAAG TACGACTCAT GGATTTCCTT CCTGAGCAGC   780
        GTGCGGTACT GGATGGCCTT CAACGTGGAG CGGGCCTGCC AGTCCTACTT TGGCTGTGTG   840
        CAGTGTATTA GTGGGCCCTT GGGCATGTAC CGCAACAGCC TCCTCCAGCA GTTCCTGGAG   900
        GACTGGTACC ATCAGAAGTT CCTAGGCAGC AAGTGCAGCT TCGGGGATGA CCGGCACCTC   960
        ACCAACCGAG TCCTGAGCCT TGGCTACCGA ACTAAGTATA CCGCGCGCTC CAAGTGCCTC  1020
        ACAGAGACCC CCACTAAGTA CCTCCGGTGG CTCAACCAGC AAACCCGCTG GAGCAAGTCT  1080
        TACTTCCGGG AGTGGCTCTA CAACTCTCTG TGGTTCCATA AGCACACCCT CTGGATGACC  1140
        TACGAGTCAG TGGTCACGGG TTTCTTCCCC TTCTTCCTCA TTGCCACGGT TATACAGCTT  1200
        TTCTACCGGG GCCGCATCTG GAACATTCTC CTCTTCCTGC TGAGCGGTGCA GCTGGTGGGC  1260
        ATTATCAAGG CCACCTACGC CTGCTTCCTT CGGGGCAATG CAGAGATGAT CTTCATGTCC  1320
```

```
CTCTACTCCC TCCTCTATAT GTCCAGCCTT CTGCCGGCCA AGATCTTTGC CATTGCTACC   1380
ATCAACAAAT CTGGCTGGGG CACCTCTGGC CGAAAAACCA TTGTGGTGAA CTTCATTGGC   1440
CTCATTCCTG TGTCCATCTG GGTGGCAGTT CTCCTGGAGG GGCTGGCCTA CACAGCTTAT   1500
TGCCAGGACC TGTTCAGTGA GACAGAGCTA GCCTTCCTTG TCTCTGGGGC TATACTGTAT   1560
GGCTGCTACT GGGTGGCCCT CCTCATGCTA TATCTGGCCA TCATCGCCCG GCGATGTGGG   1620
AAGAAGCCGG AGCAGTACAG CTTGGCTTTT GCTGAGGTGT GACATGGCCG CCAAGCAGAG   1680
CGGGTAAAGT GCAATGGGTA AGGGAGGGAA GGGGAATGGA AGAGAAAAGA CAGGGTGGGA   1740
GGGAGGAGGG AGTGCTGTGT TTTAGTCTCT TAATGGTCCA AAGGACAAAT CTAAAATGCA   1800
AAGAACGGTG ATGTAGTATG GCCTGACAGC TCTGTTTAGA GGAGGCAACA CTGATCCCCC   1860
AGATGCAGGG CTGCAGGGGA TTCTGTGTTT TCAGACTGCC TGTCTGCTTG CATCTGCACA   1920
TAGGCAGTAG CCTCCTCCTG GGCTCCAGAG GGCACTCAGA AGTTGTGCTA AACCAAGTTA   1980
AGTCCCATTC AGTGGCAACT TGTGATAGGT ACCTGAGTGA CGGCAACCTG CGGAAGGAGG   2040
TTCTCCCAGC CCATCTGAAC ACAACCAGAG GTGGCAGGAG AATTTCTACT GAGCGAGGTG   2100
GGCCGGTTAG TGTATGTCAC CCCCACCCCA CCCATAAGTA GTCATCAATG CAATAAGATT   2160
GCGCGTGAGA TACAAGGCCC AGAAGCCTGA TCTTTGGGCA TCAGAAAACA GGGTCCAGGA   2220
ATGGTGCTTT ATGTGAGATA CCCCACTCCA CATCAACATT CCAGGGATGA GCCAAACCAG   2280
CAGGGAGTTA GCACTGAACT GCTTTTAAAA GTGCACATTA AAAAGGAAAG TTTGCCAGGA   2340
GGAACAAAGA GATTGTGGTG GTGCTAAAGG AGGCCATAAG CTACACAGAG GCCTTGGGTG   2400
TTCCACCTGG AAACTGCTCA GACGTCTAGA TGGGTTCTTA GCTTGTCTGT GATCTCTGCT   2460
GGGGAGATAA AAAGATTAAG CCCCAACATG TTCAGAAAAG AAGTGAAGTC TTGGGTATTT   2520
TAACCTGTAT ACTCTTGAAT TCCTCTCAAA TTCAGCTCTG ATCTGAGGCT AAGACACACT   2580
CCCCACTTCA CTTTCTTCAA AGCCACATTT TTTGAGGTAT CACTGCAGTC ACCTCTTCTA   2640
CCCTCATCAT CATAGGTAAG GTTTTCAAGG TGGCAATTGG GGCGGAGCCC CGGCTTCTTA   2700
TAGAAGCTTC AGCAGGAGGC AAGCGTGTTC TCAGCACATA TGGGAACTAT GAGGAGCCTC   2760
TGATCAAATT GGCTACAATC TTGGAGCTGC TTGGACGGAT TCCTTGGCAG CCGGGTTAGC   2820
ATGTGTGACT TTCAGGCTAC TGTTCTTGAC AATCATCTCC AATGGAAAGC TTTTCAGTGT   2880
TCCCAAAGTG AACTCTCAAA TCCAAAATGG TTATCTTTGA GACCATCCAT TCTCCTCAGT   2940
GGCTTCTCCA GGGAATTCTT ACAGCCAAGT TGTGACAGTC ACTGCATTTG CCTGCTTCTT   3000
TCCAGAAACC AAACTAGGAG ATGAAACTGG TTCCTACATC CTAAGGTTCT TGCTTTCTCT   3060
CTCATGCCTC CTGAGGCTGT TTTTGGCTGT TTTCCCTCTG CTGCTTTTGG GGAATGAGGG   3120
GAAGCCATTT TCCAAGTGAC TTGCAATCCA GGCTGTTCTC AGCGTTTTGA GTTTAAAACC   3180
TGGGATCCTG ACTAAGCCTT TGACTTAAGG GTTGCTTGCT TGCCCTCCAA ATGTCCTTTC   3240
TCAAAGGGGC CAACTAACCC GTGCAGAACC AGCACTAAGG TGGACAGCAG ACAAGAGGGC   3300
AAGCCTCTAA TGTACCAAGT GCTTCCTACA AAGACGCAAG GTGTGCTCCG AACCACAGAT   3360
GGGCAAACCC TGGTGCTTTC CTTCATCTCC CACGAACTCA AGGGTTTTCC AAGTGTAGCT   3420
AACAGTTGCC ACATCACACA GACCTCCAGT TTCTGGTAAG ACTGCTGGTT GACATCAGAC   3480
CCAACCCATT GAAGGCTGGA AGGCAGCAGG CATTTGCTAA GGCAGCTGAT CCAGGCAATC   3540
GTTCTGCTGG CCAAGAAGTT AAACTATTTT GAGCATTAGA ATGGAGGAAA TCCGGTCAGC   3600
CAAGTGCAGA GTTCAGACTT CGCTAAGGGC TTGTTTTTCT TCAGCATTTA CTTGAAGATT   3660
AATGTAGGAT GACAGGCTCT CCTGGCTGTC CTACCATCAG CTCTGCCTTG CACTGTGGTC   3720
GTCAACTTTC CTCAAATCAA AAACAGGCAG GTACAGGTAG TGGGCTCACA ACGTTTGACC   3780
TCGACTGGTT TTTCTAAGTT ATTTTGTACA TTTTTCAGCA GCAAAACCAA ACTGGGTCTT   3840
CAGCTTTATC CCCGTTTCTT GCAAGGGAAG AGCCTTTATA CAATTGGACG CATTTTGGTT   3900
TTTCCTCATT GAGAATTCAA ATCCTCTTTT GTATTGTTTC TACAATAATT TGTAAACATA   3960
TTTATTTTTA CCTGCTTTTT TTTTTTTTTT TAATTTTCAG GTCAAGTTTT TTATACTGCA   4020
CTTATTTGTC AAAATAAAGA TTCTCACAT
```

Seq ID NO: 174 Protein sequence:
Protein Accession #: AAF36984

```
1          11         21         31         41         51
|          |          |          |          |          |
MPVQLTTALR VVGTSLFALA VLGGILAAYV TGYQPIHTEK HYLSFGLYGA ILGLHLLIQS    60
LFAFLEHRRM RRAGQALKLP SPRRGSVALC IAAYQEDPDY LRKCLRSAQR ISFPDLKVVM   120
VVDGNRQEDA YMLDIFHEVL GGTEQAGFFV WRSNFHBAGE GETEASLQSG MDRVRDVVRA   180
STFSCIMQKW GGKREVMYTA FKALGDSVDY IQVCDSDTVL DPACTIEMLR VLEEDPQVGG   240
VGGDVQILNK YDSWISFLSS VRYWMAFNVE RACQSYFGCV QCISGPLGMY RNSLLQQFLE   300
DWYHQKFLGS KCSFGDDRHL TNRVLSLGYR TKYTARSKCL TETPTKYLRW LNQQTRWSKS   360
YFREWLYNSL WFHKHHLWMT YESVVTGFFP PFLIATVIQL FYRGRIWNIL LFLLTVQLVG   420
IIKATYACFL RGNAEMIFMS LYSLLYMSSL LPAKIFAIAT INKSGWGTSG RKTIVVNPIG   480
LIPVSIWVAV LLEGLAYTAY CQDLFSETEL APLVSGAILY GCYWVALLML YLAIIARRCG   540
KKPEQYSLAF AEV
```

Seq ID NO: 175 DNA sequence
Nucleic Acid Accession #: NM_000691
Coding sequence: 43..1404

```
1          11         21         31         41         51
|          |          |          |          |          |
CCAGGAGCCC CAGTTACCGG GAGAGGCTGT GTCAAAGGCG CCATGAGCAA GATCACGGAG    60
GCGGTGAAGC GCGCCCGCGC CGCCTTCAGC TCGGGCAGGA CCCGTCCGCT GCAGTTCCGA   120
TTCCAGCAGC TGGAGGCGCT GCAGCGCCTG ATCCAGGAGC AGGAGCAGGA GCTGGTGGGC   180
GCGCTGGCCG CAGACCTGCA CAAGAATGAA TGGAACGCCT ACTATGAGGA GGTGGTGTAC   240
GTCCTAGAGG AGATCGAGTA CATGATCCAG AAGCTCCCTG AGTGGGCCGC GGATGAGCCC   300
GTGGAGAAGA CGCCCCAGAC TCAGCAGGAC GAGCTCTACA TCCACTCGGA GCCACTGGGC   360
GTGGTCCTCG TCATTGGCAC CTGGAACTAC CCCTTCAACC TCACCATCCA GCCCATGGTG   420
GGCGCCATCG CTGCAGGGAA CGCAGTGGTC CTCAAGCCCT CGGAGCTGAG TGAGAACATG   480
GCGAGCCTGC TGGCTACCAT CATCCCCCAG TACCTGGACA AGGATCTGTA CCCAGTAATC   540
AATGGGGGTG TCCCTGAGAC CACGGAGCTG CTCAAGGAGA GGTTCGACCA TATCCTGTAC   600
ACGGGCAGCA CGGGGGTGGG GAAGATCATC ATGACGGCTG CTGCCAAGCA CCTGACCCCT   660
GTCACGCTGG AGCTGGGAGG GAAGAGTCCC TGCTACGTGG ACAAGAACTG TGACCTGGAC   720
GTGGCCTGCC GACGCATCGC CTGGGGGAAA TTCATGAACA GTGGCCAGAC CTGCGTGGCC   780
CCAGACTACA TCCTCTGTGA CCCCTCGATC CAGAACCAAA TTGTGGAGAA GCTCAAGAAG   840
TCACTGAAAG AGTTCTACGG GGAAGATGCT AAGAAATCCC GGGACTATGG AAGAATCATT   900
AGTGCCCGGC ACTTCCAGAG GGTGATGGGC CTGATTGAGG GCCAGAAGGT GGCTTATGGG   960
GGCACCGGGG ATGCCGCCAC TCGCTACATA GCCCCCACCA TCCTCACGGA CGTGGACCCC   1020
```

```
     CAGTCCCCGG TGATGCAAGA GGAGATCTTC GGGCCTGTGC TGCCCATCGT GTGCGTGCGC   1080
     AGCCTGGAGG AGGCCATCCA GTTCATCAAC CAGCGTGAGA AGCCCCTGGC CCTCTACATG   1140
     TTCTCCAGCA ACGACAAGGT GATTAAGAAG ATGATTGCAG AGACACCAG TGGTGGGGTG    1200
     GCGGCCAACG ATGTCATCGT CCACATCACC TTGCACTCTC TGCCCTTCGG GGGCGTGGGG   1260
     AACAGCGGCA TGGGATCCTA CCATGGCAAG AAGAGCTTCG AGACTTTCTC TCACCGCCGC   1320
     TCTTGCCTGG TGAGGCCTCT GATGAATGAT GAAGGCCTGA AGGTCAGATA CCCCCCAGGG   1380
     CCGGCCAAGA TGACCCAGCA CTGAGGAGGG GTTGCTCCGC CTGGCCTGGC CATACTGTGT   1440
     CCCATCGGAG TGCGGACCAC CCTCACTGGC TCTCCTGGCC CTGGAGAATC GCTCCTGCAG   1500
     CCCCAGCCCA GCCCCACTCC TCTGCTGACC TGCTGACCTG TGCACACCCC ACTCCCACAT   1560
     GGGCCCAGGC CTCACCATTC CAAGTCTCCA CCCCTTTCTA GACCAATAAA GAGACAAATA   1620
     CAATTTTCTA ACTCGG
```

Seq ID NO: 176 Protein sequence:
Protein Accession #: NP_000682

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MSKISEAVKR ARAAFSSGRT RPLQFRFQQL EALQRLIQEQ EQELVGALAA DLHKNEWNAY     60
     YEEVVYVLEE IEYMIQKLPE WAADEPVEKT PQTQQDELYI HSEPLGVVLV IGTWNYPFNL    120
     TIQPMVGAIA AGNAVVLKPS ELSENMASLL ATIIPQYLDK DLYPVINGGV PETTELLKER    180
     FDHILYTGST GVGKIIMTAA AKHLTPVTLE LGGKSPCYVD KNCDLDVACR RIAWGKFMNS    240
     GQTCVAPDYI LCDPSIQNQI VEKLKKSLKE FYGEDAKKSR DYGRIISARH PQRVMGLIEG    300
     QKVAYGGTGD AATRYIAPTI LTDVDPQSPV MQEEIFGPVL PIVCVRSLEE AIQFINQREK    360
     PLALYMFSSN DKVIKKMIAE TSSGGVAAND VIVHITLHSL PFGGVGNSGM GSYHGKKSFE    420
     TPSHRRSCLV RPLMNDEGLK VRYPPSPAKM TQH
```

Seq ID NO: 177 DNA sequence
Nucleic Acid Accession #: NM_001067.1
Coding sequence: 108-4703

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CTAACCGACG CGCGTCTGTG GAGAAGCGGC TTGGTCGGGG GTGGTCTCGT GGGGTCCTGC     60
     CTGTTTAGTC GCTTTCAGGG TTCTTGAGCC CCTTCACGAC CGTCACCATG GAAGTGTCAC    120
     CATTGCAGCC TGTAAATGAA AATATGCAAG TCAACAAAAT AAAGAAAAAT GAAGATGCTA    180
     AGAAAAGACT GTCTGTTGAA AGAATCTATC AAAAGAAAAC ACAATTGGAA CATATTTTGC    240
     TCCGCCCAGA CACCTACATT GGTTCTGTGG AATTAGTGAC CCAGCAAATG TGGGTTTACG    300
     ATGAAGATGT TGGCATTAAC TATAGGGAAG TCACTTTTGT TCCTGGTTTG TACAAAATCT    360
     TTGATGAGAT TCTAGTTAAT GCTGCGGACA ACAAACAAG GGACCCAAAA ATGTCTTGTA     420
     TTAGAGTCAC AATTGATCCG GAAAACAATT TAATTAGTAT ATGGAATAAT GGAAAAGGTA    480
     TTCCTGTTGT TGAAACACAA GTTGAAAAGA TGTATGTCCC AGCTCTCATA TTTGGACAGC    540
     TCCTAACTTC TAGTAACTAT GATGATGATG AAAAGAAAGT GACAGGTGGT CGAAATGGCT    600
     ATGGAGCCAA ATTGTGTAAC ATATTCAGTA CCAAATTTAC TGTGGAAACA GCCAGTAGAG    660
     AATACAAGAA AATGTTCAAA CAGACATGGA TGGATAATAT GGGAAGAGCT GGTGAGATGG    720
     AACTCAAGCC CTTCAATGGA GAAGATTATA CATGTATCAC CTTTCAGCCT GATTTGTCTA    780
     AGTTTAAAAT GCAAAGCCTG GACAAAGATA TTGTTGCACT AATGGTCAGA AGAGCATATG    840
     ATATTGCTGG ATCCACCAAA GATGTCAAAG TCTTTCTTAA TGGAAATAAA CTGCCAGTAA    900
     AAGGATTTCG TAGTTATGTG GACATGTATT TGAAGGACAA GTTGGATGAA ACTGGTAACT    960
     CCTTGAAAGT AATACATGAA CAAGTAAACC ACAGGTGGGA AGTGTGTTTA ACTATGAGTG   1020
     AAAAAGGCTT TCAGCAAATT AGCTTTGTCA ACAGCATTGC TACATCCAAG GGTGGCAGAC   1080
     ATGTTGATTA TGTAGCTGAT CAGATTGTGA CTAAACTTGT TGATGTTGTG AAGAAGAAGA   1140
     ACAAGGGTGG TGTTGCAGTA AAAGCACATC AGGTGAAAAA TCACATGTGG ATTTTTGTAA   1200
     ATGCCTTAAT TGAAAACCCA ACCTTTGACT CTCAGACAAA AGAAAACATG ACTTTACAAC   1260
     CCAAGAGCTT TGGATCAACA TGCCAATTGA GTGAAAAATT TATCAAAGCT GCCATTGGCT   1320
     GTGGTATTGT AGAAAGCATA CTAAACTGGG TGAAGTTTAA GGCCCAAGTC CAGTTAAACA   1380
     AGAAGTGTTC AGCTGTAAAA CATAATAGAA TCAAGGGAAT TCCCAAACTC GATGATGCCA   1440
     ATGATGCAGG GGGCCGAAAC TCCACTGAGT GTACGCTTAT CCTGACTGAG GGAGATTCAG   1500
     CCAAAACTTT GGCTGTTTCA GGCCTTGGTG TGGTTGGGAG AGAACAAATA TGGGGTTTTCC   1560
     CTCTTAGAGG AAAAAATACTC AATGTTCGAG AAGCTTCTCA TAAGCAGATC ATGGAAAATG   1620
     CTGAGATTAA CAATATCATC AAGATTGTGG GTCTTCAGTA CAAGAAAAAC TATGAAGATG   1680
     AAGATTCATT GAAGACGCTT CGTTATGGGA AGATAATGAT TATGACAGAT CAGGACCAAG   1740
     ATGGTTCCCA CATCAAAGGC TTGCTGATTA ATTTTATCCA TCACAACTGG CCCTCTCTTC   1800
     TGCCGACATCG TTTTCTGGAG GAATTTATCA CTCCCATTGT AAAGGTATCT AAAAACAAGC   1860
     AAGAAATGGC ATTTTACAGC CTTCCTGAAT TTGAAGAGTG GAAGAGTTCT ACTCCAAATC   1920
     ATAAAAAATG GAAAGTCAAA TATTACAAAG GTTTGGGCAC CAGCACATCA AAGGAAGCTA   1980
     AAGAATACTT TGCAGATATG AAAAAGACATC GTATCCAGTT CAAATATTCT GGTCCTGAAG   2040
     ATGATGCTGC TATCAGCCTG GCCTTTAGCA AAAAACAGAT AGATGATCGA AAGGAATGGT   2100
     TAACTAATTT CATGGAGGAT AGAAGACAAC GAAAGTTACT TGGGCTTCCT GAGGATTACT   2160
     TGTATGGACA AACTACCACA TATCTGACAT ATAATGACTT CATCAACAAG GAACTTATCT   2220
     TGTTCTCAAA TTCTGATAAC GAGAGATCTA TCCCTTCTAT GGTGGATGGT TTGAAACCAG   2280
     GTCAGAGAAA GGTTTTGTTT ACTTGCTTCA AACGGAATGA CAAGCAGAGA GTAAAGGTTG-   2340
     CCCAATTAGC TGGATCAGTG GCTGAAATGT CTTCTTATCA TCATGGTGAG ATGTCACTAA   2400
     TGATGACCAT TATCAATTTG GCTCAGAATT TTGTGGGTAG CAATAATCTA AACCTCTTGC   2460
     AGCCCATTGG TCAGTTTGGT ACCAGGCTAC ATGGTGGCAA GGATTCTGCT AGTCCACGAT   2520
     ACATCTTTAC AATGCTCAGC TCTTTGGCTC GATTGTTATT TCCACCAAAA GATGATCACA   2580
     CGTTGAAGTT TTTATATGAT GACAACCAGC GTGTTGAGCC TGAATGGTAC ATTCCTATTA   2640
     TTCCCATGGT GCTGATAAAT GGTGCTGAAG GAATCGGTAC TGGGTGGTCC TGCAAAATCC   2700
     CCAACTTTGA TGTGCGTGAA ATTGTAAATA ACATCAGGCG TTTGATGGAT GGAGAAGAAC   2760
     CTTTGCCAAT GCTTCCAAGT TACAAGAACT TCAAGGGTAC TATTGAAGAC CTGGCTCCAA   2820
     ATCAATATGT GATTAGTGGT GAAGTAGCTA TTCTTAATTC TACAACCATT GAAATCTCAG   2880
     AGCTTCCCGT CAGAACATGG ACCCAGACAT ACAAAGAACA GTTTCTAGAA CCCATGTTGA   2940
     ATGGCACCGA GAAGACACCT CCTCTCATAA CAGACTATAG GGAATACCAT ACAGATACCA   3000
     CTGTGAAATT TGTTGTGAAG ATGACTGAAG AAAAACTGGC AGAGGCAGAG AGAGTTGGAC   3060
     TACACAAAGT CTTCAAACTC CAAACTAGTC TCACATGCAA CTCTATGGTG CTTTTTGAAC   3120
     ACGTAGGCTG TTTAAAGAAA TATGACACGG TGTTGGATAT TCTAAGAGAC TTTTTTGAAC   3180
     TCAGACTTAA ATATTATGGA TTAAAGAAAG AATGGCTCCT AGGAATGCTT GGTGCTGAAT   3240
     CTGCTAAACT GAATAATCAG GCTCGCTTTA TCTTAGAGAA AATAGATGGC AAAATAATCA   3300
```

```
        TTGAAAATAA GCCTAAGAAA GAATTAATTA AAGTTCTGAT TCAGAGGGGA TATGATTCGG    3360
        ATCCTGTGAA GGCCTGGAAA GAAGCCCAGC AAAAGGTTCC AGATGAAGAA GAAAATGAAG    3420
        AGAGTGACAA CGAAAAGGAA ACTGAAAAGA GTGACTCCGT AACAGATTCT GGACCAACCT    3480
        TCAACTATCT TCTTGATATG CCCCTTTGGT ATTTAACCAA GGAAAAGAAA GATGAACTCT    3540
        GCAGGCTAAG AAATGAAAAA GAACAAGAGC TGGACACATT AAAAAGAAAG AGTCCATCAG    3600
        ATTTGTGGAA AGAAGACTTG GCTACATTTA TTGAAGAATT GGAGGCTGTT GAAGCCAAGG    3660
        AAAAACAAGA TGAACAAGTC GGACTTCCTG GGAAAGGGGG GAAGGCCAAG GGGAAAAAAA    3720
        CACAAATGGC TGAAGTTTTG CCTTCTCCGC GTGGTCAAAG AGTCATTCCA CGAATAACCA    3780
        TAGAAATGAA AGCAGAGGCA GAAAAGAAAA ATAAAAAGAA AATTAAGAAT GAAAATACTG    3840
        AAGGAAGCCC TCAAGAAGAT GGTGTGGAAC TAGAAGGCCT AAAACAAAGA TTAGAAAAGA    3900
        AACAGAAAAG AGAACCAGGT ACAAAGACAA AGAAACAAAC TACATTGGCA TTTAAGCCAA    3960
        TCAAAAAAGG AAAGAAGAAA AATCCCTGGC CTGATTCAGA ATCAGATAGG AGCAGTGACG    4020
        AAAGTAATTT TGATGTCCCT CCACGAGAAA CAGAGCCACG GAGAGCAGCA ACAAAAACAA    4080
        AATTCACAAT GGATTTGGAT TCAGATGAAG ATTTCTCAGA TTTTGATGAA AAAACTGATG    4140
        ATGAAGATTT TGTCCCATCA GATGCTAGTC CACCTAAGAC CAAAACTTCC CCAAAACTTA    4200
        GTAACAAAGA ACTGAAACCA CAGAAAAGTG TCGTGTCAGA CCTTGAAGCT GATGATGTTA    4260
        AGGGCAGTGT ACCACTGTCT TCAAGCCCTC CTGCTACACA TTTCCCAGAT GAAACTGAAA    4320
        TTACAAACCC AGTTCCTAAA AAGAATGTGA CAGTGAAGAA GACAGCAGCA AAAAGTCAGT    4380
        CTTCCACCTC CACTACGGGT GCCAAAAAAA GGGCTGCCCC AAAAGGAACT AAAAGGGGATC    4440
        CAGCTTTGAA TTCTGGTGTC TCTCAAAAGC CTGATCCTGC CAAAACCAAG AATCGGCCGCA    4500
        AAAGGAAGCC ATCCACTTCT GATGATTCTG ACTCTAATTT TGAGAAAATT GTTTCGAAAG    4560
        CAGTCACAAG CAAGAAATCC AAGGGGGGAGA GTGATGACTT CCATATGGAC TTTGACTCAG    4620
        CTGTGGCTCC TCGGGCAAAA TCTGTACGGG CAAAGAAACC TATAAAGTAC CTGGAAGAGT    4680
        CAGATGAAGA TGATCTGTTT TAAAATGTGA GGCGATTATT TTAAGTAATT ATCTTACCAA    4740
        GCCCAAGACT GGTTTTAAAG TTACCTGAAG CTCTTAACTT CCTCCCCTCT GAATTTAGTT    4800
        TGGGGAAGGT GTTTTTAGTA CAAGACATCA AAGTGAAGTA AAGCCCAAGT GTTCTTTAGC    4860
        TTTTTATAAT ACTGTCTAAA TAGTGACCAT CTCATGGGCA TTGTTTTCTT CTCTGCTTTG    4920
        TCTGTGTTTT GAGTCTGCTT TCTTTTGTCT TTAAAACCTG ATTTTTAAGT TCTTCTGAAC    4980
        TGTAGAAATA GCTATCTGAT CACTTCAGCG TAAAGCAGTG TGTTTATTAA CCATCCACTA    5040
        AGCTAAAACT AGAGCAGTTT GATTTAAAAG TGTCACTCTT CCTCCTTTTC TACTTTCAGT    5100
        AGATATGAGA TAGAGCATAA TTATCTGTTT TATCTTAGTT TTATACATAA TTTACCATCA    5160
        GATAGAACTT TATGGTTCTA GTACAGATAC TCTACTACAC TCAGCCTCTT ATGTGCCAAG    5220
        TTTTTCTTTA AGCAATGAGA AATTGCTCAT GTTCTTCATC TTCTCAAATC ATCAGAGGCC    5280
        AAAGAAAAAC ACTTTGGCTG TGTCTATAAC TTGACACAGT CAATAGAATG AAGAAAATTA    5340
        GAGTAGTTAT GTGATTATTT CAGCTCTTGA CCTGTCCCCT CTGGCTGCCT CTGAGTCTGA    5400
        ATCTCCCAAA GAGAGAAACC AATTTCTAAG AGGACTGGAT TGCAGAAGAC TCGGGGACAA    5460
        CATTTGATCC AAGATCTTAA ATGTTATATT GATAACCATG CTCAGCAATG AGCTATTAGA    5520
        TTCATTTTGG GAAATCTCCA TAATTTCAAT TTGTAAACTT TGTTAAGACC TGTCTACATT    5580
        GTTATATGTG TGTGACTTGA GTAATGTTAT CAACGTTTTT GTAAATATTT ACTATGTTTT    5640
        TCTATTAGCT AAAATTCCAAC AATTTTGTAC TTTAATAAAA TGTTCTAAAC ATTGC
```

Seq ID NO: 178 Protein sequence:
Protein Accession #: NP_001058.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MEVSPLQPVN ENMQVNKIKK NEDAKKRLSV ERIYQKKTQL EHILLRPDTY IGSVELVTQQ    60
        MWVYDEDVGI NYREVTFVPG LYKIFDEILV NAADNKQRDP KMSCIRVTID PENNLISIWN   120
        NGKGIPVVEH KVEKMYVPAL IPGQLLTSSN YDDDEKKVTG GRNGYGAKLC NIFSTKFTVE   180
        TASREYKKMF KQTWMDNMGR AGEMELKPFN GEDYTCITFQ PDLSKFKMQS LDKDIVALMV   240
        RRAYDIAGST KDVKVFLNGN KLPVKGFRSY VDMYLKDKLD ETGNSLKVIH BQVNERWBVC   300
        LTMSEKGFQQ ISFVNSIATS KGGRHVDYVA DQIVTKLVDV VKKKNKGGVA VKAHQVKNHM   360
        WIFVNALIEN PTFDSQTKEN MTLQPKSFGS TCQLSEKFIK AAIGCGIVES ILNWVKFKAQ   420
        VQLNKKCSAV KHNRIKGIPK LDDANDAGGR NSTECTLILT BGDSAKTLAV SGLGVVGRDK   480
        YGVFPPLRGKI LNVREASHKQ IMENAEINNI IKIVGLQYKK NYEDEDSLKT LRYGKIMIMT   540
        DQDQDGSHIK GLLINFIHHN WPSLLRHRFL EEPITPIVKV SRNKQEMAFY SLPEPEEWKS   600
        STPNHKKWKV KYYKGLGTST SKEAKEYPAD MKRHRIQFKY SGPEDDAAIS LAPSKKQIDD   660
        RKEWLTNFME DRRQRKLLGL PEDYLYGQTT TYLTYNDFIN KELILFSNSD NERSIPSMVD   720
        GLKPGQRKVL PTCFKRNDKR EVKVAQLAGS VAEMSSYHHG EMSLMMTIIN LAQNFVGSNN   780
        LNLLQPIGQF GTRLHGGKDS ASPRYIFTML SSLARLLFPP KDDHTLKFLY DDNQRVBPEW   840
        YIPIIPMVIS NGAEGIGTGW SCKIPNFDVR EIVNNIRRLM DGEEPLPMLP SYKNFKGTIE   900
        ELAPNQYVIS GEVAILNSTT IEISELPVRT WTQTYKBQVL EPMLNGTEKT PPLITDYREY   960
        HTDTTVKFVV KMTEEKLAEA ERVGLHKVFK LQTSLTCNSM VLFDHVGCLK KYDTVLDILR  1020
        DPFELRLKYY GLRKEWLLGM LGAESAKLNN QARPILEKID GKIIIENKPK KELIKVLIQR  1080
        GYDSDPVKAW KEAQQKVPDE EENEESDNEK ETEKSDSVTD SGPTFNYLLD MPLWYLTKEK  1140
        KDELCRLRNE KEQELDTLKR KSPSDLWKED LATFIEELEA VEAKEKQDEQ VGLPGKGGKA  1200
        KGKKTQMABV LPSPRGQRVI PRITIEMKAB AEKKNKKKIK NENTBGSPQB DGVELEGLKQ  1260
        RLEKKQKREP GTKTKKQTTL AFKPIKKGKK RNPWPDSESD RSSDESNFDV PPRETEPRRA  1320
        ATKTKFTMDL DSDEDFSDFD EKTDDEDPVP SDASPPKTKT SPKLSNKELK PQKSVVSDLE  1380
        ADDVKGSVPL SSSPPATHFP DETBITNPVP KKNVTVKKTA AKSQSSTSTT GAKKRAAPKG  1440
        TKRDPALNSG VSQKPDPAKT KNRRKRKPST SDDDSDSNFEK IVSKAVTSKK SKGESDDPHM  1500
        DFDSAVAPRA KSVRAKKPIK YLEBSDEDDL F
```

Seq ID NO: 179 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-7095

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
        CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
        CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT   180
        CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
        CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
        AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
        CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA   420
```

255

```
     AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT    480
     GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA    540
     AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT    600
     GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA    660
 5   GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG    720
     GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGTT    780
     TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC    840
     AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT    900
     ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA    960
10   TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG   1020
     TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT   1080
     AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA   1140
     TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG   1200
     CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG   1260
15   GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA   1320
     TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT   1380
     AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG   1440
     GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA   1500
     AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG   1560
20   ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA   1620
     AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC   1680
     ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AATGCCACC TCACACTGTT   1740
     GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG   1800
     AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG   1860
25   AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCA   1920
     GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC   1980
     GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC   2040
     GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT   2100
     GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG   2160
30   AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG   2220
     TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA   2280
     CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC   2340
     TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTGGCGCAGAC AACCCAACCG   2400
     GTATACAATG GTGAGACACC TCTTCAACCT CCTACAGTA GTGAAGTCTT TCCTCTAGTC   2460
35   ACCCCTTTGT TGCTTGACAA TCAGATCCTC AACACTACCC CTGCTGCTTC AAGTAGTGAT   2520
     TCGGCCTTGC ATGCTACGCC TGTATTTCCC AGTGTCGATG TGTCATTTGA ATCCATCCTG   2580
     TCTTCCTATG ATGGTGCACC TTTGCTTCCA TTTTCCTCTG CTTCCTTCAG TAGTGAATTG   2640
     TTTCGCCATC TGCATACAGT TTCTCAAATC CTTCCACAAG TTACTTCAGC TACGGAGAGT   2700
     GATAAGGTGC CCTTGCATGC TTCTCTGCCA GTGGCTGGGG GTGATTTGCT ATTAGAGCCC   2760
40   AGCCTTGCTC AGTATTCTGA TGTGCTGTCC ACTACTCATG CTGCTTCAGA GACGCTGGAA   2820
     TTTGGTAGTG AATCTGGTGT TCTTTATAAA ACGCTTATGT TTTCTCAAGT TGAACCACCC   2880
     AGCAGTGATG CCATGATGCA TGCACGTTCT TCAGGGCCTG AACCTTCTTA TGCCTTGTCT   2940
     GATAATGAGG GCTCCCAACA CATCTTCACT GTTTCTTACA GTTCTGCAAT ACCTGTGCAT   3000
     GATTCTGTGG GTGTAACTTA TCAGGGTTCC TTATTTAGCG GCCCTAGCCA TATACCAATA   3060
45   CCTAAGTCTT CGTTAATAAC CCCAACTGCA TCATTACTGC AGCCTACTCA TGCCCTCTCT   3120
     GGTGATGGGG AATGGTCTGG AGCCTCTTCT GATAGTGAAT TTCTTTTACC TGACACAGAT   3180
     GGGCTGACAG CCCTTAACAT TTCTTCACCT GTTTCTGTAG CTGAATTTAC ATATACAACA   3240
     TCTGTGTTTG GTGATGATAA TAAGGCGCTT TCTAAAAGTG AAATAATATA TGGAAATGAG   3300
     ACTGAACTGC AAAATTCCTTC TTTCAATGAG ATGGTTTACC CTTCTGAAAG CACAGTCATG   3360
50   CCCAACATGT ATGATAAATGT AAATAAGTTG AATGCGTCTT TACAAGAAAC CTCTGTTTCC   3420
     ATTTCTAGCA CCAAGGGCAT GTTTCCAGGG TCCCTTGCTC ATACCACCAC TAAGGTTTTT   3480
     GATCATGAGA TTAGTCAAGT TCCAGAAAAT AACTTTTCAG TTCAACCTAC ACATACTGTC   3540
     TCTCAAGCAT CTGGTGACAC TTCGCTTAAA CCTGTGCTTA GTGCAAACTC AGAGCCAGCA   3600
     TCCTCTGACC CTGCTTCTAG TGAAATGTTA TCTCCTTCAA CTCAGCTCTT ATTTTATGAG   3660
55   ACCTCAGCTT CTTTTAGTAC TGAAGTATTG CTACAACCTT CCTTTCAGGC TTCTGATGTT   3720
     GACACCTTGC TTAAAACTGT TCTTCCAGCT GTGCCCAGTG ATCCAATATT GGTTGAAACC   3780
     CCCAAAGTTG ATAAAATTAG TTCTACAATG TTGCATCTCA TTGTATCAAA TTCTGCTTCA   3840
     AGTGAAAACA TGCTGCACTC TACATCTGTA CCAGTTTTTG ATGTGTCGCC TACTTCTCAT   3900
     ATGCACTCTG CTTCACTTCA AGGTTTGACC ATTTCCTATG CAAGTGAGAA ATATGAACCA   3960
60   GTTTTGTTAA AAAGTGAAAG TTCCCACCAA GTGGGTACCTT CTTTGTACAG TAATGATGAG   4020
     TTGTTCCAAA CGGCCAATTT GGAGATTAAC CAGGCCCATC CCCCAAAAGG AAGGCATGTA   4080
     TTTGCTACAC CTGTTTTATC AATTGATGAA CCATTAAATA CACTAATAAA TAAGCTTATA   4140
     CATTCCGATG AAATTTTAAC CTCCACCAAA AGTTCTGTTA CTGGTAAGGT ATTTGCTGGT   4200
     ATTCCAACAG TTGCTTCTGA TACATTTGTA TCTACTGATC ATTCTGTTCC TATAGGAAAT   4260
65   GGGCATGTTG CCATTACAGC TGTTTCTCCC CACAGAGATG GTTCTGTAAC CTCAACAAAG   4320
     TTGCTGTTTC CTTCTAAGGC AACTTCTGAG CTGAGTCATA GTGCCAAATC TGATGCCGGT   4380
     TTAGTGGGTG GTGGTGAAGA TGGTGACACT GATGATGATG GTGATGATGA TGATGATGAC   4440
     AGAGGTAGTG ATGGCTTATC CATTCATAAG TGTATGTCAT GCTCATCCTA TAGAGAATCA   4500
     CAGGAAAAGG TAATGAATGA TTCAGACACC CACGAAAACA GTCTTATGGA TCAGAATAAT   4560
70   CCAATCTCAT ACTCACTATC TGAGAATTCT GAAGAAGATA ATAGAGTCAC AAGTGTATCC   4620
     TCAGACAGTC AAACTGGTAT GGACAGAAGT CCTGGTAAAT CACCATCAGC AAATGGGCTA   4680
     TCCCAAAAGC ACAATGATGG AAAAGAGGAA AATGACATTC AGACTGGTAG TGCTCTGCTT   4740
     CCTCTCAGCC CTGAATCTAA AGCATGGCA GTTCTGACAA GTGATGAAGA AAGTGGATCA   4800
     GGGCAAGGTA CCTCAGATAG CCTTAATGAG AATGAGACTT CCACAGATTT CAGTTTTGTA   4860
75   GACACTAATG AAAAAGATGC TGATGGGATC CTGGCAGCAG GTGACTCAGA AATAACTCCT   4920
     GGATTCCCAC AGTCCCCAAC ATCATCTGTT ACTAGCGAGA ACTCAGAAGT GTTCCACGTT   4980
     TCAGGAGCAG AGGCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGTTG   5040
     GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT   5100
     CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT   5160
80   TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA   5220
     ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA   5280
     CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGACACTGA AAGAGTTTTA CCAGGAAGTG   5340
     CAGAGCTGTA CTGTTGACTT AGGTATTACA GCAGACAGCT CCAACCACCC AGACAACAAG   5400
     CACAAGAATC GATACATAAA TATCGTTGCC TATGATCATA GCAGGTGTTAA GCTAGCACAG   5460
85   CTTGCTGAAA AGGATGGCAA ACTGACTGAT TATATCAATG CCAATTATGT TGATGGCTAC   5520
     AACAGACCAA AAGCTTATAT TGCTGCCCAA GGCCCACTGA AATCCACAGC TGAAGATTTC   5580
     TGGAGAATGA TATGGGAACA TAATGTGGAA GTTATTGTCA TGATAACAAA CCTCGTGGAG   5640
```

256

```
        AAAGGAAGGA GAAAATGTGA TCAGTACTGG CCTGCCGATG GGAGTGAGGA GTACGGGAAC   5700
        TTTCTGGTCA CTCAGAAGAG TGTGCAAGTG CTTGCCTATT ATACTGTGAG GAATTTTACT   5760
        CTAAGAAACA CAAAAATAAA AAAGGGCTCC CAGAAAGGAA GACCCAGTGG ACGTGTGGTC   5820
        ACACAGTATC ACTACACGCA GTGGCCTGAC ATGGGAGTAC CAGAGTACTC CCTGCCAGTG   5880
5       CTGACCTTTG TGAGAAAGGC AGCCTATGCC AAGCGCCATG CAGTGGGGCC TGTTGTCGTC   5940
        CACTGCAGTG CTGGAGTTGG AAGAACAGGC ACATATATTG TGCTAGACAG TATGTTGCAG   6000
        CAGATTCAAC ACGAAGGAAC TGTCAACATA TTTGGCTTCT TAAAACACAT CCGTTCACAA   6060
        AGAAATTATT TGGTACAAAC TGAGGAGCAA TATGTCTTCA TTCATGCCTA ACTGGTTGAG   6120
        GCCATACTTA GTAAAGAAAC TGAGGTGCTG GACAGTCATA TTCATGCCTA ACTGGTTGAG   6180
10      CTCCTCATTC CTGGACCAGC AGGCAAAACA AAGCTAGAGA AACAATTCCA GCTCCTGAGC   6240
        CAGTCAAATA TACAGCAGAG TGACTATTCT GCAGCCCTAA AGCAATGCAA CAGGGAAAAG   6300
        AATCGAACTT CTTCTATCAT CCCTGTGGAA AGATCAAGGG TTGGCATTTC ATCCCTGAGT   6360
        GGAGAAGGCA CAGACTACAT CAATGCCTCC TATATCATGG GCTATTACCA GAGCAATGAA   6420
        TTCATCATTA CCCAGCACCC TCTCCTTCAT ACCATCAAGG ATTTCTGGAG GATGATATGG   6480
15      GACCATAATG CCCAACTGGT GGTTATGATT CCTGATGGCC AAAACATGGC AGAAGATGAA   6540
        TTTGTTTACT GGCCAAATAA AGATGAGCCT ATAAATTGTG AGAGCTTTAA GGTCACTCTT   6600
        ATGGCTGAAG AACACAAATG TCTATCTAAT GAGGAAAAAC TTATAATTCA GGACTTTATC   6660
        TTAGAAGCTA CACAGGATGA TTATGTACTT GAAGTGAGGC ACTTTCAGTG TCCTAAATGG   6720
        CCAAATCCAG ATAGCCCCAT TAGTAAAACT TTTGAACTTA TAAGTGTTAT AAAAGAAGAA   6780
20      GCTGCCAATA GGGATGGGCC TATGATTGTT CATGATGAGC ATGGAGGAGT GACGGCAGGA   6840
        ACTTTCTGTG CTCTGACAAC CCTTATGCAC CAACTAGAAA AAGAAAATTC CGTGGATGTT   6900
        TACCAGGTAG CCAAGATGAT CAATCTGATG AGGCCAGGAG TCTTTGCTGA CATTGAGCAG   6960
        TATCAGTTTC TCTACAAAGT GATCCTCAGC CTTGTGAGCA CAAGGCAGGA AGAGAATCCA   7020
        TCCACCTCTC TGGACAGTAA TGGTGCAGCA TTGCCTGATG GAAATATAGC TGAGAGCTTA   7080
25      GAGTCTTTAG TTTAACACAG AAAGGGGTGG GGGGACTCAC ATCTGAGCAT TGTTTTCCTC   7140
        TTCCTAAAAT TAGGCAGGAA AATCAGTCTA GTTCTGTTAT CTGTGTGATT CCCATCACCT   7200
        GACAGTAACT TTCATGACAT AGGATTCTGC CGCCAAATTT ATATCATTAA CAATGTGTGC   7260
        CTTTTTGCAA GACTTGTAAT TTACTTATTA TGTTTGAACT AAAATGATTG AATTTTACAG   7320
        TATTTCTAAG AATGGAATTG TGGTATTTTT TTCTGTATTG ATTTTAACAG AAAATTTCAA   7380
30      TTTATAGAGG TTAGGAATTC CAAACTACAG AAAATGTTTG TTTTTTAGTGT CAAATTTTTA   7440
        GCTGTATTTG TAGCAATTAT CAGGTTTGCT AGAAATATAA CTTTTAATAC AGTAGCCTGT   7500
        AAATAAAACA CTCTTCCATA TGATATTCAA CATTTTACAA CTGCAGTATT CACCTAAAGT   7560
        AGAAATAATC TGTTACTTAT TGTAAATACT GCCCTAGTGT CTCCATGGAC CAAATTTATA   7620
        TTTATAATTG TAGATTTTTA TATTTTACTA CTGAGTCAAG TTTTCTAGTT CTGTGTAATT   7680
35      GTTAGTTTA ATGACGTAGT TCATTAGCTG GTCTTACTCT ACCAGTTTTC TGACATTGTA   7740
        TTGTGTTACC TAAGTCATTA ACTTTGTTTC AGCATGTAAT TTTAACTTTT GTGGAAAATA   7800
        GAAATACCTT CATTTTGAAA GAAGTTTTTA TGAGAATAAC ACCTTACCAA ACATTGTTCA   7860
        AATGGTTTTT ATCCAAGGAA TTGCAAAAAT AAATATAAAT ATTGCCATTA AAAAAAAAAA   7920
40      AAAAAAAAAA AAAAAAAAAA AAAA
```

Seq ID NO: 180 Protein sequence:
Protein Accession #: Eos sequence

```
        1         11        21        31        41        51
        |         |         |         |         |         |
        MRILKRPLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK    60
        QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV   120
        FKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGKLRALS   180
        ILFEVGTEEN LDFKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC   240
        TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNFREQQY KFSRQVFSSY   300
        TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK   360
        HEFLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLPPE   420
        LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN   480
        RSPTRGSEFS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND   540
        GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSPKLD TGAEDSSGSS PATSAIPPIS   600
        ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI   660
        TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTFAYFP   720
        TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNGETPLQ PSYSSEVFPL VTPLLLDNQI   780
        LNTTPAASSS DSALHATPVF PSVDVSFESI LSSYDGAPLL PFSSASFSSE LFRHLHTVSQ   840
        ILPQVTSATE SDKVPLHASL PVAGGDLLLE PSLAQYSDVL STTHAASETL EFGSESGVLY   900
        KTLMFSQVEP PSSDAMMHAR SSGPEPSYAL SDNEGSQHIF TVSYSSAIPV HDSVGVTYQG   960
        SLPSGPSHIP IPKSSLITPT ASLLQPTEAL SGDGEWSGAS SDSEFLLPDT DGLTALNISS   1020
        PVSVAEFTYT TSVFGDDNKA LSKSEIIYGN ETELQIPSFN EMVYPSESTV MPNMYDNVNK   1080
        LNASLQETSV SISSTKGMFP GSLAHTTTKV FDHEISQVPE NNFSVQPTHT VSQASGDTSL   1140
        KPVLSANSEP ASSDPASSEM LSPSTQLLFY ETSASFSTEV LLQPSPQASD VDTLLKTVLP   1200
        AVPSDPILVE TPKVDKISST MLHLIVSNSA SSENMLHSTS VPVFDVSPTS HMHSASLQGL   1260
        TISYASEKYE PVLLKSESSH QVVPSLYSND ELFQTANLEI NQAHPPKGRH VFATPVLSID   1320
        EPLNTLINKL IHSDEILTST KSSVTGKVFA GIPTVASDTF VSTDHSVPIG NGHVAITAVS   1380
        PERDGSVTST KLLFPSKATS ELSHSAKSDA GLVGGGEDGD TDDDGDDDDD DRGSDGLSIH   1440
        KCMSCSSYRE SQEKVMNDSD THENSLMDQN NPISYSLSEN SEEDNRVTSV SSDSQTMGDR   1500
        SPGKSPSANG LSQKHNDGKE ENDIQTGSAL LPLSPESKAW AVLTSDEESG SGQGTSDSLN   1560
        ENETSTDPSF ADTNEKDADG ILAAGDSEIT PGFPQSPTSS VTSENSEVPH VSEAEASNSS   1620
        HESRIGLAEG LESEKKAVIP LVIVSALTFI CLVVLVGILI YWRKCFQTAH FYLEDSTSPR   1680
        VISTPPTPIF PISDDVGAIP IKHFPKHVAD LHASSGFTEE FETLKEFYQE VQSCTVDLGI   1740
        TADSSNHPDN KHKNRYINIV AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA   1800
        QGPLKSTAED FWRMIWEHNV EVIVMITNLV EKGRRKCDQY WPADGSEEYG NPLVTQKSVQ   1860
        VLAYYTVRNF TLRNTKIKKG SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTFVRKAAY   1920
        AKRHAVGPVV VHCSAGVGRT GTYIVLDSML QQIQHEGTVN IFGFLKHIRS QRNYLVQTEE   1980
        QYVPIHDTLV EAILSKETEV LDSHIHAYVN ALLIPGPAGK TKLEKQFQLL SQSNIQQSDY   2040
        SAALKQCNRE KNRTSSIIPV ERSRVGISSL SGEGTDYINA SYIMGYYQSN EFIITQHPLL   2100
        HTIKDFWRMI WDHNAQLVVM IPDGQNMAED EFVYWPNKDE PINCESFKVT LMAEEHKCLS   2160
        NEEKLIIQDF ILEATQDDYV LEVRHFQCPK WPNPDSPISK TFELISVIKE EAANRDGPMI   2220
        VHDEHGGVTA GTPCALTTLM HQLEKENSVD VYQVAKMINL MRPGVFADIE QYQPLYKVIL   2280
        SLVSTRQEEN PSTSLDSNGA ALPDGNIAES LESLV
```

Seq ID NO: 181 DNA sequence
Nucleic Acid Accession #: Eos sequence

Coding sequence: 148-4518

```
         1          11         21         31         41         51
         |          |          |          |          |          |
    CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
    CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
    CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT   180
    CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
    CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
    AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
    CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA   420
    AACACATTCA TTCATAACAC TGGGAAATTA ATCTCACTAA TGACTACCGT              480
    GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA   540
    AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT   600
    GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTGAGGA AGCAGTCAAA   660
    GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG   720
    GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT   780
    TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC   840
    AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT   900
    ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA   960
    TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG  1020
    TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT  1080
    AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA  1140
    TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG  1200
    CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGTTGGCTA TCAAGACTTG  1260
    GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA  1320
    TGCACTAATG GCTTATATGG AAAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT  1380
    AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG  1440
    GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA  1500
    AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG  1560
    ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA  1620
    AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC  1680
    ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG  1740
    GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG  1800
    AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG  1860
    AGTTTATTGA CCAGTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC  1920
    GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC  1980
    GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC  2040
    GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT  2100
    GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG  2160
    AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG  2220
    TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA  2280
    CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC  2340
    TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTGCGAGAC AACCCAACCG  2400
    GTATACAATG CAGAGGCCAG TAATAGTAGC CATGAGTCTC GTATTGGTCT AGCTGAGGGG  2460
    TTGGAATCCG AGAAGAAGGC AGTTATACCC CTTGTGATCG TGTCAGCCCT GACTTTTATC  2520
    TGTCTAGTGG TTCTTGTGGG TATTCTCATC TACTGGAGGA AATGCTTCCA GACTGCACAC  2580
    TTTTACTTAG AGGACAGTAC ATCCCCTAGA GTTATATCCA CACCTCCAAC ACCTATCTTT  2640
    CCAATTTCAG ATGATGTCGG AGCAATTCCA ATAAAGCACT TTCCAAAGCA TGTTGCAGAT  2700
    TTACATGCAA GTAGTGGGTT TACTGAAGAA TTTGAGACAC TGAAAGAGTT TTACCAGGAA  2760
    GTGCAGAGCT GTACTGTTGA CTTAGGTATT ACAGCAGACA GCTCCAACCA CCCAGACAAC  2820
    AAGCACAAGA ATCGATACAT AAATATCGTT GCCTATGATC ATAGCAGGGT TAAGCTAGCA  2880
    CAGCTTGCTG AAAAGGATGG CAAACTGACT GATTATATCA ATGCCAATTA TGTTGATGGC  2940
    TACAACAGAC CAAAAGCTTA TATTGCTGCC CAAGGCCCAC TGAAATCCAC AGCTGAAGAT  3000
    TTCTGGAGAA TGATATGGGA ACATAATGTG GAAGTTATTG TCATGATAAC AAACCTCGTG  3060
    GAGAAAGGAA GGAGAAAATG TGATCAGTAC TGGCCTGCCG ATGGGAGTGA GGAGTACGGG  3120
    AACTTTCTGG TCACTCAGAA GAGTGTGCAA GTGCTTGCCT ATTATACTGT GAGGAATTTT  3180
    ACTCTAAGAA ACACAAAAAT AAAAAAGGGC TCCCAGAAAG AAGACCCAG TGGACGTGTG  3240
    GTCACACAGT ATCACTACAC GCAGTGGCCT GACATGGGAG TACCAGAGTA CTCCCTGCCA  3300
    GTGCTGACCT TTGTGAGAAA GGCAGCCTAT GCCAAGCGCC ATGCAGTGGG GCCTGTTGTC  3360
    GTCCACTGCA GTGCTGGAGT TGGAAGAACA GGCACATATA TTGTGCTAGA CAGTATGTTG  3420
    CAGCAGATTC AACACGAAGG AACTGTCAAC ATATTTGGCT TCTTAAAACA CATCCGTTCA  3480
    CAAAGAAATT ATTTGGTACA AACTGAGGAG CAATATGTCT TCATTCATGA TACACTGGTT  3540
    GAGGCCATAC TTAGTAAAGA AACTGAGGTG CTGGACAGTC ATATTCATGC CTATGTTAAT  3600
    GCACTCCTCA TTCCTGGACC AGCAGGCAAA ACAAAGCTAG AGAAACAATT CCAGCTCCTG  3660
    AGCCAGTCAA ATATACAGCA GAGTGACTAT CTGCAGCCC TAAAGCAATG CAACAGGGAA  3720
    AAGAATCGAA CTTCTTCTAT CATCCCTGTG GAAAGATCAA GGGTTGGCAT TTCATCCCTG  3780
    AGTGGAGAAG GCACAGACTA CATCAATGCC TCCTATATCA TGGGCTATTA CCAGAGCAAT  3840
    GAATTCATCA TTACCCAGCA CCCTCTCCTT CATACCATCA AGGATTTCTG GAGGATGATA  3900
    TGGGACCATA ATGCCCAACT GGTGGTTATG ATTCCTGATG GCCAAAACAT GGCAGAAGAT  3960
    GAATTTGTTT ACTGGCCAAA TAAAGATGAG CCTATAAATT GTGAGAGCTT TAAGGTCACT  4020
    CTTATGGCTG AAGAACACAC ATGTCTATCT AATGAGGAAA AACTTATAAT TCAGGACTTT  4080
    ATCTTAGAAG CTACACAGGA TGATTATGTA CTTGAAGTGA GCACTTTCA GTGTCCTAAA  4140
    TGGCCAAATC CAGATAGCCC CATTAGTAAA ACTTTTGAAC TTATAAGTGT TATAAAAGAA  4200
    GAAGCTGCCA ATAGGGATGG GCCTATGATT GTTCATGATG AGCATGGAGG AGTGACGGCA  4260
    GGAACTTTCT GTGCTCTGAC AACCCTTATG CACCAACTAG AAAAAGAAA TTCCGTGGAT  4320
    GTTTACCAGG TAGCCAAGAT GATCAATCTG ATGAGGCCAG GAGTCTTTGC TGACATTGAG  4380
    CAGTATCAGT TTCTCTACAA AGTGATCCTC AGCCTTGTGA GCACAAGGCA GGAAGAGAAT  4440
    CCATCCACCT CTCTGGACAC TAATGGTGCA GCATTGCCTG ATGGAAATAT AGCTGAGAGC  4500
    TTAGAGTCTT TAGTTTAACA CAGAAAGGGG TGGGGGGACT CATTGTTTTC ATTGTTTTGA  4560
    CTCTTCCTAA AATTAGGCAG GAAAATCAGT CTAGTTCTGT TATCTGTTGA TTTCCCATCA  4620
    CCTGACAGTA ACTTTCATGA CATAGGATTC TGCCGCCAAA TTTATATCAT TAACAATGTG  4680
    TGCCTTTTTG CAAGACTTGT AATTTACTTA TTATGTTTGA ACTAAAATGA TTGAATTTTA  4740
    CAGTATTTCT AAGAATGGAA TTGTGGTATT TTTTTCTGTA TTGATTTTAA CAGAAAATTT  4800
    CAATTTATAG AGGTTAGGAA TTCCAAACTA CAGAAAATGT TTGTTTTTAG TGTCAAATTT  4860
    TTAGCTGTAT TTGTAGCAAT TATCAGGTTT GCTAGAAATA TAACTTTTAA TACAGTAGCC  4920
    TGTAAATAAA ACACTCTTCC ATATGATATT CAACATTTTA CAACTGCAGT ATTCACCTAA  4980
```

```
     AGTAGAAATA ATCTGTTACT TATTGTAAAT ACTGCCCTAG TGTCTCCATG GACCAAATTT  5040
     ATATTTATAA TTGTAGATTT TTATATTTTA CTACTGAGTC AAGTTTTCTA GTTCTGTGTA  5100
     ATTGTTTAGT TTAATGACGT AGTTCATTAG CTGGTCTTAC TCTACCAGTT TTCTGACATT  5160
     GTATTGTGTT ACCTAAGTCA TTAACTTTGT TTCAGCATGT AATTTTAACT TTTGTGGAAA  5220
 5   ATAGAAATAC CTTCATTTTG AAAGAAGTTT TTATGAGAAT AACACCTTAC CAAACATTGT  5280
 .   TCAAATGGTT TTTATCCAAG GAATTGCAAA AATAAATATA AATATTGCCA TTAAAAAAAA  5340
     AAAAAAAAAA AAAAAAAAAA AAAAAAA
```

10 Seq ID NO: 182 Protein sequence:
    Protein Accession #: Eos sequence

```
     1          11         21         31         41         51
     |          |          |          |          |          |
15   MRILKRPLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK   60
     QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV  120
     FKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGKLRALS  180
     ILFEVGTEEN LDFKAIIDGV ESVSRPGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC  240
20   TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNFREQQY KFSRQVFSSY  300
     TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK  360
     HEFLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLFPE  420
     LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTHYNRI GTKYNEAKTN  480
     RSPTRGSEFS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND  540
25   GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPFIS  600
     ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI  660
     TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTFAYFP  720
     TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNAEASNS SHESRIGLAE GLESEKKAVI  780
     PLVIVSALTF ICLVVLVGIL IYWRKCFQTA HFYLEDSTSP RVISTPPTPI FPISDDVGAI  840
30   PIKHPPKHVA DLHASSGFTE EFETLKEFYQ EVQSCTVDLG ITADSSNHPD NKHKNRYINI  900
     VAYDHSRVKL AQLAEKDGKL TDYINANYVD GYNRPKAYIA AQGPLKSTAE DPWRMIWEHN  960
     VEVIVMITNL VEKGRRKCDQ YWPADGSEEY GNFLVTQKSV QVLAYYTVRN FTLRNTKIKK 1020
     GSQKGRPSGR VVTQYHYTQW PDMGVPEYSL PVLTFVRKAA YAKRHAVGPV VVHCSAGVGR 1080
     TGTYIVLDSM LQQIQHEGTV NIFGFLKHIR SQRNYLVQTE EQYVFIHDTL VEAILSKETE 1140
35   VLDSHIHAYV NALLIPGPAG KTKLEKQPQL LSQSNIQQSD YSAALKQCNR EKNRTSSIIP 1200
     VERSRVGISS LSGEGTDYIN ASYIMGYYQS NEFIITQHPL LHTIKDPWRM IWDHNAQLVV 1260
     MIPDGQNMAE DEFVYWPNKD EPINCESFKV TLMAEEHKCL SNEEKLIIQD FILEATQDDY 1320
     VLEVRHPQCP KWPNPDSPIS KTFELISVIK EEAANRDGPM IVHDEHGGVT AGTFCALTTL 1380
     MHQLEKENSV DVYQVAKMIN LMRPGVPADI EQYQFLYKVI LSLVSTRQEE NPSTSLDSNG 1440
40   AALPDGNIAE SLESLV
```

    Seq ID NO: 183 DNA sequence
    Nucleic Acid Accession #: EOS sequence
    Coding sequence: 148-4494

```
     1          11         21         31         41         51
45   |          |          |          |          |          |
     CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA   60
     CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCG  120
     CGGCGAGGGG CCGCAGACCG TCTGGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT  180
     CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA  240
50   CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG  300
     AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA  360
     CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA  420
     AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT  480
     GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA  540
55   AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT  600
     GAGATGCAAA TCTACTGCTT TGATGCAGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA  660
     GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG  720
     GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT  780
     TTAGATCCAT TCTATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC  840
60   AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT  900
     ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA  960
     TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG 1020
     TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT 1080
     AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA 1140
65   TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG 1200
     CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG 1260
     GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA 1320
     TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT 1380
     AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG 1440
70   GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA 1500
     AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAC ACACTACAA TCGCATAGGG 1560
     ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA 1620
75   AAGGGTGATG TTCCCAACAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC 1680
     ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG 1740
     GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG 1800
     AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG 1860
     AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC 1920
     GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC 1980
80   GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC 2040
     GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT 2100
     GTGTGGTTTC CTAGCTCTAC TGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG 2160
     AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG 2220
     TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA 2280
85   CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC 2340
     TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG 2400
     GTATACAATG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGTTG 2460
```

                              259

```
        GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT  2520
        CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT  2580
        TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA  2640
        ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA  2700
5       CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGGAAGTGC AGAGCTGTAC TGTTGACTTA  2760
        GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAAGC ACAAGAATCG ATACATAAAT  2820
        ATCGTTGCCT ATGATCATAG CAGGGGTTAAG CTAGCACAGC TTGCTGAAAA GGATGGCAAA  2880
        CTGACTGATT ATATCAATGC CAATTATGTT GATGGCTACA ACAGACCAAA AGCTTATATT  2940
        GCTGCCCAAG GCCCACTGAA ATCCACAGCT GAAGATTTCT GGAGAATGAT ATGGGAACAT  3000
10      AATGTGGAAG TTATTGTCAT GATAACAAAC CTCGTGGAGA AAGGAAGGAG AAAATGTGAT  3060
        CAGTACTGGC CTGCCGATGG GAGTGAGGAG TACGGGAACT TTCTGGTCAC TCAGAAGAGT  3120
        GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC TAAGAAACAC AAAAATAAAA  3180
        AAGGGCTCCC AGAAAGGAAG ACCCAGTGGA CGTGTGGTCA CACAGTATCA CTACACGCAG  3240
15      TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC TGACCTTTGT GAGAAAGGCA  3300
        GCCTATGCCA AGCGCCATGC AGTGGGGCCT GTTGTCGTCC ACTGCAGTGC TGGAGTTGGA  3360
        AGAACAGGCA CATATATTGT GCTAGACAGT ATGTTGCAGC AGATTCAACA CGAAGGAACT  3420
        GTCAACATAT TTGGCTTCTT AAAACACATC CGTTCACAAA GAAATTATTT GGTACAAACT  3480
        GAGGAGCAAT ATGTCTTCAT TCATGATACA CTGGTTGAGG CCATACTTAG TAAAGAAACT  3540
        GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTTAATGCAC TCCTCATTCC TGGACCAGCA  3600
20      GGCAAAACAA AGCTAGAGAA ACAATTCCAG CTCCTGAGCC AGTCAAATAT ACAGCAGAGT  3660
        GACTATTCTG CAGCCCTAAA GCAATGCAAC AGGGAAAAGA ATCGAACTTC TTCTATCATC  3720
        CCTGTGGAAA GATCAAGGGT TGGCATTTCA TCCCTGAGTG GAGAAGGCAA AGACTACATC  3780
        AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT TCATCATTAC CCAGCACCCT  3840
        CTCCTTCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG ACCATAATGC CCAACTGGTG  3900
25      GTTATGATTC CTGATGGCCA AAACATGGCA GAAGATGAAT TTGTTTACTG GCCAAATAAA  3960
        GATGAGCCTA TAAATTGTGA GAGCTTTAAG GTCACTCTTA TGGCTGAAGA ACACAAATGT  4020
        CTATCTAATG AGGAAAAACT TATAATTCAG GACTTTATCT TAGAAGCTAC ACAGGATGAT  4080
        TATGTACTTG AAGTGAGGCA CTTTCAGTGT CCTAAATGGC CAAATCCAGA TAGCCCCATT  4140
        AGTAAAACTT TTGAACTTAT AAGTGTTATA AAAGAAGAAG CTGCCAATAG GGATGGGCCT  4200
30      ATGATTGTTC ATGATGAGCA TGGAGGAGTG ACGGCAGGAA CTTTCTGTGC TCTGACAACC  4260
        CTTATGCACC AACTAGAAAA AGAAAATTCC GTGGATGTTT ACCAGGTAGC CAAGATGATC  4320
        AATCTGATGA GGCCAGGAGT CTTTGCTGAC ATTGAGCAGT ATCAGTTTCT CTACAAAGTG  4380
        ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT CCACCTCTCT GGACAGTAAT  4440
35      GGTGCAGCAT TGCCTGATGG AAATATAGCT GAGAGCTTAG AGTCTTTAGT TTAACACAGA  4500
        AAGGGGTGGG GGGACTCACA TCTGAGCATT GTTTTCCTCT TCCTAAAATT AGGCAGGAAA  4560
        ATCAGTCTAG TTCTGTTATC TGTTGATTTC CCATCACCTG ACAGTAACTT TCATGACATA  4620
        GGATTCTGCC GCCAAATTTA TATCATTAAC AATGTGTGCC TTTTTGCAAG ACTTGTAATT  4680
        TACTTATTAT GTTTGAACTA AAAATGATTGA ATTTTACAGT ATTTCTAAGA ATGGAATTGT  4740
        GGTATTTTTT TCTGTATTGA TTTTAACAGA AAATTTCAAT TTATAGAGGT TAGGAATTCC  4800
40      AAACTACAGA AAATGTTTGT TTTTAGTGTC AAATTTTTAG CTGTATTTGT AGCAATTATC  4860
        AGGTTTGCTA GAAATATAAC TTTTTAATACA GTAGCCTGTA AATAAAACAC TCTTCCATAT  4920
        GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAGTA GAAATAATCT GTTACTTATT  4980
        GTAAATACTG CCCTAGTGTC TCCATGGACC AAATTTATAT TTATAATTGT AGATTTTTAT  5040
45      ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG TTTAGTTTAA TGACGTAGTT  5100
        CATTAGCTGG TCTTACTCTA CCAGTTTTCT GACATTGTAT TGTGTTACCT AAGTCATTAA  5160
        CTTTGTTTCA GCATGTAATT TTAACTTTTG TGGAAAATAG AAATACCTTC ATTTTGAAAG  5220
        AAGTTTTTAT GAGAATAACA CCTTACCAAA CATTGTTCAA ATGGTTTTTA TCCAAGGAAT  5280
        TGCAAAAATA AATATAAATA TTGCCATTAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA  5340
50      AAA
```

Seq ID NO: 184 Protein sequence:
Protein Accession #: EOS sequence

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK   60
        QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV  120
        FKASKITFHW GKCNMSSDGS EHSLEGQKPP LEMQIYCFDA DRPSSFEEAV KGKGKLRALS  180
        ILFEVGTEEN LDFKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC  240
55      TDTVDWIVFK DTVSISESQL AVPCEVLTMQ QSGYVMLMDY LQNNFREQQY KPSRQVPSSY  300
        TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK  360
        HEPLTDGYQD LGAILANLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLPPB  420
        LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN  480
        RSPTRGSEFS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND  540
60      GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPFIS  600
        ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI  660
        TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTFAYFP  720
        TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNEASNSS HESRIGLAEG LESEKKAVIP  780
65      LVIVSALTPI CLVVLVGILI YWRKCFQTAH FYLEDSTSPR VISTPPTPIF PISDDVGAIP  840
        IKHFPKHVAD LHASSGFTEE FEEVQSCTVD LGITADSSNH PDNKEKNRYI NIVAYDHSRV  900
        KLAQLAEKDG KLTDYINANY VDGYNRPKAY IAAQGPLKST AEDFWRMIWE HNVEVIVMIT  960
        NLVEKGRRKC DQYWPADGSE EYGNFLVTQK SVQVLAYYTV RNFTLRNTKI KKGSQKGRPS 1020
        GRVVTQYHYT QWPDMGVPEY SLFVLTFVRK AAYAKRHAVG PVVVHCSAGV GRTGTYIVLD 1080
70      SMLQQIQHEG TVNIPGFLKH IRSQRNYLVQ TEEQYVPIHD TLVEAILSKE TEVLDSHIHA 1140
        YVNALLIPGP AGKTKLEKQF QLLSQSNIQQ SDYSAALKQC NREKNRTSSI IPVERSRVGI 1200
        SSLSGEGTDY INASYIMGYY QSNEFIITQH PLLHTIKDFW RMIWDHNAQL VVMIPDGQNM 1260
        AEDEFVYWPN KDEPINCESF KVTLMAEEHK CLSNEEKLII QDPILEATQD DYVLEVRHFQ 1320
        CPKWPNPDSP ISKTFELISV IKEEAANRDG PMIVHDEHGG VTAGTPCALT TLMHQLEKEN 1380
75      SVDVYQVAKM INLMRPGVFA DIEQYQFLYK VILSLVSTRQ EENPSTSLDS NGAALPDGNI 1440
        AESLESLV
```

Seq ID NO: 185 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 501-4514

```
        1          11         21         31         41         51
```

260

```
        |         |         |         |         |         |
     CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
     CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
     CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT   180
  5  CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
     CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAT TGGGGAAAGA   300
     AATATCCAAC ATGTAATAGC CCAAAACAAT CTCCTATCAA TATTGATGAA GATCTTACAC   360
     AAGTAAATGT GAATCTTAAG AAACTTAAAT TTCAGGGTTG GGATAAAACA TCATTGGAAA   420
     ACACATTCAT TCATAACACT GGGAAACAG TGGAAATTAA TCTCACTAAT GACTACCGTG   480
 10  TCAGCGGAGG AGTTTCAGAA ATGGTGTTTA AAGCAAGCAA GATAACTTTT CACTGGGGAA   540
     AATGCAATAT GTCATCTGAT GGATCAGAGC ATAGTTTAGA AGGACAAAAA TTTCCCACTTG   600
     AGATGCAAAT CTACTGCTTT GATGCGGACC GATTTTCAAG TTTTGAGGAA GCAGTCAAAG   660
     GAAAAGGGAA GTTAAGAGCT TTATCCATTT TGTTTGAGGT TGGGACAGAA GAAAATTTGG   720
     ATTTCAAAGC GATTATTGAT GGAGTCGAAA GTGTTAGTCG TTTTGGGAAG CAGGCTGCTT   780
 15  TAGATCCATT CATACTGTTG AACCTTCTGC CAAACTCAAC TGACAAGTAT TACATTTACA   840
     ATGGCTCATT GACATCTCCT CCCTGCACAG ACACAGTTGA CTGGATTGTT TTTAAAGATA   900
     CAGTTAGCAT CTCTGAAAGC CAGTTGGCTG TTTTTTGTGA AGTTCTTACA ATGCAACAAT   960
     CTGGTTATGT CATGCTGATG GACTACTTAC AAAACAATTT TCGAGAGCAA CAGTACAAGT  1020
     TCTCTAGACA GGTGTTTTCC TCATACACTG GAAAGGAAGA GATTCATGAA GCAGTTTGTA  1080
 20  GTTCAGAACC AGAAAATGTT CAGGCTGACC CAGAGAATTA TACCAGCCTT CTTGTTACAT  1140
     GGGAAAGACC TCGAGTCGTT TATGATACCA TGATTGAGAA GTTTGCAGTT TTGTACCAGC  1200
     AGTTGGATGG AGAGGACCAA ACCAAGCATG AATTTTTGAC AGATGGCTAT CAAGACTTGG  1260
     GTGCTATTCT CAATAATTTG CTACCCAATA.TGAGTTATGT TCTTCAGATA GTAGCCATAT  1320
     GCACTAATGG CTTATATGGA AAATACAGCG ACCAACTGAT TGTCGACATG CCTACTGATA  1380
 25  ATCCTGAACT TGATCTTTTC CCTGAATTAA TTGGAACTGA AGAAATAATC AAGGAGGAGG  1440
     AAGAGGGAAA AGACATTGAA GAAGGCGCTA TTGTGAATCC TGGTAGAGAC AGTGCTACAA  1500
     ACCAAATCAG GAAAAAGGAA CCCCAGATTT CTACCACAAC ACACTACAAT CGCATAGGGA  1560
     CGAAATACAA TGAAGCCAAG ACTAACCGAT CCCCAACAAG AGGAAGTGAA TTCTCTGGAA  1620
     AGGGTGATGT TCCCAATACA TCTTTAAATT CCACTTCCCA ACCAGTCACT AAATTAGCCA  1680
 30  CAGAAAAAGA TATTTCCTTG ACTTCTCAGA CTGTGACTGA ACTGCCACCT CACACTGTGG  1740
     AAGGTACTTC AGCCTCTTTA AATGATGGCT CTAAAACTGT TCTTAGATCT CCACATATGA  1800
     ACTTGTCGGG GACTGCAGAA TCCTTAAATA CAGTTTCTAT AACAGAATAT GAGGAGGAGA  1860
     GTTTATTGAC CAGTTTCAAG CTTGATACTG GAGCTGAAGA TTCTTCAGGC TCCAGTCCCG  1920
     CAACTTCTGC TATCCCATTC ATCTCTGAGA ACATATCCCA AGGGTATATA TTTTCCTCCG  1980
 35  AAAACCCAGA GACAATAACA TATGATGTCC TTATACCAGA ATCTGCTAGA AATGCTTCCG  2040
     AAGATTCAAC TTCATCAGGT TCAGAAGAAT CACTAAAGGA TCCTTCTATG GAGGGAAATG  2100
     TGTGGTTTCC TAGCTCTACA GACATAACAG CACAGCCCGA TGTTGGATCA GGCAGAGAGA  2160
     GCTTTCTCCA GACTAATTAC ACTGAGATAC GTGTTGATGA ATCTGAGAAG ACAACCAAGT  2220
     CCTTTTCTGC AGGCCCAGTG ATGTCACAGG GTCCCTCAGT TACAGATCTG GAAATGCCAC  2280
 40  ATTATTCTAC CTTTGCCTAC TTCCCAACTG AGGTAACACC TCATGCTTTT ACCCCATCCT  2340
     CCAGACAACA GGATTTGGTC TCCACGGTCA ACGTGGTATA CTCGCAGACA ACCCAACGG  2400
     TATACAATGA GGGCAGTAAT AGTAGCCATG AGTCTCGTTAT TGGTCTAGCT GAGGGGTTGG  2460
     AATCCGAGAA GAAGGCAGTT ATACCCCTTG TGATCGTGTC AGCCCTGACT TTTATCTGTC  2520
     TAGTGGTTCT TGTGGGTATT CTCATCTACT GGAGGAAATG CTTCCAGACT GCACACTTTT  2580
 45  ACTTAGAGGA CAGTACATCC CCTAGAGTTA TATCCACACC TCCAACACCT ATCTTTCCAA  2640
     TTTCAGATGA TGTCGGAGCA ATTCCAATAA AGCACTTTCC AAAGCATGTT GCAGATTTAC  2700
     ATGCAAGTAG TGGGTTTACT GAAGAATTTG AGACACTGAA AGAGTTTTAC CAGGAAGTGC  2760
     AGAGCTGTAC TGTTGACTTA GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAAGC  2820
     ACAAGAATCG ATACATAAAT ATCGTTGCCT ATGATCATAG CAGGGTTAAG CTAGCACAGC  2880
 50  TTGCTGAAAA GGATGGCAAA CTGACTGATT ATATCAATGC CAATTATGTT GATGGCTACA  2940
     ACAGACCAAA AGCTTATATT GCTGCCCAAG GCCCACTGAA ATCCACAGCT GAAGATTTCT  3000
     GGAGAATGAT ATGGGAACAT AATGTGGAAG TTATTGTCAT GATAACAAAC CTCGTGGAGA  3060
     AAGGAAGGAG AAAATGTGAT CAGTACTGGC CTGCCGATGG GAGTGAGGAG TACGGGAACT  3120
     TTCTGGTCAC TCAGAAGAGT GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC  3180
 55  TAAGAAACAC AAAAATAAAA AAGGGCTCCC AGAAAAGGAAG ACCCAGTGGA CGTGTGGTCA  3240
     CACAGTATCA CTACACGCAG TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC  3300
     TGACCTTTGT GAGAAAGGCA GCCTATGCCA AGCGCCATGC AGTGGGGGCC GTTGTCGTCC  3360
     ACTGCAGTGC TGGGAGTGGA AGAACAGGCA CATATATTGT GCTAGACAGT ATGTTGCAGC  3420
     AGATTCAACA CGAAGGAACT GTCAACATAT TTGGCTTCTT AAAACACATC CGTTCACAAA  3480
 60  GAAATTATTT GGTACAAACT GAGGAGCAAT ATGTCTTCAT TCATGATACA CTGGTTGAGG  3540
     CCATACTTAG TAAAGAAACT GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTTAATGCAC  3600
     TCCTCATTCC TGGACCAGCA GGCAAAACAA AGCTAGAGAA ACAATTCCAG CTCCTGAGCC  3660
     AGTCAAATAT ACAGCAGAGT GACTATTCTG CAGCCCTAAA GCAATGCAAC AGGGAAAAGA  3720
     ATCGAACTTC TTCTATCATC CCTGTGGAAA GATCAAGGGT TGGCATTTCA TCCCTGAGTG  3780
 65  GAGAAGGCAC AGACTACATC AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT  3840
     TCATCATTAC CCAGCACCCT CTCCTTCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG  3900
     ACCATAATGC CCAACTGGTG GTTATGATTC CTGATGGCCA AAACATGGCA GAAGATGAAT  3960
     TTGTTTACTG GCCAAATAAA GATGAGCCTA TAAATTGTGA GAGCTTTAAG GTCACTCTTA  4020
 70  TGGCTGAAGA ACACAAATGT CTATCTAATG AGGAAAAACT TATAATTCAG GACTTTATCT  4080
     TAGAAGCTAC ACAGGATGAT TATGTACTTG AAGTGAGGCA CTTTCAGTGT CCTAAATGGC  4140
     CAAATCCAGA TAGCCCCATT AGTAAAACTT TTGAACTTAT AAGTGTTATA AAAGAAGAAG  4200
     CTGCCAATAG GGATGGGCCT ATGATTGTTC ATGATGAGCA TGGAGGAGTG ACGGCAGGAA  4260
     CTTTCTGTGC TCTGACAACC CTTATGCACC AACTAGAAAA AGAAAATTCC GTGGATGTTT  4320
 75  ACCAGGTAGC CAAGATGATC AATCTGATGA GGCCAGGAGT CTTTGCTGAC ATTGAGCAGT  4380
     ATCAGTTTCT CTACAAAGTG ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT  4440
     CCACCTCTCT GGACAGTAAT GGTGCAGCAT TGCCTGATGG AAATATAGCT GAGAGCTTAG  4500
     AGTCTTTAGT TTAACACAGA AAGGGGTGGG GGGACTCACA TCTGAGCATT GTTTTCCTCT  4560
     TCCTAAAATT AGGCAGGAAA ATCAGTCTAG TTCTGTTATC TGTTGATTTC CCATCACCTG  4620
 80  ACAGTAACTT TCATGACATA GGATTCTGCC GCCAAATTTA TATCATTAAC AATGTGTGCC  4680
     TTTTTGCAAG ACTTGTAATT TACTTATTAT GTTTGAACTA AAATGATTGA ATTTACAGT  4740
     ATTTCTAAGA ATGGAATTGT GGTATTTTTT TCTGTATTGA TTTTAACAGA AAATTTCAAT  4800
     TTATAGAGGT TAGGAATTCC AAACTACAGA AAATGTTTGT TTTTAGTGTC AAATTTTTAG  4860
     CTGTATTTGT AGCAATTATC AGGTTTGCTA GAAATATAAC TTTTAATACA GTAGCCTGTA  4920
     AATAAAACAC TCTTCCATAT GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAGTA  4980
 85  GAAATAATCT GTTACTTATT GTAAATACTG CCCTAGTGTC TCCATGGACC AAATTTATAT  5040
     TTATAATTGT AGATTTTTAT ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG  5100
     TTTAGTTTAA TGACGTAGTT CATTAGCTGG TCTTACTCTA CCAGTTTTCT GACATTGTAT  5160
```

261

```
TGTGTTACCT AAGTCATTAA CTTTGTTTCA GCATGTAATT TTAACTTTTG TGGAAAATAG   5220
AAATACCTTC ATTTTGAAAG AAGTTTTTAT GAGAATAACA CCTTACCAAA CATTGTTCAA   5280
ATGGTTTTTA TCCAAGGAAT TGCAAAAATA AATATAAATA TTGCCATTAA AAAAAAAAAA   5340
AAAAAAAAAA AAAAAAAAAA AAA
```

Seq ID NO: 186 Protein sequence:
Protein Accession #: EOS sequence

```
         1         11        21        31        41        51
         |         |         |         |         |         |
         MVPKASKITF HWGKCNMSSD GSEHSLEGQK FPLEMQIYCF DADRPSSFEE AVKGKGKLRA    60
         LSILFEVGTB ENLDFKAIID GVESVSRFGK QAALDPFILL NLLPNSTDKY YIYNGSLTSP   120
         PCTDTVDWIV PKDTVSISES QLAVFCEVLT MQQSGYVMLM DYLQNNFREQ QYKFSRQVFS   180
         SYTGKEEIHE AVCSSEPENV QADPENYTSL LVTWERPRVV YDTMIEKFAV LYQQLDGEDQ   240
         TKHEFLTDGY QDLGAILNNL LPNMSYVLQI VAICTNGLYG KYSDQLIVDM PTDNPELDLF   300
         PELIGTEEII KEEEEGKDIE EGAIVNPGRD SATNQIRKKE PQISTTTHYN RIGTKYNEAK   360
         TNRSPTRGSE FSGKGDVPNT SLNSTSQPVT KLATEKDISL TSQTVTELPP HTVEGTSASL   420
         NDGSKTVLRS PHMNLSGTAE SLNTVSITEY EEESLLTSPK LDTGAEDSSG SSPATSAIPP   480
         ISENISQGYI PSSENPETIT YDVLIPESAR NASEDSTSSG SEESLKDPSM EGNVWFPSST   540
         DITAQPDVGS GRESFLQTNY TEIRVDESEK TTKSFSAGPV MSQGPSVTDL EMPHYSTFAY   600
         PPTEVTPHAF TPSSRQQDLV STVNVVYSQT TQPVYNEASN SSHESRIGLA EGLESEKKAV   660
         IPLVIVSALT FICLVVLVGI LIYWRKCFQT AHFYLEDSTS PRVISTPPTP IFPISDDVGA   720
         IPIKHFPKHV ADLHASSGFT EEFETLKEFY QEVQSCTVDL GITADSSNHP DNKHKNRYIN   780
         IVAYDHSRVK LAQLAEKDGK LTDYINANYV DGYNRPKAYI AAQGPLKSTA EDFWRMIWEH   840
         NVEVIVMITN LVEKGRRKCD QYWPMDGVPEYS YGNFLVYQKS VQVLAYYTVR NFTLRNTKIK   900
         KGSQKGRPSG RVVTQYHYTQ WPDMGVPEYS LPVLTFVRKA AYAKRHAVGP VVVHCSAGVG   960
         RTGTYIVLDS MLQQIQHEGT VNIFGFLKHI RSQRNYLVQT EEQYVPIHDT LVEAILSKET  1020
         EVLDSHIHAY VNALLIPGPA GKTKLEKQPQ LLSQSNIQQS DYSAALKQCN REKNRTSSII  1080
         PVERSRVGIS SLSGEGTDYI NASYIMGYYQ SNEFIITQHP LLHTIKDFWR MIWDHNAQLV  1140
         VMIPDGQNMA EDEFVYWPNR DEPINCESFK VTLMAEEHKC LSNEEKLIIQ DFILEATQDD  1200
         YVLEVRHFQC PKWPNPDSPI SKTPELISVI KEEAANRDGP MIVHDEHGGV TAGTFCALTT  1260
         LMHQLEKENS VDVYQVAKMI NLMRPGVPAD IEQYQFLYKV ILSLVSTRQE ENPSTSLDSN  1320
         GAALPDGNIA ESLESLV
```

Seq ID NO: 187 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 148-4632

```
         1         11        21        31        41        51
         |         |         |         |         |         |
         CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
         CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
         CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AACGTTTCCT CGCTTGCATT   180
         CAGCTCCTCT GTGTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
         CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
         AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
         CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA   420
         AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT   480
         GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA   540
         AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT   600
         GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA   660
         GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG   720
         GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT   780
         TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC   840
         AATGGCTCAT TGACATCTCC TCCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT   900
         ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA   960
         TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG  1020
         TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT  1080
         AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA  1140
         TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG  1200
         CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG  1260
         GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA  1320
         TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT  1380
         AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAA  1440
         GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA  1500
         AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG  1560
         ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA  1620
         AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAAATTAGCC  1680
         ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG  1740
         .GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG  1800
         AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG  1860
         AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC  1920
         GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC  1980
         GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC  2040
         GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT  2100
         GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG  2160
         AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG  2220
         TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA  2280
         CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC  2340
         TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG  2400
         GTATACAATG AGGCCAGTAA TAGTAGCCAT AGTCTCGTA TTGGTCTAGC TGAGGGGTTG  2460
         GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT  2520
         CTAGTGGTTC TTGTGGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT  2580
         TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA  2640
         ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA  2700
         CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGACACTGA AAGAGTTTTA CCAGGAAGTG  2760
         CAGAGCTGTA CTGTTGACTT AGGTATTACA GCAGACAGCT CCAACCACCC AGACAACAAG  2820
```

262

```
       CACAAGAATC GATACATAAA TATCGTTGCC TATGATCATA GCAGGGTTAA GCTAGCACAG   2880
       CTTGCTGAAA AGGATGGCAA ACTGACTGAT TATATCAATG CCAATTATGT TGATGGCTAC   2940
       AACAGACCAA AAGCTTATAT TGCTGCCCAA GGCCCACTGA AATCCACAGC TGAAGATTTC   3000
 5     TGGAGAATGA TATGGGAACA TAATGTGGAA GTTATTGTCA TGATAACAAA CCTCGTGGAG   3060
       AAAGGAAGGA GAAAATGTGA TCAGTACTGG CCTGCCGATG GGAGTGAGGA GTACGGGAAC   3120
       TTTCTGGTCA CTCAGAAGAG TGTGCAAGTG CTTGCCTATT ATACTGTGAG GAATTTTACT   3180
       CTAAGAAACA CAAAAATAAA AAAGGGCTCC CAGAAAGGAA GACCCAGTGG ACGTGTGGTC   3240
       ACACAGTATC ACTACACGCA GTGGCCTGAC ATGGGAGTAC CAGAGTACTC CCTGCCAGTG   3300
10     CTGACCTTTG TGAGAAAGGC AGCCTATGCC AAGCGCCATA CAGTGGGGGC TGTTGTCGTA   3360
       CACTGCAGTG CTGGAGTTGG AAGAACAGGC ACATATATTG TGCTAGACAG TATGTTGCAG   3420
       CAGATTCAAC ACGAAGGAAC TGTCAACATA TTTGGCTTCT TAAAACACAT CCGTTCACAA   3480
       AGAAATTATT TGGTACAAAC TGAGGAGCAA TATGTCTTCA TTCATGATAC ACTGGTTGAG   3540
       GCCATACTTA GTAAAGAAAC TGAGGTGCTG GACAGTCATA TTCATGCCTA TGTTAATGCA   3600
15     CTCCTCATTC CTGGACCAGC AGGCAAAACA AAGCTAGAGA AACAATTCCA GGGTCTCACT   3660
       CTGTCACCCA GGCTGGAGTG CAGAGGCACA ATCTCGGCTC ACTGCAACCT TCCTCTCCCT   3720
       GGCTTAACTG ATCCTCCTAC CTCAGCGTCC CGAGTGGCTG GGACTATACT CCTGAGCCAG   3780
       TCAAATATAC AGCAGAGTGA CTATTCTGCA GCCCTAAAGC AATGCAACAG GGAAAAGAAT   3840
       CGAACTTCTT CTATCATCCC TGTGGAAAGA TCAAGGGTTG GCATTTCATC CCTGAGTGGA   3900
20     GAAGGCACAG ACTACATCAA TGCCTCCTAT ATCATGGGCT ATTACCAGAG CAATGAATCC   3960
       ATCATTACCC AGCACCCTCT CCTTCATACC ATCAAGGATT TCTGGAGGAT GATATGGGAC   4020
       CATAATGCCC AACTGGTGGT TATGATTCCT GATGGCCAAA ACATGGCAGA AGATGAATTT   4080
       GTTTACTGGC CAAATAAAGA TGAGCCTATA AATTGTGAGA GCTTTAAGGT CACTCTTATG   4140
       GCTGAAGAAC ACAAATGTCT ATCTAATGAG GAAAAACTTA TAATTCAGGA CTTTATCTTA   4200
25     GAAGCTACAC AGGATGATTA TGTACTTGAA GTGAGGCACT TCAGTGTCC TAAATGGCCA    4260
       AATCCAGATA GCCCCATTAG TAAAACTTTT GAACTTATAA GTGTTATAAA AGAAGAAGCT   4320
       GCCAATAGGG ATGGGCCTAT GATTGTTCAT GATGAGCATG GCGGAGGAACT GGCAGGAACT   4380
       TTCTGTGCTC TGACAACCCT TATGCACCAA CTAGAAAAAG AAAATTCCGT GGATGTTTAC   4440
       CAGGTAGCCA AGATGATCAA TCTGATGAGG CCAGGAGTCT TTGCTGACAT TGAGCAGTAT   4500
30     CAGTTTCTCT ACAAAGTGAT CCTCAGCCTT GTGGGCACAA GGCAAGAAGA GAATCCATCC   4560
       ACCTCTCTGG ACAGTAATGG TGCAGCATTG CCTGATGGAA ATATAGCTGA GAGCTTAGAG   4620
       TCTTTAGTTT AACACAGAAA GGGGTGGGGG GACTCACATC TGAGCATTGT TTTCCTCTTC   4680
       CTAAAATTAG GCAGGAAAAT CAGTCTAGTT CTGTTATCTG TTGATTTCCC ATCACCTGAC   4740
       AGTAACTTTC ATGACATAGG ATTCTGCCGC CAAATTTATA TCATTAACAA TGTGTGCCTT   4800
35     TTTGCAAGAC TTGTAATTTA CTTATTATGT TTGAACTAAA ATGATTGAAT TTTACAGTAT   4860
       TTCTAAGAAT GGAATTGTGG TATTTTTTTC TGTATTGATT TTAACAGAAA ATTTCAATTT   4920
       ATAGAGGTTA GGAATTCCAA ACTACAGAAA ATGTTTGTTT TTAGTGTCAA ATTTTTAGCT   4980
       GTATTTGTAG CAATTATCAG GTTTGCTAGA AATATAACTT TTAATACAGT AGCCTGTAAA   5040
       TAAAACACTC TTCCATATGA TATTCAACAT TTTACAACTG CAGTATTCAC CTAAAGTAGA   5100
40     AATAATCTGT TACTTATTGT AAATACTGCC CTAGTGTCTC CATGGACCAA ATTTATATTT   5160
       ATAATTGTAG ATTTTTATAT TTTACTACTG AGTCAAGTTT TCTAGTTCTG TGTAATTGTT   5220
       TAGTTTAATG ACGTAGTTCA TTAGCTGGTC TTACTCTACC AGTTTTCTGA CATTGTATTG   5280
       TGTTACCTAA GTCATTAACT TTGTTTCAGC ATGTAATTTT AACTTTTGTG GAAAATAGAA   5340
       ATACCTTCAT TTTGAAAGAA GTTTTTATGA GAATAACACC TTACCAAACA TTGTTCAAAT   5400
45     GGTTTTTATC CAAGGAATTG CAAAAATAAA TATAAATATT GCCATTAAAA AAAAAAAAAA   5460
       AAAAAAAAAA AAAAAAAAAA A
```

Seq ID NO: 188 Protein sequence:
Protein Accession #: EOS sequence

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK   60
       QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTPIHNTGK TVEINLTNDY RVSGGVSEMV   120
       FKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGKLRALS   180
       ILPEVGTEEN LDPKAIIDGV ESVSRFGKQA ALDPFILLNL LPNSTDKYYI YNGSLTSPPC   240
       TDTVDWIVPK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNFREQQY KPSRQVPSSY   300
       TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKPAVLY QQLDGEDQTK   360
       HEPLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLFPE   420
       LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN   480
       RSPTRGSEPS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND   540
       GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPPIS   600
       ENISQGYIPS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI   660
       TAQPDVGSGR ESPLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTPAYFP   720
       TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNEASNSS HESRIGLAEG LESEKKAVIP   780
       LVIVSALTFI CLVVLVGILI YWRKCPQTAH FYLEDSTSPR VISTPPTPIP PISDDVGAIP   840
       IKHFPKHVAD LHASSGFTEE PETLKEFYQE VQSCTVDLGI TADSSNHPDN KHKNRYINIV   900
       AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA QGPLKSTAED FWRMIWEHNV   960
       EVIVMITNLV EKGRRKCDQY WPADGSEEYG NFLVTQKSVQ VLAYYTVRNF TLRNTKIKKG  1020
       SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTFVRKAAY AKRHAVGPVV VHCSAGVGRT  1080
       GTYIVLDSML QQIQHEGTVN IPGFLKHIRS QRNYLVQTEE QYVFIHDTLV EAILSKETEV  1140
       LDSIHAYVN ALLIPGPAGK TKLEKQFQGL TLSPRLECRG VLAYYTVRNF PGLTDPPTSA  1200
       SRVAGTILLS QSNIQQSDYS AALKQCNREK NRTSSIIPVE RSRVGISSLS GEGTDYINAS  1260
       YIMGYYQSNE PIITQHPLLH TIKDFWRMIW DHNAQLVVMI PDGQNMAEDE FVYWPNKDEP  1320
       INCESPKVTL MAEEHKCLSN EEKLIIQDFI LEATQDDYVL EVRHFQCPKW PNPDSPISKT  1380
       FELISVIKEE AANRDGPMIV HDEHGGVTAG TPCALTTLMH QLEKENSVDV YQVAKMINLM  1440
       RPGVFADIEQ YQFLYKVILS LVGTRQEENP STSLDSNGAA LPDGNIAESL ESLV
```

Seq ID NO: 189 DNA sequence
Nucleic Acid Accession #: NM_002820
Coding sequence: 304..831

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CCGGTTCGCA AAGAAGCTGA CTTCAGAGGG GGAAACTTTC TTCTTTTAGG AGGCGGTTAG   60
       CCCTGTTCCA CGAACCCAGG AGAACTGCTG GCCAGATTAA TTAGACATTG CTATGGGAGA   120
       CGTGTAAACA CACTACTTAT CATTGATGCA TATATAAAAC CATTTTATTT TCGCTATTAT   180
```

```
     TTCAGAGGAA GCGCCTCTGA TTTGTTTCTT TTTTCCCTTT TTGCTCTTTC TGGCTGTGTG   240
     GTTTGGAGAA AGCACAGTTG GAGTAGCCGG TTGCTAAATA AGTCCCGAGC GCGAGCGGAG   300
     ACGATGCAGC GGAGACTGGT TCAGCAGTGG AGCGTCGCGG TGTTCCTGCT GAGCTACGCG   360
 5   GTGCCCTCCT GCGGGCGCTC GGTGGAGGGT CTCAGCCGCC GCCTCAAAAG AGCTGTGTCT   420
     GAACATCAGC TCCTCCATGA CAAGGGGAAG TCCATCCAAG ATTTACGGCA ACGATTCTTC   480
     CTTCACCATC TGATCGCAGA AATCCACACA GCTGAAATCA GAGCTACCTC GGAGGGTCTC   540
     CCTAACTCCA AGCCCTCTCC CAACACAAAG AACCACCCCG TCCGATTTGG GTCTGATGAT   600
     GAGGGCAGAT ACCTAACTCA GGAAACTAAC AAGGTGGAGA CGTACAAAGA GCAGCCGCTC   660
     AAGACACCTG GGAAGAAAAA GAAAGGCAAG CCCGGGAAAC GCAAGGAGCA GGAAAAGAAA   720
10   AAACGGCGAA CTCGCTCTGC CTGGTTAGAC TCTGGAGTGA CTGGGAGTGG GCTAGAAGGG   780
     GACCACCTGT CTGACACCTC CACAACGTCG CTGGAGCTCG ATTCACGGTA ACAGGCTTCT   840
     CTGGCCCGTA GCCTCAGCGG GGTGCTCTCA GCTGGGTTTT GGAGCCTCCC TTCTGCCTTG   900
     GCTTGGACAA ACCTAGAATT TTCTCCCTTT ATGTATCTCT ATCGATTGTG TAGCAATTGA   960
15   CAGAGAATAA CTCAGAATAT TGTCTGCCTT AAAGCAGTAC CCCCCTACCA CACACACCCC  1020
     TGTCCTCCAG CACCCATAGA AGGCGCTAGA GCCCATTCCT CTTTCTCCAC CGTCACCCAA  1080
     CATCAATCCT TTACCACTCT ACCAAATAAT TTCATATTCA AGCTTCAGAA GCTAGTGACC  1140
     ATCTTCATAA TTTGCTGGAG AAGTGTATTT CTTCCCCTTA CTCTCACACC TGGGCAAACT  1200
     TTCTTCAGTG TTTTTCATTT CTTACGTTCT TTCACTTCAA GGGAGAATAT AGAAGCATTT  1260
     GATATTATCT ACAAACACTG CAGAACAGCA TCATGTCATA AACGATTCTG AGCCATTCAC  1320
20   ACTTTTTATT TAATTAAATG TATTTAATTA AATCTCAAAT TTATTTTAAT GTAAAGAACT  1380
     TAAATTATGT TTTAAACACA TGCCTTAAAT TTGTTTAATT AAATTTAACT CTGGTTTCTA  1440
     CCAGCTCATA CAAAATAAAT GGTTTCTGAA AATGTTTAAG TATTAACTTA CAAGGATATA  1500
     GGTTTTTCTC ATGTATCTTT TTGTTCATTG GCAAGATGAA ATAATTTTTC TAGGGTAATG  1560
25   CCGTAGGAAA AATAAAACTT CACATTTAAA AAAAA
```

Seq ID NO: 190 Protein sequence:
Protein Accession #: NP_002811

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MQRRLVQQWS VAVFLLSYAV PSCGRSVEGL SRRLKRAVSE HQLLHDKGKS IQDLRRRFFL   60
     HHLIAEIHTA EIRATSEVSP NSKPSPNTKN HPVRPGSDDE GRYLTQETNK VETYKEQPLK  120
     TPGKKKKGKP GKRKEQEKKK RRTRSAWLDS GVTGSGLEGD HLSDTSTTSL ELDSR
```

Seq ID NO: 191 DNA sequence
Nucleic Acid Accession #: XM_059328
Coding sequence: 52..1023

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGGCTGTCCG GCCCACTCCC CTGGGAGCGC GAGCGGTGGA CCCAGGCGGC CATGTCCCGC   60
     CCTCGCATGC GCCTGGTGGT CACCGCGGAC GACTTTGGTT ACTGCCCGCG ACGCGATGAG  120
     GGTATCGTGG AGGCCTTTCT GGCCGGGGCT GTGACCAGCG TGTCCTGCT GGTCAACGGT  180
     GCGGCCACGG AGAGCGCGGC GGAGCTGGCC CGCAGGCACA GCATCCCCAC GGGGCCTCCAC  240
     GCCAACCTGT CCGAGGGCCG CCCCGTGGGT CCGGCCCGCC GTGGCGCCTC ATCGCTGCTC  300
     GGCCCGGAAG GCTTCTTCCT TGGCAAGATG GGATTCCGGG AGGCGGTGGC GGCCGGAGAC  360
     GTGGATTTGC CTCAGGTGCG GGAGGAGCTC GAGGCCCAAC TAAGCTGCTT CCGGGGAGCTG  420
     CTGGGCAGGG CCCCACGCA CGCGGACGGG CACCAGCACG TGCACGTGCT CCCAGGCGTG  480
     TGCCAGGTGT TCGCCGAGGC GCTGCAGGCC TATGGGGTGC GCTTTACGCG ACTGCCGCTG  540
     GAGCGCGGTG TGGGTGGCTG CACTTGGCTG GAGGCCCCCG CGCGTGCCTT CGCCTGCGCC  600
     GTGGAGCGCG ACGCCCGGGC CGCCGTGGGC CCCTTCTCCC GCCACGGCCT GCGGTGGACA  660
     GACGCCTTCG TGGGCCTGAG CACTTGCGGC CGGCACATGT CCGCTCACCG CGTGTCCGGG  720
     GCCCTGCGC GGGTCCTGGA AGGTACCCTA GCGGGCCACA CCCTGACAGC CGAGCTGATG  780
     GCGCACCCCG GCTACCCCAG TGTGCCTCCC ACCGGCGGCT GCGGTGAAGG CCCCGACGCT  840
     TTCTCTTGCT CTTGGGAGCG GCTGCATGAG CTGCGCGTCC TCACCGCGCC CACGCTGCGG  900
     GCCCAGCTTG CCCAGGATGG CGTGCAGCTT TGCGCCCTCG ACGACCTGGA CTCCAAGAGG  960
     CCAGGGGAGG AGGTCCCCTG TGAGCCCACT CTGGAACCCT TCCTGGAACC CTCCCTACTC  1020
     TGACCCCCTA CAGACAACCA AGCACTAATC CCCTTAGTAC CAAGAAAGGG GAGCCAGGAT  1080
     TTAGTCCTGG CCCAGCCCAG AGCTGGGACC TGGAGCACGA TCTGTTGACT TCCCTGGGTA  1140
     GGACACTGCC ACCTCTGGGC TCAGGTCCTC ATGCCTCCAA ATGGCATCTA GAGTTTGAGC  1200
     AGCCTTCTTG GCTGCAGGCA GGGCTAGCCT GTGGCAGCGG GCTAGGGCCC GCAGAGCATT  1260
     TGGTGCCCCT CCATGTTGCA ATGCAAACAC CTTCACCACT GGGGCAGTGG GGAGAGATGG  1320
     CTATATTAAT AAAATAACGT GTGTCTTTC
```

Seq ID NO: 192 Protein sequence:
Protein Accession #: XP_059328

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MSRPRMRLVV TADDFGYCPR RDEGIVEAFL AGAVTSVSLL VNGAATESAA ELARRHSIPT   60
     GLEANLSEGR PVGPARRGAS SLLGPEGFFL GKMGFREAVA AGDVDLPQVR EELEAQLSCF  120
     RELLGRAPTH ADGHQHVHVL PGVCQVPAEA LQAYGVRFTR LPLERGVGGC TWLEAPARAP  180
     ACAVERDARA AVGPPFSRHGL RWTDAFVGLS TCGRHMSAHR VSGALARVLE GTLAGHTLTA  240
     ELMAHPGYPS VPPTGGCGEG PDAFSCSWER LHELRVLTAP TLRAQLAQDG VQLCALDDLD  300
     SKRPGEEVPC EPTLEPFLEP SLL
```

Seq ID NO: 193 DNA sequence
Nucleic Acid Accession #: NM_005688.1
Coding sequence: 126..4439

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CCGGGCAGGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC   60
     AGGGGCGCAG GAATTCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCGCTCAG  120
```

```
     AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCCAGTCCT GGGTATAGAA   180
     GTGTGAGGGA GAGAACCAGC ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAAGTTCA   240
     GGAGAACTCG ACCGTTGGAA TGCCAAGATG CCTTGGAAAC AGCAGCCCGA GCCGAGGGCC   300
 5   TCTCTCTTGA TGCCTCCATG CATTCTCAGC TCAGAATCCT GGATGAGGAG CATCCCAAGG   360
     GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCATCCG GACTACTTCC AAACACCAGC   420
     ACCCAGTGGA CAATGCTGGG CTTTTTTCCT GTATGACTTT TTCGTGGCTT TCTTCTCTGG   480
     CCCGTGTGGC CCACAAGAAG GGGGAGCTCT CAATGGAAGA CGTGTGGTCT CTGTCCAAGC   540
     ACGAGTCTTC TGACGTGAAC TGCAGAAGAC TAGAGAGACT GTGGCAAGAA GAGCTGAATG   600
     AAGTTGGGCC AGACGCTGCT TCCCTGCGAA GGGTTGTGTG GATCTTCTGC CGCACCAGGC   660
 10  TCATCCTGTC CATCGTGTGC CTGATGATCA CGCAGCTGGC TGGCTTCAGT GGACCAGCCT   720
     TCATGGTGAA ACACCTCTTG GAGTATACCC AGGCAACAGA GTCTAACCTG CAGTACAGCT   780
     TGTTGTTAGT GCTGGGCCTC CTCCTGACGG AAATCGTGCG GTCTTGGTCG CTTGCACTGA   840
     CTTGGGCATT GAATTACCGA ACCGGTGTCC GCTTGCGGGG GGCCATCCTA ACCATGGCAT   900
     TTAAGAAGAT CCTTAAGTTA AAGAACATTA AAGAGAAATC CCTGGGTGAG CTCATCAACA   960
 15  TTTGCTCCAA CGATGGGCAG AGAATGTTTG AGGCAGCAGC CGTTGGCAGC CTGCTGGCTG  1020
     GAGGACCCGT TGTTGCCATC TTAGGCATGA TTTATAATGT AATTATTCTG GGACCAACAG  1080
     GCTTCCTGGG ATCAGCTGTT TTTATCCTCT TTTACCCAGC AATGATGTTT GCATCACGGC  1140
     TCACAGCATA TTTCAGGAGA AAATGCGTGG CCGCCACGGA TGAACGTGTC CAGAAGATGA  1200
     ATGAAGTTCT TACTTACATT AAATTTATCA AAATGTATGC CTGGGTCAAA GCATTTTCTC  1260
 20  AGAGTGTTCA AAAAATCCGC GAGGAGGAGC GTCGGGATATT GGAAAAAGCC GGGTACTTCC  1320
     AGGGTATCAC TGTGGGTGTG GCTCCCATTG TGGTGGTGAT TGCCAGCGTG GTGACCTTCT  1380
     CTGTTCATAT GACCCTGGGC TTCGATCTGA CAGCAGCACA GGCTTTCACA GTGGTGACAG  1440
     TCTTCAATTC CATGACTTTT GCTTTGAAAG TAACACCGTT TTCAGTAAAG TCCCTCTCAG  1500
     AAGCCTCAGT GGCTGTTGAC AGATTTAAGA GTTTGTTTCT AATGGAAGAG GTTCACATGA  1560
 25  TAAAGAACAA ACCAGCCAGT CCTCACATCA AGATAGAGAT GAAAAATGCC ACCTTGGCAT  1620
     GGGACTCCTC CCACTCCAGT ATCCAGAACT CGCCCAAGCT GACCCCCAAA ATGAAAAAAG  1680
     ACAAGAGGGC TTCCAGGGGC AAGAAAGAGA AGGTGAGGCA GCTGCAGCGC ACTGAGCATC  1740
     AGGCGGTGCT GGCAGAGCAG AAAGGCCACC TCCTCCTGGA CAGTGACGAG CGGCCCAGTC  1800
     CCGAAGAGGA AGAAGGCAAG CACATCCACC TGGGCCACCT GGGCTTACAG AGGACACTGC  1860
 30  ACAGCATCGA TCTGGAGATC CAAGAGGGTA AACTGGTTGG AATCTGCGGC AGTGTGGGAA  1920
     GTGGAAAAAC CTCTCTCATT TCAGCCATTT TAGGCCAGAT GACGCTTCTA GAGGGCAGCA  1980
     TTGCAATCAG TGGAACCTTC GCTTATGTGG CCCAGCAGGC CTGGATCCTC AATGCTACTC  2040
     TGAGAGACAA CATCCTGTTT GGGAAGGAAT ATGATGAAGA AAGATACAAC TCTGTGCTGA  2100
     ACAGCTGCTG CCTGAGGCCT GACCTGGCCA TTCTTCCCAG CAGCGACCTG ACGGAGATTG  2160
 35  GAGAGCGAGG AGCCAACCTG AGCGGTGGGC AGCGCCAGAG GATCAGCCTT GCCGGGGCCT  2220
     TGTATAGTGA CAGGAGCATC TACATCCTGG ACGACCCCCT CAGTGCCTTA GATGCCCATG  2280
     TGGGCAACCA CATCTTCAAT AGTGCTATCC GGAAACATCT CAAGTCCAAG ACAGTTCTGT  2340
     TTGTTACCCA CCAGTTACGA TACCTGGTTG ACTGTGATGA AGTGATCTTC ATGAAAGAGG  2400
     GCTGTATTAC GGAAAGAGGC ACCCATGAGG AACTGATGAA TTTAAATGGT GACTATGCTA  2460
 40  CCATTTTTAA TAACCTGTTG CTGGGAGAGA CACCGCCAGT TGAGATCAAT TCAAAAAAGG  2520
     AAACCAGTGG TTCACAGAAG AAGTCACAAG ACAAGGGTCC TAAAACAGGA TCAGTAAAGA  2580
     AGGAAAAAGC AGTAAAGCCA GAGGAAGGGC AGCTTGTGCA GCTGGAAGAG AAAGGGCAGG  2640
     GTTCAGTGCC CTGGTCAGTA TATGGTGTCT ACATCCAGGC TGCTGGGGGC CCCTTGGCAT  2700
     TCCTGGTTAT TATGGCCCTT TTCATGCTGA ATGTAGGCAG CACCGCCTTC AGCACCTGGT  2760
 45  GGTTGAGTTA CTGGATCAAG CAAGGAAGCG GGAACACCAC TGTGACTCGA GGGAACGAGA  2820
     CCTCGGTGAG TGACAGCATG AAGGACAATC CTCATATGCA GTACTATGCC AGCATCTACG  2880
     CCCTCTCCAT GGCAGTCATG CTGATCCTGA AAGCCATTCG AGGGAGTTGTC TTTGTCAAGG  2940
     GCACGCTGCG AGCTTCCTCC CGGCTGCATG ACGAGCTTTT CCGAAGGATC CTTCGAAGCC  3000
     CTATGAAGTT TTTTGACACG ACCCCCACAG GGAGGATTCT CAACAGGTTT TCCAAAGACA  3060
 50  TGGATGAAGT TGACGTGCGG CTGCCGTTCC AGGCCGAGAT GTTCATCCAG AACGTTATCC  3120
     TGGTGTTCTT CTGTGTGGGA ATGATCGCAG GAGTCTTCCC GTGGTTCCTT GTGGCAGTGG  3180
     GGCCCCTTGT CATCCTCTTT TCAGTCCTGC ACATTGTCTC CAGGGTCCTG ATTCGGGAGC  3240
     TGAAGCGTCT GGACAATATC ACGCAGTCAC CTTTCCTCTC CCACATCACG TCCAGCACAC  3300
 55  AGGGCCTTGC CACCCATCCAC GCCTACAATA AAGGGCAGGA GTTTCTGCAC AGATACCAGG  3360
     AGCTGCTGGA TGACAACCAA GCTCCTTTTT TTTGTTTAC GTGTGACGGA CGGTGGCTGG  3420
     CTGTGCGGCT GGACCTCATC AGCATCGCCC TCATCACCAC CACGGGGCTG ATGATCGTTC  3480
     TTATGCACGG GCAGATTCCC CCAGCCTATG CGGGTCTCGC CATCTCTTAT GCTGTCCAGT  3540
     TAACGGGGCT GTTCCAGTTT ACGGTCAGAC TGGCATCTGA GACAGAAGCT CGATTCACCT  3600
 60  CGGTGGAGAG GATCAATCAC TACATTAAGA CTCTGTCCTT GGAAGCACCT GCCAGAATTA  3660
     AGAACAAGGC TCCCTCCCCT GACTGGCCCC AGGAGGGAGA GGTGACCTTT GAGAACGCAG  3720
     AGATGAGGTA CCGAGAAAAC CTCCCTCTTG TCCTAAAGAA AGTATCCTTC ACGATCAAAC* 3780
     CTAAAGAGAA GATTGGCATT GTGGGGCGGA CAGGATCAGG GAAGTCCTCG CTGGGGATGG  3840
     CCCTCTTCCG TCTGGTGGAG TTATCTGGAG GCTGCATCAA GATTGATGGA GTGAGAATCA  3900
 65  GTGATATTGG CCTTGCCGAC CTCCGAAGCA AACTCTCTAT CATTCCTCAA GAGCCGGTGC  3960
     TGTTCAGTGG CACTGTCAGA TCAAATTTGG ACCCCTTCAA CCAGTACACT GAAGACCAGA  4020
     TTTGGGATGC CCTGGAGAGG ACACACATGA AAGAATGTAT TGCTCAGCTA CCTCTGAAAC  4080
     TTGAATCTGA AGTGATGGAG AATGGGGATA ACTTCTCAGT GGGGGAACGG CAGCTCTTGT  4140
     GCATAGCTAG AGCCCTGCTC CGCCACTGTA AGATTCTGAT TTTAGATGAA GCCACAGCTG  4200
 70  CCATGGACAC AGAGACAGAC TTATTGATTC AAGAGACCAT CCGAGAAGCA TTTGCAGACT  4260
     GTACCATGCT GACCATTGCC CATCGCCTGC ACACGGTTCT AGGCTCCGAT AGGATTATGG  4320
     TGCTGGCCCA GGGACAGGTG GTGGAGTTTG ACACCCCATC GGTTCCTTCTG TCCAACGACA  4380
     GTTCCGGATT CTATGCCATG TTTGCTGCTG CAGAGAACAA GGTCGCTGTC AAGGGCTGAC  4440
     TCCTCCCTGT TGACGAAGTC TCTTTTCTTT AGAGCATTGC CATTCCCTGC CTGGGGCGGG  4500
 75  CCCCTCATCG CGTCCTCCTA CCGAAACCTT GCCTTTCTCG ATTTTATCTT TCGCACAGCA  4560
     GTTCCGGATT GGCTTGTGTG TTTCACTTTT AGGGAGAGTC ATATTTTGAT TATTGTGTATT  4620
     ATTCCATATT CATGTAAACA AAATTTAGTT TTTGTTCTTA ATTGCACTCT AAAAGGTTCA  4680
     GGGAACCGTT ATTATAATTG TATCAGAGGC CTATAATGAA GCTTTATACG TGTAGCTATA  4740
     TCTATATATA ATTCTGTACA TAGCCTATAT TTACAGTGAA AATGTAAGCT GTTTATTTTA  4800
 80  TATTAAAATA AGCACTGTGC TAATAACAGT GCATATTCCT TTCTATCATT TTTGTACAGT  4860
     TTGCTGTACT AGAGATCTGG TTTTGCTATT AGACTGTAGG AAGAGTAGCA TTTCATTCTT  4920
     CTCTAGCTGG TGGTTTCACG GTGCCAGGTT TTCTGGGTGT CCAAAGGAAG ACGTGTGGCA  4980
     ATAGTGGGCC CTCCGACAGC CCCCTCTGCC GCCTCCCCAC AGCCGCTCCA GGGGTGGCTG  5040
     GAGACGGGTG GGCGGCTGGA GACCATGCAG AGCGCCGTGA GTTCTCAGGG CTCCTGCCTT  5100
 85  CTGTCCTGGT GTCACTTACT GTTTCTGTCA GGAGAGCAGC GGGGCGAAGC CCAGGCCCCT  5160
     TTTCACTCCC TCCATCAAGA ATGGGGATCA CAGAGACATT CCTCCGAGCC GGGGAGTTTC  5220
     TTTCCTGCCT TCTTCTTTTT GCTGTTGTTT CTAAACAAGA ATCAGTCTAT CCACAGAGAG  5280
     TCCCACTGCC TCAGGTTCCT ATGGCTGGCC ACTGCACAGA GCTCTCCAGC TCCAAGACCT  5340
```

```
GTTGGTTCCA AGCCCTGGAG CCAACTGCTG CTTTTTGAGG TGGCACTTTT TCATTTGCCT 5400
ATTCCCACAC CTCCACAGTT CAGTGGCAGG GCTCAGGATT TCGTGGGTCT GTTTTTCCTTT 5460
CTCACCGCAG TCGTCGCACA GTCTCTCTCT CTCTCTCCCC TCAAAGTCTG CAACTTTAAG 5520
CAGCTCTTGC TAATCAGTGT CTCACACTGG CGTAGAAGTT TTTGTACTGT AAAGAGACCT 5580
ACCTCAGGTT GCTGGTTGCT GTGTGGTTTG GTGTGTTCCC GCAAACCCCC TTTGTGCTGT 5640
GGGGCTGGTA GCTCAGGTGG GCGTGGTCAC TGCTGTCATC AGTTGAATGG TCAGCGGTTGC 5700
ATGTCGTGAC CAACTAGACA TTCTGTCGCC TTAGCATGTT TGCTGAACAC CTTGTGGAAG 5760
CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTTG TAAAAAAAAA AAAAAAAAAA 5820
AAAAAAAAAA AAAAAAAA
```

Seq ID NO: 194 Protein sequence:
Protein Accession #: NP_005679.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRR TRPLECQDAL ETAARAEGLS   60
LDASMHSQLR ILDEEHPKGK YHHGLSALKP IRTTSKHQHP VDNAGLFSCM TPSWLSSLAR   120
VAHKKGELSM EDVWSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRRV VWHFCRTRLI   180
LSIVCLMITQ LAGPSGPAFM VKHLLEYTQA TESNLQYSLL LVLGLLLTEI VRSWSLALTW   240
ALNYRTGVRL RGAILTWAFK KILKLKNIKE KSLGELINIC SNDGQRMFEA AAVGSLLAGG   300
PVVAILGMIY NVIILGPTGP LGSAVPILFY PAMMFASRLT AYPRRKCVAA TDERVQKMNE   360
VLTYIKFIKM YANVRAFSQS VQKIREEERR ILEKAGYFQG ITVGVAPIVV VIASVVTFSV   420
HMTLGFDLTA AQAFTVVTVP NSMTFALKVT PFSVKSLSEA SVAVDRPKSL FLMEEVHMIK   480
NKPASPHIKI EMKNATLAWD SSHSSIQNSP KLTPKMKKDK RASRGKKEKV RQLQRTEHQA   540
VLAEQKGHLL LDSDERPSPE EEEGKHIHLG HLRLQRTLHS IDLEIQEGKL VGICGSVGSG   600
KTSLISAILG QMTLLEGSIA ISGTPAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS   660
CCLRPDLAIL PSSDLTEIGE RGANLSGGQR QRISLARALY SDRSIYILDD PLSALDAHVG   720
NHIFNSAIRK HLKSKTVLFV THQLQYLVDC DEVIPMKEGC ITERGTHEEL MNLNGDYATI   780
FNNLLLGETP PVEINSKKET SGSQKKSQDK GPKTGSVKKE KAVKPEEGQL VQLEEKGQGS   840
VPWSVYGVYI QAAGGPLAFL VIMALFMLNV GSTAPSTWWL SYWIKQGSGN TTVTRGNETS   900
VSDSMKDNPH MQYYASIYAL SMAVMLILKA IRGVVFVKGT LRASSRLHDE LFRRILRSPM   960
KFPDTTPTGR ILNRFSKDMD EVDVRLPFQA EMFIQNVILV FPCVGMIAGV PPWPLVAVGP   1020
LVILFSVLHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEFLHRYQEL   1080
LDDNQAPFFL FTCAMRWLAV RLDLISIALI TTTGLMIVLM HGQIPPAYAG LAISYAVQLT   1140
GLFQFTVRLA SETEARFTSV ERINHYIKTL SLEAPARIKN KAPSPDWPQE GEVTFENAEM   1200
RYRENLPLVL KKVSPTIKPK EKIGIVGRTG SGKSSLGMAL FRLVELSGGC IKIDGVRISD   1260
IGLADLRSKL SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE   1320
SEVMENGDNP SVGERQLLCI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAPADCT   1380
MLTIAHRLHT VLGSDRIMVL AQGQVVEFDT PSVLLSNDSS RFYAMFAAAE NKVAVKG
```

Seq ID NO: 195 DNA sequence
Nucleic Acid Accession #: NM_006470
Coding sequence: 228..1922

```
1          11         21         31         41         51
|          |          |          |          |          |
GCTGTCCTGA GCCTGAGTAC TCTAGCTGCC TTGTCGCCAT CGCATCTGGC TGCCATCCAG   60
CGCCAGCACA CAGTAATGAG TGGCCGAGCT TCCTCTGGGA GGGAGGAAAC AGTTAAAATC   120
TTGCAGCAGC TGCAATCATC TAGGCGTGGT TCTCTTGTCT GACTTGGGCT GCACAGATCC   180
TGGGCCAAGG GACAGAAGAA AGACAGCCTA GGAGCGAGC CTCCCAGATG GCTGAGTTGG   240
ATCTAATGGC TCCAGGGCCA CTGCCCAGGG CCACTGCTCA GCCCCCAGCC CCTCTCAGCC   300
CAGACTCTGG GTCACCCAGC CCAGATTCTG GGTCAGCCAG CCCAGTGGAA GAAGAGGACG   360
TGGGCTCCTC GGAGAAGCTT GGCAGGGAGA CGGAGGAACA GGAGCAGCGAC TCTGCAGAGC   420
AGGGGGATCC TGCTGGTGAG GGGAAAGAGG TCCTGTGTGA CTTCTGCCTT GATGACACCA   480
GAAGAGTGAA GGCAGTGAAG TCCTGTCTAA CCTGCATGGT GAATTACTGT GAAGAGCACT   540
TGCAGCCGCA TCAGGTGAAC ATCAAACTGC AAAGCCACCT GCTGACCGAG CCAGTGAAGG   600
ACCACAACTG GCGATACTGC CCTGCCCACC ACAGCCCACT GTCTGCTTTC TGCTGCCCTG   660
ATCAGCAGTG CATCTGCCAG GACTGTTGCC AGGAGCACAG TGGCCACACC ATAGTCTCCC   720
TGGATGCAGC CCGCAGGGAC AAGGAGGCTG AACTCCAGTG CACCCAGTTA GACTTGGAGC   780
GGAAACTCAA GTTGAATGAA AATGCCATCT CCAGGCTCCA GGCTAACCAA AAGTCTGTTC   840
TGGTGTCGGT GTCAGAGGTC AAAGCGGTGG CTGAAATGCA GTTTGGGGAA CTCCTTGCTG   900
CTGTGAGGAA GGCCCAGGCC AATGTGATGC TCTTCTTAGA GGAGAAGGAG CAAGCTGCGC   960
TGAGCCAGGC CAACGGTATC AAGGCCCACC TGGAGTACGA GAGTGCCGAG ATGGAGAAGA   1020
GCAAGCAGGA GCTGGAGAGG ATGGCGGCCA TCAGCAACAC TGTCCAGTTC TTGGAGGAGT   1080
ACTGCAAGTT TAAGAACACT GAAGACATCA CCTTCCCTAG TGTTTACGTA GGGCTGAAGG   1140
ATAAACTCTC GGGCATCCGC AAAGTTTATCA CGGAATCCAC TGTACACTTA ATCCAGTTGC   1200
TGGAGAACTA TAAGAAAAAG CTCCAGGAGT TTTCCAAGGA AGAGGAGTAT GACATCAGAA   1260
CTCAAGTGTC TGCCGTTGTT CAGCGCAAAT ATTGGACTTC CAAACCTGAG CCCAGCACCA   1320
GGGAACAGTT CCTCCAATAT GCGTATGACA TCACGTTTGA CCCGGACACA GCACACAAGT   1380
ATCTCCGGCT GCAGGAGGAG AACCGCAAGG TCACCAACAC CACGCCCTGG GAGCATCCCT   1440
ACCCGGACCT CCCCAGCAGG TTCCTGCACT GGCGGCAGGT GCTGTCCCAG CAGAGTCTGT   1500
ACCTGCACAG GTACTATTTT GAGGTGGAGA TCTTCGGGGC AGGCACCTAT GTTGGCCTGA   1560
CCTGCAAAGG CATCGACCGG AAAGGGGAGG AGCGCAACAG TTGCATTTCC GGAAACAACT   1620
TCTCCTGGAG CCTCCAATGG AACGGGAAGG AGTTCACGGC CTGGTACAGT GACATGGAGA   1680
CCCCACTCAA AGCTGGCCCT TTCGGGAGGC TCGGGGTCTA TATCGGACTTC CCGGGGAGGGA   1740
TCCTTTCCTT CTATGGCGTA GAGTATGATA CCATGACTCT GGTTCACAAG TTTGCCTGCA   1800
AATTTTCAGA ACCAGTCTAT GCTGCCTTCT GGCTTTCCAA GAAGGAAAAC GCCATCCGGA   1860
TTGTAGATCT GGGAGAGGAA CCCGAGAAGC CAGCACCGTC CTTGGGGGTG ACTGCTCCCT   1920
AGACTCCAGG AGCCATATCC CAGACCTTTG CCAGCTACAG TGATGGGATT TGCATTTTAG   1980
GGTGATTTGT GGGCAGAAAT AACTGCTGAT GGTAGCTGGC TTTTGAAATC CTATGGGGTC   2040
TCTGAATGAA AACATTCTCC AGCTGCTCTC TTTTGCTCCA TATGGTGCTG TTCTCTATGT   2100
GTTTGCAGTA ATTCTTTTTT TTTTTTTTGA GACGGAGTCT CGCACTGTTG CCCAGGCTGG   2160
AGAGCAGTGG CGCGATCTTG GCTCACTGCA AGCTCCGCCT CCCGAGTTCA AGCAATTCTC   2220
CTGCCTCAGC CTCCCGAGTA GCTGGGATTA CAGGTGCCTG CCACCACACC CAGCTAATGT   2280
TTTGTATTTT TAGTAGAGAT GGGGTTTCAC CATGTTGGCC AGGCAGATCT CAAACTCCTG   2340
```

```
ACCTCGTGAT GCACCCACCT CGGCCTCCCA AAGTGCTGGG ATTACATGCG TGAGCCACTG  2400
CGCCCTGCCT GTTTGTAGTA ATTTTTAGGC ACCAAATCTC CCTCATCTTC TAGTGCCATT  2460
CTCCTCTCTG TTCAGGTAAA TGTCACACTG TGCCCAGAAT GGATGACCAG GAACCTTAAA  2520
GAGTGGCTGA AAAGATTGCA GAGTTATCAT AATAAATTGC TAACTTGCGT
```

Seq ID NO: 196 Protein sequence:
Protein Accession #: NP_006461

```
1          11         21         31         41         51
|          |          |          |          |          |
MAELDLMAPG PLPRATAQPP APLSPDSGSP SPDSGSASPV EEEDVGSSEK LGRETEEQDS  60
DSAEQGDPAG EGKEVLCDFC LDDTRRVKAV KSCLTCMVNY CEEHLQPHQV NIKLQSHLLT  120
EPVKDHNWRY CPAHHSPLSA FCCPDQQCIC QDCCQEHSGH TIVSLDAARR DKEAELQCTQ  180
LDLERKLKLN ENAISRLQAN QKSVLVSVSE VKAVAEMQFG ELLAAVRKAQ ANVMLFLEEK  240
EQAALSQANG IKAHLEYRSA EMEKSKQELE RMAAISNTVQ FLEEYCKFKN TEDITFPSVY  300
VGLKDKLSGI RKVITESTVH LIQLLENYKK KLQEFSKEEE YDIRTQVSAV VQRKYWTSKP  360
EPSTREQFLQ YAYDITFDPD TAHKYLRLQE ENRKVTNTTP WEHPYPDLPS RFLHWRQVLS  420
QQSLYLHRYY FEVEIPGAGT YVGLTCKGID RKGEERNSCI SGNNPSWSLQ WNGKEFTAWY  480
SDMETPLKAG PFRRLGVYID PPGGILSFYG VEYDTMTLVH KFACKFSEPV YAAFWLSKKE  540
NAIRIVDLGE EPEKPAPSLG VTAP
```

Seq ID NO: 197 DNA sequence
Nucleic Acid Accession #: NM_004316
Coding sequence: 433-1149

```
1     ..   11         21         31         41         51
|          |          |          |          |          |
CCCGAGACCC GGCGCAAGAG AGCGCAGCCT TAGTAGGAGA GGAACGCGAG ACGCGGCAGA  60
GCGCGGTTCAG CACTGACTTT TGCTGCTGCT TCTGCTTTTT TTTTTCTTAG AAACAAGAAG  120
GCGCCAGCGG CAGCCTCACA CGGCGAGCGCC ACGCGGAGGCT CCCGAAGCCA ACCCGCGAAG  180
GGAGGAGGGG AGGGAGGGAGG AGGCGGCGTG CAGGGAGGAG AAAAAGCATT TTCACCTTTT  240
TTGCTCCCAC TCTAAGAAGT CTCCCGGGGA TTTTGTATAT ATTTTTTAAC TTCCGTCAGG  300
GCTCCCGCTT CATATTTCCT TTTCTTTCCC TCTCTGTTCC TGCACCCAAG TTCTCTCTGT  360
GTCCCCCTCG CGGGCCCCGC ACCTCGCGTC CCGGATCGCT CTGATTCCGG GACTCCTTGG  420
CCGCCGCTGC GCATGGAAAG CTCTGCCAAG ATGGAGAGCG GCGGCGCCGG CCAGCAGCCC  480
CAGCCGCAGC CCCAGCAGCC CTTCCTGCCG CCCGCAGCCT GTTTCTTTGC CACGGCCGCA  540
GCCGCGGCGG CCGCAGCCGC CGCAGCGGCA GCGCAGAGCG CGCAGCAGCA GCAGCAGCAG  600
CAGCAGCAGC AGCAGCAGCA GCAGGCGCCG CAGCTGAGAC CGGCGGCGCA CGGCCAGCCC  660
TCAGGGGGCG GTCACAAGTC AGCGCCCAAG CAAGTCAAGC GACAGCGCTC GTCTTCGCCC  720
GAACTGATGC GCTGCAAACG CCGGCTCAAC TTCAGCGGCT TTGGCTACAG CCTGCCGCAG  780
CAGCAGCCGG CGGCCGCAAC GAGCGCGAGC GCAACCGCGT CAAGTTGGTC CAGCAGGGTG  840
AACCTGGGCT TTGCCACCCT TCGGGAGCAC GTCCCCAACG CGCGCGGCCAA CAAGAAGATG  900
AGTAAGGTGG AGACACTGCG CTCGGCGGTC GAGTACATCC GCGCGCTGCA GCAGCTGCTG  960
GACGAGCATG ACGCGGTGAG CGCCGCCTTC CAGGCAGGCG TCCTGTCGCC CACCATCTCC  1020
CCCAACTACT CCAACGACTT GAACTCCATG GCCGGCTCGC CGGTCTCATC CTACTCGTCG  1080
GACGAGGGCT CTTACGACCC GCTCAGCCCC GAGGAGCAGG AGCTTCTCGA CTTCACCAAC  1140
TGGTTCGAG GGGCTCGGCC TGGTCAGGCC CTGGTGCGAA TGGACTTTGG AAGCAGGGTG  1200
ATCGCACAAC CTGCATCTTT AGTGCTTTCT TGTCAGTGGC GTTGGGAGGG GGAGAAAAGG  1260
AAAAGAAAAA AAAAGAAGAA GAAGAAGAAA AGAGAAGAAG AAAAAAAACGA AAACAGTCAA  1320
CCAACCCCAT CGCCAACTAA GCGAGGCATG CCTGAGAGAC ATGCTTTCA GAAAACGGGA  1380
AGCGCTCAGA ACAGTATCTT TGCACTCCAA TCATTCACGG AGATATGAAG AGCAACTGGG  1440
ACCTGAGTCA ATGCGCAAAA TGCAGCTTGT GTGCAAAAGC AGTGGGCTCC TGGCAGAAGG  1500
GAGCAGCACA CGCGTTATAG TAACTCCCAT CACCTCTAAC ACGCACAGCT GAAAGTTCTT  1560
GCTCGGGTCC CTTCACCTCC CGCCCTTTC TTAGAGTGCA GTTCTTAGCC CTCTAGAAAC  1620
GAGTTGGTGT CTTTC
```

Seq ID NO: 198 Protein sequence:
Protein Accession #: NP_004307

```
1          11         21         31         41         51
|          |          |          |          |          |
MESSAKMESG GAGQQPQPQP QQPFLPPAAC PPATAAAAAA AAAAAAQSA QQQQQQQQQQ  60
QQQQAPQLRP AADGQPSGGG HKSAPKQVKR QRSSSPELMR CKRRLNFSGP GYSLPQQQPA  120
AVARRNERER NRVKLVNLGF ATLREHVPNG AANKKMSKVE TLRSAVEYIR ALQQLLDEHD  180
AVSAAFQAGV LSPTISPNYS NDLNSMAGSP VSSYSSDEGS YDPLSPEEQE LLDPTNWP
```

Seq ID NO: 199 DNA sequence
Nucleic Acid Accession #: NM_007015
Coding sequence: 1-1005

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGACAGAGA ACTCCGACAA AGTTCCCATT GCCCTGGTGG GACCTGATGA CGTGGAATTC  60
TGCAGCCCCC CGGCGTACGC TACGCTGACG GTGAAGCCCC CCAGCCCCGC GCGGCTGCTC  120
AAGGTGGGAG CCGTGGTCCT CATTTCGGGA GCTGTGCTGC TGCTCTTTGG GGCCATCGGG  180
GCCTTCTACT TCTGGAAGGG GAGCGACGCT CACATTTACA ATGTCCATTA CACCATGAGT  240
ATCAATGGGA AACTACAAGA TGGGTCAATG GAAATAGACG CTGGGAACAA CTTGGAGACC  300
TTTAAAATGG GAAGTGGAGC TGAAGAAGCA ATTGCAGTTA ATGATTTCCA GAATGGCATC  360
ACAGGAATTC GTTTTGCTGG AGGAGAGAAG TGCTACACATTA AAGCGCAAGT GAAGGCTCGT  420
ATTCCTGAGG TGGGCGCCGT GACCAAACAG AGCATCTCCT CCAAACTGGA AGGCAAGATC  480
ATGCCAGTCA AATATGAAGA AAATTCTCTT ATCTGGGTGG CTGTAGATCA GCCTGTGAAG  540
GACAACAGCT TCTTGAGTTC TAAGGTGTTA GAACTCTGCG GTGACCTTCC TATTTTCTGG  600
CTTAAACCAA CCTATCCAAA AGAAATCCAG AGGGAAAGAA GAGAAGTGGT AAGAAAAATT  660
GTTCCAACTA CCACAAAAAG ACCACACAGT GGACCACGGA GCAACCCAGG CGCTGGAAGA  720
CTGAATAATG AAAACCAGACC CAGTGTTCAA GAGGACTCAC AAGCCTTCAA TCCTGATAAT  780
```

```
CCTTATCATC AGCAGGAAGG GGAAAGCATG ACATTCGACC CTAGACTGGA TCACGAAGGA    840
ATCTGTTGTA TAGAATGTAG GCGGAGCTAC ACCCACTGCC AGAAGATCTG TGAACCCCTG    900
GGGGGCTATT ACCCATGGCC TTATAATTAT CAAGGCTGCC GTTCGGCCTG CAGAGTCATC    960
ATGCCATGTA GCTGGTGGGT GGCCCGTATC TTGGGCATGG TGTGAAATCA CTTCATATAT   1020
CACGTGCTGT AAAATAAGAA CTAGCTGAAG AGACAACCAA AGAAGCATTA AGGCAGGTTG   1080
ATGCTGATGG GACCATAAAA TATTTTTACA CGCAGCCTGA GCGGTTATTC TTGACACTGT   1140
TAACAGAATT TTTTTAATCG TTTTCCAGAA CTTTAGTATA TGCAAATGCA CTGAAAGGGT   1200
AGTTCAAGTC TAAAATGCCA TAACCCCGTT ATTTGTTATT TTTTATTTGC ATTGATTTGC   1260
CATAAGTCTT CCCTTGCTTG CATCTTCCAA AGCTATTTCG AAATAAACAC GAAAATTTAC   1320
AGTTTGCC
```

Seq ID NO: 200 Protein sequence:
Protein Accession #: NP_008946

```
1          11         21         31         41         51
|          |          |          |          |          |
MTENSDKVPI ALVGPDDVEF CSPPAYATLT VKPSSPARLL KVGAVVLISG AVLLLFGAIG    60
AFYFWKGSDS HIYNVHYTMS INGKLQDGSM EIDAGNNLET FKMGSGAEEA IAVNDFQNGI   120
TGIRFAGGEK CYIKAQVKAR IPEVGAVTKQ LKPTYPKEIQ RERREVVRKI VPTTTKRPHS   180
DNSPLSSKVL ELCGDLPIFW LKPTYPKEIQ RERREVVRKI VPTTTKRPHS GPRSNPGAGR   240
LNNETRPSVQ EDSQAFNPDN PYHQQEGESM TFDPRLDHEG ICCIECRRSY TBCQKICEPL   300
GGYYPWPYNY QGCRSACRVI MPCSWWVARI LGMV
```

Seq ID NO: 201 DNA sequence
Nucleic Acid Accession #: NM_000728.2
Coding sequence: 112..495

```
1          11         21         31         41         51
|          |          |          |          |          |
GTAATAAGAG CGGGGTCTCC GCGGGGAAGG CGCCCACAGC AGGTGTGGTG TTCATCCCGG    60
GTCGACGGC CGCTCGCGCT GCCCTGAAAC TCTAGTCGCG AGAGAGGCGG CATGGGTTTC   120
CGGAAGTTCT CCCCCTTCCT GGCTCTCAGT ATCTTGGTCC TGTACCAGGC GGGCAGCCTC   180
CAGGCGGCGC CATTCAGGTC TGCCCTGGAG AGCAGCCCAG ACCCGGCCAC ACTCAGTAAA   240
GAGGACGCGC GCCTCCTGCT GGCTGCACTG GTGCAGGACT ATGTGCAGAT GAAGGCCAGT   300
GAGCTGAAGC AGGAGCAGGA GACACAGGGC TCCAGCTCCG CTGCCCAGAA GAGAGCCTGC   360
AACACTGCCA CCTGTGTGAC TCATCGGCTG GCAGGCTTGC TGAGCAGATC AGGGGGCATG   420
GTGAAGAGCA ACTTCGTGCC CACCAATGTG GGTTCCAAAG CCTTTGGCAG GCGCCGCAGG   480
GACCTTCAAG CCTGAGCAGA TGAATGACTC CAGGAAGAGG GTGTGTCCTA AATCCAATGA   540
CATATCCTTA TAAGAGATTC ACTCAGAAGA CACATGTGGA GAAGGTGACA TGACAGAGGC   600
AAGGAGGCAC AAGCCAAGGA AGTCTGTGTC TACCAGAAGC CAGAATCACA GAACAGTCTC   660
TGGAAGAAGA GCAGCCCTGC TGACACCTAG AGTTTGGACT TCCAGCTTCC AGAACTGTGA   720
GAGAATAATT TCTGTTGTTT TAAGCCACAA AGTTTGTGGT AATTTGTTAT GACAGCCCTA   780
GGAAACTAAT ACAATACATT TTCATTTATT TTGGGTAAAT GCCTTGGAGT GGGATTGCTG   840
GGTTATTTGG AAAGTGTGTA TTTAACTCTG TAAGAAACTG CCAAACTATT TTCTGAAGTG   900
ACTGTACCAC TTCGCCTTCT TGCCAGCCAC ATATGAGAGC TCTAGTATTT CCACAAATAG   960
GTATGTAGCA GTATCTCATT GCTGTTTTAA TTTGTATTTC CCCAATGACT AATGACGTTG   1020
AGCATCTATT TTACCATATG TTTATCACCT TTATTGAAGG GTCTGTTTAA ATCTTCTGCT   1080
AAATTTTTGT TGGCTTGCTT GCTTTATTAG TGTTGAGTTT TTAGAGCTCT TTATATGTTG   1140
TGGATGCAAG ATTGTTTTCA GATATATAGT TTGGAAACTT CCTTCCCCTG AATCTGCGGA   1200
TTGCTTTTTC ATTTTCTTAG CAGTGTCTCT CACAGAGAAA AAGTTGTAAT TTGAATAAGA   1260
TCCAATTCAT CTTTTTTTTT CTTTTATGTA TTGTGCTTTT AGTTCATGTC TAAGAACTCT   1320
TTGCCTAACT AAGGTCCCAA GGTCACAATA ACCTTATTCT ATACTTTCTT GTAAAAGTTT   1380
TATAGTTTTA TATTTTATAT GTAGATTAGT GATCTATTTT GAGTTAATTT TTGTATAAGG   1440
TGAGAGGTGT AGGTTGAAAT TCATACCTGT GAATATAGAT ACCCAATTGT TTCAGTGCCA   1500
TTTGTTAAAA AGACTGTTAT TTCACCATTT AATTGCCCCT GCACCTTTGT CAAAAAGCAA   1560
CTGATCATAT TTGTGTGGGT ATATTTCTGG GTTCTCAATT CTGTCTCATT GATTGATTTG   1620
ACCATTCTTT TGCCAATGTC ATACTGCCTT GATTAGTGTA GTGTTAAAGT GAATCTCAAA   1680
ACCAGATAAT GTGGGTCTAC CAACATTGTT CATTCTTGTT CAAAAAGATT TTAGCTACAT   1740
CTAAAATATT TTCTACATCT TTTATACATT TTAGAATCAG TGTGTTACTA TCTACAAAAT   1800
TTCTGATGAG ATTTTTAATG GGATTGTGTT AAATCAGTGG GTTAATTTTG GGAGAATTAG   1860
CATATTAATA ATATTAAGTC GTTCAATTCA TGAACACAAT ACATGTTTTC ACTTATTTAG   1920
GTTTTCTCTG TTTTTTTTTT TTTAACAGTG TTCTCAGTTT TCAACAGAAA TATTCTACAC   1980
ATATCTTGTT AGATTTTTAA CTATTTTATT TTTTGGTGCT AATGTAAATG GTACTTAAAC   2040
ATTTTTGTTT TTAATTGTTC ATTGCTAGTA GATAGAAATA CAATATTTAA AATATTAGGA   2100
AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA
```

Seq ID NO: 202 Protein sequence:
Protein Accession #: NP_000719.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGPRKFSPPL ALSILVLYQA GSLQAAPFRS ALESSPDPAT LSKEDARLLL AALVQDYVQM    60
KASELKQEQE TQGSSSAAQK RACNTATCVT HRLAGLLSRS GGMVKSNFVP TNVGSKAFGR   120
RRRDLQA
```

Seq ID NO: 203 DNA sequence
Nucleic Acid Accession #: NM_001741
Coding sequence: 71..496

```
1          11         21         31         41         51
|          |          |          |          |          |
CTCTGGCTGG ACGCCGCCGC CGCCGCTGCC ACCGCCTCTG ATCCAAGCCA CCTCCCGCCA    60
GAGAGGGTGTC ATGGGCTTCC AAAAGTTCTC CCCCTTCCTG GCTCTCAGCA TCTTGGTCCT   120
GTTGCAGGCA GGCAGCCTCC ATGCAGCACC ATTCAGGTCT GCCCTGGAGA GCAGCCCAGC   180
AGACCCGGCC ACGCTCAGTG AGGACGAAGC GCGCCTCCTG CTGGCTGCAC TGGTGCAGGA   240
CTATGTGCAG ATGAAGGCCA GTGAGCTGGA GCAGGAGCAA GAGAGAGAGG CTCCAGCCT    300
```

```
      GGACAGCCCC AGATCTAAGC GGTGCGGTAA TCTGAGTACT TGCATGCTGG GCACATACAC   360
      GCAGGACTTC AACAAGTTTC ACACGTTCCC CCAAACTGCA ATTGGGGTTG GAGCACCTGG   420
      AAAGAAAAGG GATATGTCCA GCGACTTGGA GAGAGACCAT CGCCCTCATG TTAGCATGCC   480
      CCAGAATGCC AACTAAACTC CTCCCTTTCC TTCCTAATTT CCCTTCTTGC ATCCTTCCTA   540
   5  TAACTTGATG CATGTGGTTT GGTTCCTCTC TGGTGGCTCT TTGGGCTGGT ATTGGTGGCT   600
      TTCCTTGTGG CAGAGGATGT CTCAAACTTC AGATGGGAGG AAAGAGAGCA GGACTCACAG   660
      GTTGGAAGAG AATCACCTGG GAAAATACCA GAAAATGAGG GCCGCTTTGA GTCCCCAGA    720
      GATGTCATCA GAGCTCCTCT GTCCTGCTTC TGAATGTGCT GATCATTTGA GGAATAAAAT   780
  10  TATTTTTCCC C
```

Seq ID NO: 204 Protein sequence:
Protein Accession #: NP_001732

```
  15   1         11        21        31        41        51
       |         |         |         |         |         |

       MGPQKPSPFL ALSILVLLQA GSLHAAPPRS ALESSPADPA TLSEDEARLL LAALVQDYVQ   60
       MKASELEQEQ EREGSSLDSP RSKRCGNLST CMLGTYTQDP NKPHTFPQTA IGVGAPGKKR  120
  20   DMSSDLERDH RPHVSMPQNA N
```

Seq ID NO: 205 DNA sequence
Nucleic Acid Accession #: NM_005361
Coding sequence: 1-945

```
  25   1         11        21        31        41        51
       |         |         |         |         |         |

       ATGCCTCTTG AGCAGAGGAG TCAGCACTGC AAGCCTGAAG AAGGCCTTGA GGCCCGAGGA   60
       GAGGCCCTGG GCCTGGTGGG TGCGCAGGCT CCTGCTACTG AGGAGCAGCA GACCGCTTCT  120
       TCCTCTTCTA CTCTAGTGGA AGTTACCCTG GGGGAGGTGC CTGCTGCCGA CTCACCGAGT  180
  30   CCTCCCCACA GTCCTCAGGG AGCCTCCAGC TTCTCGACTA CCATCAACTA CACTCTTTGG  240
       AGACAATCCG ATGAGGGCTC CAGCAACCAA GAAGAGGAGG GGCCAAGAAT GTTTCCCGAC  300
       CTGGAGTCCG AGTTCCAAGC AGCAATCAGT AGGAAGATGG TTGAGTTGGT TCATTTTCTG  360
       CTCCTCAAGT ATCGAGCCAG GGAGCCGGTC ACAAAGGCAG AAATGCTGGA GAGTGTCCTC  420
       AGAAATTGCC AGGACTTCTT TCCCGTGATC TTCAGCAAAG CCTCCGAGTA CTTGCAGCTG  480
  35   GTCTTTGGCA TCGAGGTGGT GGAAGTGGTC CCCATCAGCC ACTTGTACAT CCTTGTCACC  540
       TGCCTGGGCC TCTCCTACGA TGGCCTGCTG GGCGACAATC AGGTCATGCC CAAGACAGGC  600
       CTCCTGATAA TCGTCCTGGC CATAATCGCA ATAGAGGGCG ACTGTGCCCC TGAGGAGAAA  660
       ATCTGGGAGG AGCTGAGTAT GTTGGAGGTG TTTGAGGGGA GGGAGGACAG TGTCTTCGCA  720
       CATCCCAGGA AGCTGCTCAT GCAAGATCTG GTGCAGGAAA ACTACCTGGA GTACGGGCAG  780
  40   GTGCCGGCA GTGATCCTGC ATGCTACGAG TTCCTGTGGG GTCCAAGGGC CCTCATTGAA   840
       ACCAGCTATG TGAAAGTCCT GCACCATACA CTAAAGATCG GTGGAGAACC TCACATTTCC  900
       TACCCACCCC TGCATGAACG GGCTTTGAGA GAGGGAGAAG AGTGA
```

Seq ID NO: 206 Protein sequence:
  45 Protein Accession #: NP_005352

```
       1         11        21        31        41        51
       |         |         |         |         |         |

  50   MPLEQRSQHC KPEEGLEARG EALGLVGAQA PATEEQQTAS SSSTLVEVTL GEVPAADSPS   60
       PPHSPQGASS PSTTINYTLW RQSDEGSSNQ EEEGPRMFPD LESEFQAAIS RKMVELVHFL  120
       LLKYRAREPV TKAEMLESVL RNCQDFFPVI FSKASEYLQL VPGIEVVEVV PISHLYILVT  180
       CLGLSYDGLL GDNQVMPKTG LLIIVLAIIA IEGDCAPEEK IWEELSMLEV FEGREDSVFA  240
       HPRKLLMQDL VQENYLEYRQ VPGSDPACYE FLWGPRALIE TSYVKVLHHT LKIGGEPHIS  300
  55   YPPLHERALR EGEE
```

Seq ID NO: 207 DNA sequence
Nucleic Acid Accession #: NM_021115
Coding sequence: 743-2893

```
  60   1         11        21        31        41        51
       |         |         |         |         |         |

       AAAGGAAGGG AGGGAGGGAG AAAGGAGAAG TTGGTTTAGA GGCCAGCCGG ACGAGCTTTG   60
       GGCACCGCCC TTAGGAGGGC CACCCTCAGA GTCTGACAGC AGGTGAAGGT CCTAAATCTC  120
  65   CCCAAACTAA CTGGTGTCTT TTCTCCTCTT CCAAGATGCT CTTCCCGAGG GAGATGCTAG  180
       CCCTTTGGGT CCTTACCTCC TGCCCTCAGG AGCCCCGGAG AGAGGCAGTC CTGGCAAAGA  240
       GCACCCTGAA GAGAGAGTGG TAACAGCGCC CCCCAGTTCC TCACAGTCGG CGGAAGTGCT  300
       GGGCGAGCTG GTGCTGGATG GGACCGCACC CTCTGCACAT CACGACATCC CAGCCCTGTC  360
       ACCGCTGCTT CCAGAGGAGG CCCGCCCAA GCACGCCTTG CCCCCCAAGA AGAAACTCCC  420
  70   TTCGCTCAAG CAGGTGAACT CTGCCAGGAA GCAGCTGAGG CCCAAGCCA CCTCCGCAGC  480
       CACTGTCCAA AGGGCAGGGT CCCAGCCAGC GTCCAGGGC CTAGATCTCC TCTCCTCCTC  540
       CACGGAGAAG CCTGGCCCAC CGGGGGACCC GGACCCCATC GTGGCCTCCG AGGAGGCATC  600
       AGAAGTGCCC CTTTGGCTGG ACCGAAAGGA GAGTGCGGTC CCTACAACAC CGGCACCCCT  660
       GCAAATCTCC CCCTTCACTT CGCAGCCCTA TGTGGCCCAC ACACTCCCCC AGAGGCCAGA  720
  75   ACCGGGGAG CCTGGGCCTG ACATGGCCCA GGAGGCCCCC CAGGAGGACA CCAGCCCCAT  780
       GGCCCTGATG GACAAAGGTG AGAATGAGCT GACTGGGTCA GCCTCAGAGA GAGCCAGGA  840
       GACCACTACC TCCACCATTA TCACCACCAC GGTCATCACC ACCGAGCAGG CACCAGCTCT  900
       CTGCAGTGTG AGCTTCTCCA ATCCTGAGGG GTACATTGAC TCCAGCGACT ACCCACTGCT  960
       GCCCCTCAAC AACTTTCTGG AGTGCACATA CAACGTGACA GTCTACACTG GCTATGGGGT  1020
  80   GGAGCTCCAG GTGAAGAGTG TGAACCTGTC CGATGGGGAA CTGCTCTCCA TCCGCGGGGT  1080
       GGACGGCCCT ACCCTGACCG TCTCTGGCCAA CCAGACACTC CTGGTGGAGG GGCAGGTAAT  1140
       CCGAAGCCCC ACCAACACCA TCTCCGTCTA CTTCCGGACC TTCCAGGACG ACGGCCTTGG  1200
       GACCTTCCAG CTTCACTACC AGGCCTTCAT GCTGAGCTGC AACTTTCCCC GCCGGCCTGA  1260
       CTCTGGGGAT GTCACGGTGA TGGACCTGCA CTCAGGTGGG GTGGCCCACT TTCACTGCCA  1320
  85   CCTGGGCTAT GAGCTCCAGG GCGCTAAGAT GCTGACATGC ATCAATGCCT CCAAGCCGCA  1380
       CTGGAGCAGC CAGGAGCCCA TCTGCTCAGC TCCTTGTGGA GGGGCAGTGC ACAATGCCAC  1440
       CATCGGCCGC GTCCTCTCCC CAAGTTACCC TGAAACACA AATGGGAGCC AATTCTGCAT  1500
       CTGGACGATT GAAGCTCCAG AGGGCCAGAA GCTGCACCTG CACTTTGAGA GGCTGTTGCT  1560
```

269

```
        GCATGACAAG GACAGGATGA CGGTTCACAG CGGGCAGACC AACAAGTCAG CTCTTCTCTA  1620
        CGACTCCCTT CAAACCGAGA GTGTCCCTTT TGAGGGCCTG CTGAGCGAAG GCAACACCAT  1680
        CCGCATCGAG TTCACGTCCG ACCAGGCCCG GGCGGCCTCC ACCTTCAACA TCCGATTTGA  1740
        AGCCGTTTGAG AAAGGCCACT GCTATGAGCC CTACATCCAG AATGGGAACT TCACTACATC  1800
5       CGACCCGACC TATAACATTG GGACTATAGT GGAGTTCACC TGCGACCCCG GCCACTCCCT  1860
        GGAGCAGGGC CCGGCCATCA TCGAATGCAT CAATGTGCGG GACCCTATCT GGAATGACAC  1920
        AGAGCCCCTG TGCAGAGCCA TGTGTGGTGG GGAGCTCTCT GCTGTGGCTG GGGTGGTATT  1980
        GTCCCCAAAC TGGCCCGAGC CCTACGTGGA AGGTGAAGAT TGTATCTGGA AGATCCACGT  2040
        GGGAGAAGAG AAACGGATCT TCTTAGATAT CCAGTTCCTG AATCTGAGCA ACAGTGACAT  2100
10      CTTGACCATC TACGATGGCG ACGAGGTCAT GCCCCACATC TTGGGGCAGT ACCTTGGGAA  2160
        CAGTGGCCCC CAGAAACTGT ACTCCTCCAC GCCAGACTTA ACCATCCAGT TCCATTCGGA  2220
        CCCTGCTGGC CTCATCTTTG GAAAGGGCCA GGGATTTATC ATGAACTACA TAGAGGTATC  2280
        AAGGAATGAC TCCTGCTCGG ATTTACCCGA GATCCAGAAT GGCTGGAAAA CCACTTCTCA  2340
        CACGGAGTTG GTGCGGGGAG CCAGAATCAC CTACCAGTGT GACCCCGGCT ATGACATCGT  2400
15      GGGGAGTGAC ACCCTCACCT GCCAGTGGGA CCTCAGCTGG AGCAGCGACC CCCCATTTTG  2460
        TGAGAAAATT ATGTACTGCA CCGACCCCGG AGAGGTGGAT CACTCGACCC GCTTAATTTC  2520
        GGATCCTGTG CTGCTGGTGG GGACCACCAT CCAATACACC TGCAACCCCG GTTTTGTGCT  2580
        TGAAGGGAGT TCTCTTCTGA CCTGCTACAG CCGTGAAACA TCTGGGACGTC  2640
        TCGCCTGCCC CACTGCGTTT CAGAAGCGGC AGCAGAGACG TCGCTGGAAG GGGGGAACAT  2700
20      GGCCCTGGCT ATCTTCATCC CGGTCCTCAT CATCTCCTTA CTGCTGGGAG GAGCCTACAT  2760
        TTACATCACA AGATGTCGCT ACTATTCCAA CCTCCGCCTG CCTCTGATGT ACTCCCACCC  2820
        CTACAGCCAG ATCACCGTGG AAACCGAGTT TGACAACCCT ATTTACGAGA CAGGGGGAAC  2880
        CCAAAAGGTT TAGGGTTTCA TTTAAAAAGA GGTACCCTTT AAAAAGGGGC TTGTGAACTC  2940
        AACCCCAATT TCCCCGAGAC ATTTATCCAA AGGCCCTGGG GGCCTTGATT TAAACCCCCA  3000
25      AAAGGCGGCT GTTTTTTGGT TAAACTTTTT AACAAAGGGT TACGGGTTTT TTCCCCGGAT  3060
        TTTATAAATT TTAAAAGTG
```

Seq ID NO: 208 Protein sequence:
Protein Accession #: NP_066938

```
        1          11          21          31          41          51
        |          |          |          |          |          |
        MAQEAPQEDT SPMALMDKGE NELTGSASEE SQETTTSTII TTTVITTEQA PALCSVSFSN  60
        PEGYIDSSDY PLLPLNNFLE CTYNVTVYTG YGVELQVKSV NLSDGELLSI RGVDGPTLTV 120
        LANQTLLVEG QVIRSPTNTI SVYFRTFQDD GLGTFQLHYQ AFMLSCNFPR RPDSGDVTVM 180
        DLHSGGVAHF HCHLGYELQG AKMLTCINAS KPHWSSQEPI CSAPCGGAVH NATIGRVLSP 240
        SYPENTNGSQ FCIWTIEAPE GQKLHLHFER LLLHDKDRMT VHSGQTNKSA LLYDSLQTES 300
        VPFEGLLSEG NTIRIEFTSD QARAASTFNI RPEAFEKGHC YEPYIQNGNF TTSDPTYNIG 360
        TIVEFTCDPG HSLEQGPAII ECINVRDPYW NDTEPLCRAM CGGELSAVAG VVLSPNWPEP 420
        YVEGEDCIWK IHVGEEKRIF LDIQFLNLSN SDILTIYDGD EVMPHILGQY LGNSGPQKLY 480
        SSTPDLTIQF HSDPAGLIPG KGQGFIMNYI EVSRNDSCSD LPEIQNGWKT TSHTELVRGA 540
        RITYQCDPGY DIVGSDTLTC QWDLSWSSDP PPCEKIMYCT DPGEVDHSTR LISDPVLLVG 600
        TTIQYTCNPG FVLEGSSLLT CYSRETGTPI WTSRLPHCVS EAAAETSLEG GNMALAIFIP 660
        VLIISLLLGG AYIYITRCRY YSNLRLPLMY SHPYSQITVE TEFDNPIYET GGTQKV
```

Seq ID NO: 209 DNA sequence
Nucleic Acid Accession #: NM_001327.1
Coding sequence: 89-631

```
        1          11          21          31          41          51
        |          |          |          |          |          |
        AGCAGGGGGC GCTGTGTGTA CCGAGAATAC GAGAATACCT CGTGGGCCCT GACCTTCTCT  60
        CTGAGAGCCG GGCAGAGGCT CCGGAGCCAT GCAGGCCGAA GGCCGGGGCA CAGGGGGTTC 120
        GACGGGGCGAT GCTGATGGCC CAGGAGGCCC TGGCATTCCT GATGGCCCAG GGGGCAATGC 180
        TGGCGGCCCA GGAGAGGCGG GTGCCACGGG CGGCAGAGGT CCCCGGGGCG CAGGGGCAGC 240
        AAGGGCCTCG GGGCCGGGAG GAGGCGCCCC GCGGGGTCCG CATGCGCGCG CGGCTTCAGG 300
        GCTGAATGGA TGCTGCAGAT GCGGGGCCAG GGGGCCGGAG AGCCGCCTGC TTGAGTTCTA 360
        CCTCGCCATG CCTTTCGCGA CACCCATGGA AGCAGAGCTG GCCCGCAGGA GCCTGGCCCA 420
        GGATGCCCCA CCGCTTCCCG TGCCAGGGGT GCTTCTGAAG GAGTTCACTG TGTCCGGCAA 480
        CATACTGACT ATCCGACTGA CTGCTGCAGA CCACCGCCAA CTGCAGCTCT CCATCAGCTC 540
        CTGTCTCCAG CAGCTTTCCC TGTTGATGTG GATCACGCAG TGCTTTCTGC CCGTGTTTTT 600
        GGCTCAGCCT CCCTCAGGGC AGAGGCGCTA AGCCCAGCCT GGCGCCCCTT CCTAGGTCAT 660
        GCCTCCTCCC CTAGGGAATG GTCCCAGCAC GAGTGGCCAG TTCATTGTGG GGGCCTGATT 720
        GTTTGTCGCT GGAGGAGGAC GGCTTACATG TTTGTTTCTG TAGAAAATAA AACTGAGCTA
```

Seq ID NO: 210 Protein sequence:
Protein Accession #: NP_001318.1

```
        1          11          21          31          41          51
        |          |          |          |          |          |
        MQAEGRGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPGGGA  60
        PRGPHGGAAS GLNGCCRCGA RGPESRLLEF YLAMPPATPM EAELARRSLA QDAPPLPVPG 120
        VLLKEFTVSG NILTIRLTAA DHRQLQLSIS SCLQQLSLLM WITQCFLPVF LAQPPSGQRR
```

Seq ID NO: 211 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 52-459

```
        1          11          21          31          41          51
        |          |          |          |          |          |
        CCTCGTGGGC CCTGACCTTC TCTCTGAGAG CCGGGCAGAG GCTCCGGAGC CATGCAGGCC  60
        GAAGGCCAGG GCACAGGGGG TTCGACGGGC GATGCTGATG GCCCAGGAGG CCCTGGCATT 120
        CCTGATGGCC CAGGGGGCAA TGCTGGCGGC CCAGGAGAGG CGGGTGCCAC GGGCGGCAGA 180
        GGTCCCCGGG GCGCAGGGGC AGCAAGGGCC TCGGGGCCGGA GAGGAGGCGC CCCGCGGGGT 240
        CCGCATGCGCG GTGCCGCTTC TGCGCAGGAT GGAAGGTGCC CCTGCGGGGC CAGGAGGCCG 300
```

```
      GACAGCCGCC TGCTTCAGTT CCGACTGACT GCTGCAGACC ACCGCCAACT GCAGCTCTCC    360
      ATCAGCTCCT GTCTCCAGCA GCTTTCCCTG TTGATGTGGA TCACGCAGTG CTTTCTGCCC    420
      GTGTTTTTGG CTCAGGCTCC CTCAGGGCAG AGGCGCTAAG CCCAGCCTGG CGCCCCTTCC    480
      TAGGTCATGC CTCCTCCCCT AGGGAATGGT CCCAGCACGA GTGGCCAGTT CATTGTGGGG    540
 5    GCCTGATTGT TTGTCGCTGG AGGAGGACGG CTTACATGTT TGTTTCTGTA GAAAATAAAG    600
      CTGAGCTA
```

```
      Seq ID NO: 212 Protein sequence:
      Protein Accession #: Eos sequence
10
        1          11         21         31         41         51
        |          |          |          |          |          |
      MQAEGQGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPRGGA    60
15    PRGPHGGAAS AQDGRCPCGA RRPDSRLLQP RLTAADHRQL QLSISSCLQQ LSLLMWITQC   120
      FLPVPLAQAP SGQRR
```

```
      Seq ID NO: 213 DNA sequence
      Nucleic Acid Accession #: NM_000555
      Coding sequence: 416..1498
20
        1          11         21         31         41         51
        |          |          |          |          |          |
      CTTATTTTTT ATGAATGTCG GATAGCTGCA CCAGCTTGGT GGGGAAAGGG TTTGATGAAT     60
25    AGCACAAAGA CACTGGCTGT TCCCTGGAGG CTGTCCCTTT AAAGGAGAAT CTTAGTTTAT    120
      TCTGGGGGGA GGGGATGCAC ACATTAGAGT AGGAAAGAGG GCTTGGAATA AAATGAAAAC    180
      ACTCCCCCTT CATAGTCATT GTACTGAAAT GCAAAGACTG CTTCCTAAGC TGGAGATGCT    240
      AACCTTGGGT AGCTCCTTCT GTTCTCTTCA AGGGGAATTT TGTCAGGCTA TGGATTCATT    300
      TACAACTGTT AGTCATGTGG GCATGTGTGA GGAAACAGAT GCCAGTTTTA ATGTATTTAG    360
      CCCGAAGTTC CAATTTGATA GGAGCCACTG TCAGTCTCTG AGGTTCCACC AAAATATGGA    420
30    ACTTGATTTT GGACACTTTG ACGAAAGAGA TAAGACATCC AGGAACATGC GAGGCTCCCG    480
      GATGAATGGG TTGCCTAGCC CCACTCACAG CGCCCACTGT AGCTTCTACC GAACCAGAAC    540
      CTTGCAGGCA CTGAGTAATG AGAAGAAAGC CAAGAAGGTA CGTTTCTACC GCAATGGGGA    600
      CCGCTACTTC AAGGGGATTG TGTACGCTGT GTCCTCTGAC CGTTTTCGCA GCTTTTGACGC   660
      CTTGCTGGCT GACCTGACGC GATCTCTGTC TGACAACATC AACCTGCCTC AGGGAGTGCG    720
35    TTACATTTAC ACCATTGATG GATCCAGGAA GATCGGAAGC ATGGATGAAC TGGAGGAAGG    780
      GGAAAGCTAT GTCTGTTCCT CAGACAACTT CTTTAAAAAG GTGGAGTACA CCAAGAATGT    840
      CAATCCCAAC TGGTCTGTCA ACGTAAAAAC ATCTGCCAAT ATGAAAGCCC CCCAGTCCTT    900
      GGCTAGCAGC AACAGTGCAC AGGCCAGGGA GAACAAGGAC TTTGTGCGCC CCAAGCTGGT    960
      TACCATCATC CGCAGTGGGG TGAAGCCTCG GAAGGCTGTG CGTGTGCTTC TGAACAAGAA   1020
40    GACAGCCCAC TCTTTTGAGC AAGTCCTCAC TGATATCACA GAAGCCATCA AACTGGAGAC   1080
      CGGGGTTGTC AAAAAACTCT ACACTCTGGA TGGAAAACAG GTAACTTGTC TCCATGATTT   1140
      CTTTGGTGAT GATGATGTGT TTATTGCCTG TGGTCCTGAA AAATTTCGCT ATGCTCAGGA   1200
      TGATTTTTCT CTGGATGAAA ATGAATGCCG AGTCATGAAG GGAAACCCAT CAGCCACAGC   1260
      TGGCCCAAAG GCATCCCCAA CACCTCAGAA GACTTCAGCC AAGAGCCCTG GTCCTATGCG   1320
45    CCGAAGCAAG TCTCCAGCTG ACTCAGCAAA CGGAACCTCC AGCAGCCAGC TCTCTACCCC   1380
      CAAGTCTAAG CAGTCTCCCA TCTCTACGCC CACCAGTCCT GGCAGCCTCC GGAAGCACAA   1440
      GGACCTGTAC CTGCCTCTGT CCTTGGATGA CTCGGACTCG CTTGGTGATT CCATGTAAAG   1500
      GAGGGGAGAG TGCTCAGAGT CCAGAGTACA AATCCAAGCC TATCATTGTA GTAGGGTACT   1560
      TCTGCTCAAG TGTCCAACAG GGCTATTGGT GCTTTCAAGT TTTTATTTTG TTGTTGTTGT   1620
50    TATTTTGAAA AACACATTGT AATATGTTGG GTTTATTTTC CTGTGATTTC TCCTCTGGGC   1680
      CACTGATCCA CAGTTACCAA TTATGAGAGA TAGATTGATA ACCATCCTTT GGGGCAGCAT   1740
      TCCAGGGATG CAAAATGTGC TAGTCCATGA CCTTTCAATG GAAAGCTTAG GGGCCTGGGG   1800
      TAAATTTGCC CCGTTTAAAT TTGCCCAAAC AGTTTTCCTT TTGTAGAGGG GTGTTTAAAT   1860
      ATACAGCAAT TAAAAAGTTT GTGTGGGGAA AAAAAAAACT CATTGGCAGA TCCAAGAATG   1920
55    ACAAACACAA GTGCCCCTTT TCTCTGGATC TCAAGAATGG TGGAGGACCC TGGAAGGACA   1980
      GCAAGGCAGC TCCCCAGCCT CACTCTTCAC TCCTGATTGA GGCCGGGGTT TGTTGTCCAG   2040
      CACCCAATTCT GGCTGTCAAT GGGGAGAAAT AAACCAACAA CTTATAATTG TGACACCAGA   2100
      TGCTTAGGAT CCTGGTGCTG GGTTAGCTAA GAGAATAGAC AGAATTGGAA AATACTGCAG   2160
      ACATTTCCGA AGAGTTTATA AAGCACAGTG AATTCCTGGT CAATCTCTCC ACTGAGGCAA   2220
60    TTTGGAATCA ATAAGCAATT GATAATAGTT TGGAGTAAGG GACTTCATAT ACCTGATTCC   2280
      TCTAGAAGGC TGTCTAACAT ACCACATGAT TACATGAACT GTATGGTATC CATCTATCTC   2340
      TGTTCTATTG AATGCCTTGT TAACAGCCAA CACTGAAAAC ACTGTGAGAA TTTGTTTTCA   2400
      GGTCTGACAC CTTTCAGTCT CTTTTTATAG CAAGAAATCA ATATCCTTTT TATAAAAATT   2460
      CATGTCTGTA TTTCAGGAGC AAACTCTTCA GGCTCCTTTT TTATAAACTG GTGATTTTTC   2520
65    TTTTGTCTAA AAAACACATG AAGAAAATTT ACCAGAAAAA AAAAAAAAAG CCGAAGAATA   2580
      ATGTTATTTA GAAATTATGC TGTCACTGCC AAACAGTAAC CTCCAGGAGA AAACAAGATG   2640
      AATAGCAGAG GCCAATTCAA TAGAATCAGT TTTTTGATAG CTTTTTAACA GTTATGCTTG   2700
      CATTAATAAT TTCAATGTGG ACCAGACATT CTAATTATAT TTTAAATGAA ATGTTACAGC   2760
      ATATTTTAAG CAACTCTTTT TATCTATAAT CCTAATATTT CATACTGAAG ACACAGAAAT   2820
70    CTTTCACTTG TCTTTAACAT TAGAAAGGAT TTCTCTTTAC TAAGGACTGA TCATTTGAAA   2880
      TAGTTTTCAG TCTTTTGAGA TACAGGTTTA TAACACTGCT TTTTTTTTCC TGTAAACATA   2940
      GCCCATAATG GCAAAAACAA CTAATTTTAA TTGAAGGTCT TGCTTGCCAN TCCTGTGTTG   3000
      GCTTTNACCA AATATAAAAA TTCCCTTATT CCTTGGTAAT GGTGCAAATN TTTGGAAAGG   3060
      CACAGCATCC AAACCAAGCT GCTGTTTGGC TACTGAATGG CTTGCAGTTG TTCCTCCACT   3120
75    CTAAATGGAA TGAGCTTGCT GTGTGTGTGT GTGGTGGTGG TGGGAGGGGG TGGTGCATGT   3180
      GTGTGTGTGT GTGTGCATCT GCAGCTGCTT CAAAATTAAG AAATACTACA AGACACCCCT   3240
      GTAATGGATT GGTGGCAACT GGGTGGCACT GCTGATGTGC ACTGTGTAGG GGGGAACCCA   3300
      GTGGTGGTGG GGTATCTCAA ATGCCCCTAG ACAAGCTTCA GATGTCTGTA GCTACCAAAA   3360
      ACATTTTCGG TTCAAGAAAA GTGAGATGAT GGTAGTACTG GTTTCTGGTG AAATTGAAAA   3420
80    ACCCCAAATG ATGAGGGATCT CTTTTTGCCC CCTCTCCTTT TTTTGTAAAC CCATTCAAAA   3480
      CCATTAATAA GCCCATTTTA CTAANCCCCT ATTTCTTTCT AGAAGCTCAG GGTTTNCTTA   3540
      GTGCCTCCCA NAACATTTTG TAGTTAATTG GGAAAAAGTG ATACTTGGAT TAGGGGGTGT   3600
      GGGCATAAAG AATGGTGGGA GGCCTGATTT TAAAATTCAG GCCAGAACCC CCAATGACTC   3660
      CACCCATAGT NTCACTTTAG GTCTCATTTA GTCCATCACC TTTATTTTAA GTTGAGGAAG   3720
85    TGGAGGCTGG TAAAGAGCAG GACCAGAGGA AGAATCCAGA TTTCCTTATG CTTGGGCCTC   3780
      ACACTAGCTC TNTGAGTATT TCCTTGATTG CGGTATATGT ACTACTAGAA AATACCAAAT   3840
      GGATATATTT TCTTTAGGAT AACCTTTGAA CCAACAATNT TCAATAACAA TAGTACATCT   3900
```

```
       TCCATCTTAC TTTTAATCGA GTATAAGGAA ATGTTTCTTT ATGGCCATTT TGGAGGGAGC  3960
       AGGGGATGAG GCTTGGCATA GTCCAAAATT TAAGNCTCCA ATAATTAATT GCATTTTAAA  4020
       TTGTTTTAAA TTGGCCCACT TTCAAGGCAA TTTTTTTTGT GTGTCTGTAA CTGAGCTCCT  4080
       CCACCCCTGT CATTCACTTC CAATTTTACC CAATCCAATT TTAGCACTCA AGTTCCATTG  4140
5      TGTTAATTTT TGCACGGTCT ACACACATCA AGTCAGCAAG CATTTGCCAC CACTCCCTAT  4200
       ACTTCTCCCT CTTTTTTACA CACACACACA CACACACACA CTCTTGCTTG  4260
       TTCCTACCTC CCTGATTTTT CTTCCCTACA GAAATAGAAA TAGGGACAAA GAAGGGGAAA  4320
       ATGTATATAT TGGGGCTGGG CTGAACAACT AAACTTCATAA GTAGTATTAA CTAGGGGTAA  4380
       ATTGAGAGAA AAGCTCCTTT TCTCTTCACT GTTTTGGAAA GGATAGCCAT TAGCATGACT  4440
10     GCTTTGTGTC CTTATGGACT TTAGTATTAG CCTAGATTGA ATTATAGCGT TTTTCTAGCT  4500
       GAAGGAACCT TAAGATCACA TCATCTACTC CTCTACTCCA AATTTCTCAT TCTTCAGGCC  4560
       AGGAAACCGA GACACAGAGG TAAAGTAATT TCCCCAAGGT CACACAGCTG GCTGGGGCAG  4620
       GATTGGGTTT ACAACCCACA TCTCCTGGCT CTTATTCCAG GGCCTTTTCC CACTAAGTAG  4680
       TATTGCCTTC CATTAGGCTC CTGAGAGTTA TTTCTCAGGG TCATGTTGCA TCTTGGAGCC  4740
15     ACATGCTGCT GCCCTGATCT CAGTGGGAAA TNCACCCAGC AACCTAATAC AGCCCCTTTT  4800
       CCCTGCATTC ACCTGGTTCC CATCCACATG GGTTGCAGAT GTCCTTGAAG AGAGTGAGGC  4860
       ATTGAGGGCC AATAGGAGCA ATGGGGTCCC TGGCCTTGTC CATCTGATTC AGGAGATCAC  4920
       TGCTCCATCG TGAGGAGCCC TCTGAATAGC CCCCCACTGA ATGCTTGCCT TGCCCAAATG  4980
       GAATGGAGGA AGATTGATTT TCTCCATCAG TTCACCTTGT GTCATCTCAT AATGGTTGGT  5040
20     CTTTCCAGGC TGAGGGAAAT GTTTCTTGTT TCCANAGTAN AAAAAGAAA GAGTGGAACA  5100
       ATANCTTTGT TCATCCTAAC TTTCTGAGAT GGCTTTTCAA CATTTAAAA AAACTAGTGT  5160
       GGTACCATTC ACTGGCANGA TTTNTTTTAG AATATGGGAG TAAGATGAGG TAGAGAAAAT  5220
       AACCTGGTCT CACTGTGGTT GCCCTCATCC ACAATGTCCC CAAAGCCATC CTGCTNTGAT  5280
       GAGGACAATT TCCAGGTATA AGCAAGGGGC TTTGTGACAA AAATGTACCC TGGCTGATGT  5340
25     TAAACATTGG CTCCTGTGTT TGCACCAAAA TAGCAAGCTG TGTGCTCTAT ACACTCTTCC  5400
       CATCGTCTTG TGTACACTGC TCCTGTGGCC TTCCACAGCA GAAACCAGGG CAAAAGGGTC  5460
       CAAACACATG GTTTTCCTTG CTGCAAGGCT NTTCCTGGGA ACTAAGGGGG TATTTATTAG  5520
       TTCAGTTNTA AGAGACCTCC TTCTGGGCTT ACCCCACTCG TCAGGTACTT CTCTCTCCTT  5580
       CCTCCTTCTC CTCCACAGTC ACAAGTAACC AAGGAACCTG AAAGTGGATG TGTAGCTATT  5640
30     TGAAGAAGGC AAGGAACCCT GAGATTCTTC TTTGAATCCT TTAGTCCAAG TCTTAGACCA  5700
       GTGATTGGTG CTTACCTTGA ACAAAATTTT GTCTGTGTTC CTAATCCCTT CAATACTNTG  5760
       GGTACAATGC TCCCAATCAC CCTGCACATT TGATTCTAAA TGGCTTTTAT TTTTTAAAAA  5820
       TCCATATCCC TAGGACAAGA NAACAGGATG CCTATATCCC CAAAATGAGC TCCAGGACAC  5880
       TGATGGGAAT GATCCCAANG ATCACCCCAC CTCAGAAAAC GTCTGTGCCA ANAGACTTCC  5940
35     CCAGATAGAA NCACTGGGAC AGTGGTTTGA ACGACTTCTT TTATGGTTGT CCAGTTTGCT  6000
       ATGGAAATAA AAGGCATTGA TTTTTTAAAA AAGATGATTG GAACCTGTCT TTGGCCACAT  6060
       AGGGCCACTT GGATCCATTT CCAGGCCTTA CTCATATATT GCCTTCACTG AAGGGCTTTG  6120
       GCTTTAAGTC CCAGACTGGT CTCCCAAGTG AACCATAAGT GTTTTGGAGC TCATCTGGGG  6180
       TGAGGCATGA GAATGTTGCC CCATCTATCC CTTCAGGAAA AGGTGCCTTC CCTCCCTTTC  6240
40     TCCTAAAGCC TGGTCCCCAA AAATTGTTTT TGTCTCCAAA AGTCTAGTAT GGTCTTTATA  6300
       CACCCANACT CTTAGTGTTG CGTCCTGCCT TGTTTCCTTG TTAAGGATCT ATGCANACCT  6360
       CCCGCTTTGG CTTAGCTAGC GTGACATTGG CTATCATTTG ACAAGACTAA CTTTTTTTTT  6420
       TTTTTTTTTG ACTGAGTCTC CCTCTGTCAC CTAGGCTGGA GTGCAGTGGC ACAATCTTGG  6480
       CTCGCTGCAA CCTTCACCCT TCACCTCCCA GGTCGAAGCG ATTCTCCTGC CTCAGTCTCC  6540
45     CGAGTAGCTG GGATTACAGG CGTGCGCCAC CAAATCTGGC TATTTTTTA TTATTATTAT  6600
       TTTTAGTAGA GATGGGGTTT CACCATGTTG GCCAGACTGG TCTTGAACTC TTGGCCTCAA  6660
       ATTATCTGCC CACCTCGGCC TCCCAAAGTG CTGGGATTAC AGGCATGAGC ACCATGCCCA  6720
       GCTGACAAGA CTAATTTTTT ATCCCTTGGT TTATTGGCTT CAACATCTTC TGGAATCAGA  6780
       GGTGATTTTT TCTTACCTTG GATGCCTGAG ACTAGGGGAG TATAGAATTC CAATTGGTAA  6840
50     TTAAGGCATC TTTCTGCTCC TGATCAGAAG GGCAGGTTAG TTGGGAGAGG TCAGATGGCA  6900
       CAACGAAGT CACCTTGTAA GTAAGGCAAA GACTTTGAAG GCATTAGCGT TTCTCATTAC  6960
       TTAGGTCAAT AACCTTGAGG GAATCAATGG CTTTTTTGCC GCTCTACCTC TTTGTGTATC  7020
       TCTTTGACTT TTCTTTCTCT GTCTAGTTTC CTCTGTTCTC AGTTTATATT CTATGTTATC  7080
55     AGTCTCTCTT TCCACAGTAC AAACATCCAT CCTTTCTCCT GTGCAATTCT GTCTCTCCCT  7140
       CTTATTATCT TTATTTGTAC TTTTTCCTTC CTCCCTGTCT AGGCATTGGG CATGTGCCTC  7200
       TTCTTAGCCT GTGATTTTGC CTTGGGACTG ATGATAAATT ATTTCCAGAT TCAATCAGCC  7260
       CTGGTCCTAC CCCAGTCCAA TCAGAAGTAT GTTGGTGGGG AATCAACCTG ATCCTGGCCC  7320
       TTTCTTCTTC TCCATTTTCA TTCGTAATCC CCCTCAGCAG ATCTTTACAA GCAGTTTCCT  7380
60     TATAGCTCAT GTATCTTTAG GTCTTTGCCT TCCAAGCACT GTACAGAATA CTTTGTGGTT  7440
       CCTTTTTAGT CTGACATTTT GTGGAGCAGT GAAGCGTGCT CAGAGACATA ATCAGCTGAA  7500
       GAGAAAAAT CCACCCATGG ATTTATATCA GCTAAATACT AATAATTGAT TTTGTTTGAT  7560
       GTGCCCATAA TTTTTAAAGC TGCAATATAA TATAATGAGG GACCACAGGT AATTTCTCCT  7620
       GTCATTTGTT TTGGCTGGAT GGGGGTGGGG GAGTAATTGC TTAAAGTTTT ACCATTACAC  7680
65     ATTAAACTCT CTATAATAAT CTTGTTTGGG GCTTGCTAAC TGTTGAGCTG TTTTAACTAA  7740
       ACTGGTAGGC AATCGGAGTT GATTTAAATG AAAAGATAAT TTAACAAATC TATACTATAA  7800
       AAAGAGACAT TTGCTTAATT GACATGTATT TTTTCCTTCT GAGTCACCTA AACATTTACT  7860
       CTTGACACCA ACTGTTCATG ATACTGAATA GACAGTCCAT ATAAGAGAAA TTAGTGGACC  7920
       TAAAGAAGCC AGATTGTAGG TGTTAATTTA TTAAACAGAA TTGCAAAGCC CTTGGAAATG  7980
70     TCACTGCTTG GCAATACCAT ATGGCATGCC AAAATTTACA ATGACTTTTC TTTATAAGTT  8040
       ATCCAAAAGG GATTTGAACA AGTAAGAGGT TATGCCAAAA TGTCTCCAAT GTATGGTCCT  8100
       GTAATATATT GCAGCTTGAA GCCAATGATC CCTTATGACT TGTAATACAAC TAATGCATGT  8160
       TTTATTGAAT TTTGCATTTC CCACGTGTGG TAAGTCTTTA AAATGTTTTT GATCACCTTT  8220
       NTGTGCCATT AAACTTGTAC AGAAAATGTT TTTATGGCCA TTTTTCAAAGG GAGAAAGTTT  8280
75     AAAATGGAAA CAGCCCACCC TTTCTGCCCT ATAGCTGTAG TTAGAATTGA GTACCTGTAG  8340
       CAAAACAGCT GTAATTGGTG GTTGTAGTGT TAGAGGTGTT AGCTTGCTAG TGACTAGCTT  8400
       TGGAGAGTAA ATGCATGGTA TTGTACATCA CATTTCTTAA CTCGTTTTAA CCTCTGAAAA  8460
       GAATATATTC TTCTTTGTAG TCCTTCTTCC CACCCCCTTG CCCTCTCCCT CTCCCTGCTC  8520
       CCAGTTGTCT TACAGTTGTA AATATCTGAT TTGAGGCCCA ATAACTCTTG CCAAGTAAAG  8580
80     TCAGCAAACA ACAAACAAAC CAAAATGTGG GGAAAAGGCA TTTCTCAACC ATCTCTCAGC  8640
       AGTTATTGAT CATTTCTTAA GGAACAGCAT TGTGATCAAA GACTCAACTT TACGTAAAAA  8700
       TCAGTGGTAA ATTGGGGTTG TATTGGCCAT TGATTACATT CAGGATTGAA TAGTTTTCAG  8760
       AATCACATGT AATCCAAAGA CAGTAGGTAG TGATGTCCCT TATCCCTGCA GCTGTTTTAA  8820
       GATAGAGACC TCAGAAGACT CTGCTTGACC GATGACCAAT AATTATTTGA AAAAAAAAGA  8880
       AAAAATGAGA GAAATAAAAC AGATATTTAA GAACTTTAGC CACCTATTTA GAATAGTTAT  8940
85     AGCCAGAAAA AAAACAAGG GCATGAGTTC AAATGCATTA CTATCAGTGT CCTAGGCAAT  9000
       ACCTAACCTA CTCTGAAATT GTGATTCAAA AGCAGTATTT CAAGAGGCAT TCTCCTTTTT  9060
       TGGTTTGCTG ACCCCACTTG GACTGGTAGG TTTGGTGAGG CCCCCATAAA CCAGCTGGAG  9120
```

```
CAGACCCTTT TCATCTCCTG TGCCTGTAAC ACCCCTCTTC CCCCACCCCC TCCGCAATTC   9180
AATGAGGGCT TTCTTGGGTC AGAGGACTTC AAGGTTGTCT AGAGAAGTTT GCCATGTGTG   9240
TAAGGTGCTG TGAACTGTGA GTGCTGAAGA TTCGCAGCAT TCAATACCAG GCAGCCAAAG   9300
AGCTGCTCTT GCAATTATTT TGGCTCTCAA GCTCTGTTCT TCATCGCATT CTCATTTCTG   9360
TGTACATTTG CAAGATGTGT GTAATGTCAT TTTCCAAAAA TAAAATTTGA TTTCAAT
```

Seq ID NO: 214 Protein sequence:
Protein Accession #: NP_000546

```
1          11         21         31         41         51
|          |          |          |          |          |
MELDPGHFDE RDKTSRNMRG SRMNGLPSPT HSAHCSFYRT RTLQALSNEK KAKKVRFYRN   60
GDRYPKGIVY AVSSDRFRSF DALLADLTRS LSDNINLPQG VRYIYTIDGS RKIGSMDELE  120
EGESYVCSSD NFFKKVEYTK NVNPNWSVNV KTSANMKAPQ SLASSNSAQA RENKDFVRPK  180
LVTIIRSGVK PRKAVRVLLN KKTAHSFEQV LTDITEAIKL ETGVVKKLYT LDGKQVTCLH  240
DFFGDDDVPI ACGPEKFRYA QDDPFSLDENE CRVMKGNPSA TAGPKASPTP QKTSAKSPGP  300
MRRSKSPADS ANGTSSSQLS TPKSKQSPIS TPTSPGSLRK HKDLYLPLSL DDSDSLGDSM
```

Seq ID NO: 215 DNA sequence
Nucleic Acid Accession #: NM_130467
Coding sequence: 312..644

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACGAGGC AGAGCTCTGC AAGGAGAGGT TGTGTCTTCG TTCTTTCCGC CATCTTCGTT   60
CTTTCCAACA TCTTCGTTCT TTCTCACTGA CCGAGACTCA GCCGGTAGGT CTGCAGAGTG  120
GTCTTCCTGG TAATTTAGTT GTGAGTGAAT GTGTGGAGGA GCCAGCGGGC TTAGGACAGG  180
TCCTGTGGCA CAGTCCGTGG CTTTGAGGGA AAAGGGCCTC GCGGTGGTCC TCCGCCTTCC  240
CCCAGGTCGT GATGCAGGCG CCATGGGCCG GTAATCGTGG CTGGGCTGGA ACGAGGGAGG  300
AAGTGAGAGA TATGAGTGAG CATGTAACAA GATCCCAATC CTCAGAAAGA GGAAATGACC  360
AAGAGTCTTC CCAGCCAGTT GGACCTGTGA TTGTCCAGCA GCCCACTGAG GAAAAACGTC  420
AAGAAGAGGA ACCACCAACT GATAATCAGG GTATTGCACC TAGTGGGGAG ATCAAAAATG  480
AAGGAGCACC TGCTGTTCAA GGGACTGATG TGGAAGCTTT TCAACAGGAA CTGGCTCTGC  540
TTAAGATAGA GGATGCACCT GGAGATGGTC CTGATGTCAG GGAGGGGACT CTGCCCACTT  600
TTGATCCCAC TAAAGTGCTG GAAGCAGGTC AAGGGCAACT ATAGGTTTAA ACCAAGACAA  660
ATGAAGACTG AAACCAAGAA TATTGTTCTT ATGCTGGAAA TTTGACTGCT AACATTCTCT  720
TAATAAAGTT TTACAGTTTT CTGCAAAAAA AAAAAAAAAA AAA
```

Seq ID NO: 216 Protein sequence:
Protein Accession #: NP_569734

```
1          11         21         31         41         51
|          |          |          |          |          |
MSEHVTRSQS SERGNDQESS QPVGPVIVQQ PTEEKRQEEE PPTDNQGIAP SGBIKNEGAP   60
AVQGTDVEAP QQELALLKIE DAPGDGPDVR EGTLPTFDPT KVLEAGEGQL
```

Seq ID NO: 217 DNA sequence
Nucleic Acid Accession #: NM_001476.1
Coding sequence: 82..435

```
1          11         21         31         41         51
|          |          |          |          |          |
GCCAGGGAGC TGTGAGGCAG TGCTGTGTGG TTCCTGCCGT CCGGACTCTT TTTCCTCTAC   60
TGAGATTCAT CTGTGTGAAA TATGAGTTGG CGAGGAAGAT CGACCTATTA TTGGCCTAGA  120
CCAAGGCGCT ATGTACAGCC TCCTGAAGTG ATTGGGCCTA TGCGGCCCGA GCAGTTCAGT  180
GATGAAGTGG AACCAGCAAC ACCTGAAGAA GGGGAACCAG CAACTCAACG TCAGGATCCT  240
GCAGCTGCTC AGGAGGGGAGA GGATGAGGGA GCATCTGCAG GTCAAGGGCC GAAGCCTGAA  300
GCTGATAGCC AGGAACAGGG TCACCCACAG ACTGGGTGTG AGTGTGAAGA TGGTCCTGAA  360
GGGCAGGAGG TGGACCCGCC AAATCCAGAG GAGGTGAAAA CGCCTGAAAG AGGTGAAAAG  420
CAATCACAGT GTTAAAAGAA GACACGTTGA AATGATGCAG GCTGCTCCTA TGTTGGAAAT  480
TTGTTCATTA AAATTCTCCC AATAAAGCTT TACAGCCTTC TGCAAAA
```

Seq ID NO: 218 Protein sequence:
Protein Accession #: NP_001467.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MSWRGRSTYY WPRPRRYVQP PEVIGPMRPE QFSDEVEPAT PEEGEPATQR QDPAAAQEGE   60
DEGASAGQGP KPEADSQEQG HPQTGCECED GPDGQEVDPP NPEEVKTPEE GEKQSQC
```

Seq ID NO: 219 DNA sequence
Nucleic Acid Accession #: NM_001476
Coding sequence: 90-3671

```
1          11         21         31         41         51
|          |          |          |          |          |
ACAGCGGAGC GCAGAGTGAG AACCACCAAC CGAGGCGCCG GGCAGCGACC CCTGCAGCGG   60
AGACAGAGAC TGAGCGGCCC GGCACCGCCA TGCCTGCGCT CTGGCTGGGC TGCTGCCTCT  120
GCTTCTCGCT CCTCCTGCCC GCAGCCCGGG CCACCTCCAG GAGGGAAGTC TGTGATTGCA  180
ATGGGAAGTC CAGGCAGTGT ATCTTTGATC GGGAACTTCA CAGACAAACT GGTAATGGAT  240
TCCGCTGCCT CAACTGCAAT GACAACACTG ATGGCATTCA CTGGAGAAG TGCAAGAATG  300
GCTTTTACCG GCACAGAGAA AGGGACCGCT GTTTGCCCTG CAATTGTAAC TCCAAAGGTT  360
```

```
        CTCTTAGTGC TCGATGTGAC AACTCTGGAC GGTGCAGCTG TAAACCAGGT GTGACAGGAG    420
        CCAGATGCGA CCGATGTCTG CCAGGCTTCC ACATGCTCAC GGATGCGGGG TGCACCCAAG    480
        ACCAGAGACT GCTAGACTCC AAGTGTGACT GTGACCCAGC TGGCATCGCA GGGCCCTGTG    540
        ACGCGGGCCG CTGTGTCTGC AAGCCAGCTG TTACTGGAGA ACGCTGTGAT AGGTGTCGAT    600
    5   CAGGTTACTA TAATCTGGAT GGGGGGAACC CTGAGGGCTG TACCCAGTGT TTCTGCTATG    660
        GGCATTCAGC CAGCTGCCGC AGCTCTGCAG AATACAGTGT CCATAAGATC ACCTCTACCT    720
        TTCATCAAGA TGTTGATGGC TGGAAGGCTG TCCAACGAAA TGGGTCTCCT GCAAAGCTCC    780
        AATGGTCACA GCGGCCATCAA GATGTGTTTA GCTCAGCCCA ACGACTAGAC CCTGTCTATT    840
        TTGTGGCTCC TGCCAAATTT CTTGGGAATC AACAGGTGAG CTATGGGCAA AGCCTGTTCCT    900
   10   TTGACTACCG TGTGGACAGA GGAGGCAGAC ACCCATCTGG CCATGATGTG ATTCTGGAAG    960
        GTGCTGGTCT ACGGATCACA GCTCCCTTGA TGCCACTTGG CAAGACACTG CCTTGTGGGC   1020
        TCACCAAGAC TTACACATTC AGGTTAAATG AGCATCCAAG CAATAATTGG AGCCCCCAGC   1080
        TGAGTTACTT TGAGTATCGA AGGTTACTGC GGAATCTCAC AGCCCTCCGC ATCCGAGCTA   1140
        CATATGCGAGA ATACAGTACT GGGTACATTG ACAATGTGAC CCTGATTTCA GCCCGCCCTG   1200
   15   TCTCTGGAGC CCCAGCACCC TGGGTTGAAC AGTGTATATG TCCTGTTGGG TACAAGGGGC   1260
        AATTCTGCCA GGATTGTGCT TCTGGCTACA AGAGAGATTC AGCGAGACTG GGGCCTTTTG   1320
        GCACCTGTAT TCCTTGTAAC TGTCAAGGGG GAGGGGCCTG TGATCCAGAC ACAGGAGATT   1380
        GTTATTCAGG GGATGAGAAT CCTGACATTG AGTGTGCTGA CTGCCCAATT GGTTTCTACA   1440
        ACGATCCGCA CGACCCCCGC AGCTGCAAGC CATGTCCCTG TCATAACGGG TTCAGCTGCT   1500
   20   CAGTGATGCC GGAGACGGAG GAGGTGGTGT GCAATAACTG CCCTCCCGGG GTCACCGGTG   1560
        CCCGCTGTGA GCTCTGTGCT GATGGCTACT TTGGGGACCC CTTTGGTGAA CATGGCCCAG   1620
        TGAGGCCTTG TCAGCCCTGT CAATGCAACA ACAATGTGGA CCCCAGTGCC TCTGGGAATT   1680
        GTGACCGGCT GACAGGCAGG TGTTTGAAGT GTATCCACAA CACAGCCGGC ATCTACTGCG   1740
        ACCAGTGCAA AGCAGGCTAC TTCGGGGACC CATTGGCTCC CAACCCAGCA GACAAGTGTC   1800
   25   GAGCTTGCAA CTGTAACCCC ATGGGCTCAG AGCCTGTAGG ATGTCGAAGT GATGGCACCT   1860
        GTGTTTGCAA GCCAGGATTT GGTGGCCCCA ACTGTGAGCA TGGAGCATTC AGCTGTCCAG   1920
        CTTGCTATAA TCAAGTGAAG ATTCAGATGG ATCAGTTTAT GCAGCAGCTT CAGAGAATGG   1980
        AGGCCCTGAT TTCAAAGGCT CAGGGTGGTG ATGGAGTAGT ACCTGATACA GAGCTGGAAG   2040
        GCAGGATGCA GCAGGCTGAG CAGGCCCTTC AGGACATTCT CAGATTTCAG   2100
   30   AAGGTGCTAG CAGATCCCTT GGTCTCCAGT TGGCCAAGGT GAGGAGCCAA GAGAACAGCT   2160
        ACCAGAGCCG CCTGGATGAC CTCAAGATGA CTGTGGAAAG AGTTCGGGCT CTGGGAAGTC   2220
        AGTACCAGAA CCGAGTTCGG GATACTCACA GGCTCATCAC TCAGATGCAG CTGAGCCTGG   2280
        CAGAAAGTGA AGCTTCCTTG GGAAACACTA ACATTCCTGC CTCAGACCAC TACGTGGGGC   2340
        CAAATGGCTT TAAAAGTCTG GCTCAGGAGG CCACAAGATT AGCAGAAAGC CACGTTGAGT   2400
   35   CAGCCAGTAA CATGGAGCAA CTGACAAGGG AAACTGAGGA CTATTCCAAA CAAGCCCTCT   2460
        CACTGGTGCG CAAGGCCCTG CATGAAGGAG TCGGAAGCGG AAGCGGTAGC CCGGACGGTG   2520
        CTGTGGTGCA AGGGCTTGTG GAAAAATTGG AGAAAACCAA GTCCCTGGCC CAGCAGTTGA   2580
        CAAGGGAGGC CACTCAAGCG GAAATTGAAG CAGATAGGTC TTATCAGCAC AGTCTCCGCC   2640
        TCCTGATTC AGTGTCTCGG CTTCAGGGAG TCAGTGATCA GTCCTTTCAG GTGGAAGAAG   2700
   40   CAAAGAGGAT CAAACAAAAA GCGGATTCAC TCTCAACGCT GGTAACCAGG CATATGGATG   2760
        AGTTCAAGCG TACACAAAAG AATCTGGGAA ACTGGAAAGA AGAAGCACAG CAGCTCTTAC   2820
        AGAATGGAAA AAGTGGGACA GAGAAATCAG ATCAGCTGCT TTCCCGTGCC AATCTTGCTA   2880
        AAAGCAGAGC ACAAGAAGCA CTGAGTATGG GCAATGCCAC TTTTTATGAA GTTGAGAGCA   2940
        TCCTTAAAAA CCTCAGAGAG TTTGACCTGC AGGTGGACAA CAGAAAAGCA GAAGCTGAAG   3000
   45   AAGCCATGAA GAGACTCTCC TACATCAGCC AGAAGGTTTC AGATGCCAGT GACAAGACCC   3060
        AGCAAGCAGA AAGAGCCCTG GGGAGCGCTG CTGCTGATGC ACAGAGGGCA AAGAATGGGG   3120
        CCGGGGAGGC CCTGGAAATC TCCAGTGAGA TTGAACAGGA GATTGGGAGT CTGAACTTGG   3180
        AAGCCAATGT GACAGCAGAT GGAGCCTTGG CCATGGAAAA GGGACTGGCC TCTCTGAAGA   3240
        GTGAGATGAG GGAAGTGGAA GGAGAGCTGG AAAGGAAGGA GCTGGAGTTT GACACGAATA   3300
   50   TGGATGCAGT ACAGATGGTG ATTACAGAAG CCCAGAAGGT TGATACCAGA GCCAAGAACG   3360
        CTGGGGTTAC AATCCAAGAC ACACTCAACA CATTAGACGG CCTCCTGCAT CTGATGGACC   3420
        AGCCTCTCAG TGTAGATGAA GAGGGGCTGG TCTTACTGGA GCAGAAGCTT TCCCGAGCCA   3480
        AGACCCAGAT CAACAGCCAA CTGCGGCCCA TGATGTCAGA GCTGGAAGAG AGGGCACGTC   3540
        AGCAGAGGGG CCACCTCCAT TTGCTGGAGA CAAGCATAGA TGGGATTCTG CTGATGTGA   3600
   55   AGAACTTGGA GAACATTAGG GACAACCTGC CCCCAGGCTG CTACAATACC CAGGCTCTTG   3660
        AGCAACAGTG AAGCTGCCAT AAATATTTCT CAACTGAGGT TCTTGGGATA CAGATCTCAG   3720
        GGCTCGGGAG CCATGTCATG TGAGTGGGTG GGATGGGGAC ATTTGAACAT GTTTAATGGG   3780
        TATGCTCAGG TCAACTGACC TGACCCCATT CCTGATCCCA TGGCCCAGGTG GTTGTCTTAT   3840
        TGCACCATAC TCCTTGCTTC CTGATGCTGG GCAATGAGGC AGATAGCACT GGGTGTGAGA   3900
   60   ATGATCAAGG ATCTGGACCC CAAAGAATAG ACTGGATGGA AAGACAAACT GCACAGGCAG   3960
        ATGTTTGCCT CATAATAGTC GTAAGTGGAG TCCTGGAATT TGGACAAGTG CTGTTGGGAT   4020
        ATAGTCAACT TATTCTTTGA GTAATGTGAC TAAAGGAAAA AACTTTGACT TTGCCCAGGC   4080
        ATGAAATTCT TCCTAATGTC AGAACAGAGT GCAACCCAGT CACACTGTGG CCAGTAAAAT   4140
        ACTATTGCCT CATATTGTCC TCTGCAAGCT TCTTGCTGAT CAGAGTTCCT CCTACTTACA   4200
   65   ACCCAGGGTG TGAACATGTT CTCCATTTTC AAGCTGGAAG AAGTGAGCAG TGTTGGAGTG   4260
        AGGACCTGTA AGGCAGGCCC ATTCAGAGCT ATGGTGCTTG CTGGTGCCTG CCACCTTCAA   4320
        GTTCTGGACC TGGGCATGAC ATCCTTTCTT TTAATGATGC CATGGCAACT TAGAGATTGC   4380
        ATTTTTATTA AAGCATTTCC TACCAGCAAA GCAAATGTTG GGAAAGTATT TACTTTTTCG   4440
        GTTTCAAAGT GATAGAAAAG TGTGGCTTGG GCATTGAAAG AGGTAAAATT CTCTAGATTT   4500
   70   ATTAGTCCTA ATTCAATCCT ACTTTTCGAA CACCAAAAAT GATGCGCATC AATGTATTTT   4560
        ATCTTATTTT CTCAATCTCC TCTCTCTTTC CTCCACCCAT AATAAGAGAA TGTTCCTACT   4620
        CACACTTCAG CTGGGTCACA TCCATCCCTC CATTCATCCT TCCATCCATC TTTCCATCCA   4680
        TTACCTCCAT CCATCCTTCC AACATATATT TATTGAGTAC CTACTGTGTG CCAGGGGCTG   4740
        GTGGGACAGT GGTGACATAG TCTCTGCCCT CATAGAGTTG ATTGTCTAGT GAGGAAGACA   4800
   75   AGCATTTTTA AAAAATAAAT TTAAACTTAC AAACTTTGTT TGTCACAAGT GGTGTTTATT   4860
        GCAATAACCG CTTGGTTTGC AACCTCTTTG CTCAACAGAA CATATGTTGC AAGACCCTCC   4920
        CATGGGGGCA CTTGAGTTTT GGCAAGGCTG ACAGAGCTCT GGGTTGTGCA CATTCTTTG   4980
        CATTCCAGCT GTCACTCTGT GCCTTTCTAC AACTGATTGC AACAGACTGT TGAGTTATGA   5040
        TAACACCAGT GGGAATTGCT GGAGGAACCA GAGGCACTTC CACCTTGGCT GGGAAGACTA   5100
   80   TGGTGCTGCC TTGCTTCTGT ATTTCCTTGG ATTTTCCTGA AAGTGTTTTT AAATAAAGAA   5160
        CAATTGTTAG ATGCC
```

Seq ID NO: 220 Protein sequence:
Protein Accession #:NP_005553

```
   85   1         11         21         31         41         51
        |         |          |          |          |          |
        I         I          I          I          I          I
```

```
       MPALWLGCCL CFSLLLPAAR ATSRREVCDC NGKSRQCIFD RELHRQTGNG FRCLNCNDNT    60
       DGIHCEKCKN GFYRHRERDR CLPCNCNSKG SLSARCDNSG RCSCKPGVTG ARCDRCLPGF   120
       HMLTDAGCTQ DQRLLDSKCD CDPAGIAGPC DAGRCVCKPA VTGERCDRCR SGYYNLDGGN   180
   5   PEGCTQCFCY GHSASCRSSA EYSVHKITST FHQDVDGWKA VQRNGSPAKL QWSQRHQDVP   240
       SSAQRLDPVY FVAPAKFLGN QQVSYGQSLS FDYRVDRGGR HPSAHDVILB GAGLRITAPL   300
       MPLGKTLPCG LTKTYTFRLN EHPSNNWSPQ LSYFEYRRLL RNLTALRIRA TYGEYSTGYI   360
       DNVTLISARP VSGAPAPWVE QCICPVGYKG QPFCQDCASGY KRDSARLGPF GTCIPCNCQG   420
       GGACDPDTGD CYSGDENPDI ECADCPIGFY NDPHDPRSCK PCPCHNGFSC SVMPETEEVV   480
       CNNCPPGVTG ARCELCADGY FGDPPGEHGP VRPCQPCQCN NNVDPSASGN CDRLTGRCLK   540
  10   CIHNTAGIYC DQCKAGYFGD PLAPNPADKC RACNCNPMGS EPVGCRSDGT CVCKPGFGGP   600
       NCEHGAFSCP ACYNQVKIQM DQPMQQLQRM EALISKAQGG DGVVPDTELE GRMQQAEQAL   660
       QDILRDAQIS EGASRSLGLQ LAKVRSQENS YQSRLDDLKM TVERVRALGS QYQNRVRDTH   720
  15   RLITQMQLSL AESEASLGNT NIPASDHYVG PNGFKSLAQE ATRLAESHVE SASNMEQLTR   780
       ETEDYSKQAL SLVRKALHEG VGSGSGSPDG AVVQGLVEKL ERTKSLAQQL TREATQABIE   840
       ADRSYQHSLR LLDSVSRLQG VSDQSPQVEE AKRIKQKADS LSTLVTREMD EFKRTQKNLG   900
       NWKEEAQQLL QNGKSGREKS DQLLSRANLA KSRAQEALSM GNATFYEVES ILKNLREFDL   960
       QVDNRKAEAE EAMKRLSYIS QKVSDASDKT QQAERALGSA AADAQRAKNG AGEALEISSE  1020
       IEQEIGSLNL EANVTADGAL AMEKGLASLK SEMREVEGEL ERKELEPDTN MDAVQMVITE  1080
       AQKVDTRAKN AGVTIQDTLN TLDGLLHLMD QPLSVDEEGL VLLEQKLSRA KTQINSQLRP  1140
  20   MMSELEERAR QQRGHLHLLE TSIDGILADV KNLENIRDNL PPGCYNTQAL EQQ
```

Seq ID NO: 221 DNA sequence
Nucleic Acid Accession #: NM_016529
Coding sequence: 13-1854

```
       1          11         21         31         41         51
       |          |          |          |          |          |

       GTCAAGAAAA GAATGTCTGT AATTGTTCGA ACTCCTTCAG GACGACTTCG GCTTTACTGT    60
       AAAGGGGCTG ATAATGTGAT TTTTGAGAGA CTTTCAAAAG ACTCAAAATA TATGGAGGAA   120
       ACATTATGCC ATCTGGAATA CTTTGCCACG GAAGGCTTGC GGACTCTCTG TGTGGCTTAT   180
       GCTGATCTCT CTGAGAATGA GTATGAGGAG TGGCTGAAAG TCTATCAGGA AGCCAGCACC   240
       ATATTGAAGG ACAGAGCTCA ACGGTTGGAA GAGTGTTACG AGATCATTGA GAAGAATTTG   300
       CTGCTACTTG GAGCCACAGC CATAGAAGAT CGCCTTCAAG CAGGAGTTCC AGAAACCATC   360
       GCAACACTGT TGAAGGCAGA AATTAAAATA TGGGTGTTGA CAGGAGACAA ACAAGAAACT   420
       GCGATTAATA TAGGGTATTC CTGCCGATTG GTATCGCAGA ATATGGCCCT TATCCTATTG   480
       AAGGAGGACT CTTTGGATGC CACAAGGGCA GCCATTACTC AGCACTGCAC TGACCTTGGG   540
       AATTTGCTGG GCAAGGAAAA TGACGTGGCC CTCATCATCG ATGGCCACAC CCTGAAGTAC   600
       GCGCTCTCCT TCGAAGTCCG GAGGAGTTTC CTGGATTTGG CACTCTCGTG CAAAGCGGTC   660
       ATATGCTGCA GAGTGTCTCC TCTGCAGAAG TCTGAGATAG TGGATGTGGT GAAGAAGCGG   720
       GTGAAGGCCA TCACCCTCGC CATCGGAGAC GGCGCCAACG ATGTCGGGAT GATCCAGACA   780
       GCCCACGTGG GTGTGGGAAT CAGTGGGAAT GAAGGCATGC AGGCCACCAA CAACTCGGAT   840
       TACGCCATCG CACAGTTTTC CTACTTAGAG AAGCTTCTGT TGGTTCATGG AGCCTGGAGC   900
       TACAACCGGG TGACCAAGTG CATCTTGTAC TGCTTCTATA AGAACGTGGT CCTGTATATT   960
       ATTGAGCTTT GGTTCGCCTT TGTTAATGGA TTTTCTGGGC AGATTTTATT TGAACGTTGG  1020
       TGCATCGGCC TGTACAATGT GATTTTCACC GCTTTGCCGC CCTTCACTCT GGGAATCTTT  1080
       GAGAGGTCTT GCACTCAGGA GAGCATGCTC AGGTTTCCCC AGCTCTACAA AATCACCCAG  1140
       AATGGCGAAG GCTTCAACAC AAAGGTTTTC TGGGGTCACT GCATCAACGC CTTGGTCCAC  1200
       TCCCTCATCC TCTTCTGGTT TCCCATGAAA GCTCTGGAGC ATGATACTGT GTTTGACAGT  1260
       GGTCATGCTA CCGACTATTT ATTTGTTGGA AATATTGTTT ACACATATGT TGTTGTTACT  1320
       GTTTGTCTGA AAGCTGGTTT GGAGACCACA GCTTGGACTA AATTCAGTCA TCTGGCTGTC  1380
       TGGGGAAGCA TGCTGACCTG GCTGGTGTTT TTTGGCATCT ACTCGACCAT CTGGCCCACA  1440
       ATTCCCATTG CTCCAGATAT GAGAGGACAG GCAACTATGG TCCTGAGCTC CGCACACTTC  1500
       TGGTTGGGAT TATTCTGGT TCCTACTGCC TGTTTGATTG AAGATGTGGC ATGGAGAGCA  1560
       GCCAAGCACA CCTGCAAAAA GACATTGCTG GAGGAGGTGC AGGAGCTGGA AACCAAGTCT  1620
       CGAGTCCTGG GAAAAGCGGT GCTGCGGGAT AGCAATGGAA AGAGGCTGAA CGAGCGCGAC  1680
       CGCCTGATCA AGAGGCTGGG CCGGAAGACG CCCCCGACGC TGTTCCGGGG CAGCTCCCTG  1740
       CAGCAGGGCG TCCCGCATGG GTATGCTTTT TCTCAAGAAG AACAGGGAGC TGTTAGTCAG  1800
       GAAGAAGTCA TCCGTGCTTA TGACACCACC AAAAAGAAAT CCAGGAAGAA ATAAGACATG  1860
       AATTTTCCTG ACTGATCTTA GGAAAGAGAT TCAGTTTGTT GCACCCAGTG TTAACACATC  1920
       TTTGTCAGAG AAGACTGGCG TCCAAGGCCA AAACACCAGG AAACACATTT CTGTGGCCTT  1980
       AGTTAAGCAG TTTGTTAGTT ACATATTCCC TCGCAAACCT GGAGTGCAGA CCACAGGGGA  2040
       AGCTATCTTT GCCCTCCCAA CTCGTCTGCA GTGCTTAGCC TAACTTTTGT TTATGTCGTT  2100
       ATGAAGCATT CAACTGTGCT CTGTGAGGTC TCAAATTAAA AACATTATGT TTCACCAATA  2160
       AGAAAAAAAA AAAAAAA
```

Seq ID NO: 222 Protein sequence:
Protein Accession #: NP_057613

```
       1          11         21         31         41         51
       |          |          |          |          |          |

       MSVIVRTPSG RLRLYCKGAD NVIFERLSKD SKYMEETLCH LEYFATEGLR TLCVAYADLS    60
       ENEYEEWLKV YQEASTILKD RAQRLEECYE IIEKNLLLLG ATAIEDRLQA GVPETIATLL   120
       KAEIKIWVLT GDKQETAINI GYSCRLVSQN MALILLKEDS LDATRAAITQ HCTDLGNLLG   180
       KENDVALIID GHTLKYALSF EVRRSFLDLA LSCKAVICCR VSPLQKSEIV DVVKKRVKAI   240
       TLAIGDGAND VGMIQTAHVG VGISGNEGMQ ATNNSDYAIA QFSYLEKLLL VHGAWSYNRV   300
       TKCILYCFYK NVVLYIIELW PAFVNGPSGQ ILFERWCIGL YNVIFTALPP PTLGIPERSC   360
       TQESMLRFPQ LYKITQNGEG FNTKVFWGHC INALVHSLIL FWPPMKALEH DTVFDSGHAT   420
       DYLFVGNIVY TYVVVTVCLK AGLETTAWTK PSHLAVWGSM LTWLVPFGIY STIWPTIPIA   480
       PDMRGQATMV LSSAHFWLGL FLVPTACLIE DVAWRAAKHT CKKTLLEEVQ ELETKSRVLG   540
       KAVLRDSNGK RLNERDRLIK RLGRKTPPTL FRGSSLQQGV PHGYAFSQEE HGAVSQEEVI   600
       RAYDTTKKKS RKK
```

Seq ID NO: 223 DNA sequence
Nucleic Acid Accession #: BC017001
Coding sequence: 1-394

```
       1          11         21         31         41         51
       |          |          |          |          |          |
```

```
        |          |          |          |          |          |
        AACGCTGGGC AGGGCCGGCG CGGGTCGGGG GGCGCCCGAG GGGCCCGGGC CGAGCGGCGG   60
        CGCGCAGGGC GGCAGCATCC ACTCGGGCCG CATCGCCGCG GTGCACAACG TGCCGCTGAG  120
        CGTGCTCATC CGGCCGCTGC CGTCCGTGTT GGACCCCGCC AAGGTGCAGA GCCTCGTGGA  180
  5     CACGATCCCG GAGGACCCAG ACAGCGTGCC CCCCATCGAT GTCCTCTGGA TCAAAGGGGC  240
        CCAGGGAGGT GACTACTTCT ACTCCTTTGG GGGCTGCCAC CGGCTACGCGG CCTACCAGCA  300
        ACTGCAGCGA GAGACCATCC CCGCCAAGCT TGTCCAGTCC ACTCTCTCAG ACCTAAGGGT  360
        GTACCTGGGA GCATCCACAC CAGACTTGCA GTAGCAGCCT CCTTGGCACC TGCTGCCACC  420
        TTCAAGAGCC CAGAAGCACAC ACCTGGCCTC CAGCAGGCTG GGCCATGCAG AAGGGATAGC  480
  10    AGGGGTGCAT TCTCTTTGCA CCTGGCGAGA GGGTCTGACT CTGGGCACCC CTCTCACCGG  540
        CTACAAGGCC TTGGACTCAC TGTACAGTGT GGGAGCCCCA GTTCCCACCT CTGTGACAAT  600
        AGGATCATGG CCTTACCCTT GAAGCATTAC CGAGAAGGAG AACAGAGATG GGCTTGAAGA  660
        GCCACGTGCT GCCGGCTCCA AATTCCCAAG GACAAGGATC CCTCTGCATT TTTGTCTATG  720
        TAACCTCTTA TATGGACTAC ATTCAGCTGC AAGGAAAGGA AAAACCTTGAT TGCAGTGGTT  780
  15    TAAACAAACA GAAGATTGTT TTTCCACATA GCATGGATTC TGGAGATGGG TGGCTAATGG  840
        TATTGGTTCA ACAACTCCAC GGAGGTAGGG GTCACGTCTT GGATCCTTTT GCCTTAATCT  900
        CAGTGCTCGT TACTTCATGG TCCCAAGATG GCTGCTGTAT CCCCAAGAAT CATGTCTGCG  960
        TTCAAGGAAG GAGGGGTGGA GGAAGAGGAA GGGCCCAAACT AGCTGGACCC GTCACCTTCT 1020
        ATCAGAAAGT AAAACCTCGT CAGAAGTCTG TTTCCTGCTC TCTCCCTCTG CATATCTTCA 1080
  20    CTTAGATGCC CTTGGCCCGA GCCAGCTACC ATTGCACCTC TAGCTGCAAA CAAAGCTAAG 1140
        ACAGCAGGGA ACAGAATTGT CATGGCTGAA TAGACCAATC GTGTTCCATC TACTGAGACT 1200
        GGCACACTGC CTCCTGCAAT AAAACTGGGA TCCCATTACC AAGAGAGAAA TGCAGAATTG 1260
        TGTACCAGTT AGCTTTTGCT GTGTAACAAA CCATCCCCAA ACTTGGCAGC TAGAAACAAA 1320
        CCCTGTATTT TCCCACAATC CTATGGGTTG GCAATTTGGG CTGGGCTCAA CAGGGCAGTT 1380
  25    CTGCTGCTCA CACCTGGGAT CCCTCATGGA GCTAAGGTCA GCTGTTACCT CAGCTGGGCC 1440
        TGGATGGTCT AGGATAGCCT TACTCACTTG CCTGGCAGGT GACAGGCTGT TGGCTGGAAT 1500
        TGCTTGGTTC TCCTCCATGT GGCCTCTCCA GCAGGCTAGC TCAGGCTTAT TCACATGATG 1560
        GCTTCAGGAT TCCAAAGAGA GTGAGAGTAG AAGCTGAAAG ACTTCTTGAG TTCTTGGCCT 1620
        GGAACTGGGA CTAGGACAGT GTCACTTCTG CTAAGTTCTT TTGGTCAGAG CAAATCACAA 1680
  30    GGCTTTACCC AGATTCAAGG GATGAGAAAC AGACTACATG TCTTGATGAG GGGAACCACA 1740
        AAGAGCTTGT GGCCATTTTT CACCTATCAC AAATAATTTT GGATGGGTAT TTATTTGGAT 1800
        AAAGGTATTT CCCTCTTCCC CCTTTCTCTC TGTCTCATGG GGCCTCACTC TGCCAAGTTG 1860
        GAAGGCACTA AGACATTGTC CTGGCCCTCA GGGTCTAGGG GAAGAGGTGT TGGGGCAGGA 1920
        AGTGAGTCTC TCCATGGGCT GGACCCACTG TAGTAGGAGT GCCTCCTTGT CTGCACTGCT 1980
  35    GGTATGGGGT TAGGCCAGGT AGGACATTCC AGAGGGGCTT CTGAAAACCA AGAGTCCCTG 2040
        GGGAAAGGGA ACAGAGTAAG GCAGGCCTTG TTCTCACTGC CCTCTAAGGG AACTTGGTCA 2100
        CTCGGCACTT TTAAGCCTCA GTTTCTCCAG TTCAATAATA AGGACAAGAG CTTTTCCCAT 2160
        GCATTCTCTT TCCCCGGGAA AGTTGACTGA GGTGACCAGT AATAGAATTG AAAAGGGAGA 2220
        GTGTCTTCAG TGCAATGTGG CATCCTGGAT TGGGTCTTGG AACAAAAACA GGACATTAGT 2280
  40    GGGAAAATTG GAAATCTGAA AAAAGTCTGA ATTTTAGTTA ATATACCAAT TTCAGTCTCT. 2340
        TGGTTTTGAC AGATGTACCA TGGTGATGTA AGATGTTGAC CTTGGGGTAG GCTGGGTGAA 2400
        GGGTATACAG GAACTCTTTG TACTATCTCT GCAACTTCTC TGTAAATCTA GTATCATTCC 2460
        AAAATAAAAG TTTATTTAAT TTAAAAAAAA AAAAAAAAAA AA                      .
```

  45

        Seq ID NO: 224 Protein sequence:
        Protein Accession #: AAH17001.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  50    TLGRAGAGRG APEGPGPSGG AQGGSIHSGR IAAVHNVPLS VLIRPLPSVL DPAKVQSLVD   60
        TIREDPDSVP PIDVLWIKGA QGGDYFYSFG GCHRYAAYQQ LQRETIPAKL VQSTLSDLRV  120
        YLGASTPDLQ
```

  55   Seq ID NO: 225 DNA sequence
        Nucleic Acid Accession #: NM_021048
        Coding sequence: 1..1110

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  60    ATGCCTCGAG CTCCAAAGCG TCAGCGCTGC ATGCCTGAAG AAGATCTTCA ATCCCAAAGT   60
        GAGACACAGG GCCTCGAGGG TGCACAGGCT CCCCTGGCTG TGGAGGAGGA TGCTTCATCA  120
        TCCACTTCCA CCAGCTCCTC TTTTCCATCC TCTTTTCCCT CCTCCTCCTC TTCCTCGTCA  180
        TCCTCCTGCT ATCCTCTAAT ACCAAGCACC CCAGAGGAGG TTTCTGCTGA TGATGAGACA  240
  65    CCAAATCCTC CCCAGAGTGC TCAGATAGCC TGCTCCTCCC CCTCGGTCGT TGCTTCCCTT  300
        CCATTAGATC AATCTGATGA GGGCTCCAGC AGCCAAAAGG AGGAGAGTCC AAGCACCCTA  360
        CAGGTCCTGC CAGACAGTGA GTCTTTACCC AGAAGTGAGA TAGATGAAAA GGTGACTGAT  420
        TTGGTGCAGT TTCTGCTCTT CAAGTATCAA ATGAAGGAGC CGATCACAAA GGCAGAAATA  480
  70    CTGGAGAGTG TCATAAAAAA TTATGAAGAC CACTTCCCTT TGTTGTTTAG TGAAGCCTCC  540
        GAGTGCATGC TGCTGGTCTT TGGCATTGAT GTAAAGGAAG TGGATCCCAC TGGCCACTCC  600
        TTTGTCCTTG TCACCTCCCT GGGCCTCACC TATGATGGGA TGCTGAGTGA TGTCCAGAGC  660
        ATGCCCAAGA CTGGCATTCT CATACTTATC CTAAGCATAA TCTTCATAGA GGGCTACTGC  720
        ACCCCTGAGG AGGTCATCTG GGAAGCACTG AATATGATGG GGCTGTATGA TGGGATGGGA  780
  75    CACCTCATTT ATGGGGAGCC CAGGAAGCTG CTCACCCAAG ATTGGGTGCA GGAAAAACTAC  840
        CTGGAGTACC GGCAGGTGCC TGGCAGTGAT CCTGCACGGT ATGAGTTTCT GTGGGGTCCA  900
        AGGGCTCATG CTGAAATTAG GAAGATGAGT CTCCTGAAAT TTTTGGCCAA GGTAAATGGG  960
        AGTGATCCAA GATCCTTCCC ACTGTGGTAT GAGGAGGCTT TGAAAGATGA GGAAGAGAGA 1020
        GCCCAGGACA GAATTGCCAC CACAGATGAT ACTACTGCCA TGGCCAGTGC AAGTTCTAGC 1080
  80    GCTACAGGTA GCTTCTCCTA CCCTGAATAA                                   1110
```

        Seq ID NO: 226 Protein sequence:
        Protein Accession #: NP_066386

```
        1          11         21         31         41         51
  85    |          |          |          |          |          |
        MPRAPKRQRC MPEEDLQSQS ETQGLEGAQA PLAVEEDASS STSTSSSFPS SFPSSSSSSS   60
```

```
           SSCYPLIPST PEEVSADDET PNPPQSAQIA CSSPSVVASL PLDQSDEGSS SQKEESPSTL   120
           QVLPDSESLP RSEIDEKVTD LVQPLLFKYQ MKEPITKAEI LESVIKNYED HFPLLPSEAS   180
           ECMLLVFGID VKEVDPTGHS FVLVTSLGLT YDGMLSDVQS MPKTGILILI LSIIPIEGYC   240
           TPEEVIWEAL NMMGLYDGME HLIYGEPRKL LTQDWVQENY LEYRQVPGSD PARYEFLWGP   300
   5       RAHAEIRKMS LLKPLAKVNG SDPRSFPLWY EEALKDEEER AQDRIATTDD TTAMASASSS   360
           ATGSFSYPE
```

```
           Seq ID NO: 227 DNA sequence
           Nucleic Acid Accession #: NM_005025.1
  10       Coding sequence: 82-1314
```

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           GCGGAGCACA GTCCGCCGAG CACAAGCTCC AGCATCCCGT CAGGGGTTGC AGGTGTGTGG    60
           GAGGCTTGAA ACTGTTACAA TATGGCTTTC CTTGGACTCT TCTCTTTGCT GGTTCTGCAA   120
           AGTATGGCTA CAGGGGCCAC TTTCCCTGAG GAAGCCATTG CTGACTTGTC AGTGAATATG   180
           TATAATCGTC TTAGAGCCAC TGGTGAAGAT GAAAATATTC TCTTCTCTCC ATTGAGTATT   240
  15       GCTCTTGCAA TGGGAATGAT GGAACTTGGG GCCCAAGGAT CTACCCAGAA AGAAATCCGC   300
           CACTCAATGG GATATGGACG CCTAAAAAAT GGTGAAGAAT TTTCTTTCTT GAAGGAGTTT   360
           TCAAACATGG TAACTGCTAA AGAGAGCCAA TATGTGATGA AAATTGCCAA TTCCTTGTTT   420
           GTGCAAAATG GATTTCATGT CAATGAGGAG TTTTTGCAAA TGATGAAAAA ATATTTTAAT   480
           GCAGCAGTAA ATCATGTGGA CTTCAGTCAA AATGTAGCCG TGGCCAACTA CATCAATAAG   540
  20       TGGGTGGAGA ATAACACAAA CAATCTGGTG AAAGATTTGG TATCCCCAAG GGATTTTGAT   600
           GCTGCCACTT ATCTGGCCCT CATTAATGCT GTCTATTTCA AGGGGAACTG GAAGTCGCAG   660
           TTTAGGCCTG AAAATACTAG AACCTTTTCT TTCACTAAAG ATGATGAAAG TGAAGTCCAA   720
           ATTCCAATGA TGTATCAGCA AGGAGAATTT TATTATGGGG AATTTAGTGA TGGCTCCAAT   780
           GAAGCTGGTG GTATCTACCA AGTCCTAGAA ATACCATATG AAGGAGATGA AATAAGCATG   840
  25       ATGCTGGTGC TGTCCAGACA GGAAGTTCCT CTTGCTACTC TGGAGCCATT AGTCAAAGCA   900
           CAGCTGGTTG AAGAATGGGC AAACTCTGTG AAGAAGCAAA AAGTAGAAGT ATACCTGCCC   960
           AGGTTCACAG TGGAACAGGA AATTGATTTA AAAGATGTTT TGAAGGCTCT TGGAATAACT  1020
           GAAATTTTCA TCAAAGATGC AAATTTGACA GGCCTCTCTG ATAATAAGGA GATTTTTCTT  1080
           TCCAAAGCAA TTCACAAGTC CTTCCTAGAG GTTAATGAAG AAGGCTCAGA AGCTGCTGCT  1140
  30       GTCTCAGGAA TGATTGCAAT TAGTAGGATG GCTGTGCTGT ATCCTCAAGT TATTGTCGAC  1200
           CATCCATTTT TCTTTCTTAT CAGAAACAGG AGAACTGGTA CAATTCTATT CATGGGACGA  1260
           GTCATGCATC CTGAAACAAT GAACACAAGT GGACATGATT TCGAAGAACT TTAAGTTACT  1320
           TTATTTGAAT AACAAGGAAA ACAGTAACTA AGCACATTAT GTTTGCAACT GGTATATATT  1380
           TAGGATTTGT GTTTTACAGT ATATCTTAAG ATAATATTTA AAATAGTTCC AGATAAAAAC  1440
  35       AATATATGTA AATTATAAGT AACTTGTCAA GGAATGTTAT CAGTATTAAG CTAATGGTCC  1500
           TGTTATGTCA TTGTGTTTGT GTGCTGTTGT TTAAAATAAA AGTACCTATT GAACATGTG
```

```
           Seq ID NO: 228 Protein sequence:
           Protein Accession #: NP_005016.1
```

```
  45       1          11         21         31         41         51
           |          |          |          |          |          |
           MAPLGLFSLL VLQSMATGAT PPEEAIADLS VNMYNRLRAT GEDENILFSP LSIALAMGMM    60
           ELGAQGSTQK EIRHSMGYDS LKNGEEFSFL KEFSNMVTAK ESQYVMKIAN SLFVQNGFHV   120
           NEEFLQMMKK YFNAAVNHVD FSQNVAVANY INKWVENNTN NLVKDLVSPR DFDAATYLAL   180
  50       INAVYFKGNW KSQFRPENTR TFSFTKDDES EVQIPMMYQQ GEFYYGEFSD GSNEAGGIYQ   240
           VLEIPYEGDE ISMMLVLSRQ EVPLATLEPL VKAQLVEEWA NSVKKQKVEV YLPRFTVEQE   300
           IDLKDVLKAL GITEIFIKDA NLTGLSDNKE IFLSKAIHKS FLEVNEEGSE AAAVSGMIAI   360
           SRMAVLYPQV IVDHPFFFLI RNRRTGTILF MGRVMHPETM NTSGHDFEEL
```

```
  55       Seq ID NO: 229 DNA sequence
           Nucleic Acid Accession #: NM_003695
           Coding sequence: 12-398
```

```
           1          11         21         31         41         51
  60       |          |          |          |          |          |
           CGACATCAGA GATGAGGACA GCATTGCTGC TCCTTGCAGC CCTGGCTGTG GCTACAGGGC    60
           CAGCCCTTAC CCTGCGCTGC CACGTGTGCA CCAGCTCCAG CAACTGCAAG CATTCTGTGG   120
           TCTGCCCGGC CAGCTCTCGC TTCTGCAAGA CCACGAACAC AGTGGAGCCT CTGAGGGGGA   180
           ATCTGGTGAA GAAGGACTGT GCGGAGTCGT GCACACCCAG CTACACCCTG CAAGGCCAGG   240
           TCAGCAGCGG CACCAGCTCC ACCCAGTGCT GCCAGGAGGA CCTGTGCAAT GAGAAGCTGC   300
  65       ACAACGCTGC ACCCACCCGC ACCGCCCTCG CCCACAGTGC CCTCAGCCTG GGGCTGGCCC   360
           TGAGCCTCCT GGCCGTCATC TTAGCCCCCA GCCTGTGACC TTCCCCCCAG GGAAGGCCCC   420
           TCATGCCTTT CCTTCCCTTT CTCTGGGGAT TCCACACCTC TCTTCCCCAG CCGGCAACGG   480
           GGGTGCCAGG AGCCCCAGGC TGAGGGCTTC CCCGAAAGTC TGGGACCAGG TCCAGGTGGG   540
           CATGGAATGC TGATGACTTG GAGCAGGCCC CACAGACCCC ACAGAGGATG AAGCCACCCC   600
  70       ACAGAGGATG CAGCCCCCAG CTGCATGGAA GGTGGAGGAC AGAAGCCCTG TGGATCCCCG   660
           GATTTCACAC TCCTTCTGTT TTGTTGCCGT TTATTTTGTA CTCAAATCTC TACATGGAGA   720
           TAAATGATTT AAACC
```

```
  75       Seq ID NO: 230 Protein sequence:
           Protein Accession #: NP_003686
```

```
           1          11         21         31         41         51
           |          |          |          |          |          |
  80       MRTALLLLAA LAVATGPALT LRCHVCTSSS NCKHSVVCPA SSRFCKTTNT VEPLRGNLVK    60
           KDCAESCTPS YTLQGQVSSG TSSTQCCQED LCNEKLHNAA PTRTALAHSA LSLGLALSLL   120
           AVILAPSL
```

```
           Seq ID NO: 231 DNA sequence
  85       Nucleic Acid Accession #: Eos sequence
           Coding sequence: 126-752
```

```
1          11         21         31         41         51
|          |          |          |          |          |
CCGGGCAGGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC    60
AGGGGCGCAG GAATTCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCACTCAG   120
AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCCAGTCCT GGGTATAGAA   180
GTGTGAGGGA GAGAACCAGC ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAAGTTCA   240
GGAGAACTCG ACCGTTGGAA TGCCAAGATG CCTTGGAAAC AGCAGCCCGA GCCGAGGGCC   300
TCTCTCTTGA TGCCTCCATG CATTCTCAGC TCAGAATCCT GGATGAGGAG CATCCCAGGG   360
GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCATCCG GACTACTTCC AAACACCAGC   420
ACCCAGTGGA CAATGCTGGG CTTTTTTCCT GTATGACTTT TTCGTGGCTT TCTTCTCTGG   480
CCCGTGTGGC CCACAAGAAG GGGGAGCTCT CAATGGAAGA CGTGTGGTCT CTGTCCAAGC   540
ACGAGTCTTC TGACGTGAAC TGCAGAAGAC TAGAGAGACT GTGGCAAGAA GAGCTGAATG   600
AAGTTGGGCC AGACGCTGCT TCCCTGCGAA GGGTTGTGTG GATCTTCTGC CGCACCAGGC   660
TCATCCTGTC CATCGTGTGC CTGATGATCA CGCAGCTGGC TGGCTTCAGT GGACCCAAATT   720
TTCAGGATGG CTGTATTCTG CGGTCAGAAT GAGAGAGTCA AGCTGGGCAG AATCTCTCGC   780
CAAGAGTTCA GCCTTCCTTT GGAGACTGCT CCATCAGTGC CGAGGTGTGT GGGAACAGGC   840
TTCACTGCAC CGCCATCTTA CTGAGTTGCT TCACGTGAGG AAAAGGGGGC TTTGGCCCTG   900
TGACTCAGTT CCACATTTTG GATTGCATAC TGGAAAAGAA GCCAATCTTC TTGCTAGTAA   960
ACCAGCAACC CGGCTGTATA CAGTGGTGAC CCAAGCAATG GATATAAACC TAAAAATCTG  1020
AGGGAGGGGA GAGGTGGAAT ACAGTAGTTC TTGGAATCTG AAGTCTCCTA TTTGATCAGG  1080
TTATTTCCTA GGACTTGGCA AAAATCTGAT TGGTGGGGAT CTCCTAGGAC CTAGTGGACA  1140
TCTGGTATTA ATTTAATCTC AGGAAAAACA AGAAATTAAC CCAGAGAGAG TCTGGGTTTT  1200
GGAATTCAGC GTAGCTACCT CCAGACCGTG GTGTCTGGCC TCCATTTTTG TCTGTCATTC  1260
AGCTCTGACT TACAGCTGCA GTCACCTTTG CTATAAGGCA CCTGGGTAGA AGGGTGGATG  1320
GGCTTCACAT CAATTTTTTT CTTCCTTTAG GGTGGGGGAT TGGTTTGGCT TTCTTTTGTT  1380
GTGGTTTTTT GTTTTATTTT TGTCAAGATT GATTTTTAGA TGCAAGGACT TGAAAAGACC  1440
CAGAAGGATG CCACCAGTTT TTCCTTGAGG CCTAGGATTT TTTATTCTGT CCCGAGCAGA  1500
GGTAATTCCT CACAACTTAG TGCACCAGTA GCACCAGCCA TTTTGAGCAG AGTAACCTCTT  1560
TGGGGAGCTT TTCGTTTTGT TTTGTTTTTA ATTCTCTTTC CTTAGCAGCA AGGTCTTTTT  1620
TCCTAGAGAA TCTACTCCGT TGCAGAATCA TTGCAACCTC AGGAGCCCTC ACTGATTGAG  1680
TGCTGTCAGC CTGATATACT ACTTTGGACT CTGGAAACAG ATATGGGTTC TATTCTCTAT  1740
TTCTACTGTG TGTCGTTAAA CAACCGTCGG AGACCAGATG ACCTGTTAGA TGGCTAGTCC  1800
TGTATAACTC GACTCTGTAT GTTTCAATGT ATGTTACTGC AATGCTTCAC CTGCTGTACA  1860
GTGTTTGTGA GATGCTCTTT GAAGATGGTA CTTTTATATT T
```

Seq ID NO: 232 Protein sequence:
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRR TRPLECQDAL ETAARAEGLS    60
LDASMHSQLR ILDEEHPKGK YHHGLSALKP IRTTSKHQHP VDNAGLPSCM TFSWLSSLAR   120
VAHKKGELSM EDVWSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRRV VWIFPCRTRLI   180
LSIVCLMITQ LAGPSGPNFQ DGCILRSE
```

Seq ID NO: 233 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
1          11         21         31         41         51
|          |          |          |          |          |
TTTTAATGGT GCTCATATAT ACTGTATTTT TTGTTGTTTA GTTTTACTTA TTGAGAGTGT    60
CACAACATGA ATCACATAAT CATGATTTTT TTTTTTTACT TTTACTCCCC AAATTATTCA   120
TGTTTCTTAG ATCGTAGTCA TTGAGAAGTC CCAATAACTC TAAACTTTTG AGTTATAACG   180
TAGTAAACTT CTCTTTCATC TTTGTGTTAG CTCTGTAGTC TTAACCTGGA TTTTAATTTT   240
TTTGTTTCCA AAGTCACAAT TGAATTATTC TTAGATACCT TAAGCCACTG AATTCAGTTC   300
TGTTTGACTG AAAGCAAAAC AACGTGACAG TTTATTTTCA AACACTAACT TCTTGATATT   360
TTGTTATGGT ATATCTTTTT ATTAAATATT TATTTTGACT AAGCTTTCAT AAAATATTTG   420
AAGCTATTTT AATCATCAAG TATGGAAAAC AAATTACTAT TGCATTTTCC TATATATGCA   480
TATATTATGG ATTAACCAGA ATTGTATCAT TTTTGGCCTA ATGTCTGGAT ATAAAAGATA   540
ATTAGCCTAC TATAGTATTA ATAAATTTTT CAGTTGGTTT GGGCAAATTT AAACCTGAAA   600
AATAGGTTAA AAAGTAGTTA CAAATTAAAC TTACTAATTT ATACCTGATT TTTTTTCTTG   660
AATTAAAGTA CATTTTAAAT GAGCTTTATA ATACCTTAAA AAGTTGGTTC TAATTTAAAA   720
TATGAAAGCT CTGGCTATCA TCCTGGGATA GTAATTTCTA ATTATATAGT ATTTCAAAAC   780
TATATATTTT TTAGTTCCTT TGAGATAACT AATTTCTAAT AAATTTCTAAT TCAAAAACCA   840
TATCCTGTAT TTTTTTTAAG AATTGTTTTA TAAATAGGTC ATAAGATACA AGGTCTGCAT   900
TAGAAGACCC ACTCTTACTA GGTTCCCTAA GGATCTGCCA TAGATTTTTT TTTTTTTTTT   960
TTTTTTTTAG GTAGTTTAAA GCAAGCACTG ATACCAGTGG GAGTTGGTCT TGATCTAGGA  1020
GATTCTGTTA AGCATCCAAA AACAATGCCT AATTTCAGTT CTTAGGTTAT GGCTTGTGAC  1080
TCCAGATAAA AGATGGAGAA TACCTCATGT ACTGTGACTT GAAAATGAAT TCTTAAAATT  1140
CTTAGGCTCT CTCCATGTAT CTTTCTTAAG GAAAAGTTTC TGAGTGTGAT CTCTCTTTTG  1200
CCATAGTATC AAGTGGAGGG TAGTTCAGAA AAGTTAATAG GAAATCTTTT GTGACAGCAG  1260
ACTATAATAG AAGTTTGAGT AATATTTTAA TAAATTTATA TAATTCAAAT GATAAAAATG  1320
TATCAATGTT ATCCAATGAT TTTTATTAAA AAATTACCTT ATTATTAGAA CTGTGCCTAT  1380
TACATAAAAA GTGCTCATGT ATTTGAATTT TAAATAATTT ATTTAAATCA AGACCACCAT  1440
AAGTCATTAA TAATTTAATA ATTGTTTTAA ATCAGTGGTT TTCAACCCTC ACTTCATATT  1500
AGAATCATCT GAGGACTTTT AATATGGAAT CCACCTCATA ACAATTAAGT CTAAATTTCT  1560
GGAAGATGGA GCCATGCTTG TTTTTCCAAA AGCTCTTTGA GTGATTCTAA TTTGTAGTCA  1620
GAGTTGAAGA CCACTGCTCT AAATTAGTGC AGGAAAATGC TTTTATTTCT CCCATGTTAA  1680
CTTTTAAAAC TAGTAATGTA CCCAGTTAAG TTTTGATGGT TTAAATTCCA CTAAAGAACA  1740
TATTCTTCTA ATAACTAGCA TTTATTACAT GAAATTTAAG AGTTTAAGTT CCATCAAACT  1800
AGCCCTTGTG TAAGATTATT ATTTCTTCTC TATAACTTCA AAATAGATAT TTCATTCAAA  1860
CTGTTCAGGT GAGAAAACAT AATGGATTTT TTTTTTTTTC CTCTGGAGCT GCCTGTTCAG  1920
TGAGATGGAG GAGGTGGGCA CATTTAAGGT CAGTTCACTA ACCTATGGTT CAGAGTTCTG  1980
ATCATATGGA AGTTTGGAAA AGAGAGCTTA TCACAGGTTT GTATGCTGGT GAATGGGATAG  2040
TTTTAATTCT CACTGTCTCA AAAGAGAATC AGCTCTCCAG CAGTTCTAGA AAAGCTTTGA  2100
CAATCCCCAA GGGGCAGTGT TACCTTACTC CTTCACTGCT TCTTAGAAGG TAGAATTAAG  2160
TTTCTGGAAT TGCACCTACA TGTTTTCTTA TTAACATTCA GAATTGGGAA TATTAATTTT  2220
```

278

```
                TCCAGTGAGT AGTTTTCTGA AATTGGTAAC TTGGAGAGTA AAATAACGTA TTTTGCTTTT  2280
                CAATTTTGTG TTTGTTTACT TTTATGTAAA AATTTGATAT GTGAATTACA CAGTTCTAAT  2340
                AAAACCTCAT GCCTTTTCAT TACATCTAAT TTGAACTCTC AACTTCAGTG CCAGAAGTGC  2400
                TTTAAAGATG CTTTAATGAA AAGTATTAAG AAAATATATA GATTTGTATG TCAGTTTATA  2460
      5         CTTCAGAAAT CCATATATTT GTCATATTTA TTTTTTTAGA AACCTCCTAA TTGGATAACT  2520
                AGATGGTATT TAAAATGAAT GCCCAAAAAT ATCTTGTACC TTTGTCCAAA AGTTTATCTG  2580
                TTGGAAGCCG CCAGCCATTC ATGTAGAGAG TTTATAAGAA AATAATTTAA AATTGTATGC  2640
                ATTTTATATT ACTATGGTAT CTGTGTACCA TATTTCTAAG TATTCATTAT TAAATTGGTA  2700
                CTTCTTAAAA CCATAACCTG GCTTGCCTTT TAGTGTTAAA CACAAAATCC AACATTGTAT  2760
     10         ATAGAGATTC TTCTTTTATG AAGAAGAGCT GACGTAATTT ATTACCAGTG CATCTGCACA  2820
                AAGACATTAA CATAAGTCTC TGAGCAGTGA TACATTTTCA AACATGAAGA GTGACAACCA  2880
                CCACATTAAA CAACCACGGC AACACTCAGA CTTGGCACTT TCCTACGAAT CCATCCTATA  2940
                TGTGCCTGGT ATCGCCTCTG GCATAACTTA CACGAATCGT CCTCCCTACT TGTCTACGCT  3000
     15         CCTTCATCAA GCACTTGCCA ACACATTCAC CTCTAACTTG TACAACCTTA CCAACTCACC  3060
                ACAACATCTG CAACTCTACC CTATCAACTG CCAACCTAAA GACCCCCAAC ACAACACAAC  3120
                CCCCAAACAC AAAACCACTA AATCATAACC ACCACACACG CCACACACA CACACCCACC  3180
                CACACAACCA ACACACCACG ACCAAACACC CCACCACAAA CAAGCTAACA ACCACAAACA . 3240
                GACAACACAT CACATACACT CACTACCCCC CCATACTCCC ACCCACCA ·
```

     20   Seq ID NO: 234 DNA sequence
            Nucleic Acid Accession #: Eos sequence
            Coding sequence: 27-281

```
            1          11         21         31         41         51
     25     |          |          |          |          |          |
            AGCAGGAGGA GAGCTGGCGG GAAGACATGC ACCCCTTGAA GACCCAGAGA GAGGCCGTCT   60
            GTCTACCGCG TAGCAGTTAC ATCAGACTGA GACACTTCCT GTTTACAGGA GACTATAAAA  120
            TTCCTGCCCC GTGCTCATTT GGGGCTGACG CCATTTTAGG CCTCAGCCCA TCTGCACCCA  180
            GGCGCTCACT GAAACAGTGT GTTGCTCCAC ACCGCCTTGT TTTGCTTGTT GGCGCGCTCT  240
     30     CAGGGTTCCG ACCAATCCAA GAGCCTTGCA GAAAGCATTA ACGTGCTTTT CTCTTTGGCA  300
            GAGTTTTTCT TTGCTCTGAT CTTGGAGACA TCCCTCTGCC TAGTGGAAAC ATAAGGAATA  360
            CAGAAAGAAT GCAAGGAGAT AGACCAACGT GAGATTCTCC TTCATGCACT CAAGAGAAAG  420
            ATGTTGCAGG AAGAGCTAGT CTTTCAGGCT GGGCTGGTGA CCTGAGAAAG AATGTCCAGC  480
            TTTTCTTCTC CACTTGGCAT ATCAAGAGCC AGGCGTGGAA GACTAAAACA GGAAATGTTT  540
     35     ATAAAAACTG TTCAGCGGTT CGCCAACAAG AAGTGGTAAA GTAGCAAAAA TGGGGATGGA  600
            GATGCCAGGA GGAAAGATGC CAGGGGTAAA GTGGGAAAAT GGGAACCTGA AGCCAGGAGG  660
            TCAAGCCAAG CCAACAGGTG TTCTGTTTTT CATCACAGAA CTAATAAGTG GTGCTGAGGA  720
            CTCAAACCCG GGGAAGCCCA CTCTAGAACC CATGCTGGTC ATCCATATCC CCAAGGCCCT  780
            GGTCAGAACA CAGCTAAGCA GATGGCTTGG GTCATCAGGA CGTCCATTAC ATCCAAAGGA  840
     40     AGACAGCCTG TGACGTTTCA AAAGCAAAAG TCCCCTACCA GCCAGTGAAG CTACCTGATT  900
            TCTCAGTATC TTACGCCCAG TGACACGATC TACCCTCAAA ACTTAAAAAA AAAAGGGAAA  960
            CATAAACACA TAACGCAGC AGCAATAATT AAAGATGAGA TGAGACAAT TAAGAAAAAA 1020
            GGAAAGGTCT CCTGTGACTG TTTTATTTTT AGGGAAACAG AGAGGGAGAA GAATGATTTT 1080
            TCTTTTGATG ACTCTATATC CAACTCTGAG GTTTGATTAA AGAAATGACC TTGAACCACA 1140
     45     GCAAAGAAAA ATAAAAGACA ATTTCCAGTA AGTATGCCAG TTCGAATTAA TGATTTACTT 1200
            TTTATTTTTA AACTGAATTC AGCAGAGATT TACATGCATT ACGATGATTA ACATCTGAAA 1260
            TTTGACCTTG AAATAATCTT TACATTGTAA ATTCTTAATG ATCAAAACAA GGTTCTCAGT 1320
            GATTAAAACA TATTAGTAAT TAATTATTAA AGGAGAATAA TTGCAAATAC AACATTCCTA 1380
            AAATCTCAAG GCTTTTAAAG CATTTGTACA AATGACTGGA CATTTTTTAA ATTTGAAAAA 1440
     50     AAAAAAAAGC CCTCCATCTG ATTCTCATTT TCATTGTCAG TGCAACAACA AAAAAGGTAT 1500
            GCACTTCTCT TCTCATTTTC CACTGTCTCG CAAGCTAGAA ATTCTCACGA CTACCTTTGA 1560
            TCCCATCAAA GCCAAAGAAA GAAAAGAAAA TTGTTCTGTA CAGATATATG ACATTAAAAA 1620
            ATAATCCC
```

     55

            Seq ID NO: 235 Protein sequence:
            Protein Accession #: Eos sequence

```
            1          11         21         31         41         51
     60     |          |          |          |          |          |
            MHPLKTQREA VCLPRSSYIR LRHFLFTGDY KIPAPCSFGA DAILGLSPSA PRRSLKQCVA   60
            PHRLVLLVGA LSGFRPIQEP CRKH
```

            Seq ID NO: 236 DNA sequence
     65   Nucleic Acid Accession #: NM_002075
            Coding sequence: 406..1428

```
            1          11         21         31         41         51
     70     |          |          |          |          |          |
            CCACAATAGG GGCAGACCTG TCCATCCTTC TCTGTGGGTC CCCTGTACCT TTCTCCCCCA   60
            ACAGGATCAG ACCCAGAGGC AGCTGGTTGG GGTTTGTCGA GAAGAAGGAT TATCCAGATC  120
            AGTCCTTTCT AATCTCAGCT CCTGCCTGTA CCCTCCCATA CTCACCAAAC CCTCTTCCCC  180
            ACCACCCTGA GCTGAGGAGC ACAGTTTGAG GCCCCCCCAA CCCCCCGCCG GTCGGGGCCA  240
            GGCCAGGCCA GGCCAGCTCC TCTGGCAGCA GAGCCTGGGC AGGTGACGGG CGGGCGCGGA  300
     75     CGTCGCAGCT GAGGGAGTAA GGAGGCTCCC AGGAACCGGA GCTGGAAACC CGGCCGAGGT  360
            CCAGCCAGAG CCCAAGAGCC AGAGTGACCC CTCGACCTGT CAGCCATGGG GGAGATGGAG  420
            CAACTGCGTC AGGAAGCGGA GCAGCTCAAG AAGCAGATTG CAGATGCCAG GAAAGCCTGT  480
            GCTGACGTTA CTCTGGCAGA GCTGGTGTCT GGCCTAGAGG TGGTGGGACG AGTCCAGATG  540
            CGGACGCGGC GGACGTTAAG GGGACACCTG GCCAAGATTT ACGCCATGCA CTGGGCCACT  600
     80     GATTCTAAGC TGCTGGTAAG TGCCTCGCAA GATGGGAAGC TGATCGTGTG GGACAGCTAC  660
            ACCACCAACA AGGTGCACGC CATCCCACTG CGCTCCTCCT GGGTCATGAC CTGTGCCTAT  720
            GCCCCATCAG GGAACTTTGT GGCATGTGGG GGGCTGGACA ACATGTGTTC CATCTACAAC  780
            CTCAAATCCC GTGAGGGCAA TGTCAAGGTC AGCCGGGAGC TTTCTGCTCA CACAGGTTAT  840
            CTCTCCTGCT GCCGCTTCCT GGATGACAAC AATATTGTGA CCAGCTGTGG GGACACCACG  900
     85     TGTGCCTTGT GGGACATTGA GACTGGGCAG CAGAAGACTG TATTTGTGGG ACACACGGGT  960
            GACTGCATGA GCCTGGCTGT GTCTCCTGAC TTCAATCTCT TCATTTCGGG GGCCTGTGAT 1020
            GCCAGTGCCA AGCTCTGGGA TGTGCGAGAG GGGACCTGCC GTCAGACTTT CACTGGCCAC 1080
```

```
     GAGTCGGACA TCAACGCCAT CTGTTTCTTC CCCAATGGAG AGGCCATCTG CACGGGCTCG   1140
     GATGACGCTT CCTGCCGCTT GTTTGACCTG CGGGCAGACC AGGAGCTGAT CTGCTTCTCC   1200
     CACGAGAGCA TCATCTGCGG CATCACGTCC GTGGCCTTCT CCCTCAGTGG CCGCCTACTA   1260
     TTCGCTGGCT ACGACGACTT CAACTGCAAT GTCTGGGACT CCATGAAGTC TGAGCGTGTG   1320
     GGCATCCTCT CTGGCCACGA TAACAGGGTG AGCTGCCTGG GAGTCACAGC TGACGGGATG   1380
     GCTGTGGCCA CAGGTTCCTG GGACAGCTTC CTCAAAATCT GGAACTGAGG AGGCTGGAGA   1440
     AAGGGAAGTG GAAGGCAGTG AACACACTCA GCAGCCCCCT GCCCGACCCC ATCTCATTCA   1500
     GGTGTTCTCT TCTATATTCC GGGTGCCATT CCCACTAAGC TTTCTCCTTT GAGGGCAGTG   1560
     GGGAGCATGG GACTGTGCCT TTGGGAGGCA GCATCAGGGA CACAGGGGCA AAGAACTGCC   1620
     CCATCTCCTC CCATGGCCTT CCCTCCCCAC AGTCCTCACA GCCTCTCCCT TAATGAGCAA   1680
     GGACAACCTG CCCCTCCCCA GCCCTTTGCA GGCCCAGCAG ACTTGAGTCT GAGGCCCCAG   1740
     GCCCTAGGAT TCCTCCCCCA GAGCCACTAC CTTTGTCCAG GCCTGGGTGG TATAGGGCGT   1800
     TTGGCCCTGT GACTATGGCT CTGGCACCAC TAGGGTCCTG GCCCTCTTCT TATTCATGCT   1860
     TTCTCCTTTT TCTACCTTTT TTTCTCTCCT AAGACACCTG CAATAAAGTG TAGCACCCTG   1920
     GT
```

Seq ID NO: 237 Protein sequence:
Protein Accession #: NP_002066

```
     1         11        21        31        41        51
     |         |         |         |         |         |
     MGEMEQLRQE AEQLKKQIAD ARKACADVTL AELVSGLEVV GRVQMRTRRT LRGHLAKIYA   60
     MHWATDSKLL VSASQDGKLI VWDSYTTNKV HAIPLRSSWV MTCAYAPSGN FVACGGLDNM   120
     CSIYNLKSRE GNVKVSRELS AHTGYLSCCR FLDDNNIVTS SGDTTCALWD IETGQQKTVP   180
     VGHTGDCMSL AVSPDFNLFI SGACDASAKL WDVREGTCRQ TFTGHESDIN AICFPFNGEA   240
     ICTGSDDASC RLFDLRADQE LICFSHESII CGITSVAFSL SGRLLFAGYD DFNCNVWDSM   300
     KSERVGILSG HDNRVSCLGV TADGMAVATG SWDSFLKIWN
```

Seq ID NO: 238 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
     1         11        21        31        41        51
     |         |         |         |         |         |
     TCCCAATGTG TNGAACCTAC CATAAATTCT TTTCTTACNG GACAATCTTA TNCTAANCAA   60
     TACCATTTGC TTTTAAGGCA GATAATCCTC CAAGTTTTCT AATGATATCT GAAACTATTA   120
     ACTGATTCTG TGAATTATGA AATCTGAAAA GGAATTGGAA GTTGCTAAAA ATCTATCATT   180
     TGCATTGACC AGTGTGAAGC ACAGTGGAAT GAGAATGCGT GCCCTGACAC CAAAGAAAAA   240
     TAAGTGACTG GAAAGCTGAA GAATCACCGG CTTCAGTGAC ATGGAACCCA GTGATTTGAT   300
     TTTTGACGAG TATCGGGTGA CTTTGAGGTG GTCAAGAAAC CACACTTTAA GAACAATGTC   360
     CAAAAAGGGG AAAAAAAAGA GCAACCAAAG AAAAAAAATC CATAAAATTG CACAGAAGAA   420
     AAGAAAGAAA AATAAAATAC ACAATATGGA CGATGGAGAA AAACAGTTAC ATTTCTTTAT   480
     GGATCAAGAA GTTTGTGTAC ACATAATCTC ATTTTGAGAT ATATAACTAT TTTTGTCTTT   540
     CAGAAGTGAA TCAAAATATT TCAAAATGCT GTCTTATGAA ACTACAATAT TCTCACAGAT   600
     TAGAAAAGTT TTTCTGTAAA AGTCAGATAG TAAATATTTT AGGTTTTGCA GTGTCTTTTG   660
     CAACTACTCA ACTTTCCTAC TGTAGCACAA GAGTAGCTGT GGTACTGTGC AAATAAATTG   720
     CTTGTGTTCC AATAAAGCTT CATTTACAAA AACATGCCAT GGGCCATATT TGGCCTGTAC   780
     ACTGTTGTTT GCCAAGTCCT AATATAGTTG CTTAGCAAGT ATTGTGAGCT ATTTGAGGAA   840
     GACATGAAAG TTCATTGGGT TGCTAAAAAG TATGTAGAAA TTCAAAGGAA AATTAAAATT   900
     TAGGCTAAGT TATAATACAC TGTTTTAACA ATTGTAAAAT GTAAGAGAAA TTTACAAATA   960
     AAAATCCCAA ATAAAA
```

Seq ID NO: 239 DNA sequence
Nucleic Acid Accession #: NM_001786.1
Coding sequence: 130-1023

```
     1         11        21        31        41 .       51
     |         |         |         |         |         |
     GGGGGGGGGG GGCACTTGGC TTCAAAGCTG GCTCTTGGAA ATTGAGCGGA GAGCGACGCG   60
     GTTGTTGTAG CTGCCGCTGC GGCCGCCGCG GAATAATAAG CCGGGATCTA CCATACCCAT   120
     TGACTAACTA TGGAAGATTA TACCAAAATA GAGAAAATTG GAGAAGGTAC CTATGGAGTT   180
     GTGTATAAGG GTAGACACAA AACTACAGGT CAAGTGGTAG CCATGAAAAA AATCAGACTA   240
     GAAAGTGAAG AGGAAGGGGT TCCTAGTACT GCAATTCGGG AAATTTCTCT ATTAAAGGAA   300
     CTTCGTCATC CAAATATAGT CAGTCTTCAG GATGTGCTTA TGCAGGATTC CAGGTTATAT   360
     CTCATCTTTG AGTTTCTTTC CATGGATCTG AAGAAATACT TGGATTCTAT CCCTCCTGGT   420
     CAGTACATGG ATTCTTCACT TGTTAAGAGT TATTTATACC AAATCCTACA GGGGATTGTG   480
     TTTTGTCACT CTAGAAGAGT TCTTCACAGA GACTTAAAAC CTCAAAATCT CTTGATTGAT   540
     GACAAAGGAA CAATTAAACT GGCTGATTTT GGCCTTGCCA GAGCTTTTGG AATACCTATC   600
     AGAGTATATA CACATGAGGT AGTAACACTC TGGTACAGAT CTCCAGAAGT ATTGCTGGGG   660
     TCAGCTCGTT ACTCAACTCC AGTTGACATT TGGAGTATAG GCACCATATT TGCTAACTA   720
     GCAACTAAGA AACCACTTTT CCATGGGGAT TCAGAAATTG ATCAACTCTT CAGGATTTTC   780
     AGAGCTTTGG GCACTCCCAA TAATGAAGTG TGGCCAGAAG TGGAATCTTT ACAGGACTAT   840
     AAGAATACAT TTCCCAAATG GAAACCAGGA AGCCTAGCAC CCCATGTCAA AAACTTGGAT   900
     GAAAATGGCT TGGATTTGCT CTCGAAAATG TTAATCTATG ATCCAGCCAA ACGAATTTCT   960
     GGCAAAATGG CACTGAATCA TCCATATTTT AATGATTTGG ACAATCAGAT TAAGAAGATG   1020
     TAGCTTTCTG ACAAAAAGTT TCCATATGTT ATGTCAACAG ATAGTTGTGT TTTTATTGTT   1080
     AACTCTTGTC TATTTTTGTC TTATATATAT TTCTTTGTTA TCAAACTTCA GCTGTACTTC   1140
     GTCTTCTAAT TTCAAAAATA TAACTTAAAA ATGTAAATAT TCTATATGAA TTTAAATATA   1200
     ATTCTGTAAA TGTGAAAAAA AAAAAAAAAA AAAAA
```

Seq ID NO: 240 Protein sequence:
Protein Accession #: NP_001777.1

```
     1         11        21        31        41        51
     |         |         |         |         |         |
     MEDYTKIEKI GEGTYGVVYK GRHRTTGQVV AMKKIRLESE EEGVPSTAIR EISLLKELRH   60
     PNIVSLQDVL MQDSRLYLIF EFLSMDLKKY LDSIPPGQYM DSSLVKSYLY QILQGIVFCH   120
```

```
SRRVLHRDLK PQNLLIDDKG TIKLADPGLA RAFGIPIRVY THEVVTLWYR SPEVLLGSAR  180
YSTPVDIWSI GTIPAELATK KPLFHGDSEI DQLFRIFRAL GTPNNEVWPE VESLQDYKNT  240
FPKWKPGSLA SHVKNLDENG LDLLSKMLIY DPAKRISGKM ALNHPYFNDL DNQIKKM
```

Seq ID NO: 241 DNA sequence
Nucleic Acid Accession #: NM_033379.1
Coding sequence: 132-854

```
1         11        21        31        41        51
|         |         .|        |         |         |
CGCCCGCGCG CGGGCTCAAC TTTGTAGAGC GAGGGGCCAA CTTGGCAGAG CGCGCGGCCA   60
GCTTTGCAGA GAGCGCCCTC CAGGGACTAT GCGTGCGGGG ACACGGGATC TACCCATACC  120
ATTGACTAAC TATGGAAGAT TATACCAAAA TAGAGAAAAT TGGAGAAGGT ACCTATGGAG  180
TTGTGTATAA GGGTAGACAC AAAACTACAG GTCAAGTGGT AGCCATGAAA AAAATCAGAC  240
TAGAAAGTGA AGAGGAAGGG GTTCCTAGTA CTGCAATTCG GGAAATTTCT CTATTAAAGG  300
AACTTCGTCA TCCAAATATA GTCAGTCTTC AGGATGTGCT TATGCAGGAT TCCAGGTTAT  360
ATCTCATCTT TGAGTTTCTT TCCATGGATC TGAAGAAATA CTTGGATTCT ATCCCTCCTG  420
GTCAGTACAT GGATTCTTCA CTTGTTAAGG TAGTAACACT CTGGTACAGA TCTCCAGAAG  480
TATTGCTGGG GTCAGCTCGT TACTCAACTC CAGTTGACAT TTGGAGTATA GGCACCCATAT  540
TTGCTGAACT AGCAACTAAG AAACCACTTT TCCATGGGGA TTCAGAAATT GATCAACTCT  600
TCAGGATTTT CAGAGCTTTG GGCACTCCCA ATAATGAAGT GTGGCCAGAA GTGGAATCTT  660
TACAGGACTA TAAGAATACA TTTCCCAAAT GGAAACCAGG AAGCCTAGCA TCCCATGTCA  720
AAAACTTGGA TGAAAATGGC TTGGATTTGC TCTCGAAAAT GTTAATCTAT GATCCAGCCA  780
AACGAATTTC TGGCAAAATG GCACTGAATC ATCCATATTT TAATGATTTG GACAATCAGA  840
TTAAGAAGAT GTAGCTTTCT GACAAAAAGT TTCCATATGT TAATGCTAACA GATAGTTGTG  900
TTTTATTGT TAACTCTTGT CTATTTTTGT CTTATATATA TTTCTTTGTT ATCAAACTTC  960
AGCTGTACTT CGTCTTCTAA TTTCAAAAAT ATAACTTAAA AATGTAAATA TTCTATATGA 1020
ATTTAAATAT AATTCTGTAA ATGTGAAAAA AAAAAAAAAA AAAAAA
```

Seq ID NO: 242 Protein sequence:
Protein Accession #: NP_203698.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MEDYTKIEKI GEGTYGVVYK GRHKTTGQVV AMKKIRLESE EEGVPSTAIR EISLLKELRH   60
PNIVSLQDVL MQDSRLYLIF EFLSMDLKKY LDSIPPGQYM DSSLVKVVTL WYRSPEVLLG  120
SARYSTPVDI WSIGTIPAEL ATKKPLFHGD SEIDQLFRIP RALGTPNNEV WPEVESLQDY  180
KNTFPKWKPG SLASHVKNLD ENGLDLLSKM LIYDPAKRIS GKMALNHPYP NDLDNQIKKM
```

Seq ID NO: 243 DNA sequence
Nucleic Acid Accession #: AF101051.1
Coding sequence: 221-856

```
1         11        21        31        41        51
|         |         |         |         |         |
GAGCAACCTC AGCTTCTAGT ATCCAGACTC CAGCGCCGCC CCGGGCGCGG ACCCCAACCC   60
CGACCCAGAG CTTCTCCAGC GGCGGCGCAG CGAGCAGGGC TCCCCGCCTT AACTTCCTCC  120
GCGGGGCCCA GCCACCTTCG GGAGTCCGGG TTGCCCACCT GCAAACTCTC CGCCTTCTGC  180
ACCTGCCACC CCTGAGCCAG CGCGGGCGCC CGAGCGAGTC ATGGCCAACG CGGGGCTGCA  240
GCTGTTGGGC TTCATTCTCG CCTTCCTGGG ATGGATCGGC GCCATCGTCA GCACTGCCCT  300
GCCCCAGTGG AGGATTTACT CCTATGCCGG CGACAACATC GTGACGCCCT AGGCCATGTA  360
CGAGGGGCTG TGGATGTCCT GCGTGTCGCA GAGCACCGGG CAGATCCAGT GCAAAGTCTT  420
TGACTCCTTG CTGAATCTGA GCAGCACATT GCAAGCAACC CGTGCCTTGA TGGTGGTTGG  480
CATCCTCCTG GGAGTGATAG CAATCTTTGT GGCCACCGTT GGCATGAAGT GTATGAAGTG  540
CTTGGAAGAC GATGAGGTGC AGAAGATGAG GATGGCTGTC ATTGGGGGTG CGATATTTCT  600
TCTTGCAGGT CTGGCTATTT TAGTTGCCAC AGCATGGTAT GGCAATAGAA TCGTTCAAGA  660
ATTCTATGAC CCTATGACCC CAGTCAATGC CAGGTACGAA TTTGGTCAGG CTCTCTTCAC  720
TGGCTGGGCT GCTGCTTCTC TCTGCCTTCT GGGAGGTGCC CTACTTTGCT GTTCCTGTCC  780
CCGAAAAACA ACCTCTTACC CAACACCAAG GCCCTATCCA AAACCTGCAC CTTCCAGCGG  840
GAAAGACTAC GTGTGACACA GAGGCAAAAG GAGAAAATCA TGTTGAAACA AACCGAAAAT  900
GGACATTGAG ATACTATCAT TAACATTAGG ACCTTAGAAT TTTGGGTATT GTAATCTGAA  960
GTATGGTATT ACAAACAAA CAAACAAACA AAAAACCCAT GTGTTAAAAT ACTCAGTGCT 1020
AAACATGGCT TAATCTTATT TTATCTTCTT TCCTCAATAT AGGAGGGAAG ATTTTACCAT 1080
TTGTATTACT GCTTCCCATT GAGTAATCAT ACTCAAATGG GGGAAGGGGT GCTCCTTAAA 1140
TATATATAGA TATGTATATA TACATGTTTT TCTATTAAAA ATAGACAGTA AAATACTATT 1200
CTCATTATGT TGATACTAGC ATACTTAAAA TATCTCTAAA ATAGGTAAAT GTATTTAATT 1260
CCATATTGAT GAAGATGTTT ATTGGTATAT TTTCTTTTTC GTCCTTATAT ACATATGTAA 1320
CAGTCAAATA TCATTTACTC TTCTTCATTA GCTTTGGGTG CCTTTGCCAC AAGACCTAGC 1380
CTAATTTACC AAGGATGAAT TCTTTCAATT CTTCATGCGT GCCCTTTTCA TATACTTATT 1440
TTATTTTTTA CCATAATCTT ATAGCACTTG CATCGTTATT AAGCCCTTAT TTGTTTTGTG 1500
TTTCATTGGT CTCTATCTCC TGAATCTAAC ACATTTCATA GCCTACATTT TAGTTTCTAA 1560
AGCCAAGAAG AATTTATTAC AAATCAGAAC TTTGGAGGCA AATCTTTCTG CATGACCAAA 1620
GTGATAAATT CCTGTTGACC TTCCCACACA ATCCCTGTAC TCTGACCCAT AGCACTCTTG 1680
TTTGCTTTGA AAATATTTGT CCAATTGAGT AGCTGCATGC TGTTCCCCCA GGTGTTGTAA 1740
CACAACTTTA TTGATTGAAT TTTTAAGCTA CTTATTCATA GTTTTATATC CCCCTAAACT 1800
ACCTTTTTGT TCCCCATTCC TTAATTGTAT TGTTTTCCCA AGTGTAATTA TCATGCGTTT 1860
TATATCTTCC TAATAAGGTG TGGTCTGTTT GTCTGAACAA AGTGCTAGAC TTTCTGGAGT 1920
GATAATCTGG TGACAAATAT TCTCTCTGTA GCTGTAAGCA AGTCACTTAA TCTTTCTACC 1980
TCTTTTTTCT ATCTGCCAAA TTGAGATAAT GATACTTAAC CAGTTAGAAG AGGTAGTGTG 2040
AATATTAATT AGTTTATATT ACTCTCATTC TTTGAACATG AATCTGCCT ATGTAGTGTC 2100
TTTATTTGCT CAGCTGGCTG AGACACTGAA GAAGTCACTG AACAAAACCT ACACACGTAC 2160
CTTCATGTGA TTCACTGCCT TCCTCTCTCT ACCAGTCTAT TTCCACTGAA CAAAACCTAC 2220
ACACATACCT TCATGTGGTT CAGTGCCTTC CTCTCTCTAC CCACTGAAGA 2280
AAACCTACGC ACATACCTTC ATGTGGCTCA GTGCCTCCT CTCTCTACCA GTCTATTTCC 2340
ATTCTTTCAG CTGTGTCTGA CATGTTTGTG CTCTGTTCCA TTTTAACAAC TGCTCTTACT 2400
TTTCCAGTCT GTACAGAATG CTATTTCACT TGAGCAAGAT GATGTATGGA AAGGGTGTTG 2460
```

281

```
GCACTGGTGT CTGGAGACCT GGATTTGAGT CTTGGTGCTA TCAATCACCG TCTGTGTTTG  2520
AGCAAGGCAT TTGGCTGCTG TAAGCTTATT GCTTCATCTG TAAGCGGTGG TTTGTAATTC  2580
CTGATCTTCC CACCTCACAG TGATGTTGTG GGGATCCAGT GAGATAGAAT ACATGTAAGT  2640
GTGGTTTTGT AATTTGAAAA GTGCTATACT AAGGGAAAGA ATTGAGGAAT TAACTGCATA  2700
CGTTTTGGTG TTGCTTTTCA AATGTTTGAA AATAAAAAAA TGTTAAGAAA TGGGTTTCTT  2760
GCCTTAACCA GTCTCTCAAG TGATGAGACA GTGAAGTAAA ATTGAGTGCA CTAAACGAAT  2820
AAGATTCTGA GGAAGTCTTA TCTTCTGCAG TGAGTATGGC CCAATGCTTT CTGTGGCTAA  2880
ACAGATGTAA TGGGAAGAAA TAAAAGCCTA CGTGTTGGTA AATCCAACAG CAAGGGAGAT  2940
TTTTGAATCA TAATAACTCA TAAGGTGCTA TCTGTTCAGT GATGCCCTCA GAGCTCTTGC  3000
TGTTAGCTGG CAGCTGACGC TGCTAGGATA GTTAGTTTGG AAATGGTACT TCATAATAAA  3060
CTACACAAGG AAAGTCAGCC ACCGTGTCTT ATGAGGAATT GGACCTAATA AATTTTAGTG  3120
TGCCTTCCAA ACCTGAGAAT ATATGCTTTT GGAAGTTAAA ATTTAAATGG CTTTTGCCAC  3180
ATACATAGAT CTTCATGATG TGTGAGTGTA ATTCCATGTG GATATCAGTT ACCAAACATT  3240
ACAAAAAAAT TTTATGGCCC AAAATGACCA ACGAAATTGT TACAATAGAA TTTATCCAAT  3300
TTTGATCTTT TTATATTCTT CTACCACACC TGGAAACAGA CCAATAGACA TTTTGGGGTT  3360
TTATAATGGG AATTTGTATA AAGCATTACT CTTTTTCAAT AAATTGTTTT TTAATTTAAA  3420
AAAAGGAAAA AAAAAAAAAA AAA
```

Seq ID NO: 244 Protein sequence:
Protein Accession #: AAD16433.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MANAGLQLLG PILAFLGWIG AIVSTALPQW RIYSYAGDNI VTAQAMYEGL WMSCVSQSTG   60
QIQCKVFDSL LNLSSTLQAT RALMVVGILL GVIAIFVATV GMKCMKCLED DEVQKMRMAV  120
IGGAIFLLAG LAILVATAWY GNRIVQEFYD PMTPVNARYE FGQALPTGWA AASLCLLGGA  180
LLCCSCPRKT TSYPTPRPYP KPAPSSGKDY V
```

Seq ID NO: 245 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
1          11         21         31         41         51
|          |          |          |          |          |
TTTTTTTTTT TTTTTTTTTT TTTTTCAAGG AGAGCACAAG GAACTTTATT AATGACTTTC   60
TTAATGGTTA AATGCTGTTT ACCAAGTGAC CCAGAGGCAG CGTGGTTTAG TGGTTTCAAC  120
AGCATGGTCC CGAGAGTCTG ACAAACCTCA GTTCAAATCC TTCTTTTGTC TTCACTTAGT  180
TTTTCTTCCT GAGATTTAGT TTCTTCATCG TTAACAATGA GGATATTAAT ATGTTTCACA  240
CAGTTGTTAT GAAGAATGCA TATATTAGAA TGCCTGTAGT CTCAGCTACT CAGGAGGCTA  300
AGGTGGGGAG GTCGCTCAAG CCCAGGAATT CAAAGCTGCA ATGCATTATG ATTACAGCTG  360
TTAATAGCCA CTGCACTTCA GCCTGGGCAA TGTAGTAAGA TCCCATCTCT GGCTCGGAGG  420
GTCCTACGCC CACGGAGTCT CGCTGATTGC TAGCACAGCA GTCTGAGATC AAACTGCA
```

Seq ID NO: 246 DNA sequence
Nucleic Acid Accession #: XM_058553.2
Coding sequence: 897-1400

```
1          11         21         31         41         51
|          |          |          |          |          |
AATTTTCAGA AGTTTCGTAT GGGGATGGTT TTATATAAAT TCAGGTTTTT CCCACAATAA   60
TAAATGTATT TAGTCTCAGT GCTCAATAGA AGAGATTTCT AATAGAAAAG GATTCAAACT  120
GTGAAACCAT TTCTCTTTTA ATGTTTCACA TTCCTGTTAC AGATTTGTTC TCTTGTGACT  180
CTGTTATCCA TAATATGGAC AGTTCTTGAG TCCTAACATT GAGAGGTTTT CCCTTAGTGC  240
ATAGAGGGAA TGAGTATTAA TTGGAGAAGC TTAAAGTATT GCCACTTTAG CACTGAAGAT  300
TGGGATGAGA GGAGGTGAAA CCTCACTAGA AAAAGGGACA ATGTTAGTGT GGCCCTTCCT  360
GATCATGTTT AAGAAAAGTC ATGAAAATGG TGAACTAGTG TTTCCAAGCA TATTGGAAGG  420
GTTGAGTGTA TACTGTCTGT CAAAGACTTC CAGCATTTCC AGGTCCTAGA GAGGAACAAG  480
ACTGGTAACC TGCCTATCTG TATTTTTAAG AACCCAGGAG GAAAGCTTTA TAATAGAACA  540
TTATTTCTGT GTTTATGTAT AAGGGGTTTT TTGTTTTTTT AAAGACAGGA TCTCACTCCA  600
TTGTCCAGGC CAAGTGCAAT GGCACGAACC TCATAGCTCC TGGACTTAAG TGATCTGCCT  660
GCCTTTGCCT CCTGAGTAGC TGGGACTACA GGCATGAGCC CCCATGCCTG GCTAAGTTTG  720
TTTTTTTTGTT TGTTTGTTTG TTTGTTTTTG GGGGGGGTTG TTTTGTTTTT TGTAGAGACG  780
TAGTCTTGCT TTGTTGCCAG GCTAGTCTCA AACTCCTGGC TTCAAGTGAT CCTCCTGCCT  840
CAGCCTCCCA GAGTGCTAGG ATTACAGCAC TTGGATTCAG CTTCTTCATT TCCAACATGG  900
AAGAAACTTA CACCGACTCC CTGGACCCTG AGAAGCTATT GCAATGCCCC TATGACAAAA  960
ACCATCAAAT CAGGGCTTGC AGGTTTCCTT ATCATCTTAT CAAGTGCAGA AAGAATCATC 1020
CTGATGTTGC AAGCAAATTG GCTACTTGTC CCTTCAATGC TCGCCACCAG GTTCCTCGAG 1080
CTGAAATTAG TCATCATATC TCAAGCTGTG ATGACAGAAG TTGTATTGAG CAAGATGTTG 1140
TCAACCAAAC CAGGAGCCTT AGACAAGAGA CTCTGGCTGA GAGCACTTGG CAGTGCCCTC 1200
CTTGCGATGA AGACTGGGAT AAAGATTTGT GGGAGCGACAG CAGCACCCCA TTTGTCTGGG 1260
GCACAACTCA CTACTCTGAC AACAACAGCC CTGCGAGCAA CATAGTTACA GAACATAAGA 1320
ATAACCTGCC TTCAGGCATG CGAGTTCCCA AATCTCTGCC GTATGTTCTG CCATGGAAAA 1380
ACAATGGAAA TGCACAGTAA CTGAATACCT ATCTCATCAA ATGCCAGACC CTAGAAGACT 1440
GTTGCTTCTT CTTCTACCAG TGGGTTCTCA TTTTCCTCCT AATCTAATTA TAGAATGGTA 1500
AACTCCCTGT GACTTTCCAA ACTGACAAGC ACACTTTTTT CCTCCCCCCT TGAATCCTCA 1560
TTTAATGCAA GAACCCTCAT ACTCAGAAGC TTCCAAATAA ACCTTTGATA CAGATTG
```

Seq ID NO: 247 Protein sequence:
Protein Accession #: XP_058553.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MEETYTDSLD PEKLLQCPYD KNHQIRACRP PYHLIKCRKN HPDVASKLAT CPFNARHQVP   60
RAEISHHISS CDDRSCIEQD VVNQTRSLRQ ETLAESTWQC PPCDEDWDKD LWEQTSTPFV  120
WGTTHYSDNN SPASNIVTEH KNNLASGMRV PKSLPYVLPW KNNGNAQ
```

282

Seq ID NO: 248 DNA sequence
Nucleic Acid Accession #: NM_003392
Coding sequence: 758..1855

```
     1         11        21        31        41        51
     |         |         |         |         |         |
     TTAAGGAAAT CCGGGCTGCT CTTCCCCATC TGGAAGTGGC TTTCCCCACA TCGGCTCGTA    60
     AACTGATTAT GAAACATACG ATGTTAATTC GGAGCTGCAT TTCCCAGCTG GGCACTCTCG   120
     CGCGCTGGTC CCCGGGGCCT CGCCCCCCAC CCCCTGCCCT TCCCTCCCGC GTCCTGCCCC   180
     CATCCTCCAC CCCCCGCGCT GGCCACCCCG CCTCCTTGGC AGCCTCTGGC GGCAGCGCGC   240
     TCCACTCGCC TCCCGTGCTC CTCTCGCCCA TGGAATTAAT TCTGGCTCCA CTTGTTGCTC   300
     GGCCCAGGTT GGGGAGAGGA CGGAGGGTGG CCGCAGCGGG TTCCTGAGTG AATTACCCAG   360
     GAGGGACTGA GCACAGCACC AACTAGAGAG GGGTCAGGGG GTGCGGGACT CGAGCGAGCA   420
     GGAAGGAGGC AGCGCCTGGC ACCAGGGCTT TGACTCAACA GAATTGAGAC ACGTTTGTAA   480
     TCGCTGGCGT GCCCCGCGCA CAGGATCCCA GCGAAAATCA GATTTCCTGG TGAGGTTGCG   540
     TGGGTGGATT AATTTGGAAA AAGAAACTGC CTATATCTTG CCATCAAAAA ACTCACGGAG   600
     GAGAAGCGCA GTCAATCAAC AGTAAACTTA AGAGACCCCC GATGCTCCCC TGGTTTAACT   660
     TGTATGCTTG AAAATTATCT GAGAGGGAAT AAACATCTTT TCCTTCTTCC CTCTCCAGAA   720
     GTCCATTGGA ATATTAAGCC CAGGAGTTGC TTTGGGGATG GCTGGAAGTG CAATGTCTTC   780
     CAAGTTCTTC CTAGTGGCTT TGGCCATATT TTTCTCCTTC GCCCAGGTTG TAATTGAAGC   840
     CAATTCTTGG TGGTCGCTAG GTATGAATAA CCCTGTTCAG ATGTCAGAAG TATATATTAT   900
     AGGAGCACAG CCTCTCTGCA GCCAACTGGC AGGACTTTCT CAAGGACAGA AGAAACTGTG   960
     CCACTTGTAT CAGGACCACA TGCAGTACAT CGGAGAAGGC GCGAAGCAG GCATCAAAGA  1020
     ATGCCAGTAT CAATTCCGAC ATCGACGGTG GAACTGCAGC ACTGTGGATA ACACCTCTGT  1080
     TTTTGGCATGG GTGATGCAGA TAGGCAGCCG CGAGACGGCC TTCACATACG CGGTGAGCGC  1140
     AGCAGGGGTG GTGAACGCCA TGAGCCGGGC GTGCCGCGAG GGCGAGCTGT CCACCTGCGG  1200
     CTGCAGCCGC GCCGCGCGCC CCAAGGACCT GCCGCGGGAC TGGCTCTGGG GCGGCTGCGG  1260
     CGACAACATC GACTATGGCT ACCGCTTTGC CAAGGAGTTC GTGGACGCCC GCGAGCGGGA  1320
     GCGCATCCAC GCCAAGGGCT CCTACGAGAG TGCTCGCATC CTCATGAACC TGCACAACAA  1380
     CGAGGCCGGC CGCAGGACGG TGTACAACCT GGCTGATGTG GCCTGCAAGT GCCATGGGGT  1440
     GTCCGGCTCA TGTAGCCTGA AGACATGCTG GCTGCAGCTG GCAGACTTCC GCAAGGTGGG  1500
     TGATGCCCTG AAGGAGAAGT ACGACAGCGC GGCGGCCATG CGGCTCAACA GCCGGGGCAA  1560
     GTTGGTACAG GTCAACAGCC GCTTCAACTC GCCCACCACA CAAGACCTGG TCTACATCGA  1620
     CCCCAGCCCT GACTACTGCG TGCGCAATGA GAGCACCGGC TCGCTGGGCA CGCAGGGCCG  1680
     CCTGTGCAAC AAGACGTCGG AGGGCATGGA TGGCTGCGAG CTCATGTGCT GCGGCCGTGG  1740
     GTACGACCAG TTCAAGACCG TGCAGACGGA GCGCTGCCAC TGCAAGTTCC ACTGGTGCTG  1800
     CTACGTCAAG TGCAAGAAGT GCACGGAGAT CGTGGACCAG TTTGTGTGCA AGTAGTGGGT  1860
     GCCACCCAGC ACTCAGCCCC GCTCCCAGGA CCCGCTTATT TATAGAAAGT ACAGTGATTC  1920
     TGGTTTTTGG TTTTTAGAAA TATTTTTTAT TTTTCCCCAA GAATTGCAAC CGGAACCATT  1980
     TTTTTTCCTG TTACCATCTA AGAACTCTGT GGTTTATTAT TAATATTATA ATTATTATTT  2040
     GGCAATAATG GGGGTGGAA CCACGAAAAA TATTTATTTT GTGGATCTTT GAAAAGGTAA  2100
     TACAAGACTT CTTTTGGATA GTATAGAATG AAGGGGGAAA TAACACATAC CCTAACTTAG  2160
     CTGTGTGGGA CATGGTACAC ATCCAGAAGG TAAAGAAATA CATTTTCTTT TTCTCAAATA  2220
     TGCCATCATA TGGGATGGGT AGGTTCCAGT TGAAAGAGGG TGGTAGAAAT CTATTCACAA  2280
     TTCAGCTTCT ATGACCAAAA TGAGTTGTAA ATTCTCTGGT GCAAGATAAA AGGTCTTGGG  2340
     AAAACAAAAC AAAACAAAAC AAACCTCCCT TCCCCAGCAG GGCTGCTAGC TTGCTTTCTG  2400
     CATTTTCAAA ATGATAAATT ACAATGGAAG GACAAGAATG TCATATTCTC AAGGAAAAAA  2460
     GGTATATCAC ATGTCTCATT CTCCTCAAAT ATTCCATTTG CAGACAGACC GTCATATTCT  2520
     AATAGCTCAT GAAATTTGGG CAGCAGGGAG GAAAGTCCCC AGAAATTAAA AAATTTAAAA  2580
     CTCTTATGTC AAGATGTTGA TTTGAAGCTG TTATAAGAAT TGGGATTCCA GATTTGTAAA  2640
     AAGACCCCCA ATGATTCTGG ACACTAGATT TTTTGTTTGG GGAGGTTGGC TTGAACATAA  2700
     ATGAAATATC CTGTATTTTC TTAGGGATAC TTGGTTAGTA AATTATAATA GTAGAAATAA  2760
     TACATGAATC CCATTCACAG GTTTCTCAGC CCAAGCAACA AGGTAATTGC GTGCCATTCA  2820
     GCACTGCACC AGAGCAGACA AACCTATTTGA GGAAAAACAG TGAAATCCAC CTTCCTCTTC  2880
     ACACTGAGCC CTCTCTGATT CCTCCGTGTT GTGATGTGAT GCTGGCCACG TTTCCAAACG  2940
     GCAGCTCCAC TGGGTCCCCT TTGGTTGTAG GACAGGAAAT GAAACATTAG GAGCTCTGCT  3000
     TGGAAAACAG TTCACTACTT AGGGGATTTTG GTTTCCTAAA ACTTTTATTT TGAGGAGCAG  3060
     TAGTTTTCTA TGTTTTAATG ACAGAACTTG GCTAATGGAA TTCACAGAGG TGTTGCAGCG  3120
     TATCACTGTT ATGATCCTGT GTTTAGATTA TCCACTCATG CTTCTCCTAT TGTACTGCAG  3180
     GTGTACCTTA AAACTGTTCC CAGTGTACTT GAACAGTTGC ATTTATAAGG GGGAAAATGT  3240
     GGTTTAATGG TGCCTGATAT CTCAAAGTCT TTTGTACATA ACATATATAT ATATATACAT  3300
     ATATATAAAT ATAAATATAA ATATATCTCA TTGCAGCCAG TGATTTAGAT TTACAGCTTA  3360
     CTCTGGGGTT ATCTCTCTGT CTAGAGCATT GTTGTCCTTC ACTGCAGTCC AGTTGGGATT  3420
     ATTCCAAAAG TTTTTTGAGT CTTGAGCTTG GGCTGTGGCC CCGCTGTGAT CATACCCTGA  3480
     GCACGACGAA GCAACCTCGT TTCTGAGGAA GAAGCTTGAG TTCTGACTCA CTGAAATGCG  3540
     TGTTGGGTTG AAGATATCTT TTTTTCTTTT CTGCCTCACC CCTTTGTCTC CAACCTCCAT  3600
     TTCTGTTCAC TTTGTGGAGA GGGCATTACT TGTTCGTTAT AGACATGGAC GTTAAGAGAT  3660
     ATTCAAAACT CAGAAGCATC AGCAATGTTT CTCTTTTCTT AGTTCATTCT GCAGAATGGA  3720
     AACCCATGCC TATTAGAAAT GACAGTACTT ATTAATTGAG TCCCTAAGGA ATATTCAGCC  3780
     CACTACATAG ATAGCTTTTT TTTTTTTTTT TTTTTTTTAA TAAGGACACC TCTTTCCAAA  3840
     CAGGCCATCA AATATGTTCT TATCTCAGAC TTACGTTGTT TTAAAAGTTT GGAAAGATAC  3900
     ACATCTTTTC ATACCCCCCC TTAGGAGGTT GGGCTTTCAT ATCACCTCAG CCAACTGTGG  3960
     CTCTTAATTT ATTGCATAAT GATATCCACA TCAGCCAACT GTGGCTCTTT AATTTATTGC  4020
     ATAATGATAT TCACATCCCC TCAGTTGCAG TGAATTGTGA GCAAAAGATC TTGAAAGCAA  4080
     AAAGCACTAA TTAGTTTAAA ATGTCACTTT TTTGGTTTTT ATTATACAAA AACCATGAAG  4140
     TACTTTTTTT ATTTGCTAAA TCAGATTGTT CCTTTTTAGT GACTCATGTT TATGAAGAGA  4200
     GTTGAGTTTA ACAATCCTAG CTTTTAAAAG AAACTATTTA ATGTAAAATA TTCTACATGT  4260
     CATTCAGATA TTATGTATAT CTTCTAGCCT TTATTCTGTA CTTTTAATGT ACATATTTCT  4320
     GTCTTGCGTG ATTTGTATAT TTCACTGGTT TAAAAAACAA ACATCGAAAG GCTTATTCCA  4380
     AATGGAAGAT AGAATATAAA ATAAAACGTT ACTTGTAAAA AAAAAAAA
```

Seq ID NO: 249 Protein sequence:
Protein Accession #: NP_003383

```
     1         11        21        31        41        51
     |         |         |         |         |         |
```

```
MAGSAMSSKP FLVALAIFFS FAQVVIEANS WWSLGMNNPV QMSEVYIIGA QPLCSQLAGL    60
SQGQKKLCHL YQDHMQYIGE GAKTGIKECQ YQPRHRRWNC STVDNTSVFG RVMQIGSRET   120
APTYAVSAAG VVNAMSRACR EGELSTCGCS RAARPKDLPR DWLWGGCGDN IDYGYRFAKE   180
PVDARERERI HAKGSYESAR ILMNLHNNEA GRRTVYNLAD VACKCHGVSG SCSLKTCWLQ   240
LADPRKVGDA LKEKYDSAAA MRLNSRGKLV QVNSRPNSPT TQDLVYIDPS PDYCVRNEST   300
GSLGTQGRLC NKTSEGMDGC ELMCCGRGYD QFKTVQTERC HCKFHWCCYV KCKKCTEIVD   360
QFVCK
```

Seq ID NO: 250 DNA sequence
Nucleic Acid Accession #: NM_014058
Coding sequence: 56..1324

```
1          11         21         31         41         51
|          |          |          |          |          |
TGACTTGGAT GTAGACCTCG ACCTTCACAG GACTCTTCAT TGCTGGTTGG CAATGATGTA    60
TCGGCCAGAT GTGGTGAGGG CTAGGAAAAG AGTTTGTTGG GAACCCTGGG TTATCGGCCT   120
CGTCATCTTC ATATCCCTGA TTGTCCTGGC AGTGTGCATT GGACTCACTG TTCATTATGT   180
GAGATATAAT CAAAAGAAGA CCTACAATTA CTATAGCACA TTGTCATTTA CAACTGACAA   240
ACTATATGCT GAGTTTGGCA GAGAGGCTTC TAACAATTTT ACAGAAATGA GCCAGAGACT   300
TGAATCAATG GTGAAAAATG CATTTTATAA ATCTCCATTA AGGGAAGAAT TTGTCAAGTC   360
TCAGGTTATC AAGTTCAGTC AACAGAAGCA TGGAGTGTTG GCTCATATGC TGTTGATTTG   420
TAGATTTCAC TCTACTGAGG ATCCTGAAAC TGTAGATAAA ATTGTTCAAC TTCTTTTACA   480
TGAAAAGCTG CAAGATGCTG TAGGACCCCC TAAAGTAGAT CCTCACTCAG TTAAAATTAA   540
AAAAATCAAC AAGACAGAAA CAGACAGCTA TCTAAACCAT TGCTGCGGAA CACGAAGAAG   600
TAAAACTCTA GGTCAGAGTC TCAGGATCGT TGGTGGGACA GAAGTAGAAG AGGGTGAATG   660
GCCCTGGCAG GCTAGCCTGC AGTGGGATGG GAGTCATCGC TGTGGAGCAA CCTTAATTAA   720
TGCCACATGG CTTGTGAGTG CTGCTCACTG TTTTACAACA TATAAGAACC CTGCCAGATG   780
GACTGCTTCC TTTGGAGTAA CAATAAAACC TTCGAAAATG AAACGGGGTC TCCGGAGAAT   840
AATTGTCCAT GAAAAATACA AACACCCATC ACATGACTAT GATATTTCTC TTGCAGAGCT   900
TTCTAGCCCT GTTCCCTACA CAAATGCAGT ACATAGAGTT TGTCTCCCTG ATGCATCCTA   960
TGAGTTTCAA CCAGGTGATG TGATGTTTGT GACAGGATTT GGAGCACTGA AAAATGATGG  1020
TTACAGTCAA AATCATCTTC GACAAGCACA GGTGACTCTC ATAGACGCTA CAACTTGCAA  1080
TGAACCTCAA GCTTACAATG ACGCCATAAC TCCTAGAATG TTATGTGCTG GCTCCTTAGA  1140
AGGAAAAACA GATGCATGCC AGGGTGACTC TGGAGGACCA CTGGTTAGTT CAGATGCTAG  1200
AGATATCTGG TACCTTGCTG GAATAGTGAG CTGGGGAGAT GAATGTGCGA AACCCAACAA  1260
GCCTGGTGTT TATACTAGAG TTACGGCCTT GCGGGACTGG ATTACTTCAA AAACTGGTAT  1320
CTAAGAGAGA AAAGCCTCAT GGAACAGATA ACATTTTTTT TTGTTTTTTG GGTGTGGAGG  1380
CCATTTTTAG AGATACAGAA TTGGAGAAGA CTTGCAAAAC AGCTAGATTT GACTGATCTC  1440
AATAAACTGT TTGCTTGATG CAAAAAAAAA A
```

Seq ID NO: 251 Protein sequence:
Protein Accession #: NP_054777

```
1          11         21         31         41         51
|          |          |          |          |          |
MYRPDVVRAR KRVCWEPWVI GLVIFISLIV LAVCIGLTVH YVRYNQKKTY NYYSTLSFTT    60
DKLYAEFGRE ASNNFTEMSQ RLESMVKNAF YKSPLREEPV KSQVIKFSQQ KHGVLAHMLL   120
ICRFHSTEDP ETVDKIVQLV LHEKLQDAVG PPKVDPHSVK IKKINKTETD SYLNHCCGTR   180
RSKTLGQSLR IVGGTEVEEG EWPWQASLQW DGSHRCGATL INATWLVSAA HCPTTYKNPA   240
RWTASPGVTI KPSKMKRGLR RIIVHEKYKH PSHDYDISLA ELSSPVPYTN AVHRVCLPDA   300
SYEFQPGDVM FVTGFGALKN DGYSQNHLRQ AQVTLIDATT CNEPQAYNDA ITPRMLCAGS   360
LEGKTDACQG DSGGPLVSSD ARDIWYLAGI VSWGDECAKP NKPGVYTRVT ALRDWITSKT   420
GI
```

Seq ID NO: 252 DNA sequence
Nucleic Acid Accession #: NM_003504.2
Coding sequence: 71-1771

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACGAGGC CTCGTGCCGC CGGGCTCTTG GTACCTCAGC GCGAGCGCCA GGCGTCCGGC    60
CGCCGTGGCT ATGTTCGTGT CCGATTTCCG CAAAGAGTTC TACGAGGTGG TCCAGAGCCA   120
GAGGGTCCTT CTCTTCGTGG CCTCGGACGT GGATGCTCTG TGTGCGTGCA AGATCCTTCA   180
GGCCTTGTTC CAGTGTGACC ACGTGCAATA TACGCTGGTT CCAGTTTCTG GGTGGCAAGA   240
ACTTGAAACT GCATTTCTTG AGCATAAAGA ACAGTTTCAT TATTTTATTC TCATAAACTG   300
TGGAGCTAAT GTAGACCTAT TGGATATTCT TCAACCTGAT GAAGACACTA TATTCTTTGT   360
GTGTGACACC CATAGGCCAG TCAATGTCGT CAATGTATAC AACGATACCC AGATCAAATT   420
ACTCATTAAA CAAGATGATG ACCTTGAAGT TCCCGCCTAT GAAGACATCT TCAGGGATGA   480
AGAGGAGGAT GAAGAGCATT CAGGAAATGA CAGTGATGGG TCAGAGCCTT CTGAGAAGCG   540
CACACGGTTA GAAGAGGAGA TAGTGGAGCA AACCATGCGG AGGAGGCAGC GGCGAGAGTG   600
GGAGGCCCGG AGAAGAGACA TCCTCTTTGA CTACGAGCAG TATGAATATC ATGGGACATC   660
GTCAGCCATG GTGATGTTTG AGCTGGCTTG GATGCTGTCC AAGGACCTGA ATGACATGCT   720
GTGGTGGGCC ATCGTTGGAC TAACAGACCA GTGGGTGCAA AGCAAGATCA CTCAAATGAA   780
ATACGTGACT GATGTTGGTG TCCTGCAGCG CCACGTTTCC CGCCACAACC ACCGGAACGA   840
GGATGAGGAG AACACACTCT CCGTGGACTG CACACGGATC TCCTTTGAGT ATGACCTCCG   900
CCTGGTGCTC TACCAGCACT GGTCCCTCCA TGACAGCCTG TGCAACACCA GCTATACCGC   960
AGCCAGGTTC AAGCTGTGGT CTGTGCATGG ACAGAAGCGG CTCCAGGAGT TCCTTGCAGA  1020
CATGGGTCTT CCCCTGAAGC AGGTGAAGCA GAAGTTCCAG GCCATGGACA TCTCCTTGAA  1080
GGAGAATTTG CGGGAAATGA TTGAAGAGTC TGCAAATAAA TTTGGGGATGA AGGACAATGCG  1140
CGTGCAGACT TTCAGCATTC ATTTTGGGTT CAAGCACAAG TTTCTGGCCA GCGACGTGGT  1200
CTTTGCCACC ATGTCTTTGA TGGAGAGCCC CGAGAAGGAT GGCTCAGGGA CAGATCACTT  1260
CATCCAGGCT CTGGACAGCC TCTCCAGGAG TAACCTGGAC AAGCTGTACC ATGGCCTGGA  1320
ACTCGCCAAG AAGCAGCTGC GAGCCACCCA GCAGACCATT GCCAGCTGCC TTTGCACCAA  1380
CCTCGTCATC TCCCAGGGGC CTTTCCTGTA CTGCTCTCTC ATGGAGGGCA CTCCAGATGT  1440
CATGCTGTTC TCTAGGCCGG CATCCCTAAG CCTGCTCAGC AAACACCTGC TCAAGTCCTT  1500
TGTGTGTTCG ACAAAGAACC GGCGCTGCAA ACTGCTGCCC CTGGTGATGG CTGCCCCCCT  1560
```

```
GAGCATGGAG CATGGCACAG TGACCGTGGT GGGCATCCCC CCAGAGACCG ACAGCTCGGA   1620
CAGGAAGAAC TTTTTTGGGA GGGCGTTTGA GAAGGCAGCG GAAAGCACCA GCTCCCGGAT   1680
GCTGCACACA CATTTTGACC TCTCAGTAAT TGAGCTGAAA GCTGAGCAAGTT GGAGCAAGTT  1740
TCTGGACGCA CTTATTTCCC TCCTGTCCTA GGAATTTGAT TCTTCCAGAA TGACCTTCTT    1800
ATTTATGTAA CTGGCTTTCA TTTAGATTGT AAGTTATGGA CATGATTTGA GATGTAGAAG    1860
CCATTTTTTA TTAAATAAAA TGCTTATTTT AGGCTCCGTC CCCAAAAAAA AAAAAAAAAA    1920
AAAAAAAAAA AA
```

Seq ID NO: 253 Protein sequence:
Protein Accession #: NP_003495.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MFVSDFRKEP YEVVQSQRVL LFVASDVDAL CACKILQALP QCDHVQYTLV PVSGWQELET    60
AFLEHKEQFH YPILINCGAN VDLLDILQPD EDTIFFVCDT HRPVNVVNVY NDTQIKLLIK    120
QDDDLEVPAY EDIFRDBEED EEHSGNDSDG SEPSEKRTRL EEEIVEQTMR RRQRREWEAR    180
RRDILFDYEQ YEYHGTSSAM VMFELAWMLS KDLNDMLWWA IVGLTDQWVQ DKITQMKYVT    240
DVGVLQRHVS RHNHRNEDEE NTLSVDCTRI SFEYDLRLVL YQHWSLHDSL CNTSYTAARF    300
KLWSVHGQKR LQEFLADMGL PLKQVKQKPQ AMDISLKENL REMIEESANK PGMKDMRVQT    360
FSIHFGPKHK FLASDVVFAT MSLMESPEKD GSGTDHFIQA LDSLSRSNLD KLYHGLELAK    420
KQLRATQQTI ASCLCTNLVI SQGPPLYCSL MEGTPDVMLF SRPASLSLLS KHLLKSFVCS    480
TKNRRCKLLP LVMAAPLSME HGTVTVVGIP PETDSSDRKN FPGRAFEKAA ESTSSRMLHN    540
HFDLSVIELK AEDRSKFLDA LISLLS
```

Seq ID NO: 254 DNA sequence
Nucleic Acid Accession #: NM_022337
Coding sequence: 48..683

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCTGCGCTT CCCTGGTCAG GCACGGCACG TCTGGCCGGC CGCCAGGATG CAGGCCCCGC    60
ACAAGGAGCA CCTGTACAAG TTGCTGGTGA TTGGCGACCT GGGCGTGGGG AAGACCAGTA   120
TCATCAAGCG CTACGTGCAC CAGAACTTCT CCTCGCACTA CCGGGCCACA ATCGGCGTGG    180
ACTTCGCGCT CAAGGTGCTC CACTGGGACC CGGAGACTGT GGTGCGCCTG CAGCTCTGGG    240
ATATCGCAGG TCAAGAAAGA TTTGGAAACA TGACGAGGGT CTATTACCGA GAAGCTATGG    300
GTGCATTTAT TGTCTTCGAT GTCACCAGGC CAGCCACATT TGAAGCAGTG GCAAAGTGGA    360
AAAATGATTT GGACTCCAAG TTAAGTCTCC CTAATGGCAA ACCGGTTTCA GTGGTTTTGT    420
TGGCCAACAA ATGTGACCAG GGGAAGGATG TGCTCATGAA CAATGGCCTC AAGATGGACC    480
AGTTCTGCAA GGAGCACGGT TTCGTAGGAT GGTTTGAAAC ATCAGCAAAG GAAAATATAA    540
ACATTGATGA AGCCTCCAGA TGCCTGGTGA AACACATACT TGCAAATGAG TGTGACCTAA    600
TGGAGTCTAT TGAGCCGGAC GTCGTGAAGC CCCATCTCAC ATCAACCAAG GTTGCCAGCT    660
GCTCTGGCTG TGCCAAATCC TAGTAGGCAC CTTTGCTGGT GTCTGGTAGG AATGACCTCA    720
TTGTTCCACA AATTGTGCCT CTATTTTTAC CATTTTGGGT AAACGTCAGG ATAGATATAC    780
CACATGTGGC AAGCCAAAGA TCTATGCCTC TGTTTTTTCA ATGAGAGGAA AATAGCAAAT    840
GTTCTTTCTA TGCTTTCCTC ACCATCATCA CAGTGTTTAC AAACTTTTGA AAATATTTAG    900
TCTGTTACAA ACTTCTGTCA TGTAGCTGAC CAAAATCCTG CAGGGCCACA GTCGGCACTG    960
TTATTTGCTT CTTTTAATCA GCAAAGGCCT CAAGTCTTAA AATAAAAGGG GAGAAGAACA   1020
AACTAGCTGT CAAGTCAAGG ACTGGCTTTC ACCTTGCCCT GGTGTCTTTT TCCAGATTTC   1080
AATATATTCT CTGATGGCCT GACAGGCCTA TTAAGTAGAT GTGATATTTT CTTCCAAGAT   1140
GACCTCCATT CTCGGCAGAC CTAAGAGTTG CCTCTGAGTT AGCTCTTTGG AATCGTGAAC   1200
ACAGGTGTGC TATATTGTCC TTGTCCTAAC TGTCACTTGC CATGGCCTGA ATGTTGGCTT   1260
AACTGAATAT TGTATGAAAA GACATGCCTC CATATGTGCC TTTCTGTTAG CTCTCTTTGA   1320
CTCAAGCTGT GGGGCTCCTC TATACATGCT ATACATGTAA TATATATTAT ATATATTTTT   1380
GCAAGTGAAC AATAAAAACAT TAAAAGATAA AA
```

Seq ID NO: 255 Protein sequence:
Protein Accession #: NP_071732

```
1          11         21         31         41         51
|          |          |          |          |          |
MQAPHKEHLY KLLVIGDLGV GKTSIIKRYV HQNFSSHYRA TIGVDPALKV LHWDPETVVR    60
LQLWDIAGQE RPGNMTRVYY REAMGAPIVF DVTRPATFEA VAKWKNDLDS KLSLPNGKPV   120
SVVLLANKCD QGKDVLMNNG LKMDQFCKEH GFVGWFETSA KENINIDEAS RCLVKHILAN   180
ECDLMESIEP DVVKPHLTST KVASCSGCAK S
```

Seq ID NO: 256 DNA sequence
Nucleic Acid Accession #: NM_016321
Coding sequence: 25..1464

```
1          11         21         31         41         51
|          |          |          |          |          |
GGAACCGCCC GCTGCCAGCC CGGCCAGGCA CCCCTGCAGC ATGGCCTGGA ACACCAACCT    60
CCGCTGGCGG CTGCCGCTCA CCTGCCTGCT CCTGCAGGTG ATTATGGTGA TTCTCTTCGG   120
GGTGTTCGTG CGCTACGACT TCGAGGCCGA CGCCCACTGG TGGTCAGAGA GGACGCACAA   180
GAACTTGAGC GACATGGAGA ACGAATTCTA CTATCGCTAC CCAAGCTTCC AGGACGTGCA   240
CGTGATGGTC TTCGTGGGCT TCGGCTTCCT CATGACTTTC CTGCAGCGCT ACGGCTTCAG   300
CGCCGTGGGC TTCAACTTCC TGTTGGCAGC CTTCGGCATC CAGTGGGCGC TGCTCATGCA   360
GGGCTGGTTC CACTTCTTAC AAGACCGCTA CATCGTCGTG GGCGTGGAGA ACCTCATCAA   420
CGCTGACTTC TGCGTGGCCT CTGTCTGCGT GGCCTTTGGG GCAGTTCTGG GTAAAGTCAG   480
CCCCATTCAG CTGCTCATCA TGACTTTCTT CCAAGTGACC CTCTTCGCTG TGAATGAGTT   540
CATTCTCCTT AAACCTGCTAA AGGTGAAGGA TGCAGGAGGC TCCATGACCA TCCACACATT   600
TGGCGCCTAC TTTGGGCTAC CAGTGACCCG GATCCTCTAC TAGAGCAGAG   660
CAAGGAGAGA CAGAATTCTG TGTACCAGTC GGACCTCTTT GCCATGATTG GCACCCTCTT   720
CCTGTGGATG TACTGGCCCA GCTTCAACTC AGCCATATCC TACCATGGGG ACAGCCAGCA   780
CCGAGCCGCC ATCAACACCT ACTGCTCCTT GGCAGCCTGC GTGCTTACCT CGGTGGCAAT   840
```

```
         ATCCAGTGCC CTGCACAAGA AGGGCAAGCT GGACATGGTG CACATCCAGA ATGCCACGCT   900
         CGCAGGAGGG GTGGCCGTGG GTACCGCTGC TGAGATGATG CTCATGCCTT ACGGTGCCCT   960
         CATCATCGGC TTCGTCTGCG GCATCATCTC CACCCTGGGT TTTGTATACC TGACCCCCATT  1020
         CCTGGAGTCC CGGCTGCACA TCCAGGACAC ATGTGGCATT AACAATCTGC ATGGCATTCC  1080
5        TGGCATCATA GGCGGCATCG TGGGTGCTGT GACAGCGGCC TCCGCCAGCC TTGAAGTCTA  1140
         TGGAAAAGAA GGGCTTGTCC ATTCCTTTGA CTTTCAAGGT TTCAACGGGG ACTGGACCGC  1200
         AAGAACACAG GGAAAGTTCC AGATTTATGG TCTCTTGGTG ACCCTGGCCA TGGCCCTGAT  1260
         ·GGGTGGCATC ATTGTGGGGC TCATTTTGAG ATTACCATTC TGGGGACAAC CTTCAGATGA  1320
         GAACTGCTTT GAGGATGCGG TCTACTGGGA GATGCCTGAA GGGAACAGCA CTGTCTACAT  1380
10       CCCTGAGGAC CCCACCTTCA AGCCCTCAGG ACCCTCAGTA CCCTCAGTAC CCATGGTGTC  1440
         CCCACTACCC ATGGCTTCCT CGGTACCCTT GGTACCCTAG GCTCCCAGGG CAGGTGAGGA  1500
         GCAGGCTCCA CAGACTSTCC TGGGGCCCAG AGGAGCTGGT GCTGACCTAG CTAGGGATGC  1560
         AAGAGTGAGC AAGCAGCACC CCCACCTGCT GGCTTGGCCT CAAGGTGCCT CCACCCCTGC  1620
         CCTCCCCTTC ATCCCAGGGG GTCTCGMCTGA GAATGGGAGAA GGAGAAGCTA CAAAGTGGGC  1680
15       ATCCAAGCCG GGTTCTGGCT GCAGAAGTTC TGCCTCTGCC TGGGGTCTTG GCCACATTGG  1740
         AGAAAAACAG GCTCAAAGTG GGGCTGGGAC CTGGTGGGTG AACCTGAGCT CTCCCAGGAG  1800
         ACAACTTAGC TGCCAGTCAC CACCTATGAG GCTCTTCTAC CCCGTGCCTG CACCTCCGCC  1860
         AGCATCTCCT ATGCTCCCTG GGTCCCCCAG ACCTCTCTGT GTTGTGTGCG TGGCAGCCTC  1920
         CAGGAATAAA CATTCTTGTT GTCCTTTGTA AAAAAAAAAA AAAAAAAA                1920
```
20

```
         Seq ID NO: 257 Protein sequence:
         Protein Accession #: NP_057405
```

25
```
         1  ·        11         21         31         41         51
         |          |          |          |          |          |
         MAWNTNLRWR LPLTCLLLQV IMVILFGVPV RYDFEADAHW WSERTHKNLS DMENEFYYRY   60
         PSFQDVHVMV FVGFGFLMTF LQRYGPSAVG FNFLLAAFGI QWALLMQGWF HFLQDRYIVV  120
         GVENLINADP CVASVCVAPG AVLGKVSPIQ LLIMTFFQVT LPAVNEFILL NLLKVKDAGG  180
30       SMTIHTPGAY FGLTVTRILY RRNLEQSKER QNSVYQSDLP AMIGTLFLWM YWPSFNSAIS  240
         YHGDSQHRAA INTYCSLAAC VLTSVAISSA LHKKGKLDMV HIQNATLAGG VAVGTAAEMM  300
         LMPYGALIIG FVCGIISTLG FVYLTPPLES RLHIQDTCGI NNLHGIPGII GGIVGAVTAA  360
         SASLEVYGKE GLVHSFDPQG FNGDWTARTQ GKFQIYGLLV TLAMALMGGI IVGLILRLPP  420
         WGQPSDENCF EDAVYWEMPE GNSTVYIPED PTFKPSGPSV PSVPMVSPLP MASSVPLVP
```

35
```
         Seq ID NO: 258 DNA sequence
         Nucleic Acid Accession #: NM_002358.2
         Coding sequence: 75..692
```

40
```
         1          11         21         31         41         51
         |          |          |          |          |          |
         GGGAAGTGCT GTTGGAGCCG CTGTGGTTGC TGTCCGCGGA GTGGAAGCGC GTGCTTTTGT   60
         TTGTGTCCCT GGCCATGGCG CTGCAGCTCT CCCGGGAGCA GGGAATCACC CTGCGCGGGA  120
         GCGCCGAAAT CGTGGCCGAG TTCTTCTCAT TCGGCATCAA CAGCATTTTA TATCAGCGTG  180
45       GCATATATCC ATCTGAAACC TTTACTCGAA TGCAGAAATA CGGACTCACC TTGCTTGTAA  240
         CTACTGATCT TGAGCTCATA AAATACCTAA ATAATGTGGT GGAACAACTG AAAGATTGGT  300
         TATACAAGTG TTCAGTTCAG AAACTGGTTG TAGTTATCTC AAATATTGAA AGTGGTGAGG  360
         TCCTGGAAAG ATGGCAGTTT GATATTGAGT GTGACAAGAC TGCAAAAGAT GACAGTGCAA  420
         CCAGAGAAAA GTCTCAGAAA GCTATCCAGG ATGAAATCCG TTCAGTGATC AGACAGATCA  480
50       CAGCTACGGT GACATTTCTG CCACTGTTGG AAGTTTCTTG TTCATTTGAT CTGCTGATTT  540
         ATACAGACAA AGATTTGGTT GTACCTGAAA AATGGGAAGA GTCGGGACCA CAGTTTATTA  600
         CCAATTCTGA GGAAGTCCGC CTTCGTTCAT TTACTACTAC AATCCACAAA GTAAATAGCA  660
         TGGTGGCCTA CAAAATTCCT GTCAATGACT GAGGATGACA TGAGGAAAAT AATGTAATTG  720
         TAATTTTGAA ATGTGGTTTT CCTGAAATCA GGTCATCTAT AGTTGATATG TTTTATTTCA  780
55       TTGGTTAATT TTTACATGGA GAAAACCAAA ATGATACTTA CTGAACTGTG TGTAATTGTT  840
         CCTTTATTTT TTTGGTACCT ATTTGACTTA CCATGGAGTT AACATCATGA ATTTATTGCA  900
         CATTGTTCAA AAGGAACCAG GAGGTTTTTT TGTCAACATT GTGATGTATA TTCCTTTGAA  960
         GATAGTAACT GTAGATGGAA AAACTTGTGC TATAAAGCTA GATGCTTTCC TAAATCAGAT  1020
         GTTTTGGTCA AGTAGTTTGA CTCAGTATAG GTAGGGAGAT ATTTAAGTAT AAAATACAAC  1080
60       AAAGGAAGTC TAAATATTCA GAATCTTTGT TAAGGTCCTG AAAGTAACTC ATAATCTATA  1140
         AACAATGAAA TATTGCTGTA TAGCTCCTTT TGACCTTCAT TTCATGTATA GTTTTCCCTA  1200
         TTGAATCAGT TTCCAATTAT TTGACTTTAA TTTATGTAAC TTGAACCTAT GAAGCAATGG  1260
         ATATTTGTAC TGTTTAATGT TCTGTGATAC AGAACTCTTA AAAATGTTTT TTCATGTGTT  1320
         TTATAAAATC AAGTTTTAAG TGAAAGTGAG GAAATAAAGT TAAGTTTGTT TTAAAAAAAA  1380
65       AAAAAAAAAA
```

```
         Seq ID NO: 259 Protein sequence:
         Protein Accession #: NP_002349.1
```
70
```
         1          11         21         31         41         51           ·
         |          |          |          |          |          |
         MALQLSREQG ITLRGSAEIV AEFFSFGINS ILYQRGIYPS ETFTRVQKYG LTLLVTTDLE   60
         LIKYLNNVVE QLKDWLYKCS VQKLVVVISN IESGEVLERW QFDIECDKTA KDDSAPREKS  120
75       QKAIQDEIRS VIRQITATVT FLPLLEVSCS FDLLIYTDKD LVVPEKWEES GPQPITNSEE  180
         VRLRSPTTTI HKVNSMVAYK IPVND
```

```
         Seq ID NO: 260 DNA sequence
         Nucleic Acid Accession #: NM_001211
80       Coding sequence: 43..3195
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         AAAGGCCTGC AGCAGGACGA GGACCTGAGC CAGGAATGCA GGATGGCGGC GGTGAAGAAG   60
85       GAAGGGGGTG CTCTGAGTGA AGCCATGTCC CTGGAGGGAG ATGAATGGGA ACTGAGTAAA  120
         GAAAATGTAC AACCTTTAAG GCAAGGGCGG ATCATGTCCA CGCTTCAGGG AGCACTGGCA  180
         CAAGAATCTG CCTGTAACAA TACTCTTCAG CAGCAGAAAC GGGCATTTGA ATATGAAATT  240
```

286

```
        CGATTTTACA CTGGAAATGA CCCTCTGGAT GTTTGGGATA GGTATATCAG CTGGACAGAG    300
        CAGAACTATC CTCAAGGTGG GAAAGAGAGT AATATGTCAA CGTTATTAGA AAGAGCTGTA    360
        GAAGCACTAC AAGGAGAAAA ACGATATTAT AGTGATCCTC GATTTCTCAA TCTCTGGCTT    420
        AAATTAGGGC GTTTATGCAA TGAGCCTTTG GATATGTACA GTTACTTGCA CAACCAAGGG    480
5       ATTGGTGTTT CACTTGCTCA GTTCTATATC TCATGGGCAG AAGAATATGA AGCTAGAGAA    540
        AACTTTAGGA AAGCAGATGC GATATTTCAG GAAGGGATTC AGCAAAAGGC TGAACCACTA    600
        GAAAGACTAC AGTCCCAGCA CCGACAATTC CAAGCTCGAG TGTCTCGGCA AACTCTGTTG    660
        GCACTTGAGA AAGAAGAAGA GGAGGAAGTT TTTGAGTCTT CTGTACCACA ACGAAGCACA    720
        CTAGCTGAAC TAAAGAGCAA AGGGAAAAAG ACAGCAAGAG CTCCAATCAT CCGTGTAGGA    780
10      GGTGCTCTCA AGGCTCCAAG CCAGAACAGA GGACTCCAAA ATCCATTTCC TCAACGATG    840
        CAAAATAATA GTAGAATTAC TGTTTTTGAT GAAAATGCTG ATGAGGCTTC TACAGCAGAG    900
        TTGTCTAAGC CTACAGTCCA GCCATGGATA GCACCCCCCA TGCCCAGGGC CAAAGAGAAT    960
        GAGCTGCAAG CAGGCCCTTG GAACACAGGC AGGTCCTTGG AACACAGGCC TCGTGGCAAT    1020
        ACAGCTTCAC TGATAGCTGT ACCCGCTGTG CTTCCCAGTT TCACTCCATA TGTGGAAGAG    1080
15      ACTGCACAAC AGCCAGTTAT GACACCATGT AAAATTGAAC CTAGTATAAA CCACATCCTA    1140
        AGCACCAGAA AGCCTGGAAA GGAAGAAGGA GATCCTCTAC AAAGGGTTCA GGCCCATCAG    1200
        CAAGCGTCTG AGGAGAAGAA AGAGAAGATG ATGTATTGTA AGGAGAAGAT TTATGCAGGA    1260
        GTAGGGGAAT CTCCTTTGA AGAAATTCGG GCTGAAGTTT CCGGAAGAA ATTAAAAGAG    1320
        CAAAGGGAAG CCGAGCTATT GACCAGTGCA GAGAAGAGAG CAGAAATGCA GAAACAGATT    1380
20      GAAGAGATGG AGAAGAAGCT AAAAGAAATC CAAACTACTC AGCAAGAAAG AACAGGTGAT    1440
        CAGCAAGAAG AGACGATGCC TACAAAGGAG ACAACTAAAC TGCAAATTGC TTCCGAGTCT    1500
        CAGAAAATAC CAGGAATGAC TCTATCCAGT TCTGTTTGTG AAGTAAACTG TTGTGCCAGA    1560
        GAAACTTCAC TTGCGGAGAA CATTTGGCAG GAACAACCTC ATTCTAAAGG TCCCAGTGTA    1620
        CCTTTCTCCA TTTTTGATGA GTTTCTTCTT TCAGAAAAGA AGAATAAAAG TCCTCCTGCA    1680
25      GATCCCCCAC GAGTTTTAGC TCAACGAAGA CCCCTTGCAG TTCTCAAAAC CTCAGAAAGC    1740
        ATCACCTCAA ATGAAGATGT GTCTCCAGAT GTTTGTGATG AATTTACAGG AATTGAACCC    1800
        TTGAGCGAGG ATGCCATTAT CACAGGCTTC AGAAATGTAA CAATTTGTCC TAACCCAGAA    1860
        GACACTTGTG ACTTTGCCAG AGCAGCTCGT TTTGTATCCA CTCCTTTTCA TGAGATAATG    1920
        TCCTTGAAGG ATCTCCCTTC TGATCCTGAG AGACTGTTAC CGGAAGAACTG TCTAGATGTA    1980
30      AAGACCTCTG AGGACCAGCA GACAGCTTGT GGCACTATCT CAGTCAGAC TCTCAGCATC    2040
        AAGAAGCTGA GCCCAATTAT TGAAGACAGT CGTGAAGCCA CACACTCCTC TGGCTTCTCT    2100
        GGTTCTTCTG CCTCGGTTGC AAGCACCTCC TCCATCAAAT GTCTTCAAAT TCCTGAGAAA    2160
        CTAGAACTTA CTAATGAGAC TTCAGAAAAC CCTACTCAGT CACCATGGTG TTCACAGTAT    2220
        CGCAGACAGC TACTGAAGTC CCTACCAGAG TTAAGTGCCT CTGCAGAGTT GTGTATAGAA    2280
35      GACAGACCAA TGCCTAAGTT GGAAATTGAG AAGGAAATTG AATTAGGTAA TGAGGATTAC    2340
        TGCATTAAAC GAGAATACCT AATATGTGAA GATTACAAGT TATTCTGGGT GGCGCCAAGA    2400
        AACTCTGCAG AATTAACCAG TAATAAAGGTA TCTTCTCAAC CTGTCCCATG GGACTTTTAT    2460
        ATCAACCTCA AGTTAAAGGA ACGTTTAAAT GAAGATTTTG ATCATTTTG CAGCTGTTAT    2520
        CAATATCAAG ATGGCTGTAT TGTTTGGCAC CAATATATAA ACTGCTTCAC CCTTCAGGAT    2580
40      CTTCTCCAAC ACAGTGAATA TATTACCCAT GAAATAACAG TGTTGATTAT TTATAACCTT    2640
        TTGACAATAG TGGAGATGCT ACACAAAGCA GAAATAGTCC ATGGTGACTT GAGTCCAAGG    2700
        TGTCTGATTC TCAGAAACAG AATCCACGAT CCCTATGATT GTAACAAGAA CAATCAAGCT    2760
        TTGAAGATAG TGGACTTTTC CTACAGTGTT GACCTTAGGG TGCAGCTGGA TGTTTTTACC    2820
        CTCAGCGGCT TTCGGACTGT ACAGATCCTG GAAGGACAAA AGATCCTGGC TAACTGTTCT    2880
45      TCTCCCTACC AGGTAGACCT GTTTGGTATA GCAGATTTAG CACATTTACT ATTGTTCAAG    2940
        GAACACCTAC AGGTCTTCTG GGATGGGTCC TTCTGGAAAC TTAGCCAAAA TATTTCTGAG    3000
        CTAAAAGATG GTGAATTGTG GAATAAAATTC TTTGTGCGGA TTCTGAATGC CAATGATGAG    3060
        GCCACAGTGT CTGTTCTTGG GGAGCTTGCA GCAGAAATGA ATGGGGTTTT TGACACTACA    3120
        TTCCAAAGTC ACCTGAACAA AGCCTTATGG AAGGTAGGGA AGTTAACTAG TCCTGGGGCT    3180
50      TTGCTCTTTC AGTGAGCTAG GCAATCAAGT CTCACAGATT GCTGCCTCAG AGCAATGGTT    3240
        GTATTGTGGA ACACTGAAAC TGTATGTGCT GTAATTTAAT TTAGGACACA TTTAGATGCA    3300
        CTACCATTGC TGTTCTACTT TTTGGTACAG GTATATTTTTG ACGTCACTGA TATTTTTTAT    3360
        ACAGTGTATAT ACTTACTCAT GGCCTTGTCT AACTTTTGTG AAGAACTATT TTATTCTAAA    3420
        CAGACTCATT ACAAATGGTT ACCTTGTTAT TTAACCCATT TGTCTCTACT TTTCCCTGTA    3480
55      CTTTTCCCAT TTGTAATTTG TAAAATGTTC TCTTATGATC ACCATGTATT TTGTAAATAA    3540
        TAAAATAGTA TCTGTTAAAA AAAAAAAAAA AAAAAAAAAA AAA
```

```
Seq ID NO: 261 Protein sequence:
Protein Accession #: NP_001202
```

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MAAVKKEGGA LSEAMSLEGD EWELSKENVQ PLRQGRIMST LQGALAQESA CNNTLQQQKR    60
       APEYEIRFYT GNDPLDVWDR YISWTPQNYP QGGKESNMST LLERAVEALQ GEKRYYSDPR   120
       FLNLWLKLGR LCNEPLDMYS YLHNQGIGVS LAQFYISWAE EYEARENFRK ADAIFQEGIQ   180
       QKAEPLERLQ SQHRQPQARV SRQTLLALEK EEEEEVFESS VPQRSTLAEL KSKGKKTARA   240
       PIIRVGGALK APSQNRGLQN PPPQQMQNNS RITVFDENAD EASTAELSKP TVQPWIAPPM   300
       PRAKENELQA GPWNTGRSLE HRPRGNTASL IAVPAVLPSF TPYVEETAQQ FVMTPCKIEP   360
       SINHILSTRK PGKEEGDPLQ RVQSHQQASE EKKEKMMYCK ERIYAGVGEF SFEEIRAEVF   420
       RKKLKEQREA ELLTSAEKRA EMQKQIEEME KKLKEIQTTQ QERTGDQQEE TMPTKETTKL   480
       QIASESQKIP GMTLSSSVCQ VNCCARETSL AENIWQEQPH SKGPSVPFSI FDEPLLSEKK   540
       NKSPPADPPR VLAQRRPLAV LKTSESITSN EDVSPDVCDE PTGIEPLSED AIITGFRNVT   600
       ICPNPEDTCD FARAARFVST PPHEIMSLKD LPSDPERLLP EEDLDVKTSE DQQTACGTIY   660
       SQTLSIKKLS PIIEDSREAT HSSGFSGSSA SVASTSSIKC LQIPEKLELT NETSENPTQS   720
       PWCSQYRRQL LKSLPELSAS AELCIEDRPM PKLEIEKEIE LGNEDYCIKR EYLICEDYKL   780
       FWVAPRNSAE LTVIKVSSQP VPWDFYINLK LKERLNEDFD HPCSCYQYQD GCIVWHQYIN   840
       CFTLQDLLQH SEYITHEITV LIIYNLLTIV EMLHKAEIVH GDLSPRCLIL RNRIHDPYDC   900
       NKNNQALKIV DFSYSVDLRV QLDVFTLSGF RTVQILEGQK ILANCSSPYQ VDLFGIADLA   960
       HLLLFKEHLQ VFWDGSFWKL SQNISELKDG ELWNKFFVRI LNANDEATVS VLGELAAEMN  1020
       GVFDTTPQSH LNKALWKVGK LTSPGALLFQ
```

```
Seq ID NO: 262 DNA sequence
Nucleic Acid Accession #: NM_003784
Coding sequence: 365..1507
```

```
       1          11         21         31         41         51
```

287

```
         |           |           |           |           |           |
     GTCTACTTAT CAATAAGCAG CTGCCTGTGC AGAGTGCAGG CTGCACCTTT GGACAGCCTT      60
     TAAAACTGAA TTCTCAGAAT TTTAGAACAA ATTTTTGTCT AGAAATGCTG ACTTTGGTTC     120
     ATTAGGTAGT GGTAAAACAG GCTCCCTTCG AAGCTCTCCT TCATCACCTT CCTAAGTGCA     180
     TGTACAGGGA AGCTCTCCTT CATCACCTTC CTAAGTGCAT GGGGGAAAAT ACCTAGGGCT     240
     CAACAGTCTT GAGAAGTGTG GAAACATTTT CTTTGTGAGT GAGAACAGAT CACCTAGAGA     300
     AAGGAAACCA GATTCCCATC ACTGCTTCTG GGTATCAGAT GCTAGCGCTG CACTCCATTT     360
     TGCAATGGCC TCCCTTGCTG CAGCAAATGC AGAGTTTTGC TTCAACCTGT TCAGAGAGAT     420
     GGATGACAAT CAAGGAAATG GAAATGTGTT CTTTTCCTCT CTGACCCTCT TCGCTGCCCT     480
     GGCCCTGGTC CGCTTGGGCG CTCAAGATGA CTCCCTCTCT CAGATTGATA AGTTGCTTCA     540
     TGTTAACACT GCCTCAGGAT ATGGAAACTC TTCTAATAGT CAGTCAGGGC TCCAGTCTCA     600
     ACTGAAAAGA GTTTTTTCTG ATATAAATGC ATCCCACAAG GATTATGATC TCAGCATTGT     660
     GAATGGGCTT TTTGCTGAAA AAGTGTATGG CTTTCATAAG GACTACATTG AGTGTGCCGA     720
     AAAAATTATAC GATGCCAAAG TGGAGCGAGT TGACTTTACG AATCATTTAG AAGACACTAG     780
     ACGTAATATT AATAAGTGGG TTGAAAATGA AACACATGGC AAAATCAAGA ACGTGATTGG     840
     TGAAGGTGGC ATAAGCTCAT CTGCTGTAAT GGTGCTGGTG AATGCTGTGT ACTTCAAAGG     900
     CAAGTGCAA TCAGCCTTCA CCAAGAGCGA AACCATAAAT TGCCATTTCA AATCTCCCAA     960
     GTGCTCTGGG AAGGCAGTCG CCATGATGCA TCAGGAACGG AAGTTCAATT TGTCTGTTAT    1020
     TGAGGACCCA TCAATGAAGA TTCTTGAGCT CAGATACAAT GGTGGCATAA ACATGTACGT    1080
     TCTGCTGCCT GAGAATGACC TCTCTGAAAT TGAAAACAAA CTGACCTTTC AGAATCTAAT    1140
     GGAATGGACC AATCCAAGGC GAATGACCTC TAAGTATGTT GAGGTATTTT TTCCTCAGTT    1200
     CAAGATAGAG AAGAATTATG AAATGAAACA ATATTTGAGA GCCCTAGGGC TGAAAGATAT    1260
     CTTTGATGAA TCCAAAGCAG ATCTCTCTGG GATTGCTTCG GGGGGTCGTC TGTATATATC    1320
     AAGGATGATG CACAAATCTT ACATAGAGGT CACTGAGGAG GGCACCGAGG CTACTGCTGC    1380
     CACAGGAAGT AATATTGTAG AAAAGCAACT CCCTCAGTCC ACGCTGTTTA GAGCTGACCA    1440
     CCCATTCCTA TTTGTTATCA GGAAGGATGA CATCATCTTA TTCAGTGGCA AAGTTTCTTG    1500
     CCCCTTGAAAA TCCAATTGGT TTCTGTTATA GCAGTCCCCA CAACATCAAA GRACCACCAC    1560
     AAGTCAATAG ATYTGRGTTT AATTGGAAAA ATGTGGTGTT TCCTTTGAGT TTATTTCTTC    1620
     CTAACATTGG TCAGCAGATG ACACTGGTGA CTTGACCCTT CCTAGACACC TGGTTGATTG    1680
     TCCTGATCCC TGCTCTTAGC ATTCTACCAC CATGTGTCTC ACCCATTTCT AATTTCATTG    1740
     TCTTTCTTCC CACGCTCATT TCTATCATTC TCCCCCATGA CCCGTCTGGA AATTATGGAG    1800
     RGTGCTCAAC TGGTAAGGAG AACGTAGAAG TAGCCCTAGG GATCCTTTTT GAAACTCTAC    1860
     AGTTATCGCA GATATTCTAG CTTCATTGTA AGCAATCTAG GAAATAAGCC CTGCTGCTTT    1920
     CTAGAAATAA GTGTGAAGGA TAAATTTTCT TTGTTGACCT ATGAAGATTT TAGAGTTTAC    1980
     CTTCATATGT TTGATTTTAA ATCAGTGTAT AATCTAGATG GTAAAAAATG TGAAATTGGG    2040
     ATTAGGGACC TACCAAAATA TTTCATTAAT GCTTTCAATT GACAAATTTT GGCCTTTCTT    2100
     TGATAAGACA ATATGTACAT GTTTTTTCAA ATATTAAAGA TCTTTTAACT GTTGGCAGTT    2160
     GTTATCTACA GAATCATATT TCATATGCTG TGTAGTTTAT AAGTTTTTCC TCTATTTATC    2220
     AGAATAAAGA AATACAACAT ACCTGTAAA
```

Seq ID NO: 263 Protein sequence:
Protein Accession #: NP_003775

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MASLAAANAE FCFNLFREMD DNQGNGNVFF SSLSLFAALA LVRLGAQDDS LSQIDKLLHV      60
     NTASGYGNSS NSQSGLQSQL KRVFSDINAS HKDYDLSIVN GLFAEKVYGF HKDYIECAEK     120
     LYDAKVERVD FTNHLEDTRR NINKWVENET HGKIKNVIGE GGISSSAVMV LVNAVYFKGK     180
     WQSAFTKSET INCHFKSPKC SGKAVAMMHQ ERKFNLSVIE DPSMKILELR YNGGINMYVL     240
     LPENDLSEIE NKLTFQNLME WTNPRRMTSK YVEVFPPQFK IEKNYEMKQY LRALGLKDIF     300
     DESKADLSGI ASGGRLYISR MMHKSYIEVT EEGTEATAAT GSNIVEKQLP QSTLFRADHP     360
     FLFVIRKDDI ILFSGKVSCP
```

Seq ID NO: 264 DNA sequence
Nucleic Acid Accession #: AB052906
Coding sequence: 74-814

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     AAAAACCTTGA GGTGATTCAT CTTCCAGGCT CTCCTTCCAT CAAGTCTCTC CTCCCTAGCG    '60
     CTCTGGGTCC TTAATGGCAG CAGCCGCCGC TACCAAGATC CTTCTGTGCC TCCGCTTCT     120
     GCTCCTGCTG TCCGGCTGGT CCCGGGCTGG GCGAGCCGAC CCTCACTCTC TTTGCTATGA     180
     CATCACCGTC ATCCCTAAGT TCAGACCTGG ACCACGGTGG TGTGCGGTTC AAGGCCAGGT     240
     GGATGAAAAC ACTTTTCTTC ACTATGACTG TGGCAACAAG ACAGTCACAC CTGTCAGTCC     300
     CCTGGGGAAG AAACTAAATG TCACAACGGC CTGGAAAGCA CAGAACCCAG TACTGAGAGA     360
     GGTGGTGGAC ATACTTACAG AGCAACTGCG TGACATTCAG CTGGAGAATT ACACACCCAA     420
     GGAAGCCCTC ACCCTGCAGG CCAGGATGTC TTGTGAGCGA AAAGCTGAAG GACACAGCAG     480
     TGGATCTTGG CAGTTCAGTT TCGATGGCAA GATCTTCCTC CTCTTTGACT CAGAGAAGAG     540
     AATGTGGACA ACGGTTCATC CTGGAGCCAG AAAGATGAAA GAAAAGTGGG AGAATGACAA     600
     GGTTGTGGCC ATGTCCTTCC ATTACTTCTC AATGGGAGAC TGTATAGGAT GGCTTGAGGA     660
     CTTCTTGATG GGCATGGACA GCACCCTGGA GCCAAGTGCA GGAGCACCAC TCGCCATGTC     720
     CTCAGGCACA ACCCAACTCA GGGCCACAGC CACCACCCTC ATCCTTTGCT GCCTCCTCAT     780
     CATCCTCCCC TGCTTCATCC TCCCTGGCAT CTGAGGAGAG TCCTTTAGAG TGACAGGTTA     840
     AAGCTGATAC CAAAAGGCTC CTGTGAGCAC GGTCTTGATC AAACTCGCCC TTCTGTCTGG     900
     CCAGCTGCCC ACGACCTACG GTGTATGTCC AGTGGCCTCC AGCAGATCAT GATGACATCA     960
     TGGACCCAAT AGCTCATTCA CTGCCTTGAT TCCTTTTGCC AACAATTTTA CCAGCAGTTA    1020
     TACCTAACAT ATTATGCAAT TTTCTCTTGG TGCTACCTGA TGGAATTCCT GCACTTAAAG    1080
     TTCTGGCTGA CTAAACAAGA TATATCATTT TCTTTCTTCT CTTTTTGTTT GGAAAATCAA    1140
     GTACTTCTTT GAATGATGAT CTCTTTCTTG CAAATGATAT TGTCAGTAAA ATAATCACGT    1200
     TAGACTTCAG ACCTCTGGGG ATTCTTTCCG TGTCCTGAAA GAGAATTTTT AAATTATTTA    1260
     ATAAGAAAAA ATTTATATTA ATGATTGTTT CCTTTAGTAA TTTATTGTTC TGTACTGATA    1320
     TTTAAATAAA GAGTTCTATT TCCCAAAAAA AAAAAAAAAA A
```

Seq ID NO: 265 Protein sequence:
Protein Accession #: BAB61048.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAAAAATKIL LCLPLLLLLS GWSRAGRADP HSLCYDITVI PKFRPGPRWC AVQGQVDEKT    60
FLHYDCGNKT VTPVSPLGKK LNVTTAWKAQ NPVLREVVDI LTEQLRDIQL ENYTPKEPLT   120
LQARMSCEQK AEGHSSGSWQ FSFDGQIFLL FDSEKRMWTT VHPGARKMKE KWENDKVVAM   180
SPHYFSMGDC IGWLEDFLMG MDSTLEPSAG APLAMSSGTT QLRATATTLI LCCLLIILPC   240
FILPGI
```

Seq ID NO: 266 DNA sequence
Nucleic Acid Accession #: XM_084853.1
Coding sequence: 127-444

```
1          11         21         31         41         51
|          |          |          |          |          |
ATTGATGATA TATTTAACGA AATCAAATTT GGTGAATATG TGGACACTGG AAAGCTAATC    60
GACAAGATCA ACTTACCAGA TTTCCTAAAA GTGTACCTTA ACCACAAGCC ACCTTTTGGT   120
AACACCATGA GTGGCATCCA CAAGAGCTTT GAGGTGCTCG GTTATACCAA CTCCAAAGGG   180
AAAAAGGCCA TTCGAAGAGA GGACTTCCTG AGACTGCTCG TTACTAAAGG TGAGCATATG   240
ACGGAGGAGG AGATGTTGGA TTGCTTTGCT TCACTGTTTG GCCTGAATCC CGAGGGATGG   300
AAATCCGAGC CTGCAACCTG CTCCGTCAAA GGTTCAGAAA TTTGCCTTGA AGAAGAACTT   360
CCAGACGAAA TCACTGCAGA AATATTCGCG ACTGAAATTC TTGGCTTAAC CATTTCAGAA   420
GATTCCGGCC AGGATGGTCA GTGAAGTTAC CAGGAATGTT TAAAGCACAA AGGACTTTGG   480
GTGTGTGTGC ATGCACATGT GTGTGTTTTC·CATGAGGCAC TGCTTTTTAT GCATTTCCCT   540
CCCCCCTCTC ATCTTTAGAA CATTTAGACA TTAAAGCAAG TTTCTGGTGA GCAATG
```

Seq ID NO: 267 Protein sequence:
Protein Accession #: XP_084853.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MSGIHKSFEV LGYTNSKGKK AIRREDFLRL LVTKGEHMTE EEMLDCFASL PGLNPEGWKS    60
EPATCSVKGS EICLEEELPD EITAEIPATE ILGLTISEDS GQDGQ
```

Seq ID NO: 268 DNA sequence
Nucleic Acid Accession #: NM_001898
Coding sequence: 57-482

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCTCTCACC CTCCTCTCCT GCAGCTCCAG CTTTGTGCTC TGCCTCTGAG GAGACCATGG    60
CCCAGTATCT GAGTACCCTG CTGCTCCTGC TGGCCACCCT AGCTGTGGCC CTGGCCTGGA   120
GCCCCAAGGA GGAGGATAGG ATAATCCCGG GTGGCATCTA TAACGCAGAC CTCAATGATG   180
AGTGGGTACA GCGTGCCCTT CACTTCGCCA TCAGCGAGTA TAACAAGGCC ACCAAAGATG   240
ACTACTACAG ACGTCCGCTG CGGGTACTAA GAGCCAGGCA ACAGACCGTT GGGGGGGTGA   300
ATTACTTCTT CGACGTAGAG GTGGGCCGCA CCATATGTAC CAAGTCCCAG CCCAACTTGG   360
ACACCTGTGC CTTCCATGAA CAGCCAGAAC TGCAGAAGAA ACAGTTGTGC TCTTTCGAGA   420
TCTACGAAGT TCCCTGGGAG AACAGAAGGT CCCTGGTGAA ATCCAGGT CAAGAATCCT   480
AGGGATCTGT GCCAGGCCAT TCGCACCAGC CACCACCCAC TCCCACCCCC TGTAGTGCTC   540
CCACCCCTGG ACTGGTGGCC CCCACCCTGC GGGAGGCCTC CCCATGTGCC TGCGCCAAGA   600
GACAGACAGA GAAGGCTGCA GGAGTCCTTT GTTGCTCAGC AGGGCGCTCT GCCCTCCCTC   660
CTTCCTTCTT GCTTCTAATA GCCCTGGTAC ATGGTACACA CCCCCCCACC TCCTGCAATT   720
AAACAGTAGC ATCGCC
```

Seq ID NO: 269 Protein sequence:
Protein Accession #:NP_001889.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAQYLSTLLL LLATLAVALA WSPKEEDRII PGGIYNADLN DEWVQRALHF AISEYNKATK    60
DDYRRPLRV LRARQQTVGG VNYFFDVEVG RTICTKSQPN LDTCAFHEQP ELQKKQLCSP   120
EIYEVPWENR RSLVKSRCQE S
```

Seq ID NO: 270 DNA sequence
Nucleic Acid Accession #: XM_093210
Coding sequence: 13-1854

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGGCAAGCG CCGGAATCTC CTCAGCTGCC GTTTCACAAA AGAGGTACCA GGTCCGCACC    60
AAACGAGCAC ACAAGCAGCA CCAGGAGCTG CAGAAGAAGG AGGCGGCAGC GATGGACCAG   120
GGCAGAGGGA ATGGGGAGGG GGCATCCTAC CCCATATCTG AGGTGCGACT GCGGGACGTA   180
GAGCGGACTG GGCCTTTCCC GTTGGCGCGT GGCCTCAATC AGGACTTCTT GCCCACGTGC   240
GCCTTCAAAA CGGTAAGAGC TGCAACTGAA CGTGTGAGAC ATGGTGCAGA TAGGCTGAGA   300
GGCGGCGGGA GAGATGCCCA TGAACTCAAG TACCCGGACA CGCCCTCCAC TTCTACCACC   360
ACGAGTAACA CCGCCCCCAC GGGACCGCTC TCGAGGTCCC CCAAGCCAAG GACGCAAGGA   420
GGAACGGCCC GGCGCGCGGC CAGCAGCGGC GGGCACCGGC CCAATGGCCA CGGGAACTCAG   480
CACTGGCAGT CGGCCCTCCT CACACACGCAG GCGTGCAGTG TGGCCGACGG AGCCTCCCGG   540
GCCGAGGACC CAGCTAGGCC GTCACCCCGG TTGCTCCCAC GGGAAGGGGC ACCAGGCAAA   600
CTGCCCAAGG CCCCGAGCCC AGGCTCCCTG CGGGAGGCCT CCGCTGGTCC CGCCCAGATC   660
ATGGCCGCCA CCAGGCTCCC GAGCCATGGC TTCCTGTCCG GGAACGGCCC GGCGTCCTGG   720
CTGTCCAGCT AG
```

Seq ID NO: 271 Protein sequence:
Protein Accession #: XP_093210

```
1          11         21         31         41         51
```

```
     MLRHGEQKRK  RARKKWDFLP  TCAFKTVRAA  TERVRHGADR  LRGGGRDAHE  LKYPDTPSTS    60
     TTTSNTAPTG  PLSRSPKPRT  QGGTPRRRPA  AAGTRANGHG  TQHWQSALLT  PQACSVADGA   120
     SRAEDPARPS  PRLLPREGAP  GKLPKPAPSPG  SLAEASAGLL  AHVRLQNADA  QRVSISQALP   180
     PNSSVGRKEE  RPGAGQQRRA  PAPMATELST  GSRPSSHRRR  AVWPTEPPGP  RTQLEPSPRL   240
     LPREGAPGKL  PKAPSPGSLA  EASAGPAQIM  AATRLPSRGP  LSGNGPASWL  SS
```

Seq ID NO: 272 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..732

```
     1          11          21          31          41          51
     |          |           |           |           |           |
     GGATACTGTG  TCACTCAAAG  TAATGGGAGG  GAGAGAGAAC  AGGGAGGGTA  GGGATGCTTT    60
     TGAAAAAGCT  TTTTTTCCCA  CTTTTAACTT  GCTTTAGCGT  TAAGAGTACT  TACCAGCTAA   120
     TAATGTGGAG  GAAATTATTC  TTTCTCATTG  GAGATTACAG  AATATATCTA  TTCATCTTGA   180
     ATACCCACTT  GAAGCCTCTG  TAGAAATGTC  TCGTCCTCCG  GTTGTATTTC  TAAAACCTAC   240
     ATGATTTTGT  CTTGTTTCTG  CAGTGAGAAA  TTACATCCAT  AGCAAAGACA  AAAGTCTTTT   300
     TAAATTATTT  TTATTTATCT  TTCATATAGT  TCTTACAATT  TCTAAAAAAT  TAACACTCAT   360
     TTAGTATCAC  AATTTATGGG  AGAGGGTTTT  TTGTATTTTT  AAGCATATGT  GGCTTATATA   420
     AAAATTGCAG  AAGTCATAGG  ACTGTCATGT  ATTGCAGCTC  TGAGAACCAA  TGCCTGAAAC   480
     TTAAGCC
```

Seq ID NO: 273 Protein sequence:
Protein Accession #: Eos sequence

```
     1          11          21          31          41          51
     |          |           |           |           |           |
     MGGRENREGR  DAFEKAFFPT  FNLL
```

Seq ID NO: 274 DNA sequence
Nucleic Acid Accession #: NM_003976.2
Coding sequence: 299-961

```
     1          11          21          31          41          51
     |          |           |           |           |           |
     CTCTGAGCTT  CTCTGAGCCT  TGTTTGCTCA  TCTGGAAAAA  GGGGATTAAA  CCATTTACCT    60
     CATGGAGTTG  TGAAAGAATA  GCTGCAAAGC  ACCTAACACA  TAGTAAGGTT  CCCAGTGCAG   120
     CTACTTCTGC  TGGGTTGAGT  CTAGCTGTGT  AGGCCCCTTG  TTCCTCACCT  GGAGAAACTG   180
     GGGTGGCAGG  CCGGTCCCCC  ACAAAAGATA  ACTCATCTCT  TAATTTGCAA  GCTGCCTCAA   240
     CAGGAGGGTG  GGGGAACAGC  TCAACAATGG  CTGATGGGCG  CTCCTGGTGT  TGATAGAGAT   300
     GGAACTTGGA  CTTGGAGGCC  TCTCCACGCT  GTCCCACTGC  CCCTGGCCTA  GGCGGCAGCC   360
     TGCCCTGTGG  CCCACCCTGG  CCGCTCTGGC  TCTGCTGAGC  AGCGTCGCAG  AGGCCTCCCT   420
     GGGCTCCGCG  CCCCGCAGCC  CTGCCCCCCG  CGAAGGCCCC  CCGCCTGTCC  TGGCGGTCCCC   480
     CGGCCGGCCAC  CTGCCGGGGG  GACGCACGGC  CCGCTGGTGC  AGTGGAAGAG  CCCGGCGGCC   540
     GCCGCCGCAG  CCTTCTCGGC  CCGCGCCCCC  GCCGCCTGCA  CCCCCATCTG  CTCTTCCCCG   600
     CGGGGGCCGC  GCGGGCGGG  CTGGGGGCCC  GGGCAGCCGC  GCTCGGGCAG  CGGGGGGCGCG   660
     GGGCTGCCGC  CTGCGCTCGC  AGCTGGTGCC  GGTGCGCGCG  CTCGGCCTGG  GCCACCGCTC   720
     CGACGAGCTG  GTGCGTTTCC  GCTTCTGCAG  CGGCTCCTGC  CGCCGCGCGC  GCTCTCCACA   780
     CGACCTCAGC  CTGGCCAGCC  TACTGGGCGC  CGGGGCCCTG  CGACCGCCCC  GGGGCTCCCG   840
     GCCCGTCAGC  CAGCCCTGCT  GCCGACCCAC  GCGCTACGAA  GCGGTCTCCT  TCATGGACGT   900
     CAACAGCACC  TGGAGAACCG  TGGACCGCCT  CTCCGCCACC  GCCTGCGGCT  GCCTGGGCTG   960
     AGGGCTCGCT  CCAGGGCTTT  GCAGACTGGA  CCCTTACCGG  TGGCTCTTCC  TGCCTGGGAC  1020
     CCTCCCGCAG  AGTCCCACTA  GCCAGCGGCC  TCAGCCAGGG  ACGAAGGCCT  CAAAGCTGAG  1080
     AGGCCCCTAC  CGGTGGGTGA  TGGATATCAT  CCCCGAACAG  GTGAAGGGAC  AACTGACTAG  1140
     CAGCCCCAGA  GCCCTCACCC  TGCGGATCCC  AGCCTAAAAG  ACACCAGAGA  CCTCAGCTAT  1200
     GGAGCCCTTC  GGACCCACTT  CTCACAGACT  CTGGCACTGG  CCAGGCCTCG  AACCTGGGAC  1260
     CCCTCCTCTG  ATGAACACTA  CAGTGGCTGA  GGCATCAGCC  CCCGCCCAGG  CCCTGTAGGG  1320
     ACAGCATTTG  AAGGACACAT  ATTGCAGTTG  CTTGGTTGAA  AGTGCCTGTG  CTGGAACTGG  1380
     CCTGTACTCA  CTCATGGGAG  CTGGCCCC
```

Seq ID NO: 275 Protein sequence:
Protein Accession #: NP_003967.1

```
     1          11          21          31          41          51
     |          |           |           |           |           |
     MELGLGGLST  LSHCPWPRRQ  PALWPTLAAL  ALLSSVAEAS  LGSAPRSPAP  REGPPPVLAS    60
     PAGHLPGGRT  ARWCSGRARR  PPPQPSRPAP  PPPAPPSALP  RGGRAARAGG  PGSRARAAGA   120
     RGCRLRSQLV  PVRALGLGHR  SDELVRFRFC  SGSCRRARSP  HDLSLASLLG  AGALRPPPGS   180
     RPVSQPCCRP  TRYEAVSFMD  VNSTWRTVDR  LSATACGCLG
```

Seq ID NO: 276 DNA sequence
Nucleic Acid Accession #: NM_057091.1
Coding sequence: 783-1445

```
     1          11          21          31          41          51
     |          |           |           |           |           |
     ACTGGCCGCT  GAGAGAAGAA  TCGGGTGGAG  CAGAGAGCAG  CTGCTGCAGG  GCAGACAGCC    60
     GGACCCCCAA  ATCTGCACGT  ACCAGCAGTC  AGCCGCCCCA  CGCAGGGACC  GGCTTACCCC   120
     TCGCTCCCCG  CCCTCACTCA  CTTTCTCCCG  CCCTCGGCCC  GGCCTCCCAG  CTCTCTACTT   180
     CGCGTGTCTA  CAAACTCAAC  TCCCGGTTTC  CGTGCCTCTC  CACCGCTCGA  GTTCTCTACT   240
     CTCCATATCC  GAGGGGCCCC  TCCCAGCATC  TACCCCCCTC  CCAACCTCGG  GGACCTAGC   300
     CAAGCTAGGG  GGGACTGGAT  CCGACGGGTG  GAGCAGCCAG  GTGAGCCCCG  AAAGGTGGGG   360
     CGGGGCAGGG  GCGCTCCCAG  CCCCACCCCG  GGATCTGGTG  ACGCTGGGGC  TGGAATTTGA   420
     CACCGGACGG  CTGCGGCGGC  GGGCAGGAGG  CTGCTGAGGG  ATGGAGTTGG  GCCCGGCCCC   480
     CAGACAAGGC  CGGGGGGCTC  CGCCAGCAGC  AGGTCCCTCG  GGCCCCAGCC  CTCGCTGCCA   540
```

```
        CCCGGGCCTG GAGCCCCACA CCCGAGGGTG CAGACTGGCT GCCAAGGCCA CACTTTTGGC    600
        TAAAAGAGGC ACTGCCAGGT GTACAGTCCT GGGCATGCGC TGTTTGAGCT TCGGGGGAGA    660
        GCCCAGCACT GGTCCCCGGA AAGGTGCCTA GAAGAACAAG GTGCAGGACC CCGTGCTGCC    720
        TCAACAGGAG GGTGGGGGAA CAGCTCAACA ATGGCTGATG GGCGCTCCTG GTGTTGATAG    780
 5      AGATGGAACT TGGACTTGGA GGCCTCTCCA CGCTGTCCCA CTGCCCCTGG CCTAGGCGGC    840
        AGCCTGCCCT GTGGCCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCCT    900
        CCCTGGGCTC CGCGCCCCGC AGCCCTGCCC CCGCGAAGG CCCCCGCCT GTCCTGGCGT    960
        CCCCCGCCGG CCACCTGCCG GGGGGACGCA CGGCCCGCTG GTGCAGTGGA AGAGCCCGGC   1020
        GGCCGCCGCC GCAGCCTTCT CGGCCCGCGCC CCCCGCCGCC TGCACCCCCA TCTGCTCTTC   1080
 10     CCCGCGGGGG CCGCGCGGCG CGGGCTGGGG GCCCGGGCAG CCGCGCTCGG GCAGCGGGGG   1140
        CGCGGGGCTG CCGCCTGCGC TCGCAGCTGG TGCCGGTGCG CGCGCTCGGC CTGGGCCACC   1200
        GCTCCGACGA GCTGGTGCGT TTCCGCTTCT GCAGCGGCTC CTGCCGCCGC GCGCGCTCTC   1260
        CACACGACCT CAGCCTGGCC AGCCTACTGG GCGCCGGGGC CCTGCGACCG CCCCCGGGCT   1320
        CCCGGCCCGT CAGCCAGCCC TGCTGCCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG   1380
 15     ACGTCAACAG CACCTGGAGA ACCGTGGACC GCCTCTCCGC CACCGCCTGC GGCTGCCTGG   1440
        GCTGAGGGCT CGCTCCAGGG CTTTGCAGAC TGGACCCTTA CCGGTGGCTC TTCCTGCCTG   1500
        GGACCCTCCC GCAGAGTCCC ACTAGCCAGC GGCCTCAGCC AGGGACGAAG GCCTCAAAGC   1560
        TGAGAGGCCC CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGGTGAAG GGACAACTGA   1620
        CTAGCAGCCC CAGAGCCCTC ACCCTGCGGA TCCCAGCCTA AAAGACACCA GAGACCTCAG   1680
 20     CTATGGAGCC CTTCGGACCC ACTTCTCACA GACTCTGGCA CTGGCCAGGC CTCGAACCTG   1740
        GGACCCCTCC TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCCGCC CAGGCCCTGT   1800
        AGGGACAGCA TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAAGTGCC TGTGCTGGAA   1860
        CTGGCCTGTA CTCACTCATG GGAGCTGGCC CC
```

```
 25     Seq ID NO: 277 Protein sequence:
        Protein Accession #: NP_003967.1
        1          11         21         31         41         51
        |          |          |          |          |          |
        MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS    60
 30     PAGHLPGGRT ARWCSGRARR PPPQPSRPAP PPPAPPSALP RGGRAARAGG PGSRARAAGA   120
        RGCRLRSQLV PVRALGLGHR SDELVRFRFC SGSCRRARSP HDLSLASLLG AGALRPPPGS   180
        RPVSQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG
```

```
        Seq ID NO: 278 DNA sequence
 35     Nucleic Acid Accession #: NM_057160.1
        Coding sequence: 1-714
```

```
        1          11         21         31         41         51
        |          |          |          |          |          |
 40     ATGCCCGGCC TGATCTCAGC CCGAGGACAG CCCCTCCTTG AGGTCCTTCC TCCCCAAGCC    60
        CACCTGGGTG CCCTCTTTCT CCCTGAGGCT CCACTTGGTC TCTCCGCGCA GCCTGCCCTG   120
        TGGCCCACCC TGGCCGCTCT GGCTCTGCTG AGCAGCGTCG CAGAGGCCTC CCTGGGCTCC   180
        GCGCCCCGCA GCCCTGCCCC CGCGAAGGC CCCCCGCCTG TCCTGGCGTC CCCCGCCGGC   240
        CACCTGCCGG GGGGACGCAC GGCCCGCTGG TGCAGTGGAA GAGCCCGGCG GCCGCCGCCG   300
 45     CAGCCTTCTC GGCCCGCGCC CCCGCCGCCT GCACCCCCAT CTGCTCTTCC CCGCGGGGGG   360
        CGCGCGGCGC GGGCTGGGGG CCCGGGCAGC CGCGCTCGGG CAGCGGGGGC GCGGGGCTGC   420
        CGCCTGCGCT CGCAGCTGGT GCCGGTGCGC GCGCTCGGCC TGGGCCACCG CTCCGACGAG   480
        CTGGTGCGTT TCCGCTTCTG CAGCGGCTCC TGCCGCCGCG CGCGCTCTCC ACACGACCTC   540
        AGCCTGGCCA GCCTACTGGG CGCCGGGGCC CTGCGACCGC CCCCGGGCTC CCGGCCCGTC   600
 50     AGCCAGCCCT GCTGCCGACC CACGCGCTAC GAAGCGGTCT CCTTCATGGA CGTCAACAGC   660
        ACCTGGAGAA CCGTGGACCG CCTCTCCGCC ACCGCCTGCG GCTGCCTGGG CTGAGGGCTC   720
        GCTCCAGGGC TTTGCAGACT GGACCCTTAC CGGTGGCTCT TCCTGCCTGG GACCCTCCCG   780
        CAGAGTCCCA CTAGCCAGCG GCCTCAGCCA GGGACGAAGG CCTCAAAGCT GAGAGGCCCC   840
        TACCGGTGGG TGATGGATAT CATCCCCGAA CAGGTGAAGG GACAACTGAC TAGCAGCCCC   900
 55     AGAGCCCTCA CCCTGCGGAT CCCAGCCTAA AAGACACCAG AGACCTCAGC TATGGAGCCC   960
        TTCGGACCCA CTTCTCACAG ACTCTGGCAC TGGCCAGGCC TCGAACCTGG GACCCTCCT   1020
        CTGATGAACA CTACAGTGGC TGAGGCATCA GCCCCCGCCC AGGCCCTGTA GGGACAGCAT   1080
        TTGAAGGACA CATATTGCAG TTGCTTGGTT GAAAGTGCCT GTGCTGGAAC TGGCCTGTAC   1140
        TCACTCATGG GAGCTGGCCC C
```

```
 60     Seq ID NO: 279 Protein sequence:
        Protein Accession #: NP_476501.1
```

```
        1          11         21         31         41         51
 65     |          |          |          |          |          |
        MPGLISARGQ PLLEVLPPQA HLGALFLPEA PLGLSAQPAL WPTLAALALL SSVAEASLGS    60
        APRSPAPREG PPPVLASPAG HLPGGRTARW CSGRARRPPP QPSRPAPPPP APPSALPRGG   120
        RAARAGGPGS RARAAGARGC RLRSQLVPVR ALGLGHRSDE LVRFRFCSGS CRRARSPHDL   180
        SLASLLGAGA LRPPPGSRPV SQPCCRPTRY EAVSFMDVNS TWRTVDRLSA TACGCLG
```

```
 70     Seq ID NO: 280 DNA sequence
        Nucleic Acid Accession #: NM_057090.1
        Coding sequence: 29-715
```

```
 75     1          11         21         31         41         51
        |          |          |          |          |          |
        CTGATGGGCG CTCCTGGTGT TGATAGAGAT GGAACTTGGA CTTGGAGGCC TCTCCACGCT    60
        GTCCCACTGC CCCTGGCCTA GGCGGCAGGC TCCACTTGGT CTCTCCGCGC AGCCTGCCCT   120
        GTGGCCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCCT CCCTGGGCTC   180
 80     CGCGCCCCGC AGCCCTGCCC CCGCGAAGG CCCCCCGCCT GTCCTGGCGT CCCCCGCCGG   240
        CCACCTGCCG GGGGGACGCA CGGCCCGCTG GTGCAGTGGA AGAGCCCGGC GGCCGCCGCC   300
        GCAGCCTTCT CGGCCCGCGC CCCCGCCGCC TGCACCCCCA TCTGCTCTTC CCCGCGGGGG   360
        CCGCGCGGCG CGGGCTGGGG GCCCGGGCAG CCGCGCTCGG GCAGCGGGGG CGCGGGGCTG   420
        CCGCCTGCGC TCGCAGCTGG TGCCGGTGCG CGCGCTCGGC CTGGGCCACC GCTCCGACGA   480
 85     GCTGGTGCGT TTCCGCTTCT GCAGCGGCTC CTGCCGCCGC GCGCGCTCTC CACACGACCT   540
        CAGCCTGGCC AGCCTACTGG GCGCCGGGGC CCTGCGACCG CCCCGGGCT CCCGGCCCGT   600
        CAGCCAGCCC TGCTGCCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG ACGTCAACAG   660
```

```
CACCTGGAGA ACCGTGGACC GCCTCTCCGC CACCGCCTGC GGCTGCCTGG GCTGAGGGCT    720
CGCTCCAGGG CTTTGCAGAC TGGACCCTTA CCGGTGGCTC TTCCTGCCTG GGACCCTCCC    780
GCAGAGTCCC ACTAGCCAGC GGCCTCAGCC AGGGACGAAG GCCTCAAAGC TGAGAGGCCC    840
CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGGTGAAG GGACAACTGA CTAGCAGCCC    900
CAGAGCCCTC ACCCTGCGGA TCCCAGCCTA AAAGACACCA GAGACCTCAG CTATGGAGCC    960
CTTCGGACCC ACTTCTCACA GACTCTGGCA CTGGCCAGGC CTCGAACCTG GGACCCCTCC   1020
TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCCGCC CAGGCCCTGT AGGGACAGCA   1080
TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAAGTGCC TGTGCTGGAA CTGGCCTGTA   1140
CTCACTCATG GGAGCTGGCC CC
```

Seq ID NO: 281 Protein sequence:
Protein Accession #: NP_476431.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MELGLGGLST LSHCPWPRRQ APLGLSAQPA LWPTLAALAL LSSVAEASLG SAPRSPAPRE    60
GPPPVLASPA GHLPGGRTAR WCSGRARRPP PQPSRPAPPP PAPPSALPRG GRAARAGGPG   120
SRARAAGARG CRLRSQLVPV RALGLGHRSD ELVRFRFCSG SCRRARSPHD LSLASLLGAG   180
ALRPPPGSRP VSQPCCRPTR YEAVSFMDVN STWRTVDRLS ATACGCLG
```

Seq ID NO: 282 DNA sequence
Nucleic Acid Accession #: Eos sequence

```
1         11        21        31        41        51
|         |         |         |         |         |
CTACTGCACC TGCCCTCTGT TTCCTTTGGA AATCTCTTAC CTTTCATTAG GGTTTCTTTC    60
ATAGCAATTT CCTTTGGTTT TTAAGACTTC TACATTGCTT TTTCTTTTAT TATCTGTGCT   120
CCGTGAACCT TATGAATGCT GCTTAAAAAT AATGTCAAAA TATGTTTTAG CTGCCTACTC   180
AGGTAACGTT TTCTTTTGCT CTCATCTTGG TTTCCATATA CTATTTTTGG TTTTTTTGTGA  240
GATCTAATCA ATGATCTAGT CAGAAGCTAC TTCACTGGCT AACAGTGATC ATGTTCATGT   300
GCTAAAAATG AACTTGAAAC ACGGAAGTAG TGGTTGGTCG AGTTTGAAAG CTCTTATTAG   360
TATTCTTCAT CCTGGCTGTA ATAATAGCCA TTATTTGTTA TGCCTTTGTT ATGTAGCAGA   420
CACTCTTAAG GATTTTATGT GTATTATTCA AATTGCTATT ACTGTTCTTT TTATAGTTGA   480
GAATCTCAGG ATACCTACAT TTATCACTTT TTCAATATAT ATGTATTTCT TATT
```

Seq ID NO: 283 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 564-1481

```
1         11        21        31        41        51
|         |         |         |         |         |
GAGACTTTTA ATCATCTATC CCTTGTGCTT TACGCAGACC CTACAATACA CTAGAGGCTT    60
CAAAGAGGTC AAAAATTCAC ATGTGTAGAC AAATTAGGTC CCTTAAGATG CCAGGCAAAC   120
GAAGTGCTAC CAAAACACGC AATGACTGTC CTAAAAGTGC GTTCTGGGAT ACACCTGTAA   180
ACTTGGATCA AGTTCCCTCC CCTCTCCTCA AAATATATCG ACTTGTGCTG AAAGAAATCA   240
CGACCGATGC TCACAATTCT GACCTCGTAA TTATATAGGG GGTGGTTTTG GTTTCTGCGT   300
CTTTCCCTGA TTCAGTGGCA GGTAACATAT TTCATGTACA AAATGAACTG CAACACCACG   360
GCAAACAAGG GACAGGCCCT CAAAGTTGTC GGTAGGGAGC CAGGACCCCG CCAGTGGCGT   420
GGGGAGACAC CGTACTAAAC AAGCTTGCAA ACAGCAGGCA CCTTCCTGCC ACTGAGGAGG   480
AAGGGCTGGC TAAGGGAGGC CGGGGCGGAG GAAGCCAAGC TCTGCAGGCC CTGACAAAGT   540
CCTCCCGGCC TCCACGCGTC GCCATGGCAA CGCGGGGTCT GTGCTGGCCG GGATTGGCCG   600
GCCTGGCGCG CGGCAGGGCCC GCTGGGAAAG CGCGTCCCCG CCGCGGCTCC GCCAGTTTGA   660
ACTTGGCGGG CCAGATGTGG GCGGCGGGGC GCTGGGGGGC TACTTTTCCC TCTTCCTACG   720
CCGGTTTCTC TGCTGACTGC AGACCCAGGT CTCGGCCCTC CTCGGACTCC TGCCTCAGTC   780
CTATGACGGG CGCACGTGGG CAGGGGCTGG AGGTGGTGCG CTCGCCGTCG CCGCCGCTGC   840
CGCTGAGCTG CAGCAATTCC ACCAGGTCGC TGTTGTCTCC CCTTGGCCAC CAGAGCTTCC   900
AGTTTGACGA GGACGACGGT GACGGGGAGG ATGAGGAAGA CGTGGATGAT GAGGAAGACG   960
TGGATGAAGA TGCCCATGAT TCAGAGGCCA AAGTGGCGAA CCTGAGAGGA ATGGAGTTAC  1020
AGGGGTGCGC CAGCACTCAG GTTGAATCAG AAAATAACCA AGAAGAACAG AAACAGGTGC  1080
GCTTACCAGA AAGCCGCCTG ACACCATGGG AGGTGTGGTT TATTGGCAAA GAAAAAGAAG  1140
AACGTGACCG GCTGCAACTG AAAGCTCTAG AGGAATTAAA TCAACAACTA GAAAAAAGAA  1200
AAGAAATGGA AGAACGTGAA AAAAGAAAGA TAATTGCTGA AGAAAAGCAC AAGGAATGGG  1260
TTCAGAAAAA GAATGAGCAA AAAAGAAAAG AAAGAGAACA AAAAATTAAT AAAGAAATGG  1320
AGGAAAAAGC AGCAAAGGAA CTGGAGAAAG AATACTTGCA AGAAAAAGCA AAAGAAAAAT  1380
ATCAAGAATG GTTAAAGAAA AAAATGCTG AAGAATGTGA GAGGAAGAAG AAAGAAAAGA  1440
AAAACAACAG CAAGCTGAAA TACAGGAGAA AAAGGAAATA GCAGAAAAAA AGTTTCAAGA  1500
ATGGTTGGAA AATGCGAAAC ATAAACCTCG TCCAGCTGCA AAGAGCTATG GTTATGCCAA  1560
TGGAAAACTT ACAGGTTTTT ACAGTGGAAA TTCCTATCCA GAACCAGCCT TTTATAATCC  1620
AATTCCGTGG AAACCAATTC ATATGCCACC TCCCAAAGAA GCTAAGGATC TATCAGGAAG  1680
GAAGAGTAAA AGACCTGTGA TAAGTCAGCC ACACAAGTCA TCATCTCTGG TAATTCATAA  1740
AGCCAGGAGC AATCTTTGCC TTGGAACTCG GTGCAGAATA CAAAGATAGC GTATGTGGAA  1800
AATAACATGC TTTTATCTGG AGCTATTTAA TTTAAAAATC AGAAATTGTT TTTTACTGCT  1860
CAGTCAATAA CTCAACACTT AATGTGATTA TTGACAAATA GCAATTTTTG CATTTGTATA  1920
TGGAGTCCTT AGAGTTGAGG AAGATATTTT CTGGATTTTG GTTTTTATAA ACTTTTTAAG  1980
GTTGATCTTG GCATGTTGTT TTGCAGAATA AGTGGCTGAA TATGTAAGAA TTGTGTTTGT  2040
ATTTAGCTTG TATTAAAAGT ACACTGTAAT ACCAATAAAA CTAACAATTT TTCTTG
```

Seq ID NO: 284 Protein sequence:
Protein Accession #: Eos sequence

```
1         11        21        31        41        51
|         |         |         |         |         |
MATRGLCWPG LAGLARAGPA GKARPRRGSA SLNLAGQMWA AGRWGPTFPS SYAGFSADCR    60
PRSRPSSDSC SVPMTGARGQ GLEVVRSPSP PLPLSCSNST RSLLSPLGHQ SFQFDEDDGD   120
GEDEEDVDDE EDVDEDAHDS EAKVASLRGM ELQGCASTQV ESENNQEEQK QVRLPESRLT   180
PWEVWFIGKE KEERDRLQLK ALEELNQQLE KRKEMEEREK RKIIAEEKHK EWVQKKNEQK   240
RKEREQKINK EMEEKAAKEL EKEYLQEKAK EKYQEWLKKK NABECERKKK EKKNNSKLKY   300
```

RRKRK

Seq ID NO: 285 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1-1746

```
         1         11        21        31        41        51
         |         |         |         |         |         |
         |         |         |         |         |         |
     ATGCCACTGA AGCATTATCT CCTTTTGCTG GTGGGCTGCC AAGCCTGGGG TGCAGGGTTG       60
     GCCTACCATG GCTGCCCTAG CGAGTGTACC TGCTCCAGGG CCTCCCAGGT GGAGTGCACC      120
     GGGGCACGCA TTGTGGCGGT GCCCACCCCT CTGCCCTGGA ACGCCATGAG CCTGCAGATC      180
     CTCAACACGC ACATCACTGA ACTCAATGAG TCCCCGTTCC TCAATATCTC AGCCCTCATC      240
     GCCCTGAGGA TTGAGAAGAA TGAGCTGTCG CGCATCACGC CTGGGGCCTT CCGAAACCTG      300
     GGCTCGCTGC GCTATCTCAG CCTCGCCAAC AACAAGCTGC AGGTTCTGCC CATCGGCCTC      360
     TTCCAGGGCC TGGACAGCCT TGAGTCTCTC CTTCTGTCCA GTAACCAGCT GTTGCAGATC      420
     CAGCCGGCCC ACTTCTCCCA GTGCAGCAAC CTCAAGGAGC TGCAGTTGCA CGGCAACCAC      480
     CTGGAATACA TCCCTGACGG AGCCTTCGAC CACCTGGTAG GACTCACGAA GCTCAATCTG      540
     GGCAAGAATA GCCTCACCCA CATCTCACCC AGGGTCTTCC AGCACCTGGG CAATCTCCAG      600
     GTCCTCCGGC TGTATGAGAA CAGGCTCACG GATATCCCCA TGGGCACTTT TGATGGGCTT      660
     GTTAACCTGC AGGAACTGGC TCTACAGCAG AACCAGATTG GACTGCTCTC CCCTGGTCTC      720
     TTCCACAACA ACCACAACCT CCAGAGACTC TACCTGTCCA ACAACCACAT CTCCCAGCTG      780
     CCACCCAGCA TCTTCATGCA GCTGCCCCAG CTCAACCGTC TTACTCTCTT TGGGAATTCC      840
     CTGAAGGAGC TCTCTCTGGG GATCTTCGGG CCCATGCCCA ACCTGCGGGA GCTTTGGCTC      900
     TATGACAACC ACATCTCTTC TCTACCCGAC AATGTCTTCA GCAACCTCCG CCAGTTGCAG      960
     GTCCTGATTC TTAGCCGCAA TCAGATCAGC TTCATCTCCC CGGGTGCCTT CAACGGGCTA     1020
     ACGGAGCTTC GGGAGCTGTC CCTCCACACC AACGCACTGC AGGACCTGGA CGGGAATGTC     1080
     TTCCGCATGT TGGCCAACCT GCAGAACATC TCCCTGCAGA ACAATCGCCT CAGACAGCTC     1140
     CCAGGGAATA TCTTCGCCAA CGTCAATGGC CTCATGGCCA TCCAGCTGCA GAACAACCAG     1200
     CTGGAGAACT TGCCCCTCGG CATCTTCGAT CACCTGGGGA AACTGTGTGA GCTGCGGCTG     1260
     TATGACAATC CCTGGAGGTG TGACTCAGAC ATCCTTCCGC TCCGCAACTG GCTCCTGCTC     1320
     AACCAGCCTA GGTTAGGGAC GGACACTGTA CCTGTGTGTT TCAGCCCAGC CAATGTCCGA     1380
     GGCCAGTCCC TCATTATCAT CAATGTCAAC GTTGCTGTTC CAAGCGTCCA TGTCCCTGAG     1440
     GTGCCTAGTT ACCCAGAAAC ACCATGGTAC CCAGACACAC CCAGTTACCC TGACACCACA     1500
     TCCGTCTCTT CTACCACTGA GCTAACCAGC CCTGTGGAAG ACTACACTGA TCTGACTACC     1560
     ATTCAGGTCA CTGATGACCG CAGCGTTTGG GGCATGACCC AGGCCCAGAG CCTGCTGGCC     1620
     ATTGCCGCCA TTGTAATTGG CATTGTCGCC CTGGCCTGCT CCCTGGCTGC CTGCGTCGGC     1680
     TGTTGCTGCT GCAAGAAGAG GAGCCAAGCT GTCCTGATGC AGATGAAGGC ACCCAATGAG     1740
     TGTTAAAGAG GCAGGCTGGA GCAGGGCTGG GGAATGATGG GACTGGAGGA CCTGGGAATT     1800
     TCATCTTTCT GCCTCCACCC CTGGGTCCAT GGAGCTTTCC CGTGATTGCT CTTTCTGGCC     1860
     CTAGATAAAG GTGTGCCTAC CTCTTCCTGA CTTGCCTGAT TCTCCCGTAG AGAAGCAGGT     1920
     CGTGCCGGAC CTTCCTACAA TCAGGAAGAT AGATCCAACT GGCCATGGCA AAAGCCCTGG     1980
     GGATTCCGGA TTCATACCCC TGGGCTTCCT TCGAGAGGGC TCTTCCTCCA AATCCTCCCC     2040
     ACCTGTCCTC CAAGAACAGC CTTCCCTGCG CCCAGGCCCC CTCCGGGCCT CTGTAGACTC     2100
     AGTTAGTCCA CAGCCTGCTC ACTTCGTGGG AATAGTTCTC CGCTGAGATA GCCCCTCTCG     2160
     CCTAAGTATT ATGTAAGTTG ATTTCCCTTC TTTTGTTTCT CTTGTTTGTG CTATGGCTTG     2220
     ACCCAGCATG TCCCCTCAAA TGAAAGTTCT CCCCTTGATT TTCTGCTCCT GAAGGCAGGG     2280
     TGAGTTCTCT CCTCAAAGAA GACTTCAAAC CATTTAACTG GTTTCTTAAG AGCCGTCAAT     2340
     CAGCCTGGTT TTGGGGATGC TATGAAAGAG AGAAGGAAAA TCATGCCGCT CAGTTCCTGG     2400
     AGACAGAAGA GCCGTCATCA GTGTCTCACT TGTGATTTTT ATCTGGAAAA GGAAGAAACA     2460
     CCCCAGCACA GCAAGCTCAG CCTTTTAGAG AAGGATATTT CCAAACTGCA AACTTTGCTT     2520
     TGAAAAGTTT AGCCCTTTAA GGAATGAAAT CATGTAGAAT TTTGGACTTC TAAAAACATT     2580
     AAAATCAGCT TATTAATACG GGATAGAGAA AGAAATCTGG TGCCTGGGGG TCCCTGTGTT     2640
     CACCCCTAGA GTTTGTTTTA AAATTTTTAA TTGAAGCATG TGAAGTGTAC STGCAGAAAA     2700
     GTGGGAACAT GATAGTGTAT GGCTTGGTGG ATTTTCACAA ACTGAACATA CCTGTGTAAT     2760
     CAGCATCTAG ACCCAGACCC AGAGCATCAC AAATATCCCC CATCCTGGGC TTTTCCCAGA     2820
     GGAGATGGGG GCTTCTGAAG ATGGACTTAC CTGGGACCTG CCCCCCATGA GCCAGGACGG     2880
     TCCCCCCACA GTCAGCCTGT GCAAAGGCCC CGTGGCCAGG GGTGGAGGAG AAATATGTGGG     2940
     TGTGGACAGG ATGGGAGACT GTGGCCTGAA CAGGAGATTT TATTATATCT GGAGACCCTG     3000
     AGAGACCCTG AGACCTGGGG CACCATGGCT GGCCAGGTCA GAAGCATCCT GACTGCAGAG     3060
     GTCCGTGCAG CCACACCCTC TTCCCTGCCA GCAAGTTGTC TGCGGCTCAT CGGAGGCCCC     3120
     TCCGCCTGGA GCCTTCTATG GACGTGATAT GCCTGTATCT GTTTTTAATT TTCATTCTTC     3180
     ACTTAGGGGA AGTGAAATCG CTCAGAGATG AGATCCTTTA ATTGAAAACG AAGTGTAACG     3240
     GAATCTAGTG TCTTTCTAAT GTGGTAAAAT TCTCCATCAA CATCACAGTC AGCTGGCAGC     3300
     TGAACTTCAG AATCTCACTT ACAGCAGGCG ACACGGGGGT ACACGATGG GTCACACTGG     3360
     GTCTGGGGGC TCCCTGGAGC TCCTCCTGCG TGTGGTCTGG TTAGGAGTTG AGTTGTTTGC     3420
     TCCAGGGTTA TTCTCCTCCT CGAGTCACAG TCACACGAAT ACCTGCCTTC TCTGGCTTTC     3480
     CTGCTATACA CATATTCACA TGGCGCTCAA GAAGTTAGGC TCATGGCAAC GTGTGTCTTT     3540
     CTCTGGACAA CTGGCCCAGT TTACAGTGAA ATGGAGAATT TCAGGTCTCC ACGTCTGACC     3600
     AGGAAAGAAC TTCAGCTGAC TCCACGGGGA TCTGGAAATC CACGACCAAT CCCGATCGGC     3660
     TCTTATTAGC TCCCCGCTCC ACAAGACACC TGTGCTTTGG AAATCCACCA CCAATCCCGA     3720
     TCGGCTCTTA TTAGCTCCCC GCTCCACAAG ACACCTGTGA TCTGGAAATC TACCACCAAT     3780
     CCCGATCGGC TCTTATTAGC TCCCCGCTCC ACAAGACACC TGTGACATCC TCCAGGGCCA     3840
     CAGGAGCACG TGCTGACCAG TTTTCCCTTC CAGTTCCTGC ACAAAAAGTG TCCAGAGGGC     3900
     TGTTTGCAAA CACTAGTGCA CTTTGTAGCT TTTCACCCTC TGTCCCAGGG AATCTAGGAG     3960
     AGATGAGGCC CGTCAGAGTC AAGAGATGTC ATCCCCCCAG GGTCTCCAGG GCATTTCCAC     4020
     ACTATTGGTG GCACCTGGAG GACATGCACC AAGGCTTGCC AGAGCCAACA GGAAGTGAGC     4080
     CCAGAGCATG GCACATGAGC ATCACCCGCT GATGGTGGCC TGCTGTGCCT GGTGCCAACA     4140
     GGGGCATCCC GGCCCGTACC CCTCCAGACA GGAAGCATGG GTTTGCCCAC AGACCTGTCG     4200
     GGTGCTCCTG TGAGTGCCCT CCAGATGTCT TTGTGCATAG GCACAAGTGG GCCAGGGCTG     4260
     GAGGGAGGTG GGAAACCTCA TCATCCGGTG GGCCCTGCCA ATCTTAACCC AGAACCCTTA     4320
     GGTATTCCTG GCAGTAGCCA TGACATTGGA GCACCTTCCT CTCCAGCCAG AGGCTGACCT     4380
     GAGGGGCACT GTCCTCAGAT GACACCACCG AGGAGCACCC TAGGTGAGGG GTGAGGGCCC     4440
     CCTTATGTGA ACCTCTTGCC TCTTCCTTTC TCCCATCAGA GTGGTTGGAT GGAGCCATTG     4500
     GCCTCCTTTT CTTCAGCGGG CCCTTCAACC TCTCTGCACC ATGTTGTCTG GCTAGGAGGC     4560
     TACTAGAAAA GCTGAGTGGA GTCTCCTTTC CAACAGGATG ATGCATTTGC TCAATTCTCA     4620
     GGGCTGGAAT GAGCCGGCTG GTCCCCCAGA AAGCTGGAGT GGGGTACAGA GTTCAGTTTT     4680
     CCTCTCTGTT TACAGCTCCT TGACAGTCCC ACGCCCATCT GGAGTGGGAG CTGGGAGTTA     4740
```

```
     GTGTTGGAGA AGAAACAACA AAAGCCAATT AGAACCACTA TTTTTAAAAA GTGCTTACTG    4800
     TGCACAGATA CTCTTCAAGC ACTGGACGTG GATTCTCTCT CTAGCCCTCA GCACCCCTGC    4860
     GGTAGGAGTG CCGCCTCTAC CCCACTTGTGA TGGGGTACAG AGGCACTTGC TCTTCTGCAT    4920
     GGTGTTCAAT AGGCTGGGAG TTTTATTTAT CTCTTCAAAC TTTGTACAAG AGCTCATGGC    4980
     TTGTCTTGGG CTTTCGTCAT TAAACCAAAG GAAATGGAAG CCATTCCCCT GTTGCTCTCC    5040
     TTAGTCTTGG TCATCAGAAC CTCACTTGGT ACCATATAGA TCAAAAGCTT TGTAACCACA    5100
     GGAAAAAATA AACTCTTCCA TCCCTTAAAG AATAGAAATA TTTGTCCCTC TCATGGGAAT    5160
     TGGGCTGTAT GTATATTGTT CTTCCTCCTT AGAATTTAGA GATACAAGAG TTCTACTTAG    5220
     AACTTTTCAT GGACACAATT TCCACAACCT TTCAGATGCT GATGTAGAGC TATTGGGAAA    5280
     GAACTTCCAA ACTCAGGAAG TTTGCAGAGA GCAGACAGCT AGAGATAACT CGGGACCCAG    5340
     AGTTGGTCGA CAGATGTTAG ATGTATCCTA GCTTTTAGCC ATAAACCACT CAAAGATTCA    5400
     GCCCCCAGAT CCCACAGTCA GAACTGAATC TGCGTTGTTG GGAAGCCAGC AGTGGCCTTG    5460
     GGAAGGAAGC CATGGCTGTG GTTCAGAGAG GGTGGGCTGG CAAGCCACTT CCGGGGAAAA    5520
     CTCCTTCCGC CCCAGGTTTC TTCTTCTCTT AAGGAGAGAT TGTTCTCACC AACCCGCTGC    5580
     CTTCATGCTG CCTTCAAAGC TAGATCATGT TTGCCTTGCT TAGAGAATTA CTGCAAATCA    5640
     GCCCCAGTGC TTGGCGATGC ATTTACAGAT TTCTAGGCCC TACGGGTTTT GTAGAGTGTG    5700
     AGCCCTGGTG GGCAGGGTTG GGGGGTCTGT CTTCTGCTGG ATGCTGCTTG TAATCCATTT    5760
     GGTGTACAGA ATCAACAATA AATAATATAC ATGTAT
```

Seq ID NO: 286 Protein sequence:
Protein Accession #: NP_570843.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MPLKHYLLLL VGCQAWGAGL AYHGCPSECT CSRASQVECT GARIVAVPTP LPWNAMSLQI    60
     LNTHITELNE SPFLNISALI ALRIEKNELS RITPGAFRNL GSLRYLSLAN NKLQVLPIGL   120
     FQGLDSLESL LLSSNQLLQI QPAHFSQCSN LKELQLHGNH LEYIPDGAPD HLVGLTKLNL   180
     GKNSLTHISP RVPQHLGNLQ VLRLYENRLT DIPMGTFDGL VNLQELALQQ NQIGLLSPGL   240
     FHNNHNLQRL YLSNNHISQL PPSIFMQLPQ LNRLTLFGNS LKELSLGIFG PMPNLRELWL   300
     YDNHISSLPD NVPSNLRQLQ VLILSRNQIS PISPGAFNGL TELRELSLHT NALQDLDGNV   360
     FRMLANLQNI SLQNNRLRQL PGNIFANVNG LMAIQLQNNQ LENLPLGIFD HLGKLCELRL   420
     YDNPWRCDSD ILPLRNWLLL NQPRLGTDTV PVCFSPANVR GQSLIIINVN VAVPSVHVPE   480
     VPSYPETPWY PDTPSYPDTT SVSSTTELTS PVEDYTDLTT IQVTDDRSVW GMTQAQSGLA   540
     IAAIVIGIVA LACSLAACVG CCCCKKRSQA VLMQMKAPNE C
```

Seq ID NO: 287 DNA sequence
Nucleic Acid Accession #: NM_002362
Coding sequence: 1..954

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     ATGTCTTCTG AGCAGAAGAG TCAGCACTGC AAGCCTGAGG AAGGCGTTGA GGCCCAAGAA    60
     GAGGCCCTGG GCCTGGTGGG TGCACAGGCT CCTACTACTG AGGAGCAGGA GGCTGCTGTC   120
     TCCTCCTCCT CTCCTCTGGT CCCTGGCACC CTGGAGGAAG TGCCTGCTGC TGAGTCAGCA   180
     GGTCCTCCCC AGAGTCCTCA GGGAGCCTCT GCCTTACCCA CTACCATCAG CTTCACTTGC   240
     TGGAGGCAAC CCAATGAGGG TTCCAGCAGC CAAGAAGAGG AGGGGCCAAG CACCTCGCCT   300
     GACGCAGAGT CCTTGTTCCG AGAAGCACTC AGTAACAAGG TGGATGAGTT GGCTCATTTT   360
     CTGCTCCGCA AGTATCGAGC CAAGGAGCTG GTCACAAAGG CAGAAATGCT GGAGAGAGTC   420
     ATCAAAAATT ACAAGCGCTG CTTTCCTGTG ATCTTCGGCA AAGCCTCCGA GTCCCTGAAG   480
     ATGATCTTTG GCATTGACGT GAAGGAAGTG GACCCCGCCA GCAACACCTA CACCCTTGTC   540
     ACCTGCCTGG GCCTTTCCTA TGATGGCCTG CTGGGTAATA ATCAGATCTT TCCCAAGACA   600
     GGCCTTCTGA TAATCGTCCT GGGCACAATT GCAATGGAGG GCGACAGCGC CTCTGAGGAG   660
     GAAATCTGGG AGGAGCTGGG TGTGATGGGG GTGTATGATG GGAGGGAGCA CACTGTCTAT   720
     GGGGAGCCCA GGAAACTGCT CACCCAAGAT TGGGTGCAGG AAAAACTACC TGGAGTACCG   780
     CAGGTACCCG GCAGTAATCC TGCGCGCTAT GAGTTCCTGT GGGGTCCAAG GGCTCTGGCT   840
     GAAACCAGCT ATGTGAAAGT CCTGGAGCAT GTGGTCAGGG TCAATGCAAG AGTTCGCATT   900
     GCCTACCCAT CCCTGCGTGA AGCAGCTTTG TTAGAGGAGG AAGAGGGAGT CTGA
```

Seq ID NO: 288 Protein sequence:
Protein Accession #: NP_002353.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MSSEQKSQHC KPEEGVEAQE EALGLVGAQA PTTEEQEAAV SSSSPLVPGT LEEVPAAESA    60
     GPPQSPQGAS ALPTTISFTC WRQPNEGSSS QEEEGPSTSP DAESLFREAL SNKVDELAHF   120
     LLRKYRAKEL VTKAEMLERV IKNYKRCFPV IPGKASESLK MIPGIDVKEV DPASNTYTLV   180
     TCLGLSYDGL LGNNQIFPKT GLLIIVLGTI AMEGDSASEE EIWEELGVMG VYDGREHTVY   240
     GEPRKLLTQD WVQENYLEYR QVPGSNPARY EFLWGPRALA ETSYVKVLEH VVRVNARVRI   300
     AYPSLREAAL LEEEEGV
```

Seq ID NO: 289 DNA sequence
Nucleic Acid Accession #: NM_002362
Coding sequence: 46..1344

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CGGCGGCCGC GCCCTGGTTG GGTCCCCACT GCTCTCGGGG GCGCCATGGA CGAGGCCGTG    60
     GGCGACCTGA AGCAGGCGCT TCCCTGTGTG GCCGAGTCGC CAACGGTCCA CGTGGAGGTG   120
     CATCAGCGCG GCAGCAGCAC TGCAAAGAAA GAAGACATAA ACCTGAGTGT TAGAAAGCTA   180
     CTCAACAGAC ATAATATTGT GTTTGGTGAT TACACATGGA CTGAGTTTGA TGAACCTTTT   240
     TTGACCAGAA ATGTGCAGTC TGTGTCTATT ATTGACACAG AATTAAAGGT TAAAGACTCA   300
     CAGCCCATCG ATTTGAGTGC ATGCACTGTT GCACTTCACA TTTTCCAGCT GAATGAAGAT   360
     GGCCCCAGCA GTGAAAATCT GGAGGAAGAG ACAGAAAACA TAATTGCAGC AAATCACTGG   420
     GTTCTACCTG CAGCTGAATT CCATGGGCTT TGGGACAGCT TGGTATACGA TGTGTGGAAGTC   480
     AAATCCCATC TCCTCGATTA TGTGATGACA ACTTTACTGT TTTCAGACAA GAACGTCAAC   540
```

```
        AGCAACCTCA TCACCTGGAA CCGGGTGGTG CTGCTCCACG GTCCTCCTGG CACTGGAAAA    600
        ACATCCCTGT GTAAAGCGTT AGCCCAGAAA TTGACAATTA GACTTTCAAG CAGGTACCGA    660
        TATGGCCAAT TAATTGAAAT AAACAGCCAC AGCCTCTTTT CTAAGTGGTT TTCGGAAAGT    720
   5    GGCAAGCTGG TAACCAAGAT GTTTCAGAAG ATTCAGGATT TGATTGATGA TAAAGACGCC    780
        CTGGTGTTCG TGCTGATTGA TGAGGTGGAG AGTCTCACAG CCGCCCGAAA TGCCTGCAGG    840
        GCGGGCACCG AGCCATCAGA TGCCATCCGC GTGGTCAATG CTGTCTTGAC CCAAATTGAT    900
        CAGATTAAAA GGCATTCCAA TGTTGTGATT CTGACCACTT CTAACATCAC CGAGAAGATC    960
        GACGTGGCCT TCGTGGACAG GGCTGACATC AAGCAGTACA TTGGGCCACC CTCTGCAGCA   1020
        GCCATCTTCA AAATCTACCT CTCTTGTTTG GAAGAACTGA TGAAGTGTCA GATCATATAC   1080
  10    CCTCGCCAGC AGCTGCTGAC CCTCCGAGAG CTAGAGATGA TTGGCTTCAT TGAAAACAAC   1140
        GTGTCAAAAT TGAGCCTTCT TTTGAATGAC ATTTCAAGGA AGAGCGAGGG CCTCAGCGGC   1200
        CGGGTCCTGA GAAAACTCCC CTTTCTGGCT CATGCGCTGT ATGTCCAGGC CCCCACCGTC   1260
        ACCATAGAGG GGTTCCTCCA GGCCCTGTCT CTGGCAGTGG ACAAGCAGTT TGAAGAGAGA   1320
  15    AAGAAGCTTG CAGCTTACAT CTGATCCTGG GCTTCCCCAT CTGGTGCTTT TCCCATGGAG   1380
        AACACACAAC CAGTAAGTGA GGTTGCCCCA CACAGCCGTC TCCCAGGGAA TCCCTTCTGC   1440
        AAACCAAACG TTACTTAGAC TGCAAGCTAG AAAGCCACCA AGGCCAGGCT TTGTTAAAAG   1500
        AAGTGTATTC TATTTATGTT GTTTTAAAAT GCATACTGAG AGACAAACAT CTTGTCATTT   1560
        TCACTGTTTG TAAAAGATAA TTCAGATTGT TTGTCTCCTT GTGAAGAACC ATCGAAACCT   1620
  20    GTTTGTTCCC AGCCCACCCC CAGTGGATGG GATGCATAAT GCCAGCAAGT TTTGTTTAAC   1680
        AGCAAAAAAG GAAGATTAAT GCAGGTGTTA TAGAAGCCAG AAGAGAAACT GTGTCACCCT   1740
        AAAGAAGCAT ATAATCATAG CATTAAAAAT GCACACATTA CTCCAGGTGG AAGGTGGCAA   1800
        TTGCTTTCTG ATATCAGCTC GTTTGATTTA GTGCAAAAAT GTTTTGACAA CTATTTAATG   1860
        GATGTAAAAA AGCCTATTTC TACATTATAC CAACTGAGAA AAAAATGGTC GGTAAAGTGT   1920
  25    TCTTTCATAA TAAATAATCA AGACATGGTC CCATTTGCAG GAAAAGTGCA GACTCTGAGT   1980
        GTTCCAGGGA AACACATGCT GGACATCCCT TGTAACCCGG TATGGCGCC CCTGCATTGC   2040
        TGGGATGTTT CTGCCCACGG TTTTGTTTGT GCAATAACGT TATCACATTT CTAATGAGGA   2100
        TTCACATTAA TATAATATAA AATAAATAGG TCAGTTACTG GTCTCTTTCT GCCGAATGTT   2160
        ATGTTTTGCT TTTATCTCAC AGTAAAATAA ATATAATTAA AAA                     
```

Seq ID NO: 290 Protein sequence:
Protein Accession #: NP_004228

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MDEAVGDLKQ ALPCVAESPT VHVEVHQRGS STAKKEDINL SVRKLLNRHN IVPGDYTWTE    60
        FDEPPFLTRNV QSVSIIDTEL KVKDSQPIDL SACTVALHIP QLNEDGPSSE NLEEETENII   120
        AANHWVLPAA EFHGLWDSLV YDVEVKSHLL DYVMTTLLFS DKNVNSNLIT WNRVVLLHGP   180
        PGTGKTSLCK ALAQKLTIRL SSRYRYGQLI EINSHSLPSK WFSESGKLVT KMFQKIQDLI   240
        DDKDALVFVL IDEVESLTAA RNACRAGTEP SDAIRVVNAV LTQIDQIKRH SNVVILTTSN   300
        ITEKIDVAFV DRADIKQYIG PPSAAAIFKI YLSCLEELMK CQIIYPRQQL LTLRELEMIG   360
        FIENNVSKLS LLLNDISRKS EGLSGRVLRK LPFLAHALYV QAPTVTIEGF LQALSLAVDK   420
        QFEERKKLAA YI
```

Seq ID NO: 291 DNA sequence
Nucleic Acid Accession #: NM_002658.1
Coding sequence: 77-1372

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GTCCCCGCAG CGCCGTCGCG CCCTCCTGCC GCAGGCCACC GAGGCCGCCG CCGTCTAGCG    60
        CCCCGACCTC GCCACCATGA GAGCCCTGCT GGCGCGGCCTG CTTCTCTGCG TCCTGGTCGT   120
        GAGCGACTCC AAAGGCAGCA ATGAACTTCA TCAAGTTCCA TCGAACTGTG ACTGTCTAAA   180
        TGGAGGAACA TGTGTGTCCA ACAAGTACTT CTCCAACATT CACTGGTGCA ACTGCCCAAA   240
        GAAATTCGGA GGGCAGCACT GTGAAATAGA TAAGTCAAAA ACCTGCTATG AGGGGAATGG   300
        TCACTTTTAC CGAGGAAAGG CCAGCACTGA CACCATGGGC CGGCCCCTGCC TGCCCTGGAA   360
        CTCTGCCACT GTCCTTCAGC AAACGTACCA TGCCCACAGA TCTGATGCTC TTCAGCTGGG   420
        CCTGGGGAAA CATAATTACT GCAGGAACCC AGACAACCGG AGGCGACCCT GGTGCTATGT   480
        GCAGGTGGGC CTAAAGCCGC TTGTCCAAGA GTGCATGGTG CATGACTGCG CAGATGGAAA   540
        AAAGCCCTCC TCTCCTCCAG AAGAATTAAA ATTTCAGTGT GGCCAAAAGA CTCTCGAGGCC   600
        CCGCTTTAAG ATTATTGGGG GAGAATTCAC CACCATCGAG AACCAGCCCT GGTTTGCGGC   660
        CATCTACAGG AGGCACCGGG GGGGCTCTGT CACCTACGTG TGTGGAGGCA GCCTCATCAG   720
        CCCCTTGCTGG GTGATCAGCG CCACACACTG CTTCATTGAT TACCCAAAGA AGGAGGACTA   780
        CATCGTCTAC CTGGGTCGCT CAAGGCTTAA CTCCAACACG CAAGGGGAGA TGAAGTTTGA   840
        GGTGGAAAAC CTCATCCTAC ACAAGGACTA CAGCGCTGAC ACGCTTGCTC ACCACAACGA   900
        CATTGCCTTG CTGAAGATCC GTTCCAAGGA GGGCAGGTGT GCGCAGCCAT CCCGGACTAT   960
        ACAGACCATC TGCCTGCCCT CGATGTATAA CGATCCCCAG TTTGGCACAA GCTGTGAGAT  1020
        CACTGGCTTT GGAAAAGAGA ATTCTACCGA CTATCTCTAT CCGGAGCAGC TGAAAATGAC  1080
        TGTTGTGAAG CTGATTTCCC ACCGGGAGTG TCAGCAGCCC CACTACTACG GCTCTGAAGT  1140
        CACCACCAAA ATGCTATGTG CTGCTGACCC CCAATGGAAA ACAGATTCCT GCCAGGGAGA  1200
  70    CTCAGGGGGA CCCCTCGTCT GTTCCCTCCA AGGCCGCATG ACTTTGACTG GAATTGTGGC  1260
        CTGGGGCCGT GGATGTGCCC TGAAGGACAA GCCAGGCGTC TACACGAGAG TCTCACACTT  1320
        CTTACCCTGG ATCCGCAGTC ACACCAAGGA AGAGAATGGC CTGGCCCTCT GAGGGTCCCC  1380
        AGGGAGGAAA CGGGCACCAC CCGCTTTCTT GCTGGTGTGC ATTTTTGCAG TAGAGTCATC  1440
  75    TCCATCAGCT GTAAGAAGAG ACTGGGAAGA TAGGCTCTGC CCTCACGGAT AGGCCTGGGT  1500
        CACCACCAGG GTGAACGACA ATAGCTTTAC CCTCACGGAT AGGCCTGGGT GCTGGCTGCC  1560
        CAGACCCTCT GGCCAGGATG GAGGGGTGGT CCTGACTCAA CATGTTACTG ACCAGCAACT  1620
        TGTCTTTTTC TGGACTGAAG CCTGCAGGAG TTAAAAAGGG CAGGGCATCT CCTGTGCATG  1680
        GGCTCGAAGG GAGAGCCAGC TCCCCCGACC GGTGGGCATT TGTGAGGCCC ATGGTTGAGA  1740
        AATGAATAAT TTCCCAATTA GGAAGTGTAA GCAGCTGAGG TCTCTTGAGG GAGCTTAGCC  1800
  80    AATGTGGGAG CAGCGGTTTG GGGAGCAGAG ACACTAACGA CTTCAGGGCA GGGCGTCGAT  1860
        ATTCCATGAA TGTATCAGGA AATATATATG TGTGTGTATG TTTGCACACT TGTTGTGTGG  1920
        GCTGTGAGTG TAAGTGTGAG TAAGAGCTGG TGTCTGATTG TTAAGTCTAA ATATTTCCTT  1980
        AAACTGTGTG GACTGTGATG CCACACAGAG TGGTCTTTCT GGAGAGGTTA TAGGTCACTC  2040
        CTGGGGCCTC TTGGGTCCCC CACGTGACAG TGCCTGGGAA TGTACTTATT CTGCAGCATG  2100
  85    ACCTGTGACC AGCACTGTCT CAGTTTCACT TTCACATAGA TGTCCCTTTC TTGGCCAGTT  2160
        ATCCCTTCCT TTTAGCCTAG TTCATCCAAT CCTCACTGGG TGGGGTGAGG ACCACTCCTT  2220
        ACACTGAATA TTTATATTTC ACTATTTTTA TTTATATTTT TGTAATTTTA AATAAAAGTG  2280
```

ATCAATAAAA TGTGATTTTT CTGA

Seq ID NO: 292 Protein sequence:
Protein Accession #:NP_002649.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MRALLARLLL CVLVVSDSKG SNELHQVPSN CDCLNGGTCV SNKYPSNIHW CNCPKKFGGQ   60
HCEIDKSKTC YEGNGHFYRG KASTDTMGRP CLPWNSATVL QQTYHAHRSD ALQLGLGKHN  120
YCRNPDNRRR PWCYVQVGLK PLVQECMVHD CADGKKPSSP PEELKFQCGQ KTLRPRFKII  180
GGEFTTIENQ PWFAAIYRRH RGGSVTYVCG GSLISPCWVI SATHCFIDYP KKEDYIVYLG  240
RSRLNSNTQG EMKFEVENLI LHKDYSADTL AHHNDIALLK IRSKEGRCAQ PSRTIQTICL  300
PSMYNDPQFG TSCEITGFGK ENSTDYLYPE QLKMTVVKLI SHRECQQPHY YGSEVTTKML  360
CAADPQWKTD SCQGDSGGPL VCSLQGRMTL TGIVSWGRGC ALKDKPGVYT RVSHFLPWIR  420
SHTKEENGLA L
```

Seq ID NO: 293 DNA sequence
Nucleic Acid Accession #: NM_001498
Coding sequence: 93..2006

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACGAGGC TGAGTGTCCG TCTCGCGCCC GGAAGCGGGC GACCGCCGTC AGCCCGGAGG    60
AGGAGGAGGA GGAGGAGGAG GAGGGGGCGG CCATGGGGCT GCTGTCCCAG GGCTCGCGC   120
TGAGCTGGGA GGAAACCAAG CGCCATGCCG ACCACGTGCG GCGGCACGGG ATCCTCCAGT   180
TCCTGCACAT CTACCACGCC GTCAAGGACC GGCACAAGGA CGTTCTCAAG TGGGGCGATG   240
AGGTGGAATA CATGTTGGTA TCTTTTGATC ATGAAAATAA AAAAGTCCGG TTGGTCCTGT   300
CTGGGGAGAA AGTTCTTGAA ACTCTGCAAG AGAAGGGGGA AAGGACAAAC CCAAACCATC   360
CTACCCTTTG GAGACCAGA TATGGGAGTT ACATGATTGA AGGGACACCA GGACAGCCCT   420
ACGGAGGAAC AATGTCCGAG TTCAATACAG TTGAGGCCAA CATGCGAAAA CGCCGGAAGG   480
AGGCTACTTC TATATTAGAA GAAAATCAGG CTCTTTGCAC AATAACTTCA TTTCCCAGAT   540
TAGGCTGTCC TGGGTTCACA CTGCCCGAGG TCAAACCCAA CCCAGTGGAA GGAGGAGCTT   600
CCAAGTCCCT CTTCTTTCCA GATGAAGCAA TAAACAAGCA CCCTCGCTTC AGTACCTTAA   660
CAAGAAATAT CCGACATAGG AGAGGAGAAA AGGTTGTCAT CAATGTACCA ATATTTAAGG   720
ACAAGAATAC ACCATCTCCA TTTATAGAAA CATTTACTGA GGATGATGAA GCTTCAAGGG   780
CTTCTAAGCC GGATCATATT TACATGGATG CCATGGGATT TGGAATGGGC AATTGCTGTC   840
TCCAGGTGAC ATTCCAAGCC TGCAGTATAT CTGAGGCCAG ATACCTTTAT GATCAGTTGG   900
CTACTATCTG TCCAATTGTT ATGGCTTTGA GTGCTGCATC TCCCTTTTAC CGAGGCTATG   960
TGTCAGACAT TGATTGTCGC TGGGGAGTGA TTTCTGCATC TGTAGATGAT AGAACTCGGG  1020
AGGAGCGAGG ACTGGAGCCA TTGAAGAACA ATAACTATAG GATCAGTAAA TCCCGATATG  1080
ACTCAATAGA CAGCTATTTA TCTAAGTGTG GTGAGAAATA TAATGACATC GACTTGACGA  1140
TAGATAAAGA GATCTACGAA CAGCTGTTGC AGGAAGGCAT TGATCATCTC CTGGCCCAGC  1200
ATGTTGCTCA TCTCTTTATT AGAGACCCAC TGACACTGTT TGAAGAGAAA ATACACCTGG  1260
ATGATGCTAA TGAGTCTGAC CATTTTGAGA ATATTCAGTC CACAAATTGG CAGACAATGA  1320
GATTTAAGCC CCCTCCTCCA AACTCAGACA TTGGATGGAG AGTAGAATTT CGACCCATGG  1380
AGGTGCAATT AACAGACTTT GAGAACTCTG CCTATGTGGT GTTTGTGGTA CTGCTCACCA  1440
GAGTCATCCT TTCCTACAAA TTGGATTTTC TCATTCCACT GTCAAAGGTT GATGAGAACA  1500
TGAAGGTAGC ACAGAAAAGA GATGCTGTCT TGCAGGGAAT GTTTTATTTC AGGAAAGATA  1560
TTTGCAAAGG TGGCAATGCA GTGGTGGATG GTTGTGGCAA GGCCCAGAAC AGCACGGAGC  1620
TCGCTGCAGA GGAGTACACC CTCATGAGCA TAGACACCAT CATCAATGGG AAGGAAGGTG  1680
TGTTTCCTGG ACTGATCCCA ATTCTGAACT CTTACCTTGA AAACATGGAA GTGGATGTGG  1740
ACACCAGATG TAGTATTCTG AACTACCTAA AGCTAATTAA GAAGAGAGCA TCTGGAGAAC  1800
TAATGACAGT TGCCAGATGG ATGAGGGAGT TTATCGCAAA CCATCCTGAC TACAAGCAAG  1860
ACAGTGTCAT AACTGATGAA ATGAATTATA GCCTTATTTT GAAGTGTAAC CAAATTGCAA  1920
ATGAATTATG TGAATGCCCA GAGTTACTTG GATCAGCATT TAGGAAAGTA AAATATAGTG  1980
GAAGTAAAAC TGACTCATCC AACTAGACAT TCTACAGAAA GAAAAATGCA TTATTGACGA  2040
ACTGGCTACA GTACCATGCC TCTCAGCCCG TGTGTATAAT ATGAAGACCA AATGATAGAA  2100
CTGTACTGTT TTCTGGGCCA GTGAGCCAGA AATTGATTAA GGCTTTCTTT GGTAGGTAAA  2160
TCTAGAGTTT ATACAGTGTA CATGTACATA GTAAAGTATT TTTGATTAAC AATGTATTTT  2220
AATAACATAT CTAAAGTCAT CATGAACTGG CTTGTACATT TTTAAATTCT TACTCTGGAA  2280
CAACCTACTG TCTAAGCAGT TTTGTAAATG TACTGGTAAT TGTACAATAC TTGCATTCCA  2340
GAGTTAAAAT GTTTACTGTA AATTTTTGTT CTTTTAAAGA CTACCTGGGA CCTGATTTAT  2400
TGAAATTTTT CTCTTTAAAA ACATTTTCTC TCGTTAATTT TCCTTTGTCA TTTCCTTTGT  2460
TGTCTACATT AAATCACTTG AATCCATTGA AAGTGCTTCA AGGGTAATCT TGGGTTTCTA  2520
GCACCTTATC TATGATGTTT CTTTTGCAAT TGGAATAATC ACTTGGTCAC CTTGCCCCAA  2580
GCTTTCCCCT CTGAATAAAT ACCCATTGAA CTCTGAAAAA AAAAAAAAA AAAA
```

Seq ID NO: 294 Protein sequence:
Protein Accession #: NP_001489

```
1          11         21         31         41         51
|          |          |          |          |          |
MGLLSQGSPL SWEETKRHAD HVRRHGILQF LHIYHAVKDR HKDVLKWGDE VEYMLVSFDH    60
ENKKVRLVLS GEKVLETLQE KGERTNPNHP TLWRPEYGSY MIEGTPGQPY GGTMSEFNTV   120
EANMRKRRKE ATSILEENQA LCTITSFPRL GCPGPTLPEV KPNPVEGGAS KSLFFPDEAI   180
NKHPRPSTLT RNIRHRRGEK VVINVPIFKD KNTPSPPIET FTEDDEASRA SKPDHIYMDA   240
MGFGMGNCCL QVTFQACSIS EARYLYDQLA TICPIVMALS AASPFYRGYV SDIDCRWGVI   300
SASVDDRTRE ERGLEPLKNN NYRISKSRYD SIDSYLSKCG EKYNDIDLTI DKEIYEQLLQ   360
EGIDHLLAQH VAHLFIRDPL TLFEEKIHLD DANESDHFEN IQSTNWQTMR FKPPPPNSDI   420
GWRVEFRPME VQLTDFENSA YVVFVVLLTR VILSYKLDFL IPLSKVDENM KVAQKRDAVL   480
QGMFYFRKDI CKGGNAVVDG CGKAQNSTEL AAEEYTLMSI DTIINGKEGV FPGLIPILNS   540
YLENMEVDVD TRCSILNYLK LIKKRASGEL MTVARWMREP IANHPDYKQD SVITDEMNYS   600
LILKCNQIAN ELCECPELLG SAFRKVKYSG SKTDSSN
```

296

Seq ID NO: 295 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-816

```
1          11         21         31         41         51
|          |          |          |          |          |
AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG    60
GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC   120
CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG   180
GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG   240
GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT   300
CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG   360
AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGA AAAGAAGCTT   420
ATGACAGGAC ATGCTATTCC ACCCAGCCAA TTGGATTCTC AGATTGATGA CTTCACTGGT   480
TTCAGCAAAG ATAGGATGAT GCAGAAACCT GGTAGCAATG CACCTGTGGG AGGAAACGTT   540
ACCAGCAGTT TCTCTGGAGA TGACCTAGAA TGCAGAGAAA CAGCCTCCTC TCCCAAAAGC   600
CAACGAGAAA TTAATGCTGA TATAAAACGT AAATTAGTGA AGGAACTCCG ATGCGTTGGA   660
CAAAAAATATG AAAAAAATCTT CGAAATGCTT GAAGGAGTGC AAGGACCTAC TGCAGTCAGG   720
AAGCGATTTT TTGAATCCAT CATCAAGGAA GCAGCAAGAT GTATGAGACG AGACTTTGTT   780
AAGCACCTTA AGAAGAAACT GAAACGTATG ATTTGAGAAT ACTTGTCCCT GGAGGATTAT   840
CACACCCCAA ATGCATAATC TCGTTAATGA TTGAGGAGAG AAAAGGATCA GATTGCTGTT   900
TTCTACAATG GAGCAGGATA TTGCTGAAGT CTCCTGGCAT ATGTTACCGA ATCAAATAGC   960
CTTCCAGAGG CTAAGAAATT TCTGTTAGTA AAAGATGTTC TTTTTCCCAA AGCATTTTAT  1020
TTGAAAGGAT AACTTGTGTT TTGGTTATTT TGTATTCCCA CCTGTGCTGG TAGATATTAT  1080
TAACCCATTA GGTAAATACT ATTACAGTCG TGGTTTCTGC A
```

Seq ID NO: 296 Protein sequence:
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKEKKLMT    60
GHAIPPSQLD SQIDDFTGPS KDRMMQKPGS NAPVGGNVTS SPSGDDLECR ETASSPKSQR   120
EINADIKRKL VKELRCVGQK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH   180
LKKKLKRMI
```

Seq ID NO: 297 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-815

```
1          11         21         31         41         51
|          |          |          |          |          |
AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG    60
GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC   120
CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG   180
GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG   240
GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT   300
CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG   360
AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGA AAAGAAGCTT   420
ATGACAGGAC ATGCTATTCC ACCCAGCCAA TTGGATTCTC AGATTGATGA CTTCACTGGT   480
TTCAGCAAAG ATAGGATGAT GCAGAAACCT GGTAGCAATG CACCTGTGGG AGGAAACGTT   540
ACCAGCAGTT TCTCTGGAGA TGACCTAGAA TGCAGAGAAA CAGCCTCCTC TCCCAAAAGC   600
CAACAAGAAA TTAATGCTGA TATAAAACGT AAATTAGTGA AGGAACTCCG ATGCGTTGGA   660
CAAAAAATATG AAAAAAATCTT CGAAATGCTT GAAGGAGTGC AAGGACCTAC TGCAGTCAGG   720
AAACGATTTT TTGAATCCAT CATCAAGGAA GCAGCAAGAT GTATGAGACG AGACTTTGTT   780
AAGCACCTTA AGAAGAAACT GAAACGTATG ATTTGAGAAT ACTTGTCCCT GGAGGATTAT   840
CACACCCCAA ATGCATAATC TCATTAATGA TTGAGGAGAG AAAAGGATCA GATTGCTGTT   900
TTCTACAATG GAGCAGGATA TTGCTGAAGT CTCCTGGCAT ATGTTACCGA ATCAACTGGC   960
CTTCCAGAGG CTAAGAAATT TCTGTTAGTA AAAGATGTTC TTTTTCCCAA AGCGTTTTAT  1020
TTGAAAGGAT AACTTGTGTT TTGGTTATTT TGTATTCCCA CCTGTGCTGG TAGATATTAT  1080
TAACCCATTA GGTAAATACT ATTACAGTCG TGGTTTCTGC A
```

Seq ID NO: 298 Protein sequence:
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKEKKLMT    60
GHAIPPSQLD SQIDDFTGPS KDRMMQKPGS NAPVGGNVTS SPSGDDLECR ETASSPKSQQ   120
EINADIKRKL VKELRCVGQK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH   180
LKKKLKRMI
```

Seq ID NO: 299 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-815

```
1          11         21         31         41         51
|          |          |          |          |          |
AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG    60
GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC   120
CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG   180
GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG   240
GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT   300
CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG   360
AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGC AAAGAGCTTA   420
TGACAGGACA TGCTATTCCA CCCAGCCAAT TGGATTCTCA GATTGATGAC TTCACTGGTT   480
```

```
        TCAGCAAAGA TAGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAACGTTA    540
        CCAGCAGTTT CTCTGGAGAT GACCTAGAAT GCAGAGAAAC AGCCTCCTCT CCCAAAAGCC    600
        AACAAGAAAT TAATGCTGAT ATAAAACGTA AATTAGTGAA GGAACTCCGA TGCGTTGGAC    660
        AAAAATATGA AAAAATCTTC GAAATGCTTG AAGGAGTGCA AGGACCTACT GCAGTCAGGA    720
5       AACGATTTTT TGAATCCATC ATCAAGGAAG CAGCAAGATG TATGAGACGA GACTTTGTTA    780
        AGCACCTTAA GAAGAAACTG AAACGTATGA TTTGAGAATA CTTGTCCCTG GAGGATTATC    840
        ACACCCCAAA TGCATAATCT CATTAATGAT TGAGGAGAGA AAAGGATCAG ATTGCTGTTT    900
        TCTACAATGG AGCAGGATAT TGCTGAAGTC TCCTGGCATA TGTTACCGAA TCAACTGGCC    960
        TTCCAGAGGC TAAGAAATTT CTGTTAGTAA AAGATGTTCT TTTTCCCAAA GCGTTTTATT   1020
10      TGAAAGGATA ACTTGTGTTT TGGTTATTTT GTATTCCCAC CTGTGCTGGT AGATATTATT   1080
        AACCCATTAG GTAAATACTA TTACAGTCGT GGTTTCTGCA
```

Seq ID NO: 300 Protein sequence:
Protein Accession #: Eos sequence

```
        1          11         21         31         41         51
        |          |          |          |          |          |
15      MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKAKKLMT    60
        GHAIPPSQLD SQIDDPTGPS KDRMMQKPGS NAPVGGNVTS SFSGDDLECR ETASSPKSQQ   120
        EINADIKRKL VKELRCVGQK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH   180
        LKKRLKRMI
```

Seq ID NO: 301 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-812

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG    60
30      GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC   120
        CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG   180
        GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG   240
        GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT   300
        CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG   360
35      AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGA AAAGAGCTTA   420
        TGACAGGACA TGCTATTCCA CCCAGCCAAT TGGATTCTCA GATTGATGAC TTCACTGGTT   480
        TCAGCAAAGA TGGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAATGTTA   540
        CCAGCAATTT CTCTGGAGAT GACCTAGAAT GCAGAGGAAT AGCCTCCTCT CCCAAAAGCC   600
        AACAAGAAAT TAATGCTGAT ATAAAATGTC AAGTAGTGAA GGAAATCCGA TGCCTTGGAC   660
40      AATATGAAAA AATCTTCGAA ATGCTTGAAG GAGTGCAAGG ACCTACTGCA GTCAGGAAAC   720
        GATTTTTTGA ATCCATCATC AAGGAAGCAG CAAGATGTAT GCGTTAAGC   780
        ACCTTAAGAA GAAACTGAAA CGTATGATTT GAGAATACTT GTCCCTGGAG GATTATCACA   840
        CCCCAAATGC ATAATCTCAT TAATGATTGA GGAGAGAAAA GGATCAGATT GCTGTTTTCT   900
        ACAATGGAGC AGGATATTGC TGAAGTCTCC TGGCATATGT TACCGAATCA ACTGGCCTTC   960
45      CAGAGGCTAA GAAATTTCTG TTAGTAAAAG ATGTTCTTTT TCCCAAAGCG TTTTATTTGA   1020
        AAGGATAACT TGTGTTTTGG TTATTTTGTA TTCCCACCTG TGCTGGTAGA TATTATTAAC   1080
        CCATTAGGTA AATACTATTA CAGTCGTGGT TTCTGCA
```

Seq ID NO: 302 Protein sequence:
Protein Accession #: Eos sequence

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKEKKLMT    60
55      GHAIPPSQLD SQIDDPTGPS KDGMMQKPGS NAPVGGNVTS NFSGDDLECR GIASSPKSQQ   120
        EINADIKCQV VKEIRCLGQY EKIFEMLEGV QGPTAVRKRF FESIIKEAAR CMRRDFVKHL   180
        KKKLKRMI
```

Seq ID NO: 303 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-815

```
        1          11         21         31         41         51
        |          |          |          |          |          |
65      AGTGTTCGGC TGGGACAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTTCC ATCCCCCTTG    60
        GGCCAAACAG GATCGGTGCT TCTGGTGAGA CGTCTCCCCA TGCACATCAC TCCCAGATGC   120
        CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG   180
        GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG   240
        GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT   300
70      CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG   360
        AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGC AAAGAGCTTA   420
        TGACAGGACA TGCTATTCCA CCCAGCCAAT TGGATTCTCA GATTGATGAC TTCACTGGTT   480
        TCAGCAAAGA TAGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAACGTTA   540
        CCAGCAGTTT CTCTGGAGAT GACCTAGAAT GCAGAGAAAC AGCCTCCTCT CCCAAAAGCC   600
75      AACAAGAAAT TAATGCTGAT ATAAAACGTA AATTAGTGAA GGAACTCCGA TGCGTTGGAC   660
        AAAAATATGA AAAAATCTTC GAAATGCTTG AAGGAGTGCA AGGACCTACT GCAGTCAGGA   720
        AACGATTTTT TGAATCCATC ATCAAGGAAG CAGCAAGATG TATGAGACGA GACTTTGTTA   780
        AGCACCTTAA GAAGAAACTG AAACGTATGA TTTGAGAATA CTTGTCCCTG GAGGATTATC   840
        ACACCCCAAA TGCATAATCT CGTTAATGAT TGAGGAGAGA AAAGGATCAG ATTGCTGTTT   900
80      TCTACAATGG AGCAGGATAT TGCTGAAGTC TCCTGGCATA TGTTACCGAA TCAACTGGCC   960
        TTCCAGAGGC TAAGAAATTT CTGTTAGTAA AAGATGTTCT TTTTCCCAAA GCGTTTTATT  1020
        TGAAAGGATA ACTTGTGTTT TGGTTATTTT GTATTCCCAC CTGTGCTGGT AGATATTATT  1080
        AACCCATTAG GTAAATACTA TTACAGTCGT GGTTTCTGCA
```

85   Seq ID NO: 304 Protein sequence:
        Protein Accession #: Eos sequence

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKAKKLMT   60
         GHAIPPSQLD SQIDDFTGPS KDRMMQKPGS NAPVGGNVTS SFSGDDLECR ETASSPKSQQ  120
5        EINADIKRKL VKELRCVGQK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH  180
         LKKKLKRMI
```

Seq ID NO: 305 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 87-689

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         CGTGGAGGCA GCTAGCGCGA GGCTGGGGAG CGCTGAGCCG CGCGTCGTGC CCTGCGCTGC   60
         CCAGACTAGC GAACAATACA GTCAGGATGG CTAAAGGTGA CCCCAAGAAA CCAAAGGGCA  120
         AGATGTCCGC TTATGCCTTC TTTGTGCAGA CATGCAGAGA AGAACATAAG AAGAAAAACC  180
         CAGAGGTCCC TGTCAATTTT GCGGAATTTT CCAAGAAGTG CTCTGAGAGG TGGAAGACGA  240
         TGTCCGGGAA AGAGAAATCT AAATTTGATG AAATGGCAAA GGCAGATAAA GTGCGCTATG  300
         ATCGGGAAAT GAAGGATTAT GGACCAGCTA AGGGAGGCAA GAAGAAGGAC GATCCTAATG  360
         CTCCCAAAAG GCCACCGTCT GGATTCTTCC TGTTCTGTTC AGAATTCCGC CCCAAGATCA  420
         AATCCACAAA CCCCGGCATC TCTATTGGAG ACGTGGCAAA AAAGCTGGGT GAGATGTGGA  480
         ATAATTTAAA TGACAGTGAA AAGCAGCCTT ACATCACTAA GGCGGCAAAG CTGAAGGAGA  540
         AGTATGAGAA GGATGTTGCT GACTATAAGT CGAAAGGAAA GTTTGATGGT GCAAAGGGTC  600
         CTGCTAAAGT TGCCCGGAAA AAGGTGGAAG AGGAAGATGA AGAAGAGGAG GAGGAAGAAG  660
         AGGAGGAGGA GGAGGAGGAG GATGAATAAA GAAACTGTTT ATCTGTCTCC TTGTGAATAC  720
         TTAGAGTAGG GGAGCGCCGT AATTGACACA TCTCTTATTT GAGAAGTGTC TGTTGCCCTC  780
         ATTAGGTTTA ATTACAAAAT TTGATCACGA TCATATTGTA GTCTCTCAAA GTGCTCTAGA  840
         AATTGTCAGT GGTTTACATG AAGTGGCCAT GGGTGTCTGG AGCACCCTGA AACTGTATCA  900
         AAGTTGTACA TATTTCCAAA CATTTTTAAA ATGAAAAGGC ACTCTGTGTT TCTCCTCACT  960
         CTGTGCACTT TGCTCGTTGGT GTGACAAGGC ATTTAAAGAT GTTTCTGGCA TTTTTCTTTTT 1020
         ATTTGTAAGG TGGTGGTAAC TATGGTTATT GGCTAGAAAT CCTGAGTTTT CAACTGTATA 1080
         TATCTATAGT TTGTAAAAAG AACAAAACAA CCGAGACAAA CCCTTGATGC TCCTTGCTCG 1140
         GCGTTGAGGC TGTGGGGAAG ATGCCTTTTG GGAGAGGCTG TAGCTCAGGG CGTGCACTGT 1200
         GAGGCTGGAC CTGTTGACTC TGCAGGGGGC ATCCATTTAG CTTCAGGTTG TCTTGTTTCT 1260
         GTATATAGTG ACATAGCATT CTGCTGCCAT CTTAGCTGTG GACAAAGGGG GGTCAGCTGG 1320
         CATGAGAATA TTTTTTTTTT TAAGTGCGGT AGTTTTTAAA CTGTTTGTTT TTAAACAAAC 1380
         TATAGAACTC TTCATTGTCA GCAAAGCAAA GAGTCACTGC ATCAATGAAA GTTCAAGAAC 1440
         CTCCTGTACT TAAACACGAT TCGCAACGTT CTGTTATTTT TTTTGTATGT TTAGAATGCT 1500
         GAAATGTTTT TGAAGTTAAA TAAACAGTAT TACATTTTTA AAATCTTTCT CTATTATAAC 1560
         AGTCAATTTC TGACTCACAG CAGTGAACAA ACCCCCACTG CATTGTATTT GGAGACTGGC 1620
         CTCCCTATAA ATGTGGTAGC TTCTTTTATT ACTCAGTGGC CAGCTCACTT AGGGCTGAGA 1680
         TGAAGGAGAG GGCTACTTGA AGCTACTGTG TGATTTTGTT TGTGTCTGAG TGGCATTCAG 1740
         ATGAAGTCTG GAGGAGTTAG GAGAACGACA TAGGCAAGGT TCAGCAGCCT TCCAAGGTAT 1800
         AGGAAGGTGG GTGATTAGGA CTGAGGCTAT CTAGGTTTAA CTTTTGTCCC ACCTCCACCC 1860
         CCTATTTTGT GGGGCCAAAT GCATTGCTAA ACAGCAATTT CAGAGTGTAT GGTGTGTCAA 1920
         AAATTAAGGC CTTATTGTTT TTCTCTTTCA CCCCTACCCC CCGTGCTCCT GGCACATATC 1980
         ACATTATTTG TGGTGCCCAA CATTTGGGGT CTTGAGCCTG CTGCTGGTCT CCTGGATGCC 2040
         AGTGAGGGTA TGTGGGATGG GGTGGTGGGG TAGGGGACGG TATCCTTTTT TTGCTCCTAC 2100
         TTGGAAACAC CAAACACCCC AAGGAAGATG ATAGGCTCCA TCTTGGGCCA CCTGAGCTAT 2160
         AGGGCAGGCT AATGGAATCA ACCATTTCTG AGCACTAAAT GTATCATGAA AAGTTGAATG 2220
         GCCTGCTCAT AAGTTTAGCT CATTCACTGG AAATGTAGAT TGATGTTCAA TGTTAAACTG 2280
         GAAGGAGCTT GGTTTGTGTG TCAGTGGTTA TATTAGTGGG TAGTGTAACA TTTTATCCAG 2340
         GTTGGGGTGA GGGGAGATGG CCACAGTAGC AAGTGGTGAC ACTAAATACC ATTTTGAAGG 2400
         CTGATGTGTA TATACATCAT TACTGTCCGT AGCAATGAAG GATACAGTAC TGTGTTGTGG 2460
         GTGAGTGTTG CTATTGCCCA GCATTAATAT TTGGGTGTGT ATGTTTGAGG CTATGAAACA 2520
         CGCAGGAGTG TTTTTGTGCT ATTAATTTTA AGAGAAAGCA GCTTTTTCTT AAAATTCACT 2580
         GTTGAGAAAC TTGCATGTCT GGAGGCGGTG TCCTCTCCGC CCTGTCGGGT CCTGGATGAG 2640
         TACGAGTTAT GGTCACGGTC ACAGCCTGAT CTCTTATGTG TTCATAGCCA TTCGCTCTCG 2700
         CATCAGAACT GTTTGTCCTG AATGTGTTCC TCTAGTTCTA GAAAATGACC ACTAATTTAA 2760
         AAAACTCGGT TGTGAGGTTT GCCCAGAGGC ACTTGTTCCA GAATTTCCCC TCCTGCTTCA 2820
         GCCATGTCCT TGTCACTTGG CATTCTAAGC TAAAGCTTTA GCTTCCCAAT TCGTGATGTG 2880
         CTAGGCCAAG ATTCGGGAGC TGTTGCCAGC CTCGTCAAAT ATGGAAGAGA AACAACCTGC 2940
         GGTCAAAAGG GAGTGATTTG TTAAGTGGTG CGCGTCTATC TCATAACTAG ATGTACCAAC 3000
         CAGGGAAGGG CCAAGGATGG AAAAGGGGTAA CTTTTGTGCT TCCAAAGTAG CTAAGCAGAA 3060
         GTGGGGGAGC AGTTTAGCCA GATGATCTTT GATTAGGCAA ACATTGAGTT TTAAAGAGGC 3120
         TGTCAAGTTG AGGCCACTTG GTCCATTAGC TGGGGCAGCA AGATCACTAC TCAACGTTTT 3180
         CACACTGTGG CAAGATTGCT CTTCTAGTGG AATAATGCCC TAGTTTCTCT GAGATGATGT 3240
         AAGTGGCATG ATGTTACCTA AGGCTTAGGC TTAGCTTGAT TTCTGGGCCC ACTGTCTGTG 3300
         TTCTTAAGAT GCCAACCTGT TGCTTTTTTT TTTTTTTTCC CCCATTTAAA AGGATAGTAC 3360
         CTACTCCCTC TAACCACCTC ACCCCATTCT TGAATGACAT TTTATCCTTC GGAAAGAACA 3420
         AGGCTGTGAT GTAGTGACTA TTGTCTGTGT CTCCTGTGTG TGTCTGTTCT TGTCACAAAT 3480
         GTATTTGGGG ACGTTGGATG CATTCATTTT CTGTAATAAA G
```

Seq ID NO: 306 Protein sequence:
Protein Accession #: NP_005333.1

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         MAKGDPKKPK GKMSAYAFFV QTCREEHKKK NPEVPVNFAE FSKKCSERWK TMSGKEKSKF   60
         DEMAKADKVR YDREMKDYGP AKGGKKKKDP NAPKRPPSGF FLFCSEFRPK IKSTNPGISI  120
         GDVAKKLGEM WNNLNDSEKQ PYITKAAKLK EKYEKDVADY KSKGKFDGAK GPAKVARKKV  180
         EEDEEEEEE EEEEEEEDE
```

Seq ID NO: 307 DNA sequence
Nucleic Acid Accession #: NM_022342
Coding sequence: 1..2178

```
     1          11         21         31         41         51
     |          |          |          |          |          |
 5   ATGGGTACTA GGAAAAAAGT TCATGCATTT GTCCGTGTCA AACCCACCGA TGACTTTGCT    60
     CATGAAATGA TCAGATACGG AGATGACAAA AGAAGCATTG ATATTCACTT AAAAAAAGAC   120
     ATTCGGAGAG GAGTTGTCAA TAACCAACAG ACAGACTGGT CGTTTAAGTT GGATGGAGTT   180
     TTCACGATG CCTCCCAGGA CTTGGTTTAT GAGACAGTTG CAAAGGATGT GGTTTCTCAG     240
     CCCTCGATG GCTATAATGG CACCATCATG TGTTATGGGC AGACGGGAGC TGGCAAGACA      300
10   ACACCATGA TGGGGGCAAC TGAGAATTAC AAGCACCGGG CGATCCTCCC TCGTGCCCTG      360
     AGCAGGTTT TTAGGATGAT CGAAGAACGC CCCACACATG CCATCACTGT GCGTGTTTCC      420
     ACTTGGAAA TCTATAATGA GAGCCTGTTT GATCTCCTGT CCACTCTGCC CTATGTTGGA      480
     CCTCAGTCA CACCAATGAC CATCGTGAAA AACCCTCAAG GAGTCTTCAT TAAGGGCTTG      540
     CAGTTCACC TCACAAGTCA GGAGGAGGAT GCATTCAGCC TCCTTTTTGA GGGTGAGACC      600
15   ACAGGATTA TAGCCTCCCA CACTATGAAC AAAAACTCTT CCAGATCACA CTGCATTTTC      660
     CCATCTACT TAGAGGCCCA TTCCCGGACC TTATCAGAGG AAAAGTACAT CACTTCCAAA      720
     TTAACTTGG TGGATCTGGC AGGCTCAGAG AGGCTGGGGA AGTCTGGGTC TGAGGGCCAA      780
     TCCTGAAGG AAGCCACCTA CATCAACAAA TGGCTCTCAT TCCTGGAGCA GGCCATCATT      840
     CCCTTGGGG ACCAGAAGCG GGACCACATC CCCTTTCGGC AGTGCAAGCT CACCCACGCT      900
20   TGAAGGACT CGTTAGGGGG AAACTGCAAT ATGGTCCTCG TGACAAACAT CTATGGAGAA      960
     CTGCCCAGT TAGAAGAAAC GCTATCTTCA CTGAGATTTG CCAGCAGGAT GAAGCTAGTC    1020
     CCACTGAGC CTGCCATCAA TGAAAAGTAT GATGCTGAGA GAATGGTCAA GAACCTGGAG    1080
     AGGAACTAG CACTACTCAA GCAGGAGCTG GCTATCCATG ACAGCCTGAC CAACCGCACC    1140
     TTGTGACCT ATGACCCCAT GGATGAAATC CAGATTGCTG AGATCAACTC CCAGGTGCGG    1200
25   GGTACCTGG AGGGGACACT GGACGAGATC GACATAATCA GCCTTAGACA GATCAAGGAG    1260
     TGTTCAACC AGTTCCGGGT GGTTCTGAGC CAACAGGAAC AGGAAGTGGA GTCCACTTTG    1320
     GCAGGAAGT ACACCCTCAT TGACAGGAAT GACTTTGCAG CCATTTCTGC TATCCAGAAG    1380
     CGGGGCTTG TGGATGTTGA TGGCCACCTA GTGGGTGAGC CTGAAGGACA AAACTTTGGA    1440
     TCGGAGTCG CCCCTTTCTC TACCAAACCT GGGAAGAAAG CCAAGTCCAA GAAGACATTC    1500
30   AAGAGCCAC TCAGGCCCGA CACCCCACCT TCCAACCAGG TGGCCTTTGA GGAGTTTAAG    1560
     ATGAGCAAG GTAGTGAGAT CAACCGAATT TTCAAAGAAA ACAAATCCAT CTTGAATGAA    1620
     GGAGGAAAA GGGCCAGCGA GACCACACAG CACATCAATG CCATCAAGCG GGAGATTGAT    1680
     TGACCAAGG AGGCCCTGAA TTTCCAGAAG TCACTACGGG AGAAGCAAGG CAAGTACGAA    1740
     ACAAGGGGC TGATGATCAT CGATGAGGAA GAATTCCTGC TGATCCTCAA GCTCAAAGAC    1800
35   TCAAGAAGC AGTACCGCAG CGAGTACCAG GACCTGCGTG ACCTCAGGGC TGAGATCCAG    1860
     ATTGCCAGC ACCTAGTGGA TCAGTGTCGC CACCGCCTGC TCATGGAATT TGACATCTGG    1920
     ACAATGAGT CCTTTGTCAT CCCTGAGGAC ATGCAGATGG CACTGAAGCC AGGCGGCAGC    1980
     TCCGGCCAG GCATGGTCCC TGTGAACAGG ATTGTGTCTC TGGGAGAAGA TGACCAGGAC    2040
     AATTCAGCC AGCTGCAGCA GAGGGTGCTT CCTGAGGGCC CTGATTCCAT CTCCTTCTAC    2100
     ATGCCAAAG TCAAGATAGA GCAGAAGCAT AATTACTTGA AAACCATGAT GGGCCTCCAG    2160
40   AGGCACATA GAAAAATAG
```

Seq ID NO: 308 Protein sequence:
Protein Accession #: NP_071737

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MGTRKKVHAF VRVKPTDDPA HEMIRYGDDK RSIDIHLKKD IRRGVVNNQQ TDWSFKLDGV    60
     LHDASQDLVY ETVAKDVVSQ ALDGYNGTIM CYGQTGAGKT YTMMGATENY KHRGILPRAL   120
     QQVFRMIEER PTHAITVRVS YLEIYNESLF DLLSTLPYVG PSVTPMTIVE NPQGVFIKGL   180
50   SVHLTSQEED APSLLFEGET NRIIASHTMN KNSSRSHCIF TIYLEAHSRT LSEEKYIITSK  240
     INLVDLAGSE RLGKSGSEGQ VLKEATYINK SLSFLEQAII ALGDQKRDHI PFRQCKLTHA   300
     LKDSLGGNCN MVLVTNIYGE AAQLEETLSS LRFASRMKLV TTEPAINEKY DAERMVKNLE   360
     KELALLKQEL AIHDSLTNRT FVTYDPMDEI QIAEINSQVR RYLEGTLDEI DIISLRQIKE   420
55   VFNQFRVVLS QQEQEVESTL RRKYTLIDRN DPAAISAIQK AGLVDVDGHL VGEPEGQNFG   480
     LGVAPFSTKP GKKAKSKKTF KEPLRPDTPP SKPVAFEEFK NEQGSEINRI FKENKSILNE   540
     RRKRASETTQ HINAIKREID VTKEALNFQK SLREKQGKYE NKGLMIIDEE EFLLILKLKD   600
     LKKQYRSEYQ DLRDLRAEIQ YCQHLVDQCR HRLLMEFDIW YNESFVIPED MQMALKPGGS   660
     IRPGMVPVNR IVSLGEDDQD KFSQLQQRVL PEGPDSISFY NAKVKIEQKH NYLKTMMGLQ   720
     QAHRK
```

Seq ID NO: 309 DNA sequence
Nucleic Acid Accession #: CAT cluster

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     TTTTTTTTT TTTTTTTAA TGCCTGCTGT CATGCTCTGT CTACCAGGGT GAATTTCCAA     60
     AAATTTCTGC ATAGCAATTT TAGCCAAAAC TATATATGTT CTGGGGAGGA TAGGCATAGG   120
     CACATTGAAG ACCAAAGCAA AGAGTGAAGA AGTGTAGTTG GGTCATTGTG AATGGATGTT   180
     TAGATTGTCA AGAAAAGTGG GCCAGAGGCC CCACCTCACA CTAGGACGGC AATTGCCTCT   240
70   CATTAGTATC TCAGGCACCA TGGGTCTTAT TTGGTGTCAT AAGAAACACC CTCAACAAAG   300
     TAATGAACCC TCAGCCTCCA GCTTCTCTTC TTCGGGATTC TTCTTAGGGC CTCCTTTTTC   360
     CTTTTATGTT TCCAGTACCC TGAATTTCTT ATTCCCATCC CCCATTAAAA TCTGCTTCAA   420
     AGAAAAAACA AGAAGGACAC ATTCACTTTA AGATCCAAAT GAATGATAAG AGCTTAAAAC   480
     ATTATACTTA TCAGTATTAT TTGCATTTTT ATAGAAACCA AAACCATATT TCAACAAC
```

Seq ID NO: 310 DNA sequence
Nucleic Acid Accession #: NM_018622.2
Coding sequence: 1-1140

```
     1          11         21         31         41         51
     |          |          |          |          |          |
80   ATGGCGTGGC GAGGCTGGGC GCAGAGAGGC TGGGGCTGCG GCCAGGCGTG GGGTGCGTCG    60
     GTGGCCGGCC GCAGCTGCGA GGAGCTCACT GCGGTCCTAA CCCCGCCGCA GCTCCTCGGA   120
     CGCAGGTTTA ACTTCTTTAT TCAACAAAAA TGCGGATTCA GAAAAGCACC CAGGAAGGTT   180
     GAACCTCGAA GATCAGACCC AGGGACAAGT GGTGAAGCAT ACAAGAGAGT TGCTTTGATT   240
85   CCTCCTGTGG AAGAAACAGT CTTTTATCCT TCTCCCTATC CTATAAGGAG TCTCATAAAA   300
     CCTTTATTTT TTACTGTTGG GTTTACAGGC TGTGCATTTG GATCAGCTGC TATTTGGCAA   360
```

```
        TATGAATCAC TGAAATCCAG GGTCCAGAGT TATTTTGATG GTATAAAAGC TGATTGGTTG    420
        GATAGCATAA GACCACAAAA AGAAGGAGAC TTCAGAAAGG AGATTAACAA GTGGTGGAAT    480
        AACCTAAGTG ATGGCCAGCG GACTGTGACA GGTATTATAG CTGCAAATGT CCTTGTATTC    540
        TGTTTATGGA GAGTACCTTC TCTGCAGCGG ACAATGATCA GATATTTCAC ATCGAATCCA    600
5       GCCTCAAAGG TCCTTTGTTC TCCAATGTTG CTGTCAACAT TCAGTCACTT CTCCTTATTT    660
        CACATGGCAG CAAATATGTA TGTTTTGTGG AGCTTCTCTT CCAGCATAGT GAACATTCTG    720
        GGTCAAGAGC AGTTCATGGC AGTGTACCTA TCTGCAGGTG TTATTTCCAA TTTTGTCAGT    780
        TACCTGGGTA AAGTTGCCAC AGGAAGATAT GGACCATCAC TTGGTGCATC TGGTGCCATC    840
        ATGACAGTCC TCGCAGCTGT CTGCACTAAG ATCCCAGAAG GGAGGCTTGC CATTATTTTC    900
10      CTTCCGATGT TCACGTTCAC AGCAGGGAAT GCCCTGAAAG CCATTATCGC CATGGATACA    960
        GCAGGAATGA TCCTGGGATG GAAATTTTTT GATCATGCGG CACATCTTGG GGGAGCTCTT   1020
        TTTGGAATAT GGTATGTTAC TTACGGTCAT GAACTGATTT GGAAGAACAG GGAGCCGCTA   1080
        GTGAAAATCT GGCATGAAAT AAGGACTAAT GGCCCCAAAA AAGGAGGTGG CTCTAAGTAA
```

15

```
Seq ID NO: 311 Protein sequence:
Protein Accession #: NP_061092.2
```

20

```
        1         11        21        31        41        51
        |         |         |         |         |         |
        MAWRGWAQRG WGCGQAWGAS VGGRSCEELT AVLTPPQLLG RRPNFPIQQK CGFRKAPRKV    60
        EPRRSDPGTS GEAYKRSALI PPVEETVPYP SPYPIRSLIK PLPFTVGFTG CAFGSAAIWQ   120
        YESLKSRVQS YFDGIKADWL DSIRPQKEGD FRKEINKWWN NLSDGQRTVT GIIAANVLVP   180
25      CLWRVPSLQR TMIRYFTSNP ASKVLCSPML LSTFSHFSLF HMAANMYVLW SPSSSIVNIL   240
        GQEQFMAVYL SAGVISNFVS YLGKVATGRY GPSLGASGAI MTVLAAVCTK IPEGRLAIIF   300
        LPMFTFPTAGN ALKAIIAMDT AGMILGWKFP DHAAHLGGAL FGIWYVTYGH ELIWKNREPL   360
        VKIWHEIRTN GPKKGGGSK
```

30

```
Seq ID NO: 312 DNA sequence
Nucleic Acid Accession #: NM_000625
Coding sequence: 195..3656
```

35

```
        1         11        21      . 31        41        51
        |         |         |         |         |         |
        CTCTCGGCCA CCTTTGATGA GGGGACTGGG CAGTTCTAGA CAGTCCCGAA GTTCTCAAGG    60
        CACAGGTCTC TTCCTGGTTT GACTGTCCTT ACCCCGGGGA GGCAGTGCAG CCAGCTGCAA   120
        GCCCCACAGT GAAGAACATC TGAGCTCAAA TCCAGATAAG TGACATAAGT GACCTGCTTT   180
        GTAAAGCCAT AGAGATGGCC TGTCCTTGGA AATTTCTGTT CAAGACCAAA TTCCACCAGT   240
40      ATGCAATGAA TGGGGAAAAA GGCATCAACA ACAATGTGGA GAAAGCCCCC TGTGCCACCT   300
        CCAGTCCAGT GACACAGGAT GACCTTCAGT ATCACAACCT CAGCAAGCAG CAGAATGAGT   360
        CCCCGCAGCC CCTCGTGGAG ACGGGAAAGA AGTCTCCAGA ATCTCTGGTC AAGCTGGATG   420
        CAACCCCATT GTCCTCCCCA CGGCATGTGA GGATCAAAAA CTGGGGCAGC GGGATGACTT   480
        TCCAAGACAC ACTTCACCAT AAGGCCAAAG GGATTTTAAC TTGCAGGTCC AAATCTTGCC   540
45      TGGGGTCCAT TATGACTCCC AAAAGTTTGA CCAGAGGACC CAGGGACAAG CCTACCCCTC   600
        CAGATGAGCT TCTACCTCAA GCTATCGAAT TTGTCAACCA ATATTACGGC TCCCTCAAAG   660
        AGGCAAAAAT AGAGGAACAT CTGGCCAGGG TGGAAGCGGT AACAAAGGAG ATAGAAACAA   720
        CAGTAACCTA CCAACTGACG GGAGATGAGC TCATCTTCGC CACCAAGCAG GCCTGGCGCA   780
        ATGCCCCACG CTGCATTGGG AGGATCCAGT GGTCCAACCT GCAGGTCTTC GATGCCCGCA   840
50      GCTGTTCCAC TGCCCGGGAA ATGTTTGAAC ACATCTGCAG ACACGTGCGT TACTCCACCA   900
        ACAATGGCAA CATCAGGTCG GCCATCACCG TGTTCCCCCA GCGGAGTGAT GGCAAGCACG   960
        ACTTCCGGGT GTGGAATGCT CAGCTCATCG GCTATGCTGG CTACCAGATG CCAGATGGCA  1020
        GCATCAGAGG GGACCCTGCC AACGTGGAAT TCACTCAGCT GTGCATCGAC CTGGGCTGGA  1080
        AGCCCAAGTA CGGCCGCTTC GATGTGGTCC CCCTGGTCCT GCAGGCCAAT GGCCGTGACC  1140
55      CTGAGCTCTT CGAAATCCAG CCTGACCTTG TGCTTGAGGT GGCCATGGAA CATCCCAAAT  1200
        ACGAGTGGTT TCGGGAACTG GAGCTAAAGT GGTACGCCCT GCCTGCAGTG GCCAACATGC  1260
        TGCTTGAGGT GGGCGGCCTG GAGTTCCCAG GGTGCCCCTT CAATGGCTGG TACATGGGCA  1320
        CAGAGATCGG AGTCCGGGAC TTCTGTGATG TCCAGCGCTA CAACATCCTG GAGGAAGTGG  1380
        GCAGGAGAAT GGGCCTGGAA ACGCACAAGC TGGCCTCGCT CTGGAAAGAC CAGGCTGTCG  1440
60      TTGAGATCAA CATTGCTGTG CTCCATAGTT TCCAGAAGCA GAATGTGACC ATCATGGACC  1500
        ACCACTCGGC TGCAGAATCC TTCATGAAGT ACATGCAGAA TGAATACCGG TCCCGTGGGG  1560
        GCTGCCCGGC AGACTGGATT TGGCTGGTCC CTCCCATGTC TGGGAGCATC ACCCCCGTGT  1620
        TTCACCAGGA GATGCTGAAC TACGTCCTGT CCCCTTTCTA CTACTATCAG GTAGAGGCCT  1680
        GGAAAACCCA TGTCTGGCAG GACGAGAAGC GGAGACCCAA GAGAAGGAGA ATTCCATTGA  1740
65      AAGTCTTGGT CAAAGCTGTG CTCTTTGCCT GTATGCTGAT GCGCAAGACA ATGGCGTCCC  1800
        GAGTCAGAGT CACCATCCTC TTTGCGCACG AGACAGGAAA ATCAGAGGCC CTGGCCTGGG  1860
        ACCTGGGGGC CTTATTCAGC TGTGCCTTCA ACCCCAAGGT TGTCTGCATG GATAAGTACA  1920
        GGCTGAGCTG CCTGGAAGCA GAACGGCTGC TGTTGGTGGT GACCAGTACG TTTGGCAATG  1980
        GAGACTGCCC TGGCAATGGA GAGAAACTGA AGAAATCGCT CTTCATGCTG AAAGAGCTCA  2040
70      ACAACAAATT CAGGTACGCT GTGTTTGGCC TCGGCTCCAG CATGTACCCT CGGTTCTGCG  2100
        CCTTTGCTCA TGACATTGAT CAGAAGCTGT CCCACCTGGG GGCCTCTCAG CTCACCCCGA  2160
        TGGGAGAAGG GGATGAGCTC AGTGGGCAGG AGGACGCCTT CCGCAGCTGG GCCGTGCAAA  2220
        CCTTCAAGGC AGCCTGTGAG ACGTTTGATG TCCGAGGCAA ACAGCACATT CAGATCCCCA  2280
        AGCTCTACAC CTCCAATGTG ACCTGGGACC CGCACCACTA CAGGCTCGTG CAGGACTCCA  2340
75      AGCCTTTGGA CCTCAGCAAA GCCCTCAGCA GCATGCATGC CAAGAACGTG TTCACCATGA  2400
        GGCTCAAATC TCGGCAGAAT CTACAAAGTC CGACATCCAG CCGTGCCACC ATCCTGGTGG  2460
        AACTCTCCTG TGAGGATGGC AAGGCCTGA ACTACCTGCC GGGGGAGCAC CTTGGGGTTT  2520
        GCCCAGGCAA CCAGCCGGCC CTGGTCCAAG GCATCCTGGA GCGAGTGGTG GATGGCCCCA  2580
        CACCCCACCA GGCAGTGCGC CTGGAGGCCC TGGATGAGAG TGGCAGCTAC TGGGTCAGTG  2640
80      ACAAGAGGCT GCCCCCCTGC TCACTCAGCC AGGCCCTCAC CTACTTCCTG GACATCACCA  2700
        CACCCCCAAC CCAGCTGCTG CTCCAAAAGC TGGCCCAGGT GGCCACAGAA GAGCCTGAGA  2760
        GACAGAGGCT GGAGGCCCTG TGCCAGCCCT CAGAGTACAG CAAGTGGAAG TTCACCAACA  2820
        GCCCCACATT CCTGGAGGTG CTAGAGGAGT TCCCGTCCCT GCGGGTGTGT GCTGGCTTCC  2880
        TGCTTTCCCA GCTCCCCATT CTGAAGCCCA GGTTCTACTC CATCAGCTCG CCCCGGGATC  2940
85      ACACGCCCAC GGAGATCCAC CTGACTGTGG CCGTGGTCAC CTACCACACC CGAGATGGCC  3000
        AGGGTCCCCT GCACCACGGC GTCTGCAGCA CATGGCTCAA CAGCCTGAAG CCCCAAGACC  3060
        CAGTGCCCTG CTTTGTGCGG AATGCCAGCG GCTTCCACCT CCCCGAGGAT CCCTCCCATC  3120
```

```
     CTTGCATCCT CATCGGGCCT GGCACAGGCA TCGCGCCCTT CCGCAGTTTC TGGCAGCAAC 3180
     GGCTCCATGA CTCCCAGCAC AAGGGAGTGC GGGGAGGCCG CATGACCTTG GTGTTTGGGT 3240
     GCCGCCGCCC AGATGAGGAC CACATCTACC AGGAGGAGAT GCTGGAGATG GCCCAGAAGG 3300
     GGGTGCTGCA TGCGGTGCAC ACAGCCTATT CCCGCCTGCC TGGCAAGCCC AAGGTCTATG 3360
5    TTCAGGACAT CCTGCGGCAG CAGCTGGCCA GCGAGGTGCT CCGTGTGCTC CACAAGGAGC 3420
     CAGGCCACCT CTATGTTTGC GGGGATGTGC GCATGGCCCG GGACGTGGCC CACACCCTGA 3480
     AGCAGCTGGT GGCTGCCAAG CTGAAATTGA ATGAGGAGCA GGTCGAGGAC TATTTCTTTC 3540
     AGCTCAAGAG CCAGAAGCGC TATCACGAAG ATATCTTTGG TGCTGTATTT CCTTACGAGG 3600
     CGAAGAAGGA CAGGGTGGCG GTGCAGCCCA GCAGCCTGGA GATGTCAGCG CTCTGAGGGC 3660
10   CTACAGGAGG GGTTAAAGCT GCCGGCACAG AACTTAAGGA TGGAGCCAGC TCTGCATTAT 3720
     CTGAGGTCAC AGGGCCTGGG GAGATGGAGG AAAGTGATAT CCCCCAGCCT CAAGTCTTAT 3780
     TTCCTCAACG TTGCTCCCCA TCAAGCCCTT TACTTGACCT CCTAACAAGT AGCACCCTGG 3840
     ATTGATCGGA GCCTC
```

Seq ID NO: 313 Protein sequence:
Protein Accession #: NP_000616

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MACPWKFLPK TKFHQYAMNG EKGINNNVEK APCATSSPVT QDDLQYHNLS KQQNESPQPL    60
     VETGKKSPES LVKLDATPLS SPRHVRIKNW GSGMTFQDTL HHKAKGILTC RSKSCLGSIM   120
     TPKSLTRGPR DKPTPPDELL PQAIEFVNQY YGSLKEAKIE EHLARVEAVT KEIETTVTYQ   180
     LTGDELIPAT KQAWRNAPRC IGRIQWSNLQ VFDARSCSTA REMPEHICRH VRYSTNNGNI   240
     RSAITVPPQR SDGKHDPRVW NAQLIRYAGY QMPDGSIRGD PANVEPTQLC IDLGWKPYG    300
     RFDVVPLVLQ ANGRDPELFE IPPDLVLEVA MEHPKYEWFR ELELKWYALP AVANMLLEVG   360
     GLEFPGCPPN GWYMGTEIGV RDFCDVQRYN ILEEVGRRMG LETHKLASLW KDQAVVEINI   420
     AVLHSFQKQN VTIMDHHSAA ESFMKYMQNE YRSRGGCPAD WIWLVPPMSG SITPVFHQEM   480
     LNYVLSPFYY YQVEAWKTHV WQDEKRRPKR REIPLKVLVK AVLFACMLMR KTMASRVRVT   540
     ILPATETGKS EALAWDLGAL FSCAPNPKVV CMDKYRLSCL EEERLLLVVT STPGNGDCPG   600
     NGEKLKKSLF MLKELNNKFR YAVFGLGSSM YPRFCAFAHD IDQKLSHLGA SQLTPMGEGD   660
     ELSGQEDAFR SWAVQTFKAA CETFDVRGKQ HIQIPKLYTS NVTWDPHHYR LVQDSQPLDL   720
     SKALSSMHAK NVFTMRLKSR QNLQSPTSSR ATILVELSCE DGQGLNYLPG EHLGVCPGNQ   780
     PALVQGILER VVDGPTPHQA VRLEALDESG SYWVSDKRLP PCSLSQALTY FLDITTPPTQ   840
     LLLQKLAQVA TEEPERQRLE ALCQPSEYSK WKPTNSPTFL EVLEEFPSLR VSAGFLLSQL   900
     PILKPRFYSI SSPRDHTPTE IHLTVAVVTY HTRDGQGPLH HGVCSTWLNS LKPQDPVPCF   960
     VRNASGFHLP EDPSHPCILI GPGTGIAPFR SFWQQRLHDS QHKGVRGGRM TLVFGCRRPD  1020
     EDHIYQEEML EMAQKGVLHA VHTAYSRLPG KPKVYVQDIL RQQLASEVLR VLHKEPGHLY  1080
     VCGDVRMARD VAHTLKQLVA AKLKLNEEQV EDYFFQLKSQ KRYHEDIFGA VFPYEAKKDR  1140
     VAVQPSSLEM SAL
```

Seq ID NO: 314 DNA sequence
Nucleic Acid Accession #: XM_087254
Coding sequence: 47..2332

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     AGAGTACGTG TTTACAGATA AAACTGGTAC ACTGACAGAA AATGAGATGC AGTTTCGGGA    60
     ATGTTCAATT AATGGCATGA AATACCAAGA AATTAATGGT AGACTTGTAC CCGAAGGACC   120
     AACACCAGAC TCTTCAGAAG GAAACTTATC TTATCTTAGT AGTTTATCCC ATCTTAACAA   180
     CTTATCCCAT CTTACAACCA GTTCCTCTTT CAGAACCAGT CCTGAAAATG AAACTGAACT   240
     AATTAAAGAA CATGATCTCT TCTTTAAAGC AGTCAGCTC TGTCACACTA TACAGATTAG    300
     CAATGTTCAA ACTGACTGCA CTGGTGATGG TCCCTGGCAA TCCAACCTGG CACCATCGCA   360
     GTTGGAGTAC TATGCATCTT CACCAGATGA AAAGGCTCTA CTGCAAGGAT CTGCAAGGAT   420
     TGGTATTGTG TTTATTGGCA ATTCTGAAGA AACTATGGAG GTTAAAACTC TTGGAAAACT   480
     GGAACGGTAC AAAACTGCTTC ATATTCTGGA ATTTGATTCA GATCGTAGGA GAATGAGTGT   540
     AATTGTTCAG GCACCTTCAG GTGAGAAGTT ATTATTTGCT AAAGGAGCTG AGTCATCAAT   600
     TCTCCCTAAA TGTATAGGTG GAGAAATAGA AAAAACCAGA ATTCATGTAG ATGAATTTGC   660
     TTTGAAAGGG CTAAGAACTC TGTGTATAGC ATATAGAAAA TTTACATCAA AAGAGTATGA   720
     GGAAATAGAT AAACGCATAT TTGAAGCCAG GACTGCCTTG CAGCAGCGGG AAGAGAAATT   780
     GGCAGCTGTT TTCCAGTTCA TAGAGAAAGA CCTGATATTA CTTGGAGCCA CAGCAGTAGA   840
     AGACAGACTA CAAGATAAAG TTCGAGAAAC TATTGAAGCA TTGAGAATGG CTGGTATCAA   900
     AGTATGGGTA CTTACTGGGG ATAAAACATGA AACAGCTGTT AGTGTGAGTT TATCATGGTA   960
     CCATTTTCAT AGAACCATGA ACATCCTTGA ACTTATAAAC CAGAAATCAG ACAGCGAGTG  1020
     TGCTGAACAA TTGAGGCAGC TTGCCAGAAG AATTACAGAG GATCATGTGA TTCAGCATGG  1080
     GCTGGTAGTG GATGGGACCA GCCTATCTCT TGCACTCAGG GAGCATGAAA AACTATTTAT  1140
     GGAAGTTTGC AGAAATTGTT CAGCTGTATT ATGCTGTCGT ATGGCCTCCAC TGCAGAAAGC  1200
     AAAAGTAATA AGACTAATAA AAATATCACC TGAGAAACCT ATAACATTGG CTGTTGGTGA  1260
     TGGTGCTAAT GACGTAAGCA TGATACAAGA AGCCCATGTT GGCATAGGAA TCATGGGTAA  1320
     AGAAGGAAGA CAGGCTGCAA GAAACAGTTGA CTATGCAATA GCCAGATTTA AGTTCCTCA  1380
     CAAATTGCTT TTTGTTCATG GTCATTTTTA TTATATTAGA ATAGCTACCC TTGTACAGTA  1440
     TTTTTTTTAT AAGAATGTGT GCTTTATCAC ACCCCAGTTT TTATATCAGT CTACTGTTT   1500
     GTTTTCTCAG CAAACATTGT ATGACAGCGT GTACCTGACT TTATACAATA TTTGTTTTAC  1560
     TTCCCTACCT ATTCTGATAT ATAGTCTTTT GGAACAGCAT GTAGACCCTC ATGTGTTACA  1620
     AAATAAGCCC ACCCTTTATC GAGACATTAG TAAAAACCGC CTCTTAAGTA TTAAAACATT  1680
     TCTTTATTGG ACCATCCTGG GCTTCAGTCA TGCCTTTATT TTCTTTTTTG GATCCTATTT  1740
     ACTAATAGGG AAAGATACAT CTCTGCTTGG AAATGGCCAA ATGTTTGGAA ACTGGACATT  1800
     TGGCACTTTG GTCTTCACAG TCATGGTTAT TACAGTCACA GTAAAGATGG CTCTGGAAAC  1860
     TCATTTTTGG ACTTGGATCA ACCATCTCGT TACCTGGGGA TCTATTATAT TTTATTTTGT  1920
     ATTTTCCTTG TTTTATGGAG GGATTCTCTG GCCATTTTTG GGCTCCCAGA ATATGTATTT  1980
     TGTGTTTATT CAGCTCCTGT CAAGTGGTTC TGCTTGGTTT GCCATAATCC TCATGGTTGT  2040
     TACATGTCTA TTTCTTGATA TCATAAAGAA GGTCTTTGAC CGACACCTCC ACCCTACAAG  2100
     TACTGAAAAG GCACAGCTTA CTGAAACAAA TGCAGGTATC AAGTGCTTGG ACTCCATGTG  2160
     CTGTTTCCCG GAAGGAGAAG CAGCGTGTGC ATCGTGTTGGA AGAATGCTGG AACGAGTTAT  2220
     AGGAAGATGT AGTCCAACCC ACATCAGCAG ATCATGGAGT GCATCGGATC CTTTCTATAC  2280
     CAACGACAGG AGCATCTTGA CTCTCTCCAC AATGGACTCA TCTACTTGTT AAAGGGGCAG  2340
```

```
TAGTACTTTG TGGGAGCCAG TTCACCTCCT TTCCTAAAAT TCAGTGTGAT CACCCTGTTA 2400
ATGGCCACAC TAGCTCTGAA ATTAATTTCC AAAATCTTTG TAGTAGTTCA TACCCACTCA 2460
GAGTTATAT GGCAAACAAA CAGAAAGCAT TAGTACAAGC CCCTCCCAAC ACCCTTAATT 2520
TGAATCTGAA CATGTTAAAA TTTGAGAATA AAGAGACATT TTTCATCTCT TTGTCTGGTT 2580
TGTCCCTTGT GCTTATGGGA CTCCTAATGG CATTTCAGTC TGTTGCTGAG GCCATTATAT 2640
TTTAATATAA ATGTAGAAAA AAGAGAGAAA TCTTAGTAAA GAGTATTTTT TAGTATTAGC 2700
TTGATTATTG ACTCTTCTAT TTAAATCTGC TTCTGTAAAT TATGCTGAAA GTTTGCCTTG 2760
AGAACTCTAT TTTTTTATTA GAGTTATATT TAAAGCTTTT CATGGGAAAA GTTAATGTGA 2820
ATACTGAGGA ATTTTGGTCC CTCAGTGACC TGTGTTGTTA ATTCATTAAT GCATTCTGAG 2880
TTCACGAGC AAATTAGGAG AATCATTTCC AACCATTATT TACTGCAGTA TGGGGAGTAA 2940
ATTTATACCA ATTCCTCTAA CTGTACTGTA ACACAGCCTG TAAAGTTAGC CATATAAATG 3000
CAAGGGTATA TCATATATAC AAATCAGGAA TCAGGTCCGT TCACCGAACT TCAAATTGAT 3060
GTTTACTAAT ATTTTTGTGTA CAGAGTATAA AGACCCTATA GTGGGTAAAT TAGATACTAT 3120
TAGCATATTA TTAATTTAAT GTCTTTATCA TTGGATCTTT TGCATGCTTT AATCTGGTTA 3180
ACATATTTAA ATTTGCTTTT TTTCTCTTTA CCTGAAGGCT CTGTGTATAG TATTTCATAG 3240
CATCGTTGTA CAGTTTAACT ATATCAATAA AAAGTTTGGA CAGTATTTAA ATATTGCAAA 3300
TATGTTTAAT TATACAAATC AGAATAGTAT GGGTAATTAA ATGAATACAA AAAGAAGAGC 3360
CTCTTTCTGC AGCCGACTTA GACATGCTCT TCCCTTTCTA TAAGCTAGAT TTTAGAATAA 3420
AGGGTTTCAG TTAATAATCT TATTTTCAGG TTATGTCATC TAACTTATAG CAAACTACCA 3480
CAATACAGTG AGTTCTGCCA GTGTCCCAGT ACAAGGCATA TTTCAGGTGT GGCTGTGGAA 3540
TGTAAAAATG CTCAACTTGT ATCAGGTAAT GTTAGCAATA AATTAAATGC TAAGAATGAT 3600
TAATCGGGTA CATGTTACTG TAATTAACTC ATTGCACTTC AAAACCTAAC TTCCATCCTG 3660
AATTTATCAA GTAGTTCAGT ATTGTCATTT GTTTTTGTTT TATTGTAAAG TAATGTTGTC 3720
TTAAGATTTA GAAGTGATTA TTAGCTTGAG AACTATTACC CAGCTCTAAG CAAATAATGA 3780
TTGTATACAT ATTAAGATAA TGGTTAAATG CGGTTTTACC AAGTTTTCCC TTGAAAATGT 3840
AATTCCTTTA TGGAGATTTA TTGTGCAGCC CTAAGCTTCC TTCCCATTTC ATGAATAAA 3900
GGCTTCTAGA ATTGGACTGG CAGGGGAAAG AATGGTAGAG ACAGAAATTA AGACTTTATC 3960
CTTGTTTGCT TGTAAACTAT TATTTTCTTG CTAATGTAAC ATTTGTCTGT TCCAGTGATG 4020
TAAGGATATT AAGTTATTGA GCTAAATATT AATTTTCAAA AATAGTCCTT CTTTAACTTA 4080
GATATTTCAT AGCTGGATTT AGGAAGATCT GTTATTCTGG AAGTACTAAA AAGAATAATA 4140
CAACGTACAA TGTCTGCATT CACTAATTCA TGTTCCAGAA GAGGAAATAA TGAAGATATA 4200
CTCAGTAGAG TACTAGGTGG GAGGATATGG AAATTTGCTC ATAAAATCTC TTATAAAACG 4260
TGCATATAAC AAAATGACAC CCAGTAGGCC TGCATTACAT TTACATGACC GTGTTTATTT 4320
GCCATCAAAT AAACTGAGTA CTGACACCAG ACAAAGACTC CAAAGTCATA AAATAGCCTA 4380
TGACCAACTG CAGCAAGACA GGAGGTCAGC TCGCCTAATAA TGGTGCTTAA AGTGTGATTG 4440
ATGTAATTTT CTGTACTCAC CATTTGAAGT TAGTTAAGGA GAACTTTATT TTTTTAAAAA 4500
AAGTAAATGG CAACCACTAG TGTGCTCATC CTGAACTGTT ACTCCAAATC CACTCCGTTT 4560
TTAAAGCAAA ATTATCTTGT GATTTTAAGA AAAGAGTTTT CTATTTATTT AAGAAAGTAA 4620
CAATGCAGTC TGCAAGCTTT CAGTAGTTTT CTAGTGCTAT ATTCATCCTG TAAAACTCTT 4680
ACTACGTAAC CAGTAATCAC AAGGGAAAGTG TCCCCTTTGC ATATTTCTTT AAAAATTCTTT 4740
CTTTGGAAAG TATGATGTTG ATAATTAACT TACCCTTATC TGCCAAAACC AGAGCAAAAT 4800
GCTAAATACG TTATTGCTAA TCAGTGGTCT CAAATCGATT TGCCTCCCTT TGCCTCGTCT 4860
GAGGGCTGTA AGCCTGAAGA TAGTGGCAAG CACCAAGTCA GTTTCCAAAA TTGCCCCTCA 4920
GCTGCTTTAA GTGACTCAGC ACCCTGCCTC AGCTTCAGCA GGCGTAGGCT CACCCTGGGC 4980
GGAGCAAAGT ATGGGCCAGG GAGAACTACA GCTACGAAGA CCTGCTGTCG AGTTGAGAAA 5040
AGGGGAGAAT TTATGGTCTG AATTTTCTAA CTGTCCTCTT TCTTGGGTCT AAAGCTCATA 5100
ATACACAAAG GCTTCCAGAC CTGAGCCACA CCCAGGCCCT ATCCTGAACA GGAGACTAAA 5160
CAGAGGCAAA TCAACCCTAG GAAATACTTG CATTCTGCCC TACGGTTAGT ACCAGGACTG 5220
AGGTCATTTC TACTGGAAAA GATTGTGAGA TTGAACTTAT CTGATCGCTT GAGACTCCTA 5280
ATAGGCAGGA GTCAAGGCCA CTAGAAAATT GACAGTTAAG AGCCAAAAGT TTTTAAAATA 5340
TGCTACTCTG AAAAATCTCG TGAAGGCTGT AGGAAAAGGG AGAATCTTCC ATGTTGGTGT 5400
TTTTCCTGTA AAGATCAGTT TGGGGTATGA TATAAGCAGG TATTAATAAA AATAACACAC 5460
CAAAGAGTTA CGTAAAACAT GTTTTTATTAA TTTTTGGTCCC CACGTACAGA CATTTTATTT 5520
CTATTTTGAA ATGAGTTATC TATTTTCATA AAAGTAAAAC ACTATTAAAG TGCTGTTTTA 5580
TGTGAAATAA CTTGAATGTT GTTCCTATAA AAAATAGATC ATAACTCATG ATATGTTTGT 5640
AATCATGGTA ATTTAGATTT TTATGAGGAA TGAGTATCTG GAAATATTGT AGCAATACTT 5700
GGTTTAAAAT TTTGGACCTG AGACACTGTG GCTGTCTAAT GTAATCCTTT AAAAATTCTC 5760
TGCATTGTCA GTAAATGTAG TATATTATTG TACAGCTACT CATAATTTTT TAAAGTTTAT 5820
GAAGTTATAT TTATCAAATA AAAACTTTCC TATAT
```

Seq ID NO: 315 Protein sequence:
Protein Accession #: XP_087254

```
1          11         21         31         41         51
|          |          |          |          |          |
MQFRECSING MKYQEINGRL VPEGPTPDSS EGNLSYLSSL SHLANLSHLT TSSSFRTSPE    60
NETELIKEHD LPFKAVSLCH TVQISNVQTD CTGDGPWQSN LAPSQLEYYA SSPDEKALVE   120
AAARIGIVPI GNSEETMEVK TLGKLERYKL LHILEFDSDR RRMSVIVQAP SGEKLLFAKG   180
AESSILPKCI GGEIEKTRIH VDEFALKGLR TLCIAYRKFT SKEYEEIDKR IPEARTALQQ   240
REEKLAAVPQ PIEKDLILLG ATAVEDRLQD KVRETIEALR MAGIKVWVLT GDKHETAVSV   300
SLSCGHFHRT MNILELINQK SDSECAEQLR QLARRITEDH VIQHGLVVDG TSLSLALREH   360
EKLFMEVCRN CSAVLCCRMA PLQKAKVIRL IKISPEKPIT LAVGDGANDV SMIQEAHVGI   420
GIMGKEGRQA ARNSDYAIAR FKFLSKLLFV HGHFYYIRIA TLVQYPFFYKN VCFITPQFLY   480
QFYCLFSQQT LYDSVYLTLY NICFTSLPIL IYSLLEQHVD PHVLQNKPTL YRDISKNRLL   540
SIKTFLYWTI LGFSHAPIFP PGSYLLIGKD TSLLGNGQMF GNWTFGTLVF TVMVITVTVK   600
MALETHFWTW INHLVTWGSI IFYFVPSLFY GGILWPPLGS QNMYFVFIQL LSSGSAWFAI   660
ILMVVTCLFL DIIKKVFDRH LHPTSTEKAQ LTETNAGIKC LDSMCCFPEG EAACASVGRM   720
LERVIGRCSP THISRSWSAS DPFYTNDRSI LTLSTMDSST C
```

Seq ID NO: 316 DNA sequence
Nucleic Acid Accession #: NM_004473
Coding sequence: 661..1791

```
1          11         21         31         41         51
|          |          |          |          |          |
CTCGCCAGCG GTCCGCGGGG CTGGAGACCC ACGCCGTGGA GAGGACCAGC CTCAGGTCGC    60
```

```
     CCCGGCTGGG CCCGCGCCCC GACCTCGCTG CCCCCGCCTC GCCTCTCTGC CCGTGGCGCT  120
     TACCGCCACC TTGGCCTCGG GGGCAGGGCA TGGGCGGCCC CCGCCAGATC GCCCAGCGCC  180
     AGTACTAACT GCCCTCGCTC TGGCCTTCGA GCCCGAAGCC TCTTCTGCGC GCACAACCTA  240
     GGCAGTAATC CTAAACTAGC GGGCACCACA GACCAGCTGC AGCCACCCCA ACCCAGGGAT  300
     CACTTCCGGA CCCCTCGACC GCCCGGCACC AGCCGCGCAAG GGACCCTTCA GCCGGAGACC  360
     AGAGTCCAGT CCCGGTCGCG AGGCCACCGC CGCTGCCCGC CTCGAGAAGC ACAACGCGGG  420
     CTGAGCCGTC GGCTAGCGGG TCACTCCCGA GCCTCTGTCT GCACCGCGCC AGCCCCAGAC  480
     CACGGACGCT GAGCCTCCAG CGCGCGCCAG CCTGGGCCGC TGGGCTCTCC GGGCCAGCCC  540
     GCGACGATCC CCTGAGCTCT CCGCAGAAGG GCCGAGCGTC CGTTCCGGGG ACGCCAGGCC  600
     CGCCCCCGCC CCCCGACAGC CGCGGGGATC CAGAGCCCGG GGGTGCGGGA CGCCCGCGCC  660
     ATGACTGCCG AGAGCGGGCG GCCGCCGCCG CAGCCGGAGG TGCTGGCTAC CGTGAAGGAA  720
     GAGCGCGGCG AGACGGCAGC AGGGGCCGGG GTCCCAGGGG AGGCCACGGG CCGCGGGGCG  780
     GGCGGGCGGC GCCGCAAGCG CCCCCTGCAG CGCGGGAAGC CGCCCTACAG CTACATCGCG  840
     CTCATCGCCA TGGCCATCGC GCACGCGCCC GAGCGCCGCC TCACGCTGGG CGGCATCTAC  900
     AAGTTCATCA CCGAGCGCTT CCCCTTCTAC CGCGACAACC CCAAAAAGTG GCAGAACAGC  960
     ATCCGCGCACA ACCTCACACT CAACGACTGC TTCCTCAAGA TCCCGCGCGA GGCCGGCCGA  1020
     CCGGGTAAGG GCAACTACTG GGCGCTCGAC CCCAACGCGG AGGACATGTT CGAGAGCGGC  1080
     AGCTTCCTGC GCCGCCGCAA GCGCTTCAAG CGCTCGGACC TCTCCACCTA CCCCGGCTTAC  1140
     ATGCACGACG CGGCGGCTGC CGCAGCCGCC GCTGCCGCAG CCGCCGCCGC CGCCGCCGGG  1200
     GCCGCCATCT TCCCAGGCGC GGTGCCCGCC GCGCGCCCCC CCTACCCGGG CGCCGTCTAT  1260
     GCAGGCTACG CGCCGCCGTC GCTGGCCGCG CCGCCTCCAG TCTACTACCC CGCGGCGTCG  1320
     CCCGGCCCTT GCCGCGTCTT CGGCCTGGTT CCTGAGCGGC CGCTCAGCCC AGAGCTGGGG  1380
     CCCGCACCGT CGGGGCCCGG CGGCTCTTGC GCCTTTGCCT CCGCCGGCGC CCCCGCTACC  1440
     ACCACCGGCT ACCAGCCCGC AGGCTGCACC GGGGCCCGGC CGGCCAACCC CTCTGCCTAT  1500
     GCGGCTGCCT ACGCGGGGCC CGACGGCGCG TACCCGCAGG GCGCCGGCAG TGCGATCTTT  1560
     GCCGCTGCTG GCCGCCTGGC GGGACCCGCT TCGCCCCCAG CGGGCGGCAG CAGTGGCGGG  1620
     GTGGAGACCA CGGTGGACTT CTACGGGCGC ACGTCGCCCG GCCAGTTCGG AGCGCTGGGA  1680
     GCCTGCTACA ACCCTGGCGG GCAGCTCGGA GGGGCCAGTG CAGGCGCCTA CCATGCTCGC  1740
     CATGCTGCCG CTTATCCCGG TGGGATAGAT CGGTTCGTGT CCGCCATGTG AGCCAGCGTA  1800
     GGGACGAAAA CTCATAGACA CATCGGCTGT TCACACGTTC CCCGCCAACCT GAGAACGAAC  1860
     AGGAATGGAG AGAGGACTCA ACTGGGACCC ACGTGGAAAA GACCGAGCGA GCCACAGAGG  1920
     CTCGGTCTCC CCGCGCACAG CGTAGGCACC CTGTGTACTC TGTAAACGGG AGGAGGTGGG  1980
     GCGAGGCAGC CAGAGCCCTT GGACTGGCAC AGGGACCCTC GATGGAGCGA AGCCCTCAAA  2040
     CGGGATGCTT TCTGGCATTC TATCGGGGAG GGTCCTTGGC GGTAACCAGA GGGCAGCGTA  2100
     GTGTCAACAC CAGAGACCAG GATCCAAATT GTGGGGAATC AGTTTCAGCC TTCCATGTGC  2160
     TGCCGGAACT CGGGCCTTTT TACGCCGGTTC GTCCTCTAGT GCCTTTAACT GCGTTACTAC  2220
     AATAAAAGGC TGCGGCAGCG CCTTTCTTCT TAAAGTGAGG AGGACAAATT TGCAAAAGAA  2280
     ATAGGCTTTT CTTCTTTTTT AAATTGGAGA AATCTCTGCT CTGGTTGACC TGGGCTGGTT  2340
     TTCCCTGTCT CTGAGAACTT GAGACCTAGC TCCGAGTTGA ACTGTGCGTC AGCACTCCAG  2400
     TCCCATCACC TGAACCTTCA GTCTCCCCCA TCTGTTACAC TAGAGGGCTG CAGGACTCTA  2460
     TCCACCGCCC CCGGGGTTATC ATTCAGGGGC CCATCATCTT GGATGCTGCC CTGCGTATTT  2520
     GGCAGCAATG GTGGGCCACC CAGGGCCTCT GAGTAGCCAC CCAAAGCCTA GCCGCTGTTC  2580
     TAGGGAACGG AAAAGAGTTC ATGGCCAAGC GTCTAACCTA AAGTCCCAGG ATTGGCTCCA  2640
     GGCAGCAATT ATATCATAAC TTATTGAACT TTTGAGCAGG ACGTGCTGGT AATTTCATGG  2700
     CTGTTACTGC CCAGTCATAA ATCTGCTTTT CCATTATAAG GCAGAGAAA GTACATTCGT  2760
     TCATTTGTCC ACTGTTTCTT GTCATCACGC AGCCCTGGAC CCAAAGGGTG AACTAAAGTT  2820
     TAAGGAGATG AGAGGATTCA AGGAGCCCGT TGGTGACGGC TTTCAGTAGC TGGGGAGGGC  2880
     TCTTCCATCC CCAGCACCCC CTGCTACACC TCAGCAGCCT CCCCCATGCA AAAAGGAAAG  2940
     AGAAAAATTA AGTTAGGGCA GTCAGTAAAG TGAGCTTTAG AAAGAAACTG GAATTTTAAC  3000
     TTCATTTTGT ATCTTGCTTA AGTAGCAGGC TCACTAAAAT TAGAGAAAGT CCAATAACTC  3060
     TCCCCCTTTC CCTTGAGAAA TCTTTAAGTT TCGATTCTGG AGCAAAAACT TTCAGCATTA  3120
     AATATTTCAG AGGCTCCATT CACAGCTTTC AGATAAACTG GAGTGTTCAG ATGGACTGTT  3180
     TTAATAAAAA TCTTTGAGCA AGTGAGTTAT GGCAAGAGAA ACTCAGCCTC TTTCTGTATA  3240
     AACTTAACAG GGAAGGGCTG GGGTGTGAAA AAGAAGATTG TATGAAAACC ATTGGTAATT  3300
     TTTATTTTTT ATTTTTGGGA CTGCACTATC CTGTTCACGA AGACATGTGA ACTTGGTTCA  3360
     GTCCAAATGG GGATTTGTAT AAACCAGTGC TCTCCATTGA AAATATGGTG CAAGCCACAT  3420
     ATGTAATTTT AAATATTCTA GTAGCCACAT TAATAAAGTN AAAAGAAACA AAAAAAAAAA  3480
     AA
```

```
Seq ID NO: 317 Protein sequence:
Protein Accession #: NP_004464
```

```
1          11         21         31         41         51
|          |          |          |          |          |
FKHLTHYROI DTRANSCRIP TIONFACTOR TTFMTAESGP PPPQPEVLAT VKEERGETAA   60
GAGVPGEATG RGAGGRRRKR PLQRGKPPYS YIALIAMAIA HAPERRLTLG GIYKFITERF   120
PPYRDNPKKW QNSIRHNLTL NDCFLKIPRE AGRPGKGNYW ALDPNAEDMF ESGSFLRRRK   180
RPFKRSDLSTY PAYMHDAAAA AAAAAAAAAA AAAAAIFPGA VYAGVAPPS AVYAGYAPPS   240
LAAPPPVYYP AASPGPCRVF GLVPERPLSP ELGPAPSGPG GSCAFASAGA PATTTGYQPA   300
GCTGARPANP SAYAAAYAGP DGAYPQGAGS AIFAAAGRLA GPASPPAGGS SGGVETTVDF   360
YGRTSPGQFG ALGACYNPGG QLGGASAGAY HARHAAAYPG GIDRFVSAM
```

```
Seq ID NO: 318 DNA sequence
Nucleic Acid Accession #: NM_005688
Coding sequence: 126..4439
```

```
1          11         21         31         41         51
|          |          |          |          |          |
CCGGGCAGGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC   60
AGGGGCGCAG GAATTCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCGCTCAG   120
AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCCCAGTCCT GGGTATAGAA   180
GTGTGAGGGA GAGAACCAGC ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAAGTTCA   240
GGAGAACTCG ACCGTTGGAA TGCCAAGATG CCTTGGAAAC AGCAGCCCGA GCCGAGGGCC   300
TCTCTCTTGA TGCCTCCATG CATTCTCAGC TCAGAATCCT GGATGAGGAG CATCCCAAGG   360
GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCATCCG GACTACTTCC AAACACCAGC   420
ACCCAGTGGA CAATGCTGGG CTTTTTTCCT GTATGACTTT TTCGTGGCTT TCTTCTCTGG   480
```

304

```
     CCCGTGTGGC CCACAAGAAG GGGGAGCTCT CAATGGAAGA CGTGTGGTCT CTGTCCAAGC   540
     ACGAGTCTTC TGACGTGAAC TGCAGAAGAC TAGAGAGACT GTGGCAAGAA GAGCTGAATG   600
     AAGTTGGGCC AGACGCTGCT TCCCTGCGAA GGGTTGTGTG GATCTTCTGC CGCACCAGGC   660
     TCATCCTGTC CATCGTGTGC CTGATGATCA CGCAGCTGGC TGGCTTCAGT GGACCAGCCT   720
  5  TCATGGTGAA ACACCTCTTG GAGTATACCC AGGCAACAGA GTCTAACCTG CAGTACAGCT   780
     TGTTGTTAGT GCTGGGCCTC CTCCTGACGG AAATCGTGCG GTCTTGGTCG CTTGCACTGA   840
     CTTGGGCATT GAATTACCGA ACCGGTGTCC GCTTGCGGGG GGCCATCCTA ACCATGGCAT   900
     TTAAGAAGAT CCTTAAGTTA AAGAACATTA AAGAGAAATC CCTGGGTGAG CTCATCAACA   960
     TTTGCTCCAA CGATGGGCAG AGAATGTTTG AGGCAGCAGC CGTTGGCAGC CTGCTGGCTG  1020
 10  GAGGACCCGT TGTTGCCATC TTAGGCATGA TTTATAATGT AATTATTCTG GGACCAACAG  1080
     GCTTCCTGGG ATCAGCTGTT TTTATCCTCT TTTACCCAGC AATGATGTTT GCATCACGGC  1140
     TCACAGCATA TTTCAGGAGA AAATGCGTGG CCGCCACGGA TGAACGTGTC CAGAAGATGA  1200
     ATGAAGTTCA TACTTACATT AAATTTATCA AAATGTATGC CTGGGTCAAA GCATTTTCTC  1260
     AGAGTGTTCA AAAAATCCGC GAGGAGGAGC GTCGGGATATT GGAAAAAGCC GGGTACTTCC  1320
 15  AGGGTATCAC TGTGGGTGTG GCTCCCATTG TGGTGGTGAT TGCCAGCGTG GTGACCTTCT  1380
     CTGTTCATAT GACCCTGGGC TTCGATCTGA CAGCAGCACA GGCTTTCACA GTGGTGACAG  1440
     TCTTCAATTC CATGACTTTT GCTTTGAAAG TAACACCGTT TTCAGTAAAG TCCCTCTCAG  1500
     AAGCCTCAGT GGCTGTTGAC AGATTTAAGA GTTTGTTTCT AATGGAAGAG GTTCACATGA  1560
     TAAAGAACAA ACCAGCCAGT CCTCACATCA AGATAGAGAT GAAAAATGCC ACCTTGGCAT  1620
 20  GGGACTCCTC CCACTCCAGT ATCCAGAACT CGCCCAAGCT GACCCCCAAA ATGAAAAAAG  1680
     ACAAGAGGGC TTCCAGGGGC AAGAAAGAGA AGGTGAGGCA GCTGCAGCGC ACTGAGCATC  1740
     AGGCGGTGCT GGCAGAGCAG AAAGGCCACC TCCTCCTGGA CAGTGACGAG CGGCCCAGTC  1800
     CCGAAGAGGA AGAAGGCAAG CACATCCACC TGGGCCACCT GCGCGTTACAG AGGACACTGC  1860
     ACAGCATCGA TCTGGAGATC CAAGAGGGTA AACTGGTTGG AATCTGCGGC AGTGTGGGAA  1920
 25  GTGGAAAAAC CTCTCTCATT TCAGCCATTT TAGGCCAGAT GACGCTTCTA GAGGGCAGCA  1980
     TTGCAATCAG TGGAACCTTC GCTTATGTGG CCCAGCAGGC CTGGATCCTC AATGCTACTC  2040
     TGAGAGACAA CATCCTGTTT GGGAAGGAAT ATGATGAAGA AAGATACACAC TCTGTGCTGA  2100
     ACAGCTGCTG CCTGAGGCCT GACCTGGCCA TTCTTCCCAG CAGCGACCTG ACGGAGATTG  2160
 30  GAGAGCGAGG AGCCAACCTG AGCGGTGGGC AGCGCCAGAG GATCAGCCTT GCCCGGGCCT  2220
     TGTATAGTGA CAGGAGCATC TACATCCTGG ACGACCCCCT CAGTGCCTTA GATGCCCATG  2280
     TGGGCAACCA CATCTTCAAT AGTGCTATCC GGAAACATCT CAAGTCCAAG ACAGTTCTGT  2340
     TTGTTACCCA CCAGTTACAG TACCTGGTTG ACTGTGATGA AGTGATCTTC ATGAAAGAGG  2400
     GCTGTATTAC GGAAAGAGGC ACCCATGAGG AACTGATGAA TTTAAATGGT GACTATGCTA  2460
 35  CCATTTTTAA TAACCTGTTG CTGGGAGAGA CACCGCCAGT TGAGATCAAT TCAAAAAAGG  2520
     AAACCAGTGG TTCACAGAAG AAGTCACAAG ACAAGGGTCC TAAAACAGGA TCAGTAAAGA  2580
     AGGAAAAAGC AGTAAAGCCA GAGGAAGGGC AGCTTGTGCA GCTGGAAGAG AAAGGGCAGG  2640
     GTTCAGTGCC CTGGTCAGTA TATGGTGTCT ACATCCAGGC TGCTGGGGGC CCCTTGGCAT  2700
     TCCTGGTTAT TATGGCCCTT TTCATGCTGA ATGTAGGCAG CACCGCCTTC AGCACCTGGT  2760
 40  GGTTGAGTTA CTGGATCAAG CAAGGAAGCG GGAACACCAC TGTGACTCGA GGGAACCAGA  2820
     CCTCGGTGAG TGACAGCATG AAGGACAATC CTCATATGCA GTACTATGCC AGCATCTACG  2880
     CCCTCTCCAT GGCAGTCATG CTGATCCTGA AAGCCATTCG AGGAGTTGTC TTTGTCAAGG  2940
     GCACGCTGCG AGCTTCCTCC CGGCTGCATG ACGAGCTTTT CCGAAGGATC CTTCGAAGCC  3000
     CTATGAAGTT TTTTGACACG ACCCCCACAG GGAGGATTCT CAACAGGTTT TCCAAAGACA  3060
 45  TGGATGAAGT TGACGTGCGG CTGCCGTTCC AGGCCGAGAT GTTCATCCAG AACGTTATCC  3120
     TGGTGTTCTT CTGTGTGGGA ATGATCGCAG GAGTCTTCCC GTGGTTCTTT GTGGCAGTGG  3180
     GGCCCCTTGT CATCCTCTTT TCAGTCCTGC ACATTGTCTC CAGGGTCCTG ATTCGGGAGC  3240
     TGAAGCGTCT GGACAATATC ACGCAGTCAC CTTTCCTCTC CCACATCACG TCCAGCATAC  3300
     AGGGCCTTGC CACCATCCAC GCCTACAATA AAGGGCAGGA GTTTCTGCAC AGATACCAGG  3360
 50  AGCTGCTGGA TGACAACCAA GCTCCTTTTT TTTTGTTTAC GTGTGCGATG CGGTGGCTGG  3420
     CTGTGCGGCT GGACCTCATC AGCATCGCCC TCATCACCAC CACGGGGCTG ATGATCGTTC  3480
     TTATGCACGG GCAGATTCCC CCAGCCTATG CGGGTCTCGC CATCTCTTAT GCTGTCCAGT  3540
     TAACGGGGCT GTTCCAGTTT ACGGTCAGAC TGGCATCTGA GACAGAAGCT CGATTCCACT  3600
     CGGTGGAGAG GATCAATCAC TACATTAAGA CTCTGTCCTT GGAAGCACCT GCCAGAATTA  3660
 55  AGAACAAGGC TCCCTCCCCT GACTGGCCCC AGGAGGGAGA GGTGACCTTT GAGAACGCAG  3720
     AGATGAGGTA CCGAGAAAAC CTCCCTCTTG TCCTAAAGAA AGTATCCTTC ACGATCAAAC  3780
     CTAAAGAGAA GATTGGCATT GTGGGGCGGA CAGGATCAGG GAAGTCCTCG CTGGGGATGG  3840
     CCCTCTTCCG TCTGGTGGAG TTATCTGGAG GCTGCATCAA GATTGATGGA GTGAGAATCA  3900
     GTGATATTGG CCTTGCCGAC CTCCGAAGCA AACTCTCTAT CATTCCTCAA GAGCCGGTGC  3960
 60  TGTTCAGTGG CACTGTCAGA TCAAATTTGG ACCCCTTCAA CCAGTACACT GAAGACCAGA  4020
     TTTGGGATGC CCTGGAGAGG ACACACATGA AAGAATGTAT TGCTCAGCTA CCTCTGAAAC  4080
     TTGAATCTGA AGTGATGGAG AATGGGGATA ACTTCTCAGT GGGGGAACGG CAGCTCTTGT  4140
     GCATAGCTAG AGCCCTGCTC CGCCACTGTA AGATTCTGAT TTTAGATGAA GCCACAGCTG  4200
     CCATGGCACAC AGAGACAGAC TTATTGATTC AAGAGACCAT CCGAGAAGCA TTTGCAGACT  4260
 65  GTACCATGCT GACCATTGCC CATCGCCTGC ACACGGTTCT AGGCTCCGAT AGGATTATGG  4320
     TGCTGGCCCA GGGACAGGTG GTGGAGTTTG ACACCCCATC GGTCCTTCTG TCCAACGACA  4380
     GTTCCGGATT CTATGCCATG TTTGCTGCTG CAGAGAACAA GGTCGCTGTC AAGGGCTGAC  4440
     TCCTCCCTGT TGACGAAGTC TCTTTTCTTT AGAGCATTGC CATTCCCTGC CTGGGGCGGG  4500
     CCCCTCATCG CGTCCTCCTA CCGAAACCTT GCCTTTCTCG ATTTTATCTT TCGCACAGCA  4560
 70  GTTCCGGATT GGCTTGTGTG TTTCACTTTT AGGGAGAGTC ATATTTTGAT TATTGTATTT  4620
     ATTCCATATT CATGTAAACA AAATTTAGTT TTTGTTCTTA ATTGCACTCT AAAAGGTTCA  4680
     GGGAACCGTT ATTATAATTG TATCAGAGGC CTATAATGAA GCTTTATACG TGTAGCTATA  4740
     TCTATATATA ATTCTGTACA TAGCCTATAT TTACAGTGAA AATGTAAGCT GTTTATTTTA  4800
     TATTAAAATA AGCACTGTGC TAATAACAGT GCATATTCCT TTCTATCATT TTTGTACAGT  4860
 75  TTGCTGTACT AGAGATCTGG TTTTGCTATT AGACTGTAGG AAGAGTAGCA TTTCATTCTT  4920
     CTCTAGCTGG TGGTTTCACG GTGCCAGGTT TTCTGGGTGT CCAAAGGAAG ACGTGTGGCA  4980
     ATAGTGGGCC CTCCGACAGC CCCCTCTGCC GCCTCCCCAC AGCCGCTCCA GGGGTGCTG  5040
     GAGACGGGTG GGCGGCTGGA GACCATGCAG AGCGCCGTGA GTTCTCAGGG CTCCTGCCTT  5100
     CTGTCCTGGT GTCACTTACT GTTTCTGTCA GGAGAGCAGC GGGGCGAAGC CCAGGCCCCT  5160
 80  TTTCACTCCC TCCATCAAGA ATGGGGATCA CAGAGACATT CCTCCGAGCC GGGGAGTTTC  5220
     TTTCCTGCCT TCTTCTTTTT GCTGTTGTTT CTAAACAAGA ATCAGTCTAT CCACAGAGAG  5280
     TCCCACTGCC TCAGGTTCCT ATGGCTGGCC ACTGCACAGA GCTCTCCCAGC TCCAAGACCT  5340
     GTTGGTTCCA AGCCCTGGAG CCAACTGCTG CTTTTTGAGG TGGCACTTTT TCATTTGCCT  5400
     ATTCCCACAC CTCCACAGTT CAGTGGCAGG GCTCAGGATT TCGTGGGTCT GTTTTCCTTT  5460
 85  CTCACCGCAG TCGTCGCACA GTCTCTCTCT CTCTCTCCCC TCAAAGTCTG CAACTTTAAG  5520
     CAGCTCTTGC TAATCAGTGT CTCACACTGG CGTAGAAGTT TTTGTACTGT AAAGAGACCT  5580
     ACCTCAGGTT GCTGGTTGCT GTGTGGTTTG GTGTGTTCCC GCAAACCCCC TTTGTGCTGT  5640
     GGGGCTGGTA GCTCAGGTGG GCGTGGTCAC TGCTGTCATC AGTTGAATGG TCAGCGTTGC  5700
```

305

```
ATGTCGTGAC CAACTAGACA TTCTGTCGCC TTAGCATGTT TGCTGAACAC CTTGTGGAAG 5760
CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTTG TAAAAAAAAA AAAAAAAAAA 5820
AAAAAAAAAA AAAAAAAA
```

Seq ID NO: 319 Protein sequence:
Protein Accession #: NP_005679

```
1          11         21         31         41         51
|          |          |          |          |          |
MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRR TRPLECQDAL ETAARAEGLS   60
LDASMHSQLR ILDEEHPKGK YHHGLSALKP IRTTSKHQHP VDNAGLFSCM TFSWLSSLAR  120
VAHKKGELSM EDVWSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRRV VWIPCRTRLI  180
LSIVCLMITQ LAGPSGPAPM VKHLLEYTQA TESNLQYSLL LVLGLLLTEI VRSWSLALTW  240
ALNYRTGVRL RGAILTMAFK KILKLKNIKE KSLGELINIC SNDGQRMPEA AAVGSLLAGG  300
PVVAILGMIY NVIILGPTGF LGSAVPILFY PAMMFASRLT AYFRRKCVAA TDERVQKMNE  360
VLTYIKPIKM YAWVKAPSQS VQKIREEERR ILEKAGYFQG ITVGVAPIVV VIASVVTPSV  420
HMTLGFDLTA AQAPTVVTVF NSMTFALKVT PPSVKSLSEA SVAVDRPKSL FLMEEVHMIK  480
NKPASPHIKI EMKNATLAWD SSHSSIQNSP KLTPKMKKDK RASRGKKEKV RQLQRTEHQA  540
VLAEQKGHLL LDSDERPSPE EEEGKHIHLG HLRLQRTLHS IDLEIQEGKL VGICGSVGSG  600
KTSLISAILG QMTLLEGSIA ISGTFAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS  660
CCLRPDLAIL PSSDLTEIGE RGANLSGGQR QRISLARALY SDRSIYILDD PLSALDAHVG  720
NHIFNSAIRK HLKSKTVLFV THQLQYLVDC DEVIFMKEGC ITERGTHEEL MNLNGDYATI  780
FNNLLLGETP PVBINSKKET SGSQKKSQDK GPKTGSVKKE KAVKPEEGQL VQLEEKGQGS  840
VPWSVYGVYI QAAGGPLAFL VIMALFMLNV GSTAPSTWWL SYWIKQGSGN TTVTRGNETS  900
VSDSMKDNPH MQYYASIYAL SMAVMLILKA IRGVVFVKGT LRASSRLHDE LFRRILRSPM  960
KPFDTTPTGR ILNRPSKDMD EVDVRLPFQA EMPIQNVILV PFCVGMIAGV FPWFLVAVGP 1020
LVILPSVLHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEPLHRYQEL 1080
LDDNQAPPFL FTCAMRWLAV RLDLISIALI TTTGLMIVLM HGGQIPPAYAG LAISYAVQLT 1140
GLPQFTVRLA SETEARPTSV ERINHYIKTL SLEAPARIKN KAPSPDWPQE GEVTFENAEM 1200
RYRENLPLVL KKVSPTIKPK EKIGIVGRTG SGKSSLGMAL FRLVELSGGC IKIDGVRISD 1260
IGLADLRSKL SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE 1320
SEVMENGDNF SVGERQLLCI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAPADCT 1380
MLTIAHRLHT VLGSDRIMVL AQGQVVEPDT PSVLLSNDSS RFYAMFAAAE NKVAVKG
```

Seq ID NO: 320 DNA sequence
Nucleic Acid Accession #: AK022089.1
Coding sequence: 181-1488

```
1          11         21         31         41         51
|          |          |          |          |          |
AGCAGTTGCA CAACTTCCAG CAACTTTCTC AGCCGGCTAC TAATGAGCTG AAAGCCAGGA   60
ACATCCGAGG AGAAGAGAAA GCTTCCAGCC CTCCTCCCTT CACCCTGGAA ATCCAGACAC  120
CCCCACCCCC ACCCTCAGAT CACTTTAAGA TAATTTCTTT ATTCGTTTGC CCGACAGACC  180
ATGGCTCCCT TTGGAAGAAA CTTGCTAAAG ACTCGGCATA AAAACAGATC TCCAACTAAA  240
GACATGGATT CAGAAGAGAA GGAAATTGTG GTTTGGGTTT GCCAAGAAGA GAAGCTTGTC  300
TGTGGGCTGA CTAAACGCAC CACCTCTGCT GATGTCATCC AGGCTTTGCT TGAGGAACAT  360
GAGGCTACGT TTGGAGAGAA ACGATTTCTT CTGGGGAAGC CCAGTGATTA CTGCATCATA  420
GAGAAGTGGA GAGGCTCCGA AAGGGTTCTT CCTCCACTAA CTAGAATCCT GAAGCTTTGG  480
AAAGCGTGGG GAGATGAGCA GCCCAATATG CAATTTGTTT TGGTTAAAGC AGATGCTTTT  540
CTTCCAGTTC CTTTGTGGCG GACAGCTGAA GCCAAATTAG TGCAAAACAC AGAAAAATTG  600
TGGGAGCTCA GCCCAGCAAA CTACATGAAG ACTTTACCAC CAGATAAACA AAAAAGAATA  660
GTCAGGAAAA CTTTCCGGAA ACTGGCTAAA ATTAAGCAGG ACACAGTTTC TCATGATCGA  720
GATAATATGG AGACATTAGT TCATCTGATC ATTTCCCAGG ACCATACTAT TCATCAGCAA  780
GTCAAGAGAA TGAAAGAGCT GGATCTGGAA ATTGAAAAGT GTGAAGCTAA GTTCCATCTT  840
GATCGAGTAG AAAATGATGG AGAAAACTAT GTTCAGGATG CATATTTAAT GCCCAGTTTC  900
AGTGAAGTTG AGCAAAATCT AGACTTGCAG TATGAGGAAA ACCAGACTCT GGAGGACCTG  960
AGCGAAAGTG ATGGAATTGA ACAGCTGGAA GAACGACTGA AATATTACCG AATACTCATT 1020
GATAAGCTCT CTGCTGAAAT AGAAAAAGAG GTAAAAAGTG TTTGCATTGA TATAAATGAA 1080
GATCGGGAAG GGGAAGCTGC AAGTGAACTG GAAAGCTCTA ATTTAGAGAG TGTTAAGTGT 1140
GATTTGGAGA AAAGCATGAA AGCTGGTTTG AAAATTCACT CTCATTTGAG TGGCATCCAG 1200
AAAGAGATTA AATACAGTGA CTCATTGCTT CAGATGAAAG CAAAAGAATA TGAACTCCTG 1260
GCCAAGGAAT TCAATTCACT TCACATTAGC AACAAAGATG GGTGCCAGTT AAAGGAAAAC 1320
AGAGCGAAGG AATCTGAGGT TCCCAGTAGC AATGGGGAGA TTCCTCCCTT TACTCAAAGA 1380
GTATTTAGCA ATTACACAAA TGACACAGAC TCGGACACTG GTATCAGTTC TAACCACAGT 1440
CAGGACTCCG AAACAACAGT AGGAGATGTG GTGCTGTTGT CAACATAGTT CCAATGGCTC 1500
CTTTCTGACC TGCTTTCATG TTTTAATGTT TGTTTAATTT AATAGGAAAC CTCATTTTAA 1560
ATATAACACT CAAAAAAATG TAAATCATAT TGTAGTATTC AATAGTTAAT AAAAACTCGA 1620
GAAATGTGTT GTTTCTG
```

Seq ID NO: 321 Protein sequence:
Protein Accession #: NP_005438.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAPFGRNLLK TRHKNRSPTK DMDSEEKEIV VWVCQEEKLV CGLTKRTTSA DVIQALLEEH   60
EATFGEKRPL LGKPSDYCII EKWRGSERVL PPLTRILKLW KAWGDEQPNM QFVLVKADAF  120
LPVPLWRTAE AKLVQNTEKL WELSPANYMK TLPPDKQKRI VRKTFRKLAK IKQDTVSHDR  180
DNMETLVHLI ISQDHTIHQQ VKRMKELDLE IEKCEAKPHL DRVENDGENY VQDAYLMPSF  240
SEVEQNLDLQ YEENQTLEDL SESDGIEQLE ERLKYYRILI SDRLSAEIEKE VKSVCIDINE  300
DAEGEAASEL ESSNLESVKC DLEKSMKAGL KIHSHLSGIQ KEIKYSDSLL QMKAKEYELL  360
AKEFNSLHIS NKDGCQLKEN RAKESEVPSS NGEIPPPTQR VPSNYTNDTD SDTGISSNHS  420
QDSETTVGDV VLLST
```

Seq ID NO: 322 DNA sequence
Nucleic Acid Accession #: NM_030920.1

Coding sequence: 317-1123

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  5    AGCATTGAAG GGGAAGGAAC TGCGGGTGTG GTGTGTGTAT GTGTGTGTGT ATGTGTGTGC    60
       GGGCGTGGCG TGCGTGTGTG TGCGCGCGCT AGTGTGTGGA CAAGGAGGTG GGGGCAGCTG   120
       AGTTAGAGTC CCAACTCTTG GACTCCATTT GCTATTCTCT TCTTTCTCCC CCACACCTAT   180
       CTGGTGGTGG TAGTGGGCGT TTATATTTGC GTTCCTTTTC ATTCATTTCT AAATCTCTTA   240
       AAAATTTTGG GTTGGGGGTA TTGGGGAAGG CAGGAAAGGG AAAAGGAGAG TAGTAGCTGA   300
  10   AGAGCAAGAG GAGGACATGG AGATGAAGAA GAAGATTAAC CTGGAGTTAA GGAACAGATC   360
       CCCGGAGGAG GTGACAGAGT TAGTCCTTGA TAATTGCCTG TGTGTCAATG GGGAAATTGA   420
       AGGCCTGAAT GATACTTTCA AAGAACTAGA ATTTCTGAGT ATGGCTAATG TGGAACTAAG   480
       TTCGCTGGCC CGGCTTCCCA GCTTAAATAA ACTTCGAAAA TTGGAGCTTA GTGATAATAT   540
       AATTTCTGGA GGCTTGGAAG TCCTGGCAGA GAAATGTCCA AATCTTACCT ACCTCAATCT   600
  15   GAGTGGAAAC AAAATAAAAG ATCTCAGTAC AGTAGAAGCT CTGCAAAATC TTAAAAATTT   660
       GAAAAGTCTT GACCTGTTTA ACTGTGAGAT CACAAACCTG GAAGATTATA GAGAAAGTAT   720
       TTTTGAACTA CTGCAGCAAA TCACATACTT AGATGGGATT GATCAGGAGG ATAATGAAGC   780
       GCCGGACTCT GAAGAGGAGG ATGATGAGGA TGGAGATGAA GATGATGAAG AGGAAGAGGA   840
       AAATGAAGCT GGTCCACCGG AAGGATATGA GGAAGAGGAG GAGGAAGAGG AAGAGGAGGA   900
  20   TGAGGATGAG GATGAAGATG AAGATGAAGC AGGTTCAGAG TTGGGAGAGG GAGAAGAGGA   960
       AGTGGGCCTC TCATACTTAA TGAAAGAAGA AATTCAGGAT GAAGAAGATG ATGATGACTA  1020
       TGTTGAAGAA GGGGAAGAAG AGGAAGAAGA GGAAGAAGGA GGTCTTCGAG GGGGAAGAGAG  1080
       GAAACGAGAT GCTGAAGACG ATGGAGAGGA AGAAGATGAC TAGATCATTC TAAGACCAGA  1140
       TTCTCTAATG TTTCTGGGTG TGCAATAGAG TGATCACATC TTTGTTTCTT CATGTACGAT  1200
  25   AGCTATCCCT ACAGAAGATA ATGTGTAACT TTTTATAGGA AAAGTGTGGT TTTACTATTT  1260
       TTGCCTTATC ATTCCAAATA AGAACTAGTC TGTTAATGAT CATATTGTAT GTAGAGAAAA  1320
       ATTTTCATTG ACTCCCATTG TGGAATTCCC TAGCAATTTA TTTAGACTTA ATTTTTTAAA  1380
       TTCAAGCTTA CTGTATTAGT CATTTTTAGC CCATAATTAA AACATGATCA CTTTTTAAACA  1440
       GGTGTAGTAT GGTGCATTTC ATTCCTTATT TATAGATTAA CTGAAATTAC AGTTTGCTAT  1500
  30   AATATAAAAT GACAATAGTC TCTTGAGTGG TAAGTTGGTT ATTTTTTTAG AGGTGATCCA  1560
       GGAATCTTTA GTTTGAAGGC AGTTACCTTT TTTTTTTTTT TTTTTTTTTG ACTAAGAGTG  1620
       TTTGGTTGCT TTTTTGTCAC AAGTAACTTG GAAAATAGAA GCAGAATAGT AAAGGTTCTA  1680
       TTCAGCAACA TAGTTCATGG ATTTTGTGGA GGTTCTATTC AGTAATATGG TTCATGGATT  1740
       TAGTGGTGAC TGATAAGATT TTATTTTTGA AGGAAAAATT GCTTATACTA AGTCCAGAGA  1800
  35   CATGCAGGTG AGCCCTTTTG TCAGGCTGCA AATCATGACA TGCCGATGGT TGTTTATTTT  1860
       GTTTTTAGGT GTGCATTCTT TTTCTTCTTA GCAATTCCTT TATGATCACC TTCCCTTCTT  1920
       GTTTCACTCC CTCCCGCTCT CTCAAAAGGA ACTTGGGAAA CTTGTGAAAC CCAGGAAAAC  1980
       CTTTAGTCTT ATACCTCAAC TACGTTTCAG TCCTGTCTGG GTTTTAAATA AGTGAAGTAG  2040
       AAGAAATTGA GTATTTTCTG ACATAAGGAAT ATATTATCAA TACAGTTTTA TGCAGTAAGC  2100
  40   TCTCCTTACC ATAAATGTTT CTTGGTTGAC AACATCTAAG ACAATATTAG TGGGATGAAG  2160
       AAAGAAAAGC AGGGGTGCTT TTGGAAGCAG TGTTAGTGTT CCTCAAAAGT CGGAACAATT  2220
       GCCTGTTGAT ATATTAATAA GACATTAAAG TCAAATTTTA ATGTTGGCCT CTCAAATGAT  2280
       TTGGATACCA CTCTGCAAAG TATTTCTAAC CTTTAATTCC CAGTTTTAAA ACAGATATAA  2340
       TAATAGCATT TAATTGGAAT ATACTAGGCA GCTGGAAAAG TATTTGAAAC TAAATTGACA  2400
  45   TTAAAATTAA GATTTGTTTT CAAGTGGATG TCCATTAAAA GTAGAAAAAT ATTTGGGATA  2460
       AGTGAGTGTG TGTTTCCTTA CATGGCTACT AAATAAAAATA TAATGAGTAT ACAAGTATAT  2520
       CTCCTCTTTT GCTATGGAGG CTCCATGTTC AAGGCAATGG CTTTTTAAAT CTTGGCTATC  2580
       TAAAATTTTT TCCCTTTGTT TTGAATATTT GTAAGTTTTT AAGAAGTTAG TGTCAGCAAA  2640
       TTAATTGAAG TTATGCTTCT ATACTGGGAC ATATTTAAAT ACTGAGTATA GTACTGCTGC  2700
  50   TACTGCTTCT ACAATGTAAA ATGTATGACT TGGTGTTTTA AAGTAAAAAT TATGATGTTA  2760
       CTTGTGGAGA AACTAAAAAT GTTGTACAAC TGACCGAAAG AAAACCCTTG GGGATAAGTT  2820
       TAGTGAGGGG ATTGGAATCC CCAAAAAGAT AACATTTTTC TTCTGCTTTT AAAAACTGAA  2880
       ATTCCCTGTT CTAGTTCCTA ACAATTCTCA TTACATACTA TGCCAGATTA CAAAATACTT  2940
       ATTTTTAAAA TGAAATCTAT ATATTGACTT TCTTATCAAT CATCTTACTG TGCAATCAAA  3000
  55   ATTAGAGTAC TTTGGTTTGA AAACAACACT TAGAGCCTCC AGATAACTTT TAAGACTTAT  3060
       TTAGCTTTGT GGGTGGTATT TTCATGCAAA TAAGTAAGGG TGGGTTTTAT ATTTTGTAGA  3120
       AGTTTTCGGT CCTATTTTAA TGCTCTTTGT ATGGCAGTAT GTATATATTG TGTTAAGTTC  3180
       CTCAAGAATC TCCTTAAAAA CTTTGAAGTT AATACTTTTG TGCAACTGTG TTTTGAATAA  3240
  60   AGCCATGACA GTGTTAAAAA CAAAC
```

Seq ID NO: 323 Protein sequence:
Protein Accession #: NP_112182.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  65   MEMKKKINLE LRNRSPEEVT ELVLDNCLCV NGEIEGLNDT FKELEFLSMA NVELSSLARL    60
       PSLNKLRKLE LSDNIISGGL EVLAEKCPNL TYLNLSGNKI KDLSTVEALQ NLKNLKSLDL   120
       FNCEITNLED YRESIFELLQ QITYLDGFDQ EDNEAPDSEE EDDEDGDEDD EEEEENEAGP   180
  70   PEGYEEEEEE EEEEDEDEDE DEDEAGSELG EGEEEVGLSY LMKEEIQDEE DDDDYVEBGE   240
       EEEEEEEGGL RGEKRKRDAE DDGEEEDD
```

Seq ID NO: 324 DNA sequence
Nucleic Acid Accession #: NM_003812
Coding sequence: 224..2722

```
        1          11         21         31         41         51
        |          |          |          |          |          |
  75   TCCTCTGCGT CCCGCCCCGG GAGTGGCTGC GAGGCTAGGC GAGCCGGGAA AGGGGGCGCC    60
       GCCCAGCCCC GAGCCCCGCG CCCCGTGCCC CGAGCCCGGA GCCCCCTGCC CGCGGCGGCA   120
  80   CCATGCGCGC CGAGCCGGCG TGACCGGCTC CGCCGCGGGC CGCCCCGCAG CTAGCCCGGC   180
       GCTCTCGCCG GCCACACGGA GCGGCGCCCG GGAGCTATGA GCCATGAAGC CGCCCGGCAG   240
       CAGCTCGCGG CAGCCGCCCC TGGCGGGGCTG CAGCCTTGCC GGCGCTTCCT GCGGCCCCCA   300
       ACGCGGCCCC GCCGGCTCGG TGCCTGCCAG CGCCCCGGCC CGCACGCGCGC CCTGCCGCCT   360
       GCTTCTCGTC CTTCTCCTGC TGCCTCCGCT CGCCGCCTCG TCCCGGCCCC GCGCGTGGGA   420
  85   GGCTGCTGCG CCCAGCGCTC CGCATTGGAA TGAAACTGCA GAAAAAAATT TGGGAGTCCT   480
       GGCAGATGAA GACAATACAT TGCAACAGAA TAGCAGCAGT AATATCAGTT ACAGCAATGC   540
       AATGCAGAAA GAAATCACAC TGCCTTCAAG ACTCATATAT TACATCAACC AAGACTCGGA   600
```

307

```
         AAGCCCTTAT CACGTTCTTG ACACAAAGGC AAGACACCAG CAAAAACATA ATAAGGCTGT    660
         CCATCTGGCC CAGGCAAGCT TCCAGATTGA AGCCTTCGGC TCCAAATTCA TTCTTGACCT    720
         CATACTGAAC AATGGTTTGT TGTCTTCTGA TTATGTGGAG ATTCACTACG AAAATGGGAA    780
         ACCACAGTAC TCTAAGGGTG GAGAGCACTG TTACTACCAT GGAAGCATCA GAGGCGTCAA    840
5        AGACTCCAAG GTGGCTCTGT CAACCTGCAA TGGACTTCAT GGCATGTTTG AAGATGATAC    900
         CTTCGTGTAT ATGATAGAGC CACTAGAGCT GGTTCATGAT GAGAAAAGCA CAGGTCGACC    960
         ACATATAATC CAGAAAACCT TGGCAGGACA GTATTCTAAG CAAATGAAGA ATCTCACTAT    1020
         GGAAAGAGGT GACCAGTGGC CCTTTCTCTC TGAATTACAG TGGTTGAAAA GAAGGAAGAG    1080
         AGCAGTGAAT CCATCACGTG GTATATTTGA AGAAATGAAA TATTTGGAAC TTATGATTGT    1140
10       TAATGATCAC AAAACGTATA AGAAGCATCG CTCTTCTCAT GCACATACCA ACAACTTTGC    1200
         AAAGTCCGTG GTCAACCTTG TGGATTCTAT TTACAAGGAG CAGCTCAACA CCAGGGTTGT    1260
         CCTGGTGGCT GTAGAGACCT GGACTGAGAA GGATCAGATT GACATCACCA CCAACCCTGT    1320
         GCAGATGCTC CATGAGTTCT CAAAATACCG GCAGCGCATT AAGCAGCATG CTGATGCTCT    1380
         GCACCTCATC TCGCGGGTGA CATTTCACTA TAAGAGAAGC AGTCTGAGTT ACTTTGGAGG    1440
15       TGTCTGTTCT CGCACAAGAG GAGTTGGTGT GAATGAGTAT GGTCTTCCAA TGGCAGTGGG    1500
         ACAAGTATTA TCGCAGAGCC TGGCTCAAAA CCTTGGAATC CAATGGGAAC CTTCTAGCAG    1560
         AAAGCCAAAA TGTGACTGCA CAGAATCCTG GGGTGGCTGC ATCATGGAGG AAACAGGGGT    1620
         GTCCCATTCT CGAAAATTTT CAAAGTGCAG CATTTTGGAG TATAGAGACT TTTTACAGAG    1680
         AGGAGGTGGA GCCTGCCTTT TCAACAGGCC AACAAAGCTA TTTGAGCCCA CGGAATGTGG    1740
20       AAATGGATAC GTGGAAGCTG GGGAGGAGTG TGATTGTGGT TTTCATGTGG AATGCTATGG    1800
         ATTATGCTGT AAGAAATGTT CCCTCTCCAA CGGGGCTCAC TGCAGCGACG GGCCCTGCTG    1860
         TAACAATACC TCATGTCTTT TTCAGCCACG AGGGTATGAA TGCCGGGATG CTGTGAACGA    1920
         GTGTGATATT ACTGAATATT GTACTGGAGA CTCTGGTCAG TGCCCACCAA ATCTTCATAA    1980
         GCAAGACGGA TATGCATGCA ATCAAAATCA GGGCCGCTGC TACAATGGCG AGTGCAAGAC    2040
25       CAGAGACAAC CAGTGTCAGT ACATCTGGGG AACAAAGGCT GCAGGGTCTG ACAAGTTCTG    2100
         CTATGAAAAG CTGAATACAG AAGGCACTGA GAAGGGAAAC TGCGGGAAGG ATGGAGACCG    2160
         GTGGATTCAG TGCAGCAAAC ATGATGTGTT CTGTGGATTC TTACTCTGTA CCAATCTTAC    2220
         TCGAGCTCCA CGTATTGGTC AACTTCAGGG TGAGATCATT CCAACTTCCT TCTACCATCA    2280
         AGGCCGGGTG ATTGACTGCA GTGGTGCCCA TGTAGTTTTA GATGATGATA CGGATGTGGG    2340
30       CTATGTAGAA GATGGAACGC CATGTGGCCC GTCTATGATG TGTTTAGATC GGAAGTGCCT    2400
         ACAAATTCAA GCCCTAAATA TGAGCAGCTG TCCACTCGAT TCCAAGGGTA AAGTCTGTTC    2460
         GGGCCATGGG GTGTGTAGTA ATGAAGCCAC CTGCATTTGT GATTTCACCT GGGCAGGGAC    2520
         AGATTGCAGT ATCCGGGATC CAGTTAGGAA CCTTCACCCC CCAAGGATG AAGGACCCAA    2580
         GGGTCCTAGT GCCACCAATC TCATAATAGG CTCCATCGCT GGTGCCATCC TGGTAGCAGC    2640
35       TATTGTCCTT GGGGGCACAG GCTGGGGATT TAAAAATGTC AAGAAGAGAA GGTTCGATCC    2700
         TACTCAGCAA GGCCCCATCT GAATCAGCTG CGCTGGATGG ACACCGCCTT GCACTGTTGG    2760
         ATTCTGGGTA TGACATACTC GCAGCAGTGT TACTGGAACT ATTAAGTTTG TAAACAAAAC    2820
         CTTTGGGTGG TAATGACTAC GGAGCTAAAG TTGGGGTGAC AAGGATGGGG TAAAAGAAAA    2880
         CTGTCTCTTT TGGAAATAAT GTCAAAGAAC ACCTTTCACC ACCTGTCAGT AAACGGGGGA    2940
40       GGGGGCAAAA GACCATGCTA TAAAAAGAAC TGTTCCAGAA TCTTTTTTTT TCCCTAATGG    3000
         ACGAAGGAAC AACACACACA CAAAAATTAA ATGCAATAAA GGAATCATTA AAAA
```

```
         Seq ID NO: 325 Protein sequence:
         Protein Accession #: NP_003803
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         MKPPGSSSRQ PPLAGCSLAG ASCGPQRGPA GSVPASAPAR TPPCRLLLVL LLLPPLAASS    60
         RPRAWGAAAP SAPHWNETAE KNLGVLADED NTLQQNSSSN ISYSNAMQKE ITLPSRLIYY    120
         INQDSESPYH VLDTKARHQQ KHNKAVHLAQ ASFQIEAPGS KFILDLILNN GLLSSDYVEI    180
         HYENGKPQYS KGGEHCYYHG SIRGVKDSKV ALSTCNGLHG MFEDDTFVYM IEPLELVEDE    240
         KSTGRPHIIQ KTLAGQYSKQ MKNLTMERGD QWPFLSELQW LKRRKRAVNP SRGIFEEMKY    300
         LELMIVNDHK TYKKHRSSHA HTNNPAKSVV NLVDSIYKEQ LNTRVVLVAV ETWTEKDQID    360
         ITTNPVQMLH EPSKYRQRIK QHADAVHLIS RVTFHYKRSS LSYFGGVCSR TRGVGVNEYG    420
         LPMAVAQVLS QSLAQNLGIQ WEPSSRKPKC DCTESWGGCI MEETGVSHSR KFSKCSILEY    480
         RDFLQRGGGA CLFNRPTKLF EPTECGNGYV EAGEECDCGP HVECYGLCCK KCSLSNGAHC    540
         SDGPCCNNTS CLPQPRGYEC RDAVNECDIT EYCTGDSGQC PPNLHKQDGY ACNQNQGRCY    600
         NGECKTRDNQ CQYIWGTKAA GSDKFCYEKL NTEGTEKGNC GKDGDRWIQC SKHDVPCGFL    660
         LCTNLTRAPR IGQLQGEIIP TSFYHQGRVI DCSGAHVVLD DDTDVGYVED GTPCGPSMMC    720
         LDRKCLQIQA LNMSSCPLDS KGKVCSGHGV CSNEATCICD PTWAGTDCSI RDPVRNLEPP    780
         KDEGPKGPSA TNLIIGSIAG AILVAAIVLG GTGWGFKNVK KRRFDPTQQG PI
```

```
         Seq ID NO: 326 DNA sequence
         Nucleic Acid Accession #: AK074418.1
         Coding sequence: 244-1515
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         CTTTCTCCAA GACGGCCGGC CATGCTCTCC TCCTCTGCCA GTCCTCCTCCA CCACTCTCTA    60
         ACCTGAGAGC CTGTGGAACC TGCCCGTCTC CCCTCCTCCA TCAGACACAC CTGCCTAGGA    120
         AACAGATGGA AAAAGTGAGG GACCGGTGAG TGACTTGCTG CTAAAGTTTA TACCAGATGC    180
         AAATGACAGA GCTGGAGTTC TGCTGTGCCT GGAAAGGACC TCGGAAGTCT TCTAAGGAGA    240
         GTCATGCGGT ATTACCAGGA GCCTTCAGTG GAGACCTCCA TCATCAAGTT CAAAGACCAG    300
         GACTTTACCA CCTTGCGGGA TCACTGCCTG AGCATGGGCC GGACGTTTAA GGATGAGACA    360
         TTCCCCGCAG CAGATTCTTC CATAGGCCAG AAGCTGCTCC AGGAAAAACG CCTCTCCAAT    420
         GTGATATGGA AGCGGCCACA GGATCTACCA GGGGGTCCTC CTCACTTCAT CCTGGATGAT    480
         ATAAGCAGAT TTGACATCCA ACAAGGAGGC GCAGCTGACT GCTGGTTCCT GGCAGCACTG    540
         GGATCCTTGA CTCAGAACCC ACAGTACAGG CAGAAGATCC TGATGGTCCA AAGCTTTTCA    600
         CACCAGTATG CTGGCATTTT CCGTTTCCGG TTCTGGCAAT GTGGCCAGTG GGTGGAAGTG    660
         GTGATTGATG ACCGCCTACC TGTCCAGGGA GATAAATGCC TCTTTGTGCG TCCTCGCCAC    720
         CAAAACCAAG AGTTCTGGCC CTGCCTGCTG GAGAAGGCCT ATGCCAAGCT GCTCGGGATCC    780
         TATTCCGATC TGCACTATGG CTTCCTCGAG GATGCCCTGG TGGACCTCAC AGGAGGCGTG    840
         ATCACCAACA TCCATCTGCA CTCTTCCCCT GTGGACCTGG TGAAGGCAGT GAAGACAGCG    900
         ACCAAGGCAG GCTCCCCTGAT AAACCTGTGCC ACTCCAAGTG GGCCAACAGA TACAGCACAG    960
         GCGATGGAGA ATGGGCTGGT GAGTCTCCAT GCCTACACTG TGACTGGGGC TGAGCAGATT    1020
         CAATACCGAA GGGGCTGGGA AGAAATTATC TCCCTGTGGA ACCCCTGGGG CTGGGGCGAG    1080
         ACCGAATGGA GAGGGCGCTG GAGTGATGGG TCTCAGGAGT GGGAGGGAAAC CTGTGATCCG    1140
```

```
        CGGAAAAGCC AGCTACATAA GAAACGGGAA GATGGCGAGT TTTGGATGTC GTGTCAAGAT    1200
        TTCCAACAGA AATTCATCGC CATGTTTATA TGTAGCGAAA TTCCAATTAC CCTGGACCAT    1260
        GGAAACACAC TCCACGAAGG ATGGTCCCAA ATAATGTTTA GGAAGCAAGT GATTCTAGGA    1320
        AACACTGCAG GAGGACCTCG GAATGATGCT CAATTCAACT TCTCTGTGCA AGAGCCAATG    1380
  5     GAAGGCACCA ATGTTGTCGT GTGCGTCACA GTTGCTGTCA CACCATCAAA TTTGAAAGCA    1440
        GAAGATGCAA AATTTCCACT CGATTTCCAA GTGATTCTGG CTGGCTCACA GAAACACTGT    1500
        CCAAAGCTCA AATAATAAAT TCCGCCGCAA CTTCACCCATG ACTTACCATC TGAGCCCTGG    1560
        GAACTATGTT GTGGTTGCAC AGACACGGAG AAAATCAGCG GAGTTCTTGC TCCGAATCTT    1620
        CCTGAAAATG CCAGACAGTG ACAGGCACCT GAGCAGCCAT TTCAACCTCA GAATGAAGGG    1680
 10     AAGCCCTTCA GAACATGGCT CCCAACAAAG CATTTTCAAC AGTATGCTCT AGCAGGTATG    1740
        GTACCTAGCA CCCAGGGGCC TTACGTGGGA TTGGAGAAAG GGGACCTGAG GGAGGGACAG    1800
        CCCTCACAGG CCCTTACTGG GATGCAGAGA GGAGAAGTGA CTTGATGGAC TATTTTACCT    1860
        GCCTCTCTTC CTGGATCGTC TCCAGAACTG CTGTGGCTGC CAAGCTCGGT AGAGACGTGG    1920
        CGCCCCACCC AGTCTCATCC GGGGGACTTC AAGCTGGAAT GCAGAGCTTA GAAAGGGAGG    1980
 15     GGATAATTAT GGGGTGTGAG GTGCATTGCC CTCTAAATCT TTAAACAAGC AATTGGCAAT    2040
        ACCCCGTGAA ACCTTTCCTT CTCCTACTCG·GCCACCTCCC ACCAACCTGG CATCGTTCCT    2100
        CCCGGGAGCT AGCCAGCTTC AGAAAGCACA TACAGCATCC TTGCTGCCAA ACCACCTATG    2160
        TGCACACAGG ATTTCCTTAA TGGCTTAATA AACTGTTATA AAGAACTCCT TGACTTGTCA    2220
        GAATAAAATA GCTGCCAGGG GCTCTGCACA ATGAGCCTCT TACCGTTAAA AAAAAAAAAA    2280
 20     AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA
```

Seq ID NO: 327 Protein sequence:
Protein Accession #: BAB85075.1

```
 25     1          11         21         31         41         51
        |          |          |          |          |          |
        MAYYQEPSVE TSIIKFKDQD FTTLRDHCLS MGRTFKDETF PAADSSIGQK LLQEKRLSNV    60
        IWKRPQDLPG GPPHFILDDI SRFDIQQGGA ADCWFLAALG SLTQNPQYRQ KILMVQSFSH   120
        QYAGIFRFRF WQCGQWVEVV IDDRLPVQGD KCLFVRPRHQ NQEFWPCLLE KAYAKLLGSY   180
 30     SDLHYGFLED ALVDLTGGVI TNIHLHSSPV DLVKAVKTAT KAGSLITCAT PSGPTDTAQA   240
        MENGLVSLHA YTVTGAEQIQ YRRGWEEIIS LWNPWGWGET EWRGRWSDGS QEWEETCDPR   300
        KSQLHKKRED GEFWMSCQDF QQKFIAMPIC SEIPITLDHG NTLHEGWSQI MFRKQVILGN   360
        TAGGPRNDAQ FNFSVQEPME GTNVVVCVTV AVTPSNLKAE DAKFPLDPQV ILAGSQKHCP   420
 35     KLK
```

Seq ID NO: 328 DNA sequence
Nucleic Acid Accession #: BC017490.1
Coding sequence: 74-2788

```
 40     1          11         21         31         41         51
        |          |          |          |          |          |
        GTGGGTCACG TGAACCACTT TTCGCGCGAA ACCTGGTTGT TGCTGTAGTG GCGGAGAGGA    60
        TCGTGGTACT GCTATGGCGG AATCATCGGA ATCCTTCACC ATGGCATCCA GCCCGGCCCA   120
 45     GCGTCGGCGA GGCAATGATC CTCTCACCTC CAGCCCTGGC CGAAGCTCCC GGCGTACTGA   180
        TGCCCTCACC TCCAGCCCTG GCCGTGACCT TCCACCATTT GAGGATGAGT CCGAGGGGCT   240
        CCTAGGCACA GAGGGGCCCC TGGAGGAAGA AGAGGATGGA GAGGAGCTCA TTGGAGATGG   300
        CATGGAAAGG GACTACCGCG CCATCCCAGA GCTGGACGCC TATGAGGCCG AGGGACTGGC   360
        TCTGGATGAT GAGGACGTAG AGGAGCTGAC GGCCAGTCAG AGGGAGGCAG CAGAGCGGGC   420
 50     CATGCGGCAG CGTGACCGGG AGGCTGGCCG GGGCCTGGCC CGCATGCGCC GTGGGCTCCT   480
        GTATGACAGC GATGAGGAGG ACGAGGAGCG CCCTGCCCGC AGGTGGAGCG   540
        GGCCACGGAG GACGGCGAGG AGGACGAGGA GATGATCGAG AGCATCGAGA ACCTGGAGGA   600
        TCTCAAAGGC CACTCTGTGC GCGAGTGGGT GAGCATGGCG GGCCCCCGGC TGGAGATCCA   660
        CCCACCGCTTC AAGAACTTCC TGCGCACTCA CGTCGACAGC CGTCGACAGC ACGTCTTCAA   720
 55     GGAGCGCATC AGCGACATGT GCAAAGAGAA CCGTGAGAGC CTGGTGGTGA ACTATGAGGA   780
        CTTGGCAGCC AGGGAGCACG TGCTGGCCTA CTTCCTGCCT GAGGCACCGG CGGAGCTGCT   840
        GCAGATCTTT GATGAGGCTG CCCTGGAGGT GGTACTGGCC ATGTACCCCA AGTACGACCG   900
        CATCACCAAC CACATCCATG TCCGCATCTC CCACCTGCCT CTGGTGGAGG AGCTGCGCTC   960
        GCTGAGGCAG CTGCATCTGA ACCAGCTGAT CCGCACCCAGT GGGGTGGTGA CCAGCTGCAC  1020
 60     TGGCGTCCTG CCCCAGCTCA GCATGGTCAA GTACAACTGC AACAAGTGCA ATTTCGTCGT  1080
        GGGTCCTTTC TGCCAGTCCC AGAACCAGGA GGTGAAACCA GGCTCCTGTC CTGAGTGCCA  1140
        GTCGGCCGGC CCCTTTGAGG TCAACATGGA GGAGACCATC TATCAGAACT ACCAGCGTAT  1200
        CCGAATCCAG GAGAGTCCAG GCAAAGTGGC GGCTGGCCGG CTGCCCCGCT CCAAGGACGC  1260
        CATTCTCCTC GCAGATCTGG TGGACAGCTG CAAGCCAGGA GACGAGATAG AGCTGACCTGG  1320
 65     CATCTATCAC AACAACTATG ATGGCTCCCT CAACACTGCC AATGCCTTCC CTGTCTTTGC  1380
        CACTGTCATC CTAGCCAACC ACGTGGCCAA GAAGGACAAC AAGGTTGCTG TAGGGGAACT  1440
        GACCGATGAA GATGTGAAGA TGATACTAG CCTCTCCAAG GATCAGACAG TCGGAGAGAA  1500
        GATCTTTGCC AGCATTGCTC·CTTCCATCTA TGGTCATGAA GACATCAAGA GAGGCCTGGC  1560
        TCTGGCCCTG TTCGGAGGGG AGCCCAAAAA CCCAGGTGGC AAGCACAAGG TACGTGGTGA  1620
 70     TATCAACGTG CTCTTGTGCG GAGACCCTGG CACAGCGAAG TCGCAGTTTC TCAAGTATAT  1680
        TGAGAAAGTG TCCAGCCGAG CCATCTTCAC CACTGGCCAG GGGGCGTCGG CTGTGGGCCT  1740
        CACGGCGTAT GTCCAGCGGC ACCCTGTCAG CAGGGAGTGG ACCTTGGAGG CTGGGGCCCT  1800
        GGTTCTGGCT GACCGAGGAG TGTGTCTCAT TGATGAATTT GACAAGATGA ATGACCAGGA  1860
        CAGAACCAGC ATCCATGAGG CCATGGAGCA ACAGAGCATC TCCATCTCGA AGGCTGGCAT  1920
 75     CGTCACCTCC CTGCAGGCTC GCTGCACGGT CATTGCTGCC GCCAACCCCA TAGGAGGGCG  1980
        CTACGACCCC TCGCTGACTT TCTCTGAGAA CGTGGACCTC ACAGAGCCCA TCATCTCACG  2040
        CTTTGACATC CTGTGTGTGG TGAGGGACAC CGTGGACCCA GTCCAGGACG AGATGCTGGC  2100
        CCGCTTCGTG GTGGGCAGCC ACGTCAGACA CCACCCCAGC AACAAGGAGG AGGAGGGGCT  2160
        GGCCAATGGC AGCGCTGCTG AGCCCGGCCAT GCCCAACACG TATGGCGTGG AGCCCCTGCC  2220
 80     CCAGGAGGTC CTGAAGAAGT ACATCATCTA CGCCAAGGAG AGGGTCCCACC CGCGACGCTCAA  2280
        CCAGATGGAC CAGGACAAGG TGGCCAAGAT GTACAGTGAC CTGAGGAAAG AATCTATGGC  2340
        GACAGGCAGC ATCCCCATTA CGGTGCGGCA CATCGAGTCC ATGATCCGCA TGGCGGAGGC  2400
        CCACGCGCGC ATCCATCTGC GGGACTATGT GATCGAAGAC GACGTCAACA TGGCCATCCG  2460
        CGTGATGCTG GAGAGCTTCA TAGACACACA GAAGTTCAGC GTCATCGCGCA GCATGCGCAA  2520
 85     GACTTTTGCC CGCTACCTTT CATTCCGGCG TGACAACAAT GAGCTGTTGC TCTTCATACT  2580
        GAAGCAGTTA GTGGCAGAGC AGGTGACATA TCAGCGCAAC CGCTTTGGGG CCCAGCAGGA  2640
        CACTATTGAG GTCCCTGAGA AGGACTTGGT GGATAAGGCT CGTCAGATCA ACATCCCACAA  2700
```

```
CCTCTCTGCA TTTTATGACA GTGAGCTCTT CAGGATGAAC AAGTTCAGCC ACGACCTGAA   2760
AAGGAAAATG ATCCTGCAGC AGTTCTGAGG CCCTATGCCA TCCATAAGGA TTCCTTGGGA   2820
TTCTGGTTTG GGGTGGTCAG TGCCCTCTGT GCTTTATGGA CACAAAACCA GAGCACTTGA   2880
TGAACTCGGG GTACTAGGGT CAGGGCTTAT AGCAGGATGT CTGGCTGCAC CTGGCATGAC   2940
TGTTTGTTTC TCCAAGCCTG CTTTGTGCTT CTCACCTTTG GGTGGGATGC CTTGCCAGTG   3000
TGTCTTACTT GGTTGCTGAA CATCTTGCCA CCTCCGAGTG CTTTGTCTCC ACTCAGTACC   3060
TTGGATCAGA GCTGCTGAGT TCAGGATGCC TGCGTGTGGT TTAGGTGTTA GCCTTCTTAC   3120
ATGGATGTCA GGAGAGCTGC TGCCCTCTTG GCGTGAGTTG CGTATTCAGG CTGCTTTTGC   3180
TGCCTTTGGC CAGAGAGCTG GTTGAAGATG TTTGTAATCG TTTTCAGTCT CCTGCAGGTT   3240
TCTGTGTCCCC TGTGGTGGAA GAGGGCACGA CAGTGCCAGC GCAGCGTTCT GGGCTCCTCA   3300
GTCGCAGGGG TGGGATGTGA GTCATGCGGA TTATCCACTC GCCACAGTTA TCAGCTGCCA   3360
TTGCTCCCTG TCTGTTTCCC CACTCTCTTA TTTGTGCATT CGGTTTGGTT TCTGTAGTTT   3420
TAATTTTTAA TAAAGTTGAA TAAAATATAA AAAAAAAAAA AAAAAA
```

Seq ID NO: 329 Protein sequence:
Protein Accession #: AAH17490.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAESSESFTM ASSPAQRRRG NDPLTSSPGR SSRRTDALTS SPGRDLPPFE DESEGLLGTE    60
GPLEEEEDGE ELIGDGMERD YRAIPELDAY EAEGLALDDE DVEELTASQR EAAERAMRQR   120
DREAGRGLGR MRRGLLYDSD EEDEERPARK RRQVERATED GEEDEEMIES IENLEDLKGH   180
SVREWVSMAG PRLEIHHRPK NFLRTHVDSH GHNVFKERIS DMCKENRESL VVNYEDLAAR   240
EHVLAYFLPE APAELLQIFD EAALEVVLAM YPKYDRITNH IHVRISHLPL VEELRSLRQL   300
HLNQLIRTSG VVTSCTGVLP QLSMVKYNCN KCNPVLGPPC QSQNQEVKPG SCPECQSAGP   360
PEVNMEETIY QNYQRIRIQE SPGKVAAGRL PRSKDAILLA DLVDSCKPGD EIELTGIYHN   420
NYDGSLNTAN GPPVPATVIL ANHVAKKDNK VAVGELTDED VKMITSLSKD QQIGEKIPAS   480
IAPSIYGHED IKRGLALALF GGEPKNPGGK HKVRGDINVL LCGDPGTAKS QPLKYIEKVS   540
SRAIFTTGQG ASAVGLTAYV QRHPVSREWT LEAGALVLAD RGVCLIDEFD KMNDQDRTSI   600
HEAMEQQSIS ISKAGIVTSL QARCTVIAAA NPIGGRYDPS LTFSENVDLT EPIISRFDIL   660
CVVRDTVDPV QDEMLARPVV GSHVRHHPSN KEEEGLANGS AAEPAMPNTY GVEPLPQEVL   720
KKYIIYAKER VHPKLNQMDQ DKVAKMYSDL RKESMATGSI PITVRHIESM IRMAEAHARI   780
HLRDYVIEDD VNMAIRVMLE SFIDTQKPSV MRSMRKTFAR YLSFRRDNNE LLLFILKQLV   840
AEQVTYQRNR PGAQQDTIEV PEKDLVDKAR QINIHNLSAF YDSELFRMNK FSHDLKRKMI   900
LQQF
```

Seq ID NO: 330 DNA sequence
Nucleic Acid Accession #: M17254
Coding sequence: 257-1645

```
1          11         21         31         41         51
|          |          |          |          |          |
GTCCGCGCGT GTCCGCGCCC GCGTGTGCCA GCGCGCGTGC CTTGGCCGTG CGCGCCGAGC    60
CGGGTCGCAC TAACTCCCTC GGCGCCGACG GCGGCGCTAA CCTCTCGGTT ATTCCAGGAT   120
CTTTGGGAGAC CCGAGGAAAG CCGTGTTGAC CAAAAGCAAG ACAAATGACT CACAGAGAAA   180
AAAGATGGCA GAACCAAGGG CAACTAAAGC CGTCAGGTTC TGAACAGCTG GTAGATGGGC   240
TGGCTTACTG AAGGACATGA TTCAGACTGT CCCGGACCCA GCAGCTCATA TCAAGGAAGC   300
CTTATCAGTT GTGAGTGAGG ACCAGTCGTT GTTTGAGTGT GCCTACGGAA CGCCACACCT   360
GGCTAAGACA GAGATGACCG CGTCCTCCTC CAGCGACTAT GGACAGACTT CCAAGATGAG   420
CCCACGCGTC CCTCAGCAGG ATTGGCTGTC TCAACCCCCA GCCAGGGTCA CCATCAAAAT   480
GGAATGTAAC CCTAGCCAGG TGAATGGCTC AAGGAACTCT CCTGATGAAT GCAGTGTGGC   540
CAAAGGCGGG AAGATGGTGG GCAGCCCAGA CACCGTTGGG ATGAACTACG GCAGCTACAT   600
GGAGGAGAAG CACATGCCAC CCCCAAACAT GACCACGAAC GAGCGCAGAG TTATCGTGCC   660
AGCAGATCCT ACGCTATGGA GTACAGACCA TGTGCGGCAG TGGCTGGAGT GGGCGGTGAA   720
AGAATATGGC CTTCCAGACG TCAACATCTT GTTATTCCAG AACATCGATG GGAAGGAACT   780
GTGCAAGATG ACCAAGGACG ACTTCCAGAG GCTCACCCCC AGCTACAACG CCGACATCCT   840
TCTCTCACAT CTCCACTACC TCAGAGAGAC TCCTCTTCCA CATTTGACTT CAGATGATGT   900
TGATAAAGCC TTACAAAACT CTCCACGGTT AATGCATGCT AGAAACACAG ATTTACCATA   960
TGAGCCCCCC AGGAGATCAG CCTGGACCGG TCACGGCCAC CCCACGCCCC AGTCGAAAGC  1020
TGCTCAACCA TCTCCTTCCA CAGTGCCCAA AACTGAAGAC CAGCCGTCCTC AGTTAGATCC  1080
TTATCAGATT CTTGGACCAA CAAGTAGCCG CCTTGCAAAT CCAGGCAGTG GCCAGATCCA  1140
GCTTTGGCAG TTCCTCCTGG AGCTCCTGTC GGACAGCTCC AACTCCAGCT GCATCACCTG  1200
GGAAGGCACC AACGGGGAGT TCAAGATGAC GGATCCCGAC GAGGTGGCCC GGGCGTGGGG  1260
AGAGCGGAAG AGCAAACCCA ACATGAACTA CGATAAGCTC AGCCGGCGCC TCCGTTACTA  1320
CTATGACAAG AACATCATGA CCAAGGTCCA TGGGAAGCGC TACGCCTACA AGTTCGACTT  1380
CCACGGGATC GCCCAGGCCC TCCAGCCCCA CCCCCCCGGGA TCATCTCTGT ACAAGTACCC  1440
CTCAGACCTC CCGTACATGG GCTCCTATCA CGCCCACCCA CAGAAGATGA ACTTTGTGGC  1500
GCCCCACCCT CCAGCCCTCC CCGTGACATC TTCCAGTTTT TTTGCTGCCC CAAACCCATA  1560
CTGGAATTCA CCAACTGGGG GTATATACCC CAACACTAGG CTCCCCACCA GCCATATGCC  1620
TTCTCATCTG GGCACTTACT ACTAAAGACC TGGCGGAGGC TTTTCCCATC AGCGTGCATT  1680
CACCAGCCCA TCGCCACAAA CTCTATCGGA GAACATGAAT CAAAAGTGCC TCAAGAGGAA  1740
TGAAAAAAGC TTTACTGGGG CTGGGGAAGG AAGCCGGGGA AGAGATCCAA AGACTCTTGG  1800
GAGGAGTTA CTGAAGTCTT ACTACAGAAA TGAGGAGGAT GCTAAAAATG TCACGAATAT  1860
GGACATATCA TCTGTGGACT GACCTTGTAA AAGACAGTGA ATGTAGAAGC ATGAAGTCTT  1920
AAGGACAAAG TGCCAAAGAA AGTGGTCTTA AGAAATGTAT AAACTTTAGA GTAGAGTTTG  1980
AATCCCACTA ATGCAAACTG GGATGAAAAT AAAGCAATAG AAACAACACA GTTTTGACCT  2040
AACATACCGT TTATAATGCC ATTTTAAGGA AAACTACCTG TATTTAAAAA TAGTTTCATA  2100
TCAAAAACAA GAGAAAAGAC ACGAGAGAGA CTGTGGCCCA TCAACAGACG TTGATATGCA  2160
ACTGCATGGC ATGTGCTGTT TTGGTTGAAA TCAAATACAT TCCGTTTGAT GGACAGCTGT  2220
CAGCTTTCTC AAACTGTGAA GATGACCCAA AGTTTCCAAC TCCTTTACAG TATTACCGGG  2280
ACTATGAACT AAAAGGTGGG ACTGAGGATG TGTATAGAGT GAGCGTGTGA TTGTAGACAG  2340
AGGGGTGAAG AAGGAGGAGG AAGAGGCAGA GAAGGAGGAG ACCAGGCTGG GAAAGAAACT  2400
TCTCAAGCAA TGAAGACTGG ACTCAGGACA TTTGGGGACT GTGTACAATG AGTTATGGGA  2460
ACTCGAGGGT TCATGCAGTC AGTGTTATAC CAAACCCAGT GTTAGGAGAA AGGACACAGC  2520
GTAATGCGAGA AAGGGAGTA GTAGAATTCA GAAACAAAAA TGCGCATCTC TTTCTTTGTT  2580
TGTCAAATGA AAATTTTAAC TGGAATTGTC TGATATTTAA GAGAAACATT CAGGACCTCA  2640
TCATTATGTG GGGGCTTTGT TCTCCACAGG GTCAGGTAAG AGATGGCCTT CTTGGCTGCC  2700
```

```
ACAATCAGAA ATCACGCAGG CATTTTGGGT AGGCGGCCTC CAGTTTTCCT TTGAGTCGCG   2760
AACGCTGTGC GTTTGTCAGA ATGAAGTATA CAAGTCAATG TTTTTCCCCC TTTTTATATA   2820
ATAATTATAT AACTTATGCA TTTATACACT ACGAGTTGAT CTCGGCCAGC CAAAGACACA   2880
CGACAAAAGA GACAATCGAT ATAATGTGGC CTTGAATTTT AAACTCGTAT GCTTAATGTT   2940
TACAATATGA AGTTATTAGT TCTTAGAATG CAGAATGTAT GTAATAAAAT AAGCTTGGCC   3000
TAGCATGGCA AATCAGATTT ATACAGGAGT CTGCATTTGC ACTTTTTTTA GTGACTAAAG   3060
TTGCTTAATG AAAACATGTG CTGAATGTTG TGGATTTTGT GTTATAATTT ACTTTGTTCCA   3120
GGAACTTGTG CAAGGGAGAG CCAAGGAAAT AGGATGTTTG GCACCC
```

Seq ID NO: 331 Protein sequence
Protein Accession #:   AAA52398

```
1          11         21         31         41         51
|          |          |          |          |          |
MIQTVPDPAA HIKEALSVVS EDQSLFECAY GTPHLAKTEM TASSSSDYGQ TSKMSPRVPQ   60
QDWLSQPPAR VTIKMECNPS QVNGSRNSPD ECSVAKGGKM VGSPDTVGMN YGSYMEEKHM   120
PPPNMTTNER RVIVPADPTL WSTDHVRQWL EWAVKEYGLP DVNILLFQNI DGKELCKMTK   180
DDFQRLTPSY NADILLSHLH YLRETPLPHL TSDDVDKALQ NSPRLMHARN TDLPYEPPRR   240
SAWTGHGHPT PQSKAAQPSP STVPKTEDQR PQLDPYQILG PTSSRLANPG SGQIQLWQFL   300
LELLSDSSNS SCITWEGTNG EPKMTDPDEV ARRWGERKSK PNMNYDKLSR ALRYYYDKNI   360
MTKVHGKRYA YKFDFHGIAQ ALQPHPPESS LYKYPSDLPY MGSYHAHPQK MNFVAPHPPA   420
LPVTSSSPFA APNPYWNSPT GGIYPNTRLP TSHMPSHLGT YY                      462
```

Seq ID NO: 332 DNA sequence
Nucleic Acid Accession #: NM_000020
Coding sequence: 283-1794

```
1          11         21         31         41         51
|          |          |          |          |          |
AGGAAACGGT TTATTAGGAG GGAGTGGTGG AGCTGGGCCA GGCAGGAAGA CGCTGGAATA   60
AGAAACATTT TTGCTCCAGC CCCCATCCCA GTCCCGGGAG GCTGCCGCGC CAGCTGCGCC   120
GAGCGAGCCC CTCCCCGGCT CCAGCCCGGT CCGGGGCCGC AGCCCGCCGT   180
CCAGCGCTGG CGGTGCAACT GCGGCCGCGC GGTGGAGGGG AGGTGGCCCC GGTCCGGCGA   240
AGGCTAGCGC CCCGCCACCC GCAGAGCGGG CCCAGAGGGA CCATGACCTT GGGCTCCCCC   300
AGGAAAGGCC TTCTGATGCT GCTGATGGCC TTGGTGACCC AGGGAGACCC TGTGAAGCCG   360
TCTCGGGGCC CGCTGGTGAC CTGCACGTGT GAGAGCCCAC ATTGCAAGGG GCCTACCTGC   420
CGGGGGGCCT GGTGCACAGT AGTGCTGGTG CGGGAGGAGG GGAGGCACCC CCAGGAACAT   480
CGGGGCTGCG GGAACTTGCA CAGGGAGCTC TGCAGGGGGC GCCCCACCGA GTTCGTCAAC   540
CACTACTGCT GCGACAGCCA CCTCTGCAAC CACAACGTGT CCCTGGTGCT GGAGGCCACC   600
CAACCTCCTT CGGAGCAGCC GGGAACAGAT GGCCAGCTGG CCCTGATCCT GGGCCCCGTG   660
CTGGCCTTGC TGGCCCTGGT GGCCCTGGGG GTCCTGGGCC TGTGGCATGT CCGACGGAGG   720
CAGGAGAAGC AGCGTGGCCT GCACAGCGAG CTGGGAGAGT CCAGTCTCAT CCTGAAAGCA   780
TCTGAGCAGG GCGACACGAT GTTGGGGGAC CTCCTGGACA GTGACTCGAC CACAGGGAGT   840
GGCTCAGGGC TCCCCTTCCT GGTGCAGAGG ACAGTGGCAC GGCAGGTTGC CTTGGTGGAG   900
TGTGTGGGAA AAGGCCGCTA TGGCGAAGTG TGGCGGGGCT TGTGGACAGG TGAGAGTGTG   960
GCCGTCAAGA TCTTCTCCTC GAGGGATGAA CAGTCCTGGT TCCGGGAGAC TGAGATCTAT   1020
AACACAGTAT TGCTCAGACA CGACAACATC CTAGGCTTCA TCGCCTCAGA CATGACCTCC   1080
CGCAACTCGA GCACGCAGCT GTGGCTCATC ACGCACTACC ACGAGCACGG CTCCCTCTAC   1140
GACTTTCTGC AGAGACAGAC GCTGGAGCCC CATCTGGCTC TGAGGCTAGC TGTGTCCGCG   1200
GCATGCGGCC TGGCGCACCT GCACGTGGAG ATCTTCGGTA CACAGGGCAA ACCAGCCATT   1260
GCCCACCGCG ACTTCAAGAG CCGCAATGTG CTGGTCAAGA GCAACCTGCA GTGTTGCATC   1320
GCCGACCTGG GCCTGGCTGT GATGCACTCA CAGGGCAGCG ATTACCTGGA CATCGGCAAC   1380
AACCCGAGAG TGGGCACCAA GCGGTACATG GCACCCGAGG TGCTGGACGA GCAGATCCGC   1440
ACGGACTGCT TTGAGTCCTA CAAGTGGACT GACATCTGGG CCTTTGGCCT GGTGCTGTGG   1500
GAGATTGCCC GCCGGACCAT CGTGAATGGC ATCGTGGAGG ACTATAGACC ACCCTTCTAT   1560
GATGTGGTGC CCAATGACCC CAGCTTTGAG GACATGAAGA AGGTGGTGTG TGTGGATCAG   1620
CAGACCCCCA CCATCCCTAA CCGGCTGGCT GCAGACCGG TCCTCTCAGG CCTAGCTCAG   1680
ATGATGCGGG AGTGCTGGTA CCCAAACCCC TCTGCCCGAC TCACCGCGCT GCGGGATCAAG   1740
AAGACACTAC AAAAAATTAG CAACAGTCCA GAGAAGCCTA AAGTGATTCA ATAGCCCAGG   1800
AGCACCTGAT TCCTTTCTGC CTGCAGGGGG CTGGGGGGGT GGGGGGCAGT GGATGGTGCC   1860
CTATCTGGGT AGAGGTAGTG TGAGTGTGGT GTGTGCTGGG GATGGGCAGC TGCGCCTGCC   1920
TGCTCGGCCC CCAGCCCACC CAGCCAAAAA TACAGCTGGG CTGAAACCTG ATCCCTGCT   1980
GTCTGGCCTG CTCAAAGCGG CAGGCTCCCT GACGCCTGGC TCTCTCCCCA CCCCTATGGC   2040
CAGCCATGGTG CACCCCCTAC CACTCCCGGG ACAGGATGCA AAAGAGGCTC CAGAGTCAGA   2100
GTGCCAAGCC AGGGAATCCC AGTCCCGACC TCAGAGCCCG GGCCTGCACT TTGCCCCCTG   2160
CCCTTGATCA ACCCCACTGC CCCACCAGAG CTGCCAGGGT GGCACAGGGC CCTGTCCAGC   2220
CCCTGGCACA CACTTCCCTG CCAGGCCTCA GCCTCTAGCA TAAGCTCCAG AGAGCCAGGG   2280
CCCATCAGTT TCTCTCTGTG GATTTGTATC TCAGCTCCAT GATGCCTTGG GCTTTCTGTC   2340
TCCTCAACAA GAGTGCAGCT TGCTGAATGT CAGCTGCCTG AGAGAGCTGG GCCTGACTT   2400
ACTAGGGCAT TAAATCCTAA GAGGTCCTAC TGAGGTGTGG CAGGATCACA GGCCAGTGGA   2460
AAAAGGGCAG GTCAGATGGG CAAGGCCCAG GACTTTCAGA TTAACTGAGA GGATATCGAG   2520
GCCAAGCATG GCAGGGGGAA GGTCAGTGGG TGTCAAGAGA CCCAGGCTCTG ACCCCGGATG   2580
TTTGCTCCAT GTGACAAAAG CAGGCCTGTC TCAGGACCTT TTCTTTTCTT TTTTCCTTCT   2640
TTTTTTTTTT GACACGGAGT TTCGCTCTTG TTGTCCAGGC TAGAGTGCAA TGGCATGATC   2700
CCAGCTCACC GCAACGTCTA CCTCCCAGGT TCAAATCATT CTCTTGCCTC AGACTCCCGA   2760
GTAGCTGGGA TTACAGGCAC ATGCCACCAT GCCTGGCTAA TTTTTGTATAT TTAGTAGAAA   2820
CAGGGTTTCA CCATGCTGGC CATGCTGGTT CTCGAACTCC TGACCTCAGG TGTTCCACCT   2880
ACCTCAGCCT CCCAAAGTGC TGGGGTTACA GGTGTGAGCC ATCGCGCCTG GCCAGGACCT   2940
TTGTTTCTTA TCTACATATT GGAAGATTTG GTCCTGATGT CCTTTGAGGC TTCTTTAGCT   3000
CTAGTTCTCT GACACTTCAG CCTATATCAC AGCTAACTTC YTCAGTCTCA TCTATTCCTT   3060
ATGCTCCAGC CCCTGACCAAT TTGCCTCAAG ATGGGGGTTT GAAAATAACT TTACCTGACT   3120
CAAGGAGTGT CTGGAGCACC TCCTAGTCTA AGTCTGCAAG CTCCAGTTCT TGCCTAAAAC   3180
CATGCCAGTG GCCACCCTTG GGCTCAGACA GCTCTGGGCC TTTTGACCAC AAGCCAGCCC   3240
CTCGCCCTCT CTGTGCAGCATA GTCTTCTCTG CCCCAGGACT GCAGGGCGGC TTCCTCCAGA   3300
GCTTCCAAGG CTCAAAGAAA ATTTGGCTCC ATCCAAGAAG GCTCCAGCTC CCCTACTGGC   3360
CCCTGGCTTC AGGCCACAC CCCTGGGCCA GGSCCAGAGA GTGTGTCTCA GGAGAATTCA   3420
ATGGGCTCTA GAGAGACACA CAGAAAGTTT GGGCATTTGG GAAATTTTCA AGGRTGTATG   3480
```

```
      TATGGYTCAC GTATGGWGCA GGTTGTCCTG GTCCYKGGGT GCAGGGAAGT GGGCTGCAGG   3540
      GAAGTGGATT GGAGGGGAGC TTGAGGAATA TAAGGAGCGG GGGTGGAGAC TCAGGCTATG   3600
      GACAAGGACA GCCCCAAGGT TGGGAAGACC TGGCCTTAGT CGTCCTCAGC CTAGGGCAGG   3660
      GCAGTGAAGA AAGCTCTCCC CGCTCCTGCT GTAATGACCC AGAGTAGCCC CCCCAGGCCG   3720
5     GCATCTTATG TGTGTCTTCC ACCATCCTCA TGGTGGCACT TTTCTAGGCC TGTCTCCCAG   3780
      CATTGTGCAA GGCTCGGAAG AGAACCAGGA AGTGAAACTG GGTGAAAACA GAAAGCTCAA   3840
      TGGATGGGCT AGGTTCCCAG ATCATTAGGG CAGAGTTTGC ACGTCCTCTG GTTCACTGGG   3900
      AATCCACCCA GCCCACGAAT CATCTCCCTC TTTGAAGGAT TTTWATTTCT ACTGGGTTTT   3960
      GGAACAAACT CCTGCTGAGA CCCCACAGCC AGAAACTGAA GCCACCAGCT CCCCAAAGCC   4020
10    TGGAAAATCC CTAAGAGAAG GCCTGGGGGA MAGGAAKTGG AGTGACAGGG GACAGGTAGA   4080
      GAGAAGGGGG CCCAATGGCC AGGGAGTGAA GGAGGTGGCG TTGCTGAGAG CAGTCTGCAC   4140
      ATGCTTCTGT CTGAGTGCAG GAAGGTGTTC CAGGGTCGAA ATTACACTTC TCGTACCTGG   4200
      AGACGCTGTT TGTGGGAGCA CTGGGCTCAT GCCTGGCACA CAATAGGTCT GCAATAAACC   4260
15    ATGGTTAAAT CCTGAAAAAA AAAAAAAAA
```

Seq ID NO: 333 Protein sequence
Protein Accession #:   NP_000011

```
20    1          11         21         31         41         51
      |          |          |          |          |          |
      MTLGSPRKGL LMLLMALVTQ GDPVKPSRGP LVTCTCESPH CKGPTCRGAW CTVVLVREEG    60
      RHPQEHRGCG NLHRELCRGR PTEFVNHYCC DSHLCNHNVS LVLEATQPPS EQPGTDGQLA   120
      LILGPVLALL ALVALGVLGL WHVRRRQEKQ RGLHSELGES SLILKASEQG DTMLGDLLDS   180
25    DCTTGSGSGL PFLVQRTVAR QVALVECVGK GRYGEVWRGL WHGESVAVKI FSSRDEQSWF   240
      RETEIYNTVL LRHDNILGFI ASDMTSRNSS TQLWLITHYH EHGSLYDFLQ RQTLEPHLAL   300
      RLAVSAACGL AHLHVEIPGT QGKPAIAHRD FKSRNVLVKS NLQCCIADLG LAVMHSQGSD   360
      YLDIGNNPRV GTKRYMAPEV LDEQIRTDCF ESYKWTDIWA FGLVLWEIAR RTIVNGIVED   420
      YRPPFYDVVP NDPSFEDMKK VVCVDQQTPT IPNRLAADPV LSGLAQMMRE CWYPNPSARL   480
30    TALRIKKTLQ KISNSPEKPK VIQ
```

Seq ID NO: 334 DNA sequence
Nucleic Acid Accession #: NM_004126.1
Coding sequence: 108-329

```
35    1          11         21        ·31         ·41        51
      |          |          |          |          |          |
      GGCACGAGCT CGTGCCGGCC TTCAGTTGTT TCGGGACGCG CCGAGCTTCG CCGCTCTTCC    60
      AGCGGCTCCG CTGCCAGAGC TAGCCCGAGC CCGGTTCTGG GGCGAAAATG CCTGCCCTTC   120
40    ACATCGAAGA TTTGCCCAGA AAGGAAAAAC TGAAAATGGA AGTTGAGCAG CTTCGCAAAG   180
      AAGTGAAGTT GCAGAGACAA CAAGTGTCTA AATGTTCTGA AGAAATAAAG AACTATATTG   240
      AAGAACGTTC TGGAGAGGAT CCTCTAGTAA AGGGAATTCC AGAAGACAAG AACCCCTTTA   300
      AAGAAAAAGG CAGCTGTGTT ATTTCATAAA TAACTTGGGA GAAACTGCAT CCTAAGTGGA   360
      AGAACTAGTT TGTTTTAGTT TTCCCAGATA AAACCAACAT GCTTTTTAAG GAAGGAAGAA   420
45    TGAAATTAAA AGGAGACTTT CTTAAGCACC ATATAGATAG GGTTATGTAT AAAAGCATAT   480
      GTGCTACTCA TCTTTGCTCA CTATGCAGTC TTTTTTAAGA GAGCAGAGAG TATCAGATGT   540
      ACAATTATGG AAATAAGAAC ATTACTTGAG CATGACACTT CTTTCAGTAT ATTGCTTGAT   600
      GCTTCAAATA AAGTTTTGTC TT
```

50   Seq ID NO: 335 Protein sequence
Protein Accession #:   NP_004117.1

```
      1          11         21         31         41         51
55    |          |          |          |          |          |
      MPALHIEDLP EKEKLKMEVE QLRKEVKLQR QQVSKCSEEI KNYIEERSGE DPLVKGIPED    60
      KNPFKEKGSC VIS
```

Seq ID NO: 336 DNA sequence
60   Nucleic Acid Accession #: NM_005795
Coding sequence: 555-1940

```
      1          11         21         31         41         51
      |          |          |          |          |          |
65    GCACGAGGGA ACAACCTCTC TCTCTSCAGC AGAGAGTGTC ACCTCCTGCT TTAGGACCAT    60
      CAAGCTCTGC TAACTGAATC TCATCCTAAT TGCAGGATCA CATTGCAAAG CTTTCACTCT   120
      TTCCCACCTT GCTTGTGGGT AAATCTCTTC TGCGGAATCT CAGAAAGTAA AGTTCCATCC   180
      TGAGAATATT TCACAAAGAA TTTCCTTAAG AGCTGGACTG GGTCTTGACC CCTGGAATTT   240
70    AAGAAATTCT TAAAGACAAT GTCAAATATG ATCCAAGAGA AAATGTGATT TGAGTCTGGA   300
      GACAATTGTG CATATCGTCT AATAATAAAA ACCCATACTA GCCTATAGAA AACAATATTT   360
      GAATAATAAA AACCCATACT AGCCTATAGA AAACAATATT TGAAAGATTG CTACCACTAA   420
      AAAGAAAACT ACTACAACTT GACAAGACTG CTGCAAACTT CAATTGGTCA CCACAACTTG   480
      ACAAGGTTGC TATAAAACAA GATTGCTACA ACTTCTAGTT TATGTTATAC AGCATATTTC   540
75    ATTTGGGCTT AATGATGGAG AAAAAGTGTA CCCTGTATTT TCTGGTTCTC TTGCCTTTTT   600
      TTATGATTCT TGTTACAGCA GAATTAGAAG AGAGTCCTGA GGACTCAATT CAGTTGGGAG   660
      TTACTAGAAA TAAAATCATG ACAGCTCAAT ATGAATGTTA CCAAAAGATT ATGCAAGACC   720
      CCATTCAACA AGCAGAAGGC GTTTACTGCA ACAGAACCTG GGATGGATGG CTCTGCTGGA   780
      ACGATGTTGC AGCAGGAACT GAATCAATGC AGCTCTGCCC TGATTACTTT CAGGACTTTG   840
80    ATCCATCAGA AAAAGTTACA AAGATCTGTG ACCAAGATGG AAACTGGTTT AGACATCCAG   900
      CAAGCAACAG AACATGGACA AATTATACCC AGTGTAATGT TAACACCCAC GAGAAAGTGA   960
      AGACTGCACT AAATTTGTTT TACCTGACCA TAATTGGACA CGGATTGCAT ATTGCATCAC  1020
      TGCTTATCTC GCTTGGCATA TTCTTTTATT TCAAGAGCCT AAGTTGCCAA AGGATTACCT  1080
      TACACAAAAA TCTGTTCTTC TCATTTGTTT GTAACTCTGT TGTAACAATC ATTCACCTCA  1140
      CTGCAGTGGC CAACAACCAG GCCTTAGTAG CCACAAATCC TGTTAGTTGC AAAGTGTCCC  1200
85    AGTTCATTCA TCTTTACCTG ATGGGCTGTA ATTACTTTTG GATGCTCTGT GAAGGCATTT  1260
      ACCTACACAC ACTCATTGTG GTGGCCGTGT TTGCAGAGAA GCAACATTTA ATGTGGTATT  1320
      ATTTTCTTGG CTGGGGATTT CCACTGATTC CTGCTTGTAT ACATGCCATT GCTAGAAGCT  1380
```

312

```
      TATATTACAA TGACAATTGC TGGATCAGTT CTGATACCCA TCTCCTCTAC ATTATCCATG  1440
  5   GCCCAATTTG TGCTGCTTTA CTGGTGAATC TTTTTTTCTT GTTAAATATT GTACGCGTTC  1500
      TCATCACCAA GTTAAAAGTT ACACACCAAG CGGAATCCAA TCTGTACATG AAAGCTGTGA  1560
      GAGCTACTCT TATCTTGGTG CCATTGCTTG GCATTGAATT TGTGCTGATT CCATGGCGAC  1620
      CTGAAGGAAA GATTGCAGAG GAGGTATATG ACTACATCAT GCACATCCTT ATGCAATTCC  1680
      AGGGTCTTTT GGTCTCTACC ATTTTCTGCT TCTTTAATGG AGAGGTTCGA GCAATTCTGA  1740
      GAAGAAACTG GAATCAATAC AAAATCCAAT TTGGAAACAG CTTTTCCAAC TCAGAAGCTC  1800
 10   TTCGTAGTGC GTCTTACACA GTGTCAACAA TCAGTGATGG TCCAGGTTAT AGTCATGACT  1860
      GTCCTAGTGA ACACTTAAAT GGAAAAAGCA TCCATGATAT TGAAAATGTT CTCTTAAAAC  1920
      CAGAAAATTT ATATAATTGA AAATAGAAGG ATGGTTGTCT CACTGTTTGG TGCTTCTCCT  1980
      AACTCAAGGA CTTGGACCCA TGACTCTGTA GCCAGAAGAC TTCAATATTA AATGACTTTG  2040
 15   GGGAATGTCA TAAAGAAGAG CCTTCACATG AAATTAGTAG TGTGTTGATA AGAGTGTAAC  2100
      ATCCAGCTCT ATGTGGGAAA AAAGAAATCC TGGTTTGTAA TGTTTGTCAG TAAATACTCC  2160
      CACTATGCCT GATGTGACGC TACTAACCTG ACATCACCAA GTGTGGAATT GGAGAAAAGC  2220
      ACAATCAACT TTTCTGAGCT GGTGTAAGCC AGTTCCAGCA CACCATTGAT GAATTCAAAC  2280
      AAATGGCTGT AAAACTAAAC ATACATGTTG GGCATGATTC TACCCTTATT CSCCCCAAGA  2340
 20   GACCTAGCTA AGGTCTATAA ACATGAAGGG AAAATTAGCT TTTAGTTTTA AAACTCTTTA  2400
      TCCCATCTTG ATTGGGGCAG TTGACTTTTT TTTTTTCCCA GAGTGCCGTA GTCCTTTTTG  2460
      TAACTACCCT CTCAAATGGA CAATACCAGA AGTGAATTAT CCCTGCTGGC TTTCTTTTCT  2520
      CTATGAAAAG CAACTGAGTA CAATTGTTAT GATCTACTCA TTTGCTGACA CATCAGTTAT  2580
 25   ATCTTGTGGC ATATCCATTG TGGAAACTGG ATGAACAGGA TGTATAATAT GCAATCTTAC  2640
      TTCTATATCA TTAGGAAAAC ATCTTAGTTG ATGCTACAAA ACACCTTGTC AACCTCTTCC  2700
      TGTCTTACCA AACAGTGGGA GGGAATTCCT AGCTGTAAAT ATAAATTTTG CCCTTCCATT  2760
      TCTACTGTAT AAACAAATTA GCAATCATTT TATATAAAGA AAATCAATGA AGGATTTCTT  2820
      ATTTTCTTGG AATTTTGTAA AAAGAAATTG TGAAAAATGA GCTTGTAAAT ACTCCATTAT  2880
      TTTATTTTAT AGTCTCAAAT CAAATACATA CAACCTATGT AATTTTTAAA GCAAATATAT  2940
      AATGCAACAA TGTGTGTATG TTAATATCTG ATACTGTATC TGGGCTGATT TTTTAAATAA  3000
      AATAGAGTCT GGAATGCT
```

Seq ID NO: 337 protein sequence
Protein Accession #:   NP_005786.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MEKKCTLYPL VLLPFFMILV TAELEESPED SIQLGVTRNK IMTAQYECYQ KIMQDPIQQA   60
      EGVYCNRTWD GWLCWNDVAA GTESMQLCPD YPQDPFDPSEK VTKICDQDGN WFRHPASNRT  120
      WTNYTQCNVN THEKVKTALN LFYLTIIGHG LSIASLLISL GIFFYFKSLS CQRITLHKNL  180
      FFSPVCNSVV TIIHLTAVAN NQALVATNPV SCKVSQPIHL YLMGCNYFWM LCEGIYLHTL  240
      IVVAVPAEKQ HLMWYYFLGW GFPLIPACIH AIARSLYYND NCWISSDTHL LYIIHGPICA  300
      ALLVNLFPLL NIVRVLITKL KVTHQAESNL YMKAVRATLI LVPLLGIEFV LIPWRPEGKI  360
      AEEVYDYIMH ILMHFQGLLV STIPCFFNGE VQAILRRNWN QYKIQFGNSF SNSEALRSAS  420
      YTVSTISDGP GYSHDCPSEH LNGKSIHDIE NVLLKPENLY N
```

Seq ID NO: 338 DNA sequence
Nucleic Acid Accession #: NM_001795
Coding sequence: 25-2379

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GCACGATCTG TTCCTCCTGG GAAGATGCAG AGGCTCATGA TGCTCCTCGC CACATCGGGC   60
      GCCTGCCTGG GCCTGCTGGC AGTGGCAGCA GTGGCAGCAG CAGGTGCTAA CCCTGCCCAA  120
      CGGGACACCC ACAGCCTGCT GCCCACCCAC CGGCGCCAAA AGAGAGATTG GATTTGGAAC  180
      CAGATGCACA TTGATGAAGA GAAAAACACC TCACTTCCCC ATCATGTAGG CAAGATCAAG  240
      TCAAGCGTGA GTCGCAAGAA TGCCAAGTAC CTGCTCAAAG GAGAATATGT GGGCAAGGTC  300
      TTCCGGGTCG ATGCAGAGAC AGGAGACGTG TTCGCCATTG AGAGGCTGAA CCGGGAGAAT  360
      ATCTCAGAGT ACCACCTCAC TGCTGTCATT GTGGACAAGG ACACTGGTGA AAACCTGGAG  420
      ACTCCTTCCA GCTTCACCAT CAAAGTTCAT GACGTGAACG ACAACTGGCC TGTGTTCACG  480
      CATCGGTTGT TCAATGCGTC CGTGCCTGAG TCGTCGGCTG TGGGGACCTC AGTCATCTCT  540
      GTGACAGCAG TGGATGCAGA CGACCCCACT GTGGGAGACC ACGCCTCTGT CATGTACCAA  600
      ATCCTGAAGG GGAAAGAGTA TTTTGCCATC GATAATTCTG GACGTATTAT CACAATAACG  660
      AAAAGCTTGG ACCGAGAGAA GCAGGCCAGG TATGAGATCG TGGTGGAAGC GCGAGATGCC  720
      CAGGGCCTCC GGGGGGACTC GGGCACGGCC ACCGTGCTGG TCACTCTGCA AGACATCAAT  780
      GACAACTTCC CCTTCTTCAC CCAGACCAAG TACACATTTG TCGTGCCTGA AGACACCCGT  840
      GTGGGCACCT CTGTGGGCTC TCTGTTTGTT GAGGACCCAG ATGAGCCCCA GAACCGGATG  900
      ACCAAGTACA GCATCTTGCG GGGCGACTAC CAGGACGCTT TCACCATTGA GACAAACCCC  960
      GCCCACAACG AGGGCATCAT CAAGCCCATG AAGCCTCTGG ATTATGAATA CATCCAGCAA 1020
      TACAGCTTCA TCGTCGAGGC CACAGACCCC ACCATCGACC TCCGATACAT GAGCCCTCCC 1080
      GCGGGAAACA GAGCCCAGGT CATTATCAAC ATCACAGATG TGGACGAGCC CCCCATTTTC 1140
      CAGCAGCCTT CTTACCACTT CCAGCTGAAG GAAAACCAGA AGAAGCCTCT GATTGGCACA 1200
      GTGCTGGCCA TGGACCCTGA TGCGGCTAGG CATAGCATTG GATACTCCAT CCGCAGGACC 1260
      AGTGACAAGG GCCAGTTCTT CCGAGTCACA AAAAAGGGGG ACATTTACAA TGAGAAAGAA 1320
      CTGGACAGAG AAGTCTACCC CTGGTATAAC CTGACTGTGG AGGCCAAAGA ACTGGATTCC 1380
      ACTGGAACCC CCACAGGAAA AGAATCCATT GTGCAAGTCC ACATTGAAGT TTTGGATGAG 1440
      AATGACAATG CCCCGGAGTT TGCCAAGCCC TACCAGCCCA AAGTGTGTGA GAACGCTGTC 1500
      CATGGCCAGC TGGTCCTGCA GATCTCCGCA ATAGACAAGG ACATAACCAC ACGAAACGTG 1560
      AAGTTCAAAT TCACCTTGAA TACTGAGAAC AACTTTACCC TCACGGATAA TCACGATAAC 1620
      ACGGCCAACA TCACAGTCAA GTATGGGCAG TTTGACCGGG AGCATACCAA GGTCCACTTC 1680
      CTACCCGTGG TCATCTCAGA CAATGGGATG CCAAGTCGCA CGGGCACCAG CACGCTGACC 1740
      GTGGCCGTGT GCAAGTGCAA CGAGCAGGGC GAGTTCACCT TCTGCGAGGA TATGGCCGCC 1800
      CAGGTGGGCG TGAGCATCCA GGCAGTGGTA GCCATCTTAC TCTGCATCCT CACCATCACA 1860
      GTGATCACCC TGCTCATCTT CCTGCGGCGG CGGCTCCGGA AGCAGGCCCG CGCGCACGGC 1920
      AAGAGCGTGC CGGAGATCCA CGAGCAGCTG GTCACCTACG ACGAGGAGGG CGGCGGCGAG 1980
      ATGGACACCA CCAGCTACGA TGTGTCGGTG CTCAACTCGG TGCGCCGGGG CGGGGCCAAG 2040
      CCCCCGCGGC CCGCGCTGGA CGCCCGGGCCT TCCCTCTATG GCAGGTGCA GAAGCCACCG 2100
      AGGCACGCGC CTGGGGCACA CGGAGGGGCC GGGGAGATGG CAGCCATGAT CGAGGTGAAG 2160
      AAGGACGAGG CGGACCACGA CGGCGACGGC CCCCCCTACG ACACGCTGCA CATCTACGGC 2220
      TACGAGGGCT CCGAGTCCAT AGCCGAGTCC CTCAGCTCCC TGGGCACCGA CTCATCCGAC 2280
```

```
      TCTGACGTGG ATTACGACTT CCTTAACGAC TGGGGACCCA GGTTTAAGAT GCTGGCTGAG  2340
      CTGTACGGCT CGGACCCCCG GGAGGAGCTG CTGTATTAGG CGGCCGAGGT CACTCTGGGC  2400
      CTGGGGACCC AAACCCCCTG CAGCCCAGGC CAGTCAGACT CCAGGCACCA CAGCCTCCAA  2460
   5  AAATGGCAGT GACTCCCCAG CCCAGCACCC CTTCCTCGTG GGTCCCAGAG ACCTCATCAG  2520
      CCTTGGGATA GCAAACTCCA GGTTCCTGAA ATATCCAGGA ATATATGTCA GTGATGACTA  2580
      TTCTCAAATG CTGGCAAATC CAGGCTGGTG TTCTGTCTGG GCTCAGACAT CCACATAACC  2640
      CTGTCACCCA CAGACCGCCG TCTAACTCAA AGACTTCCTC TGGCTCCCCA AGGCTGCAAA  2700
      GCAAAACAGA CTGTGTTTAA CTGCTGCAGG GTCTTTTTCT AGGGTCCCTG AACGCCCTGG  2760
  10  TAAGGCTGGT GAGGTCCTGG TGCCTATCTG CCTGGAGGCA AAGGCCTGGA CAGCTTGACT  2820
      TGTGGGGCAG GATTCTCTGC AGCCCATTCC CAAGGGAGAC TGACCCATCAT GCCCTCTCTC  2880
      GGGAGCCCTA GCCCTGCTCC AACTCCCTAC TCCACTCCAA GTGCCCCACC ACTCCCCAAC  2940
      CCCTCTCCAG GCCTGTCAAG AGGGAGGAAG GGGCCCCATG GCAGCTCCTG ACCTTGGGTC  3000
      CTGAAGTGAC CTCACTGGCC TGCCATGCCA GTAACTGTGC TGTACTGAGC ACTGAACCAC  3060
  15  ATTCAGGGAA ATGCTTATTA AACCTTGAAG CAACTGTGAA TTCATTCTGG AGGGGCAGTG  3120
      GAGATCAGGA GTGACAGATC ACAGGGTGAG GGCCACCTCC ACACCCACCC CCTCTGGAGA  3180
      AGGCCTGGAA GAGCTGAGAC CTTGCTTTGA GACTCCTCAG CACCCCTCCA GTTTTGCCTG  3240
      AGAAGGGGCA GATGTTCCCG GAGATCAGAA GACGTCTCCC CTTCTCTGCC TCACCTGGTC  3300
      GCCAATCCAT GCTCTCTTTC TTTTCTCTGT CTACTCCTTA TCCCTTGGTT TAGAGGAACC  3360
  20  CAAGATGTGG CCTTTAGCAA AACTGACAAT GTCCAAACCC ACTCATGACT GCATGACGGA  3420
      GCCGAGCATG TGTCTTTACA CCTCGCTGTT GTCACATCTC AGGGAACTGA CCCTCAGGCA  3480
      CACCTTGCAG AAGGAAGGCC CTGCCCTGCC CAACCTCTGT GGTCACCCAT GCATCATTCC  3540
      ACTGGAACGT TTCACTGCAA ACACACCTTG GAGAAGTGGC ATCAGTCAAC AGAGAGGGGC  3600
      AGGGAAGGAG ACACCAAGCT CACCCTTCGT CATGGACCGA GGTTCCCACT CTGGCAAAGC  3660
  25  CCCTCACACT GCAAGGGATT GTAGATAACA CTGACTTGTT TGTTTTAACC AATAACTAGC  3720
      TTCTTATAAT GATTTTTTTA CTAATGATAC TTACAAGTTT CTAGCTCTCA CAGACATATA  3780
      GAATAAGGGT TTTTGCATAA TAAGCAGGTT GTTATTTAGG TTAACAATAT TAATTCAGGT  3840
      TTTTTAGTTG GAAAAACAAT TCCTGTAACC TTCTATTTTC TATAATTGTA GTAATTGCTC  3900
      TACAGATAAT GTCTATATAT TGGCCAAACT GGTGCATGAC AAGTACTGTA TTTTTTTATA  3960
  30  CCTAAATAAA GAAAAATCTT TAGCCTGGGC AACAAAAAAA
```

Seq ID NO: 339 Protein sequence
Protein Accession #:   NP_001786

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MQRLMMLLAT SGACLGLLAV AAVAAAGANP AQRDTHSLLP THRRQKRDWI WNQMHIDEEK   60
      NTSLPHHVGK IKSSVSRKNA KYLLKGEYVG KVFRVDAETG DVFAIERLDR ENISEYHLTA  120
      VIVDKDTGEN LETPSSFTIK VHDVNDNWPV PTHRLFNASV PESSAVGTSV ISVTAVDADD  180
      PTVGDHASVM YQILKGKEYF AIDNSGRIIT ITKSLDREKQ ARYEIVVEAR DAQGLRGDSG  240
      TATVLVTLQD INDNFPPFTQ TKYTFVVPED TRVGTSVGSL FVEDPDEPQN RMTKYSILRG  300
      DYQDAFTIET NPAHNEGIIK PMKPLDYEYI QQYSFIVEAT DPTIDLRYMS PPAGNRAQVI  360
      INITDVDEPP IPQQPFYHFQ LKENQKKPLI GTVLAMDPDA ARHSIGYSIR RTSDKGQPFR  420
      VTKKGDIYNE KELDREVYPW YNLTVEAKEL DSTGTPTGKE SIVQVHIEVL DENDNAPEFA  480
      KPYQPKVCEN AVHGQLVLQI SAIDKDITPR NVKFKFTLNT ENNFTLTDNH DNTANITVKY  540
      GQFDREHTKV HFLPVVISDN GMPSRTGTST LTVAVCKCNE QGEFTFCEDM AAQVGVSIQA  600
      VVAILLCILT ITVITLLIFL RRRLRKQARA HGKSVPEIHB QLVTYDEBGG GEMDTTSYDV  660
      SVLNSVRRGG AKPPRPALDA RPSLYAQVQK PPRHAPGAHG GPGEMAAMIE VKKDEADHDG  720
      DGPPYDTLHI YGYEGSESIA ESLSSLGTDS SDSDVDYDFL MDWGPRFKML AELYGSDPRE  780
      ELLY
```

Seq ID NO: 340 DNA sequence
Nucleic Acid Accession #: NM_003088
Coding sequence: 112-1593

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GCGGAGGGTG CGTGCGGGCC GCGGCAGCCG AACAAAGGAG CAGGGGCGCC GCCGCAGGGA   60
      CCCGCCACCC ACCTCCCGGG GCCGCGCAGC GGCCTCTCGT CTACTGCCAC CATGACCGCC  120
      AACGGCACAG CCGAGGCGGT GCAGATCCAG TTCGGCCTCA TCAACTGCGG CAACAAGTAC  180
      CTGACGGCCG AGGCGGTTCGG GTTCAAGGTG AACGCGTCCG CCAGCAGCCT GAAGAAGAAG  240
      CAGATCTGGA CGCTGGAGCA GCCCCCTGAC GAGGCGGGCA GCGCGGCCGT GTGCCTGCGC  300
      AGCCACCTGG GCGCTACCT GGCGGCGGAC AAGGACGGCA ACGTGACCTG CGAGCGCGAG  360
      GTGCCCGGTC CCGACTGCCG TTTCCTCATC GTGGCGCACG ACGACGGTCG CTGGTCGGTG  420
      CAGTCCGAGG CGCACCGGCG CTACTTCGGC GGCACCGAGG ACCGCCTGTC CTGCTTCGCG  480
      CAGACGGTGT CCCCCGCCGA GAAGTGGAGC GTGCACATCG CCATGCACCC TCAGGTCAAC  540
      ATCTACAGTG TCACCCGTAA GCGCTACGCG CACCTGAGCG CGGGCCGGC CGACCGAGATC  600
      GCCGTGGACC GCGACGTGCC CTGGGGCGTC GACTCGGTCA TCACCCTCGC CTTCCAGGAC  660
      CAGCGCTACA GCGTGCAGAC CGCCGACCAC CGCTTCCTGC GCCACGACGG GCGCCTGGTG  720
      GCGCGGCCCG AGCCGGCCAC TGGCTACACG CTGGAGTTCC GCTCCCGGCAA GGTGGCCTTC  780
      CGGCGACTGCG AGGGCCGGTTA CCTGGCGCCG TCGGGGCCCA CAAGGCGGGC  840
      AAGGCCACCA AGGTGGGGCAA GGACGGAGCTC TTTGCTCTGG AGCAGAGCTG CGCCCAGGTC  900
      GTGCTGCAGG CGGCCAACGA GAGGAACGTC TCCACGCGCG AGGGTATGGA CCTGTCTGCC  960
      AATCAGGACG AGGAGACCAA CCAGGAGACC TTCCAGCTGG AGATCGACCG CGACACCAAA 1020
      AAGTGTGCCT TCCGTACCCA CACGGGCAAG TACTGGACGC TGACGGCCAC CGGGGGCGTG 1080
      CAGTCCACCG CCTCCAGCAA GAATGCCAGC TGCTACTTTG ACATCGAGTG GCGTGACCGG 1140
      CGCATCACAC TGAGGGCGTC CAATGGCAAG TTTGTGACCT CCAAGAAGAA TGGGCAGCTG 1200
      GCCGCCTCGG TGGAGACAGC AGGGGACTCA GAGCTCTTCC TCATGAAGCT CATCAACCGC 1260
      CCCATCATCG TGTTCCGCGG GGAGCATGGC TTCATCGGCT GCCGCAAGGT CACGGGCACC 1320
      CTGGACGCCA ACCGCTCCAG CTATGACGTC TTCCAGCTGG AGTTCAACGA TGGCGCCTAC 1380
      AACATCAAAG ACTCCACAGG CAAATACTGG ACGGTGGGCA GTGACTCCGC GGTCACCAGC 1440
      AGCGGCGACA CTCCTGTGGA CTTCTTCTTC GAGTTCTGCG ACTATAACAA GGTGGCCATC 1500
      AAGGTGGGCG GGCGCTACCT GAAGGGCGAC CACGCAGGCG TCCTGAAGGC CTCGGCGGAA 1560
      ACCGTGGACC CGGCCTCGCT CTGGGAGTAC TAGGGCCGGC CCGTCCTTCC CCGCCCCTGC 1620
      CCACATGGCG GCTCCTGCCA ACCCTCCCTG CTAACCCCTT CTCCGCCAGG TGGGCTCCAG 1680
      GGCGGGAGGC AAGCCCCCTT GCCTTTCAAA CTGGAAACCC CAGAGAAAAC GGTGCCCCCA 1740
      CCTGTCGCCC CTATGGACTC CCCACTCTCC CCTCCGCCCG GGTTCCCTAC TCCCCTCGGG 1800
```

```
      TCAGCGGCTG CGGCCTGGCC CTGGGAGGGA TTTCAGATGC CCCTGCCCTC TTGTCTGCCA  1860
      CGGGGGCGAGT CTGGCACCTC TTTCTTCTGA CCTCAGACGG CTCTGAGCCT TATTTCTCTG  1920
      GAAGCGGCTA AGGGACGGTT GGGGGCTGGG AGCCCTGGGC GTGTAGTGTA ACTGGAATCT  1980
      TTTGCCTCTC CCAGCCACCT CCTCCCAGCC CCCCAGGGAGA GCTGGGCACA TGTCCCAAGC  2040
 5    CTGTCAGTGG CCCTCCCTGG TGCACTGTCC CCGAAACCCC TGCTTGGGAA GGGAAGCTGT  2100
      CGGGAGGGCT AGGACTGACC CTTGTGGTGT TTTTTTGGGT GGTGGCTGGA AACAGCCCCT  2160
      CTCCCACGTG GGAGAGGCTC AGCCTGGCTC CCTTCCCTGG AGCGGCAGGG CGTGACGGCC  2220
      ACAGGGTCTG CCCGCTGCAC GTTCTGCCAA GGTGGTGGTG GCGGGCGGGT AGGGGTGTGG  2280
      GGGCCGTCTT CCTCCTGTCT CTTTCCTTTC ACCCTAGCCT GACTGGAAGC AGAAAATGAC  2340
10    CAAATCAGTA TTTTTTTTAA TGAAATATTA TTGCTGGAGG CGTCCCAGGC AAGCCTGGCT  2400
      GTAGTAGCGA GTGATCTGGC GGGGGGCGTC TCAGCACCCT CCCCAGGGGG TGCATCTCAG  2460
      CCCCCTCTTT CCGTCCTTCC CGTCCAGCCC CAGCCCTGGG CCTGGGCTGC CGACACCTGG  2520
      GCCAGAGCCC CTGCTGTGAT TGGTGCTCCC TGGGCCTCCC GGGTGGATGA AGCCAGGCGT  2580
      CGCCCCCTCC GGGAGCCCTG GGGTGAGCCG CCGGGGCCCC CCTGCTGCCA GCCTCCCCCG  2640
15    TCCCCAACAT GCATCTCACT CTGGGTGTCT TGGTCTTTTA TTTTTTTGTAA GTGTCATTTG  2700
      TATAACTCTA AACGCCCATG ATAGTAGCTT CAAACTGGAA ATAGCGAAAT AAAATAACTC  2760
      AGTCTGC
```

```
Seq ID NO: 341 Protein sequence
Protein Accession #:      NP_003079
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MTANGTAEAV QIQFGLINCG NKYLTAEAFG PKVNASASSL KKKQIWTLEQ PPDEAGSAAV   60
      CLRSHLGRYL AADKDGNVTC EREVPGPDCR FLIVAHDDGR WSLQSEAHRR YPGGTEDRLS  120
      CFAQTVSPAE KWSVHIAMHP QVNIYSVTRK RYAHLSARPA DEIAVDRDVP WGVDSLITLA  180
      FQDQRYSVQT ADHRFLRHDG RLVARPEPAT GYTLEFRSGK VAFRDCEGRY LAPSGPSGTL  240
      KAGKATKVGK DELFALEQSC AQVVLQAANE RNVSTRQGMD LSANQDEETD QETFQLEIDR  300
      DTKKCAFRTH TGKYWTLTAT GGVQSTASSK NASCYFDIEW RDRRITLRAS NGKFVTSKKN  360
      GQLAASVETA GDSELFLMKL INRPIIVFRG EHGPIGCRKV TGTLDANRSS YDVFQLEFND  420
      GAYNIKDSTG KYWTVGSDSA VTSSGDTPVD PPPEFCDYNK VAIKVGGRYL KGDHAGVLKA  480
      SAETVDPASL WEY
```

```
Seq ID NO: 342 DNA sequence
Nucleic Acid Accession #: PGENESH predicted
Coding sequence:660..1705
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      CGCTCCGCAC ACATTTCCTG TCGCGGCCTA AGGGAAACTG TTGGCCGCTG GGCCCGCGGG   60
      GGGATTCTTG GCAGTTGGGG GGTCCGTCGG GAGCGAGGGC GGAGGGGAAG GGAGGGGGAA  120
      CCGGGGTTGGG GAAGCCAGCT GTAGAGGGCG GTGACCGCGC TCCAGACACA GCTCTGCGTC  180
      CTCGAGCGGG ACAGATCCAA GTTGGGAGCA GCTCTGCGTG CGGGGCCTCA GAGAATGAGG  240
      CCGGCGTTCG CCCTGTGCCT CCTCTGGCAG GCGCTCTGGC CCGGGGCCGGG CGGCGGCGAA  300
      CACCCCACTG CCGACCGTGC TGGCTGCTCG GCCTCGGGGG CCTGCTACAG CCTGCACCAC  360
      GCTACCATGA AGCGGCAGGC GGCCGAGGAG GCCTGCATCC TGCGAGGTGG GGCGCTCAGC  420
      ACCGTGCGTG CGGGCGCCGA GCTGCGCGCT GTGCTCGCGC TCCTGCGGGC AGGCCCAGGG  480
      CCCGGAGGGG GCTCCAAAGA CCTGCTGTTC TGGGTCGCAC TGGAGCGCAG GCGTTCCCAC  540
      TGCACCCTGG AGAACGAGCC TTTGCGGGGT TTCTCCTGGC TGTCCTCCGA CCCCGGCGGT  600
      CTCGAAAGCG ACACGCTGCA GTGGGTGGAG GAGCCCCAAC CCTCCTGCAC CGCGCGGAGA  660
      TGCGCGGTAC TCCAGGCCAC CGGTGGGGTC GAGCCCGCAG CTGGAAGGAG ATGCGATGCC  720
      ACCTGCGCGC CAACGGCTAC CTGTGCAAGT ACCAGTTTGA GGTCTTGTGT CCTGCGCCGC  780
      GCCCCGGGGC CGCCTCTAAC TTGAGCTATC GCGCGCCCTT CCAGCTGCAC AGCGCGCTC  840
      TGGACTTCAG TCCACCTGGG ACCGAGGTGA GTGCGCTCTG CCGGGGACAG CTCCCGATCT  900
      CAGTTACTTG CATCGCGGAC GAAATCGGCG CTCGCTGGGA CAAACTCTCG GGCGATGTGT  960
      TGTGTCCCTG CCCCGGGAGG TACCTCCGTG CTGGCAAATG CGCAGAGCTC CCTAACTGCC  1020
      TAGACGACTT GGGAGGCTTT GCCTGCGAAT GTGCTACGGG CTTCGAGCTG GGGAAGGACG  1080
      GCCGCTCTTG TGTGACCAGT GGGGAAGGAC AGCCGACCCT TGGGGGGACC GGGGTGCCCA  1140
      CCAGGCGCCC GCCGGCCACT GCAACCAGCC CCGTGCCGCA GAGAACATGG CCAATCAGGG  1200
      TCGACGAGAA GCTGGGAGAG ACACCCACTTG TCCCTGAACA AGACAATTCA GTAACATCTA  1260
      TTCCTGAGAT TCCTCGATGG GGATCACAGA GCACGATGTC TACCCTTCAA ATGTCCCTTC  1320
      AAGCCGAGTC AAAGGCCACT ATCACCCCAT CAGGGAGCGT GATTTCCAAG TTTAATTCTA  1380
      CGACTTCCTC TGCCACTCCT CAGGCTTTCG ACTCCTCCTC TGCCGTGGTC TTCATATTTG  1440
      TGAGCACAGC AGTAGTAGTG TTGGTGATCT TGACCATGAC AGTACTGGGG CTTGTCAAGC  1500
      TCTGCTTTCA CGAAAGCCCC TCTTCCCAGC CAAGGAAGGA GTCTATGGGC CCGCCGGGCC  1560
      TGGAGAGTGA TCCTGAGCCC GCTGCTTTGG GCTCCAGTTC TGCACATTGC ACAAACAATG  1620
      GGGTGAAAGT CGGGGACTGT GATCTGCGGG ACAGAGCAGA GGGTGCCTTG CTGGCGGAGT  1680
      CCCCTCTTGG CTCTAGTGAT GCATAG
```

```
Seq ID NO: 343 Protein sequence
Protein Accession #: FGENESH predicted
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MGKDFMTKTP KAFATKAKID KWDLIKLKSP CTAKETIIRV NSQPTDWQKT PAIYPSDKGV   60
      IARIYKELEQ IYKKKPTKT LRTHFLSRPK GNCWPLGPRG DSWQLGGPSG ARABGKGGGT  120
      GLGKPAVEGG DRAPDTALRP RAGQIQVGSS SACGASENEA GVRPVPPLAG ALARAGRRRT  180
      PHCRPCWLLG LGGLLQPAPR YHEAAGGRGG LHPARWGAQH RACGRRAARC ARAPAGRPRA  240
      RRGLQRPAVL GRTGAQAFPL HPGERAFAGP LLAVLRPRRS RKRHAAVGGG APTLLHRAEM  300
      RGTPGHRWGR ARSWREMRCH LRANGYLCKY QPEVLCPAPR PGAASNLSYR APPQLHSAAL  360
      DFSPPGTEVS ALCRGQLPIS VTCIADEIGA RWDKLSGDVL CPCPGRYLRA GKCAELPNCL  420
      DDLGGFACEC ATGPELGKDG RSCVTSGEGQ PTLGGTGVPT RRPPATATSP VPQRTWPIRV  480
      DEKLGETPLV PEQDNSVTSI PBIPRWGSQS TMSTLQMSLQ AESKATITPS GSVISKFNST  540
      TSSATPQAFD SSSAVVFIFV STAVVVLVIL TMTVLGLVKL CFHESPSSQP RKESMGPPGL  600
      ESDPEPAALG SSSABCTNNG VKVGDCDLRD RAEGALLAES PLGSSDA
```

Seq ID NO: 344 DNA sequence
Nucleic Acid Accession #: NM_012072
Coding sequence: 149-2107

```
      1 .        11         21         31         41         51
      |          |          |          |          |          |
      AAAGCCCTCA GCCTTTGTGT CCTTCTCTGC GCCGGAGTGG CTGCAGCTCA CCCCTCAGCT    60
      CCCCTTGGGG CCCAGCTGGG AGCCGAGATA GAAGCTCCTG TCGCCGCTGG GCTTCTCGCC   120
      TCCCGCAGAG GGCCACACAG AGACCGGGAT GGCCACCTCC ATGGGCCTGC TGCTGCTGCT   180
      GCTGCTGCTC CTGACCCAGC CCGGGGCGGG GACGGGAGCT GACACGGAGG CGGTGGTCTG   240
      CGTGGGGACC GCCTGCTACA CGGCCCACTC GGGCAAGCTG AGCGCTGCCG AGGCCCAGAA   300
      CCACTGCAAC CAGAACGGGG GCAACCTGGC CACTGTGAAG AGCAAGGAGG AGGCCCAGCA   360
      CGTCCAGCGA GTACTGGCCC AGCTCCTGAG GCGGGAGGCA GCCCTGACGG CGAGGATGAG   420
      CAAGTTCTGG ATTGGGCTCC AGCGAGAGAA GGGCAAGTGC CTGGACCCTA GTCTGCCGCT   480
      GAAGGGCTTC AGCTGGGTGG GCGGGGGGGA GGACACGCCT TACTCTAACT GGCACAAGGA   540
      GCTCCGGAAC TCGTGCATCT CCAAGCGCTG TGTGTCTCTG CTGCTGGACC TGTCCCAGCC   600
      GCTCCTTCCC AACCGCCTGC CCAAGTGGTC TGAGGGCCCC TGTGGGAGCC CAGGCTCCCC   660
      CGGAAGTAAC ATTGAGGGCT TCGTGTGCAA GTTCAGCTTC AAAGGCATGT GCCGGCCTCT   720
      GGCCCTGGGG GGCCCCTTTG AGGTGACCTA CACCACCCCC TTCCAGACCA CCAGTTCCTC   780
      CTTGGAGGCT GTGCCCTTTG CCTCTGCGGC CAATGTAGCC TGTGGGGAAG GTGACAAGGA   840
      CGAGACTCAG AGTCATTATT TCCTGTGCAA GGAGAAGGCC CCCGATGTGT TCGACTGGGG   900
      CAGCTCGGGC CCCCTCTGTG TCAGCCCCAA GTATGGCTGC AACTTCAACA ATGGGGGCTG   960
      CCACCAGGAC TGCTTTGAAG GGGGGGGATGG CTCCTTCCTC TGCGGCTGCC GACCAGGATT  1020
      CCGGCTGCTG GATGACCTGG TGACCTGTGC CTCTCGAAAC CCTTGCAGCT CCAGCCCATG  1080
      TCGTGGGGGG GCCACGTGCG TCCTGGGACC CCATGGGAAA AACTACACGT GCCGCTGCCC  1140
      CCAAGGGTAC CAGCTGGACT CGAGTCAGCT GGACTGTGTG GACGTGGATG AATGCCAGGA  1200
      CTCCCCCTGT GCCCAGGAGT GTGTCAACAC CCCTGGGGGC TTCCGCTGCG AATGCTGGGT  1260
      TGGCTATGAG CCGGGCGGTC CTGGAGAGGG GGCCTGTCAG GATGTGGATG AGTGTGCTCT  1320
      GGGTCGCTCG CCTTGCGCCC AGGGCTGCAC CAACACAGAT GGCTCATTTC ACTGCTCCTG  1380
      TGAGGAGGGC TACGTCCTGG CCGGGGAGGA CGGGACTCAG TGCCAGGACG TGGATGAGTG  1440
      TGTGGGCCCG GGGGGCCCCC TCTGCGACAG CTTGTGCTTC AACACACAAG GGTCCTTCCA  1500
      CTGTGGCTGC CTGCCAGGCT GGGTGCTGGC CCCAAATGGG GTCTCTTGCA CCATGGGGCC  1560
      TGTGTCTCTG GGACCACCAT CTGGGCCCCC CGATGAGGAG GACAAAGGAG AGAAAGAAGG  1620
      GAGCACCGTG CCCCGCGCTG CAACAGCCAG TCCCACAAGG GGCCCCGAGG GCACCCCCAA  1680
      GGCTACACCC ACCACAAGTA GACCTTCGCT GTCATCTGAC GCCCCCATCA CATCTGCCCC  1740
      ACTCAAGATG CTGGCCCCCA GTGGGTCCTC AGGCGTCTGG AGGGAGCCCA GCATCCATCA  1800
      CGCCACAGCT GCCTCTGGCC CCCAGGAGCC TGCAGGTGGG GACTCCTCCG TGGCCACACA  1860
      AAACAACGAT GGCACTGACG GGCAAAAGCT GCTTTTATTC TACATCCTAG GCACCGTGGT  1920
      GGCCATCCTA CTCCTGCTGG CCCTGGCTCT GGGGCTACTG GTCTATCGCA AGCGGAGAGC  1980
      GAAGAGGGAG GAGAAGAAGG AGAAGAAGCC CCAGAATGCG GCAGACAGTT ACTCCTGGGT  2040
      TCCAGAGCGA GCTGAGAGCA GGGCCCATGGA GAACCAGTAC AGTCCGACAC CTGGGACAGA  2100
      CTGCTGAAAG TGAGGTGGCC CTAGAGACAC TAGAGTCACC AGCCACCATC CTCAGAGCTT  2160
      TGAACTCCCC ATTCCAAAGG GGCACCCACA TTTTTTTGAA AGACTGGACT GGAATCTTAG  2220
      CAAACAATTG TAAGTCTCCT CCTTAAAGGC CCCTTGGAAC ATGCAGGTAT TTTCTACGGG  2280
      TGTTTGATGT TCCTGAAGTG GAAGCTGTGT GTTGGCGTGC CACGGTGGGG ATTTCGTGAC  2340
      TCTATAATGA TTGTTACTCC CCCTCCCTTT TCAAATTCCA ATGTGACCAA TTCCGGATCA  2400
      GGGTGTGAGG AGGCTGGGGC TAAGGGGCTC CCCTGAATAT CTTCTCTGCT CACTTCCACC  2460
      ATCTAAGAGG AAAAGGTGAG TTGCTCATGC TGATTAGGAT TGAAATGATT TGTTTCTCTT  2520
      CCTAGGATGA AAACTAAATC AATTAATTAT TCAATTAGGT AAGAAGATCT GGTTTTTTGG  2580
      TCAAAGGGAA CATGTTCGGA CTGGAAACAT TTCTTTACAT TTGCATTCCT CCATTTCGCC  2640
      AGCACAAGTC TTGCTAAATG TGATACTGTT GACATCCTCC AGAATGGCCA GAAGTGCAAT  2700
      TAACCTCTTA GGTGGCAAGG AGGCAGGAAG TGCCTCTTTA GTTCTTACAT TTCTAATAGC  2760
      CTTGGGTTTA TTTGCAAAGG AAGCTTGAAA AATATGAGAA AAGTTGCTTG AAGTGCATTA  2820
      CAGGTGTTTG TGAAGTCACA TAATCTACGG GGCTAGGGCG AGAGAGGCCA GGGATTTGTT  2880
      CACAGATACT TGAATTAATT CATCCAAATG TACTGAGGTT ACCACACACT TGACTACGGA  2940
      TGTGATCAAC ACTAACAAGG AAACAAATTC AAGGACAACC TGTCTTTGAG CCAGGGCAGG  3000
      CCTCAGACAC CCTGCCTGTG GCCCCGCCTC CACTTCATCC TGCCCGGAAT GCCAGTGCTC  3060
      CGAGCTCAGA CAGAGGAAGC CCTGCAGAAA GTTCCATCAG GCTGTTTCCT AAAGGATGTG  3120
      TGAACGGGAG ATGATGCACT GTGTTTGAA AGTTGTCATT TTAAAGCATT TTAGCACAGT  3180
      TCATAGTCCA CAGTTGATGC AGCATCCTGA GATTTTAAAT CCTGAAGTGT GGGTGGCCGA  3240
      CACACCAAGT AGGGAGCTAG TCAGGCAGTT TGCTTAAGGA ACTTTTGTTC TCTGTCTCTT  3300
      TTCCTTAAAA TTGGGGGTAA GGAGGGAAGG AAGAGGGAAA GAGATGACTA ACTAAAATCA  3360
      TTTTTACAGC AAAAACTGCT CAAAGCCATT TAAATTATAT CCTCATTTTA AAAGTTACAT  3420
      TTGCAAATAT TTCTCCCTAT GATAATGCAG TCGATAGTGT GCACTCTTTC TCTCTCTCTC  3480
      TCTCTCTCAC ACACACACAC ACACACACAC ACACACACAC AGAGACACGG CACCATTCTG  3540
      CCTGGGGCAC TGGAACACAT TCCTGGGGGT CACCGATGGT CAGAGTCACT AGAAGTTACC  3600
      TGAGTATCTC TGGGAGGCCT CATGTCTCCT GTGGGCTTTT TACCACCACT GTGCAGGAGA  3660
      ACAGACAGAG GAAATGTGTC TCCCTCCAAG GCCCCAAAGC CTCAGAGAAA GGGTGTTTCT  3720
      GGTTTTGCCT TAGCAATGCA TCGGTCTCTG AGGTGACACT CTGGAGTGGT TGAAGGGCCA  3780
      CAAGGTGCAG GGTTAATACT CTTGCCAGTT TTGAAATATA GTTCAGATTGT  3840
      TTTTAATAGA AAACTAAAGG GGCAGGGGAA GTGAAAGGAA AGATGGAGGT TTTGTGCGGC  3900
      TCGATGGGGC ATTTGGAACT TCTTTTTAAA GTCATCTCAT GGTCTCCAGT TTTCAGTTGG  3960
      AACTCTGGTG TTTAACACTT AAGGGAGACA AAGGCTGTGT CCATTTGGCA AAACTTCCTT  4020
      GGCCACGAGA CTCTAGGTGA TGTGTGAAGC TGGGCAGTGT GTGGTGTGGA GAGCAGCCAT  4080
      CTGTCTGGCC ATTCAGAGGA TTCTAAAGAC ATGGCTGGAT GCGCTGCTGA CCAACATCAG  4140
      CACTTAAATA AATGCAAATG CAACATTTCT CCCTCTGGGC CTTGAAAATC CTTGCCCTTA  4200
      TCATTTGGGG TGAAGGAGAC ATTTCTGTCC TTGGCTTCCC ACAGCCCCAA CGCAGTCTGT  4260
      GTATGATTCC TGGGATCCAA CGAGCCCTCC TATTTTCACA GTGTTCGAT TGCTCTCACA  4320
      GCCCAGGCCC ATCGTCTGTT CTCTGAATGC AGCCCTGTTC TCAACAACAG GGAGGTCATG  4380
      GAACCCCTCT GTGGAACCCA CAAGGGGAGA AATGGGTGAT AAAGAATCCA GTTCCTCAAA  4440
      ACCTTCCCTG GCAGGCTGGG TCCCTCTCCT GCTGGGTGGT GCTTTCTCTT GCACACCACT  4500
      CCCACCACGG GGGGAGAGCC AGCAACCCAA CCAGACAGCT CAGGTTGTGC ATCTGATGGA  4560
      AACCACTGGG CTCAAACACG TGCTTTATTC TCCTGTTTAT TTTTGCTGTT ACTTTGAAGC  4620
      ATGGAAATTC TTGTTTGGGG GATCTTGGGG CTACAGTAGT GGGTAAACAA ATGCCCACCG  4680
      GCCAAGAGGC CATTAACAAA TCGTCCTTGT CCTGAGGGGC CCCAGCTTGC TCGGGCGTGG  4740
      CACAGTGGGG AATCCAAGGG TCACAGTATG GGGAGAGGTG CACCCTGCCA CCTGCTAACT  4800
```

```
 ·  TCTCGCTAGA CACAGTGTTT CTGCCCAGGT GACCTGTTCA GCAGCAGAAC AAGCCAGGGC   4860
    CATGGGGACG GGGGAAGTTT TCACTTGGAG ATGGACACCA AGACAATGAA GATTTGTTGT   4920
    CCAAATAGGT CAATAATTCT GGGAGACTCT TGGAAAAAAC TGAATATATT CAGGACCAAC   4980
    TCTCTCCCTC CCCTCATCCC ACATCTCAAA GCAGACAATG TAAAGAGAGA ACATCTCACA   5040
    CACCCAGCTC GCCATGCCTA CTCATTCCTG AATTTCAGGT GCCATCACTG CTCTTTCTTT   5100
    CTTCTTTGTC ATTTGAGAAA GGATGCAGGA GGACAATTCC CACAGATAAT CTGAGGAATG   5160
    CAGAAAAACC AGGGCAGGAC AGTTATCGAC AATGCATTAG AACTTGGTGA GCATCCTCTG   5220
    TAGAGGGACT CCACCCCTGC TCAACAGCTT GGCTTCCAGG CAAGACCAAC CACATCTGGT   5280
    CTCTGCCTTC GGTGGCCCAC ACACCTAAGC GTCATCGTCA TTGCCATAGC ATCATGATGC   5340
    AACACATCTA CGTGTAGCAC TACGACGTTA TGTTTGGGTA ATGTGGGGAT GAACTGCATG   5400
    AGGCTCTGAT TAAGGATGTG GGGAAGTGGG CTGCGGTCAC TGTCGGCCTT GCAAGGCCAC   5460
    CTGGAGGCCT GTCTGTTAGC CAGTGGTGGA GGAGCAAGGC TTCAGGAAGG GCCAGCCACA   5520
    TGCCATCTTC CCTGCGATCA GGCAAAAAAG TGGAATTAAA AAGTCAAACC TTTATATGCA   5580
    TGTGTTATGT CCATTTTGCA GGATGAACTG AGTTTAAAAG AATTTTTTTT TCTCTTCAAG   5640
    TTGCTTTGTC TTTTCCATCC TCATCACAAG CCCTTGTTTG AGTGTCTTAT CCCTGAGCAA   5700
    TCTTTCGATG GATGGAGATG ATCATTAGGT ACTTTTGTTT CAACCTTTAT TCCTGTAAAT   5760
    ATTTCTGTGA AAACTAGGAG AACAGAGATG AGATTTGACA AAAAAAAATT GAATTAAAAA   5820
    TAACACAGTC TTTTTAAAAC TAACATAGGA AAGCCTTTCC TATTATTTCT CTTCTTAGCT   5880
    TCTCCATTGT CTAAATCAGG AAAACAGGAA AACACAGCTT TCTAGCAGCT GCAAAATGGT   5940
    TTAATGCCCC CTACATATTT CCATCACCTT GAACAATAGC TTTAGCTTGG GAATCTGAGA   6000
    TATGATCCCA GAAAACATCT GTCTCTACTT CGGCTGCAAA ACCCATGGTT TAAATCTATA   6060
    TGGTTTGTGC ATTTTCTCAA CTAAAAATAG AGATGATAAT CCGAATTCTC CATATATTCA   6120
    CTAATCAAAG ACACTATTTT CATACTAGAT TCCTGAGACA AATACTCACT GAAGGGCTTG   6180
    TTTAAAAATA AATTGTGTTT TGGTCTGTTC TTGTAGATAA TGCCCTTCTA TTTTAGGTAG   6240
    AAGCTCTGGA ATCCCTTTAT TGTGCTGTTG CTCTTATCTG CAAGGTGGCA AGCAGTTCTT   6300
    TTCAGCAGAT TTTGCCCACT ATTCCTCTGA GCTGAAGTTC TTTGGCATAG TTTGGCTTAA   6360
    GCTTGAATTA GATCCCTGCA AAGGCTTGCT CTGTGATGTC AGATGTAATT GTAAATGTCA   6420
    GTAATCACTT CATGAATGCT AAATGAGAAT GTAAGTATTT TTAAATGTGT GTATTTCAAA ·  6480
    TTTGTTTGAC TAATTCTGGA ATTACAAGAT TTCTATGCAG GATTTACCTT CATCCTGGCT   6540
    ATGTTTCCCA AACTGTGAGG AGGGAAGGCT CAGAGATCGA GCTTCTCCTC TGAGTTCTAA   6600
    CAAAATGGTG CTTTGAGGGT CAGCCTTTAG GAAGGTGCAG CTTTGTTGTC CTTTGAGCTT   6660
    TCTGTTATGT GCCTATCCTA ATAAACTCTT AAACACATT
```

Seq ID NO: 345 Protein sequence
Protein Accession #:   NP_036204

```
1          11         21         31         41         51
|          |          |          |          |          |
MATSMGLLLL LLLLLTQPGA GTGADTEAVV CVGTACYTAH SGKLSAAEAQ NHCNQNGGNL   60
ATVKSKEEAQ HVQRVLAQLL RREAALTARM SKFWIGLQRE KGKCLDPSLP LKGFSWVGGG   120
EDTPYSNWHK ELRNSCISKR CVSLLLDLSQ PLLPNRLPKW SEGPCGSPGS PGSNIEGFVC   180
KPSFKGMCRP LALGGPGQVT YTTPPQTTSS SLEAVPFASA ANVACGEGDK DETQSHYFLC   240
KEKAPDVFDW GSSGPLCVSP KYGCNFNNGG CHQDCFEGGD GSFLCGCRPG FRLLDDLVTC   300
ASRNPCSSSP CRGGATCVLG PHGKNYTCRC PQGYQLDSSQ LDCVDVDECQ DSPCAQECVN   360
TPGGFRCECW VGYEPGGPGE GACQDVDECA LGRSPCAQGC TNTDGSFHCS CEEGYVLAGE   420
DGTQCQDVDE CVGPGGPLCD SLCFNTQGSF HCGCLPGWVL APNGVSCTMG PVSLGPPSGP   480
PDEEDKGEKE GSTVPRAATA SPTRGPEGTP KATPTTSRPS LSSDAPITSA PLKMLAPSGS   540
SGVWREPSIH HATAASGPQE PAGGDSSVAT QNNDGTDGQK LLLFYILGTV VAILLLLALA   600
LGLLVYRKRR AKREEKKEKK PQNAADSYSW VPERAESRAM ENQYSPTPGT DC
```

Seq ID NO: 346 DNA sequence
Nucleic Acid Accession #: Z31560
Coding sequence: <1-966

```
1          11         21         31         41         51
|          |          |          |          |          |
CACAGCGCCC GCATGTACAA CATGATGGAG ACGGAGCTGA AGCCGCCGGG CCCGCAGCAA   60
ACTTCGGGGG GCGGCGGCGG CAACTCCACC GCGGCGGCGG CCGGAGGGCAA CCAGAAAAAC   120
AGCCCGGACC GCGTCAAGCG GCCCCATGAAT GCCTTCATGG TGTGGTCCCG CGGGCAGCGG   180
CGCAAGATGG CCCAGGAGAA CCCCAAGATG CACAACTCGG AGATCAGCAA GCGCCTGGGC   240
GCCGAGTGGA AACTTTTGTC GGAGACGGAG AAGCGGCCGT TCATCGACGA GGCTAAGCGG   300
CTGCGAGCGC TGCACATGAA GGAGCACCCG GATTATAAAT ACCGGCCCCG GCGGAAAACC   360
AAGACGCTCA TGAAGAAGGA TAAGTACACG CTGCCCGGCG GGCTGCTGGC CCCCGGCGGC   420
AATAGCATGG CGAGCGGGGT CGGGGTGGGC GCCGGCCTGG GCGCGGGCGT GAACCAGCGG   480
ATGGACAGTT ACGCGCACAT GAACGGCTGG AGCAACGGCA GCTACAGCAT GATGCAGGAC   540
CAGCTGGGCT ACCCGCAGCA CCCGGGCCTC AATGCGCACG GCGCAGCGCA GATGCAGCCC   600
ATGCACCGCT ACGACGTGAG CGCCCTGCAG TACAACTCCA TGACCAGCTC GCAGACCTAC   660
ATGAACGGCT CGCCACCTA CAGCATGTCC TACTCGCAGC AGGGCACCCC TGGCATGGCT   720
CTTGGCTCCA TGGGTTCGGT GGTCAAGTCC GAGGCCAGCT CCAGCCCCCC TGTGGTTACC   780
TCTTCCTCCC ACTCCAGGGC GCCCTGCCAG GCCGGGGACC TCCGGGACAT GATCAGCATG   840
TATCTCCCCG GCGCCGAGGT GCCGGAACCC GCCGCCCCCA GCAGACTTCA CATGTCCCAG   900
CACTACCAGA GCGGCCCGGT GCCCGGCACG GCCATTAACG GCACACTGCC CCTCTCACAC   960
ATGTGAGGGC GGACAGCGCA ACTGGAGGGG GGAGAAATTT TCAAAGAAAA ACGAGGGAAA   1020
TGGGAGGGGT GCAAAAGAGG AGAGTAAGAA ACAGCATGGA GAAAACCCGG TACGCTCAAA   1080
AAAAA
```

Seq ID NO: 347 Protein sequence
Protein Accession #:   CAA83435

```
1          11         21         31         41         51
|          |          |          |          |          |
HSARMYNMME TELKPPGPQQ TSGGGGGNST AAAAGGNQKN SPDRVKRPMN AFMVWSRGQR   60
RKMAQENPKM HNSEISKRLG AEWKLLSETE KRPFIDEAKR LRALHMKEHP DYKYRPRRKT   120
KTLMKKDKYT LPGGLLAPGG NSMASGVGVG AGLGAGVNQR MDSYAHMNGW SNGSYSMMQD   180
QLGYPQHPGL NAHGAAQMQP MHRYDVSALQ YNSMTSSQTY MNGSPTYSMS YSQQGTPGMA   240
LGSMGSVVKS EASSSPPVVT SSSHSRAPCQ AGDLRDMISM YLPGAEVPEP AAPSRLHMSQ   300
HYQSGFVPGT AINGTLPLSH M
```

Seq ID NO: 348 DNA sequence
Nucleotide Accession #:   NM_002638
Coding sequence: 120-473

```
1          11         21         31         41         51
|          |          |          |          |          |
CAATACAGCT AAGGAATTAT CCCTTGTAAA TACCACAGAC CCGCCCTGGA GCCAGGCCAA   60
GCTGGACTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA  120
TGAGGGCCAA CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGCTGGGACG CTGGTTCTAG  180
AGGCAGCTGT CACGGGAGTT CCTGTTAAAG GTCAAGACAC TGTCAAAGGC CGTGTTCCAT  240
TCAATGGACA AGATCCCGTT AAAGGACAAG TTTCAGTTAA AGGTCAAGAT AAAGTCAAAG  300
CGCAAGAGCC AGTCAAAGGT CCAGTCTCCA CTAAGCCTGG CTCCTGCCCC ATTATCTTGA  360
TCCGGTGCGC CATGTTGAAT CCCCCTAACC GCTGCTTGAA AGATACTGAC TGCCCAGGAA  420
TCAAGAAGTG CTGTGAAGGC TCTTGCGGGA TGGCCTGTTT CGTTCCCCAG TGAAGGGAGC  480
CGGTCCTTGC TGCACCTGTG CCGTCCCCAG AGCTACAGGC CCCATCTGGT CCTAAGTCCC  540
TGCTGCCCTT CCCCTTCCCA CACTGTCCAT TCTTCCTCCC ATTCAGGATG CCCACGGCTG  600
GAGCTGCCTC TCTCATCCAC TTTCCAATAA A
```

Seq ID NO: 349 Protein sequence:
Protein Accession #:   NP_002629

```
1          11         21         31         41         51
|          |          |          |          |          |
MRASSFLIVV VFLIAGTLVL EAAVTGVPVK GQDTVKGRVP PNGQDPVKGQ VSVKGQDKVK   60
AQEPVKGPVS TKPGSCPIIL IRCAMLNPPN RCLKDTDCPG IKKCCEGSCG MACFVPQ
```

Seq ID NO: 350 DNA sequence
Nucleic Acid Accession #: NM_007183
Coding sequence: 75-2468

```
1          11         21         31         41         51
|          |          |          |          |          |
GAATTCCGGA CAGGACGTGA AGATAGTTGG GTTTGGAGGC GGCCGCCAGG CCCAGGCCCG   60
GTGGACCTGC CGCCATGCAG GACGGTAACT TCCTGCTGTC GGCCCTGCAG CCTGAGGCCG  120
GCGTGTGCTC CCTGGCGCTG CCCTCTGACC TGCAGCTGGA CCGCCGGGGC GCCGAGGGGC  180
CGGAGGCCGA GCGGCTGCGG GCAGCCCGCG TCCAGGAGCA GGTCCGCGCC CGCCTCTTGC  240
AGCTGGGACA GCACCGCGGG CACAACGGGG CCGCTGAGCC CGAGCCTGAG GCCGAGACTG  300
CCAGAGGCAC ATCCAGGGGG CAGTACCACA CCCTGCAGGC TGGCTTCAGC TCTCGCTCTC  360
AGGGCCTGAG TGGGGACAAG ACCTCGGGCT TCCGGCCCAT CGCCAAGCCG GCCTACAGCC  420
CAGCCTCCTG GTCCTCCCGC TCCGCCGTGG ATCTGAGCTG CAGTCGGAGG CTGAGTTCAG  480
CCCACAATGG GGGCAGCGCC TTTGGGGCCG CTGGGTACGG GGGTGCCCAG CCCACCCCTC  540
CCATGCCCAC CAGGCCCGTG TCCTTCCATG AGCGCGGTGG GGTTGGGAGC CGGGCCGACT  600
ATGACACACT CTCCCTGCGC TCGCTGCGGC TGGGGCCCGG GGGCCTGGAC GACCGCTACA  660
GCCTGGTGTC TGAGCAGCTG GAGCCCGCGG CCACCTCCAC CTACAGGGCC TTTGCGTACG  720
AGCGCCAGGC CAGCTCCAGC TCCAGCCGGG CAGGGGGGCT GGACTGGCCC GAGGCCACTG  780
AGGTTTCCCC GAGCCGGACC ATCCGTGCCC CTGCCGTGCG GACCCTGCAG CGATTCCAGA  840
GCAGCCACCG GAGCCGCGGG GTAGGCGGGG CAGTGCCGGG GGCCGTCCTG GAGCCAGTGG  900
CTCGAGCGCC ATCTGTGCGC AGCCTCAGCC TCAGCCTGGC TGACTCGGGC CACCTGCCGG  960
ACGTGCATGG GTTCAACAGC TACGGTAGCC ACCGAACCCT GCAGAGACTC AGCCAGCCGTT 1020
TTGATGACAT TGACCTGCCC TCAGCAGTCA AGTACCTCAT GGCTTCAGAC CCCAACCTGC 1080
AGGTGCTGGG AGCGGCCTAC ATCCAGCACA AGTGCTACAG CGATGCAGCC GCCAAGAAGC 1140
AGGCCCGCAG CCTTCAGGCC GTGCCTAGGC TGGTGAAGCT CTTCAACCAC GCCAACCAGG 1200
AAGTGCAGCG CCATGCCACA GGTGCCATGC GCAACCTCAT CTACGACAAC GCTGACAACA 1260
AGCTGGCCCT GGTGGAGGAG AACGGGATCT TCGAGCTGCT GCGGGACACTG CGGGAGCAGG 1320
ATGATGAGCT TCGCAAAAAT GTCACAGGGA TCCTGTGGAA CCTTTCATCC AGCGACCACC 1380
TGAAGGACCG CCTGGCCAGA GACACGCTGG AGCAGCTCAC GGACCTGGTG TTGAGCCCCC 1440
TGTCGGGGGC TGGGGGGTCCC CCCCTCATCC AGCAGAACGC CTCGGAGGCG GAGATCTTCT 1500
ACAACGCCAC CGGCTTCCTC AGGAACCTCA GCTCAGCCTC TCAGGCCACT CGCCAGAAGA 1560
TGCGGAGTG CCACGGGCTG GTGGACGCCC TGGTCACCTC TATCAACCAC GCCCTGGACG 1620
CGGGCAAATG CGAGGACAAG AGCGTGGAGA ACGCGGTGTG CGTCCTGCGG AACCTGTCCT 1680
ACCGCCTCTA CGACGAGATG CCGCCGTCCG CGCTGCAGCG GCTGGAGGGT CGCGGCCGCA 1740
GGGACCTGGC GGGGGCGCGG CCGGGAGAGG TCGTGGGCTG CTTCACGCCG CAGAGCCGGC 1800
GGCTGCGCGA GCTGCCCCTC GCCGCCGATG CGCTCACCTT CGCGGAGGTG TCCAAGGACC 1860
CCAAGGGCCT CGAGTGGCTC TGGAGCCCCC AGATCGTGGG GCTGTACAAC CGGCTGCTGC 1920
AGCGCTGCGA GCTCAACCGG CACACGACGG AGGCGGCCGC CGGGGCGCTG CAGAACATCA 1980
CGGCAGGCGA CCGCAGGTGG GCGGGGGTGC TGAGCCGGCCT GGCCCTGGAG CAGGAGCGTA 2040
TTCTGAACCC CCTGCTAGAC CGTGTCAGGA CCGCCGACCA CCACCAGCTG CGCTCACTGA 2100
CTGGCCTCAT CCGAAACCTG TCTCGGAACG CTAGGAACAA GGACGAGATG TCCACGAAGG 2160
TGGTGAGCCA CCTGATCGAG AAGCTGCCAG GCAGCGTGGG TGAGAAGTCG CCCCCAGCCG 2220
AGGTGCTGGT CAACATCATA GCTGTGCTCA ACAACCTGGT GGTGCCAGC CCCATCGCTG 2280
CCCGAGACCT GCTGTATTTT GACGGACTCC GAAAGCTCAT CTTCATCAAG AAGAAGCGGG 2340
ACAGCCCCGA CAGTGAGAAG TCCTCCCGGG CAGCATCCAG CCTCCTGGCC AACCTGTGGC 2400
AGTACAACAA GCTCCACCGT GACTTTCGGG CGAAGGGCTA TCGGAAGGAG GACTTCCTGG 2460
GCCCATAGGT GAAGCCTTCT GGAGGAGAAG GTGACGTGGC CCACGCGTCCA AGGGACAGAC 2520
TCAGCTCCAG GCTGCTTGGC AGCCCAGCCT GGAGGAGAAG GCTAATGACG GAGGGGCCCC 2580
TCGCTGGGGC CCCTGTGTGC ATCTTTGAGG GTCCTGGGCC ACCAGGAGGG GCAGGGTCTT 2640
ATAGCTGGGG ACTTGGCTTC CGCAGGGCAG GGGGTGGGGC AGGGCTCAAG GCTGCTCTGG 2700
TGTATGGGGT GGTGACCCAG TCACATTGGC AGAGGTGGGG GTTGGCTGTG GCCTGGCAGT 2760
ATCTTGGGAT AGCCAGCACT GGGAATAAAG ATGGCCATGA ACAGTCACAA AAAAAAAAAA 2820
AAAAGGAATT C
```

Seq ID NO: 351 Protein sequence
Protein Accession #:   NP_009114.1

```
1          11         21         31         41         51
```

```
              |           |           |           |           |           |
          MQDGNPLLSA  LQPEAGVCSL  ALPSDLQLDR  RGAEGPEAER  LRAARVQEQV  RARLLQLGQQ    60
          PRHNGAAEPE  PEAETARGTS  RGQYHTLQAG  FSSRSQGLSG  DKTSGFRPIA  KPAYSPASWS   120
          SRSAVDLSCS  RRLSSAHNGG  SAPGAAGYGG  AQPTPPMPTR  PVSFHERGGV  GSRADYDTLS   180
5         LRSLRLGPGG  LDDRYSLVSE  QLEPAATSTY  RAFAYERQAS  SSSSRAGGLD  WPEATEVSPS   240
          RTIRAPAVRT  LQRFQSSHRS  RGVGGAVPGA  VLEPVARAPS  VRSLSLSLAD  SGHLPDVHGF   300
          NSYGSHRTLQ  RLSSGPDDID  LPSAVKYLMA  SDPNLQVLGA  AYIQHKCYSD  AAAKKQARSL   360
          QAVPRLVKLF  NHANQEVQRH  ATGAMRNLIY  DNADNKLALV  EENGIFELLR  TLREQDDELR   420
10        KNVTGILWNL  SSSDHLKDRL  ARDTLEQLTD  LVLSPLSGAG  GPPLIQQNAS  EAEIFYNATG   480
          FLRNLSSASQ  ATRQKMRECH  GLVDALVTSI  NHALDAGKCE  DKSVENAVCV  LRNLSYRLYD   540
          EMPPSALQRL  EGRGRRDLAG  APPGEVVGCP  TPQSRRLREL  PLAADALTFA  EVSRDPKGLE   600
          WLNSPQIVGL  YNRLLQRCEL  NRHTTEAAAG  ALQNITAGDR  RWAGVLSRLA  LEQERILNPL   660
          LDRVRTADHH  QLRSLTGLIR  NLSRNARNKD  EMSTKVVSHL  IEKLPGSVGE  KSPPAEVLVN   720
15        IIAVLNNLVV  ASPIAARDLL  YPDGLRKLIF  IKKKRDSPDS  EKSSRAASSL  LANLWQYNKL   780
          HRDFRAKGYR  KEDFLGP
```

```
    Seq ID NO: 352 DNA sequence
    Nucleic Acid Accession #: M31469
20  Coding sequence: 1-651
```

```
          1           11          21          31          41          51
          |           |           |           |           |           |
          ATGGCTGCGC  AGGGAGAGCC  CCAGGTCCAG  TTCAAACTTG  TATTGGTTGG  TGATGGTGGT    60
25        ACTGGAAAAA  CGACCTTCGT  GAAACGTCAT  TTGACTGGTG  AATTTGAGAA  GAAGTATGTA   120
          GCCACCTTGG  GTGTTGAGGT  TCATCCCCTA  GTGTTCCACA  CCAACGAGGG  ACCTATTAAG   180
          TTCAATGTAT  GGGACACAGC  CGGCCAGGAG  AAATTCGGTG  GACTGAGAGA  TGGCTATTAT   240
          ATCCAAGCCC  AGTGTGCCAT  CATAATGTTT  GATGTAACAT  CGAGAGTTAC  TTACAAGAAT   300
          GTGCCTAACT  GGCATAGAGA  TCTGGTACGA  GTGTGTGAAA  CATCCCCAT   TGTGTTGTGT   360
30        GGCAACAAAG  TGGATATTAA  GGACAGGAAA  GTGAAGGCGA  AATCCATTGT  CTTCCACCGA   420
          AAGAAGAATC  TTCAGTACTA  CGACATTTCT  GCCAAAAGTA  ACTACAACTT  TGAAAAGCCC   480
          TTCCTCTGGC  TTGCTAGGAA  GCTCATTGGA  GACCCTAACT  TGGAATTTGT  TGCCATGCCT   540
          GCTCTCGCCC  CACCAGAAGT  TGTCATGGAC  CCAGCTTTGG  CAGCACAGTA  TGAGCACGAC   600
          TTAGAGGTTG  CTCAGACAAC  TGCTCTCCCG  GATGAGGATG  ATGACCTGTG  A            651
```

```
35
    Seq ID NO: 353 Protein sequence
    Protein Accession #:     AAA36546
```

```
          1           11          21          31          41          51
40        |           |           |           |           |           |
          MAAQGEPQVQ  FKLVLVGDGG  TGKTTFVKRH  LTGEFEKKYV  ATLGVEVHPL  VPHTNRGPIK    60
          PNVWDTAGQE  KFGGLRDGYY  IQAQCAIIMF  DVTSRVTYKN  VPNWHRDLVR  VCENIPIVLC   120
          GNKVDIKDRK  VKAKSIVFHR  KKNLQYYDIS  AKSNYNFEKP  FLWLARKLIG  DPNLEFVAMP   180
          ALAPPEVVMD  PALAAQYEHD  LEVAQTTALP  DEDDDL
```

```
45
    Seq ID NO: 354 DNA sequence
    Nucleic Acid Accession #: NM_002820
    Coding sequence: 304-831
50
```

```
          1           11          21          31          41          51
          |           |           |           |           |           |
          CCGGTTCGCA  AAGAAGCTGA  CTTCAGAGGG  GGAAACTTTC  TTCTTTTAGG  AGGCGGTTAG    60
          CCCTGTTCCA  CGAACCCAGG  AGAACTGCTG  GCCAGATTAA  TTAGACATTG  CTATGGGAGA   120
55        CGTGTAAACA  CACTACTTAT  CATTGATGCA  TATATAAAAC  CATTTTATTT  TGCTATTAT    180
          TTCAGAGGAA  GCGCCTCTGA  TTTGTTCTT   TTTTCCCTTT  TTGCTCTTTC  TGGCTGTGTG   240
          GTTTGGAGAA  AGCACAGTTG  GAGTAGCCGG  TTGCTAAATA  AGTCCCGAGC  GCGAGCGGAG   300
          ACGATGCAGC  GGAGACTGGT  TCAGCAGTGG  AGCGTCGCGG  TGTTCCTGCT  GAGCTACGCG   360
          GTGCCCTCCT  GCGGGCGCTC  GGTGGAGGGT  CTCAGCCGCC  GCCTCAAAAG  AGCTGTGTCT   420
60        GAACATCAGC  TCCTCCATGA  CAAGGGGAAG  TCCATCCAAG  ATTTACGGCG  ACGATTCTTC   480
          CTTCACCATC  TGATCGCAGA  AATCCACACA  GCTGAAATCA  GAGCTACCTC  GGAGGTGTCC   540
          CCTAACTCCA  AGCCCTCTCC  CAACACAAAG  AACCACCCCG  TCCGATTTGG  GTCTGATGAT   600
          GAGGGCAGAT  ACCTAACTCA  GGAAACTAAC  AAGGTGGAGA  CGTACAAAGA  GCAGCCGCTC   660
          AAGACACCTG  GGAAGAAAAA  GAAAGGCAAG  CCCGGGAAAC  GCAAGGAGCA  GGAAAAGAAA   720
65        AAACGGCGAA  CTCGCTCTGC  CTGGTTAGAC  TCTGGAGTGA  CTGGGAGTGG  GCTAGAAGGG   780
          GACCACCTGT  CTGACACCTC  CACACGTCG   CTGGAGCTCG  ATTCACGGTA  ACAGGCTTCT   840
          CTGGCCCGTA  GCCTCAGCGG  GGTGCTCTCA  GCTGGGTTTT  GGAGCCTCCC  TTCTGCCTTG   900
          GCTTGGACAA  ACCTAGAATT  TTCTCCCTTT  ATGTATCTCT  ATCGATTGTG  TAGCAATTGA   960
          CAGAGAATAA  CTCAGAATAT  TGTCTGCCTT  AAAGCAGTAC  CCCCTACCA   CACACACCCC  1020
70        TGTCCTCCAG  CACCATAGAG  AGGCGCTAGA  GCCCATTCCT  CTTTCTCCAC  CGTCACCCAA  1080
          CATCAATCCT  TTACCACTCT  ACCAAATAAT  TTCATATTCA  AGCTTCAGAA  GCTAGTGACC  1140
          ATCTTCATAA  TTTGCTGGAG  AAGTGTATTT  CTTCCCCTTA  CTCTCACACC  TGGGCAAACT  1200
          TTCTTCAGTG  TTTTTCATTT  CTTACGTTCT  TTCACTTCAA  GGGAGAATAT  AGAAGCATTT  1260
          GATATTATCT  ACAAACACTG  CAGAACAGCA  TCATGTCATA  AACGATTCTG  AGCCATTCAC  1320
75        ACTTTTTATT  TAATTAAATG  TATTTAATTA  AATCTCAAAT  TTATTTTAAT  GTAAAGAACT  1380
          TAAATTATGT  TTTAAACACA  TGCCTTAAAT  TTGTTTAATT  AAAATTTAACT  CTGGTTTCTA  1440
          CCAGCTCATA  CAAAATAAAT  GGTTTCTGAA  AATGTTTAAG  TATTAACTTA  CAAGGATATA  1500
          GGTTTTTCTC  ATGTATCTTT  TTGTTCATTG  GCAAGATGAA  ATAATTTTTC  TAGGGTAATG  1560
          CCGTAGGAAA  AATAAAACTT  CACATTTAAA  AAAAA
```

```
80
    Seq ID NO: 355 Protein sequence
    Protein Accession #:     NM_002820
```

```
          1           11          21          31          41          51
85        |           |           |           |           |           |
          MQRRLVQQWS  VAVFLLSYAV  PSCGRSVEGL  SRRLKRAVSE  HQLLHDKGKS  IQDLRRRPFL    60
          HHLIAEIHTA  EIRATSEVSP  NSKPSPNTKN  HPVRFGSDDE  GRYLTQETNK  VETYKEQPLK   120
```

TPGKKKKGKP GKRKEQEKKK RRTRSAWLDS GVTGSGLEGD HLSDTSTTSL ELDSR

Seq ID NO: 356 DNA sequence
Nucleic Acid Accession #: NM_017522
Coding sequence: 1-2100

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGGGCCTCC CCGAGCCGGG CCCTCTCCGG CTTCTGGCGC TGCTGCTGCT GCTGCTGCTG    60
CTGCTGCTGC TGCGGCTCCA GCATCTTGCG GCGGCAGCGG CTGATCCGCT GCTCGGCGGC   120
CAAGGGCCGG CCAAGGAGTG CGAAAAGGAC CAATTCCAGT GCCGGAACGA GCGCTGCATC   180
CCCTCTGTGT GGAGATGCGA CGAGGACGAT GACTGCTTAG ACCACAGCGA CGAGGACGAC   240
TGCCCCAAGA AGACCTGTGC AGACAGTGAC TTCACCTGTG ACAACGGCCA CTGCATCCAC   300
GAACGGTGGA AGTGTGACGG CGAGGAGGAG TGTCCTGATG GCTCCGATGA GTCCGAGGCC   360
ACTTGCACCA AGCAGGTGTG TCCTGCAGAG AAGCTGAGCT GTGGACCCAC CAGCCACAAG   420
TGTGTACCTG CCTCGTGGCG CTGCGACGGG GAGAAGGACT GCGAGGGTGG AGCGGATGAG   480
GCCGGCTGTG CTACCTCACT GGGCACCTGC CGTGGGGACG AGTTCCAGTG TGGGGATGGG   540
ACATGTGTCC TTGCAATCAA GCACTGCAAC CAGGAGCAGG ACTGTCCAGA TGGGAGTGAT   600
GAAGCTGGCT GCCTACAGGG GCTGAACGAG TGTCTGCACA ACAATGGCGG CTGCTCACAC   660
ATCTGCACTG ACCTCAAGAT TGGCTTTGAA TGCACGTGCC CAGCAGGCTT CCAGCTCCTG   720
GACCAGAAGA CTTGTGGCGA CATTGATGAG TGCAAGGACC CAGATGCCTG CAGCCAGATC   780
TGTGTCAATT ACAAGGGCTA TTTTAAGTGT GAGTGCTACC CTGGCTGCGA GATGGACCTA   840
CTGACCAAGA ACTGCAAGGC TGCTGCTGGC AAGAGCCCAT CCCTAATCTT CACCAACCGC   900
ACGAGTGCGG AGGATCGACC TGTGAAGCGG AACTATTCAC GCCTCATCCC CATGCTCAAG   960
AATGTCGTGG CACTAGATGT GGAAGTTGCC ACCAATCGCA TCTACTGGTG TGACCTCTCC  1020
TACCGTAAGA TCTATAGCGC CTACATGGAC AAGGCCAGTG ACCCGAAAGA GCGGGAAGTG  1080
CTCATTGACG AGCAGTTGCA CTCTCCAGAG GGCCTGGCAG TGGACTGGGT CCACAAGCAC  1140
ATCTACTGGA CTGACTCGGG CAATAAGACC ATCTCAGTGG CCACAGTTGA TGGTGGCCGA  1200
CGACGCACTC TCTTCAGCCG TAACCTCAGT GAACCCCGGG CCATCGCTGT TGACCCCCTG  1260
CGAGGGTTCA TGTATTGGTC TGACTGGGGG GACCAGGCCA AGATTGAGAA ATCTGGGCTC  1320
AACGGTGTGG ACCGGCAAAC ACTGGTGTCA GACAATATTG AATGGCCCAA CGGAATCACC  1380
CTGGATCTGC TGAGCCAGCG CTTGTACTGG GTAGACTCCA AGCTACACCA ACTGTCCAGC  1440
ATTGACTTCA GTGGAGGCAA CAGAAAGACG CTGATCTCCT CCACTGACTT CCTGAGCCAC  1500
CCTTTTGGGA TAGCTGTGTT TGAGGACAAG GTGTTCTGGA CAGACCTGGA GAACGAGGCC  1560
ATTTTCAGTG CAAATCGGCT CAATGGCCTG GAAATCTCCA TCCTTGCTGA GAACCTCAAC  1620
AACCCACATG ACATTGTCAT CTTCCATGAG CTGAAGCAGC CAAGAGCTCC AGATGCCTGT  1680
GAGCTGAGTG TCCAGCCTAA TGGAGGCTGT GAATACCTGT GCCTTCCTGC TCCTCAGATC  1740
TCCAGCCACT CTCCCAAGTA CACATGTGCC TGTCCTGACA CAATGTGGCT GGGTCCAGAC  1800
ATGAAGAGGT GCTACCGAGA TGCAAATGAA GACAGTAAGA TGGGCTCAAC AGTCACTGCC  1860
GCTGTTATCG GGATCATCGT GCCCATAGTG GTGATAGCCC TCCTGTGCAT GAGTGGATAC  1920
CTGATCTGGA GAAACTGGAA GCGGAAGAAC ACCAAAAGCA TGAATTTTGA CAACCCAGTC  1980
TACAGGAAAA CAACAGAAGA AGAAGATGAA GATGAGCTCC ATATAGGGAG AACTGCTCAG  2040
ATTGGCCATG TCTATCCTGC ACGAGTGGCA TTAAGCCTTG AAGATGATGG ACTACCCTGA  2100
GGATGGGATC ACCCCCTTCG TGCCTCATGG AATTCAGTCC CATGCACTAC ACTCCGGATG  2160
GTGTATGACT GGATGAATGG GTTTCTATAT ATGGGTCTGT GTGAGTGTAT GTGTGTGTGT  2220
GATTTTTTTT TTTAAATTTA TGTTGCGGAA AGGTAACCAC AAAGTTATGA TGAACTGCAA  2280
ACATCCAAAG GATGTGAGAG TTTTTCTATG TATAATGTTT TATACACTTT TTAACTGGTT  2340
GCACTACCCA TGAGGAATTC GTGGAATGGC TACTGCTGAC TAACATGATG CACATAACCA  2400
AATGGGGGCC AATGGCACAG TACCTTACTC ATCATTTAAA AACTATATTT ACAGAAGATG  2460
TTTGGTTGCT GGGGGGCTTT TTTAGGTTTT GGGCATTTGT TTTTTGTAAA TAAGATGATT  2520
ATGCTTTGTG GCTATCCATC AACATAAGT
```

Seq ID NO: 357 Protein sequence
Protein Accession #:   NP_059992   .

```
1          11         21         31         41         51
|          |          |          |          |          |
MGLPEPGPLR LLALLLLLLL LLLLRLQHLA AAAADPLLGG QGPAKECEKD QFQCRNERCI    60
PSVWRCDEDD DCLDHSDEDD CPKKTCADSD FTCDNGHCIH ERWKCDGEEE CPDGSDESEA   120
TCTKQVCPAE KLSCGPTSHK CVPASWRCDG EKDCEGGADE AGCATSLGTC RGDEFQCGDG   180
TCVLAIKHCN QEQDCPDGSD EAGCLQGLNE CLHNNGGCSH ICTDLKIGFE CTCPAGFQLL   240
DQKTCGDIDE CKDPDACSQI CVNYKGYFKC ECYPGCEMDL LTKNCKAAAG KSPSLIFTNR   300
TSAEDRPVKR NYSRLIPMLK NVVALDVEVA TNRIYWCDLS YRKIYSAYMD KASDPKEREV   360
LIDEQLHSPE GLAVDWVHKH IYWTDSGNKT ISVATVDGGR RRTLFSRNLS EPRAIAVDPL●   420
RGFMYWSDWG DQAKIEKSGL NGVDRQTLVS DNIEWPNGIT LDLLSQRLYW VDSKLHQLSS   480
IDFSGGNRKT LISSTDFLSH PFGIAVFEDK VFWTDLENEA IFSANRLNGL BISILAENLN   540
NPHDIVIFHE LKQPRAPDAC ELSVQPNGGC EYLCLPAPQI SSHSPKYTCA CPDTMWLGPD   600
MKRCYRDANE DSKMGSTVTA AVIGIIVPIV VIALLCMSGY LIWRNWKRKN TKSMNFDNPV   660
YRKTTEEEDE DELHIGRTAQ IGHVYPARVA LSLEDDGLP
```

Seq ID NO: 358 DNA sequence
Nucleic Acid Accession #: M27826
Coding sequence: <1-503

```
1          11         21         31         41         51
|          |          |          |          |          |
AGCCCAAGAA ACATCTCACC AATTTCAAAT CTGATCTATT CGGCTTAGCG ACTGAAGATT    60
GACGCTGCCC GATCGCCTCG GAAGTCCCCT GGACCATCAC AGAAGCCGAG CTTCGGGTAA   120
CTCTCACAGT GGAGGGTAAG TCCATCCCCT GTTTAATCGA TACGGGGGCT ACCCACTCCA   180
CGTTGCCTTC TTTTCAAGGG CCTGTTTCCC TTGCCCCCAT AACTGTTGTG GGTATTGACG   240
GCCAAGCTTC AAAACCCCTG AAAACTCCCC CACTCTGGTG CCAACTTGGA CAACACTCTT   300
TTATGCACTC TTTTTTTAGTT ATCCCCACCT GCCCACTTCC CTTATTAGGC CGAAATATTT   360
TAACCAAATT ATCTGCTTCC CTGACTATTC CTGGAGTACA GCTACATCTC ATTGCTGCCC   420
TTCTTCCCAA TCCAAAGCCT CCTTTGTGTC CTCTAACATC CCCAACATAT CAGCCCTTAC   480
CACAAGACCT CCCTTCAGCT TAATCTCTCC CACTCTAGGT TCCCACGCCG CCCCTAATCC   540
CACTTGAAGC AGCCCTGAGA AACATCGCCC ATTCTCTCTC CATACCACCC CCCAAAAATT   600
TTCGCCGCTC CAACACTTCA ACACTATTTT GTTTTATTTG TCTTATTAAT ATCAGAAGGC   660
```

320

```
     AGGAATGTCA GGCCTCTGAG CCCAGGCCAG GCCATCGCAT CCCCTGTGAC TTGCACGTAT   720
     ACATCCAGAT GGCCTGAAGT AACTGAAGAT CCACAAAAGA AGTAAAAACA GCCTTAACTG   780
     ATGACATTCC ACCATTGTGA TTTGTTCCTG CCCCACCCTA ACTGATCAAT GTACTTTGTA   840
     ATCTCCCCCA CCCTTAAGAA GGTTCTTTGT AATTCTCCCC ACCCTTGAGA ATGTACTTTG   900
     TGAGATCCAC CCCTGCCCAC CAGAGAACAA CCCCCTTTGA TTGTAATTTT TTATTACCTT   960
     CCCAAATCCT ATAAAACAGC CCCACCCCTA TCTTCCTTCA CTGACTCTCT TTTCGGACTC  1020
     AGCCACCGGC ACCCAGGTGA AATAAACAGC TTTATTGCTC AC
```

5

Seq ID NO: 359 Protein sequence
Protein Accession #:   AAA65999

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     PKKHLTNFKS DLPGLATEDW RCPIASEVPW TITEAELRVT LTVEGKSIPC LIDTGATHST   60
     LPSFQGPVSL APITVVGIDG QASKPLKTPP LWCQLGQHSF MHSFLVIPTC PLPLLGRNIL  120
     TKLSASLTIP GVQLHLIAAL LPNPKPPLCP LTSPQYQPLP QDLPSA
```

Seq ID NO: 360 DNA sequence
Nucleic Acid Accession #: NM_001854
Coding sequence: 162-5582

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     AACCATCAAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC   60
     TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT  120
     TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGAGCCG TGGTCCTCTA  180
     GGTGGAAAAC GAAACGGTGG CTCTGGGATT TCACCGTAAC AACCCTCGCA TTGACCTTCC  240
     TCTTCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGTACTAAAA GCACTAGATT  300
     TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT  360
     CTAAAGGCTC AGATACTGCT TACGAGTTT CAAAGCAAGC ACAACTCAGT GCCCCAACAA  420
     AACAGTTATT TCCAGGTGGA ACTTTCCCAG AAGACTTTTC AATACTATTT ACAGTAAAAC  480
     CAAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA  540
     TTGGTGTTGA GGTTGGGAGA TCACCTGTTT TTCTGTTTGA AGACCACACT GGAAAACCTG  600
     CCCCAGAAGA CTATCCCCTC TTCAGAACTG TTAACATCGC TGACGGGAAG TGGCATCGGG  660
     TAGCAATCAG CGTGGAGAAG AAAACTGTGA CAATGATTGT TGATTGTAAG AAGAAAACCA  720
     CGAAACCACT TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGGAATC ACGGTTTTTG  780
     GAACAAGGAT TTTGGATGAA GAAGTTTTTG AGGGGGACAT TCAGCAGTTT TTGATCACAG  840
     GTGATCCCAA GGCAGCATAT GACTACTGTG AGCATTATAG TCCAGACTGT GACTCTTCAG  900
     CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATAAA   960
     TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAGA GGCTGAAAGT GTAACAGAGG  1020
     GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC  1080
     AAGAATACAA CTATGGAACA ATGGAAAGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG  1140
     GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG  1200
     ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG  1260
     GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA  1320
     AAGAATATGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG  1380
     CAGAAACTGA TATTACAGAA ACAAGCATAA ATGGCCATGG TGCATATGGA GAGAAAGGAC  1440
     AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG  1500
     CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCCACTGGA CCCCCTGGTG  1560
     ACCCTGGCGA TAGGGGCCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG  1620
     GTCCTCCTGG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC  1680
     CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC  1740
     TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTGTG GGGGGGCCTG  1800
     GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTCC  1860
     AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGGG TCGTCCAGGT GCAGATGGAG  1920
     GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTGAT GGACTTCCGG  1980
     GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC  2040
     CTGGTGATGA TGGAATGCAG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG  2100
     AAGCTGGCCC ACGAGGTTTG CTGGGTCCAA GGGGAACTCC AGGAGCTCCA GGGCAGCCTG  2160
     GTATGGCAGG TGTAGATGGC CCCCCAGGAC CAAAAGGGAA CATGGGTCCC CAAGGGGAGC  2220
     CTGGGCCTCC AGGTCAACAA GGGAATCCAG GACCTCAGGG TCTTCCTGGT CCACAAGGTC  2280
     CAATTGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGACTTCCTG  2340
     GTGCTGATGG GCCTCCTGGT CATCCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC  2400
     TGGGTCCCCC TGGTCCACAA GGTCCTATTG GATNNCCGGG CCCCCGGGGA GTAAAGGGAG  2460
     CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTTCCAG  2520
     GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA  2580
     GAGGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGG CCCAACTGGA GACCCAGGTC  2640
     CTTCAGGTCA AGCAGGAGAA AAGGGAAAAC TTGGAGTTCC AGGATTACCA GGATATCCAG  2700
     GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA  2760
     AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC  2820
     CTCGAGGTTC AAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAAG GGCACTTCAG  2880
     GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG  2940
     TTGGATTCCC TGGACCAAAA GGCCCTCCTG GACCACCAGG AAGGATGGGC TGCCCAGGAC  3000
     ACCCTGGGCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGGCCAGGG GGATGGGAGGG  3060
     GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGGTATC  3120
     CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTGG TGCTGCAGGA AAAGAAGGTG  3180
     CAAAGGGTGA TCCAGGTCCT CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG  3240
     GTTTCCCAGG GGAAAGAGGT CTTCCTGGAG CTCAGGGTGC ACCTGGACTG AAAGGAGGGG  3300
     AAGGTCCCCA GGGGCCCACCA GGTCCAGTTG GCTCACCAGG AGAACGTGGG TCAGCAGGTA  3360
     CAGCTGGCCC AATTGGTTTA CGAGGGCGCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG  3420
     GAGAGAAAGG TGCTCCTGGA GAAAAAGGTC CCCAAGGGCC TGCAGGGGAGA GATGGGAGTTC  3480
     AAGGTCCTGT TGGTCTCCCA GGGCCAGCTG GTCCTGCCGG CTCCCCTGGG GAAGACGGAG  3540
     ACAAGGGTGA AATTGGTGAG CCGGGACACAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG  3600
     GCCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG  3660
     ATGGTGAACC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAGGT GATGAGGGTG  3720
     CCAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTGCCA GGCCCACCTG  3780
     GTGAAAAAGG TGAAAATGGG GATGTTGGTC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA  3840
```

```
GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT    3900
CAGTTGGTGG TGTTGGAGAA AAAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG    3960
GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAGAGGAGA GAAAGGGGAA GCTGGTCCAC    4020
CTGGAGCTGC TGGAACCTCCA GGTGCCAAGG GGCCGCCAGG TGATGATGGC CCTAAGGGTA    4080
ACCCGGGTCC TGTTGGTTTT CCTGGAGATC CTGGTCCTCC TGGGGAACTT GGCCCTGCAG    4140
GTCAAGATGG TGTTGGTGGT GACAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC    4200
CTGGCCCATC TGGGTGAGGCT GGCCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG    4260
CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGGAAGCA GGTGCAGAAG    4320
GTCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG    4380
AAGGTCTTCG GGGCATCCCT GGTCCTGTGG GAGAACAAGG TCTCCCTGGA GCTGCAGGCC    4440
AAGATGGACC ACCTGGTCCT ATGGGACCTG CTGGCTTACC TGGTCTCAAA GGTGACCCTG    4500
GCTCCAAGGG TGAAAAGGGA CATCCTGGTT TAATTGGCCT GATTGGTCCT CCAGGAGAAC    4560
AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAGG ATCTCCAGGA GCAAAAGGGG    4620
ATGGGGGAAT TCCTGGTCCT GCTGGTCCCT TAGGTCCACC TGGTCCTCCA GGCTTACCAG    4680
GTCCTCAAGG CCCAAAGGGG AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA    4740
GTGGTCTTCC AGGGCCTCCT GGGCCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC    4800
CAATCTTGTC CTCCAAAAAA ACGAGAAGAC ATACTGAAGG CATGCAAGCA GATGCAGATG    4860
ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCCTC AATTCCCTGA    4920
AACAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCCAACAC    4980
GTAAAGACCT GCAACTCAGC CATCCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA    5040
ACCAAGGTTG CTCAGGAGAT TCCTTCAAAG TTTACTGTAA TTTCACATCT GGTGGTGAGA    5100
CTTGCATTTA TCCAGACAAA AAATCTGAGG GAGTAAGAAT TTCATCATGG CCAAAGGAGA    5160
AACCAGGAAG TTGGTTTAGT GAATTTAAGA GGGGAAAACT GCTTTCATAC TTAGATGTTG    5220
AAGGAAATTC CATCAATATG GTGCAAATGA CATTCCTGAA ACTTCTGACT GCCTCTGCTC    5280
GGCAAAATTT CACCTACCAC TGTCATCAGT CAGCAGCCTG GTATGATGTG TCATCAGGAA    5340
GTTATGACAA AGCACTTCGC TTCCTGGGAT CAAATGATGA GGAGATGTCC TATGACAATA    5400
ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCCAG AAAAGGCTAT GAAAAAACTG    5460
TCATTGAAAT CAATACACCA AAAAATTGATC AAGTACCTAT TGTTGATGTC ATGATCAGTG    5520
ACTTTGGTGA TCAGAATCAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT    5580
AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGT ACCTTGGTGC CACCAACCCA    5640
TTTTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACGCTG CATATACAGG    5700
TACCATTTAG GAAATACCGA TGCCTTTGTG GGGGCAGAAT CACAGACAAA AGCTTTGAAA    5760
ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA    5820
TTCTCAACTC TCCTTTTCCT ATTTGAATTT CTTTGGTGCT GTAGAAAACA AAAAAAGAAA    5880
AATATATATT CATAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAACAG    5940
TGTGTTTAAT AAATTGTAAT TATTTTGTGT ACAGTTCTAT ACTGTTATCT GTGTCCATTT    6000
CCAAAACTTG CACGTGTCCC TGAATTCCGC TGACTCTAAT TTATGAGGAT GCCGAACTCT    6060
GATGGCAATA ATATATGTAT TATGAAAATG AAGTTATGAT TTCCGATGAC CCTAAGTCCC    6120
TTTCTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT
```

Seq ID NO: 361 Protein sequence
Protein Accession #:   NP_001845

```
1          11         21         31         41         51
|          |          |          |          |          |
MEPWSSRWKT KRWLWDFTVT TLALTFLFQA REVRGAAPVD VLKALDFHNS PEGISKTTGF     60
CTNRKNSKGS DTAYRVSKQA QLSAPTKQLF PGGTFPEDFS ILFTVKPKKG IQSPLLSIYN    120
EHGIQQIGVE VGRSPVFLFE DHTGKPAPED YPLFRTVNIA DGKMHRVAIS VEKKTVTMIV    180
DCKKKTTKPL DRSERAIVDT NGITVFGTRI LDEEVFEGDI QQFLITGDPK AAYDYCEHYS    240
PDCDSSAPKA AQAQEPQIDE YAPEDIIEYD YEYGEAEYKE AESVTEGPTV TEETIAQTEA    300
NIVDDFQEYN YGTMESYQTE APRHVSGTNE PNPVEEIFTE EYLTGEDYDS QRKNSEDTLY    360
ENKEIDGRDS DLLVDGDLGE YDFYEYKEYE DKPTSPPNEE PGPGVPAETD ITETSINGHG    420
AYGEKGQKGE PAVVEPGMLV EGPPGPAGPA GIMGPPGLQG PTGPPGDPGD RGPPGRPGLP    480
GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAIL QQARIALRGP PGPMGLTGRP    540
GPVGGPGSSG AKGESGDPGP QGPRGVQGPP GPTGKPGKRG RPGADGGRGM PGEPGAKGDR    600
GFDGLPGLPG DKGHRGERGP QGPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGPRGTP    660
GAPGQPGMAG VDGPPGPKGN MGPQGEPGPP GQQGNPGPQG LPGPQGPIGP PGEKGPQGKP    720
GLAGLPGADG PPGHPGKEGQ SGEKGALGPP GPQGPIGXPG PRGVKGADGV RGLKGSKGEK    780
GEDGFPGFKG DMGLKGDRGE VGQIGPRGXD GPBGPKGRAG PTGDPGPSGQ AGEKGKLGVP    840
GLPGYPGRQG PKGSTGFPGF PGANGEKGAR GVAGKPGPRG QRGPTGPRGS RGARGPTGKP    900
GPKGTSGGDG PPGPPGERGP QGPGPVGFP GPKGPPGPPG RMGCPGHPGQ RGETGPQGKT    960
GPPGPGGVVG PQGPTGETGP IGERGYPGPP GPPGEQGLPG AAGKEGAKGD PGPQGISGKD   1020
GPAGLRGFPG ERGLPGAQGA PGLKGGEGPQ GPPGPVGSPG ERGSAGTAGP IGLRGRPGPQ   1080
GPPGPAGEKG APGEKGPQGP AGRDGVQGPV GLPGPAGPAG SPGEDGDKGE IGEPGQKGSK   1140
GGKGENGPPG PPGLQGPVGA PGIAGGDGEP GPRGQQGMFG QKGDEGARGP PGPPGPIGLQ   1200
GLPGPPGEKG ENGDVGPWGP PGPPGPRGPQ GPNGADGPQG PPGSVGSVGG VGEKGEPGEA   1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKGNPGP VGFPGDPGPP   1320
GELGPAGQDG VGGDKGEDGD PGQPGPPGPS GEAGPPGPYG KRGPPGAAGA EGRQGEKGAK   1380
GEAGAEGPPG KTGPVGPQGP AGKPGPEGLR GIPGPVGEQG LPGAAGQDGP PGPMGPPGLP   1440
GLKGDPGSKG EKGHPGLIGL IGPPGEQGEK GDRGLPGTQG SPGAKGDGGI PGPAGPLGPP   1500
GPPGLPGPQG PKGNKGSTGP AGQKGDSGLP GPPGPPGPQG EVIQPLPILS SKKTRRHTEG   1560
MQADADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ TNPARTCKDL QLSHPDFPDG   1620
EYWIDPNQGC SGDSFKVYCN FTSGGETCIY PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL   1680
LSYLDVEGNS INMVQMTFLK LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE   1740
EMSYDNNPFI KTLYDGCTSR KGYEKTVIEI NTPKIDQVPI VDVMISDFGD QNQKFGFEVG   1800
PVCFLG
```

Seq ID NO: 362 DNA sequence
Nucleic Acid Accession #: NM_003107
Coding sequence: 351-1775

```
1          11         21         31         41         51
|          |          |          |          |          |
TTCCCCAGCA TTCGAGAAAC TCCTCTCTAC TTTAGCACGG TCTCCAGACT CAGCCGAGAG     60
ACAGCAAACT GCAGCGCGGT GAGAGAGCGA GAGAGAGGGA GAGAGAGACT CTCCAGCCTG    120
GGAACTATAA CTCCTCTGCG AGAGGCGGAG AACTCCTTCC CCAAATCTTT TGGGGACTTT    180
```

```
        TCTCTCTTTA CCCACCTCCG CCCCTGCGAG GAGTTGAGGG GCCAGTTCGG CCGCCGCGCG   240
        CGTCTTCCCG TTCGGCGTGT GCTTGGCCCG GGGAACCGGG AGGGCCCGGC GATCGCGCGC   300
        CGGCCGCCGC GAGGGTGTGA GCGCGCGTGG GCGCCCGCCG AGCCGAGGCC ATGGTGCAGC   360
        AAACCAACAA TGCCGAGAAC ACGGAAGCGC TGCTGGCCGG CGAGAGCTCG GACTCGGGCG   420
5       CCGGCCTCGA GCTGGGAATC GCCTCCTCCC CCACGCCCGG CTCCACGGCC TCCACGGGCG   480
        GCAAGGCCGA CGACCCGAGC TGGTGCAAGA CCCCGAGTGG GCACATCAAG CGACCCATGA   540
        ACGCCTTCAT GGTGTGGTCG CAGATCGAGC GGCGCAAGAT CATGGAGCAG TCGCCCGACA   600
        TGCACAACGC CGAGATCTCC AAGCGCTGG GCAAACGCTG GAAGCTGCTC AAAGACAGCG   660
        ACAAGATCCC TTTCATTCGA GAGGCGGAGC GGCTGCGCCT CAAGCACATG GCTGACTACC   720
10      CCGACTACAA GTACCGGCCC AGGAAGAAGG TGAAGTCCGG CAACGCCAAC TCCAGCTCCT   780
        CGGCCGCCGC CTCCTCCAAG CCGGGGGAGA GGGGAGACAA GGTCGGTGGC AGTGGCGGGG   840
        GCGGCCATGG GGGCGGCGGC GGCGGCGGGA GCAGCAACGC GGGGGGAGGA GGCGGCGGTG   900
        CGAGTGGCGG CGGCGCCAAC TCCAAACCGG CGCAGAAAAA GGGGGGTGGG TCCAAAGTGG   960
15      CGGGCGGCGC GGGCGGTGGG GTTAGCAAAC CGCACGCCAA GCTCATCCTG GCAGGCGGCG  1020
        GCGGCGGCGG GAAAGCAGCG GCTGCCGCGC CGCCTCCTT CGCCGCGAA CAGGCGGGGG  1080
        CCGCCGCCCT GCTGCCCCTG GGCGCCGCCG CCGACCACCA CTCGCTGTAC AAGGCGCGGA  1140
        CTCCCAGCGC CTCGGCCTCC GCCTCCTCGG CAGCCTCGGC CTCCGCAGCG CTCGCGGCCC  1200
        CGGGCAAGCA CCTGGCGGAG AAGAAGGTGA AGCGCGTCTA CCTGTTCGGC GGCCTGGGCA  1260
20      CGTCGTCGTC GCCCGTGGGC GGCGTGGGCG CGGGAGCCGA CCCCAGCGAC CCCCTGGGCC  1320
        TGTACGAGGA GGAGGGCGCG GGCTGCTCGC CCGACGCGCG CAGCCTGAGC GGCCGCAGCA  1380
        GCGCCGCCTC GTCCCCCGCC GCCGGCCGCT CGCCCGCCGA CCACCGCGGC TACGCCAGCC  1440
        TGGCGCCGGC CTCGCCCGCC CCGTCCAGCG CGCCCTCGCA CGCGTCCTCC TCGGCCTCGT  1500
        CCCACTCCTC CTCTTCCTCC TCCTCGGGCT CCTCGTCCTC CGACGACGAG TTCGAAGACG  1560
25      ACCTGCTCGA CCTGAACCCC AGCTCAAACT TTGAGAGCAT GTCCCTGGGC AGCTTCAGTT  1620
        CGTCGTCGGC GCTCGACCGG GACCTGGATT TTAACTTCGA GCCCGGCTCC GGCTCGCACT  1680
        TCGAGTTCCC GGACTACTGC ACCCCGAGG TGAGCGAGAT GATCTCGGGA GACTGGCTCG  1740
        AGTCCAGCAT CTCCAACCTG GTTTTCACCT ACTGAAGGGC GCGCAGGCAG GGAGAAGGGC  1800
        CGGGGGGGGT AGGAGAGGAG AAAAAAAAAG TGAAAAAAAG AAACGAAAAG GACAGACGAA  1860
30      GAGTTTAAAG AGAAAAGGGA AAAAAGAAAG AAAAAGTAAG CAGGGCTCGT TCGCCCGCGT  1920
        TCTCGTCGTC GGATCAAGGA GCGCGGCGGCG GTTTTGGACC CGCGCTCCCA TCCCCCACCT  1980
        TCCCGGGCCG GGGACCCACT CTGCCCAGCC GGAGGGACGC GGAGGAGGAA GAGGGTAGAC  2040
        AGGGGCGACC TGTGATTGTT GTTATTGATG TTGTTGTTGA TGGCAAAAAA AAAAAGCGAA  2100
        TTCGAGTTTG CTCCCCCTTTG CTTGAAGAGA CCCCCTCCCC CTTCCAACGA GCTTCCGGAC  2160
35      TTGTCTGCAC CCCCAGCAAG AAGGCGAGTT AGTTTTCTAG AGACTTGAAG GAGTCTCCCC  2220
        CTTCCTGCAT CACCACCTTG GTTTTGTTTT ATTTTGCTTC TTGGTCAAGA AAGGAGGGGA  2280
        GAACCCAGCG CACCCCTCCC CCCCTTTTTT TAAACGCGTG ATGAAGACAG AAGGCTCCGG  2340
        GGTGACGAAT TTGGCCGATG GCAGATGTTT TGGGGGAACG CCGGGACTGA GAGACTCCAC  2400
        GCAGGCGAAT TCCCGTTTGG GGCCTTTTTT TCCTCCCTCT TTTCCCCTTG CCCCCTCCCC  2460
40      AGCCGGAGGA GGAGATGTTG AGGGGAGGAG GCCAGCCAGT GTGACCGGCG CTAGGAAATG  2520
        ACCCGAGAAC CCCGTTGGAA GCGCAGCAGC GGGAGCTAGG GGCGGGGGCG GAGGAGGACA  2580
        CGAACTGGAA GGGGGTTCAC GGTCAAACTG AAAATGGATTT GCACGTTGGG GAGCTGGCGG  2640
        CGGCGGCTGC TGGGCCTCCG CCTTCTTTTC TACGTGAAAT CAGTGAGGTG AGACTTCCCA  2700
        GACCCCGGAG GCGTGGAGGA GAGGAGACTG TTTGATGTGG TACAGGGGCA GTCAGTGGAG  2760
45      GGCGAGTGGT TTCGGAAAAA AAAAAAGAAA AAAAGGG
```

Seq ID NO: 363 Protein sequence
Protein Accession #:   NP_003098

```
        1          11         21         31         41         51
        |          |       ·   |          |          |          |
50      MVQQTNNAEN TEALLAGESS DSGAGLELGI ASSPTPGSTA STGGKADDPS WCKTPSGHIK    60
        RPMNAFMVWS QIERRKIMEQ SPDMHNAEIS KRLGKRWKLL KDSDKIPFIR EAERLRLKHM   120
        ADYPDYKYRP RKKVKSGNAN SSSSAAASSK PGEKGDKVGG SGGGGHGGGG GGGSSNAGGG   180
        GGGASGGGAN SKPAQKKSCG SKVAGGAGGG VSKPHAKLIL AGGGGGGKAA AAAAASPAAE   240
55      QAGAAALLPL GAADHHSLY KARTPSASAS ASSAASASAA LAAPGKHLAE KKVKRVYLPG   300
        GLGTSSSPVG GVGAGADPSD PLGLYEEEGA GCSPDAPSLS GRSSAASSPA AGRSPADHRG   360
        YASLRAASPA PSSAPSHASS SASSHSSSSS SSGSSSSSDDE FEDDLLDLNP SSNFESMSLG   420
        SFSSSSALDR DLDFNFEPGS GSHFEFPDYC TPEVSEMISG DWLESSISNL VFTY
```

Seq ID NO: 364 DNA sequence
Nucleic Acid Accession #: U10860
Coding sequence: 123-2204

```
65      1          11         21         31         41         51
        |          |          |          |          |          |
        TGCCGGCTGC TCCTCGACCA GGCCTCCTTC TCAACCTCAG CCCGCGGCGC CGACCCCTTCC   60
        GGCACCCTCC CGCCCCGTCT CGTACTGTCG CCGTCACCGC CGCGGCTCCG GCCCTGGCCC   120
70      CGATGGCTCT GTGCAACGGA GACTCCAAGC TGGAGAATGC TGGAGGAGAC CTTAAGGATG   180
        GCCACCACCA CTATGAAGGA GCTGTTGTCA TTCTGGATGC TGGTGCTCAG TACGGGAAAG   240
        TCATAGACCG AAGAGTGAGG GAACTGTTCG TGCAGTCTGA AATTTTCCCC TTGGAAACAC   300
        CAGCATTTGC TATAAAGGAA CAAGGATTCC GTGCTATTAT CATCTCTGGA GGACCTAATT   360
        CTGTGTATGC TGAAGATGCT CCCTGGTTTG ATCCAGCAAT ATTCACTATT GGCAAGCCTG   420
        TTCTTGGAAT TTGCTATGGT ATGCAGATGA TGAATAAGGT ACTGTGCACA   480
75      AAAAAAGTGT CAGAGAAGAT GGAGTTTTCA ACATTAGTGT GGATAATACA TGTTCATTAT   540
        TCAGGGGCCT TCAGAAGGAA GAAGTTGTTT TGCTTACACA TGGAGATAGT GTAGACAAAG   600
        TAGCTGATGG ATTCAAGGTT GTGGCACGTT CTGGAAACAT AGTAGCAGGC ATAGCAAATG   660
        AATCTAAAAA GTTATATGGA GCACAGTTCC ACCCTGAAGT TGGCCTTACA GAAAATGGAA   720
        AAGTAATACT GAAGAATTTC CTTTATGATA TAGCTGGATG CAGTGGAACC TTCACCGTGC   780
80      AGAACAGAGA ACTTGAGTGT ATTCGAGAGA TCAAAGAGAG AGTAGGCACG TCAAAAGTTT   840
        TGGTTTTACT CAGTGGTGGA GTAGACTCAA CAGTTTGTAC AGCTTTGCTA AATCGTGCTT   900
        TGAACCAAGA CAAGTCATT GCTGTGCACA TTGATAATGC CTTTATGAGA AAACGAGAAA   960
        GCCAGTCTGT TGAAGAGGCC CTCAAAAAGC TTGGAATTCA GGTCAAAGTG ATAAATGCTG  1020
        CTCATTCTTT CTACAATGGA ACAACAACCC TACCAATATC AGATGAGAT AGAACCCCAC  1080
85      GGAAAAGAAT TAGCAAAACG TTAAATATGA CCACAAGTCC TGAAGAGAAA AGAAAAATCA  1140
        TTGGGGATAC TTTTGTTAAG ATTGCCAATG AAGTAATTGG AGAAATGAAC TTGAACCAG  1200
        AGGAGGTTTT CCTTGCCCAA GGTACTTTAC GGCCTGATCT AATTGAAAGT GCATCCCTTG  1260
```

```
        TTGCAAGTGG CAAAGCTGAA CTCATCAAAA CCCATCACAA TGACACAGAG CTCATCAGAA  1320
        AGTTGAGAGA GGAGGGAAAA GTAATAGAAC CTCTGAAAGA TTTTCATAAA GATGAAGTGA  1380
        GAATTTTGGG CAGAGAACTT GGACTTCCAG AAGAGTTAGT TTCCAGGCAT CCATTTCCAG  1440
        GTCCTGGCCT GGCAATCAGA GTAAATATGTG CTGAAGAACC TTATATTTGT AAGGACTTTC  1500
        CTGAAACCAA CAATATTTTG AAAATAGTAG CTGATTTTTC TGCAAGTGTT AAAAAGCCAC  1560
        ATACCCTATT ACAGAGAGTC AAAGCCTGCA CAACAGAAGA GGATCAGGAG AAGCTGATGC  1620
        AAATTACCAG TCTGCATTCA CTGAATGCCT TCTTGCTGCC AATTAAAACT GTAGGTGTGC  1680
        AGGGTGACTG TCGTTCCTAC AGTTACGTGT GTGGAATCTC CAGTAAAGAT GAACCTGACT  1740
        GGGAATCACT TATTTTTCTG GCTAGGCTTA TACCTCGCAT GTGTCACAAC GTTAACAGAG  1800
        TTGTTTATAT ATTTGGCCCA CCAGTTAAAG AACCTCCTAC AGATGTTACT CCCACTTTCT  1860
        TGACAACAGG GGTGCTCAGT ACTTTACGCG AAGCTGATTT TGAGGCCCAT AACATTCTCA  1920
        GGGAGTCTGG GTATGCTGGG AAAATCAGCC AGATGCCGGT GATTTTGACA CCATTACATT  1980
        TTGATCGGGA CCCACTTCAA AAGCAGCCTT CATGCCAGAG ATCTGTGGTT ATTCGAACCT  2040
        TTATTACTAG TGACTTCATG ACTGGGTATAC CTGCAACACC TGGCAATGAG ATCCCTGTAG  2100
        AGGTGGTATT AAAGATGGTC ACTGAGATTA AGAAGATTCC TGGTATTTCT CGAATTATGT  2160
        ATGACTTAAC ATCAAAGCCC CCAGGAACTA CTGAGTGGGA GTAATAAAACT TC
```

Seq ID NO: 365 Protein sequence
Protein Accession #:   AAA60331

```
1         11        21  '     31        41        51
|         |         |         |         |         |
MALCNGDSKL ENAGGDLKDG HHHYBGAVVI LDAGAQYGKV IDRRVRELPV QSEIFPLETP    60
APAIKEQGFR AIIISGGPNS VYAEDAPWFD PAIFTIGKPV LGICYGMQMM NKVFGGTVHK   120
KSVREDGVFN ISVDNTCSLP RGLQKEEVVL LTHGDSVDKV ADGFKVVARS GNIVAGIANE   180
SKKLYGAQFH PEVGLTENGK VILKNFLYDI AGCSGTFTVQ NRELECIREI KERVGTSKVL   240
VLLSGGVDST VCTALLNRAL NQEQVIAVHI DNGFMRKRES QSVEEALKKL GIQVKVINAA   300
HSFYNGTTTL PISDEDRTPR KRISKTLNMT TSPEEKRKII GDTFVKIANE VIGEMNLKPE   360
EVFLAQGTLR PDLIESASLV ASGKAELIKT HHNDTELIRK LREEGKVIEP LKDFHKDEVR   420
ILGRELGLPE ELVSRHPFPG PGLAIRVICA EEPYICKDFP ETNNILKIVA DPSASVKKPH   480
TLLQRVKACT TEEDQEKLMQ ITSLHSLNAF LLPIKTVGVQ GDCRSYSYVC GISSKDEPDW   540
ESLIFLARLI PRMCHNVNRV VYIPGPPVKE PPTDVTPTFL TTGVLSTLRQ ADFEAHNILR   600
ESGYAGKISQ MPVILTPLHF DRDPLQKQPS CQRSVVIRTF ITSDFMTGIP ATPGNEIPVE   660
VVLKMVTEIK KIPGISRIMY DLTSKPPGTT EWE
```

Seq ID NO: 366 DNA sequence
Nucleic Acid Accession #: NM_004219
Coding sequence: 46-654

```
1         11        21        31        41        51
|         |         |         |         |         |
GCGGCCTCAG ATGAATGCGG CTGTTAAGAC CTGCAATAAT CCAGAATGGC TACTCTGATC    60
TATGTTGATA AGGAAAATGG AGAACCAGGC ACCGGTGTGG TTGCTAAGGA TGGGCTGAAG   120
CTGGGGTCTG GACCTTCAAT CAAAGCCTTA GATGGGAGAT CTCAAGTTTC AACACCACGT   180
TTTGGCAAAA CGTTCGATGC CCCACCAGCC TTACCTAAAG CTACTAGAAA GGCTTTGGGA   240
ACTGTCAACA GAGCTACAGA AAAGTCTGTA AAGACCAAGG GACCCCTCAA ACAAAAACAG   300
CCAAGCTTTT CTGCCAAAAA GATGACTGAG AAGACTGTTA AAGCAAAAAG CTCTGTTCCT   360
GCCTCAGATG ATGCCTATCC AGAAATAGAA AAATTCTTTC CCTTCAATCC TCTAGACTTT   420
GAGAGTTTTG ACCTGCCTGA GAGCCACCAG ATTGCGCACC TCCCCTTGAG TGGAGTGCCT   480
CTCATGATCC TTGACGAGGA GAGAGAGCTT GAAAAGCTGT TTCAGCTGGG CCCCCCCTTCA   540
CCTGTGAAGA TGCCCTCTCC ACCATGGGAA TCCAATCTGT TGCAGTCTCC TTCAAGCATT  ·600
CTGTCGACCC TGGATGTTGA ATTGCCACCT GTTTGCTGTG ACATAGATAT TTAAATTTCT   660
TAGTGCTTCA GAGTTTGTGT GTATTTGTAT TAATAAAGCA TTCTTCAACA GAAAAAAAAA   720
AAAAAAAA
```

Seq ID NO: 367 Protein sequence
Protein Accession #:   NP_004210

```
1         11        21        31        41        51
|         |         |         |         |         |
MATLIYVDKE NGEPGTRVVA KDGLKLGSGP SIKALDGRSQ VSTPRFGKTF DAPPALPKAT    60
RKALGTVNRA TERSVKTKGP LKQKQPSFSA KKMTEKTVKA KSSVPASDDA YPEIEKFFPF   120
NPLDFESFDL PEEHQIAHLP LSGVPLMILD EERELEKLFQ LGPPSPVKMP SPPWESNLLQ   180
SPSSILSTLD VELPPVCCDI DI
```

Seq ID NO: 368 DNA sequence
Nucleic Acid Accession #: NM_000597
Coding sequence: 118-1104

```
1         11        21        31        41        51
|         |         |         |         |         |
ATTCGGGGCG AGGGAGGAGG AAGAAGCGGA GGAGGCGGCT CCCGCTCGCA GGGCCGTGCA    60
CCTGCCCGCC CGCCCGCTCG CTCGCTCGCC CGCCGCGCCG CGCTGCCGAC CGCCAGCATG   120
CTGCCGAGAG TGGGCTGCCC CGCGCTGCCG CTGCCGCCGC CGCCGCTGCT GCCGCTGCTG   180
CCGCTGCTGC TGCTGCTACT GGGCGCGAGT GGCGGCGGCG GCGGGGCGCG CGCGGAGGTG   240
CTGTTCCGCT GCCCGCCCTG CACACCCGAG CGCCTGGCCG CCTGCGGGCC CCCGCCGGTT   300
GGGCCGCCCG CCGCGGTGGC CGCAGTGGCC GGAGGCGCCC GCATGCCCATG CGCGGAGCTC   360
GTCCGGGAGC CGGGCTGCGG CTGCTGCTCG GTGTGCGCCC GGCTGGAGGG CGAGGCGTGC   420
GGCGTCTACA CCCCGCGCTG CGGCCAGGGG CTGCGCTGCT ATCCCCACCC GGGCTCCGAG   480
CTGCCCCTGC AGGCGCTGGT CATGGGCGAG GGCACTTGTG AGAAGCGCCG GGACGCCGAG   540
TATGCGCCA GCCCGGAGCA GGTTGCAGAC AATGGCGATG ACCACTCAGA AGGAGGCCTG   600
GTGGAGAACC ACGTGGACAG CACCATGAAC ATGTTGGGCG GGGAGAGGCAG TGCTGGCCGG   660
AAGCCCCTCA AGTCGGGTAT GAAGGAGCTC GCCGTGTTCC GGGAGAAGGT CACTGAGCAG   720
CACCGGCAGA TGGGCAAGGG TGGCAAGCAT CACCTTGGCC TGGAGGAGCC CAAGAAGCTG   780
CGACCACCCC CTGCCAGGAC TCCCTGCCAA CAGGAACTGG ACCAGGTCCT GGAGCGGATC   840
```

```
        TCCACCATGC GCCTTCCGGA TGAGCGGGGC CCTCTGGAGC ACCTCTACTC CCTGCACATC    900
        CCCAACTGTG ACAAGCATGG CCTGTACAAC CTCAAACAGT GCAAGATGTC TCTGAACGGG    960
        CAGCGTGGGG AGTGCTGGTG TGTGAACCCC AACACCGGGA AGCTGATCCA GGGAGCCCCC   1020
        ACCATCCGGG GGGACCCCGA GTGTCATCTC TTCTACAATG AGCAGCAGGA GGCTTGCGGG   1080
        GTGCACACCC AGCGGATGCA GTAGACCGCA GCCAGCCGGT GCCTGGCGCC CCTGCCCCCA   1140
        GCCCCTCTCC AAACACCGGC AGAAAACGGA GAGTGCTTGG GTGGTGGGTG CTGGAGGATT   1200
        TTCCAGTTCT GACACACGTA TTTATATTTG GAAAGAGACC AGCACCGAGC TCGGCACCTC   1260
        CCCGGCCTCT CTCTTCCCAG CTGCAGATGC CACACCTGCT CCTTCTTGCT TTCCCCGGGG   1320
        GAGGAAGGGG GTTGTGGTCG GGGAGCTGGG GTACAGGTTT GGGGAGGGGG AAGAGAAATT   1380
        TTTATTTTTG AACCCCTGTG TCCCTTTTGC ATAAGATTAA AGGAAGGAAA AGT
```

Seq ID NO: 369 Protein sequence
Protein Accession #:   NP_000588

```
1          11         21         31         41         51
|          |          |          |          |          |

MLPRVGCPAL PLPPPPLLPL LPLLLLLLGA SGGGGGARAE VLFRCPPCTP ERLAACGPPP    60
VAPPAAVAAV AGGARMPCAE LVREPGCGCC SVCARLEGEA CGVYTPRCGQ GLRCYPHPGS   120
ELPLQALVMG EGTCEKRRDA EYGASPEQVA DNGDDHSEGG LVENHVDSTM NMLGGGGSAG   180
RKPLKSGMKE LAVFREKVTE QHRQMGKGGK HHLGLEEPKK LRPPPARTPC QQELDQVLER   240
ISTMRLPDER GPLEHLYSLH IPNCDKHGLY NLKQCKMSLN GQRGECWCVN PNTGKLIQGA   300
PTIRGDPECH LFYNEQQEAC GVHTQRMQ
```

Seq ID NO: 370 DNA sequence
Nucleic Acid Accession #: NM_004264
Coding sequence: 6-440

```
1          11         21         31         41         51
|          |          |          |          |          |

GGAACATGGC GGATCGGCTC ACGCAGCTTC AGGACGCTGT GAATTCGCTT GCAGATCAGT    60
TTTGTAATGC CATTGGAGTA TTGCAGCAAT GTGGTCCTCC TGCCTCTTTC AATAATATTC   120
AGACAGCAAT TAACAAAGAC CAGCCAGCTA ACCCTACAGA AGAGTATGCC CAGCTTTTTG   180
CAGCACTGAT TGCACGAACA GCAAAAGACA TTGATGTTTT GATAGATTCC TTACCCAGTG   240
AAGAATCTAC AGCTGCTTTA CAGGCTGCTA GCTTGTATAA GCTAGAAGAA GAAAATCATG   300
AAGCTGCTAC ATGTGTGGAG GATGTTGTTT ATCGAGGAGA CATGCTTCTG GAGAAGATAC   360
AAAGCGCACT TGCTGATATT GCACAGTCAC AGCTGAAGAC AAGAAGTGGT ACCCATAGCC   420
AGTCTCTTCC AGACTCATAG CATCAGTGGA TACCATGTGG CTGAGAAAAG AACTGTTTGA   480
GTGCCATTAA GAATTCTGCA TCAGAGTTAG ATACAAGCCT TACCAACAAT TACAGAAACA   540
TTAAACACTA TGACACATTA CCTTTTTAGC TATTTTTAAT AGTCTTCTAT TTTCACTCTT   600
GATAAGCTTA TAAATCATGA TTGAATCAGC TTTAAAGCAT CATACCATCA TTTTTTAACT   660
GAGTGAAATT ATTAAGGCAT GTAATACATT AATGAACATA ATATAAGGAA ACATATGTAA   720
AATTCTGTTA TGACATAATT TATGTCTCCA TTTTGTTGTA TTGGCCAGTA CTTTTTACAAT   780
C
```

Seq ID NO: 371 Protein sequence
Protein Accession #:   NP_004255

```
1          11         21         31         41         51
|          |          |          |          |          |

MADRLTQLQD AVNSLADQFC NAIGVLQQCG PPASFNNIQT AINKDQPANP TEEYAQLFAA    60
LIARTAKDID VLIDSLPSEE STAALQAASL YKLEEENHEA ATCVEDVVYR GDMLLEKIQS   120
ALADIAQSQL KTRSGTHSQS LPDS
```

Seq ID NO: 372 DNA sequence
Nucleic Acid Accession #: AJ271091
Coding sequence: 1-1113

```
1          11         21         31         41         51
|          |          |          |          |          |

ATGGAGAATC AGGTGTTGAC GCCGCATGTC TACTGGGCTC AGCGACACCG CGAGCTATAT    60
CTGCGCGTGG AGCTGAGTGA CGTACAGAAC CCTGCCATCA GCATCACTGA AAACGTGCTG   120
CATTTCAAAG CTCAAGGACA TGGTGCCAAA GGAGACAATG TCTATGAATT CCACCTGGAG   180
TTCTTAGACC TTGTGAAACC AGAGCCTGTT TACAAACTGA CCCAGAGGCA GGTAAACATT   240
ACAGTACAGA AGAAAGTGAG TCAGTGGTGG GAGAGACTCA CAAAGCAGGA AAAGCGACCA   300
CTGTTTTTGG CTCCTGACTT TGATCGTTGG CTGGATGAAT CTGATGCGGA AATGGAGCTC   360
AGAGCTAAGG AAGAAGAGCG CCTAAATAAA CTCCGACTGG AAAGCGAAGG CTCTCCTGAA   420
ACTCTTACAA ACTTAAGGAA AGGATACCTG TTTATGTATA ATCTTGTGCA ATTCTTGGGA   480
TTCTCCTGGA TCTTTGTCAA CCTGACTGTG CGATTCTGTA TCTTGGGAAA AGAGTCCTTT   540
TATGACACAT TCCATACTGT GGCTGACATG ATGTATTTCT GCCAGATGCT GGCAGTTGTG   600
GAAACTATCA ATGCAGCAAT TGGAGTCACT ACGTCACCGG TGCTGCCTTC TCTGATCCAG   660
CTTCTTGGAA GAAATTTTAT TTTGTTTATC ATCTTTGGCA CCATGGAAGA AATGCAGAAC   720
AAAGCTGTGG TTTTCTTTGT GTTTTATTTG TGGAGTGCAA TTGAAATTTT CAGGTACTCA   780
TTCTACATGC TGACGTGCAT TGACATGGAT TGGAAGGTGC TCACATGGCT TCGTTACACT   840
CTGTGGATTC CCTTATATCC ACTGGGATGT TTGGCGGAAG CTGTCTCAGT GATTCAGTCC   900
ATTCCAATAT TCAATGAGAC CGGACGATTC AGTTTCCACAT TGCCATATCC AGTGAAAATC   960
AAAGTTAGAT TTTCCTTTTT TCTTCAGATT TATCTTATAA TGATATTTTT AGGTTTATAC   1020
ATAAATTTTC GTCACCTTTA TAAACAGCGC AGACTGAAAA TGAGGGCAGG CGCAGTGGCT   1080
CATGCCTGTG ATCCCAGCGC TTTGGGAGGC TGA
```

Seq ID NO: 373 Protein sequence
Protein Accession #: CAB69070

```
1          11         21         31         41         51
|          |          |          |          |          |

MENQVLTPHV YWAQRHRELY LRVELSDVQN PAISITENVL HFKAQGHGAK GDNVYEFHLE    60
PLDLVKPEPV YKLTQRQVNI TVQKKVSQWW ERLTKQEKRP LFLAPDFDRW LDESDAEMEL   120
RAKEEERLNK LRLESEGSPE TLTNLRKGYL PMYNLVQFLG FSWIFVNLTV RPCILGKESF   180
```

```
YDTFHTVADM MYFCQMLAVV ETINAAIGVT TSPVLPSLIQ LLGRNFILPI IFGTMEEMQN    240
KAVVFFVFYL WSAIEIFRYS FYMLTCIDMD WKVLTWLRYT LWIPLYPLGC LAEAVSVIQS    300
IPIFNETGRF SFTLPYPVKI KVRFSPFLQI YLIMIFLGLY INFRHLYKQR RLKMRAGAVA    360
HACDPSALGG
```

Seq ID NO: 374 DNA sequence
Nucleic Acid Accession #: NM_016395
Coding sequence: 1-1113

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGGAGAATC AGGTGTTGAC GCCGCATGTC TACTGGGCTC AGCGACACCG CGAGCTATAT    60
CTGCGCGTGG AGCTGAGTGA CGTACAGAAC CCTGCCATCA GCATCACTGA AAACGTGCTG    120
CATTTCAAAG CTCAAGGACA TGGTGCCAAA GGAGACAATG TCTATGAATT TCACCTGGAG    180
TTCTTAGACC TTGTGAAACC AGAGCCTGTT TACAAACTGA CCCAGAGGCA GGTAAACATT    240
ACAGTACAGA AGAAAGTGAG TCAGTGGTGG GAGAGACTCA CAAAGCAGGA AAAGCGACCA    300
CTGTTTTTGG CTCCTGACTT TGATCGTTGG CTGGATGAAT CTGATGCGGA AATGGAGCTC    360
AGAGCTAAGG AAGAAGAGCG CCTAAATAAA CTCCGACTGG AAAGCGGAAGG CTCTCCTGAA    420
ACTCTTACAA ACTTAAGGAA AGGATACCTG TTTATGTATA ATCTTGTGCA ATTCTTGGGA    480
TTCTCCTGGA TCTTTGTCAA CCTGACTGTG CGATTCTGTA TCTTGGGAAA AGAGTCCTTT    540
TATGCACACAT TCCATACTGT GGCTGACATG ATGTATTTCT GCCAGATGCT GGCAGTTGTG    600
GAAACTATCA ATGCAGCAAT TGGAGTCACT ACGTCACCGG TGCTGCCTTC TCTGATCCAG    660
CTTCTTGGAA GAAATTTTAT TTTGTTTATC ATCTTTGGCA CCATGGAAGA AATGCAGAAC    720
AAAGCTGTGG TTTTCTTTGT GTTTTATTTG TGGAGTGCAA TTGAAATTTT CAGGTACTCT    780
TTCTACATGC TGACGTGCAT TGACATGGAT TGGAAGGTGC TCACATGGCT TCGTTACACT    840
CTGTGGATTC CCTTATATCC ACTGGGATGT TTGGCGGAAG CTGTCTCAGT GATTCAGTCC    900
ATTCCAATAT TCAATGAGAC CGGACGATTC AGTTTCACAT TGCCATATCC AGTGAAAATC    960
AAAGTTAGAT TTTCCTTTTT TCTTCAGATT TATCTTATAA TGATATTTTT AGGTTTATAC    1020
ATAAATTTTC GTCACCTTTA TAAACAGCGC AGACTGAAAA TGAGGGCAGG CGCAGTGGCT    1080
CATGCCTGTG ATCCCAGCGC TTTGGGAGGC TGA
```

Seq ID NO: 375 Protein sequence
Protein Accession #:   NP_057479

```
1          11         21         31         41         51
|          |          |          |          |          |
MENQVLTPHV YWAQRHRELY LRVELSDVQN PAISITENVL HFKAQGHGAK GDNVYEFHLE    60
FLDLVKPEPV YKLTQRQVNI TVQKKVSQWW ERLTKQEKRP LPLAPDFDRW LDESDAEMEL    120
RAKEEERLNK LRLESEGSPE TLTNLRKGYL FMYNLVQFLG FSWIFVNLTV RFCILGKESF    180
YDTFHTVADM MYFCQMLAVV ETINAAIGVT TSPVLPSLIQ LLGRNFILFI IFGTMEEMQN    240
KAVVFFVFYL WSAIEIFRYS FYMLTCIDMD WKVLTWLRYT LWIPLYPLGC LVEAVSVIQS    300
IPIFNETGRF SFTLPYPVKI KVRFSPFLQI YLIMIFLGLY INFRHLYKQR RRYGKKRKR    360
STKKKDLDGF LPV
```

Seq ID NO: 376 DNA sequence
Nucleic Acid Accession #: NM_005987
Coding sequence: 1-270

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGAATTCTC AGCAGCAGAA GCAGCCTTGC ACCCCACCCC CTCAGCCTCA GCAGCAGCAG    60
GTGAAACAAC CTTGCCAGCC TCCACCCCAG GAACCATGCA TCCCCAAAAC CAAGGAGCCC    120
TGCCAACCCA AGGTGCCTGA GCCCTGCCAC CCCAAAGTGC CTGAGCCCTG CCAGCCCAAG    180
ATTCCAGAGC CCTGCCAGCC CAAGGTGCCT GAGCCCTGCC CTTCAACGGT CACTCCAGCA    240
CCAGCCCAGC AGAAGACCAA GCAGAAGTAA
```

Seq ID NO: 377 Protein sequence
Protein Accession #:   NP_005978

```
1          11         21         31         41         51
|          |          |          |          |          |
MNSQQQKQPC TPPPQPQQQQ VKQPCQPPPQ EPCIPKTKEP CQPKVPEPCH PKVPEPCQPK    60
IPEPCQPKVP EPCPSTVTPA PAQQKTKQK
```

Seq ID NO: 378 DNA sequence
Nucleic Acid Accession #: NM_002105,
Coding sequence: 74-505

```
1          11         21         31         41         51
|          |          |          |          |          |
ACAGCAGTTA CACTGCGGCG GGCGTCTGTT CTAGTGTTTG AGCCGTCGTG CTTCACCGGT    60
CTACCTCGCT AGCATGTCGG GCGCGCGCAA GACTGGCGGC AAGGCCCGCG CCAAGGCCAA    120
GTCGCGCTCG TCGCGCGCCG GCCTCCAGTT CCCAGTGGGC CGTGTACACC GGCTGCTGCG    180
GAAGGGCCAC TACGCCGAGC GCGTTGGCGC CGGCGCGCCA GTGTACCTGG CGGCAGTGCT    240
GGAGTACCTC ACCGCTGAGA TCCTGGAGCT GGCGGGCAAT GCGGCCCGCG ACAACAAGAA    300
GACGCGAATC ATCCCCCGCC ACCTGCAGCT GGCCATCCGC AACGACGAGG AGCTCAACAA    360
GCTGCTGGGC GGCGTGACGA TCGCCCAGGG AGGCGTCCTG CCCAACATCC AGGCCGTGCT    420
GCTGCCCAAG AAGACCAGCG CCACCGTGGG GCCGAAGGCG CCCTCGGGCG GCAAGAAGGC    480
CACCCAGGCC TCCCAGGAGT ACTAAGAGGG CCCGCGCCGC GGCCGGCGC CCCAGCTCCC    540
CATGCCACCA CAAAGGCCCT TTTAAGGGCC ACCACCGCCC TCATGGAAAG AGCTGAGCCG    600
CTTCAGACTG CGGGGCAAGC GGGCCGCGGC TCCCTTCCCC TCCCCTCCCC TCGCCCGCCT    660
TCGCCGCCCG GCCTCGAGTC CCCGCCCGCC CCCGCTCCCG TCCCGCACCG CCTGCCGCGT    720
CGGCCTCGGG CCTGCCCTGT CCGCCGTCCG CCCTCCGGTA GGGTTCGGGC CTTCCGGATG    780
CGGCTTGGGC GCTCTTCGGG GACCTCCGTG GCGCGGAAGA CCCGAGCCTG CCGGGGGGAG    840
```

```
             GCCGGCGGCG CCGCACCTGC CCGCCTCGGC GTTCGTGACT CAGCCGCCCC ATCCCGAGTC    900
             GCTAAGGGGC TGCGGGGAGG CCGCAGCACC TTCTGGAAGA CTTGGCCTTC CGCTCTGACG    960
             CAGGGCCGAG GTGGGCAGTC CAGGCCGAGA GCCGGCGGCC CTGAAGGTGA GTGAGGCCCT   1020
             CGGCAGCTGC AGCCGGGGTG TCTGGTACCC CCCCGGCGTG GTGCCTTAGCC CAGGACTTTC   1080
 5           AGACGGCCGC TGGCCGGGAG GCTTTGGTGG GAGAGACGCG ATCGCCGATT TCGGTCTGGC   1140
             GCCCCTTCTG CGGCCGGGAC CCAGGCCTTT CACATCAGCT CTCCCTCCAT CTTCATTCAT   1200
             AGGTCTCGCG TGGGGCCGGG ACGAAGCACT TGGTAACAGG CACATCTTCC TCCCGAGTGA   1260
             CTGCCTCCTA GGAGGACATT TAGGGGAGGG CAGAGGCCTG CAGTTTGGCT TCACGGCTGG   1320
             CTATGTGGAC AGCAAGAGTC GTTTTGCGGA ACGCGACTGG CAGCCAGGCC TGTCGGGCCT   1380
10           CCGACGCGC CCCATTTCCC TTCCAGCAAA CTCAACTCGG CAATCCAAGC ACCTAGATAC   1440
             CAGCACAAGT CGGTTAATCC CTGTCTGGAC TGAGCCTCCG TTGGCTTCTG AACTGGAATT   1500
             CTGCAGCTAA CCCTTCCACG ACTAGAACCT TAGGCATTGG GGAGTTTTAG ATGGACTAAT   1560
             TTTATTAAAG GATTGTTTTT TTTTT
```

```
             1         11        21        31        41        51
             |         |         |         |         |         |
20           MSGRGKTGGK ARAKAKSRSS RAGLQFPVGR VHRLLRKGHY AERVGAGAPV YLAAVLEYLT    60
             AEILELAGNA ARDNKKTRII PRHLQLAIRN DEELNKLLGG VTIAQGGVLP NIQAVLLPKK   120
             TSATVGPKAP SGGKKATQAS QEY
```

```
             1         11        21        31        41        51
             |         |         |         |         |         |
30           ACGCGTCCGG CAGAAGCTCG GAGCTCTCGG GGTATCGAGG AGGCAGGCCC GCGGGCGCAC    60
             GGGCGAGCGG GCCGGGAGCC GGAGCGGCGG AGGAGCCGGC AGCAGCGCG CGGCGGGCTC    120
             CAGGCGAGGC GGTCGACGCT CCTGAAAACT TGCGCGGCGCG CTCGCGCCAC TGCGCCCGGA   180
             GCGATGAAGA TGGTCGCGCC CTGGACGCGG TTCTACTCCA ACAGCTGCTG CTTGTGCTGC   240
35           CATGTCCGCA CCGGCACCAT CCTGCTCGGC GTCTGGTATC TGATCATCAA TGCTGTGGTA   300
             CTGTTGATTT TATTGAGTGC CCTGGCTGAT CCGGATCAGT ATAACTTTTC AAGTTCTGAA   360
             CTGGGGAGGTG ACTTTGAGTT CATGGATGAT GCCAACATGT GCATTGCCAT TGCGATTTCT   420
             CTTCTCATGA TCCTGATATG TGCTATGGCT ACTTACGGAG CGTACAAGCA ACGCGCAGCC   480
             TGGATCATCC CATTCTTCTG TTACCAGATC TTTGACTTTG CCCTGAACAT GTTGGTTGCA   540
40           ATCACTGTGC TTATTTATCC AAACTCCATT CAGGAATACA TACGGCAACT GCCTCCTAAT   600
             TTTCCCTACA GAGATGATGT CATGTCAGTG AATCCTACCT GTTTGGTCCT TATTATTCTT   660
             CTGTTTATTA GCATTATCTT GACTTTTAAG GGTTACTTGA TTAGCTGTGT TTGGAACTGC   720
             TACCGGATACA TCAATGGTAG GAACTCCTCT GATGTCCTGG TTTATGTTAC CAGCAATGAC   780
             ACTACGGTGC TGCTACCCCC GTATGATGAT GCCACTGTGA ATGGTGCTGC CAAGGAGCCA   840
45           CCGCCACCTT ACGTGTCTGC CTAAGCCTTC AAGTGGGCGG AGCTGAGGGC AGCAGCTTGA   900
             CTTTGCAGAC ATCTGAGCAA TAGTTCTGTT ATTTCACTTT TGCCATGAGC CTCTCTGAGC   960
             TTGTTTGTTG CTGAAATGCT ACTTTTTAAA ATTTAGATGT TAGATTGAAA ACTGTAGTTT   1020
             TCAACATATG CTTTGCTAGA ACACTGTGAT AGATTAACTG TAGAATTCTT CCTGTACGAT   1080
             TGGGGATATA ACGGGCTTCA CTAACCTTCC CTAGGCATTG AAACTTCCCC CAAATCTGAT   1140
50           GGACCTAGAA GTCTGCTTTT GTACCTGCTG GGCCCCAAAG TTGGGCATTT TTCTCTCTGT   1200
             TCCCTCTCTT TTGAAAAATGT AAAATAAAAC CAAAAATAGA CAACTTTTTC TTCAGCCATT   1260
             CCAGCATAGA GAACAAAACC TTATGGAAAC AGGAATGTCA ATTGTGTAAT CATTGTTCTA   1320
             ATTAGGTAAA TAGAAGTCCT TATGTATGTG TTACAAGAAT TTCCCCCACA ACATCCTTTA   1380
             TGACTGAAGT TCAATGACAG TTTGTGTTTG GTGGTAAAGG ATTTTCTCCA TGGCCTGAAT   1440
55           TAAGACCATT AGAAAGCACC AGGCCGTGGG AGCAGTGACC ATCTACTGAC TGTTCTTGTG   1500
             GATCTTGTGT CCAGGGACAT GGGGTGACAT GCCTCGTATG TGTTAGAGGG TGGAATGGAT   1560
             GTGTTTGGCG CTGCATGGGA TCTGGTGCCC CTCTTCTCCT GGATTCACAT CCCCACCCAG   1620
             GGCCGCGCTTT TACTAAGTGT TCTGCCCTAG ATTGGTTCAA GGAGGTCATC GTTCTGACTT   1680
             TATCAAGTGG AATTGGGATA TATTTGTATAT ACTTCTGCCT AACAACATGG AAAAGGGTTT   1740
60           TCTTTTCCCT GCAAGCTACA TCCTACTGCT TTGAACTTCC AAGTATGTCT AGTCACCTTT   1800
             TAAAATGTAA ACATTTTCAG AAAAAATGAGG ATTGCCTTCC TTGTATGCGC TTTTTACCTT   1860
             GACTACCTGA ATTGCAAGGG ATTTTTTATAT ATTCCATATGT TACAAAGTCA GCAACTCTCC   1920
             TGTTGGTTCA TTATTGAATG TGCTGTAAAT TAAGTCGTTT GCAATTAAAA CAAGGTTTGC   1980
             CCACATCCAA AAAAAAAAAA AAAAA
```

```
             1         11        21        31        41        51
             | .       |         |         |         |         |
70           MKMVAPWTRF YSNSCCLCCH VRTGTILLGV WYLIINAVVL LILLSALADP DQYNFSSSEL    60
             GGDFEFMDDA NMCIAIAISL LMILICAMAT YGAYKQRAAW IIPPFCYQIP DPALNMLVAI   120
             TVLIYPNSIQ EYIRQLPPNF PYRDDVMSVN PTCLVLIILL PISIILTFKG YLISCVWNCY   180
             RYINGRNSSD VLVYVTSNDT TVLLPPYDDA TVNGAAKEPP PPYVSA
```

```
             1         11        21        31        41        51
             |         |         |         |         |         |
80           CAGATGCCAG AAGAACACTG TTGCTCTTGG TGGACGGGCC CAGAGGAATT CAGAGTTAAA    60
             CCTTGAGTGC CTGCGTCCGT GAGAATTCAG CATGGAATGT CTCTACTATT TCCTGGGATT   120
             TCTGCTCCTG GCTGCAAGAT TGCCACTTGA TGCCGCCAAA CCGATTTCATG ATGTGCTGGG   180
85           CAATGAAAGA CCTTCTGCTT ACATGAGGGA GCACAATCAA TTAAATGGCT GGTCTTCTGA   240
             TGAAAATGAC TGGAATGAAA AACTCTACCC AGTGTGGAAG CGGGGAGACA TGAGGTGGAA   300
             AAACTCCTGG AAGGGAGGCC GTGTGCAGGC GGTCCTGACC AGTGACTCAC CAGCCCTCGT   360
```

```
     GGGCTCAAAT ATAACATTTG CGGTGAACCT GATATTCCCT AGATGCCAAA AGGAAGATGC    420
     CAATGGCAAC ATAGTCTATG AGAAGAACTG CAGAAATGAG GCTGGTTTAT CTGCTGATCC    480
     ATATGTTTAC AACTGGACAG CATGGTCAGA GGACAGTGAC GGGGAAAATG GCACCGGCCA    540
     AAGCCATCAT AACGTCTTCC CTGATGGGAA ACCTTTTCCT CACCACCCCG GATGGAGAAG    600
     ATGGAATTTC ATCTACGTCT TCCACACACT TGGTCAGTAT TTCCAGAAAT TGGGACGATG    660
     TTCAGTGAGA GTTTCTGTGA ACACAGCCAA TGTGACACTT GGGCCTCAAC TCATGGAAGT    720
     GACTGTCTAC AGAAGACATG GACGGGCATA TGTTCCCATC GCACAAGTGA AAGATGTGTA    780
     CGTGGTAACA GATCAGATTC CTGTGTTTGT GACTATGTTC CAGAAGAACG ATCGAAATTC    840
     ATCCGACGAA ACCTTCCTCA AAGATCTCCC CATTATGTTT GATGTCCTGA TTCATGATCC    900
     TAGCCACTTC CTCAATTATT CTACCATTAA CTACAAGTGG AGCTTCGGGG ATAATACTGG    960
     CCTGTTTGTT TCCACCAATC ATACTGTGAA TCACACGTAT GTGCTCAATG GAACCTTCAG   1020
     CCTTAACCTC ACTGTGAAAG CTGCAGCACC AGGACCTTGT CCGCCACCGC CACCACCACC   1080
     CAGACCTTCA AAACCCACCC CTTCTTTAGG ACCTGCTGGT GACAACCCCC TGGAGCTGAG   1140
     TAGGATTCCT GATGAAAACT GCCAGATTAA CAGATATGGC CACTTTCAAG CCACCATCAC   1200
     AATTGTAGAG GGAATCTTAG AGGTTAACAT CATCCAGATG ACAGACGTCC TGATGCCGGT   1260
     GCCATGGCCT GAAAGCTCCC TAATAGACTT TGTCGTGACC TGCCAAGGGA GCATTCCCAC   1320
     GGAGGTCTGT ACCATCATTT CTGACCCCAC CTGCGAGATC ACCCAGAACA CAGTCTGCAG   1380
     CCCTGTGGAT GTGGATGAGA TGTGTCTGCT GACTGTGAGA CGAACCTTCA ATGGGTCTGG   1440
     GACGTACTGT GTGAACCTCA CCCTGGGGGA TGACACAAGC CTGGCTCTCA CGAGCACCCT   1500
     GATTTCTGTT CCTGACAGAG ACCCAGCCTC GCCTTTAAGG ATGGCAAACA GTGCCCTGAT   1560
     CTCCGTTGGC TGCTTGGCCA TATTTGTCAC TGTGATCTCC CTCTTGGTGT ACAAAAAACA   1620
     CAAGGAATAC AACCCAATAG AAAAATAGTCC TGGGAATGTG GTCAGAAGCA AAGGCCTGAG   1680
     TGTCTTTCTC AACCGTGCAA AAGCCGTGTT CTTCCCGGGA AACCAGGAAA AGGATCCGCT   1740
     ACTCAAAAAC CAAGAATTTA AAGGAGTTTC TTAAAATTTCG ACCTTGTTTC TGAAGCTCAC   1800
     TTTTCAGTGC CATTGATGTG AGATGTGCTG GAGTGGCTAT TAACCTTTTT TTCCTAAAGA   1860
     TTATTGTTAA ATAGATATTG TGGTTTGGGG AAGTTGAATT TTTTATAGGT TAAATGTCAT   1920
     TTTAGAGATG GGGAGAGGGA TTATACTGCA GGCAGCTTCA GCCATGTTGT GAAACTGATA   1980
     AAAGCAACTT AGCAAGGCTT CTTTTCATTA TTTTTTATGT TTCACTTATA AAGTCTTAGG   2040
     TAACTAGTAG GATAGAAACA CTGTGTCCCG AGAGTAAGGA GAGAGCTAC TATTGATTAG   2100
     AGCCTAACCC AGGTTAACTG CAAGAAGAGG CGGGATACTT TCAGCTTTCC ATGTAACTGT   2160
     ATGCATAAAG CCAATGTAGT CCAGTTTCTA AGATCATGTT CCAAGCTAAC TGAATCCCAC   2220
     TTCAATACAC ACTCATGAAC TCCTGATGGA ACAATAACAG GCCCAAGCCT GTGGTATGAT   2280
     GTGCACACTT GCTAGACTCA GAAAAAATAC TACTCTCATA AATGGGTGGG AGTATTTTGG   2340
     TGACAACCTA CTTTGCTTGG CTGAGTGAAG GAATGATATT CATATATTCA TTTATTCCAT   2400
     GGACATTTAG TTAGTGCTTT TTATATACCA GGCATGATGC TGAGTGACAC TCTTGTGTAT   2460
     ATTTCCAAAT TTTTGTTTTT TCGCTGCACA TATTTGAAAT CATATATTAA GACTTTCCAA   2520
     AGATGAGGTC CCTGGTTTTT CATGGCAACT TGATCAGTAA GGATTTCACC TCTGTTTGTA   2580
     ACTAAAACCA TCTACTATAT GTTAGACATG ACATTCTTTT TCTCTCCTTC CTGAAAAATA   2640
     AAGTGTGGGA AGAGACAAAA AAAAAAAAAA
```

Seq ID NO: 383 Protein sequence
Protein Accession #:   NP_002501

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MECLYYFLGF LLLAARLPLD AAKRFHDVLG NERPSAYMRE HNQLNGWSSD ENDWNEKLYP    60
     VWKRGDMRWK NSWKGGRVQA VLTSDSPALV GSNITFAVNL IFPPRCQKEDA NGNIVYEKNC   120
     RNEAGLSADP YVYNWTAWSE DSDGENGTGQ SHENVFPDGK PPPHHPGWRR WNFIYVFHTL   180
     GQYFQKLGRC SVRVSVNTAN VTLGPQLMEV TVYRRHGRAY VPIAQVKDVY VVTDQIPVFV   240
     TMFQKNDRNS SDETFLKDLP IMFDVLIHDP SHFLNYSTIN YKWSFGDNTG LFVSTNHTVN   300
     HTYVLNGTFS LNLTVKAAAP GPCPPPPPPP RPSKPTPSLG PAGDNPLELS RIPDENCQIN   360
     RYGHFQATIT IVEGILEVNI IQMTDVLMPV PWPESSLIDF VVTCQGSIPT EVCTIISDPT   420
     CEITQNTVCS PVDVDEMCLL TVRRTFNGSG TYCVNLTLGD DTSLALTSTL ISVPDRDPAS   480
     PLRMANSALI SVGCLAIFVT VISLLVYKKH KEYNPIENSP GNVVRSKGLS VFLNRAKAVF   540
     FPGNQEKDPL LKNQEFKGVS
```

Seq ID NO: 384 DNA sequence
Nucleic Acid Accession #: NM_001134
Coding sequence: 48-1877

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     TCCATATTGT GCTTCCACCA CTGCCAATAA CAAAATAACT AGCAACCATG AAGTGGGTGG    60
     AATCAATTTT TTTAATTTTC CTACTAAATT TTACTGAATC CAGAACACTG CATAGAAATG   120
     AATATGGAAT AGCTTCCATA TTGGATTCTT ACCAATGTAC TGCAGAGATA AGTTTAGCTG   180
     ACCTGGCTAC CATATTTTTT GCCCAGTTTG TTCAAGAAGC CACTTACAAG GAAGTAAGCA   240
     AAATGGTGAA AGATGCATTG ACTGCAATTG AGAAACCCAC TGGAGATGAA CAGTCTTCAG   300
     GGTGTTTAGA AAACCAGCTA CCTGCCTTTC TGGAAGAACT TTGCCATGAG AAAGAAATTT   360
     TGGAGAAGTA CGGACATTCA GACTGCTGCA GCCAAAGTGA AGAGGGAAGA CATAACTGTT   420
     TTCTTGCACA CAAAAAGCCC ACTCCAGCAT CGATCCCACT TTTCCAAGTT CCAGAACCTG   480
     TCACAAGCTG TGAAGCATAT GAAGAAGACA GGGAGACATT CATGATTTATG   540
     AGATAGCAAG AAGGCATCCC TTCCTGTATG CACCTACAAT TCTTCTTTGG GCTGCTCGCT   600
     ATGACAAAAT AATTCCATCT TGCTGCAAAG CTGAAAATGC AGTTGAATGC TTCCAAACAA   660
     AGGCAGCAAC AGTTACAAAA GAATTAAGAG AAAGCAGCTT GTTAAATCAA CATGCATGTG   720
     CAGTAATGAA AAATTTTGGG ACCCGAACTT TCCAAGCCAT AACTGTTACT AAACTGAGTC   780
     AGAAGTTTAC CAAAGTTAAT TTTACTGAAA TCCAGAAACT AGTCCTGGAT GTGGCCCATG   840
     TACATGAGCA CTGTTGCAGA GGAGATGTGC TGGATTGTCT GCAGGATGGG GAAAAAATCA   900
     TGTCCTACAT ATGTTCTCAA CAAGACACTC TGTCAAACAA AATAACAGAA TGCTGCAAAC   960
     TGACCACGCT GGAACGTGGT CAATGTGTAAA TTCATGCAGA AAATGATGAA AAACCTGAAG   1020
     GTCTATCTCC AAATCTAAAC AGGTTTTTAG GAGATAGAGA TTTTAACCAA TTTTCTTCAG   1080
     GGGAAAAAAA TATCTTCTTG GCAAGTTTTG TTCATGAATA TTCAAGAAGA CATCCTCAGC   1140
     TTGCTGTCTC AGTAATTCTA AGAGTTGCTA AAGGATACCA GGAGTTATTG AGAAGTGTT   1200
     TCCAGACTGA AAACCCTCTT GAATGCCAAG ATAAAGGAGA AGAAGAATTA CAGAAATACA   1260
     TCCAGGAGAG CCAAGCATTG GCAAAGCGAA GCTGCGGCCT CTTCCAGAAA CTAGGAGAAT   1320
     ATTACTTACA AAATGCGTTT CTCGGTTGCTT ACACAAAGAA AGCCCCCCAG CTGACCTCGT   1380
     CGGAGCTGAT GGCCATCACC AGAAAAATGG CAGCCACAGC AGCCACTTGT TGCCAACTCA   1440
     GTGAGGACAA ACTATTGGCC TGTGGCGAGG GAGCGGCTGA CATTATTATC GGACACTTAT   1500
```

```
GTATCAGACA TGAAATGACT CCAGTAAACC CTGGTGTTGG CCAGTGCTGC ACTTCTTCAT   1560
ATGCCAACAG GAGGCCATGC TTCAGCAGCT TGGTGGTGGA TGAAACATAT GTCCCTCCTG   1620
CATTCTCTGA TGACAAGTTC ATTTTCCATA AGGATCTGTG CCAAGCTCAG GGTGTAGCGC   1680
TGCAAACGAT GAAGCAAGAG TTTCTCATTA ACCTTGTGAA GCAAAAGCCA CAAATAACAG   1740
AGGAACAACT TGAGGCTGTC ATTGCAGATT TCTCAGGCCT GTTGGAGAAA TGCTGCCAAG   1800
GCCAGGAACA GGAAGTCTGC TTTGCTGAAG AGGGACAAAA ACTGATTTCA AAAGTCGTTG   1860
CTGCTTTGGG AGTTTAAATT ACTTCAGGGG AAGAGAAGAC AAAACGAGTC TTTCATTCGG   1920
TGTGAACTTT TCTCTTTAAT TTTAACTGAT TTAACACTTT TTGTGAATTA ATGAAATGAT   1980
AAAGACTTTT ATGTGAGATT TCCTTATCAC AGAAATAAAA TATCTCCAAA TG
```

Seq ID NO: 385 Protein sequence
Protein Accession #: NP_001125

```
1          11         21         31         41         51
|          |          |          |          |          |
MKWVESIFLI FLLNFTESRT LHRNEYGIAS ILDSYQCTAE ISLADLATIF FAQFVQEATY    60
KEVSKMVKDA LTAIEKPTGD EQSSGCLENQ LPAFLEELCH EKEILEKYGH SDCCSQSEEG   120
RHNCFLAHKK PTPASIPLFQ VPEPVTSCEA YEEDRETFMN KPIYEIARRH PPLYAPTILL   180
WAARYDKIIP SCCKAENAVE CFQTKAATVT KELRESSLLN QHACAVMKNF GTRTPQAITV   240
TKLSQKFTKV NPTEIQKLVL DVAHVHEHCC RGDVLDCLQD GEKIMSYICS QQDTLSNKIT   300
ECCKLTTLER GQCIIHAEND EKPEGLSPNL NRFLGDRDFN QFSSGEKNIF LASFVHEYSR   360
RHPQLAVSVI LRVAKGYQEL LEKCFQTENP LECQDKGEEE LQKYIQESQA LAKRSCGLFQ   420
KLGEYYLQNA FLVAYTKKAP QLTSSELMAI TRKMAATAAT CCQLSEDKLL ACGEGAADII   480
IGHLCIRHEM TPVNPGVGQC CTSSYANRRP CFSSLVVDET YVPPAPSDDK FIFHKDLCQA   540
QGVALQTMKQ EFLINLVKQK PQITEEQLEA VIADFSGLLE KCCQGQEQEV CPAEEGQKLI   600
SKTRAALGV
```

Seq ID NO: 386 DNA sequence
Nucleic Acid Accession #: NM_002205.1
Coding sequence: 1..3149

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGGGGAGCC GGACGCCAGA GTCCCCTCTC CACGCCGTGC AGCTGCGCTG GGGCCCCCGG    60
CGCCGACCCC CGCTCSSTGCC GCTGCTGTTG CTGCTSSTGC CGCGGCCACC CAGGGTCGGG   120
GGCTTCAACT TAGACGCGGA GGCCCCAGCA GTACTCTCGG GGCCCCCGGG CTCCTTCTTC   180
GGATTCTCAG TGGAGTTTTA CCGGCCGGGA ACAGACGGGG TCAGTGTGCT GGTGGGAGCA   240
CCCAAGGCTA ATACCAGCCA GCCAGGAGTG CTGCAGGGTG GTGCTGTCTA CCTCTGTCCT   300
TGGGGTGCCA GCCCCACACA GTGCACCCCC ATTGAATTTG ACAGCAAAGG CTCTCGGCTC   360
CTGGAGTCCT CACTGTCCAG CTCAGAGGGA GAGGAGCCTG TGGAGTACAA GTCCTTGCAG   420
TGGTTCGGGG CAACAGTTCG AGCCCATGGC TCCTCCATCT TGGCATGCGC TCCACTGTAC   480
AGCTGGCGCA CAGAGAAGGA GCCACTGAGC GACCCCGTGG GCACCTGCTA CCTCTCCACA   540
GATAACTTCA CCCGAATTCT GGAGTATGCA CCCTGCCGCT CAGATTTCAG CTGGGCAGCA   600
GGACAGGGGT ACTGCCAAGG AGGCTTCAGT GCCGAGTTCA CCAAGACTGG CCGTGTGGTT   660
TTAGGTGGAC CAGGAAGCTA TTTCTGGCAA GGGCAGATCC TGTCTGCCAC TCAGGAGCAG   720
ATTGCAGAAT CTTATTACCG CGAGTACCTG ATCAACCTGG TTCAGGGGCA GCTGCAGACT   780
CGCCAGGCCA GTTCCATCTA TGATGACAGC TACCTAGGAT ACTCTGTGGC TGTTGGTGAA   840
TTCAGTGGTG ATGACACAGA AGACTTTGTT GCTGGTGTGC CCAAAGGGAA CCTCACTTAC   900
GGCTATGTCA CCATCCTTAA TGGCTCAGAC ATTCGATCCC TCTACAACTT CTCAGGGGAA   960
CAGATGGCCT CCTACTTTGG CTATGCAGTG GCCGCCACAG ACGTCAATGG GGACGGGCTG   1020
GATGACTTGC TGGTGGGGGC ACCCCTGCTC ATGGATCGGA CCCCTGACGG GCGGCCTCAG   1080
GAGGTGGGCA GGGTCTACGT CTACCTGCAG CACCCAGCCG GCATAGAGCC CACGCCCACC   1140
CTTACCCTCA CTGGCCATGA TGAGTTTGGC CGATTTGGCA GCTCCTTGAC CCCCCTGGGG   1200
GACCTGGACC AGGATGGCTA CAATGATGTG GCCATCGGGG CTCCCTTTGG TGGGGAGACC   1260
CAGCAGGGAG TAGTGTTTGT ATTTCCTGGG GGCCCAGGAG GGCTGGGCTC TAAGCCTTCC   1320
CAGGTTCTGC AGCCCCTGTG GGCAGCCAGC CACACCCCAG ACTTCTTTGG CTCTGCCCTT   1380
CGAGGAGGCC GAGACCTGGA TGGCAATGGA TATCCTGATC TGATTGTGGG GTCCTTTGGT   1440
GTGGACAAGG CTGTGGTATA CAGGGGCCGC CCCATCGTGT CCGCTAGTGC CTCCCTCACC   1500
ATCTTCCCCG CCATGTTCAA CCCAGAGGAG CGGAGCTGCA GCTTAGAGGG GAACCCTGTG   1560
GCCTGCATCA ACCTTAGCTT CTGCCTCAAT GCTTCTGGAA AACACGTTGC TGACTCCATT   1620
GGTTTCACAG TGGAACTTCA GCTGGACTGG CAGAAGCAGA AGGGAGGGGT ACGGCGGGCA   1680
CTGTTCCTGG CCTCCAGGCA GGCAACCCTG ACCCAGACCC TGCTCATCCA GAATGGGGCT   1740
CGAGAGGATT GCAGAGAGAT GAAGATCTAC CTCAGGAACG AGTCAGAATT TCGAGACAAA   1800
CTCTCGCCGA TTCACATCGC TCTCAACTTC TCCTTGGACC CCCAAGCCCC AGTGGACAGC   1860
CACGGCCTCA GGCCAGCCCT ACATTATCAG AGCAAGAGCC GGATAGAGGA CAAGGCTCAG   1920
ATCTTGCTGG ACTGTGGAGA AGACAACATC TGTGTGCCTG ACCTGCAGCT GGAAGTGTTT   1980
GGGGAGCAGA ACCATGTGTA CCTGGGTGAC AAGAATGCCC TGAACCTCAC TTTCCATGCC   2040
CAGAATGTGG GTGAGGGTGG CGCCTATGAG GCTGAGCTTC GGGTCACCGC CCCTCCAGAG   2100
GCTGAGTACT CAGGACTCGT CAGACACCCA GGGAACTTCT CCAGCCTGAG CTGTGACTAC   2160
TTTGCCGTGA ACCAGAGCCG CCTGCTGGTG TGTGACCTGG CAACCCCAT GAAGGCAGGA   2220
GCCAGTCTGT GGGGTGGCCT TCGGTTTACA GTCCCTCATC TCCGGGACAC TAAGAAAACC   2280
ATCCAGTTTG ACTTCCAGAT CCTCAGCAAG AATCTCAACA ACTCGCAAAG CGACGTGGTT   2340
TCCTTTCGGC TCTCCGTGGA GGCTCAGGCC CAGGTCACCC TGAACGGTGT CTCCAAGCCT   2400
GAGGCAGTGC TATTCCCAGT AAGCGACTGG CATCCCCGAG ACCAGCCTCA GAAGGAGGAG   2460
GACCTGGGAC CTGCTGTCCA CCATGTCTAT GAGCTCATCA ACCAAGGCCC CAGCTCCATT   2520
AGCCAGGGTG TGCTGGAACT CAGCTGTCCC CAGGCTCTGG AAGGTCAGCA GCTCCTATAT   2580
GTGACCAGAG TTACGGGACT CAACTGCACC ACCAATCACC CCATTAACCC AAAGGGGCTG   2640
GAGTTGGATC CCGAGGGTTC CCTGCACCAC AGCAAAAAC GGGAAGCTCC AAGCCGCAGC   2700
TCTGCTTCCT CGGGACCTCA GATCCTGAAA TGCCCGGAGG CTGAGTGTTT CAGGCTGCGC   2760
TGTGAGCTCG GCCCCCTGCA CCAACAAGAG AGCCAAAGTC TGCAGTTGCA TTTCCGAGTC   2820
TGGGCCAAGA CTTTCTTGCA GCGGGGAGCAC CAGCCATTTA GCCTGCAGTG TGAGGCTGTG   2880
TACAAAGCCC TGAAGATGCC CTACCGAATC CTGCCTCGGC AGCTGCCCCA AAAAGAGCGT   2940
CAGGTGGCCA CAGCTGTGCA ATGGACCAAG GCAGAAGGCA GCTATGGCGT CCCACTGTGG   3000
ATCATCATCC TAGCCATCCT GTTTGGCCTC CTGCTCCTAG GTCTACTCAT CTACATCCTC   3060
TACAAGCTTG GATTCTTCAA ACGCTCCCTC CCATATGGCA CCGCCATGGA AAAAGCTCAG   3120
CTCAAGCCTC CAGCCACCTC TGATGCCTGA
```

Seq ID NO: 387 Protein sequence
Protein Accession #: NP_002196.1

```
1          11·         21          31          41          51
|          |           |           |           |           |
MGSRTPESPL HAVQLRWGPR RRPPLLPLLL LLLPPPPRVG GFNLDAEAPA VLSGPPGSFF   60
GPSVEFYRPG TDGVSVLVGA PKANTSQPGV LQGGAVYLCP WGASPTQCTP IEFDSKGSRL  120
LESSLSSSEG EEPVEYKSLQ WFGATVRAHG SSILACAPLY SWRTEKEPLS DPVGTCYLST  180
DNFTRILEYA PCRSDPSWAA GQGYCQGGFS AEFTKTGRVV LGGPGSYFWQ GQILSATQEQ  240
IAESYYPEYL INLVQGQLQT RQASSIYDDS YLGYSVAVGE FSGDDTEDFV AGVPKGNLTY  300
GYVTILNGSD IRSLYNFSGE QMASYFGYAV AATDVNGDGL DDLLVGAPLL MDRTPDGRPQ  360
EVGRVVVYLQ HPAGIEPTPT LTLTGHDEFG RFGSSLTPLG DLDQDGYNDV AIGAPFGGET  420
QQGVVFVFPG GPGGLGSKPS QVLQPLWAAS HTPDFFGSAL RGGRDLDGNG YPDLIVGSPG  480
VDKAVVYRGR PIVSASASLT IPPAMFNPEE RSCSLEGNPV ACINLSFCLN ASGKHVADSI  540
GPTVELQLDW QKQKGGVRRA LFLASRQATL TQTLLIQNGA REDCREMKIY LRNESEFRDK  600
LSPIHIALNF SLDPQAPVDS HGLRPALHYQ SKSRIEDKAQ ILLDCGEDNI CVPDLQLEVF  660
GEQNHVYLGD KNALNLTFHA QNVGEGGAYE AELRVTAPPE AEYSGLVRHP GNFSSLSCDY  720
FAVNQSRLLV CDLGNPMKAG ASLWGGLRPT VPHLRDTKKT IQFDFQILSK NLNNSQSDVV  780
SFRLSVEAQA QVTLNGVSKP EAVLPPVSDW HPRDQPQKEE DLGPAVHHVY ELINQGPSSI  840
SQGVLELSCP QALEGQQLLY VTRVTGLNCT TNHPINPKGL ELDPEGSLHH QQKREAPSRS  900
SASSGPQILK CPEAECFRLR CELGPLHQQE SQSLQLHFRV WAKTFLQREH QPFSLQCEAV  960
YKALKMPYRI LPRQLPQKER QVATAVQWTK AEGSYGVPLW IIILAILFGL LLLGLLIYIL 1020
YKLGFFKRSL PYGTAMEKAQ LKPPATSDA                                   
```

Seq ID NO: 388 DNA sequence
Nucleic Acid Accession #: NM_002425
Coding sequence: 26..1453

```
1          11          21          31          41          51
|          |           |           |           |           |
AAAGAAGGTA AGGGCAGTGA GAATGATGCA TCTTGCATTC CTTGTGCTGT TGTGTCTGCC   60
AGTCTGCTCT GCCTATCCTC TGAGTGGGGC AGCAAAAGAG GAGGACTCCA ACAAGGATCT  120
TGCCCAGCAA TACCTAGAAA AGTACTACAA CCTCGAAAAG GATGTGAAAC AGTTTAGAAG  180
AAAGGACAGT AATCTCATTG TTAAAAAAAT CCAAGGAATG CAGAAGTTCC TTGGGTTGGA  240
GGTGACAGGG AAGCTAGACA CTGACACTCT GGAGGTGATG CGCAAGCCCA GGTGTGGAGT  300
TCCTGACGTT GGTCACTTCA GCTCCTTTCC TGGCATGCCG AAGTGGAGGA AAACCCACCT  360
TACATACAGG ATTGTGAATT ATACACCAGA TTTGCCAAGA GATGCTGTTG ATTCTGCCAT  420
TGAGAAAGCT CTGAAAGTCT GGGAAGAGGT GACTCCACTC ACATTCTCCA GGCTGTATGA  480
AGGAGAGGCT GATATAATGA TCTCTTTCGC AGTTAAAGAA CATGGAGACT TTTACTCTTT  540
TGATGGCCCA GGACACAGTT TGGCTCATGC CTACCCACCT GGACCTGGGC TTTATGGAGA  600
TATTCACTTT GATGATGATG AAAAATGGAC AGAAGATGCA TCAGGCACCA ATTTATTCCT  660
CGTTGCTGCT CATGAACTTG GCCACTCCCT GGGGCTCTTT CACTCAGCCA ACACTGAAGC  720
TTTGATGTAC CCACTCTACA ACTCATTCAC AGAGCTCGCC CAGTTCCGCC TTTCGCAAGA  780
TGATGTGAAT GGCATTCAGT CTCTCTACGG ACCTCCCCCT GCCTCTACTG AGGAACCCCT  840
GGTGCCCACA AAATCTGTTC TTCGGGATCC TGAGATGCCA GCCAAGTGTG ATCCTGCTTT  900
GTCCTTCGAT GCCATCAGCA CTCTGAGGGG AGAATATCTG TTCTTTAAAG ACAGATATTT  960
TTGGCGAAGA TCCCACTGGA ACCCTGAACC TGAATTTCAT TTGATTTCTG CATTTTGGCC 1020
CTCTCTTCCA TCATATTTGG ATGCTGCATA TGAAGTTAAC AGCAGGGACA CCGTTTTTAT 1080
TTTTAAAGGA AATGAGTTCT GGGCCATCAG AGGAAATGAG GTACAAGCAG GTTATCCAAG 1140
AGGCATCCAT ACCCTGGGTT TTCCTCCAAC CATAAGGAAA ATTGATGCAG CTGTTTCTGA 1200
CAAGGAAAAG AAGAAAACAT ACTTCTTTGC AGCGGACAAA TACTGGAGAT TTGATGAAAA 1260
TAGCCAGTCC ATGGAGCAAG GCTTCCCTAG ACTAATAGCT GATGACTTTC CAGGAGTTGA 1320
GCCTAAGGTT GATGCTGTAT TACAGGCATT TGGATTTTTC TACTTCTTCA GTGGATCATC 1380
ACAGTTTGAG TTTGACCCCA ATGCCAGGAT GGTGACACAC ATATTAAAGA GTAACAGCTG 1440
GTTACATTGC TAGGCGAGAT AGGGGGAAGA CAGATATGGG TGTTTTTAAT AAATCTAATA 1500
ATTATTCATC TAATGTATTA TGAGCCAAAA TGGTTAATTT TTCCTGCATG TTCTGTGACT 1560
GAAGAAGATG AGCCTTGCAG ATATCTGCAT GTGTCATGAA GAATGTTTCT GGAATTCTTC 1620
ACTTGCTTTT GAATTGCACT GAACAGAATT AAGAAATACT CATGTGCAAT AGGTGAGAGA 1680
ATGTATTTTC ATAGATGTGT TATTACTTCC TCAATAAAAA GTTTTATTTT GGGCCTGTTC 1740
CTT                                                               
```

Seq ID NO: 389 Protein sequence
Protein Accession #: NP_002416

```
1          11          21          31          41          51
|          |           |           |           |           |
MHLAFLVLLC LPVCSAYPLS GAAKEEDSNK DLAQQYLEKY YNLEKDVKQF RRKDSNLIVK   60
KIQGMQKFLG LEVTGKLDTD TLEVMRKPRC GVPDVGHFSS FPGMPKWRKT HLTYRIVNYT  120
PDLPRDAVDS AIEKALKVWE EVTPLTFSRL YEGEADIMIS FAVKEHGDFY SFDGPGHSLA  180
HAYPPGPGLY GDIHFDDDEK WTEDASGTNL FLVAAHELGH SLGLFHSANT EALMYPLYNS  240
PTELAQFRLS QDDVNGIQSL YGPPPASTEE PLVPTKSVPS GSEMPAKCDP ALSFDAISTL  300
RGEYLFFKDR YFWRRSHWNP EPEFHLISAP WPSLPSYLDA AYEVNSRDTV FIPRGNEFWA  360
IRGNEVQAGY PRGIHTLGFP PTIRKIDAAV SDKEKKKTYF FAADKYWRFD ENSQSMEQGF  420
PRLIADDFPG VEPKVDAVLQ AFGFPYFFSG SSQFEFDPNA RMVTHILKSN SWLHC        
```

Seq ID NO: 390 DNA sequence
Nucleic Acid Accession #: NM_002421.2
Coding sequence: 1..1409

```
1          11          21          31          41          51
|          |           |           |           |           |
ATGCACAGCT TTCCTCCACT GCTGCTGCTG CTGTTCTGGG GTGTGGTGTC ACACAGCTTC   60
CCAGCGACTC TAGAAACACA AGAGCAAGAT GTGGACTTAG TCCAGAAATA CCTGGAAAAA  120
TACTACAACC TGAAGAATGA TGGGAGGCAA GTTGAAAAGC GGAGAAATAG TGGCCCAGTG  180
GTTGAAAAAT TGAAGCAAT GCAGGAATTC TTTGGGCTGA AAGTGACTGG AAAACCAGAT  240
GCTGAAACCC TGAAGGTGAT GAAGCAGCCC AGATGTGGAG TGCCTGATGT GGCTCAGTTT  300
```

```
           GTCCTCACTG AGGGGAACCC TCGCTGGGAG CAAACACATC TGACCTACAG GATTGAAAAT   360
           TACACGCCAG ATTTGCCAAG AGCAGATGTG GACCATGCCA TTGAGAAAGC CTTCCAACTC   420
           TGGAGTAATG TCACACCTCT GACATTCACC AAGGTCTCTG AGGGTCAAGC AGACATCATG   480
           ATATCTTTTG TCAGGGGAGA TCATCGGGAC AACTCTCCTT TTGATGGACC TGGAGGAAAT   540
5          CTTGCTCATG CTTTTCAACC AGGCCCAGGT ATTGGAGGGG ATGCTCATTT TGATGAAGAT   600
           GAAAGGTGGA CCAACAATTT CAGAGAGTAC AACTTACATC GTGTTGCGGC TCATGACCTC   660
           GGCCATTCTC TTGGACTCTC CCATTCTACT GATATCGGGG CTTTGATGTA CCCTAGCTAC   720
           ACCTTCAGTG GTGATGTTCA GCTAGCTCAG GATGACATTG ATGGCATCCA AGCCATATAT   780
           GGACGTTCCC AAAATCCTGT CCAGCCCATC GGCCCACAAA CCCCAAAAGC ATGTGACAGT   840
10         AAGCTAACCT TTGATGCTAT AACTACGATT CGGGGAGAAG TGATGTTCTT TAAAGACAGA   900
           TTCTACATGC GCACAAATCC CTTCTACCCG GAAGTTGAGC TCAATTTCAT TTCTGTTTTC   960
           TGGCCACAAC TGCCAAATGG GCTTGAAGCT GCTTACGAAT TTGCCGACAG AGATGAAGTC  1020
           CGGTTTTTCA AAGGGAATAA GTACTGGGCT GTTCAGGGAC AGAATGTGCT ACACGGATAC  1080
15         CCCAAGGACA TCTACAGCTC CTTTGGCTTC CCTAGAACTG TGAAGCATAT CGATGCTGCT  1140
           CTTTCTGAGG AAAACACTGG AAAAACCTAC TTCTTTGTTG CTAACAAATA CTGGAGGTAT  1200
           GATGAATATA AACGATCTAT GGATCCAGGT TATCCCAAAA TGATAGCACA TGACTTTCCT  1260
           GGAATTGGCC ACAAAGTTGA TGCAGTTTTC ATGAAAGATG GATTTTTCTA TTTCTTTCAT  1320
           GGAACAAGAC AATACAAATT TGATCCTAAA ACGAAGAGAA TTTTGACTCT CCAGAAAGCT  1380
20         AATAGCTGGT TCAACTGCAG GAAAAATTAG
```

Seq ID NO: 391 Protein sequence
Protein Accession #:   NP_002412.1

```
           1          11         21         31         41         51
25         |          |          |          |          |          |
           MHSPPPLLLL LFWGVVSHSP PATLETQEQD VDLVQKYLEK YYNLKNDGRQ VEKRRNSGPV    60
           VEKLKQMQEF FGLKVTGKPD AETLKVMKQP RCGVPDVAQF VLTEGNPRWE QTHLTYRIEN   120
           YTPDLPRADV DHAIEKAFQL WSNVTPLTFT KVSEGQADIM ISPVRGDHRD NSPFDGPGGN   180
30         LAHAFQPGPG IGGDAHFDED ERWTNNFREY NLHRVAAHEL GHSLGLSHST DIGALMYPSY   240
           TFSGDVQLAQ DDIDGIQAIY GRSQNPVQPI GPQTPKACDS KLTFDAITTI RGEVMFFKDR   300
           FYMRTNPFYP EVELNPISVF WPQLPNGLEA AYEFADRDEV RFFKGNKYWA VQGQNVLHGY   360
           PKDIYSSPGF PRTVKHIDAA LSEENTGKTY FFVANKYWRY DEYKRSMDPG YPKMIAHDFP   420
35         GIGHKVDAVF MKDGFFYFFH GTRQYKFDPK TKRILTLQKA NSWFNCRKN
```

Seq ID NO: 392 DNA sequence
Nucleic Acid Accession #: NM_002421.2
Coding sequence: 1..1409

```
           1          11         21         31         41         51
40         |          |          |          |          |          |
           ATGCACAGCT TTCCTCCACT GCTGCTGCTG CTGTTCTGGG GTGTGGTGTC ACACAGCTTC    60
           CCAGCGACTC TAGAAACACA AGAGCAAGAT GTGGACTTAG TCCAGAAATA CCTGGAAAAA   120
           TACTACAACC TGAAGAATGA TGGGGAGGCAA GTTGAAAAGC GGAGAAATAG TGGCCCAGTG   180
           GTTGAAAAAT TGAAGCAAAT GCAGGAATTC TTTGGGCTGA AAGTGACTGG GAAACCAGAT   240
45         GCTGAAACCC TGAAGGTGAT GAAGCAGCCA AGATGTGGAG TGCCTGATGT GGCTCAGTTT   300
           GTCCTCACTG AGGGGAACCC TCGCTGGGAG CAAACACATC TGACCTACAG GATTGAAAAT   360
           TACACGCCAG ATTTGCCAAG AGCAGATGTG GACCATGCCA TTGAGAAAGC CTTCCAACTC   420
           TGGAGTAATG TCACACCTCT GACATTCACC AAGGTCTCTG AGGGTCAAGC AGACATCATG   480
           ATATCTTTTG TCAGGGGAGA TCATCGGGAC AACTCTCCTT TTGATGGACC TGGAGGAAAT   540
50         CTTGCTCATG CTTTTCAACC AGGCCCAGGT ATTGGAGGGG ATGCTCATTT TGATGAAGAT   600
           GAAAGGTGGA CCAACAATTT CAGAGAGTAC AACTTACATC GTGTTGCGGC TCATGACCTC   660
           GGCCATTCTC TTGGACTCTC CCATTCTACT GATATCGGGG CTTTGATGTA CCCTAGCTAC   720
           ACCTTCAGTG GTGATGTTCA GCTAGCTCAG GATGACATTG ATGGCATCCA AGCCATATAT   780
           GGACGTTCCC AAAATCCTGT CCAGCCCATC GGCCCACAAA CCCCAAAAGC ATGTGACAGT   840
55         AAGCTAACCT TTGATGCTAT AACTACGATT CGGGGAGAAG TGATGTTCTT TAAAGACAGA   900
           TTCTACATGC GCACAAATCC CTTCTACCCG GAAGTTGAGC TCAATTTCAT TTCTGTTTTC   960
           TGGCCACAAC TGCCAAATGG GCTTGAAGCT GCTTACGAAT TTGCCGACAG AGATGAAGTC  1020
           CGGTTTTTCA AAGGGAATAA GTACTGGGCT GTTCAGGGAC AGAATGTGCT ACACGGATAC  1080
           CCCAAGGACA TCTACAGCTC CTTTGGCTTC CCTAGAACTG TGAAGCATAT CGATGCTGCT  1140
60         CTTTCTGAGG AAAACACTGG AAAAACCTAC TTCTTTGTTG CTAACAAATA CTGGAGGTAT  1200
           GATGAATATA AACGATCTAT GGATCCAGGT TATCCCAAAA TGATAGCACA TGACTTTCCT  1260
           GGAATTGGCC ACAAAGTTGA TGCAGTTTTC ATGAAAGATG GATTTTTCTA TTTCTTTCAT  1320
           GGAACAAGAC AATACAAATT TGATCCTAAA ACGAAGAGAA TTTTGACTCT CCAGAAAGCT  1380
65         AATAGCTGGT TCAACTGCAG GAAAAATTAG
```

Seq ID NO: 393 Protein sequence
Protein Accession #:   NP_002412.1

```
           1          11         21         31         41         51
70         |          |          |          |          |          |
           MHSPPPLLLL LFWGVVSHSP PATLETQEQD VDLVQKYLEK YYNLKNDGRQ VEKRRNSGPV    60
           VEKLKQMQEF FGLKVTGKPD AETLKVMKQP RCGVPDVAQF VLTEGNPRWE QTHLTYRIEN   120
           YTPDLPRADV DHAIEKAFQL WSNVTPLTFT KVSEGQADIM ISPVRGDHRD NSPFDGPGGN   180
75         LAHAFQPGPG IGGDAHFDED ERWTNNFREY NLHRVAAHAL GHSLGLSHST DIGALMYPSY   240
           TFSGDVQLAQ DDIDGIQAIY GRSQNPVQPI GPQTPKACDS KLTFDAITTI RGEVMFFKDR   300
           FYMRTNPFYP EVELNPISVF WPQLPNGLEA AYEFADRDEV RFFKGNKYWA VQGQNVLHGY   360
           PKDIYSSPGF PRTVKHIDAA LSEENTGKTY FFVANKYWRY DEYKRSMDPG YPKMIAHDFP   420
80         GIGHKVDAVF MKDGFFYFFH GTRQYKFDPK TKRILTLQKA NSWFNCRKN
```

Seq ID NO: 394 DNA sequence
Nucleic Acid Accession #: NM_014331.2
Coding sequence: 1..1506

```
           1          11         21         31         41         51
85         |          |          |          |          |          |
```

```
        ATGGTCAGAA AGCCTGTTGT GTCCACCATC TCCAAAGGAG GTTACCTGCA GGGAAATGTT    60
        AACGGGAGGC TGCCTTCCCT GGGCAACAAG GAGCCACCTG GGCAGGAGAA AGTGCAGCTG   120
        AAGAGGAAAG TCACTTTACT GAGGGGAGTC TCCATTATCA TTGGCACCAT CATTGGAGCA   180
        GGAATCTTCA TCTCTCCTAA GGGCGTGCTC CAGAACACGG GCAGCGTGGG CATGTCTCTG   240
        ACCATCTGGA CGGTGTGTGG GGTCCTGTCA CTATTTGGAG CTTTGTCTTA TGCTGAATTG   300
        GGAACAACTA TAAAGAAATC TGGAGGTCAT TACACATATA TTTTGGAAGT CTTTGGTCCA   360
        TTACCAGCTT TTGTACGAGT CTGGGTGGAA CTCCTCATAA TACGCCCTGC AGCTACTGCT   420
        GTGATATCCC TGGCATTTGG ACGCTACATT CTGGAACCAT TTTTTATTCA ATGTGAAATC   480
        CCTGAACTTG CGATCAAGCT CATTACAGCT GTGGGCATAA CTGTAGTGAT GGTCCTAAAT   540
        AGCATGAGTG TCAGCTGGAG CGCCCGGATC CAGATTTTCT TAACCTTTTG CAAGCTCACA   600
        GCAATTCTGA TAATTATAGT CCCTGGAGTT ATGCAGCTAA TTAAAGGTCA AACGCAGAAC   660
        TTTAAAGACG CGTTTTCAGG AAGAGATTCA AGTATTACGC GGTTGCCACT GGCTTTTTAT   720
        TATGGAATGT ATGCATATGC TGGCTGGTTT TACCTCAACT TTGTTACTGA AGAAGTAGAA   780
        AACCCTGAAA AAACCATTCC CCTTGCAATA TGTATATCCA TGGCCATTGT CACCATTGGC   840
        TATGTGCTGA CAAATGTGGC CTACTTTACG ACCATTAATG CTGAGGAGCT GCTGCTTTCA   900
        AATGCAGTGG CAGTGACCTT TTCTGAGCGG CTACTGGGAA ATTTCTCATT AGCAGTTCCG   960
        ATCTTTGTTG CCCTCTCCTG CTTTGGCTCC ATGAACGGTG GTGTGTTTGC TGTCTCCAGG  1020
        TTATTCTATG TTGCGTCTCG AGAGGGTCAC CTTCCAGAAA TCCTCTCCAT GATTCATGTC  1080
        CGCAAGCACA CTCCTCTACC AGCTGTTATT GTTTTGCACC CTTTGACAAT GATAATGCTC  1140
        TTCTCTGGAG ACCTCGACAG TCTTTTGAAT TTCCTCAGTT TTGCCAGGTG GCTTTTTATT  1200
        GGGCTGGCAG TTGCTGGGCT GATTTATCTT CGATACAAAT GCCCAGATAT GCATCGTCCT  1260
        TTCAAGGTGC CACTGTTCAT CCCCAGCTTTG TTTTCCTTCA CATGCCTCTT CATGGTTGCC  1320
        CTTTCCCTCT ATTCGGACCC ATTTAGTACA GGGATTGGCT TCGTCATCAC TCTGACTGGA  1380
        GTCCCTGCGT ATTATCTCTT TATTATATGG GACAAGAAAC CCAGGTGGTT TAGAATAATG  1440
        TCAGAGAAAA TAACCAGAAC ATTACAAATA ATACTGGAAG TTGTACCAGA AGAAGATAAG  1500
        TTATGAACTA ATGGACTTGA GATCTTGGCA ATCTGCCCAA GGGGAGACAC AAAATAGGGA  1560
        TTTTTACTTC ATTTTCTGAA AGTCTAGAGA ATTACAACTT TGGTGATAAA CAAAAGGAGT  1620
        CAGTTATTTT TATTCATATA TTTTTAGCATA TTCGAACTAA TTTTCTAAGAA ATTTAGTTAT  1680
        AACTCTATGT AGTTATAGAA AGTGAATATG CAGTTATTCT ATGACTCGCA CAATTCTTGA  1740
        GTCTCTGATA CCTACCTATT GGGGTTAGGA GAAAAGACTA GACAATTACT ATGTGGTCAT  1800
        TCTCTACAAC ATATGTTAGC ACGGCAAAGA ACCTTCAAAT TGAAGACTGA GATTTTTCTG  1860
        TATATATGGG TTTTGTAAAG ATGGTTTTAC ACACTACAGA TGTCTATACT GTGAAAAGTG  1920
        TTTTCAATTC TGAAAAAAAG CATACATCAT GATTATGGCA AAGAGGAGAG AAAGAAATTT  1980
        ATTTTACATT GACATTGCAT TGCTTCCCCT TAGATACCAA TTTAGATAAC AAACACTCAT  2040
        GCTTTAATGG ATTATACCCA GAGCACTTTG AACAAAGGTC AGTGGGGATT GTTGAATACA  2100
        TTAAAGAAGA GTTTCTAGGG GCTACTGTTT ATGAGACACA TCCAGGAGTT ATGTTTAAGT  2160
        AAAAATCCTT GAGAATTTAT TATGTCAGAT GTTTTTTCAT TCATTATCAG GAAGTTTTAG  2220
        TTATCTGTCA TTTTTTTTTT TCACATCAGT TTGATCAGGA AAGTGTATAA CACATCTTAG  2280
        AGCAAGAGTT AGTTTGGTAT TAAATCCTCA TTAGAACAAC CACCTGTTTC ACTAATAACT  2340
        TACCCCTGAT GAGTCTATCT AAACATATGC ATTTTAAGCC TTCAAATTAC ATTATCAACA  2400
        TGAGAGAAAT AACCAACAAA GAAGATGTTC AAAATAATAG TCCCATATCT GTAATCATAT  2460
        CTACATGCAA TGTTAGTAAT TCTGAAGTTT TTTAAATTTA TGGCTATTTT TACACGATGA  2520
        TGAATTTTGA CAGTTTGTGC ATTTTCTTTA TACATTTTAT ATTCTTCTGT TAAAATATCT  2580
        CTTCAGATGA AACTGTCCAG ATTAATTAGG AAAAGGCATA TATTAACATA AAAATTGCAA  2640
        AAGAAATGTC GCTGTAAATA AGATTTACAA CTGATGTTTC TAGAAAATTT CCACTTCTAT  2700
        ATCTAGGCTT TGTCAGTAAT TTCCACACCT TAATTATCAT TCAACTTGCA AAAGAGACAA  2760
        CTGATAAGAA GAAAATTGAA ATGAGAATCT GTGGATAAGT GTTTGTGTTC AGAAGATGTT  2820
        GTTTTGCCAG TATTAGAAAA TACTGTGAGC CGGGCATGGT GGCTTACATC TGTAATCCCA  2880
        GCACTTTGGG AGGCTGAGGG GGTGGATCAC CTGAGGTCGG GAGTTCTAGA CCAGCCTGAC  2940
        CAACATGGAG AAACCCCATC TCTACTAAAA ATACAAAATT AGCTGGGCAT GGTGGCACAT  3000
        GCTGGTAATC TCAGCTATTG AGGAGGCTGA GGCAGGAGAA TTGCTTGAAC CCGGGAGGCG  3060
        GAGGTTGCAG TGAGCCAAGA TTGCACCACT GTACTCCAGC CTGGGTGACA AAGTCAGACT  3120
        CCATCTCCAA AAAAAAAAAA AAAA
```

Seq ID NO: 395 Protein sequence
Protein Accession #: NP_055146.1

```
        1         11        21        31        41        51
        |         |         |         |         |         |
        MVRKPVVSTI SKGGYLQGNV NGRLPSLGNK EPPGQEKVQL KRKVTLLRGV SIIIGTIIGA    60
        GIFISPKGVL QNTGSVGMSL TIWTVCGVLS LFGALSYAEL GTTIKKSGGH YTYILEVFGP   120
        LPAFVRVWVE LLIIRPAATA VISLAFGRYI LEPFFIQCEI PELAIKLITA VGITVVMVLN   180
        SMSVSWSARI QIFLTFCKLT AILIIIVPGV MQLIKGQTQN FKDAFSGRDS SITRLPLAFY   240
        YGMYAYAGWF YLNFVTEEVE NPEKTIPLAI CISMAIITGV YVLTNVAYFT TINAEELLLS   300
        NAVAVTFSER LLGNFSLAVP IFVALSCFGS MNGGVPAVSR LPYVASREGH LPEILSMIHV   360
        RKHTPLPAVI VLHPLTMIML FSGDLDSLLN FLSFARWLFI GLAVAGLIYL RYKCPDMHRP   420
        FKVPLFIPAL PSPTCLFMVA LSLYSDPFST GIGFVITLTG VPAYYLPIIW DKKPRWFRIM   480
        SEKITRTLQI ILEVVPEEDK L
```

Seq ID NO: 396 DNA sequence
Nucleic Acid Accession #: NM_006528
Coding sequence: 57..764

```
        1         11        21        31        41        51
        |         |         |         |         |         |
        GCCGCCAGCG GCTTTCTCGG ACGCCTTGCC CAGCGGGCCG CCCGACCCCC TGCACCATGG    60
        ACCCCGCTCG CCCCCTGGGG CTGTCGATTC TGCTGCTTTT CCTGACGGAG GCTGCACTGG   120
        GCGATGCTGC TCAGGAGCCA ACAGGAAATA ACGCGGGAGT CTGTCTCCTG CCCCTAGACT   180
        ACGGACCCTG CCGGGCCCTA CTTCTCCGTT ACTACTACGA CAGGTACACG CAGAGCTGCC   240
        GCCAGTTCCT GTACGGGGGC TGCGAGGGCA ACGCCAACAA TTTCTACACC TGGGAGGCTT   300
        GCGACGATGC TTGCTGGAGG ATAGAAAAAG TTCCCAAAGT TTGCCGGCTG CAAGTGAGTG   360
        TGGACGACCA GTGTGAGGGG TCCACAGAAA AGTATTTCTT TAATCTAAGT TCCATGACAT   420
        GTGAAAAATT CTTTTCCGGT GGGTGTCACC GGAACCGGAT TGAGAACGGG TTTGCCGATG   480
        AAGCTACTTG TATGGGCTTC TGCGCACCAA AGAAAATTCC ATCATTTTGC TACAGTCCAA   540
        AAGATGAGGG ACTGTGCTCT GCCAATGTGA CTCGCTATTA TTTTAATCCA AGATACAGAA   600
        CCTGTGATGC TTTCACCTAT ACTGGCTGTG GAGGGAATGA CAATAACTTT GTTAGCAGGG   660
```

```
        AGGGATTGCAA  ACGTGCATGT  GCAAAAGCTT  TGAAAAAGAA  AAAGAAGATG  CCAAAGCTTC    720
        GCTTTGCCAG  TAGAATCCGG  AAAATTCGGA  AGAAGCAATT  TTAAACATTC  TTAAATATGTC   780
        ATCTTGTTTG  TCTTTATGGC  TTATTTGCCT  TTATGGTTGT  ATCTGAAGAA  TAATATGACA    840
        GCATGAGGAA  ACAAATCATT  GGTGATTTAT  TCACCAGTTT  TTATTAATAC  AAGTCACTTT    900
        TTCAAAAATT  TGGATTTTTT  TATATATAAC  TAGCTGCTAT  TCAAATGTGA  GTCTACCATT    960
        TTTAATTTAT  GGTTCAACTG  TTTGTGAGAC  GAATTCTTGC  AATGCATAAG  ATATAAAAGC   1020
        AAAATATGACT CACTCATTTC  TTGGGGTCGT  ATTCCTGATT  TCAGAAGAGG  ATCATAACTG   1080
        AAACAACATA  AGACAATATA  ATCATGTGCT  TTTAACATAT  TTGAGAATAA  AAAGGACTAG   1140
        CC
```

Seq ID NO: 397 Protein sequence
Protein Accession #: NP_006519

```
1           11          21          31          41          51
|           |           |           |           |           |
MDPARPLGLS  ILLLFLTEAA  LGDAAQEPTG  NNAEICLLPL  DYGPCRALLL  RYYYDRYTQS     60
CRQFLYGGCE  GNANNFYTWE  ACDDACWRIE  KVPKVCRLQV  SVDDQCEGST  EKYFFNLSSM    120
TCEKFPSGGC  HRNRIENRFP  DEATCMGPCA  PKKIPSPCYS  PKDEGLCSAN  VTRYYFNPRY    180
RTCDAFTYTG  CGGNDNNFVS  REDCKRACAK  ALKKKKKMPK  LRFASRIRKI  RKKQP
```

Seq ID NO: 398 DNA sequence
Nucleic Acid Accession #: NM_001508.1
Coding sequence: 1..1361

```
1           11          21          31          41          51
|           |           |           |           |           |
ATGGCTTCAC  CCAGCCTCCC  GGGCAGTGAC  TGCTCCCAAA  TCATTGATCA  CAGTCATGTC    60
CCCGAGTTTG  AGGTGGCCAC  CTGGATCAAA  ATCACCCTTA  TTCTGGTGTA  CCTGATCATC   120
TTCGTGATGG  GCCTTCTGGG  GAACAGCGTC  ACCATTCGGG  TCACCCAGGT  GCTGCAGAAG   180
AAAGGATACT  TGCAGAAGGA  GGTGACAGAC  CACATGGTGA  GTTTGGCTTG  CTCGGACATC   240
TTGGTGTTCA  TCATCGGCAT  GCCCATGGAG  TTCTACAGCA  TCATCTGGAA  TCCCCTGACC   300
ACGTCCAGCT  ACACCCTGTC  CTGCAAGCTG  CACACTTTCC  TCTTCGAGGC  CTGCAGCTAC   360
GCTACGCTGC  TGCACGTGCT  GACGCTCAGC  TTTGAGCGCT  ACATCGCCAT  CTGTCACCCC   420
TTCAGGTACA  AGGCTGTGTC  GGGACCTTGC  CAGGTGAAGC  TGCTGATTGG  CTTCGTCTGG   480
GTCACCTCGG  CCCTGGTGGC  ACTGCCCTTG  CTGTTTGCCA  TGGGTACTGA  GTACCCCCTG   540
GTGAACGTGC  CCAGCCACCG  GGGTCTCACT  TGCAACCGCT  CCAGCACCCG  CCACCACGAG   600
CAGCCCGAGA  CCTCCAATAT  GTCCATCTGT  ACCAACCTCT  CCAGCCGCTG  GACCGTGTTC   660
CAGTCCAGCA  TCTTCGGCGC  CTTCGTGGTC  TACCTCGTGG  TCCTGCTCTC  CGTAGCCTTC   720
ATGTGCTGGA  ACATGATGCA  GGTGCTCATG  AAAAGCCAGA  AGGGCTCGCT  GGCCGGGGGC   780
ACGCGGCCTC  CGCAGCCTGAG  GAAGTCCGAG  AGCGAAGAGA  GCAGGACCGC  CAGGAGGCAG   840
ACCATCATCT  TCCTGAGGCT  GATTGTTGTG  ACATTGGCCG  TATGCTGGAT  GCCCAACCAG   900
ATTCGGAGGA  TCATGGCTGC  GGCCAAACCC  AAGCACGACT  GGACGAGGTC  CTACTTCCGG   960
GCGTACATGA  TCCTCCTCCC  CTTCTCGGAG  ACGTTTTTCT  ACCTCAGCTC  GGTCATCAAC   1020
CCGCTCCTGT  ACAGGGTGTC  CTCGCAGCAG  TTTCGGCGGG  TGTTCGTGCA  GGTGCTGTGC   1080
TGCCGCCTGT  CGCTGCAGCA  CGCCAACCAC  GAGAAGCGCC  TGCGCGTACA  TGCGCCACTCC  1140
ACCACCGACA  GCGCCCGCTT  TGTGCAGCGAC  CCGTTGCTCT  TCGCGTCCCG  GCGCCAGTCC   1200
TCTGCAAGGA  GAACTGAGAA  GATTTTCTTA  AGCACTTTTC  AGAGCGAGGC  CGAGCCCCAG   1260
TCTAAGTCCC  AGTCATTGAG  TCTCGAGTCA  CTAGAGCCCA  ACTCAGGCGC  GAAACCAGCC   1320
AATTCTGCTG  CAGAGAATGG  TTTTCAGGAG  CATGAAGTTT  GA
```

Seq ID NO: 399 Protein sequence
Protein Accession #: NP_001499.1

```
1           11          21          31          41          51
|           |           |           |           |           |
MASPSLPGSD  CSQIIDHSHV  PEFEVATWIK  ITLILVYLII  FVMGLLGNSV  TIRVTQVLQK     60
KGYLQKEVTD  HMVSLACSDI  LVFLIGMPME  FYSIIWNPLT  TSSYTLSCKL  HTFLFEACSY    120
ATLLHVLTLS  FERYIAICHP  FRYKAVSGPC  QVKLLIGFVW  VTSALVALPL  LFAMGTEYPL    180
VNVPSHRGLT  CNRSSTRHHE  QPETSNMSIC  TNLSSRWTVF  QSSIFGAFVV  YLVVLLSVAF    240
MCWNMMQVLM  KSQKGSLAGG  TRPPQLRKSE  SEESRTARRQ  TIIFLRLIVV  TLAVCWMPNQ    300
IRRIMAAKP   KHDWTRSYFR  AYMILLPPSE  TPFYLSSVIN  PLLYTVSSQQ  FRRVFVQVLC    360
CRLSLQHANH  EKRLRVHAHS  TTDSARFVQR  PLLFASRRQS  SARRTEKIFL  STFQSEAEPQ    420
SKSQSLSLES  LEPNSGAKPA  NSAAENGPQE  HEV
```

Seq ID NO: 400 DNA sequence
Nucleic Acid Accession #: NM_006475.1
Coding sequence: 28..2538

```
1           11          21          31          41          51
|           |           |           |           |           |
AACAGAACTG  CAACGGAGAG  ACTCAAGATG  ATTCCCTTTT  TACCCATGTT  TTCTCTACTA     60
TTGCTGCTTA  TTGTTAACCC  TATAAACGCC  AACAATCATT  ATGACAAGAT  CTTGGCTCAT    120
AGTCGTATCA  GGGGTCGGGA  CCAAGGCCCA  AATGTCTGTG  CCCTTCAACA  GATTTTGGGC    180
ACCAAAAAGA  AATACTTCAG  CACTTGTAAG  AACTGGTATA  AAAAGTCCAT  CTGTGTGGACAG  240
AAAACGACTG  TTTTATATGA  ATGTTGCCCT  GGTTATATGA  GAATGGAAGG  AATGAAAGGC    300
TGCCCAGCAG  TTTTTGCCCAT  TGACCATGTT  TATGGCACTC  TGGGCATCGT  GGGAGCCACC    360
ACAACGCAGC  GCTATTCTGA  CGCCTCAAAA  CTGAGGGAGG  AGATCGAGGG  AAAGGGATCC    420
TTCACTTACT  TTGCACCGAG  TAATGAGGCT  TGGGACAACT  TGGATTCTGA  TATCCGTAGA    480
GGTTTGGAGA  GCAACGTGAA  TGTTGAATTA  CTGAATGCTT  TACATAGTCA  CATGATTAAT    540
AAGAGAATGT  TGACCAAGGA  CTTAAAAAAT  GGCATGATTA  TTCCTTCAAT  GTATAACAAT    600
TTGGGGCTTT  TCATTAACCA  TTATCCTAAT  GGGGTTGTCA  CTGTTAATTG  TGCTCGGAATC   660
ATCCATGGGA  ACCAGATTGC  AACAAATGGT  GTTGTCCATG  TCATTGACCG  TGTGCTTACA    720
CAAATTGGTA  CCTCAATTCA  AGACTTCATT  GAAGCAGAAG  ATGACCTTTC  ATCTTTTAGA    780
GCAGCTGCCA  TCACATCGGA  CATATTGGAG  GCCCTTGGAA  GAGACGGTCA  CTTCACACTC    840
TTTGCTCCCA  CCAATGAGGC  TTTTGAGAAA  CTTCCACGAG  GTGTCCTAGA  AAGGTTCATG    900
GGAGACAAAG  TGGCTTCCGA  AGCTCTTATG  AAGTACCACA  TCTTAAATAC  TCTCCAGTGT    960
TCTGAGTCTA  TTATGGGAGG  AGCAGTCTTT  GAGACGCTGG  AAGGAAATAC  AATTGAGATA   1020
```

```
     GGATGTGACG GTGACAGTAT AACAGTAAAT GGAATCAAAA TGGTGAACAA AAAGGATATT 1080
     GTGACAAATA ATGGTGTGAT CCATTTGATT GATCAGGTCC TAATTCCTGA TTCTGCCAAA 1140
     CAAGTTATTG AGCTGGCTGG AAAACAGCAA ACCACCTTCA CGGATCTTGT GGCCCAATTA 1200
     GGCTTGGCAT CTGCTCTGAG GCCAGATGGA GAATACACTT TGCTGGCACC TGTGAATAAT 1260
  5  GCATTTTCTG ATGATACTCT CAGCATGGTT CAGCGCCTCC TTAAATTAAT TCTGCAGAAT 1320
     CACATATTGA AAGTAAAAGT TGGCCTTAAT GAGCTTTACA ACGGGCAAAT ACTGGAAACC 1380
     ATCGGAGGCA AACAGCTCAG AGTCTTCGTA TATCGTACAG CTGTCTGCAT TGAAAATTCA 1440
     TGCATGGAGA AAGGGAGTAA GCAAGGGAGA AACGGTGCGA TTCACATATT CCGCGAGATC 1500
     ATCAAGCCAG CAGAGAAATC CCTCCATGAA AAGTTAAAAC AAGATAAGCG CTTTAGCACC 1560
 10  TTCCTCAGCC TACTTGAAGC TGCAGACTTG AAAGAGCTCC TGACACAACC TGGAGACTGG 1620
     ACATTATTTG TGCCAACCAA TGATGCTTTT AAGGGAATGA CTAGTGAAGA AAAGGAAATT 1680
     CTGATACGGG ACAAAAATGC TCTTCAAAAC ATCATTCTTT ATCACCTGAC ACCAGGAGTT 1740
     TTCATTGGAA AAGGATTTGA ACCTGGTGTT ACTAACATTT TAAAGACCAC ACAAGGAAGC 1800
     AAAATCTTTC TGAAAGAAGT AAATGATACA CTTCTGGTGA ATGAATTGAA ATCAAAAGAA 1860
 15  TCTGACATCA TGACAACAAA TGGTGTAATT CATGTTGTAG ATAAACTCCT CTATCCAGCA 1920
     GACACACCTG TTGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980
     CAAATTAAGT TTGTTCGTGG TAGCACCTTC AAAGAAATCC CCGTGACTGT CTATACAACT 2040
     AAAATTATAA CCAAAGTTGT GGAACCAAAA ATTAAAGTGA TTGAAGGCAG TCTTCAGCCT 2100
     ATTATCAAAA CTGAAGGACC CACACTAACA AAAGTCAAAA TTGAAGGTGA ACCTGAATTC 2160
 20  AGACTGATTA AAGAAGGTGA AACAATAACT GAAGTGATCC ATGGAGAGCC AATTATTAAA 2220
     AAATACACCA AAATCATTGA TGGAGTGCCT GTGGAAATAA CTGAAAAAGA GACACGAGAA 2280
     GAACGAATCA TTACAGGTCC TGAAATAAAA TACACTAGGA TTTCTACTGG AGGTGGAGAA 2340
     ACAGAAGAAA CTCTGAAGAA ATTGTTACAA GAAGAGGTCA CCAAGGTCAC CAAATTCATT 2400
     GAAGGTGGTG ATGGTCATTT ATTTGAAGAT GAAGAAATTA AAAGACTGCT TCAGGGAGAC 2460
 25  ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTCTAGAAG ACGATTAAGG 2520
     GAAGGTCGTT CTCAGTGAAA ATCCAAAAAC CAGAAAAAAA TGTTTATACA ACCCTAAGTC 2580
     AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640
     ACAAAGAAGC AATCATCAAA TAATTCTGAA CACAAATTTA ATATTTTTTT TTCTGAATGA 2700
     GAAACATGAG GGAAATTGTG GAGTTAGCCT CCTGTGGTAA AGGAATTGAA GAAAATATAA 2760
 30  CACCTTACAC CCTTTTTCAT CTTGACATTA AAAGTTCTGG CTAACTTTGG AATCCATTAG 2820
     AGAAAAATCC TTGTCACCAG ATTCATTACA ATTCAAATCG AAGAGTTGTG AACTGTTATC 2880
     CCATTGAAAA GACCGAGCCT TGTATGTATG TTATGGATAC ACAAAATGCA CGCAAGCCAT 2940
     TATCTCTCCA TGGGAAGCTA AGTTATAAAA ATAGGTGCTT GGTGTACAAA ACTTTTTATA 3000
     TCAAAAGGCT TTGCACATTT CTATATGAGT GGGTTTACTG GTAAATTATG TTATTTTTTA 3060
 35  CAACTAATTT TGTACTCTCA GAATGTTTGT CATATGCTTC TTGCAATGCA TATTTTTTAA 3120
     TCTCAAACGT TTCAATAAAA CCATTTTTCA GATATAAAGA GAATTACTTC AAATTGAGTA 3180
     ATTCAGAAAA ACTCAAGATT TAAGTTAAAA AGTGGTTTGG ACTTGGGAA
```

Seq ID NO: 401 Protein sequence
Protein Accession #: NP_006466.1

```
  1         11        21        31        41        51
  |         |         |         |         |         |
 MIPFLPMFSL LLLLIVNPIN ANNHYDKILA ESRIRGRDQG PNVCALQQIL GTKKKYFSTC  60
 KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TTTQRYSDAS 120
 KLREEIEGKG SPTYFAPSNE AWDNLDSDIR RGLESNVNVE LLNALHSHMI NKRMLTKDLK 180
 NGMIIPSMYN NLGLFINHYP NGVVTVNCAR IIHGNQIATN GVVHVIDRVL TQIGTSIQDF 240
 IEAEDDLSSF RAAAITSDIL EALGRDGHFT LPAPTNEAFE KLPRGVLERF MGDKVASEAL 300
 MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360
 IDQVLIPDSA KQVIELAGKQ QTTPTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420
 VQRLLKLILQ NHILKVKVGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
 RNGAIHIFRE IIKPAEKSLH ERLKQDKRFS TFLSLLEAAD LKELLTQPGD WTLFVPTNDA 540
 FKGMTSEEKE ILIRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTQG SKIFLKEVND 600
 TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660
 FKEIPVTVYT TKIITKVVEP KIKVIEGSLQ PIIKTEGPTL TKVKIEGEPE FRLIKEGETI 720
 TEVIHGEPII KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG ETEETLKKLL 780
 QEEVTKVTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRRL REGRSQ
```

Seq ID NO: 402 DNA sequence
Nucleic Acid Accession #: NM_002416
Coding sequence: 40..417

```
  1         11        21        31        41        51
  |         |         |         |         |         |
 ATCCAATACA GGAGTGACTT GGAACTCCAT TCTATCACTA TGAAGAAAAG TGGTGTTCTT  60
 TTCCTCTTGG GCATCATCTT GCTGGTTCTG ATTGGAGTGC AAGGAACCCC AGTAGTGAGA 120
 AAGGGTCGCT GTTCCTGCAT CAGCACCAAC CAAGGGACTA TCCACCTACA ATCCTTGAAA 180
 GACCTTAAAC AATTTGCCCC AAGCCCTTCC TGCGAGAAAA TTGAAAACAT TGCTACACTG 240
 AAGAATGGAG TTCAAACATG TCTAAACCCA GATTCAGCAG ATGTGAAGGA ACTGATTAAA 300
 AAGTGGGAGA AACAGGTCAG CCAAAAGAAA AAGCAAAAGA ATGGGAAAAA ACATCAAAAA 360
 AAGAAAGTTC TGAAAGTTCA AAAATCTCAA CGTTCTCGTC AAAAAGAAGC TACATAAGAG 420
 ACCACTTCAC CAATAAGTAT TCTGTGTTAA AAATGTTCTA TTTTAATTAT ACCGCTATCA 480
 TTCCAAAGGA GGATGGCATA TAATACAAAG GCTTATTAAT TTGACTAGAA AATTTAAAAC 540
 ATTACTCTGA AATTGTAACT AAAGTTAGAA AGTTGATTTT AAGAATCCAA ACGTTAAGAA 600
 TTGTTAAAGG CTATGATTGT CTTTGTTCTT CTACCACCCA CCAGTTGAAT TTCATCATGC 660
 TTAAGGCCAT GATTTTAGCA ATACCCATGT CTACACAGAT GTTCACCCAA CCACATCCCA 720
 CTCACAACAG CTGCCTGGAA GAGCAGCCCT AGGCTTCCAC GTACTGCAGC CTCCAGAGA  780
 TATCTGAGGC ACATGTCAGC AAGTCCTAAG CCTGTTAGCA TGCTGGTGAG CCAAGCAGTT 840
 TGAAATTGAG CTGGACCTCA CCAAGCTGCT GTGGCCATCA ACCTCTGTAT TTGAATCAGC 900
 CTACAGGCCT CACACACAAT GTGTCTGAGA GATTCATGCT GATTGTTATT GGGTATCCAA 960
 ACTGGAGATC ACCAGTGTGT GGCTTTCAGA GCCTCCTTTC TGGCTTTGGA AGCCATGTGA 1020
 TTCCATCTTG CCCGCTCAGG CTGACCACTT TATTTCTTTT TGTTCCCCTT TGCTTCATTC 1080
 AAGTCAGCTC TTCTCCATCC TACCACAATG CAGTGCCTTT CTTCTCTCCA GTGCACCTGT 1140
 CATATGCTCT GATTTATCTG AGTCAACTCC TTTCTCATCT TGTCCCCAAC ACCCCACAGA 1200
 AGTGCTTTCT TCTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAAGT CCTGCCTCTT 1260
 AAATAAACCT TTTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320
 CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCTAT CTCTCCAACC 1380
```

```
AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTATATTT CCCTGTTTCT TCCACAGTGC    1440
CTAATAATAC TGTGGAACTA GGTTTTAATA ATTTTTTAAT TGATGTTGTT ATGGGCAGGA    1500
TGGCAACCAG ACCATTGTCT CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTGG    1560
CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG GACCAGGGAT    1620
GATGCAACAT CCTTGTCTTT TTATGACAGG ATGTTTGCTC AGCTTCTCCA ACAATAAGAA    1680
GCACGTGGTA AAACACTTGC GGATATTCTG GACTGTTTTT AAAAAAATATA CAGTTTACCG    1740
AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC    1800
CCAACCATAC AAAAATTCCT TTTCCCGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT    1860
TCTAAGATCT AACAAGATAG CCACCGAGAT CCTTATCGAA ACTCATTTTA GGCAAATATG    1920
AGTTTTATTG TCCGTTTACT TGTTTCAGAG TTTGTATTGT GATTATCAAT TACCACACCA    1980
TCTCCCATGA AGAAAGGGAA CGGTGAAGTA CTAAGCGCTA GAGGAAGCAG CCAAGTCGGT    2040
TAGTGGAAGC ATGATTGGTG CCCAGTTAGC CTCTGCAGGA TGTGGAAAGC TCCTTCCAGG    2100
GGAGGTTCAG TGAATTGTGT AGGAGAGGGT GTCTGTGGCC AGAATTTAAA CCTATACTCA    2160
CTTTCCCAAA TTGAATCACT GCTCACACTG CTGATGATTT AGAGTGCTGT CCGGTGGAGA    2220
TCCCACCCGA ACGTCTTATC TAATCATGAA ACTCCCTAGT TCCTTCATGT AACTTCCCTG    2280
AAAAATCTAA GTGTTTCATA AATTTGAGAG TCTGTGACCC ACTTACCTTG CATCTCACAG    2340
GTAGACAGTA TATAACTAAC AACCAAAGAC TACATATTGT CACTGACACA CACGTTATAA    2400
TCATTTATCA TATATATACA TACATGCATA CACTCTCAAA GCAAATAATT TTTCACTTCA    2460
AAACAGTATT GACTTGTATA CCTTGTAATT TGAAATATTT TCTTTGTTAA AATAGAATGG    2520
TATCAATAAA TAGACCATTA ATCAG
```

Seq ID NO: 403 Protein sequence
Protein Accession #: NP_002407

```
1          11         21         31         41         51
|          |          |          |          |          |
MKKSGVLFLL GIIILLVLIGV QGTPVVRKGR CSCISTNQGT IHLQSLKDLK QPAPSPSCEK    60
IEIIATLKNG VQTCLNPDSA DVKELIKKWE KQVSQKKKQK NGKKHQKKKV LKVRKSQRSR    120
QKKTT
```

Seq ID NO: 404 DNA sequence
Nucleic Acid Accession #: NM_006670
Coding sequence: 85..1347

```
1          11         21         31         41         51
|          |          |          |          |          |
CCGGCTCGCG CCCTCCGGGC CCAGCCTCCC GAGCCTTCGG AGCGGGCGCC GTCCCAGCCC    60
AGCTCCGGGG AAACGCGAGC CGCGATGCCT GGGGGGTGCT CCCGCGGGCC CGCGCGCCGGG    120
GACGGGCGTC TGCGGCTGGC GCGACTAGCG CTGGTACTCC TGGGCTGGGT CTCCTCGTCT    180
TCTCCCACCT CCTCGGCATC CTCCTTCTCC TCCTCGGCGC CGTTCCTGGC TTCCGCCGTG    240
TCCGCCCAGC CCCCGCTGCC GGACCAGTGC CCCGCGCTGT GCGAGTGCTC CGAGGCAGCG    300
CGCACAGTCA AGTGCGTTAA CCGCAATCTG ACCGAGGTGC CCACGGACCT GCCCGCCTAC    360
GTGCGCAACC TCTTCCTTAC CGGCAACCAG CTGGCCGTGC TCCCTGCCGG CGGCCTTCGCC    420
CGCCGGCCGC CGCTGGCGGA GCTGGCCGCG CTCAACCTCA GCGGCAGCCG CCTGGACGAG    480
GTGCGCGCGG GCGCCTTCGA GCATCTGCCC AGCCTGCGCC AGCTCGACCT CAGCCACAAC    540
CCACTGGCCG ACCTCAGTCC CTTCGCTTTC TCGGGCAGCA ATGCCAGCGT CTCGGCCCCC    600
AGTCCCCTTG TGGAACTGAT CCTGAACCAC ATCGTGCCCC CTGAAGATGA GCGGCAGAAC    660
CGGAGCTTCG AGGGCATGGT GGTGGCGGTC CTGCTGGCGG GCCGTGCACT GCAGGGGCTC    720
CGCCGCTTGG AGCTGGCCAG CAACCACTTC CTTTACCTGC CGCGGGATGT GCTGGCCCAA    780
CTGCCCAGCC TCAGGCACCT GGACTTAAGT AATAATTCGC TGGTGAGCCT GACCTACGTG    840
TCCTTCCGCA ACCTGACACA TCTAGAAAGC CTCCACCTGG AGGACAATGC CCTCAAGGTC    900
CTTCACAATG GCACCCTGGC TGAGTTGCAA GGTCTACCCG ACATTAGGGT TTTCCTGGAC    960
AACAATCCCT GGGTCTGCGA CTGCCACATG GCAGACATGG TGACCTGGCT CAAGGAAACA    1020
GAGGTAGTGC AGGGCAAAGA CCGGCTCACC TGTGCATATC CGGAAAAAAT GAGGGAATCGG    1080
GTCCTCTTGG AACTCAACAG TGCTGACCTG GACTGTGACC CGATTCTTCC CCCATCCCTG    1140
CAAACCTCTT ATGTCTTCCT GGGTATTGTT TTAGCCCTGA TAGGCGCTAT TTTCCTCCTG    1200
GTTTTGTATT TGAACCGCAA GGGGATAAAA AAGTGGATGC ATAACATCAG AGATGCCTGC    1260
AGGGATCACA TGGAAGGGTA TCATTACAGA TATGAAATCA ATGCGGACCC CAGATTAACA    1320
AACCTCAGTT CTAACTCGGA·TGTCTGAGAA ATATTAGAGG ACAGACCAAG GACAACTCTG    1380
CATGAGATGT AGACTTAAGC TTTATCCCTA CTAGGCTTGC TCCACTTTCA TCCTCCACTA    1440
TAGATACAAC GGACTTTGAC TAAAAGCAGT GAAGGGGATT TGCTTCCTTG TTATGTAAAG    1500
TTTCTCGGTG TGTTCTGTTA ATGTAAGACG ATGAACAGTT GTGTATAGTG TTTTACCCTC    1560
TTCTTTTTCT TGGAACTCCT CAACACGTAT GGAGGGATTT TTCAGGTTTC AGCATGAACA    1620
TGGGCTTCTT GCTGTCTGTC TCTCTCTCAG TACAGTTCAA GGTGTAGCAA GTGTACCCAC    1680
ACAGATAGCA TTCAACAAAA GCTGCCTCAA CTTTTTCGAG AAAAATACTT TATTCATAAA    1740
TATCAGTTTT ATTCTCATGT ACCTAAGTTG TGGAGAAAAT AATTGCATCC TATAAACTGC    1800
CTGCAGACGT TAGCAGGCTC TTCAAAATAA CTCCATGGTG CACAGGAGCA CCTGCATCCA    1860
AGAGCATGCT TACATTTTAC TGTTCTGCAT ATTACAAAAA ATAACTTGCA ACTTCATAAC    1920
TTCTTTGACA AAGTAAATTA CTTTTTTGAT TGCAGTTTAT ATGAAAATGT ACTGATTTTT    1980
TTTTAATAAA CTGCATCGAG ATCCAACCGA CTGAATTGTT AAAAAAAAAA AAAAATAAAG    2040
ATTCTTAAAA GAA
```

Seq ID NO: 405 Protein sequence
Protein Accession #: NP_006661

```
1          11         21         31         41         51
|          |          |          |          |          |
MPGGCSRGPA AGDGRLRLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPPLFD    60
QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLAVLPAGA PARRPPLAEL    120
AALNLSGSRL DEVRAGAFEH LPSLRQLDLS HNPLADLSPF AFSGSNASVS APSPLVELIL    180
NHIVPPEDER QNRSFEGMVV AALLAGRALQ GLRRLELASN HFLYLPRDVL AQLPSLRHLD    240
LSNNSLVSLT YVSFRNLTHL ESLHLEDNAL KVLENGTLAE LQGLPHIRVF LDNNPWVCDC    300
HMADMVTWLK ETEVVQGKDR LTCAYPEKMR NRVLLELNSA DLDCDPILPP SLQTSYVPLG    360
IVLALIGAIF LLVLYLNRKG IKKWMHNIRD ACRDHMEGYH YRYEINADPR LTNLSSNSDV
```

Seq ID NO: 406 DNA sequence
Nucleic Acid Accession #: Eos sequence

Coding sequence: 1..927

```
       1         11        21        31        41        51
       |         |         |         |         |         |
5      ATGCCTGGGG GGTGCTCCCG GGGCCCCGCC GCCGGGGACG GGCGTCTGCG GCTGGCGCGA      60
       CTAGCGCTGG TACTCCTGGG CTGGGTCTCC TCGTCTTCTG CCACCTCCTC GGCATCCTCT     120
       TTCTCCTCCT CGGCGCCGTT CCTGGCTTCG GCCGTGTCCG CCCAGCCCCC GCTGCCGGAC     180
       CAGTGCCCCG CGCTGTGCGA GTGCTCCGAG GCAGCGCGCA CAGTCAAGTG CGTTAACCGC     240
10     AATCTGACCG AGGTGCCCAC CGACCTGCCC GCCTACGTGC GCAACCTCTT CCTTACCGGC     300
       AACCAGCTGG CCAGCAACCA CTTCCTTTAC CTGCCGCGGG ATGTGCTGGC CCAACTGCCC     360
       AGCCTCAGGC ACCTGGACTT AAGTAATAAT TCGCTGGTGA GCCTGACCTA CGTGTCCTTC     420
       CGCAACCTGA CACATCTAGA AAGCCTCCAC CTGGAGGACA ATGCCCTCAA GGTCCTTCAC     480
       AATGGCACCC TGGCTGAGTT GCAAGGTCTA CCCCACATTA GGGTTTTCCT GGACAACAAT     540
15     CCCTGGGTCT GCGACTGCCA CATGGCAGAC ATGGTGACCT GGCTCAAGGA AACAGAGGTA     600
       GTGCAGGGCA AAGACCGGCT CACCTGTGCA TATCCGGAAA AAATGAGGAA TCGGGTCCTC     660
       TTGGAACTCA ACAGTGCTGA CCTGGACTGT GACCCGATTC TTCCCCCATC CCTGCAAACC     720
       TCTTATGTCT TCCTGGGTAT TGTTTTAGCC CTGATAGGCG CTATTTTCCT CCTGGTTTTG     780
       TATTTGAACC GCAAGGGGAT AAAAAAGTGG ATGCATAACA TCAGAGATGC CTGCAGGGAT     840
       CACATGGAAG GGTATCATTA CAGATATGAA ATCAATGCGG ACCCCAGATT AACAAACCTC     900
20     AGTTCTAACT CGGATGTCCT CGAGTGA
```

Seq ID NO: 407 Protein sequence
Protein Accession #: Eos sequence

```
       1         11        21        31        41        51
       |         |         |         |         |         |
25     MPGGCSRGPA AGDGRLRLAR LALVLLGWVS SSSPTSSASS PSSSAPPLAS AVSAQPPLPD      60
       QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLASNHFLY LPRDVLAQLP     120
       SLRHLDLSNN SLVSLTYVSF RNLTHLESLH LEDNALKVLH NGTLAELQGL PHIRVFLDNN     180
30     PWVCDCHMAD MVTWLKETEV VQGKDRLTCA YPEKMRNRVL LELNSADLDC DPILPPSLQT     240
       SYVFLGIVLA LIGAIFLLVL YLNRKGIKKW MHNIRDACRD HMEGYHYRYE INADPRLTNL     300
       SSNSDVLE
```

Seq ID NO: 408 DNA sequence
35 Nucleic Acid Accession #: NM_000095.1
Coding sequence: 26..2299

```
       1         11        21        31        41        51
       |         |         |         |         |         |
40     CAGCACCCAG CTCCCCGCCA CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC      60
       CCTGGCTGCC CTCGGCGCGT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC     120
       GCAGATGCTT CGGGAACTGC AGGAAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT     180
       GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGGAGT GTGACGCGTG     240
       CGGGATGCAG CAGTCAGTAC GCACCGGCCT ACCCAGCGTG CGGCCCCTGC TCCACTGCGC     300
45     GCCCGGCTTC TGCTTCCCCG GCGTGGCCTG CATCCAGACG GAGAGCGGCG ATGCGTGCGG     360
       CCCCTGCCCC GCGGGGCTTCA CGGGCAACGG CTCGCACTGC ACCGACGTCA ACGAGTGCAA     420
       CGCCCACCCC TGCTTCCCCC GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA     480
       GGCTTGCCCG CCGGGGTACA GCGGGCCCAC CCACCAGGGC GTGGGGCTGG CTTTCGCCAA     540
50     GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAACTGCGT     600
       CCCCAACTCC GTGTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCGG     660
       CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGGCGCA CAGCGCTTCT GCCCCGACGG     720
       CTCGCCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCCTA GAGCGCGATG GCTCGCGGTC     780
       GTGCGTGTGT CGCGTTGGCT GGGCCGGCAA CGGGATCCTC TGTGGTCGCG ACACTGACCT     840
55     AGACGGCTTC CGGGACGAGA AGCTGCGCTG CCCGGAGCCG CAGTGCCGTA AGGACAACTG     900
       CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACCGC GATGGCATCG GAGACGCCTG     960
       CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG    1020
       GAACCCAGAC CAGCGCAACA CGGACGAGGA CAAGTGGGGC GATGCGTGCG ACAACTGCCG    1080
       GTCCCAGAAG AACGACGACC AAAAGGACAC AGACCAGGAC GGCGGGGGCG ATGCGTGCGA    1140
       CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA    1200
60     CTCAGACCAG AAGGACAGTG ATGGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA    1260
       GAAGACCAAC CCGGATCAGG CGGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG    1320
       CGATCAAGAC CAGGATGGAG ACGGACATCA GGACTCTCGG GACAACTGTC CACGGTGCC    1380
       TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGCG ACGACGACGA    1440
       CGACAATGAC GGAGTCCCTG ACAGTCGGGA CAACTGCCGC CTGGTGCCTA ACCCCGGCCA    1500
65     GGAGGACGCG GACAGGGACG GCGTGGGCGA CGTGTGCCAG GACGACTTTG ATGCAGACAA    1560
       GGTGGTAGAC AAGATCGACG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTCAG    1620
       GGCCTTCCAG ACAGTCGTGC TGGACCCGGA GGGTGACGCG CAGATTGACC CCAACTGGGT    1680
       GGTGCTCAAC CAGGGAAGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTGT    1740
70     GGGTTACACT GCCTTCAATG GCGTGGACTT CGAGGGCACG TTCCATGTGA CACGGTCAC    1800
       GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT CTACGTGGT    1860
       CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA    1920
       GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGAAC AGCTGCGGAA    1980
       CGCTCTGTGG CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGGA AGGACCGGCG    2040
75     AAACGTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT    2100
       GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT    2160
       CTTGGACACA ACCATGCGGG GTGGCCGCCT GGGGGTCTTC TGCTTCTCCC AGGAGAACAT    2220
       CATCTGGGCC AACCTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA    2280
       TCAGCTGCGG CAAGCCTAGG ACCAGGGGTG AGGACCCGCC GGATGACAGC CACCCTCACC    2340
80     GCGGCTGGAT GGGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG    2400
       AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG
```

Seq ID NO: 409 Protein sequence
Protein Accession #: NP_000086.1

```
       1         11        21        31        41        51
       |         |         |         |         |         |
85     MVPDTACVLL LTLAALGASG QGQSPLGSDL GPQMLRELQE TNAALQDVRD WLRQQVREIT      60
```

336

```
FLKNTVMECD ACGMQQSVRT GLPSVRPLLH CAPGFCFPGV ACIQTESGGR CGPCPAGFTG   120
NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD   180
INECETGQHN CVPNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH   240
ADCVLERDGS RSCVCRVGWA GNGILCGRDT DLDGFPDEKL RCPEPQCRKD NCVTVPNSGQ   300
EDVDRDGIGD ACDPDADGDG VPNEKDNCPL VRNPDQRNTD EDKWGDACDN CRSQKNDDQK   360
DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD   420
VDHDPVGDAC DSDQDQDGDG HQDSRDNCPT VPNSAQEDSD HDGQGDACDD DDDNDGVPDS   480
RDNCRLVPNP GQEDADRDGV GDVCQDDFDA DKVVDKIDVC PENAEVTLTD FRAFQTVVLD   540
PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNGV DFEGTFHVNT VTDDDYAGFI   600
PGYQDSSSFY VVMWKQMEQT YWQANPFRAV ABPGIQLKAV KSSTGPGEQL RNALWHTGDT   660
ESQVRLLWKD PRNVGWKDRK SYRWPLQHRP QVGYIRVRFY EGPELVADSN VVLDTTMRGG   720
RLGVPCFSQE NIIWANLRYR CNDTIPEDYE THQLRQA
```

Seq ID NO: 410 DNA sequence
Nucleic Acid Accession #: NM_001565.1
Coding sequence: 67..363

```
1          11         21         31         41         51
|          |          |          |          |          |
GAGACATTCC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC    60
AGCACCATGA ATCAAACTGC GATTCTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC   120
ATTCAAGGAG TACCTCTCTC TAGAACGGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA   180
CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA   240
CGTGTTGAGA TCATTGCTAC AATGAAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA   300
TCGAAGGCCA TCAAGAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT   360
TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGGACCAC ACAGAGGCTG   420
CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAAATTGTTC TTAGTTTGCA   480
GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAATCAGC TGCTACTACT CCTGTAGGAA   540
GGTTAATGTT CATCATCCTA AGCTATTCAG TAATAACTCT ACCCTGCAC TATAATGTAA   600
GCTCTACTGA GGTGCTATGT TCTTAGTGGA TGTTCTGACC CTGCTTCAAA TATTTCCCTC   660
ACCTTTCCCA TCTTCCAAGG GTACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC   720
TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAAATCTG CTTTTTAAAG AATGCTCTTT   780
ACTTCATGGA CTTCCACTGC CATCCTCCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA   840
CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTGTT   900
CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATTGT   960
TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA  1020
TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG  1080
TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG
```

Seq ID NO: 411 Protein sequence
Protein Accession #: NP_001556.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MNQTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV    60
EIIATMKKKG EKRCLNPESK AIKNLLKAVS KEMSKRSP
```

Seq ID NO: 412 DNA sequence
Nucleic Acid Accession #: XM_057014
Coding sequence: 143..874

```
1          11         21         31         41         51
|          |          |          |          |          |
GGGAGGGAGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG    60
CGCGGCGGAG CCAGACGCTG ACCACGTTCC TCTCCTCGGT CTCCTCCGCC TCCAGCTCCG   120
CGCTGCCCGG CAGCCGGGAG CCATGCGACC CCAGGGCCCC GCCGCCTCCC CGCAGCGGCT   180
CCGCGGCCTC CTGCTGCTCC TGCTGCTGCA GCTGCCCGCG CCGTCGAGCG CCTCTCGAGAT   240
CCCCAAGGGG AAGCAAAAGG CGCAGCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATGAC   300
AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG   360
CATTCCGGGT ACACCTGGGA TCCCAGGTCG GGATGGATTC AAAGGAGAAA AGGGGGAATG   420
TCTGAGGGAA AGCTTTGAGG AGTCCTGGAC ACCCAACTAC AAGCAGTGTT CATGGAGTTC   480
ATTGAATTAT GGCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGTTC   540
AAATAGTGCT CTAAGAGTTT TGTTCAGTGG CTCACTTCGG CTAAAATGCA GAAATGCATG   600
CTGTCAGCGT TGGTATTTCA CATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATTGA   660
AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG   720
CACTTCTTCT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT   780
CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT   840
TTCTCGCATC ATTATTGAAG AACTACCAAA ATAAATGCTT TAATTTTCAT TTGCTACCTA   900
TTTTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA   960
CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT  1020
TTTAAATCTA GCATTATTCA TTTTGCTTCA ATCAAAAGTG GTTTCAATAT TTTTTTTAGT  1080
TGGTTAGAAT ACTTTCTTCA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT  1140
GGTCTTTTGT TTTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAAGC TACCAATCTT  1200
TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA  1260
CAACCTTAAA AAAAAAAAAA AAAA
```

Seq ID NO: 413 Protein sequence
Protein Accession #: XP_057014

```
1          11         21         31         41         51
|          |          |          |          |          |
MRPQGPAASP QRLRGLLLLL LLQLPAPSSA SEIPKGKQKA QLRQREVVDL YNGMCLQGPA    60
GVPGRDGSPG ANGIPGTPGI PGRDGPKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL   120
GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCQRWYFT FNGAECSGPL PIEAIIYLDQ   180
GSPEMNSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIIEE   240
LPK
```

Seq ID NO: 414 DNA sequence
Nucleic Acid Accession #: XM_084007
Coding sequence: 138..2405

```
         1         11         21         31         41         51
         |          |          |          |          |          |
         CTCGTGCCGA ATTCGGCACG AGACCGCGTG TTCGCGCCTG GTAGAGATTT CTCGAAGACA    60
         CCAGTGGGCC CGTGTGGAAC CAAACCTGCG CGCGTGGCCG GGCCGTGGGA CAACGAGGCC   120
         GCGGAGACGA AGGCGCAATG GCGAGGAAGT TATCTGTAAT CTTGATCCTG ACCTTTGCCC   180
         TCTCTGTCAC AAATCCCCTT CATGAACTAA AAGCAGCTGC TTTCCCCCAG ACCACTGAGA   240
         AAATTAGTCC GAATTGGGAA TCTGGCATTA ATGTTGACTT GGCAATTTCC ACACGGCAAT   300
         ATCATCTACA ACAGCTTTTC TACCGCTATG GAGAAAATAA TTCTTTGTCA GTTGAAGGGT   360
         TCAGAAAATT ACTTCAAAAT ATAGGCATAG ATAAGATTAA AAGAATCCAT ATACACCATG   420
         ACCACGACCA TCACTCAGAC CACGAGCATC ACTCAGACCA TGAGCGTCAC TCAGACCATG   480
         AGCATCACTC AGACCACGAG CATCACTCTG ACCATGATCA TCACTCCCAC CATAATCATG   540
         CTGCTTCTGG TAAAAATAAG CGAAAAGCTC TTTGCCCAGA CCATGACTCA GATAGTTCAG   600
         GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA   660
         GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG   720
         TCTCTGAAGG AACTCACTTT CTAGAGACAA TAGAGACTCC AAGACCTGGA AAACTCTTCC   780
         CCAAAGATGT AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC   840
         TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGGCTTT ATGTATTCCA   900
         GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCTACTG ACATCTCATG   960
         GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA  1020
         TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC  1080
         CTCCAAAGAC CTATTCATTA CAAATAGCCT GGGTTGGTGG TTTTATAGCC ATTTCCATCA  1140
         TCAGTTTCCT GTCTCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA  1200
         AATTTCTCCT GAGTTTCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT  1260
         TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATAG TCATAGCCAT GAAGAACCAG  1320
         CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCTCAAAAC ATAGAAGAAA  1380
         GTGCCTATTT TGATTCCACG TGGAAGGGTC TAACAGCTCT AGGAGGCCTG TATTTCATGT  1440
         TTCTTGTTGA ACATGTCCTC ACATTGATCA AACAATTTAA AGATAAGAAG AAAAAGAATC  1500
         AGAAGAAACC TGAAAATGAT GATGATGTGG AGATTAAGCA GCAGTTGTCC AAGTATGAAT  1560
         CTCAACTTTC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGAA GGCTATTTAC  1620
         GAGCAGACTC ACAAGAGCCC TCCCACTTTG ATTCTCAGCA GCCTGCAGTC TTGGAAGAAG  1680
         AAGAGGTCAT GATAGCTCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG  1740
         GGTGCAAGAA TAAATGCCAT TCACATTTCC ACGATACACT CGGCCAGTCA GACGATCTCA  1800
         TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACCACCATC  1860
         CTCACAGTCA CAGCCACCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT  1920
         TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG  1980
         GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTTCTGTC  2040
         ATGAGTTGCC TCATGAATTA GGTGACTTTG CTGTTCTACT AAAGGCTGGC ATGACCGTTA  2100
         AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATGGCAACAG  2160
         GAATTTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG  2220
         GCTTATTCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC AATGATGCTA  2280
         GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA GAATGCTGGG ATGCTTTTGG  2340
         GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATCGTGTTT CGTATAAATT  2400
         TCTAGTTAAG GTTTAAATGC TAGAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAGGTCAT  2460
         AGGGAGATGA GTTTGTATGC TGTACTATGC AGCGTTTAAA GTTAGTGGGT TTTGTGATTT  2520
         TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTTA ATATTTAAGT  2580
         TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTTATTATG  2640
         TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAAATGT CTTTAATGCT  2700
         TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTTTA GGTCTCTGAA GAACTGCTGG  2760
         TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA  2820
         AGCAAAGAAA TAAAGGACAA AAGAGAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT  2880
         AAAAATCACA AAATTTGTTG TAAATTAGAG GGGAGAAATT TAGAATTAAG TATAAAAAGG  2940
         CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC  3000
         GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT  3060
         AAATATATTT AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TTTCAAAATG  3120
         TTCGTGCGGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT  3180
         TATTGCCAAG TTATATATCA CCAAAAGCTG TATGACTGGA TGTTCTGGTT ACCTGGTTTA  3240
         CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAAACT ACACTAAGTA  3300
         TCATTTGATT CGATTCAGAA AGTACTTTGA TATCTCTCAG TGCTTCAGTG CTATCATTGT  3360
         GAGCAATTGT CTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA  3420
         GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G                       3420
```

Seq ID NO: 415 Protein sequence
Protein Accession #: XP_084007

```
         1         11         21         31         41         51
         |          |          |          |          |          |
         MARKLSVILI LTPALSVTNP LHELKAAAFP QTTEKISPNW ESGINVDLAI STRQYHLQQL    60
         FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHS DHEHHSDHER HSDHEHHSDH   120
         EHHSDHDHHS HHNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD   180
         SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT   240
         NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA   300
         RSCLIHTSEK KAEIPPKTYS LQIAWVGGFI AISIISPLSL LGVILVPLMN RVFFKFLLSF   360
         LVALAVGTLS GDAFLHLLPH SHASHHHSHS HEEPAMEMKR GPLFSHLSSQ NIEESAYFDS   420
         TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKKQL SKYESQLSTN   480
         EEKVDTDDRT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC   540
         HSHFHDTLGQ SDDLIHHHHD YHHILHHHHH QNHHPHSHSQ RYSRSELKDA GVATLAWMVI   600
         MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVPCHELPHE LGDFAVLLKA GMTVKQAVLY   660
         NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS   720
         RWGYPPLQNA GMLLGPGIML LISIFEHKIV FRINP
```

Seq ID NO: 416 DNA sequence
Nucleic Acid Accession #: NM_015419.1
Coding sequence: 1..8487

338

```
      1           11          21          31          41          51
      |           |           |           |           |           |
5     ATGCCCAAGC GCGCGCACTG GGGGGCCCTC TCCGTGGTGC TGATCCTGCT TTGGGGCCAT    60
      CCGCGAGTGG CGCTGGCCTG CCCGCATCCT TGTGCCTGCT ACGTCCCCAG CGAGGTCCAC   120
      TGCACGTTCC GATCCCTGGC TTCCGTGCCC GCTGGCATTG CTAGACACGT GGAAAGAATC   180
      AATTTGGGGT TTAATAGCAT ACAGGCCCTG TCAGAAACCT CATTTGCAGG ACTGACCAAG   240
      TTGGAGCTAC TTATGATTCA CGGCAATGAG ATCCCAAGCA TCCCCGATGG AGCTTTAAGA   300
10    GACCTCAGCT CTCTTCAGGT TTTCAAGTTC AGCTACAACA AGCTGAGAGT GATCACAGGA   360
      CAGACCCTCC AGGGTCTCTC TAACTTAATG AGGCTGCACA TTGACCACAA CAAGATCGAG   420
      TTTATCCACC CTCAAGCTTT CAACGGCTTA ACGTCTCTGA GGCTACTCCA TTTGGAAGGA   480
      AATCTCCTCC ACCAGCTGCA CCCCAGCACC TTCTCCACGT TCACATTTTT GGATTATTTC   540
      AGACTCTCCA CCATAAGGCA CCTCTACTTA GCAGAGAACA TGGTTAGAAC TCTTCCTGCC   600
15    AGCATGCTTC GGAACATGCC GCTTCTGGAG AATCTTTACT TGCAGGGAAA TCCGTGGACC   660
      TGCGATTGTG AGATGAGATG GTTTTTGGAA TGGGATGCAA AATCCAGAGG AATTCTGAAG   720
      TGTAAAAAGG ACAAAGCTTA TGAAGGCGGT CAGTTGTGTG CAATGTGCTT CAGTCCAAGA   780
      AAGTTGTACA AACATGAGAT ACACAAGCTG AAGGACATGA CTTGTCTGAA GCCTTCAATA   840
      GAGTCCCCTC TGAGACAGAA CAGGAGCAGG AGTATTGAGG AGGAGCAAGA ACAGGAAGAG   900
20    GATGGTGGCA GCCAGCTCAT CCTGGAGAAA TTCCAACTGC CCCAGTGGAG CATCTCTTTG   960
      AATATGACCG ACGAGCACGG GAACATGGTG AACTTGGTCT GTGACATCAA GAAACCAATG  1020
      GATGTGTACA AGATTCACTT GAACCAAACG GATCCTCCAG ATATTGACAT AAATGCAACA  1080
      GTTGCCTTGG ACTTTGAGTG TCCAATGACC CGAGAAAACT ATGAAAAGCT ATGGAAATTG  1140
      ATAGCATACT ACAGTGAAGT TCCCGTGAAG CTACACAGAG AGCTCATGCT CAGCAAAGAC  1200
25    CCCAGAGTCA GCTACCAGTA CAGGCAGGAT GCTGATGAGG AAGCTCTTTA CTACACAGGT  1260
      GTGAGAGCCC AGATTCTTGC AGAACCAGAA TGGGTCATGC AGCCATCCAT AGATATCCAG  1320
      CTGAACCGAC GTCAGAGTAC GGGCAAGAAG GTGCTACTTT CCTACTACAC CCAGTATTCT  1380
      CAAACAATAT CCACCAAAGA TACAAGGCAG GCTCGGGGCA GAAGCTGGG AATGATTGAG  1440
      CCTAGTGGAG CTGTGCAAAG AGATCAGACT GTCCTGGAAG GGGGTCCATG CCAGTTGAGC  1500
30    TGCAACGTGA AAGCTTCTGA GAGTCCATCT ATCTTCTGGG TGCTTCCAGA TGGCTCCACT  1560
      CTGAAAGCGC CCATGGATGA CCCAGACAGC AAGTTCTCCA TTCTCAGCAG TGGCTGGCTG  1620
      AGGATCAAGT CCATGGAGCC ATCTGACTCA GGCTTGTACC AGTGCATTGC TCAAGTGAGG  1680
      GATGAAATGG ACCGCATGGT ATATAGGGTA CTTGTGCAGT CTCCCTCCAC TCAGCCAGCC  1740
      GAGAAAGACA CAGTGACAAT TGGCAAGAAC CCAGGGGAGT CGGTGACATT GCCTTGCAAT  1800
35    GCTTTAGCAA TACCCGAAGC CCACCTTAGC TGGATTCTTC CAAACAGAAG GATAATTAAT  1860
      GATTTGGCTA ACACATCACA TGTATACATG TTGCCAAATG GAACTCTTTC CATCCCAAAG  1920
      GTCCAAGTCA GTGATAGTGG TTACTACAGA TGTGTGGCTG TCAACCAGCA AGGGGCAGAC  1980
      CATTTTACGG TGGGAATCAC AGTGACCAAG AAAGGGTCTG GCTTGCCATC CAAAAGAGGC  2040
      AGACGCCCAG GTGCAAAGGC TCTTTCCAGA GTCAGAGAAG ACATCGTGGA GGATGAAGGG  2100
40    GGCTCGGGCA TGGGAGATGA AGAGAACACT TCAAGGACAC TTCTGCATCC AAAGGACCAA  2160
      GAGGTGTTCC TCAAAACAAA GGATGATGCC ATCAATGAG ACAAGAAAGC CAAGAAAGGG  2220
      AGAAGAAAGC TGAAACTCTG GAAGCATTCG GAAAAGAAC CAGAGACCAA TGTTGCAGAA  2280
      GGTCGCAGAG TGTTTGAATC TAGACGAAGG ATAAACATGG CAACAAACA GATTAATCCG  2340
      GAGCGCTGGG CTGATATTTT AGCCAAAGTC CGTGGGAAAA ATCTCCCTAA GGGCACAGAA  2400
45    GTACCCCGT TGATTAAAAC CACAAGTCCT CCATCCTTGA GCCTAGAAGT CACACCACCT  2460
      TTTCCTGCTG TTTCTCCCCC CTCAGCATCT CCTGTGCAGA CAGTAACCAG TGCTGAAGAA  2520
      TCCTCAGCAG ATGTACCTCT ACTTGGTGAA GAAGAGCACG TTTTGGGTAC CATTTCCTCA  2580
      GCCAGCATGG GGCTAGAACA CAACCACAAT GGAGTTATTC TTGTTGAACC TGAAGTAACA  2640
      AGCACACCTC TGGAGGAAGT TGTTGATGAC CTTTCTGAGA AGACTGAGGA GATAACTTCC  2700
50    ACTGAAGGAG ACCTGAAGGG GACAGCAGCC CCTACACTTA TATCTGAGCC TTATGAACCA  2760
      TCTCCTACTC TGCACACATT AGACACAGTC TATGAAAAGC CCACCCATGA AGAGACGGCA  2820
      ACAGAGGGTT GGTCTGCAGC AGATGTTGGA TCGTCACCAG AGCCCACATC CAGTGAGTAT  2880
      GAGCCTCCAT TGGATGCTGT CTCCTTGGCT GAGTCTGAGC CCATGCAATA CTTTGACCCA  2940
      GATTTGGAGA CTAAGTCACA ACCAGATGAG GATAAGATGA AAGAAGACAC CTTTGCACAC  3000
55    CTTACTCCAA CCCCCACCAT CTGGGTTAAT GACTCCAGTA CATCACAGTT ATTTGAGGAT  3060
      TCTACTATAG GGGAACCAGG TGTCCCAGGC CAATCACATC TACAAGGACT GACAGACAAC  3120
      ATCCACCTTG TGAAAAGTAG TCTAAGCACT CAAGACACCT TACTGATTAA AAAGGGTATG  3180
      AAAGAGATGT CTCAGACACT ACAGGGAGGA AATATGCTAG AGGGAGACCC CACACACTCC  3240
      AGAAGTTCTG AGAGTGAGGG CCAAGAGAGC AAATCCATCA CTTTGCCTGA CTCCACACTG  3300
60    GGTATAATGA GCAGTATGTC TCCAGTTAAG AAGCCTGCGG AAACCACAGT TGGTACCCTC  3360
      CTAGACAAAG ACACCACAAC AGTAACAACA ACACCAAGGC AAAAAGTTGC TCCGTCATCC  3420
      ACCATGAGCA CTCACCCTTC TCGAAGGAGA CCCAACGGGA GAAGGAGATT ACGCCCCAAC  3480
      AAATTCCGCC ACCGGCACAA GCAAACCCCA CCCACAACTT TTGCCCCATC AGAGACTTTT  3540
      TCTACTCAAC CAACTCAAGC ACCTGACATT AAGATTTCAA GTCAAGTGGA GAGTTCTCTG  3600
65    GTTCCTACAG CTTGGGTGGA TAACACAGTT AATACCCCCA AACAGTTGGA AATGGAGAAG  3660
      AATGCAGAAC CCACATCCAA GGGAACACCA CGGAGAAAAC ACGGGAAGAG GCCAAACAAA  3720
      CATCGATATA CCCCTTCTAC AGTGAGCTCA AGAGCGTCCG GATCCAAGCC CAGCCCTTCT  3780
      CCAGAAAATA AACATAGAAA CATTGTTACT CCCAGTTCAG AAACTACTAT TTTGCCTAGA  3840
      ACTGTTTCTC TGAAAACTGA GGGGCCTTAT GATTCGTTAG ATTACATGAC AACCACCAGA  3900
70    AAAATATATT CATCTTACCC TAAAGTCCAA GAGACACTTC CAGTCACATA TAAACCCACA  3960
      TCAGATGGAA AAGAAATTAA GGATGATGTT GCCACAAATG TTGACAAACA TAAAAGTGAC  4020
      ATTTTAGTCA CTGGTGAATC AATTACTAAT GCCATACCAA CTTCTGCTC CTTGGTCTCC  4080
      ACTATGGGAG AATTTAAGGA AGAATCCTCT CCTGTAGGCT TTCCAGGAAC TCCAACCTGG  4140
      AATCCCTCAA GGACGGCCCA GCCTGGGAGG CTACAGACAG ACATACCTGT TACCACTTCT  4200
75    GGGGAAAATC TTACAGACCC TCCCCTTCTT AAAGAGCTTG AGGATGTGGA TTTCACTTCC  4260
      GAGTTTTTGT CCTCTTTGAC AGTCTCCACA CCATTTCACC AGGAAGAAGC TGGTTCTTCC  4320
      ACAACTCTCT CAAGCATAAA AGTGGAGGTG GCTTCAAGTC AGGCAGAAAC CACCACCCTT  4380
      GATCAAGATC ATCTTGAAAC CACTGTGGCT ATTCTCCTTT CTGAAACTAG ACCACAGAAT  4440
      CACACCCCTA CTGCTGCCCG GATGAAGGAG CCAGCATCCT CGTCCCCATC CACAATTCTC  4500
80    ATGTCTTTGG GACAAACCAC CACCACTAAG CCAGCACTTC CCAGTCCAAG AATATCTCAA  4560
      GCATCTAGAG ATTCCAAGGA AAATGTTTTC TTGAATTATG TGGGGAATCC AGAAACAGAA  4620
      GCAACCCCAG TCAACAATGA AGGAACACAG CATATGTCAG GGCCAAATGA ATTATCAACA  4680
      CCCTCTTCCG ACCGGGATGC ATTTAACTTG TCTACAAAGC TGGAATTGGA AAAGCAAGTA  4740
      TTTGGTAGTA GGAGTCTACC ACGTGGCCCA GATAGCCAAC GCCAGGATGG AAGAGTTCAT  4800
85    GCTTCTCATC AACTAACCAG AGTCCCTGCC AAACCCATCC TACCAACAGC AACAGTGAGG  4860
      CTACCTGAAA TGTCCACACA AAGCGCTTCC AGATACTTTG TAACTTCCCA GTCACCTCGT  4920
      CACTGGACCA ACAAACCGGA AATAACTACA TATCCTTCTG GGGCTTTGCC AGAGAACAAA  4980
      CAGTTTACAA CTCCAAGATT ATCAAGTACA ACAATTCCTC TCCCATTGCA CATGTCCAAA  5040
```

```
      CCCAGCATTC CTAGTAAGTT TACTGACCGA AGAACTGACC AATTCAATGG TTACTCCAAA    5100
      GTGTTTGGAA ATAACAACAT CCCTGAGGCA AGAAACCCAG TTGGAAAGCC TCCCAGTCCA    5160
      AGAATTCCTC ATTATTCCAA TGGAAGACTC CCTTTCTTTA CCAACAAGAC TCTTTCTTTT    5220
      CCACAGTTGG GAGTCACCCG GAGACCCCAG ATACCCACTT CTCCTGCCCC AGTAATGAGA    5280
 5    GAGAGAAAAG TTATTCCAGG TTCCTACAAC AGGATACATT CCCATAGCAC CTTCCATCTG    5340
      GACTTTGGCC CTCCGGCACC TCCGTTGTTG CACACTCCGC AGACCACGGG ATCACCATCA    5400
      ACTAACTTAC AGAATATCCC TATGGTCTCT TCCACCCAGA GTTCTATCTC CTTTATAACA    5460
      TCTTCTGTCC AGTCCTCAGG AAGCTTCCAC CAGAGCAGCT CAAAGTTCTT TGCAGGAGGA    5520
      CCTCCTGCAT CCAAATTCTG GTCTCTTGGG GAAAAGCCCC AAATCCTCAC CAAGTCCCCA    5580
 10   CAGACTGTGT CCGTCACCGC TGAGACAGAC ACTGTGTTCC CCTGTGAGGC AACAGGAAAA    5640
      CCAAAGCCTT TCGTTACTTG GACAAAGGTT TCCACAGGAG CTCTTATGAC TCCGAATACC    5700
      AGGACAAAC GGTTTGAGGT TCTCAAGAAC GGTACCTTAG TGATACGGAA GGTTCAAGTA    5760
      CAAGATCGAG GCCAGTATAT GTGCACCGCG AGCAACCTGC ACGGCCTGGA CAGGATGGTG    5820
      GTCTTGCTTT CGGTCACCGT GCAGCAACCT CAAATCCTAG CCTCCCACTA CCAGGACGTC    5880
 15   ACTGTCTACC TGGGAGACAC CATTGCAATG GAGTGTCTGG CCAAAGGGAC CCCAGCCCCC    5940
      CAAATTTCCT GGATCTTCCC TGACAGGAGG GTGTGGCAAA CTGTGTCCCC CGTGGAGAGC    6000
      CGCATCACCC TGCACGAAAA CCGGACCCTT TCCATCAAGG AGGCGTCCTC CTCAGACAGA    6060
      GGCGTCTATA AGTGCGTGGC CAGCAATGCA GCCGGGGCGG ACAGCCTGGC CATCCGCCTG    6120
      CACGTGGCGG CACTGCCCCC CGTTATCCAC CAGGAGAAGC TGGAGAACAT CTCGCTGCCC    6180
 20   CCGGGGCTCA GCATTCACAT TCACTGCACT GCCAAGGCTG CGCCCCTGCC CAGCGTGCGC    6240
      TGGGTGCTCG GGGACGGTAC CCAGATCCGC CCCTCGCAGT TCCTCCACGG GAACTTGTTT    6300
      GTTTTCCCCA ACGGGACGGT CTACATCCGC AACCTCGCGC AGGGGCGCTAT CGGGCGCTAT    6360
      GAGTGCGTGG CCGCCAACCT GGTAGGCTCC GCGCGCAGGA CGGTGCAGCT GAACGTGCAG    6420
      CGTGCAGCAG CCAACGCGCG CATCACGGGC ACCTCCCCGC GGAGGACGGA CGTCAGGTAC    6480
 25   GGAGGAACCC TCAAGCTGGA CTGCAGCGCC TCGGGGGACC CCTGGCCGCG CATCCTCTGG    6540
      AGGCTGCCGT CCAAGAGGAT GATCGACGCG CTCTTCAGTT TTGATAGCAG AATCAAGGTG    6600
      TTTGCCAATG GGACCCTGGT GGTGAAATCA GTGACGGACA AAGATGCCGG AGATTACCTG    6660
      TGCGTAGCTC GAAATAAGGT TGGTGATGAC TACGTGGTGC TCAAAGTGGA TGTGGTGATG    6720
      AAACGGCCA AGATTGAACA CAAGGAGGAG AACGACCACA AGTCTTCTA CGGGGGTTGG    6780
 30   CTGAAAGTGG ACTGTGTGGC CACCGGGCTT CCCAATCCCG AGATCTCCTG GAGCCTCCCA    6840
      GACGGGAGTC TGGTGAACTC CTTCATGCAG TCGGATGACA GCGGTGGACG CACCAAGCGC    6900
      TATGTCGTCT CAACAATGG GACACTCTAC TTTAACGAAG TGGGGATGAG GGAGGAAGGA    6960
      GACTACACCT GCTTTGCTGA AAATCAGGTC GGGAAGGACG AGATGAGAGT CAGAGTCAAG    7020
      GTGGTGACAG CGCCCGCCAC CATCCGGAAC AAGACTTACT TGGCGGTTCA GGTGCCCTAT    7080
 35   GGAGACGTGG TCACTGTAGC CTGTGAGGCC AAAGGAGAAC CCATGCCCAA GGTGACTTGG    7140
      TTGTCCCCAA CCAACAAGGT GATCCCCACC TCCTCTGAGA AGTATCAGAT ATACCAAGAT    7200
      GGCACTCTCC TTATTCAGAA AGCCCAGCGT TCTGACAGCG GCAACTACAC CTGCCTGGTC    7260
      AGGAACAGCG CGGGAGAGGA TAGGAAGACG GTGTGGATTC ACGTCAACGT CCAGCCACCC    7320
      AAGATCAACG GTAACCCCAA CCCCATCACC ACCGTGCGGG AGATAGCAGC CGGGGGCAGT    7380
 40   CGGAAACTGA TTGACTGCAA AGCTGAAGGC ATCCCCACCC CGAGGGTGTT ATGGGCTTTT    7440
      CCCGAGGGTG TGGTTCTGCC AGCTCCATAC TATGGAAACC GGATCACTGT CCATGGCAAC    7500
      GGTTCCCTGG ACATCAGGAG TTTGAGGAAG AGCGACTCCG TCCAGCTGGT ATGCATGGCA    7560
      CGCAACGAGG GAGGGGAGGC GAGGTTGATC GTGCAGCTCA CTGTCCTGGA GCCCATGGAG    7620
      AAACCCATCT TCCACGACCC GATCAGCGAG AAGATCACGG CCATGGCGGG CCACACCATC    7680
 45   AGCCTCAACT GCTCTGCCGC GGGGACCCCG ACACCCAGCC TGGTGTGGGT CCTTCCCAAT    7740
      GGCACCGATC TGCAGAGTGG ACAGCAGCTG CAGCGCTTCT ACCACAAGGC TGACGGCATG    7800
      CTACACATTA GCGGTCTCTC CTCGGTGGAC GCTGGGGCCT ACCGCTGCGT GGCCCGCAAT    7860
      GCCGCTGGCC ACACGGAGAG GCTGGTCTCC CTGAAGGTGG GACTGAAGCC AGAAGCAAAC    7920
      AAGCAGTATC ATAACCTGGT CAGCATCATC AATGGTGAGA CCCTGAAGCT CCCCTGCACC    7980
 50   CCTCCCGGGG CTGGGCAGGG ACGTTTCTCC TGGACGCTCC CCAATGGCAT GCATCTGGAG    8040
      GGCCCCCAAA CCCTGGGACG CGTTTCTCTT CTGGACAATG GCACCCTCAC GGTTCGTGAG    8100
      GCCTCGGTGT TTGACAGGGG TACCTATGTA TGCAGGATGG AGACGGAGTA CGGCCCCTTCG    8160
      GTCACCAGCA TCCCCGTGAT TGTGATCGCC TATCCTCCCC GGATCACCAG CGAGCCCACC    8220
      CCGGTCATCT ACACCCGGCC CGGGAACACC GTGAAACTGA ACTGCATGGC TATGGGGGATT    8280
 55   CCCAAAGCTG ACATCACGTG GGAGTTACCG GATAAGTCGC ATCTGAAGGC AGGGGTTCAG    8340
      GCTCGTCTGT ATGGAAACAG ATTTCTTCAC CCCCAGGGAT CACTGACCAT CCAGCATGCC    8400
      ACACAGAGAG ATGCCGGCTT CTACAAGTGC ATGGCAAAAA ACATTCTCGG CAGTGACTCC    8460
      AAAACAACTT ACATCCACGT CTTCTGAAAT GTGGATTCCA GAATGATTGC TTAGGAACTG    8520
      ACAACAAAGC GGGGTTTGTA AGGGAAGCCA GGGTTGGGGAA TAGGAGCTCT TAAATAATGT    8580
 60   GTCACAGTGC ATGGTGGCCT CTGGTGGGTT TCAAGTTGAG GTTGATCTTG ATCTACAATT    8640
      GTTGGGGAAAA GGAAGCAATG CAGACACGAG AAGGAGGGCT CAGCCTTGCT GAGACACTTT    8700
      CTTTTGTGTT TACATCATGC CAGGGGCTTC ATTCAGGGTG TCTGTGCTCT GACTGCAATT    8760
      TTTCTTCTTT TGCAAATGCC ACTCGACTGC CTTCATAAGC GTCCATAGGA TATCTGAGGA    8820
      ACATTCATCA AAAATAAGCC ATAGACATGA ACAACACCTC CATACCCCAT TGAAGACGCA    8880
 65   TCACCTAGTT AACCTGCTGC AGTTTTTACA TGATAGACTT TGTTCCAGAT TGACAAGTCA    8940
      TCTTTCAGTT ATTTCCTCTG TCACTTCAAA ACTCCAGCTT GCCCAATAAG GATTTAGAAC    9000
      CAGAGTGACT GATATATATA TATATATTTT AATTCAGAGT TACATACATA CAGCTACCAT    9060
      TTTATATGAA AAAAGAAAA CATTTCTTCC TGGAACTCAC TTTTTATATA ATGTTTTATA    9120
      TATATATTTT TTCCTTTCAA ATCAGACGAT GAGACTAGAA GGAGAAATAC TTTCTGTCTT    9180
 70   ATTAAAATTA ATAAATTATT GGTCTTTACA AGACTTGGAT ACATTACAGC AGACATGGAA    9240
      ATATAATTTT AAAAAATTTC TCTCCAACCT CCTTCAAATT CAGTCACCAC·TGTTATATTA    9300
      CCTTCTCCAG GAACCCTCCA GTGGGGAAGG CTGCGATATT AGATTTCCTT GTATGCAAAG    9360
      TTTTTGTTGA AAGCTGTGCT CAGAGGAGGT GAGAGGGAG GAAGGAGAAA ACTGCATCAT    9420
      AACTTTACAG AATTGAATCT AGAGTCTTCC CCGAAAAGCC CAGAAACTTC TCTGCAGTAT    9480
 75   CTGGCTTGTC CATCTCGGTCT AAGGTGGCTG CTTCTTCCCC AGCCATGAGT CAGTTTGTGC    9540
      CCATGAATAA TACACGACCT GTTATTTCCA TGACTGCTTT ACTGTATTTT TAAGGTCAAT    9600
      ATACTGTACA TTTGATAATA AAATAATATT CTCCCAAAAA AAAAA
```

Seq ID NO: 417 Protein sequence
Protein Accession #: NP_056234.1

```
      1         11        21        31        41        51
      |         |         |         |         |         |
      MPKRAHWGAL SVVLILLWGH PRVALACPHP CACYVPSEVH CTFRSLASVP AGIARHVERI    60
      NLGFNSIQAL SETSFAGLTK LELLMIHGNE IPSIPDGALR DLSSLQVFKF SYNKLRVITG   120
      QTLQGLSNLM RLEIDHNKIE PIHPQAFNGL TSLRLLHLEG NLLHQLHPST FSTFTFLDYF   180
      RLSTIRHLYL AENMVRTLPA SMLRNMPLLE NLYLQGNPWT CDCEMRWFLE WDAKSRGILK   240
```

340

```
          CKKDKAYEGG  QLCAMCPSPK  KLYKHEIHKL  KDMTCLKPSI  ESPLRQNRSR  SIEEEQEQEE   300
          DGGSQLILEK  FQLPQWSISL  NMTDEHGNMV  NLVCDIKKPM  DVYKIHLNQT  DPPDIDINAT   360
          VALDFECPMT  RENYEKLWKL  IAYYSEVPVK  LHRELMLSKD  PRVSYQYRQD  ADEEALYYTG   420
5         VRAQILAEPE  WVMQPSIDIQ  LNRRQSTAKK  VLLSYYTQYS  QTISTKDTRQ  ARGRSWVMIE   480
          PSGAVQRDQT  VLEGGPCQLS  CNVKASESPS  IFWVLPDGSI  LKAPMDDPDS  KFSILSSGWL   540
          RIKSMEPSDS  GLYQCIAQVR  DEMDRMVYRV  LVQSPSTQPA  EKDTVTIGKN  PGESVTLPCN   600
          ALAIPEAHLS  WILPNRRIIN  DLANTSHVYM  LPNGTLSIPK  VQVSDSGYYR  CVAVNQQGAD   660
          HFTVGITVTK  KGSGLPSKRG  RRPGAKALSR  VREDIVEDEG  GSGMGDEENT  SRRLLHPKDQ   720
10        EVPLKTKDDA  INGDKKAKKG  RRKLKLWKHS  EKEPETNVAE  GRRVFESRRR  INMANKQINP   780
          ERWADILAKV  RGKNLPKGTE  VPPLIKTTSP  PSLSLEVTPP  FPAVSPPSAS  PVQTVTSABE   840
          SSADVPLLGE  EEHVLGTISS  ASMGLEHNHN  GVILVEPEVT  STPLEEVVDD  LSEKTEEITS   900
          TEGDLKGTAA  PTLISEPYEP  SPTLHTLDTV  YEKPTHEETA  TEGWSAADVG  SSPEPTSSEY   960
          EPPLDAVSLA  ESEPMQYFDP  DLETKSQPDE  DKMKEDTPAH  LTPTPTIWVN  DSSTSQLFED  1020
15        STIGEPGVPG  QSHLQGLTDN  IHLVKSSLST  QDTLLIKKGM  KEMSQTLQGG  NMLEGDPTHS  1080
          RSSESEGQES  KSITLPDSTL  GIMSSMSPVK  KPAETTVGTL  LDKDTTTVTT  TPRQKVAPSS  1140
          TMSTHPSRRR  PNGRRRLRPN  KFRHRHKQTP  PTTFAPSETF  STQPTQAPDI  KISSQVESSL  1200
          VPTANVDNTV  NTPKQLEMEK  NAEPTSKGTP  RRKHGKRPNK  HRYTPSTVSS  RASGSKPSPS  1260
          PENKHRNIVT  PSSETILLPR  TVSLKTEGPY  DSLDYMTTTR  KIYSSYPKVQ  ETLPVTYKPT  1320
20        SDGKEIKDDV  ATNVDKHKSD  ILVTGESITN  AIPTSRSLVS  TMGEFKEESS  PVGFPGTPTW  1380
          NPSRTAQPGR  LQTDIPVTTS  GENLTDPPLL  KELEDVDFTS  EFLSSLTVST  PPHQEEAGSS  1440
          TTLSSIKVEV  ASSQAETTTL  DQDHLETTVA  ILLSETRPQN  ETPTAARMKE  PASSSPSTIL  1500
          MSLGQTTTTK  PALPSPRISQ  ASRDSKENVF  LNYVGNPETE  ATPVNNEGTQ  HMSGPNELST  1560
          PSSDRDAFNL  STKLELEKQV  FGSRSLPRGP  DSQRQDGRVH  ASHQLTRVPA  KPILPTATVR  1620
25        LPEMSTQSAS  RYFVTSQSPR  HWTNKPEITT  YPSGALPENK  QFTTPRLSST  TIPLPLHMSK  1680
          PSIPSKFTDR  RTDQFNGYSK  VPGNNNIPEA  RNPVGKPPSP  RIPHYSNGRL  PPFTNKTLSF  1740
          PQLGVTRRPQ  IPTSPAPVMR  ERKVIPGSYN  RIHSHSTFHL  DFGPPAPPLL  HTPQTTGSPS  1800
          TNLQNIPMVS  STQSSISFIT  SSVQSSGSFH  QSSSKPFAGG  PPASKPWSLG  EKPQILTKSP  1860
          QTVSVTAETD  TVFPCEATGK  PKPFVTWTKV  STGALMTPNT  RIQRFEVLKN  GTLVIRKVQV  1920
30        QDRGQYMCTA  SNLHGLDRMV  VLLSVTVQQP  QILASHYQDV  TVYLGDTIAM  ECLAKGTPAP  1980
          QISWIPPDRR  VWQTVSPVES  RITLHENRTL  SIKEASFSDR  GVYKCVASNA  AGADSLAIRL  2040
          HVAALPPVIH  QEKLENISLP  PGLSIHIHCT  AKAAPLPSVR  WVLGDGTQIR  PSQFLHGNLF  2100
          VFPNGTLYIR  NLAPKDSGRY  BCVAANLVGS  ARRTVQLNVQ  RAAANARITG  TSPRRTDVRY  2160
          GGTLKLDCSA  SGDPWPRILW  RLPSKRMIDA  LPSFDSRIKV  PANGTLVVKS  VTDKDAGDYL  2220
35        CVARNKVGDD  YVVLKVDVVM  KPAKIEHKEE  NDHKVFYGGD  LKVDCVATGL  PNPBISWSLP  2280
          DGSLVNSPMQ  SDDSGGRTKR  YVVFNNGTLY  PNEVGMREEG  DYTCPAENQV  GKDEMRVRVK  2340
          VVTAPATIRN  KTYLAVQVPY  GDVVTVACEA  KGEPMPKVTW  LSPTNKVIPT  SSEKYQIYQD  2400
          GTLLIQKAQR  SDSGNYTCLV  RNSAGEDRKT  VWIHVNVQPP  KINGNPNPIT  TVREIAAGGS  2460
          RKLIDCKAEG  IPTPRVLWAF  PEGVVLPAPY  YGNRITVHGN  GSLDIRSLRK  SDSVQLVCMA  2520
40        RNEGGEARLI  VQLTVLEPME  KPIFHDPISE  KITAMAGHTI  SLNCSAAGTP  TPSLVWVLPN  2580
          GTDLQSGQQL  QRFYHKADGM  LHISGLSSVD  AGAYRCVARN  AAGHTERLVS  LKVGLKPEAN  2640
          KQYHNLVSII  NGETLKLPCT  PPGAGQGRPS  WTLPNGMHLE  GPQTLGRVSL  LDNGTLTVRE  2700
          ASVFDRGTYV  CRMETEYGRS  VTSIPVIVIA  YPPRITSEPT  PVIYTRPGNT  VKLNCMAMGI  2760
          PKADITWELP  DKSHLKAGVQ  ARLYGNRFLH  PQGSLTIQHA  TQRDAGFYKC  MAKNILGSDS  2820
45        KTTYIHVF
```

```
Seq ID NO: 418 DNA sequence
Nucleic Acid Accession #:  Eos sequence
Coding sequence: 1..5001
```

```
          1          11         21         31         41         51
          |          |          |          |          |          |
          ATGCCAGGCA  CAAAACTAAC  CCGAACAGGC  GCCCCAGCAG  ACTACAGAGT  GATATTGAAG    60
          ACCTCTCAAG  AGGACGAATT  GGATGTACCT  GACGACATCA  GCGTCCGGGT  TATGTCATCT   120
          CAGTCTGTGC  TTGTGTCCTG  GGTGGATCCT  GTTCTGGAAA  AACAGAAGAA  AGTTGTTGCA   180
55        TCAAGACAGT  ACACCGTGCG  CTATCGAGAG  AAGGGGGAAT  TGGCCAGGTG  GGATTATAAG   240
          CAGATGCTA   ACAGGCGTGT  GCTGATTGAG  AACCTGATTC  CAGACACTGT  GTATGAATTT   300
          GCAGTCCGTA  TTTCACAGGG  TGAAAGAGAT  GGCAAATGGA  GTACGTCAGT  CTTCCAAAGA   360
          ACACCAGAAT  CTGCCCCTAC  CACAGCTCCT  GAAAACTTGA  ACGTCTGGCC  AGTCAATGGC   420
          AAACCTACAG  TTGTCGCTGC  ATCTTGGGAT  GCGCTACCAG  AGACTGAGGG  GAAAGTGAAA   480
60        GTCTGTCTGC  TGGACACAGG  ACTGTTTTCA  GTTTCCTCCT  TCCAACCATC  TGCCAAATCA   540
          TTTCAGAATA  CATTCTTTCA  TACGCCCCGG  CTCTCAAACC  ATTTGGAGCA  AAGTCCCTCA   600
          CCTATCCTGG  AGACACTACT  TCTGCCCTGG  TGGATGGTCT  GCAGCCTGGG  AACGCTATC    660
          TTTTCAAAAT  CCGGGCCACA  AACAGGAGAG  GCCTGGGACC  TCACTCCAAA  GCCTTCATTG   720
          TCGCTATGCC  AACAAGAATG  CAGCTGTACC  CAGAAGGATT  TCAGTTGTCT  AGCTTACCTG   780
65        ATCGATATCC  AAACCAAACA  AGTTAATAAA  GATCCACAAC  TGGAAGGGAG  TGTTTTTGGA   840
          CCATGTTTTC  TTTTCTACTT  CCTCACATTT  ATGCTGGATA  TTGGCGGCTT  TTCCTTCATT   900
          ATGTGCTATG  AAGACCCANN  TGTTTCTTCT  TTGACAGGCA  ATTCTTTAAA  ATCTGTTGCA   960
          GCCAGTAAGG  CGGATGTTCA  GCAGAACACG  GAGGACAATG  GGAAACCCGA  AAAACCTGAG  1020
          CCTTCCTCAC  CTTCTCCCAG  AGCTCCAGCT  TCCTCCCAAC  ACCCCTCTGT  GCCTGCTTCT  1080
70        CCCCAAGGGA  GAAATGCCAA  GGACCTTCTT  CTTGACTTGA  AGAACAAAAT  ATTGGCTAAT  1140
          GGTGGGCGC   CCGAAAACC   CCAGCTTCGC  GCCAAGAAGG  CAGAGGAGCT  GGATCTTCAG  1200
          TCGACAGAAA  TCACTGGGGA  GGAGGAGCTG  GGTTCCGGG   AGGACTCGCG  CATGTCACCC  1260
          TCAGACACCG  AAGACCAGAA  ACGGACCCTG  AGGCCGCCAA  GTAGACACGG  CCACTCGGTG  1320
          GTTGCTCCCG  GCAGGACTGC  AGTGAGGGCC  CGGATGCCAG  CGCTGCCCCG  AAGGGAAGGC  1380
75        GTAGATAAGC  CTGGCTTTTC  CCTGGCCACG  CAGCCCCGCC  CAGGGGCGCC  CCCCTCGGCT  1440
          TCGGCCTCTC  CTGCCCACCA  CGCGTCCACC  CAGGGCACCT  CTCATCGTCC  TTCCCTGCCT  1500
          GCCAGCTTGA  ATGACAACGA  CTTGGTGGAC  TCAGACGAAG  ATGAGCGCGC  TGTGGGCTCC  1560
          CTCCACCCCA  AGGGCGCCTT  CGCCCAGCCC  CGGCCAGCCC  TGTCCCCCAG  CCGCCAGTCC  1620
          CCGTCCAGCG  TTCTCCGCGA  CAGAAGCTCT  GTGCACCCCG  GGCAAAGCC   AGCCTCGCCG  1680
80        GCGCGGAGGA  CCCCCCATTC  AGGGGCCGCA  GAGGAAGATT  CCAGTGCCTC  AGCCCCACCC  1740
          TCAAGACTTT  CTCCACCCCA  TGGGGGATCA  TCTCGGCTGA  TGCCCACCCA  GCCACACCTG  1800
          AGCTCTCCAC  TTTCCAAGGG  CGGGAAGGAT  GGTGAGGACG  CCCCAGCCAC  CAACTCCAAT  1860
          GCGCCATCAC  GGTCCACCAT  GTCCTCCTCC  GTCTCTTCTC  ATCTCTCGTC  CAGGACGCAG  1920
          GTCTCTGAGG  GAGCGGAGGC  TTCTGATGGT  GAAAGCCACG  GTGACGGCGA  TAGGGAGGAC  1980
85        GGCGGAAGGC  AGGCGGAGGC  CACGGCCAG   ACGCTGCGGG  CCCGGCCTGC  CTCTGGACAC  2040
          TTCCATTTGC  TCAGACACAA  ACCCTTTGCT  GCCAACGGGA  GGTCTCCAAG  CAGGTTCAGC  2100
          ATTGGGCGGG  GACCTCGGCT  GCAGCCCTCC  AGCTCCCCAC  AGTCGGACTGT  GCCCTCCCGA  2160
```

```
     GCCCACCCCA GGGTTCCCTC TCACTCTGAT TCCCACCCTA AGCTTAGCTC AGGTATCCAT  2220
     GGAGACGAGG AGGATGAGAA GCCGCTTCCT GCCACCGTTG TCAATGACCA CGTGCCTTCC  2280
     TCCTCCAGGC AGCCCATCTC CCGGGGCTGG GAGGACTTAA GGAGAAGCCC GCAGAGAGGG  2340
     GCCAGCCTGC ATCGGAAGGA ACCCATCCCA GAGAACCCCA AATCCACAGG GGCAGATACA  2400
 5   CATCCTCAGG GCAAGTACTC CTCCCTGGCC TCCAAGGCTC AGGATGTTCA ACAGAGCACA  2460
     GACGCGGACA CGGAGGGTCA TTCTCCCAAA GCACAGCCAG GGTCCACACA CCGCACGGCG  2520
     TCCCCTGCTC GTCCTCCCGC AGCACGGTCA CAGCAGCATC CCAGTGTTCC CAGAAGGATG  2580
     ACACCCGGCC GGGCCCCAGA ACAGCAGCCC CCTCCTCCCG TCGCCACGTC CCAGCACCAC  2640
     CCGGGACCCC AGAGCAGAGA CGCGGGTCGG TCACCTTCCG AGCCCAGGCT CTCACTGACC  2700
10   CAGGCCGGGC GGCCCCGCCC CACGTCGCAG GGCCGCTCCC ACTCCTCCTC GGACCCTTAC  2760
     ACGGCGAGCT CCAGAGGGAT GCTCCCCACG GCCCTCCAGA ACCAGGACGA GGATGCCCAG  2820
     GGCAGCTACG ACGACGACAG CACAGAAGTC GAGGCCCAGG ATGTGCGGGC CCCGCGGCAC  2880
     GCCGCGCGCG CCAAGGAGGC AGCTGCGTCC CTTCCCAAGC ACCAGCAGGT GGAGTCTCCC  2940
15   ACAGGCGCAG GGGCAGGTGG CGACCACAGG TCCCAGCGCG GACATGCGGC CTCCCCCGCC  3000
     AGGCCCAGCC GACCCGGCGG CCCCCAGTCC CGCGCCCGGG TCCCCAGCAG GGCAGCGCCG  3060
     GGGAAGTCGG AGCCTCCTTC CAAGCGGCCC CTGTCCTCCA AGTCCCAGCA GTCGGTCTCA  3120
     GCCGAGGACG AGGAGGAGGA GGACGCGGGG TTTTTTAAAG GCGGGAAAGA AGACCTTCTG  3180
     TCTTCCTCTG TGCCAAAGTG GCCCTCTTCC TCCACTCCCA GGGGCGGCAA AGACGCCGAT  3240
     GGGAGCCTCG CCAAGGAAGA GAGGGAGCCT GCCATCGCGC TTGCCCCTCG CGGAGGGAGC  3300
20   CTGGCTCCTG TGAAGCGACC TCTCCCCCCA CCTCCAGGCA GCTCCCCCAG GGGCTCCCAG  3360
     GTCCCTTCCC GACCGCCGCC TCGCAGCGCT GCCACCGTGA GCCCCGTCGC GGGCACCCAC  3420
     CCCTGGCCGC GGTACACCAC GCGCGCCCCV CCTGGCCACT TCTCCACCAC CCCGATGCTC  3480
     TCCTTGCGCG AGAGGATGAT GCATGCCAGA TTCCGTAACC CTCTCTCCCG ACAGCCTGCC  3540
25   AGACCCTCTT ACAGACAAGG TTATAATGGC AGACCAAATG TAGAAGGGAA AGTCCTTCCT  3600
     GGTAGTAATG GAAAACCGAA TGGACAGAGA ATTATCAATG GCCCTCAAGG AACAAAGTGG  3660
     GTTGTGGACC TTGATCGTGG GTTAGTATTG AATGCAGAAG GAAGGTACCT CCAAGATTCA  3720
     CATGGAAATC CTCTTCGGAT TAAACTAGGA GGAGATGGTC GAACCATTGT AGATCTGGAA  3780
     GGGACCCCCG TGGTGAGTCC TGACGGCCTC CCACTCTTTG GGCAGGGGCG ACATGGCACA  3840
30   CCTCTGGCCA ATGCCCAAGA TAAGCCAATT TTGAGTCTTG GAGGAAAGCC GCTGGTGGGC  3900
     TTGGAGGTCA TCAAAAAAAC CACCCATCCC CCTACCACTA CCATGCAGCC CACCACTACT  3960
     ACGACGCCCC TGCCTACCAC TACAACCCCG AGGCCCACCA CTGCCACCAC CATGCAGCCC  4020
     ACCACTACTA CGACGCCCCT GCCTACCACT ACACCGAGGC CCACCACTGC CACCACCCGC  4080
     CGCACGACCA CCAGGCGTCC AACAACCACA GTCCGAACCA CTACGCGGAC AACCACCACC  4140
35   ACCACCCCCA AACCCACCAC TCCCATCCCC ACCTGTCCCC CTGGGACCTT GGAACGGCAC  4200
     GACGATGATG GCAACCTGAT AATGAGCTCC AATGGGATCC CAGAGTGCTA CGCTGAAGAA  4260
     GATGAGTTCT CAGGCTTGGA GACTGACACT GCAGTACCTA CGGAAGAGGC CTACGTTATA  4320
     TATGATGAAG ATTATGAATT TGAGACGTCA AGGCCACCAA CCACCACTGA GCCTTCGACC  4380
     ACTGCTACCA CACCGAGGGT GATCCCAGAG GAAGGCGCCA TCAGTTCCTT TCCTGAAGAA  4440
40   GAATTTGATC TGGCTGGAAG GAAACGATTT GTTGCTCCTT ACGTGACGTA CCTAAATAAA  4500
     GACCCATCAG CCCCGTGCTC TCTGACTGAT GCACTGGATC ACTTCCAAGT GGACAGCCTG  4560
     GATGAAATCA TCCCCAATGA CCTGAAGAAG AGTGATCTGC CTCCCCAGCA TGCTCCCCGC  4620
     AACATCACCG TGGTGGCCGT GGAAGGTTGC CACTCATTTG TCATTGTGGA TTGGGACAAA  4680
     GCCACCCCAG GAGATTTGGT CACAGGTTAT TTGGTTTACA GTGCATCCTA TGAAGATTTC  4740
45   ATCAGGAACA AGTTTTCCAC TCAAGCTTCA TCAGTAACTC ACTTGCCCAT TGAGAACCTA  4800
     AAGCCCAACA CGAGGTATTA TTTTAAAGTG CAAGCACAAA ATCCTCATGG CTACGGACCT  4860
     ATCAGCCCTT CGGTCTCATT TGTCACCGAA TCAGATAATC CTCTGCTTGT TGTGAGGCCC  4920
     CCAGGCGGTG AGCTATCTGG ATCCCATTCG CTTTCAAACA TGATCCCAGC TACACGGACT  4980
     GCCATGGACG GCAAATAGTG AAGCGCACGT GGTATCGAAA GTTCGTGGGA GTTGTTCTTT  5040
50   GTAATTCACT GAGGTATAAA ATCTACCTCA GTGACAACCT GAAAGATACA TTCTACAGCA  5100
     TTGGAGACAG CTGGGGAAGA GGTGAAGACC ATTGCCAATT TGTGGATTCA CACCTTGATG  5160
     GAAGAACAGG GCCTCAGTCC TATGTAGAAG CCCTCCCTAC TATTCAAGGC TACTATCGCC  5220
     AGTATCGTCA GGAGCCTGTC AGGTTTGGGA ACATCGGCTT CGGAACCCCC TACTACTATG  5280
     TGGGCTGGTA CGAGTGTGGG GTCTCCATCC CTGGAAAGTG GTAATCACAG GACCGTCATG  5340
     CTGCAAGCTT GCCCTGCCCA GCCCCACCAA CTAAGTCGCA CTAGGGGCTG TGAGCAAAGA  5400
55   CAGCCAGCAT GCTCAGCCCC GCTGCCCTAG GTGCCAGGAA GGTCACTGGC GGACACTGGC  5460
     CATTCTGGTC ATCTCAGTCT GGAACTCAGT CCCACTTCTT GGCCTGGACA ATGAACAGGA  5520
     TTCAGTTTTG CTGTTAACTT TGCTTCTCTA CTTTTTTTTG TTTGTTTGTA ATAGCACATC  5580
     CCAGAGACAT CAGAAACCAG CAACTGATTC AGTGTGATTT CCAGAGACTT TTAGGCATGA  5640
60   AATTCGGACA CTTCAGTATT TCCAGGAATA GCATATGCAC GCTGTTCTTG CTTCATGGAA  5700
     TGCTACATGC TTTCTGTTTT TCTCATTTTG GATTTCTCCA AAACTAACTG AATTTAAGCT  5760
     TCAGGTCCCT TTGTATGCAG TAGAAAGGAA TTATTAAAAA CACCACCAAA GAAAATAAAT  5820
     ATATCCTACT TGAAATTTAC TCTATGGACT TACCCACTGC TAGAATAAAT GTATCAAATC  5880
     TTATTTGTAA ATTCTCAATT TTGATATATA TATGTATATA TGCATATACA TATCCACACT  5940
     TGTCTGCAAG AATATTGATT AAAATTGCTA AATTTGTACT TGTTCACCAA AAAAAAAAAA  6000
     AAAAAAA
```

```
Seq ID NO: 419 Protein sequence
Protein Accession #: Eos sequence
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MPGTKLTRTG APADYRVILK TSQEDELDVP DDISVRVMSS QSVLVSWVDP VLEKQKKVVA   60
     SRQYTVRYRE KGELARWDYK QIANRRVLIE NLIPDTVYEF AVRISQGERD GKWSTSVFQR  120
     TPESAPTTAP ENLNVWPVNG KPTVVAASWD ALPETEGKVK VCLLDTGLFS VSSFQPSAKS  180
     FQNTFFHTPR LSNHLEQSPS PILETLLLPW WMVCSLGNAI FSKSGPQTGR AWDLTPKPSL  240
     SLCQQECSCT QKDFSCLAYL IDIQTKQVNK DPQLEGSVPG PCFLFYPLTF MLDIGGFSFI  300
     MCYEDPVSSL TGNSLKSVAA SKADVQQNTE DNGKPEKPEP SSPSPRAPAS SQHPSVPASP  360
     QGRNAKDLLL DLKNKILANG GAPRKPQLRA KKAEELDLQS TEITGEEELG SREDSPMSPS  420
     DTQDQKRTLR PPSRHGHSVV APGRTAVRAR MPALPRREGV DKPGPSLATQ PRPGAPPSAS  480
     ASPAHHASTQ GTSHRPSLPA SLNDNDLVDS DEDERAVGSL HPKGAPAQPR PALSPSRQSP  540
     SSVLRDRSSV HPGAKPASPA RRTPHSGAAE EDSSASAPPS RLSPPHGGSS RLLPTQPHLS  600
     SPLSKGGKDG EDAPATNSNA PSRSTMSSSV SSHLSSRTQV SEGAEASDGE SHGDGDREDG  660
     GRQAEATAQT LRARPASGHF HLLRHKPFAA NGRSPSRPSI GRGPRLQPSS SPQSTVPSRA  720
     HPRVPSHSDS HPKLSSGIHG DEEDEKPLPA TVVNDHVPSS SRQPISRGWE DLRRSPQRGA  780
     SLHRKEPIPE NPKSTGADTH PQGKYSSLAS KAQDVQQSTD ADTEGHSPKA QPGSTDRHAS  840
     PARPPAARSQ QHPSVPRRMT PGRAPEQQPP PPVATSQHEP GPQSRDAGRS PSQPRLSLTQ  900
     AGRPRPTSQG RSHSSSDPYT ASSRGMLPTA LQNQDEDAQG SYDDDSTEVE AQDVRAPAHA  960
```

342

```
           ARAKEAAASL PKHQQVESPT GAGAGGDHRS QRGHAASPAR PSRPGGPQSR ARVPSRAAPG   1020
           KSEPPSKRPL SSKSQQSVSA EDEEEEDAGP FKGGKEDLLS SSVPKWPSSS TPRGGKDADG   1080
           SLAKEEREPA IALAPRGGSL APVKRPLPPP PGSSPRASHV PSRPPPRSAA TVSPVAGTHP   1140
           WPRYTTRAPP GHPSTTPMLS LRQRMMHARF RNPLSRQPAR PSYRQGYNGR PNVEGKVLPG   1200
     5     SNGKPNGQRI INGPQGTKWV VDLDRGLVLN AEGRYLQDSH GNPLRIKLGG DGRTIVDLEG   1260
           TPVVSPDGLP LPGQGRHGTP LANAQDKPIL SLGGKPLVGL EVIKKTTHPP TTTMQPTTTT   1320
           TPLPTTTTPR PTTATTMQPT TTTTPLPTTT PRPTTATTRR TTTTRRPTTTV RTTTRTTTTT   1380
           TPKPTTPIPT CPPGTLERHD DDGNLIMSSN GIPECYAEED EPSGLETDTA VPTEEAYVIY   1440
           DEDYEFETSR PPTTTEPSTT ATTPRVIPES GAISSPPEEE FDLAGRKRFV APYVTYLNKD   1500
    10     PSAPCSLTDA LDHFQVDSLD EIIPNDLKKS DLPPQHAPRN ITVVAVEGCH SFVIVDWDKA   1560
           TPGDLVTGYL VYSASYEDPI RNKFSTQASS VTHLPIENLK PNTRYYFKVQ AQNPHGYGPI   1620
           SPSVSFVTES DNPLLVVRPP GGELSGSHSL SNMIPATRTA MDGNM
```

Seq ID NO: 420 DNA sequence
Nucleic Acid Accession #: NM_022743
Coding sequence: 128..1237

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           GTGGATTTTA GAGATACCTC CCCTCCTTCT GCTCAGCTGC CTTGCAGTAA TTAAACTCTT    60
           TCTCTGCTGC AACACCCCTA CTGTTCTCCG TGTATTGGCT TTTCTGGGCA GCAGGAAGGA   120
           AAAGCTGATG CGATGCTCTC AGTGCCGCGT CGCCAAATAC TGTAGTGCTA AGTGTCAGAA   180
           AAAAGCTTGG CCAGACCACA AGCGGGAATG CAAATGCCTT AAAAGCTGCA AACCCAGATA   240
           TCCTCCAGAC TCCGTTCGAC TTCTTGGCAG AGTTGTCTTC AAACTTATGG ATGGAGCACC   300
           TTCAGAATCA GAGAAGCTTT ACTCATTTTA TGATCTGGAG TCAAATATTA ACAAACTGAC  . 360
           TGAAGATAAG AAAGAGGGCC TCAGGCAACT CGTAATGACA TTTCAACATT TCATGAGAGA   420
           AGAAATACAG GATGCCTCTC AGCTGCCACC TGCCTTTGAC CTTTTTGAAG CCTTTGCAAA   480
           AGTGATCTGC AACTCTTTCA CCATCTGTAA TGCGGAGATG CAGGAAGTTG GTGTTGGCCT   540
           ATATCCCAGT ATCTCTTTGC TCAATCACAG CTGTGACCCC AACTGTTCGA TTGTGTTCAA   600
           TGGGCCCCAC CTCTTACTGC GAGCAGTCCG AGACATCGAG GTGGGAGAGG AGCTCACCAT   660
           CTGCTACCTG GATATGCTGA TGACCAGTGA GGAGCGCCGG AAGCAGCTGA GGGACCAGTA   720
           CTGCTTTGAA TGTGACTGTT TCCGTTGCCA AACCCAGGAC AAGGATGCTG ATATGCTAAC   780
           TGGTGATGAG CAAGTATGGA AGGAAGTTCA AGAATCCCTG AAAAAAATTG AAGAACTGAA   840
           GGCACACTGG AAGTGGGAGC AGGTTCTGGC CATGTGCCAG GCGATCATAA GCAGCAATTC   900
           TGAACGGCTT CCCGATATCA ACATCTACCA GCTGAAGGTG CTCGACTGCG CCATGGATGC   960
           CTGCATCAAC CTCGGCCTGT TGGAGGAAGC CTTGTTCTAT GGTACTCGGA CCATGGAGCC  1020
           ATACAGGATT TTTTTCCCAG GAAGCCATCC CGTCAGAGGG GTTCAAGTGA TGAAAGTTGG  1080
           CAAACTGCAG CTACATCAAG GCATGTTTCC CCAAGCAATG AAGAATCTGA GACTGGCTTT  1140
           TGATATTATG AGAGTGACAC ATGGCAGAGA ACACAGCCTG ATTGAAGATT TGATTCTACT  1200
           TTTAGAAGAA TGCGACGCCA ACATCAGAGC ATCCTAAGGG AACGCAGTCA GAGGGAAATA  1260
           CGGCGTGTGT CTTTGTTGAA TGCCTTATTG AGGTCACACA CTCTATGCTT TGTTAGCTGT  1320
           GTGAACCTCT CTTATTGGAA ATTCTGTTCC GTGTTTGTGT AGGTAAATAA AGGCAGACAT  1380
           GGTTTGCAAA CCACAAGAAT CATTAGTTGT AGAGAAGCAC GATTATAATA AATTCAAAAC  1440
           ATTTGGTTGA GGATGCCAAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 421 Protein sequence
Protein Accession #: NP_073580

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           MRCSQCRVAK YCSAKCQKKA WPDHKRECKC LKSCKPRYPP DSVRLLGRVV FKLMDGAPSE    60
           SEKLYSFYDL ESNINKLTED KKEGLRQLVM TPQHFMREEI QDASQLPPAF DLFEAFAKVI   120
           CNSFTICNAE MQEVGVGLYP SISLLNHSCD PNCSIVFNGP HLLLRAVRDI EVGEELTICY   180
           LDMLMTSEER RRQLRDQYCF ECDCFRCQTQ DKDADMLTGD EQVWKEVQES LKKIEELKAH   240
           WKWEQVLAMC QAIISSNSER LPDINIYQLK VLDCAMDACI NLGLLEEALF YGTRTMEPYR   300
           IPPPGSHPVR GVQVMKVGKL QLHQGMFPQA MKNLRLAFDI MRVTHGREHS LIEDLILLLE   360
           ECDANIRAS
```

Seq ID NO: 422 DNA sequence
Nucleic Acid Accession #: NM_003014.2
Coding sequence: 238..648

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           GGCGGGTTCG CGCCCCGAAG GCTGAGAGCT GGCGCTGCTC GTGCCCTGTG TGCCAGACGG    60
           CGGAGCTCCG CGGCCGGACC CCGCGGCGCC GCTTTGCTGC CGACTGGAGT TTGGGGGAAG   120
           AAACTCTCCT GCGCCCCAGA AGATTTCTTC CTCGGCGAAG GGACAGCGAA AGATGAGGGT   180
           GGCAGGAAGA GAAGGCGCTT TCTGTCTGCC GGGGTCGCAG CGCGGAGAGG CAGTGCCATG   240
           TTCCTCTCCA TCCTAGTGGC GCTGTGCCTG TGGCTGCACC TGGCGCTGGG CGTGCGCGGC   300
           GCGCCCTGCG AGGCGGTGCG CATCCCCTATG TGCCGGCACA TGCCCTGGAC CATCACGCGG   360
           ATGCCCAACC ACCTGCACCA CAGCACGCAG GAGAACGCCA TCCTGGCCAT CGAGCAGTAC   420
           GAGGAGCTGG TGGACGTGAA CTGCAGCGCC GTGCTGCGCT TCTTCTTCTG TGCCATGTAC   480
           GCGCCCATTT GCACCCTGGA GTTCCTGCAC GACCCTATCA AGCCGTGCAA GTCGGTGTGC   540
           CAACGCGCGC GCGACGACTG CGAGCCCCTC ATGAAGATGT ACAACCACAG CTGGCCCGAA   600
           AGCCTGGCCT GCGACGAGCT GCCTGTCTAT GACCGTGGCG TGTGCATTTC GCCTGAAGCC   660
           ATCGTCACGG ACCTCCCGGA GGATGTTAAG TGGATAGACA TCACACCAGA CATGATGGTA   720
           CAGGAAAGGC CTCTTGATGT TGACTGTAAA CGCCTAAGCC CCGATCGGTG CAAGTGTAAG   780
           AAGGTGAAGC CAACTTTGGC AACGTATCTC AGCAAAAACT ACAGCTATGT TATTCATGCC   840
           AAAATAAAAG CTGTGCAGAG GAGTGGCTGC AATGAGGTCA CAACGGTGGT GGATGTAAAA   900
           GAGATCTTCA AGTCCTCATC ACCCATCCCT CGAACTCAAG TCCCGCTCAT TACAAATTCT   960
           TCTTGCCAGT GTCCACACAT CCTGCCCCAT CAAGATGTTC TCATCATGTG TTACGAGTGG  1020
           CGTTCAAGGA TGATGCTTCT TGAAAATTGC TTAGTTGAAA AATGGAGAGA TCAGCTTAGT  1080
           AAAAGATCCA TACAGTGGGA AGAGAGGCTG CAGGAACAGC GGAGAACAGT TCAGGACAAG  1140
           AAGAAAACAG CCGGGCGCAC CAGTCGTAGT AATCCCCCCA AACCAAAGGG AAAGCCTCCT  1200
           GCTCCCAAAC CAGCCAGTCC CAAGAAGAAC ATTAAAACTA GGAGTGCCCA GAAGAGAACA  1260
          .AACCCGAAAA GAGTGTGAGC TAACTAGTTT CCAAAGCGGA GACTTCCGAC TTCCTTACAG  1320
          .GATGAGGCTG GGCATTGCCT GGGACAGCCT ATGTAAGGCC ATGTGCCCCT TGCCCTAACA  1380
```

```
     ACTCACTGCA GTGCTCTTCA TAGACACATC TTGCAGCATT TTTCTTAAGG CTATGCTTCA   1440
     GTTTTTCTTT GTAAGCCATC ACAAGCCATA GTGGTAGGTT TGCCCTTTGG TACAGAAGGT   1500
     GAGTTAAAGC TGGTGGAAAA GGCTTATTGC ATTGCATTCA GAGTAACCTG TGTGCATACT   1560
 5   CTAGAAGAGT AGGGAAAATA ATGCTTGTTA CAATTCGACC TAATATGTGC ATTGTAAAAT   1620
     AAATGCCATA TTTCAAACAA AACACGTAAT TTTTTTACAG TATGTTTTAT TACCTTTTGA   1680
     TATCTGTTGT TGCAATGTTA GTGATGTTTT AAAATGTGAT GAAAATATAA TGTTTTTAAG   1740
     AAGGAACAGT AGTGGAATGA ATGTTAAAAG ATCTTTATGT GTTTATGGTC TGCAGAAGGA   1800
     TTTTTGTGAT GAAAGGGGAT TTTTTGAAAA ATTAGAGAAG TAGCATATGG AAAATTATAA   1860
10   TGTGTTTTTT TACCAATGAC TTCAGTTTCT GTTTTTAGCT AGAAACTTAA AAACAAAAAT   1920
     AATAATAAAG AAAAATAAAT AAAAAGGAGA GGCAGACAAT GTCTGGATTC CTGTTTTTTG   1980
     GTTACCTGAT TTCCATGATC ATGATGCTTC TTGTCACAC CCTCTTAAGC AGCACCAGAA    2040
     ACAGTGAGTT TGTCTGTACC ATTAGGAGTT AGGTACTAAT TAGTTGGCTA ATGCTCAAGT   2100
     ATTTTATACC CACAAGAGAG GTATGTCACT CATCTTACTT CCCAGGACAT CCACCCTGAG   2160
15   AATAATTTGA CAAGCTTAAA AATGGCCTTC ATGTGAGTGC CAAATTTTGT TTTTCTTCAT   2220
     TTAAATATTT TCTTTGCCTA AATACATGTG AGAGGAGTTA AATATAAATG TACAGAGAGG   2280
     AAAGTTGAGT TCCACCTCTG AAATGAGAAT TACTTGACAG TTGGGATACT TTAATCAGAA   2340
     AAAAAGAACT TATTTGCAGC ATTTTATCAA CAAATTTCAT AATTGTGGAC AATTGGAGGC   2400
     ATTTATTTTA AAAAACAATT TTATTGGCCT TTTGCTAACA CAGTAAGCAT GTATTTTATA   2460
20   AGGCATTCAA TAAATGCACA ACGCCCAAAG GAAATAAAAT CCTATACTTA CCTACTCTCC   2520
     ACTACACAGA GGTAATCACT ATTAGTATTT TGGCATATTA TTCTCCAGGT GTTTGCTTAT   2580
     GCACTTATAA AATGATTTGA ACAAATAAAA CTAGGACCT GTATACATGT GTTTCATAAC    2640
     CTGCCTCCTT TGCTTGGCCC TTTATTGAGA TAAGTTTTCC TGTCAAGAAA GCAGAAACCA   2700
     TCTCATTTCT AACAGCTGTG TTATATTCCA TAGTATGCAT TACTCAACAA ACTGTTGTGC   2760
25   TATTGGATAC TTAGGTGGTT TCTTCACTGA CAATACTGAA TAAACATCTC ACCGGAATTC
```

Seq ID NO: 423 Protein sequence
Protein Accession #: NP_003005.1.

```
     1          11         21         31         41         51
     |          |          |          |          |          |
30   MFLSILVALC LWLHLALGVR GAPCEAVRIP MCRHMPWNIT RMPNHLHHST QENAILAIEQ     60
     YEELVDVNCS AVLRFFPCAM YAPICTLBFL HDPIKPCKSV CQRARDDCEP LMKMYNHSWP    120
     ESLACDELPV YDRGVCISPE AIVTDLPEDV KWIDITPDMM VQERPLDVDC KRLSPDRCKC    180
     KKVKPTLATY LSKNYSYVIH AKIKAVQRSG CNEVTTVVDV KEIFKSSSPI PRTQVPLITN    240
35   SSCQCPHILP HQDVLIMCYE WRSRMMLLEN CLVEKWRDQL SKRSIQWEER LQEQRRTVQD    300
     KKKTAGRTSR SNPPKPKGKP PAPKPASPKK NIKTRSAQKR TNPKRV
```

Seq ID NO: 424 DNA sequence
Nucleic Acid Accession #: BC010423
Coding sequence: 248..1780

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CACAGCGTGG GAAGCAGCTC TGGGGGAGCT CGGAGCTCCC GATCACGGCT TCTTGGGGGT     60
45   AGCTACGGCT GGGTGTGTAG AACGGGGCCG GGGCTGGGGC TGGGTCCCCT AGTGGAGACC    120
     CAAGTGCGAG AGGCAAGAAC TCTGCAGCTT CCTGCCTTCT GGGTCAGTTC CTTATTCAAG    180
     TCTGCAGCCG GCTCCCAGGG AGATCTCGGT GGAACTTCAG AAACGCTGGG CAGTCTGCCT    240
     TTCAACCATG CCCCTGTCCC TGGGAGCCGA GATGTGGGGG CCTGAGGCCT GGCTGCTGCT    300
     GCTGCTACTG CTGGCCATCAT TTACAGGCGG GTGCCCCGCG GGTGAGCTGG AGACCTCAGA    360
50   CGTGGTAACT GTGGTGCTGG GCCAGGACGC AAAACTGCCC TGCTTCTACC GAGGGGACTC    420
     CGGCGAGCAA GTGGGGCAAG TGGCATGGGC TCGGGTGGAC GCGGGCGAAG GCGCCCAGGA    480
     ACTAGCGCTA CTGCACTCCA AATACGGGCT TCATGTGAGC CCGGCTTACG AGGGCCGGCGT    540
     GGAGCAGCCG CCGCCCCCAC GCAAACCCCCT GGACGGGCTCA GTGCTCCTGC GCAACGCAGT    600
     GCAGGCGGAT GAGGGCGAGT ACGAGTGCCG GGTCAGCACC TTCCCCGCCG GCAGCTTCCA    660
55   GGGCGCGGCTG CGGCTCCGAG TGCTGGTGCC TCCCCTGCCTC TCACTGAATC CTGGTCCAGC    720
     ACTAGAAGAG GGCCAGGGGC TGACCCTGGC AGCCTCCTGC ACAGCTGAGG GCAGCCCAGC    780
     CCCCAGCGTG ACCTGGGACA CGGAGGTCAA AGGCACAACG TCCAGCCGTT CCTTCAAGCA    840
     CTCCCGCTCT GCTGCCGTCA CCTCAGAGTT CCACTTGGTG CCTAGCCGCA GCATGAATGG    900
     GCAGCCACTG ACTTGTGTGG TGTCCCATCC TGGCCTGCTC CAGGACCAAA GGATCACCCA    960
60   CATCCTCCAC GTGTCCTTCC TTGCTGAGGC CTCTGTGAGG GGCCTTGAAG ACCAAAATCT   1020
     GTGGCACATT GGCAGAGAAG GAGCTATGCT CAAGTGCCTG AGTGAAGGGC AGCCCCCTCC   1080
     CTCATACAAC TGGACACGGC TGGATGGGCC TCTGCCCAGT GGGGTACGAG TGGATGGGGA   1140
     CACTTTGGGC TTTCCCCCAC TGACCACTGA GCACAGCGGC ATCTACGTCT GCCATGTCAG   1200
     CAATGAGTTC TCCTCAAGGG ATTCTCAGGT CACTGTGGAT GTTCTTGACC CCCAGGAAGA   1260
65   CTCTGGGAAG CAGGTGGACC TAGTGTCAGC CTCGGTGGTG GTGGTGGGTG TGATCGCCGC   1320
     ACTCTTGTTC TGCCTTCTGG TGGTGGTGGT GGTGCTCATG TCCCGATACC ATCGGCGCAA   1380
     GGCCCAGCAG ATGACCCAGA AATATGAGGA GGAGCTGACC CTGACCAGGG AGAACTCCAT   1440
     CCGGAGGCTG CATTCCCATC ACACGGACCG CAGGAGCCAG CCGGAGGAGA GTGTAGGGCT   1500
     GAGAGCCGAG GGCCACCCTG ATAGTCTCAA GGACAACAGT AGCTGCTCTG TGATGAGTGA   1560
70   AGAGCCCGAG GGCCGCAGTT ACTCCACGCT GACCACGGTG AGGGAGATAG AAACACAGAC   1620
     TGAACTGCTG TCTCCAGGCT CTGGGCGGGC CGAGGAGGAG GAAGATCAGG ATGAAGGCAT   1680
     CAAACAGGCC ATGAACCATT TTGTTCAGGA GAATGGGACC CTACGGGCCA AGCCCACGGG   1740
     CAATGGCATC TACATCAATG GGCGGGGACA CCTGGTCTGA CCCAGGCCTG CCTCCCTTCC   1800
     CTAGGCCTGG CTCCTTCTGT TGACATGGGA GATTTTAGCT CATCTTGGGG GCCTCCTTAA   1860
75   ACACCCCCAT TTCTTGCGGA AGATGCTCCC CATCCCACTG ACTGCTTGAC CTTTACCTCC   1920
     AACCCTTCTG TTCATCGGGA GGGCTCCACC AATTGAGTCT CTCCCACCAT GCATGCAGGT   1980
     CACTGTGTGT GTGCATGTGT GCCTGTGTGA GTGTTGACTG ACTGTGTGTG TGTGGAGGGG   2040
     TGACTGTCCG TGGAGGGGTG ACTGTGTCCG TGGTGTGTAT TATGCTGTCA TATCAGAGTC   2100
     AAGTGAACTG TGGTGTATGT GCCACGGGAT TTGAGTGGTT GCGTGGGCAA CACTGTCAGG   2160
80   GTTTGGCGTG TGTGTCATGT GGCTGTGTGT GACCTCTGCC TGAAAAAGCA GGTATTTTCT   2220
     CAGACCCCAG AGCAGTATTA ATGATGCAGA GGTTGGAGGA GAGAGGTGGA GACTGTGGCT   2280
     CAGACCCAGG TGTGCGGGCA TAGCTGGAGC TGGAATCTGC CTCCGGTGTG AGGGAACCTG   2340
     TCTCCTACCA CTTCGGAGCC ATGGGGCAA GTGTGAAGCA GCCAGTCCCT GGGTCAGCCA    2400
     GAGGCTTGAA CTGTTACAGA AGCCCTCTGC CCTCTGGTGG CCTCTGGGCC TGCTCCAGTGT   2460
85   ACATATTTTC TGTAAATATA CATGCGCCGG GAGCTTCTTG CAGGAATACT GCTCCGAATC   2520
     ACTTTTAATT TTTTTCTTTT TTTTTTCTTG CCCTTTCCAT TAGTTGTATT TTTTATTTAT   2580
     TTTTATTTTT ATTTTTTTTT AGAGTTTGAG TCCAGCCTGG ACGATATAGC CAGACCCTGT   2640
```

CTGTAAAAAA ACCAAAACCC AAAAAAAAAA AAAAAAAAAA

Seq ID NO: 425 Protein sequence
Protein Accession #: AAH10423

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MPLSLGAEMW GPEAWLLLLL LLASFTGRCP AGELETSDVV TVVLGQDAKL PCFYRGDSGE    60
     QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPRNPLDG SVLLRNAVQA   120
     DEGEYECRVS TFPAGSFQAR LRLRVLVPPL PSLNPGPALE EGQGLTLAAS CTAEGSPAPS   180
     VTWDTEVKGT TSSRSFKHSR SAAVTSEFHL VPSRSMNGQP LTCVVSHPGL LQDQRITHIL   240
     HVSPLAEASV RGLEDQNLWH IGREGAMLKC LSEGQPPPSY NWTRLDGPLP SGVRVDGDTL   300
     GFPPLTTEHS GIYVCHVSNE FSSRDSQVTV DVLDPQEDSG KQVDLVSASV VVVGVIAALL   360
     PCLLVVVVVL MSRYHRRKAQ QMTQKYEEEL TLTRENSIRR LHSEHTDPRS QPEESVGLRA   420
     EGHPDSLKDN SSCSVMSEEP EGRSYSTLTT VREIETQTEL LSPGSGRAEE EEDQDEGIKQ   480
     AMNHFVQENG TLRAKPTGNG IYINGRGHLV
```

Seq ID NO: 426 DNA sequence
Nucleic Acid Accession #: NM_003474.2
Coding sequence: 37..3036

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CACTAACGCT CTTCCTAGTC CCCGGGCCAA CTCGGACAGT TTGCTCATTT ATTGCAACGG    60
     TCAAGGCTGG CTTGTGCCAG AACGGCGCGC GCGCGACGCA CGCACACACA CGGGGGGAAA   120
     CTTTTTTAAA AATGAAAGGC TAGAAGAGCT CAGCGGCGGC GCGGGCCGTG CGCGAGGGCT   180
     CCGGAGCTGA CTCGCCGAGG CAGGAAATCC CTCCGGTCGC GACGCCCGGC CCCGCTCGGC   240
     GCCCGCGTGG GATGGTGCAG CGCTCGCCGC CGGGCCCGAG AGCTGCTGCA CTGAAGGCCG   300
     GCGACGATGG CAGCGCGCCC GCTGCCCGTG TCCCCGCCCC GCGACCTCCT GCTCGCCCTG   360
     GCCGGTGCTC TGCTCGCGCC CTGCGAGGCC CGAGGGGTGA GCTTATGGAA CGAAGGAAGA   420
     GCTGATGAAG TTGTCAGTGC CTCTGTTCGG AGTGGGGACC TCTGGATCCC AGTGAAGAGC   480
     TTCGACTCCA AGAATCATCC AGAAGTGCTG AATATTCGAC TACAACGGGA AAGCAAAGAA   540
     CTGATCATAA ATCTGGAAAG AAATGAAGGT CTCATTGCCA GCAGTTTCAC GGAAACCCAC   600
     TATCTGCAAG ACGGTACTGA TGTCTCCCTC GCTCGAAATT ACACGGTAAT TCTGGGTCAC .  660
     TGTTACTACC ATGGACATGT ACGGGGATAT TCTGATTCAG CAGTCAGTCT CAGCACGTGT   720
     TCTGGTCTCA GGGGACTTAT TGTGTTTGAA AATGAAAGCT ATGTCTTAGA ACCAATGAAA   780
     AGTGCAACCA ACAGATACAA ACTCTTCCCA GCGAAGAAGC TGAAAAGCGT CCGGGGATCA   840
     TGTGGATCAC ATCACAACAC ACCAAACCTC GCTGCAAAGA ATGTGTTTCC ACCACCCTCT   900
     CAGACATGGG CAAGAAGGCA TAAAAGAGAG ACCCTCAAGG CAACTAAGTA TGTGGAGCTG   960
     GTGATCGTGG CAGACAACCG AGAGTTTCAG AGGCAAGGAA AAGATCTGGA AAAAGTTAAG  1020
     CAGCGATTAA TAGAGATTGC TAATCACGTT GACAAGTTTT ACAGACCACT GAACATTCGG  1080
     ATCGTGTTGG TAGGCGTGGA AGTGTGGAAT GACATGGACA AATGCTCTGT AAGTCAGGAC  1140
     CCATTCACCA GCCTCCATGA ATTTCTGGAC TGGAGGAAGA TGAAGCTTCT ACCTCGCAAA  1200
     TCCCATGACA ATGCGCAGCT TGTCAGTGGG GTTTATTTCC AAGGGACCAC CATCGGCATG  1260
     GCCCCAATCA TGAGCATGTG CACGGCAGAC CAGTCTGGGG GAATTGTCAT GGACCATTCA  1320
     GACAATCCCC TTGGTGCAGC CGTGACCCTG GCACATGAGC TGGGCCACAA TTTCGGGATG  1380
     AATCATGACA CACTGGACAG GGGCTGTAGC TGTCAAATGG CGGTTGAGAA AGGAGGCTGC  1440
     ATCATGAACG CTTCCACCGG GTACCCATTT CCCATGGTGT TCAGCAGTTG CAGCAGGAAG  1500
     GACTTGGAGA CCAGCCTGGA GAAAGGAATG GGGGTGTGCC TGTTTAACCT GCCGGAAGTC  1560
     AGGGAGTCTT TCGGGGGCCA GAAGTGTGGG AACAGATTTG TGGAAGAAGG AGAGGAGTGT  1620
     GACTGTGGGG AGCCAGAGGA ATGTATGAAT CGCTGCTGCA ATGCCACCAC CTGTACCCTG  1680
     AAGCCGGACG CTGTGTGCGC ACATGGGCTG TGCTGTGAAG ACTGCCAGCT GAAGCCTGCA  1740
     GGAACAGCGT GCAGGGACTC CAGCAACTCC TGTGACCTCC CAGAGTTCTG CACAGGGGCC  1800
     AGCCCTCACT GCCCAGCCAA CGTGTACCTG CACGATGGGC ACTCATGTCA GGATGTGGAC  1860
     GGCTACTGCT ACAATGGCAT CTGCCAGACT CACGAGCAGC AGTGTGTCAC ACTCTGGGGA  1920
     CCAGGTGCTA AACCTGCCCC TGGGATCTGC TTTGAGAGAG TCAATTCTGC AGGTGATCCT  1980
     TATGGCAACT GTGGCAAAGT CTCGAAGAGT TCCTTTGCCA AATGCGAGAT GAGAGATGCT  2040
     AAATGTGGAA AATCCAGTG TCAAGGAGGT GCCAGCCGGC CAGTCATTGG TACCAATGCC  2100
     GTTTCCATAG AAACAAACAT CCCCCTGCAG CAAGGAGGCC GGATTCTGTG CCGGGGGACC  2160
     CACGTGTACT TGGGCGATGA CATGCCGGAC CCAGGGCTTG TGCTTGCAGG CACAAAGTGT  2220
     GCAGATGGAA AAATCTGCCT GAATCGTCAA TGTCAAAATA TTAGTGTCTT TGGGGTTCAC  2280
     GAGTGTGCAA TGCAGTGCCA CGGCAGAGGG GTGTGCAACA ACAGGAAGAA CTGCCACTGC  2340
     GAGGCCCACT GGGCACCTCC CTTCTGTGAC AAGTTTGGCT TTGGAGGAAG CACAGACAGC  2400
     GGCCCCATCC GGCAAGCAGA TAACCAAGGT TTAACCATAG GAATTCTGGT GACCATCCTG  2460
     TGTCTTCTTG CTGCCGGATT TGTGGTTTAT CTCAAAAGGA AGACCTTGAT ACGACTGCTG  2520
     TTTACAAATA AGAAGACCAC CATTGAAAAA CTAAGGTGTG TGCGCCCTTC CCGGCCACCC  2580
     CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG AAAAGGCCT GATGAGGAAG  2640
     CCGCCAGATT CCTACCCACC GAAGGACAAT CCCAGGAGAT TGCTGCAGTG TCAGAATGTT  2700
     GACATCAGCA GACCCCTCAA CGGCCTGAAT GTCCCTCAGC CCCAGTCAAC TCAGCGAGTG  2760
     CTTCCTCCCC TCCACCGGGC. CCCACGTGCA CCTAGCGTCC CTGCCAGACC CCTGCCAGCC  2820
     AAGCCTGCAC TTAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG  2880
     CCTGCAGATC CTCTGGCCAG AACAACTCGG CTCACTCATG CCTTGGCCAG GACCCCAGGA  2940
     CAATGGGAGA CTGGGCTCCG CCTGGCACCC CTCAGACCTG CTCCACAATA TCCACACCAA  3000
     GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTGAGAAG TTTTCAACAG  3060
     TGAAGACAGA AGTTTGCACT ATCTTTCAGC TCCAGTTGGA GTTTTTTGTA CCAACTTTTA  3120
     GGATTTTTTT TAATGTTTAA AACATCATTA CTATAAGAAC TTTGAGCTAC TGCCGTCAGT  3180
     GCTGTGCTGT GCTATGGTGC TCTGTCTACT TGCACAGGTA CTTGTAAATT ATTAATTTAT  3240
     GCAGAATGTT GATTACAGTC CAGTGCGCTG TAGTAGGCAT TTTTACCATC ACTGAGTTTT  3300
     CCATGGCAGG AAGGCTTGTT GTGCTTTTAG TATTTTAGTG AACTTGAAAT ATCCTGCTTG  3360
     ATGGGATTCT GGACAGGATG TGTTTGCTTT CTGATCAAGG CCTTATTGGA AAGCAGTCCA  3420
     CCAACTACCC CCAGCTGTGC TTATGGTACC AGATGCAGCT CAAGAGATCC CAAGTAGAAT  3480
     CTCAGTTGAT TTTCTGGATT CCCCATCTCA GGCCAGAGCC AAGGGGCTTC AGGTCCAGGC  3540
     TGTGTTTGGC TTTCAGGGAG GCCCTGTGCC CCTTGACAAC TGGCAGGCAG GCTCCCAGGC  3600
     ACACCTGGGA GAAATCTGGC TTCTGGCCAG GAAGCTTTGG TGAGAACCTG GGTTGCAGAC  3660
     AGGAATCTTA AGGTGTAGCC ACACCAGGAT AGAGACTGGA ACACTAGACA AGCCAGAACT  3720
     TGACCCTGAG CTGACCAGCC GTGAGCATGT TTGGAAGGGG TCTGTAGTGT CACTCAAGGC  3780
     GGTGCTTGAT AGAAATGCCA AGCACTTCTT TTTCTCGCTG TCCTTTCTAG AGCACTGCCA  3840
```

```
     CCAGTAGGTT ATTTAGCTTG GGAAAGGTGG TGTTTCTGTA AGAAACCTAC TGCCCAGGCA    3900
     CTGCAAACCG CCACCTCCCT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA    3960
     CAATGATCCT GTATTCAGAC AGATGAGGAC TTTCCATGGG ACCACAACTA TTTTCAGATG    4020
     TGAACCATTA ACCAGATCTA GTCAATCAAG TCTGTTTACT GCAAGGTTCA ACTTATTAAC    4080
  5  AATTAGGCAG ACTCTTTATG CTTGCAAAAA CTACAACCAA TGGAATGTGA TGTTCATGGG    4140
     TATAGTTCAT GTCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCTT CTCTATGGGG    4200
     CATCCTCTTT TTCCAACTTG GCTGCAGGAA TCTTTAAAAG ATGCTTTTAA CAGAGTCTGA    4260
     ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAGCATC ACAGAATGTG ATAAGGAAAT    4320
     CAACTTGCTT ATCAACTTCC TAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCTTGAA    4380
 10  CTCTTCACTC TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT    4440
     AATGGCATGA GAAATACAAA AATACTCAGA TAAGGTAAAA TGCCATGATG CCTCTGTCTT    4500
     CTGGACTGGT TTTCACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT    4560
     TTTATGAGAA AGCCTTCTTT TGGGGTCAAC AGTTTTCCTA TGCTTTGAAA CAGAAAAATA    4620
     TGTACCAAGA ATCTTGGTTT GCCTTCCAGA AAACAAAACT GCATTTCACT TTCCCGGTGT    4680
 15  TCCCCACTGT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAAAACTAAA CACGTGACAC    4740
     AAACACACAC AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTCGTATAGC ATGCATCTGT    4800
     TTATTCTATA GTTATTAAGT TCTTTAAAAT GTAAAGCCAT GCTGGAAAAT AATACTGCTG    4860
     AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA    4920
     TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTGGGCA TTGTCTTTTT    4980
 20  AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCCT CCAATTATAA GAGGATATGA    5040
     ACCAAAAAAA AAAAAAAAAA AA
```

```
     Seq ID NO: 427 Protein sequence
     Protein Accession #: NP_003465
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MAARPLPVSP ARALLLALAG ALLAPCEARG VSLWNEGRAD EVVSASVRSG DLWIPVKSFD    60
     SKNHPEVLNI RLQRESKELI INLERNEGLI ASSFTETHYL QDGTDVSLAR NYTVILGHCY   120
     YHGHVRGYSD SAVSLSTCSG LRGLIVFENS SYVLEPMKSA TNRYKLFPAK KLKSVRGSCG   180
     SHHNTPNLAA KNVFPPPSQT WARRHKRETL KATKYVELVI VADNREFQRQ GKDLEKVKQR   240
     LIEIANHVDK FYRPLNIRIV LVGVEVWNDM DKCSVSQDPF TSLHEFLDWR KMKLLPRKSH   300
     DNAQLVSGVY FQGTTIGMAP IMSMCTADQS GGIVMDHSDN PLGAAVTLAH ELGHNPGMNH   360
     DTLDRGCSCQ MAVEKGGCIM NASTGYPPFM VFSSCSRKDL ETSLEKGMGV CLFNLPEVRE   420
     SFGGQKCGNR FVEEGEECDC GEPEECMNRC CNATTCTLKP DAVCAHGLCC EDCQLKPAGT   480
     ACRDSSNSCD LPEFCTGASP HCPANVYLHD GHSCQDVDGY CYNGICQTHE QQCVTLWGPG   540
     AKPAPGICFE RVNSAGDPYG NCGKVSKSSF AKCEMRDAKC GKIQCQGGAS RPVIGTNAVS   600
     IETNIPLQQG GRILCRGTHV YLGDDMPDPG LVLAGTKCAD GKICLNRQCQ NISVPGVHEC   660
     AMQCHGRGVC NNRKNCHCEA HWAPPPCDKF GPGGSTDSGP IRQADNQGLT IGILVTILCL   720
     LAAGFVVYLK RKTLIRLLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHLGH LGKGLMRKPP   780
     DSYPPKDNPR RLLQCQNVDI SRPLNGLNVP QPQSTQRVLP PLHRAPRAPS VPARPLPAKP   840
     ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP   900
     RSTHTAYIK
```

```
     Seq ID NO: 428 DNA sequence
     Nucleic Acid Accession #: NM_003714
     Coding sequence: 135..1043
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GAGGAGGAGG GAAAAGGCGA GCAAAAAGGA AGAGTGGGAG GAGGAGGGGA AGCGGCGAAG     60
     GAGGAAGAGG AGGAGGAGGA AGAGGGGAGC ACAAAGGATC CAGGTCTCCC GACGGGAGGT    120
     TAATACCAAG AACCATGTGT GCCGAGCGGC TGGGCCAGTT CATGACCCTG GCTTTGGTGT    180
     TGCCCACCTT TGACCCGGCG CGGGGGACCG ACGCCACCAA CCCACCCGAG GGTCCCCAAG    240
     ACAGGAGCTC CCAGCAGAAA GGCGCGCCTGT CCCTGCAGAA TACAGCGGAG ATCCAGCACT    300
     GTTTGGTCAA CGCTGGCGAT GTGGGGTGTG GCGTGTTTGA ATGTTTCGGA AACAACTCTT    360
     GTGAGATTCG GGGCTTACAT GGGATTTGCA TGACTTTTCT GCACAACGCT GGAAAAATTTG    420
     ATGCCCAGGG CAAGTCATTC ATCAAAGACG CCTTGAAATG TAAGGCCCAC GCTCTGCGGC    480
     ACAGGTTCGG CTGCATAAGC CGGAAGTGCC CGGCCATCAG GGAAATGGTG TCCCAGTTGC    540
     AGCGGGAATG CTACCTCAAG CACGACCTGT GCGCGGCTGC CCAGGAGAAC ACCCGGGTGA    600
     TAGTGGAGAT GATCCATTTC AAGGACTTGC TGCTGCACGA ACCCTACGTG GACCTCGTGA    660
     ACTTGCTGCT GACCTGTGGG GAGGAGGTGA AGGAGGCCAT CACCCACAGC GTGCAGGTTC    720
     AGTGTGAGCA GAACTGGGGA AGCCTGTGCT CCATCTTGAG CTTCTGCACC TCGGCCATCC    780
     AGAAGCCTCC CACGGCGCCC CCCGAGCGCC AGCCCCAGGT GGACAGAACC AAGCTCTCCA    840
     GGGCCCACCA CGGGGAAGCA GGACATCACC TCCCAGAGCC CAGCAGTAGG GAGACTGGCC    900
     GAGGTGCCAA GGGTGAGCGA GGTAGCAAGA GCCACCCAAA CGCCCATGCC CGAGGCAGAG    960
     TCGGGGGCCT TGGGGCTCAG GGACCTTCCG GAAGCAGCGA GTGGGAAGAC GAACAGTCTG   1020
     AGTATTCTGA TATCCGGAGG TGAAATGAAA GGCCTGGCCA CGAAATCTTT CCTCCACGCC   1080
     GTCCATTTTC TTATCTATGG ACATTCCAAA ACATTTACCA TTAGAGAGGG GGGATGTCAC   1140
     ACGCAGGATT CTGTGGGGAC TGTGGACTTC ATCGAGGTGT GTGTTCGCGG AACGGACAGG   1200
     TGAGATGGAG ACCCCTGGGG CCGTGGGGTC TCAGGGGTGC CTGGTGAATT CTGCACTTAC   1260
     ACGTACTCAA GGGAGCGCGC CGCGCGTTAT C CTCGTACCTT TGTCTTCTTT CCATCTGTGG   1320
     AGTCAGTGGG TGTCGGCCGC TCTGTTGTGG GGGAGGTGAA CCAGGGAGGG GCAGGGCAAG   1380
     GCAGGGCCCC CAGAGCTGGG CCACACAGTG GGTGCTGGGC CTCGCCCCGA AGCTTCTGGT   1440
     GCAGCAGCCT CTGGTGCTGT CTCCGCGGAA GTCAGGGCGG CTGGATTCCA GGACAGGAGT   1500
     GAATGTAAAA ATAAATATCG CTTAGAATGC AGGAGAAGGG TGGAGAGGAG GCAGGGGCCG   1560
     AGGGGGTGCT TGGTGCCAAA CTGAAATTCA GTTTCTTGTG TGGGGCCTTG CGGTTCAGAG   1620
     CTCTTGGCGA GGGTGGAGGG AGGAGTGTCA TTTCTATGTG TAATTTCTGA GCCATTGTAC   1680
     TGTCTGGGCT GGGGGGGGACA CTGTCCAAGG GAGTGGCCCC TATGAGTTTA TATTTTAACC   1740
     ACTGCTTCAA ATCTCGATTT CACTTTTTTT ATTTATCCAG TTATATCTAC ATATCTGTCA   1800
     TCTAAATAAA TGGCTTTCAA ACAAAGCAAC TGGGTCATTA AAACCAGCTC AAAGGGGGTT   1860
     TAAAAAAAAA AAAACCAGCC CATCCTTTGA GGCTGATTTT TCTTTTTTTT AAGTTCTATT   1920
     TTAAAAGCTA TCAAACAGCG ACATAGCCAT ACATCTGACT GCCTGACATG GACTCCTGCC   1980
     CACTTGGGGG AAACCTTATA CCCAGAGGAA AATACACACC TGGGGAGTAC ATTTGACAAA   2040
     TTTCCCTTAG GATTTCGTTA TCTCACCTTG ACCCTCAGCC AAGATTGGTA AAGCTGCGTC   2100
     CTGGCGATTC CAGGAGACCC AGCTGGAAAC CTGGCTTCTC CATGTGAGGG GATGGGAAAG   2160
     GAAAGAAGAG AATGAAGACT ACTTAGTAAT TCCCATCAGG AAATGCTGAC CTTTTACATA   2220
```

```
           AAATCAAGGA GACTGCTGAA AATCTCTAAG GGACAGGATT TTCCAGATCC TAATTGGAAA  2280
           TTTAGCAATA AGGAGAGGAG TCCAAGGGGA CAAATAAAGG CAGAGAGAGA GAGAGAGAGA  2340
           GGGAGAGGAA GAAAAGAGAG AGAGAAAAGA GCCTCGTGCC
```

Seq ID NO: 429 Protein sequence
Protein Accession #: NP_003705

```
           1          11         21         31        .41         51
           |          |          |          |          |          |
           MCAERLGQFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT ABIQHCLVNA  60
           GDVGCGVPEC FENNSCBIRG LHGICMTFLH NAGKFDAQGK SPIKDALKCK AHALRHRFGC  120
           ISRKCPAIRE MVSQLQRECY LKHDLCAAAQ ENTRVIVEMI HPKDLLLHEP YVDLVNLLLT  180
           CGEEVKEAIT HSVQVQCEQN WGSLCSILSP CTSAIQKPPT APPERQPQVD RTKLSRAHHG  240
           EAGHHLPEPS SRETGRGAKG ERGSKSHPNA HARGRVGGLG AQGPSGSSEW EDEQSEYSDI  300
           RR
```

Seq ID NO: 430 DNA sequence
Nucleic Acid Accession #: NM_005940
Coding sequence: 23..1489

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           AAGCCCAGCA GCCCCGGGGC GGATGGCTCC GGCCGCCTGG CTCCGCAGCG CGGCCGCGCG  60
           CGCCCTCCTG CCCCCGATGC TGCTGCTGCT GCTCCAGCCG CCGCCGCTGC TGGCCCGGGC  120
           TCTGCCGCCG GACGTCCACC ACCTCCATGC CGAGAGGAGG GGGCCACAGC CCTGGCATGC  180
           AGCCCTGCCC AGTAGCCCGG CACCTGCCCC TGCCACGCAG GAAGCCCCCC GGCCTGCCAG  240
           CAGCCTCAGG CCTCCCCGCT GTGGCGTGCC CGACCCATCT GATGGGCTGA GTGCCCGCAA  300
           CCGACAGAAG AGGTTCGTGC TTTCTGGCGG GCGCTGGGAG AAGACGGACC TCACCTACAG  360
           GATCCTTCGG TTCCCATGGC AGTTGGTGCA GGAGCAGGTG CGGCAGACGA TGGCCGAGGC  420
           CCTAAAGGTA TGGAGCGATG TGACGCCACT CACCTTTACT GAGGTGCACG AGGGCCGTGC  480
           TGACATCATG ATCGACTTCG CCAGGTACTG GCATGGGGAC GACCTGCCGT TTGATGGGCC  540
           TGGGGGCATC CTGGCCCATG CCTTCTTCCC CAAGACTCAC CGAGAAGGGG ATGTCCACTT  600
           CGACTATGAT GAGACCTGGA CTATCGGGGA TGACCAGGGC ACAGACCTGC TGCAGGTGGC  660
           AGCCCATGAA TTTGGCCACG TGCTGGGGCT GCAGCACACA CACGCAGCCA AGGCCCTGAT  720
           GTCCGCCTTC TACACCTTTC GCTACCCACT GAGTCTCAGC CCAGATGACT GCAGGGGCGT  780
           TCAACACCTA TATGGCCAGC CCTGGCCCAC TGTCACCTCC AGGACCCCAG CCCTGGGCCC  840
           CCAGGCTGGG ATAGACACCA ATGAGATTGC ACCGCTGGAG CCAGACGCCC CGCCAGATGC  900
           CTGTGAGGCC TCCTTTGACG CGGTCTCCAC CATCCGAGGC GAGCTCTTTT TCTTTCAAAGC  960
           GGGCTTTGTG TGGCGCCTCC GTGGGGGCCA GCTGCAGCCG GGCTACCCAG CATTGGCCTC  1020
           TGCCCACTGG CAGGGACTGC CCAGCCCTGT GGACGCTGCC TTCGAGGATG CCCAGGGCCA  1080
           CATTTGGTTC TTCCAAGGTG CTCAGTACTG GGTGTACGAC GGTGAAAAGC CAGTCCTGGG  1140
           CCCCGCCACC CTCACCGAGC TGGGGCTGGT GAGGTTCCCG GTCCATGCTG CCTTGGTCTG  1200
           GGGTCCCGAG AAGAACAAGA TCTACTTCTT CCGAGGCAGG GACTACTGGC GTTTCCACCC  1260
           CAGCACCCGG CGTGTAGACA GTCCCGTGCC CCGCAGGGCC ACTGACTGGA GAGGGGTGCC  1320
           CTCTGAGATC GACGCTGCCT TCCAGGATGC TGATGGCTAT GCCTACTTCC TGCGCGGCCG  1380
           CCTCTACTGG AAGTTTGACC CTGTGAAGGT GAAAGGCTCTG GAAGGCTTCC CCCGTCTCGT  1440
           GGGTCCTGAC TTCTTTGGCT GTGCCGAGCC TGCCAACACT TTCCTCTGAC CATGGCTTGG  1500
           ATGCCCTCAG GGGTGCTGAC CCCTGCCAGG CCACGAAATAT CAGGCTAGAG ACCCATGGCC  1560
           ATCTTTGTGT CTGCTGGGCAC CAGGCATGGG ACTGAGCCCA TGTCTCCTGC AGGGGGATGG  1620
           GGTGGGGTAC AACCACCATG ACAACTGCCG GGAGGGCCAC GCAGGTCGTG GTCACCTGCC  1680
           AGCGACTGTC TCAGACTGGG CAGGGAGGCT TTGGCATGAC TTAAGAGGAA GGGCAGTCTT  1740
           GGGACCCGCT ATGCAGGTCC TGGCAAACCT GGCTGCCCTG TCTCATCCCT GTCCCTCAGG  1800
           GTAGCACCAT GGCAGGACTG GGGGAACTGG AGTGTCCTTG CTGTATCCCT GTTGTGAGGT  1860
           TCCTTCCAGG GGCTGGCACT GAAGCAAGGG TGCTGGGGCC CCATGGCCTT CAGCCCTGGC  1920
           TGAGCAACTG GGCTGTAGGG CAGGGCCACT TCCTGAGGTC AGGTCTTGGT AGGTGCCTGC  1980
           ATCTGTCTGC CTTCTGGCTG ACAATCCTGG AAATCTGTTC TCCAGAATCC AGGCCAAAAA  2040
           GTTCACAGTC AAATGGGGAG GGGTATTCTT CATGCAGGAG ACCCCAGGCC CTGGAGGCTG  2100
           CAACATACCT CAATCCTGTC CCAGGCCGGA TCCTCCTGAA GCCCTTTTCG CAGCACTGCT  2160
           ATCCTCCAAA GCCATTGTAA ATGTGTGTAC AGTGTGTATA AAACCTTCTTC TTCTTTTTTT  2220
           TTTTTAAACT GAGGATTGTC ATTAAACACA GTTGTTTTCT
```

Seq ID NO: 431 Protein sequence
Protein Accession #: NP_005931

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           MAPAAWLRSA AARALLPPML LLLLQPPPLL ARALPPDVHH LHAERRGPQP WHAALPSSPA  60
           PAPATQEAPR PASSLRPPRC GVPDPSDGLS ARNRQKRFVL SGGRWEKTDL TYRILRFPWQ  120
           LVQEQVRQTM AEALKVWSDV TPLTFTEVHE GRADIMIDFA RYWHGDDLPF DGPGGILAHA  180
           FFPKTHREGD VHFDYDETWT IGDDQGTDLL QVAAHEFGHV LGLQHTTAAK AIMSAFYTFR  240
           YPLSLSPDDC RGVQHLYGQP WPTVTSRTPA LGPQAGIDTN BIAPLEPDAP PDACEASFDA  300
           VSTIRGELFF FKAGFVWRLR GGQLQPGYPA LASRHWQGLP SPVDAAFEDA QGHIWFFQGA  360
           QYWVYDGEKP VLGPAPLTEL GLVRFPVHAA LVWGPEKNKI YFFRGRDYWR FHPSTRRVDS  420
           PVPRRATDWR GVPSBIDAAF QDADGYAYFL RGRLYWKFDP VKVKALEGFP RLVGPDFFGC  480
           AEPANTFL
```

Seq ID NO: 432 DNA sequence
Nucleic Acid Accession #: NM_024022
Coding sequence: 202..1563

```
           1          11         21         31         41         51
           |          |          |          |          |          |
           ACCGGGCACC GGACGGCTCG GGTACTTTCG TTCTTAATTA GGTCATGCCC GTGTGAGCCA  60
           GGAAAGGGGCT GTGTTTATGG GAAGCCAGTA ACACTGTGGC CTACTATCTC TTCCGTGGTG  120
           CCATCTACAT TTTTGGGACT CGGGAATTAT GAGGTAGAGG TGGAGGCGGA GCCGGATGTC  180
           AGAGGTCCTG AAATAGTCAC CATGGGGGAA AATGATCCGC CTGCTGTTGA AGCCCCCTTC  240
           TCATTCCGAT CGCTTTTTGG CCTTGATGAT TTGAAAATAA GTCCTGTTGC ACCAGATGCA  300
```

```
         GATGCTGTTG CTGCACAGAT CCTGTCACTG CTGCCATTGA AGTTTTTTCC AATCATCGTC   360
         ATTGGGATCA TTGCATTGAT ATTAGCACTG GCCATTGGTC TGGGCATCCA CTTCGACTGC   420
         TCAGGGAAGT ACAGATGTCG CTCATCCTTT AAGTGTATCG AGCTGATAGC TCGATGTGAC   480
         GGAGTCTCGG ATTGCAAAGA CGGGGAGGAC GAGTACCGCT GTGTCCGGGT GGGTGGTCAG   540
  5      AATGCCGTGC TCCAGGTGTT CACAGCTGCT TCGTGGAAGA CCATGTGCTC CGATGACTGG   600
         AAGGGTCACT ACGCAAATGT TGCCTGTGCC CAACTGGGTT TCCCAAGCTA TGTGAGTTCA   660
         GATAACCTCA GAGTGAGCTC GCTGGAGGGG CAGTTCCGGG AGGAGTTTGT GTCCATCGAT   720
         CACCTCTTGC CAGATGACAA GGTGACTGCA TTACACCACT CAGTATATGT GAGGGAGGGA   780
         TGTGCCTCTG GCCACGTGGT TACCTTGCAG TGCACAGCCT GTGGTCATAG AAGGGGCTAC   840
  10     AGCTCACGCA TCGTGGGTGG AAACATGTCC TTGCTCTCGC AGTGGCCCTG GCAGGCCAGC   900
         CTTCAGTTCC AGGGCTACCA CCTGTGCGGG GGCTCTGTCA TCACGCCCCT GTGGATCATC   960
         ACTGCTGCAC ACTGTGTTTA TGACTTGTAC CTCCCCAAGT CATGGACCAT CCAGGTGGGT   1020
         CTAGTTTCCC TGTTGGACAA TCCAGCCCCA TCCCACTTGG TGGAGAAGAT TGTCTACCAC   1080
         AGCAAGTACA AGCCAAAGAG GCTGGGCAAT GACATGCGCC TTATGAAGCT GGCCGGGCCA   1140
  15     CTCACGTTCA ATGAAATGAT CCAGCCTGTG TGCCTGCCCA ACTCTGAAGA GAACTTCCCT   1200
         GATGGAAAAG TGTGCTGGAC GTCAGGATGG GGGGCCACAG AGGATGGAGG TGACGCCTCC   1260
         CCTGTCCTGA ACCACGCGGC CGTCCCTTTG ATTTCCAACA AGATCTGCAA CCACAGGGAC   1320
         GTGTACGGTG GCATCATCTC CCCCTCCATG CTCTGCGCGG GGTACCTGAC GGGTGGCGTG   1380
         GACAGCTGCC AGGGGGACAG CGGGGGGCCC CTGGTGTGTC AAGAGAGGAG GCTGTGGAAG   1440
  20     TTAGTGGGAG CGACCAGCTT TGGCATCGGC TGCGCAGAGG TGAACAAGCC TGGGGTGTAC   1500
         ACCCGTGTCA CCTCCTTCCT GGACTGGATC CACGAGCAGA TGGAGAGAGA CCTAAAAACC   1560
         TGAAGAGGAA GGGGACAAGT AGCCACCTGA GTTCCTGAGG TGATGAAGCA AGCCCGATCC   1620
         TCCCCTGGAC TCCGGTGTAG GAACCTGCAC ACGAGCAGAC ACCCTTGGAG CTCTGAGTTC   1680
         CGGCACCAGT AGCAGGCCCG AAAGAGGCAC CCTTCCATCT GATTCCAGCA CAACCTTCAA   1740
  25     GCTGCTTTTT GTTTTTTGTT TTTTTGAGGT GGAGTCTCGC TCTGTTGCCC AGGCTGGAGT   1800
         GCAGTGGCGA AATCCCTGCT CACTGCAGCC TCCGCTTCCC TGGTTCAAGC GATTCTCTTG   1860
         CCTCAGCTTC CCCAGTAGCT GGGACCACAG GTGCCCGCCA CCACACCCAA CTAATTTTTG   1920
         TATTTTTAGT AGAGACAGGG TTTCACCATG TTGGCCAGGC TGCTCTCAAA CCCCTGACCT   1980
         CAAATGATGT GCCTGCTTCA GCCTCCCACA GTGCTGGGAT TACAGGCATG GGCCACCACG   2040
  30     CCTAGCCTCA CGCTCCTTTC TGATCTTCAC TAAGAACAAA AGAAGCAGCA ACTTGCAAGG   2100
         GCGGCCTTTC CCACTGGTCC ATCTGGTTTT CTCTCCAGGG GTCTTGCAAA ATTCCTGACG   2160
         AGATAAGCAG TTATGTGACC TCACGTGCAA AGCCACCAAC AGCCACTCAG AAAAGACGCA   2220
         CCAGCCCAGA AGTGCAGAAC TGCAGTCACT GCACGTTTTC ATCTCTAGGG ACCAGAACCA   2280
         AACCCACCCT TTCTACTTCC AAGACTTATT TTCACATGTG GGGAGGTTAA TCTAGGAATG   2340
  35     ACTCGTTTAA GGCCTATTTT CATGATTTCT TTGTAGCATT TGGTGCTTGA CGTATTATTG   2400
         TCCTTTGATT CCAAATAATA TGTTTCCTTC CCTCAAAAAA AAAAAAAAAA AAAAAAAAAA   2460
         AAAAA
```

Seq ID NO: 433 Protein sequence
Protein Accession #: NP_076927

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         MGENDPPAVE APPSFRSLFG LDDLKISPVA PDADAVAAQI LSLLPLKFFP IIVIGIIALI   60
         LALAIGLGIH FDCSGKYRCR SSFKCIELIA RCDGVSDCKD GEDEYRCVRV GGQNAVLQVF   120
         TAASWKTMCS DDWKGHYANV ACAQLGFPSY VSSDNLRVSS LEGQFREEFV SIDHLLPDDK   180
         VTALHHSVYV REGCASGHVV TLQCTACGHR RGYSSRIVGG NMSLLSQWPW QASLQFQGYH   240
         LCGGSVITPL WIITAAHCVY DLYLPKSWTI QVGLVSLLDN PAPSHLVEKI VYHSKYKPKR   300
         LGNDIALMKL AGPLTFNEMI QPVCLPNSEE NFPDGKVCWT SGWGATEDGG DASPVLNHAA   360
         VPLISNKICN HRDVYGGIIS PSMLCAGYLT GGVDSCQGDS GGPLVCQERR LWKLVGATSF   420
         GIGCAEVNKP GVYTRVTSFL DWIHEQMERD LKT
```

Seq ID NO: 434 DNA sequence
Nucleic Acid Accession #: NM_000493.2
Coding sequence: 97..2139

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         CACCTTCTGC ACTGCTCATC TGGGCAGAGG AAGCTTCAGA AAGCTGCCAA GGCACCATCT   60
         CCAGGAACTC CCAGCACGCA GAATCCATCT GAGAATATGC TGCCACAAAT ACCCTTTTTG   120
         CTGCTAGTAT CCTTGAACTT GGTTCATGGA GTGTTTTACG CTGAACGATA CCAAATGCCC   180
         ACAGGCATAA AAGGCCCACT ACCCAACACC AAGACACAGT TCTTCATTCC CTACACCATA   240
         AAGAGTAAAG GTATAGCAGT AAGAGGAGAG CAAGGTACTC CTGGTCCACC AGGCCCTGCT   300
         GGACCTCGAG GGCACCCAGG TCCTTCTGGA CCACCAGGAA AACCAGGCTA CGGAAGTCCT   360
         GGACTCCAAG GAGAGCCAGG GTTGCCAGGA CCACCGGGAC CATCAGCTGT AGGGAAACCA   420
         GGTGTGCCAG GACTCCCAGG AAAACCAGGA GAGAGAGGAC CATATGGACC AAAAGGAGAT   480
         GTTGGACCAG CTGGCCTACC AGGACCCCGG GGCCCACCAG GACCACCTGG AATCCCTGGA   540
         CCGGCTGGAA TTTCTGTGCC AGGAAAACCT GGACAACAGG GACCCACAGG AGCCCCAGGA   600
         CCCAGGGGCT TTCCTGGAGA AAAGGGTGCA CCAGGAGTCC CTGGTATGAA TGGACAGAAA   660
         GGGAAATGG GATATGGTGC TCCTGGTCGT CCAGGTGAGA GGGGTCTTCC AGGCCCTCAG   720
         GGTCCCACAG GACCATCTGG CCCTCCTGGA GTGGGAAAAA GAGGTGAAAA TGGGGTTCCA   780
         GGACAGCCAG GCATCAAAGG TGATAGAGGT TTTCCGGGAG AAATGGGACC AATTGGCCCA   840
         CCAGGTCCCC AAGGCCCTCC TGGGGAACGA GGGCCAGAAG GCATTGGAAA GCCAGGAGCT   900
         GCTGGAGCCC CAGGCCAGCC AGGGATTCCA GGAACAAAAG GTCTCCCTGG GGCTCCAGGA   960
         ATAGCTGGGC CCCCAGGGCC TCCTGGCTTT GGGAAACCAG GCTTGCCAGG CCTGAAGGGA   1020
         GAAAGAGGAC CTGCTGGCCT TCCTGGGGGT CCAGGTGCCA AAGGGGAACA AGGGCCAGCA   1080
         GGTCTTCCTG GGAAGCCAGG TCTGACTGGA CCCCCTGGGA ATATGGGACC CCAAGGACCA   1140
         AAAGGCATCC CGGGTAGCCA TGGTCTCCCA GGCCCTAAAG GTGAGACAGG GCCAGCTGGG   1200
         CCTGCAGGAT ACCCTGGGGC TAAGGGTGAA AGGGGGTCCC CTGGGTCAGA TGGAAAACCA   1260
         GGGTACCCAG GAAAACCAGG TCTCGATGGT CCTAAGGGTA ACCCAGGGTT ACCAGGTCCA   1320
         AAAGGTGATC CTGGAGTTGG AGGACCTCCT GGTCTCCCAG GCCCTGTGGG CCCAGCAGGA   1380
         GCAAAGGGAA TGCCCGGACA CAATGGAGAG GCTGGGCCCA AGAGGTGCCCC TGGAATACCA   1440
         GGTACTAGAG GCCCTATTGG GCCACCAGGC ATTCCAGGAT TCCCTGGGTC TAAAGGGGAT   1500
         CCAGGAAGTC CCGGTCCTCC TGGCCCAGCT GGCATAGCAA CTAAGGGCCT CAATGGACCC   1560
         ACCGGGCCAC CAGGGCCTCC AGGTCCAAGA GGCCACTCTG GAGAGCCTGG TCTTCCAGGG   1620
         CCCCCTGGGC CTCCAGGCCC ACCAGGTCAA GCAGTCATGC CTGAGGGTTT TATAAAGGCA   1680
         GGCCAAAGGC CCAGTCTTTC TGGGACCCCT CTTGTTAGTG CCAACCAGGG GGTAACAGGA   1740
```

```
      ATGCCTGTGT CTGCTTTTAC TGTTATTCTC TCCAAAGCTT ACCCAGCAAT AGGAACTCCC   1800
      ATACCATTTG ATAAAATTTT GTATAACAGG CAACAGCATT ATGACCCAAG GACTGGAATC   1860
      TTTACTTGTC AGATACCAGG AAATATACTAT TTTTCATACC ACGTGCATGT GAAAGGGACT   1920
      CATGTTTGGG TAGGCCTGTA TAAGAATGGC ACCCCTGTAA TGTACACCTA TGATGAATAC   1980
 5    ACCAAAGGCT ACCTGGATCA GGCTTCAGGG AGTGCCATCA TCGATCTCAC AGAAAATGAC   2040
      CAGGTGTGGC TCCAGCTTCC CAATGCCGAG TCAAATGGCC TATACTCCTC TGAGTATGTC   2100
      CACTCCTCTT TCTCAGGATT CCTAGTGGCT CCAATGTGAG TACACCCCAC AGAGCTAATC   2160
      TAAATCTTGT GCTAGAAAAA GCATTCTCTA ACTCTACCCC ACCCTACAAA ATGCATATGG   2220
      AGGTAGGCTG AAAAGAATGT AATTTTTATT TTCTGAAATA CAGATTTGAG CTATCAGACC   2280
 10   AACAAACCTT CCCCCTGAAA AGTGAGCAGC AACGTAAAAA CGTATGTGAA GCCTCTCTTG   2340
      AATTTCTAGT TAGCAATCTT AAGGCTCTTT AAGGTTTTCT CCAATATTAA AAAATATCAC   2400
      CAAAGAAGTC CTGCTATGTT AAAAACAAAC AACAAAAAAC AAAAAAAAAT   2460
      TAAAAAAAAA AACAGAAATA GAGCTCTAAG TTATGTGAAA TTTGATTTGA GAAACTCGGC   2520
      ATTTCCTTTT TAAAAAAGCC TGTTTCTAAC TATGAATATG AGAACTTCTA GGAAACATCC   2580
 15   AGGAGGTATC ATATAACTTT GTAGAACTTA AATACTTGAA TATTCAAATT TAAAAGACAC   2640
      TGTATCCCCT AAAAATATTTC TGATGGTGCA CTACTCTGAG GCCTGTATGG CCCCTTTCAT   2700
      CAATATCTAT TCAAATATAC AGGTGCATAT ATACTTGTTA AAGCTCTTAT ATAAAAAAGC   2760
      CCCAAAATAT TGAAGTTCAT CTGAAATGCA AGGTGCTTTC ATCAATGAAC CTTTTCAAAA   2820
      CTTTTCTATG ATTGCAGAGA AGCTTTTTAT ATACCCAGCA TAACTTGGAA ACAGGTATCT   2880
 20   GACCTATTCT TATTTAGTTA ACACAAGTGT GATTAATTTG ATTTCTTTAA TTCCTTATTG   2940
      AATCTTATGT GATATGATTT TCTGGATTTA CAGAACATTA GCACATGTAC CTTGTGCCTC   3000
      CCATTCAAGT GAAGTTATAA TTTACACTGA GGGTTTCAAA ATTCGACTAG AAGTGGAGAT   3060
      ATATTATTTA TTTATGCACT GTACTGTATT TTTATATTGC TGTTTAAAAC TTTTAAGCTG   3120
      TGCCTCACTT ATTAAAGCAC AAAAATGTTTT ACCTACTCCT TATTTACGAC ACAATAAAAT   3180
 25   AACATCAATA GATTTTTAGG CTGAATTAAT TTGAAAGCAG CAATTTGCTG TTCTCAACCA   3240
      TTCTTTCAAG GCTTTTCATT CGACACAATA AAATAACATC AATAG
```

Seq ID NO: 435 Protein sequence
Protein Accession #: NP_000484.2

```
      1          11         21         31         41         51
      |          |          |          |.         |          |
      MLPQIPFLLL VSLNLVHGVP YAERYQMPTG IKGPLPNTKT QFFIPYTIKS KGIAVRGEQG   60
      TPGPPGPAGP RGHPGPSGPP GKPGYGSPGL QGEPGLPGPP GPSAVGKPGV PGLPGKPGER   120
      GPYGPKGDVG PAGLPGPRGP PGPPGIPGPA GISVPGKPGQ QGPTGAPGPR GPPGEKGAPG   180
      VPGMNGQKGE MGYGAPGRPG ERGLPGPQGP TGPSGPPGVG KRGENGVPGQ PGIKGDRGFP   240
      GEMGPIGPPG PQGPPGERGP EGIGKPGAAG APGQPGIPGT KGLPGAPGIA GPPGPPGFGK   300
      PGLPGLKGER GPAGLPGGPG AKGEQGPAGL PGKPGLTGPP GNMGPQGPKG IPGSHGLPGP   360
      KGETGPAGPA GYPGAKGERG SPGSDGKPGY PGKPGLDGPK GNPGLPGPKG DPGVGGPPGL   420
      PGPVGPAGAK GMPGHNGEAG PRGAPGIPGT RGPIGPPGIP GFPGSKGDPG SPGPPGPAGI   480
      ATKGLNGPTG PPGPPGPRGH SGEPGLPGPP GPPGPPGQAV MPEGFIKAGQ RPSLSGTPLV   540
      SANQGVTGMP VSAFTVILSK AYPAIGTPIP FDKILYNRQQ HYDPRTGIPT CQIPGIYYFS   600
      YHVHVKGTHV WVGLYKNGTP VMYTYDEYTK GYLDQASGSA IIDLTENDQV WLQLPNAESN   660
      GLYSSEYVHS SFSGFLVAPM
```

Seq ID NO: 436 DNA sequence
Nucleic Acid Accession #: XM_062811
Coding sequence: 1..888

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      ATGTGGGGCG CTCGGCCGCTC GTCCGTCTCC TCATCCTGGA ACGCCGCTTC GCTCCTGCAG   60
      CTGCTGCTGG CTGCGCTGCT GGCGGCGGGG GCGAGGGCCA GCGGCGAGTA CTGCCACGGC   120
      TGGCTGGACG CGCAGGGCGT CTGGCGCATC GGCTTCCAGT GTCCCGAGCG CTTCGACGGC   180
      GGCGACGCCA CCATCTGCTG CGGCAGCTGC GCGTTGCGCT ACTGCTGCTC CAGCGCCGAG   240
      GCGCGCCTGG ACCAGGGCGG CTGCGACAAT GACCGGCCAGC AGGGCGCTGG CGAGCCTGGC   300
      CGGGCGGACA AAGACGGCCC CGACGGCTCG GCAGTGCCCA TCTACGTGCC GTTCCTCATT   360
      GTTGGCTCCG TGTTTGTCGC CTTTATCATC TTGGGGTCCC TGGTGGCAGC CTGTTGCTGC   420
      AGATGTCTCC GGCCTAAGCA GGATCCCCAG CAGAGCCGAG CCCCAGGGGG TAACCGCTTG   480
      ATGGAGACCA TCCCCATGAT CCCCAGTGCC AGCACCTCCC GGGGGTCGTC CTCACGCCAG   540
      TCCAGCACAG CTGCCAGTTC CAGCTCCAGC GCCAACTCAG GGGCCCGGGC GCCCCCAACA   600
      AGGTCACAGA CCAACTGTTG CTTGCCGGAA GGGACCATGA ACAACGTGTA TGTCAACATG   660
      CCCACGAATT TCTCTGTGCT GAACTGTCAG CAGGCCACCC AGATTGTGCC ACATCAAGGG   720
      CAGTATCTGC ATCCCCCATA CGTGGGGTAC ACGGTGCAGC ACGACTCTGT GCCCATGACA   780
      GCTGTGCCAC CTTTCATGGA CGGCCTGCAG CCTGGCTACA GGCAGATTCA GTCCCCCTTC   840
      CCTCACACCA ACAGTGAACA GAAGATGTAC CCAGCGGTGA CTGTATAA   888
```

Seq ID NO: 437 Protein sequence
Protein Accession #: XP_062811

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MWGARRSSVS SSWNAASLLQ LLLAALLAAG ARASGEYCHG WLDAQGVWRI GFQCPERFDG   60
      GDATICCGSC ALRYCCSSAE ARLDQGGCDN DRQQGAGEPG RADKDGPDGS AVPIYVPFLI   120
      VGSVFVAPII LGSLVAACCC RCLRPKQDPQ QSRAPGGNRL METIPMIPSA STSRGSSSRQ   180
      SSTAASSSSS ANSGARAPPT RSQTNCCLPE GTMNNVYVNM PTNPSVLNCQ QATQIVPHQG   240
      QYLHPPYVGY TVQHDSVPMT AVPPFMDGLQ PGYRQIQSPF PHTNSEQKMY PAVTV
```

Seq ID NO: 438 DNA sequence
Nucleic Acid Accession #: NM_004004.1
Coding sequence: 1..681

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      ATGGATTGGG GCACGCTGCA GACGATCCTG GGGGGTGTGA ACAAACACTC CACCAGCATT   60
      GGAAAGATCT GGCTCACCGT CCTCTTCATT TTTCGCATTA TGATCCTCGT TGTGGCTGCA   120
      AAGGAGGTGT GGGGAGATGA GCAGGCCGAC TTTGTCTGCA ACACCCTGCA GCCAGGCTGC   180
```

```
        AAGAACGTGT GCTACGATCA CTACTTCCCC ATCTCCCACA TCCGGCTATG GGCCCTGCAG   240
        CTGATCTTCG TGTCCAGCCC AGCGCTCCTA GTGGCCATGC ACGTGGCCTA CCGGAGACAT   300
        GAGAAGAAGA GGAAGTTCAT CAAGGGGGAG ATAAAGAGTG AATTTAAGGA CATCGAGGAG   360
        ATCAAAACCC AGAAGGTCCG CATCGAAGGC TCCCTGTGGT GGACCTACAC AAGCAGCATC    420
        TTCTTCCGGG TCATCTTCGA AGCCGCCTTC ATGTACGTCT TCTATGTCAT GTACGACGGC   480
        TTCTCCATGC AGCGGCTGGT GAAGTGCAAC GCCTGGCCTT GTCCCAACAC TGTGGACTGC   540
        TTTGTGTCCC GGCCCACGGA GAAGACTGTC TTCACAGTGT TCATGATTGC AGTGTCTGGA   600
        ATTTGCATCC TGCTGAATGT CACTGAATTG TGTTATTTGC TAATTAGATA TTGTTCTGGG   660
        AAGTCAAAAA AGCCAGTTTA A                                              681
```

Seq ID NO: 439 Protein sequence
Protein Accession #: NP_003995.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MDWGTLQTIL GGVNKHSTSI GKIWLTVLPI PRIMILVVAA KEVWGDEQAD PVCNTLQPGC   60
        KNVCYDHYPP ISHIRLWALQ LIFVSSPALL VAMHVAYRRH EKKRKFIKGE IKSEFKDIEE   120
        IKTQKVRIEG SLWWTYTSSI FFRVIFEAAF MYVFYVMYDG FSMQRLVKCN AWPCPNTVDC   180
        FVSRPTEKTV FTVFMIAVSG ICILLNVTEL CYLLIRYCSG KSKKPV                   186
```

Seq ID NO: 440 DNA sequence
Nucleic Acid Accession #: XM_061091.1
Coding sequence: 1..2481

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        ATGCCAAATA CTTCAGGAAC AACCAGGATT GAAATTTGGC TTCTCCAAGA GCCGCCCGGG   60
        CACCGAGCGC TGGTCGCCGC TCTCCTTCCG GTGAGTCCCA AGCTGGCTCT GGCTGGGCG    120
        CCCGGGTACC CGCCAGTGCC GGCTGCCGAT GACCGATTCA CGCTCCCGAT GATTGGAGGT   180
        CAGATGCATG GTGAGAAGGT AGATCTCTGG AGCCTTGGTG TTCTTTGCTA TGAATTTTTA   240
        GTTGGGAAGC CTCCTTTTGA GGCAAACGAA GTCCATGTAA GCAAAGAAAC CATCGGGAAG   300
        ATTTCAGCTG CCAGCAAAAT GATGTGGTGC TCGGCTGCAG TGGACATCAT GTTTCTGTTA   360
        GATGGGTCTA ACAGCGTCGG GAAAGGGAGC TTTGAAAGGT CCAAGCACTT TGCCATCACA   420
        GTCTGTGACG GTCTGGACAT CAGCCCCGAG AGGGTCAGAG TGGGAGCATT CCAGTTCAGT   480
        TCCACTCCTC ATCTGGAATT CCCCTTGGAT TCATTTTCAA CCCAACAGGA AGTGAAGGCA   540
        AGAATCAAGA GGATGGTTTT CAAAGGAGGG CGCACGGAGA CGGAACTTGC TCTGAAATAC   600
        CTTCTGCACA GAGGGGTTGCC TGGAGGCAGA AATGCTTCTG TGCCCCAGAT CCTCATCATC   660
        GTCACTGATG GAAGTCCCA GGGGGATGTG GCACTGCCAT CCAAGCAGCT GAAGGAAAGG    720
        GGTGTCACTG TGTTTGCTGT GGGGGTCAGG TTTCCCAGGT GGGAGGAGCT GCATGCACTG   780
        GCCAGCGAGC CTAGAGGGCA GCACGTGCTG TTGGCTGAGC AGGTGGAGGA TGCCACCAAC   840
        GGCCTCTTCA GCACCCTCAG CAGCTCGGCC ATCTGCTCCA GCGCCACGCC AGCTGGGAGC   900
        CCCGAGCTTG TCTTCATGGA GCGGTTAATG GGCATCTCTC TGATAGGCCC CTGTGACTCG   960
        CAGCCCTGCC AGAATGGAGG CACATGTGTT CCAGAAGGAC TGGACGGCTA CCAGTGCCTC   1020
        TGCCCGCTGG CCTTTGGAGG GGAGGCTAAC TGTGCCCTGA AGCTGAGCCT GGAATGCAGG   1080
        GTCGACCTCC TCTTCCTGCT GGACAGCTCT GCGGGGCACCA CTCTGGACGG CTTCCTGCGG   1140
        GCCAAAGTCT TCGTGAAGCG GTTTGTGCGG GCCGTGCTGA GCGAGGACTC TCGGGCCCGA   1200
        GTGGGTGTGG CCACATACAG CAGGGAGCTG CTGGTGGCGG TGCCTGTGGG GGAGTACCAG   1260
        GATGTGCCTG ACCTGGTCTG GAGCCTCGAT GGCATTCCCT TCCGTGGTGG CCCCACCCTG   1320
        ACGGGCAGTG CCTTGCGGCA GGCGGCAGAG CGTGGCTTCG GGAGCGCCAC CAGGACAGGC   1380
        CAGGACCGGC CACGTAGAGT GGTGGTTTTG CTCACTGAGT CACACTCCGA GGATGAGGTT   1440
        GCGGGCCCAG CGCGTCACGC AAGGGCGCGA GAGCTGCTCC TGCTGGGTGT AGGCAGTGAG   1500
        GCCGTGCGGG CAGAGCTGGA GGAGATCACA GGCAGCCCAA AGCATGTGAT GGTCTACTCG   1560
        GATCCTCAGG ATCTGTTCAA CCAAATCCCT GAGCTGCAGG GGAAGCTGTG CAGCCGGCAG   1620
        CGGCCAGGGT GCCGGACACA AGCCCTGGAC CTCGTCTTCA TGTTGGACAC CTCTGCCTCA   1680
        GTAGGGCCCG AGAATTTTGC TCAGATGCAG AGCTTTGTGA GAAGCTGTGC CCTCCAGTTT   1740
        GAGGTGAACC CTGACGTGAC ACAGGTCGGC CTGGTGGTGT ATGGCAGCCA GGTGCAGACT   1800
        GCCTTCGGGC TGGACACCAA ACCCACCCGG GCTGCGATGC TGCGGGCCAT TAGCCAGGCC   1860
        CCCTACCTAG GTGGGGTGGG CTCAGCCGGC ACCGCCCTGC TGCACATCTA TGACAAAGTG   1920
        ATGACCGTCC AGAGGGGTGC CCGGCCTGGT GTCCCCAAAG CTGTGGTGGT GCTCACAGGC   1980
        GGGAGGAGCG CAGAGGATGC AGCCGTTCCT GCCCAGAAGC TGAGGAACAA TGGCATCTGT   2040
        GTCTTGGTCG TGGGCGTGGG GCCTGTCCTA AGTGAGGGTC TGCGGAGGCT TGCAGGTCCC   2100
        CGGGATTCCC TGATCCACGT GGCAGCTTAC GCCGACCTGC GGTACCACCA GGACGTGCTC   2160
        ATTGAGTGGC TGTGTGGAGA AGCCAAGCAG CCAGTCAACC TCTGCAAACC CAGCCCGTGC   2220
        ATGAATGAGG GCAGCTGCGT CCTGCAGAAT GGGAGCTACC GCTGCAAGTG TCGGGATGGC   2280
        TGGGAGGGCC CCCACTGCGA GAACCGTGAG TGGAGCTCTT GCTCTGTATG TGTGAGCCAG   2340
        GGATGGATTC TTGAGACGCC CCTGAGGCAC ATGGCTCCCG TGCAGGAGGG CAGCAGCCGT   2400
        ACCCCTCCCA GCAACTACAG AGAAGGCCTG GGCACTGAAA TGGTGCCTAC CTTCTGGAAT   2460
        GTCTGTGCCC CAGGTCCTTA G                                              2481
```

Seq ID NO: 441 Protein sequence
Protein Accession #: XP_061091.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MPNTSGTTRI EIWLLQEPPG HRALVAALLP VSPSPELALA PGYPPVPAAD DRFTLPMIGG   60
        QMHGEKVDLW SLGVLCYEFL VGKPPFEANE VHVSKETIGK ISAASKMMWC SAAVDIMFLL   120
        DGSNSVGKGS FERSKHFAIT VCDGLDISPE RVRVGAFQPS STPHLEFPLD SPSTQQEVKA   180
        RIKRMVFKGG RTETELALKY LLHRGLPGGR NASVPQILII VTDGKSQGDV ALPSKQLKER   240
        GVTVPAVGVR FPRWEELHAL ASEPRGQHVL LAEQVEDATN GLFSTLSSSA ICSSATPAGS   300
        PELVFMERLM GISLIGPCDS QPCQNGGTCV PEGLDGYQCL CPLAFGGEAN CALKLSLECR   360
        VDLLFLLDSS AGTTLDGFLR AKVFVKRFVR AVLSEDSRAR VGVATYSREL LVAVPVGEYQ   420
        DVPDLVWSLD GIPFRGGPTL TGSALRQAAE RGFGSATRTG QDRPRRVVVL LTESHSEDEV   480
        AGPARHARAR ELLLLGVGSE AVRAELEEIT GSPKHVMVYS DPQDLFNQIP ELQGKLCSRQ   540
        RPGCRTQALD LVFMLDTSAS VGPENFAQMQ SFVRSCALQP EVNPDVTQVG LVVYGSQVQT   600
        AFGLDTKPTR AAMLRAISQA PYLGGVGSAG TALLHIYDKV MTVQRGARPG VPKAVVVLTG   660
        GRGAEDAAVP AQKLRNNGIS VLVVGVGPVL SEGLRRLAGP RDSLIHVAAY ADLRYHQDVL   720
```

```
IEWLCGEARQ PVNLCKPSPC MNEGSCVLQN GSYRCKCRDG WEGPHCENRE WSSCSVCVSQ   780
GWILETPLRH MAPVQEGSSR TPPSNYREGL GTEMVPTFWN VCAPGP
```

Seq ID NO: 442 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..2424

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGCCCCCTT TCCTGTTGCT GGAGGCCGTC TGTGTTTTCC TGTTTTCCAG AGTGCCCCCA   60
TCTCTCCCTC TCCAGGAAGT CCATGTAAGC AAAGAAACCA TCGGGAAGAT TTCAGCTGCC   120
AGCAAAATGA TGTGGTGCTC GGCTGCAGTG GACATCATGT TTCTGTTAGA TGGGTCTAAC   180
AGCGTCGGGA AAGGGAGCTT TGAAAGGTCC AAGCACTTTG CCATCACAGT CTGTGACGGT   240
CTGGACATCA GCCCCGAGAG GGTCAGAGTG GGAGCATTCA AGTTCAGTTC CACTCCTCAT   300
CTGGAATTCC CCTTGGATTC ATTTTCAACC CAACAGGAAG TGAAGGCAAG AATCAAGAGG   360
ATGGTTTTCA AGGAGGGCAA CACGGAGACG GAACTTGCTC TGAAATACCT TCTGCACAGA   420
GGGTTGCCTG GAGGCAGAAA TGCTTCTGTG CCCCAGATCC TCATCATCGT CACTGATGGG   480
AAGTCCCAGG GGGATGTGGC ACTGCCATCC AAGCAGCTGA AGGAAAGGGG TGTCACTGTG   540
TTTGCTGTGG GGGTCAGGTT TCCCAGGTGG GAGGAGCTGC ATGCACTGGC CAGCGAGCCT   600
AGAGGGCAGC ACGTGCTGTT GGCTGAGCAG GTGGAGGATG CCACCAACGG CCTCTTCAGC   660
ACCCTCAGCA GCTCGGCCAT CTGCTCCAGC GCCACGCCAG ACTGCAGGGT CGAGGCTCAC   720
CCCTGTGAGC ACAGGACGCT GGAGATGGTC CGGGAGTTCG CTGGCAATGC CCCATGCTGG   780
AGAGGATCGC GGCGGACCCT TGCGGTGCTG GCTGCACACT GTCCCTTCTA CAGCTGGAAG   840
AGAGTGTTCC TAACCCACCC TGCCACCTGC TACAGGACCA CCTGCCCAGG CCCCTGTGAC   900
TCGCAGCCCT GCCAGAATGG AGGCACATGT GTTCCAGAAG GACTGGACGG CTACCAGTGC   960
CTCTGCCCGC TGGCCTTTGG AGGGGAGGCT AACTGTGCCC TGAAGCTGAG CCTGGAATGC   1020
AGGGTGGACC TCCTCTTCCT GCTGGACAGC TCTGCGGGCA CCACTCTGGA CGGCTTCCTG   1080
CGGGCCAAAG TCTTCGTGAA GCGGTTTGTG CGGGCCGTGC TGAGCGAGGA CTCTCGGGCC   1140
CGAGTGGGTG TGGCCACATA CAGCAGGGAG CTGCTGGTGG CGGTGCCTGT GGGGGAGTAC   1200
CAGGATGTGC CTGACCTGGT CTGGAGCCTC GATGGCATTC CCTTCCGTGG TGGCCCCACC   1260
CTGACGGGCA GTGCCTTGCG GCAGGCGGCA GAGCGTGGCT TCGGGAGCGC CACCAGGACA   1320
GGCCAGGACG GGCCACGTAG AGTGGTGGTT TTGCTCACTG AGTCACACTC CGAGGATGAG   1380
GTTGCGGGCG CAGCGCGTCA CGCAAGGGCG CGAGAGCTGC TCCTGCTGGG TGTAGGCAGT   1440
GAGGCCGTGC GGGCAGAGCT GGAGGAGATC ACAGGCAGCC CAAAGCATGT GATGGTCTAC   1500
TCGGATCCTC AGGATCTGTT CAACCAAATC CCTGAGCTGC AGGGGAAGCT GTGCAGCCGG   1560
CAGCGGCCAG GGTGCCGGAC ACAAGCCCTG GACCTCGTCT TCATGTTGGA CACCTCTGCC   1620
TCAGTAGGGC CCGAGAATTT TGCTCAGATG CAGAGCTTTG TGAGAAGCTG TGCCCTCCAG   1680
TTTGAGGTGA ACCCTGACGT GACACAGGTC GGCCTGGTGG TGTATGGCAG CCAGGTGCAG   1740
ACTGCCTTCG GGCTGGACAC CAAACCCACC CGGGCTGCGA TGCTGCGGGC CATTAGCCAG   1800
GCCCCCTACC TAGGTGGGGT GGGCTCAGCC GGCACCGCCC TGCTGCACAT CTATGACAAA   1860
GTGATGACCG TCCAGAGGGG TGCCCGGCCT GGTGTCCCCA AAGCTGTGGT GGTGCTCACA   1920
GGCGGGAGAG GCGCAGAGGA TGCAGCCGTT CCTGCCCAGA AGCTGAGGAA CAATGGCATC   1980
TCTGTCTTGG TCGTGGGCGT GGGGCCTGTC CTAAGTGAGG GTCTGCGGAG GCTTGCAGGT   2040
CCCCGGGATT CCCTGATCCA CGTGGCAGCT TACGCCGACC TGCGGTACCA CCAGGACGTG   2100
CTCATTGAGT GGCTGTGTGG AGAAGCCAAG CAGCCAGTCA ACCTCTGCAA ACCCAGCCCG   2160
TGCATGAATG AGGGCAGCTG CGTCCTGCAG AATGGGAGCT ACCGCTGCAA GTGTCGGGAT   2220
GGCTGGGAGG GCCCCCACTG CGAGAACCGT GAGTGGAGCT CTTGCTCTGT ATGTGTGAGC   2280
CAGGGATGGA TTCTTGAGAC GCCCCTGAGG CACATGGCTC CCGTGCAGGA GGGCAGCAGC   2340
CGTACCCCTC CCAGCAACTA CAGAGAAGGC CTGGGCACTG AAATGGTGCC TACCTTCTGG   2400
AATGTCTGTG CCCCAGGTCC TTAG                                         2424
```

Seq ID NO: 443 Protein sequence
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MPPPLLLEAV CVPLFSRVPP SLPLQEVHVS KETIGKISAA SKMMWCSAAV DIMFLLDGSN   60
SVGKGSFERS KHFAITVCDG LDISPERVRV GAFQFSSTPH LEFPLDSFST QQEVKARIKR   120
MVFKGGRTET ELALKYLLHR GLPGGRNASV PQILIIVTDG KSQGDVALPS KQLKERGVTV   180
FAVGVRFPRW EELHALASEP RGQHVLLAEQ VEDATNGLFS TLSSSAICSS ATPDCRVEAH   240
PCEHRTLEMV REPAGNAPCW RGSRRTLAVL AAHCPFYSWK RVFLTHPATC YRTTCPGPCD   300
SQPCQNGGTC VPEGLDGYQC LCPLAFGGEA NCALKLSLEC RVDLLFLLDS SAGTTLDGFL   360
RAKVFVKRPV RAVLSEDSRA RVGVATYSRE LLVAVPVGEY QDVPDLVWSL DGIPFRGGPT   420
LTGSALRQAA ERGFGSATRT GQDRPRRVVV LLTESHSEDE VAGPARHARA RELLLLGVGS   480
EAVRAELEBI TGSPKHVMVY SDPQDLFNQI PELQGKLCSR QRPGCRTQAL DLVFMLDTSA   540
SVGPENFAQM QSFVRSCALQ FEVNPDVTQV GLVVYGSQVQ TAFGLDTKPT RAAMLRAISQ   600
APYLGGVGSA GTALLHIYDK VMTVQRGARP GVPKAVVVLT GGRGAEDAAV PAQKLRNNGI   660
SVLVVGVGPV LSEGLRRLAG PRDSLIHVAA YADLRYHQDV LIEWLCGEAK QPVNLCKPSP   720
CMNEGSCVLQ NGSYRCKCRD GWEGPHCENR EWSSCSVCVS QGWILETPLR HMAPVQEGSS   780
RTPPSNYREG LGTEMVPTFW NVCAPGP                                       807
```

Seq ID NO: 444 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 89..2356

```
1          11         21         31         41         51
|          |          |          |          |          |
GCCCCCTGGC CCGAGCCGCG CCCGGGTCTG TGAGTAGAGC CGCCCGGGCA CCGAGCGCTG   60
GTCGCCGCTC TCCTTCCGTT ATATCAACAT GCCCCCTTTC CTGTTGCTGG AAGCCGTCTG   120
TGTTTTCCTG TTTTCCAGAG TGCCCCCATC TCTCCCTCTC CAGGAAGTCC ATGTAAGCAA   180
AGAAACCATC GGGAAGATTT CAGCTGCCAG CAAAATGATG TGGTGCTCGG CTGCAGTGGA   240
CATCATGTTT CTGTTAGATG GGTCTAACAG CGTCGGGAAA GGGAGCTTTG AAAGGTCCAA   300
GCACTTTGCC ATCACAGTCT GTGACGGTCT GGACATCAGC CCCGAGAGGG TCAGAGTGGG   360
AGCATTCCAG TTCAGTTCCA CTCCTCATCT GGAATTCCCC TTGGATTCAT TTTCAACCCA   420
ACAGGAAGTG AAGGCAAGAA TCAAGAGGAT GGTTTTCAAA GGAGGGCGCA CGGAGACGGA   480
ACTTGCTCTG AAATACCTTC TGCACAGAGG GTTGCCTGGA GGCAGAAATG CTTCTGTGCC   540
CCAGATCCTC ATCATCGTCA CTGATGGGAA GTCCCAGGGG GATGTGGCAC TGCCATCCAA   600
```

```
      GCAGCTGAAG GAAAGGGGTG TCACTGTGTT TGCTGTGGGG GTCAGGTTTC CCAGGTGGGA   660
      GGAGCTGCAT GCACTGGCCA GCGAGCCTAG AGGGCAGCAC GTGCTGTTGG CTGAGCAGGT   720
      GGAGGATGCC ACCAACGGCC TCTTCAGCAC CCTCAGCAGC TCGGCCATCT GCTCCAGCGC   780
      CACGCCAGAC TGCAGGGTCG AGGCTCACCC CTGTGAGCAC AGGACGCTGG AGATGGTCCG   840
5     GGAGTTCGCT GGCAATGCCC CATGCTGGAG AGGATCGCGG CGGACCCTTG CGGTGCTGGC   900
      TGCACACTGT CCCTTCTACA GCTGGAAGAG AGTGTTCCTA ACCCACCCTG CCACCTGCTA   960
      CAGGACCACC TGCCCAGGCC CCTGTGACTC GCAGCCCTGC CAGAATGGAG GCACATGTGT  1020
      TCCAGAAGGA CTGGACGGCT ACCAGTGCCT CTGCCCGCTG GCCTTTGGAG GGGAGGCTAA  1080
      CTGTGCCCTG AAGCTGAGCC TGGAATGCAG GGTCGACCTC CTCTTCCTGC TGGACAGCTC  1140
10    TGCGGGCACC ACTCTGGACG GCTTCCTGCG GGCCAAAGTC TTCGTGAAGC GGTTTGTGCG  1200
      GGCCGTGCTG AGCGAGGACT CTCGGGCCCG AGTGGGTGTG GCCACATACA GCAGGGAGCT  1260
      GCTGGTGGCG GTGCCTGTGG GGGAGTACCA GGATGTGCCT GACCTGGTCT GGAGCCTCGA  1320
      TGGCATTCCC TTCCGTGGTG GCCCCACCCT GACGGGCAGT GCCTTGCGGC AGGCGGCAGA  1380
      GCGTGGCTTC GGGAGCGCCA CCAGGACAGG CCAGGACCGG CCACGTAGAG TGGTGGTTTT  1440
15    GCTCACTGAG TCACACTCCG AGGATGAGGT TGCGGGCCCA GCGCGTCACG CAAGGGCGCG  1500
      AGAGCTGCTC CTGCTGGGTG TAGGCAGTGA GGCCGTGCGG GCAGAGCTGG AGGAGATCAC  1560
      AGGCAGCCCA AAGCATGTGA TGGTCTACTC GGATCCTCAG GATCGTGTTCA ACCAAATCCC  1620
      TGAGCTGCAG GGGAAGCTGT GCAGCCGGCA GCGGCCAGGG TGCCGGACAC AAGCCCTGGA  1680
      CCTCGTCTTC ATGTTGGACA CCTCTGCCTC AGTAGGGCCC GAGAATTTTG CTCAGATGCA  1740
20    GAGCTTTGTG AGAAGCTGTG CCCTCCAGTT TGAGGTGAAC CCTGACGTGA CACAGGTCGG  1800
      CCTGGTGGTG TATGGCAGCC AGGTGCAGAC TGCCTTCGGG CTGGACACCA AACCCACCCG  1860
      GGCTGCGATG CTGCGGGCCA TTAGCCAGGC CCCCTACCTA GGTGGGGTGG GCTCAGCCGG  1920
      CACCGCCCTG CTGCACATCT ATGACAAAGT GATGACCGTC CAGAGGGGTG CCCGGCCTGG  1980
      TGTCCCCAAA GCTGTGGTGG TGCTCACAGG CGGGAGAGGC GCAGAGGATG CAGCCGTTCC  2040
25    TGCCCAGAAG CTGAGGAACA ATGGCATCTC TGTCTTGGTC GTGGGCGTGG GGCCTGTCCT  2100
      AAGTGAGGGT CTGCGGAGGC TTGCAGGTCC CCGGGATTCC CTGATCCACG TGGCAGCTTA  2160
      CGCCGACCTG CGGTACCACC AGGACGTGCT CATTGAGTGG CTGTGTGGAG AAGCCAAGCA  2220
      GCCAGTCAAC CTCTGCAAAC CCAGCCCGTG CATGAATGAG GGCAGCTGCG TCCTGCAGAA  2280
      TGGGAGCTAC CGCTGCAAGT GTCGGGATGG CTGGGAGGGC CCCACTGCG AGAACCGATT  2340
30    CTTGAGACGC CCCTGAGGCA CATGGCTCCC GTGCAGGAGG GCAGCAGCCG TACCCCTCCC  2400
      AGCAACTACA GAGAAGGCCT GGGCACTGAA ATGGTGCCTA CCTTCTGGAA TGTCTGTGCC  2460
      CCAGGTCCTT AGAATGTCTG CTTCCCGCCG TGGCCAGGAC CACTATTCTC ACTGAGGGAG  2520
      GAGGATGTCC CAACTGCAGC CATGCTGCTT AGAGACAAGA AAGCAGCTGA TGTCACCCAC  2580
      AAACGATGTT GTTGAAAAGT TTTGATGTGT AAGTAAATAC CCACTTTCTG TACCTGCTGT  2640
35    GCCTTGTTGA GGCTATGTCA TCTGCCACCT TTCCCTTGAG GATAAACAAG GGGTCCTGAA  2700
      GACTTAAATT TAGCGGCCTG ACGTTCCTTT GCACACAATC AATGCTCGCC AGAATGTTGT  2760
      TGACACAGTA ATGCCCAGCA GAGGCCTTTA CTAGAGCATC CTTTGGACGG
```

Seq ID NO: 445 Protein sequence
Protein Accession #: Eos sequence

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MPPFLLLEAV CVFLFSRVPP SLPLQEVHVS KETIGKISAA SKMMWCSAAV DIMFLLDGSN   60
      SVGKGSFERS KHFAITVCDG LDISPERVRV GAFQFSSTPH LEFPLDSFST QQEVKARIKR  120
      MVFKGGRTET ELALKYLLHR GLPGGRNASV PQILIIVTDG KSQGDVALPS KQLKERGVTV  180
      FAVGVRFPRW EELHALASEP RGQHVLLAEQ VEDATNGLFS TLSSSAICSS ATPDCRVEAH  240
      PCEHRTLEMV REFAGNAPCW RGSRRTLAVL AAHCPFYSWK RVFLTHPATC YRTTCPGPCD  300
      SQPCQNGGTC VPEGLDGYQC LCPLAFGGEA NCALKLSLEC RVDLLFLLDS SAGTTLDGFL  360
      RAKVFVKRFV RAVLSEDSRA RVGVATYSRE LLVAVPVGEY QDVPDLVWSL DGIPFRGGPT  420
      LTGSALRQAA ERGFGSATRT GQDRPRRVVV LLTESHSEDE VAGPARHARA RELLLLGVGS  480
      EAVRAELEEI TGSPKHVMVY SDPQDLFNQI PELQGKLCSR QRPGCRTQAL DLVFMLDTSA  540
      SVGPENFAQM QSFVRSCALQ FEVNPDVTQV GLVVYGSQVQ TAFGLDTKPT RAAMLRAISQ  600
      APYLGGVGSA GTALLHIYDK VMTVQRGARP GVPKAVVVLT GGRGAEDAAV PAQKLRNNGI  660
      SVLVVGVGFV LSEGLRRLAG PRDSLIHVAA YADLRYHQDV LIEWLCGEAK QPVNLCKPSP  720
      CMNEGSCVLQ NGSYRCKCRD GWEGPHCENR FLRRP
```

Seq ID NO: 446 DNA sequence
Nucleic Acid Accession #: NM_031942.1
Coding sequence: 145..1260

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      CCCGAGCCCC GCCCCTCCGG GCCCGGGTCG GCGCGCCCAG CCTGCCAGCC GCGCTGCTGC   60
      TGCTCCTCCT GCTGTGGGAC CGCTGACCGC GCGGCTGCTC CGCTCTCCCC GCTCCAAGCG  120
      CCGATCTGGG CACCCGCCAC CAGCATGGAC GCTCGCCGCG TGCCGCAGAA AGATCTCAGA  180
      GTAAAGAAGA ACTTAAAGAA ATTCAGATAT GTGAAGTTGA TTTCCATGGA AACCTCGTCA  240
      TCCTCTGATG ACAGTTGTGA CAGCTTTGCT TCTGATAATT TTGCAAACAC GAGGCTGCAG  300
      TCAGTTCGGG AAGGCTGTAG GACCCGCAGC CAGTGCAGGC ACTCTGGACC TCTCAGGGTG  360
      GCGATGAAGT TTCCAGCGCG GAGTACCAGG GGAGCAACCA ACAAAAAAGC AGAGTCCCGC  420
      CAGCCCTCAG AGAATTCTGT GACTGATTCC AACTCCGATT CAGAAGATGA AAGTGGAATG  480
      AATTTTTTGG AGAAAAGGGC TTTAAATATA AAGCAAAACA AAGCAATGCT TGCAAAACTC  540
      ATGTCTGAAT TAGAAAGCTT CCCTGGCTCG TTCCGTGGAA GACATCCCCT CCCAGGCTCC  600
      GACTCACAAT CAAGGAGACC GCGAAGGCGT ACATTCCCGG GTGTTGCTTC CAGGAGAAAC  660
      CCTGAACGGA GAGCTCGTCC TCTTACCAGG TCAAGGTCCC GGATCCTCGG GTCCCTTGAC  720
      GCTCTACCCA TGGAGGAGGA GGAGGAAGAG GATAAGTACA TGTTGGTGAG AAAGAGGAAG  780
      ACCGTGGATG GCTACATGAA TGAAGATGAC CTGCCCAGAA GCCGTCGCTC CAGATCATCC  840
      GTGACCCTTC CGCATATAAT TCGCCCAGTG GAAGAAATTA CAGAGGAGGA GTTGGAGAAC  900
      GTCTGCAGCA ATTCTCGAGA GAAGATATAT AACCGTTCAC TGGGCTCTAC TTGTCATCAA  960
      TGCCGTCAGA AGACTATTGA TACCAAAACA AACTGCAGAA ACCCAGACTG CTGGGGCGTT 1020
      CGAGGCCAGT TCTGTGGCCC CTGCCTTCGA AACCGTTATG GTGAAGAGGT CAGGGGATGCT 1080
      CTGCTGGATC CGAACTGGCA TTGCCCGCCT TGTCGAGGAA TCTGCAACTG CAGTTTCTGC 1140
      CGGCAGCGAG ATGGACGGTG TGCGACTGGG GTCCTTGTGT ATTTAGCCAA ATATCATGGC 1200
      TTTGGGAATG TGCATGCCTA CTTGAAAAGC CTGAAACAGG AATTTGAAAT GCAAGCATAA 1260
      TATCTGGAAA ATTTGCTGCC TGCCTTCTAC TTCTCAAATC TTTCTTGTAA AAGTTTCCAA 1320
      TTTTTTCACT GAAACCTGAG TTAAAAATCT TGATGATCGA CCTGTTTCAT AAGAAACTCC 1380
      AATCAAGTTA ATCTTAGCAG ACATGTGTTT CTGGAGCATC ACAGAAGGTA TATTGCTAGT 1440
```

352

```
        TACACTTTGC CCTCCTGCAG TTTCTTCTCT GCTCCCAACC CCCATCTCAT AGCATCCCCC   1500
        TCTATTTCCA ATGCTCCTCT CCAACCGCTT AGTTTCTGAA TTTCTTTTAA ATTACAGTTT   1560
        TATGAAAGCA TATTTTATTT ACTTGGTGTT GAAATAGCCC TCATAAAACC TAAGCACTTG   1620
        GAAACACAAT AATAGTATTA ACTAACTAGA TCTATTGAAT TTCAGAGAAG AGCCTTCTAA   1680
  5     CTTGTTTACA CAAAAACGAG TATGATTTAG CACTCATACT AGTTGAAATT TTTAATAGAA   1740
        TCAAGGCACA AAAGTCTTAA AACCATGTGG AAAAATTAGG TAATTATTGC AGATTGATGT   1800
        CTCTCAATCC CATGTATTGC GCTTATGTTA CAAGTTGTTG TCACAGTTGA GACTTAATTT   1860
        CTCCTAATTT CTTCTGCCCG AAGGGTAAGT GGTGCGTCCA GCTTACACGA TCATAATTCA   1920
        AAGGTTGGTG GGCAATGTAA TACTTAATTA AAATAATGAT GGAAGAGCTA TCTGGAGATT   1980
 10     ATGAGTAAGC TGATTTGAAT TTTCAGTATA AAACTTTAGT ATAATTGTAG TTTGCAAAGT   2040
        TTATTTCAGT TCACATGTAA GGTATTGCAA ATAAATTCTT GGACAATTTT GTATGGAAAC   2100
        TTGATATTAA AAACTAGTCT GTGGTTCTTT GCAGTTTCTT GTAAATTTAT AAACCAGGCA   2160
        CAAGGTTCAA GTTTAGATTT TAAGCACTTT TATAACAATG ATAAGTGCCT TTTTGGAGAT   2220
        GTAACTTTTA GCAGTTTGTT AACCTGACAT CTCTGCCAGT CTAGTTCTG GGCAGGTTTC    2280
 15     CTGTGTCAGT ATTCCCCCTC CTCTTTGCAT TAATCAAGGT ATTTGGTAGA GGTGGAATCT   2340
        AAGTGTTTGT ATGTCCAATT TACTTGCATA TGTAAACCAT TGCTGGTGCCA TTCAATGTTT  2400
        GATGCATAAT TGGACCTTGA ATCGATAAGT GTAAATACAG CTTTTGATCT GTAATGCTTT   2460
        TATACAAAAG TTTATTTTAA TAATAAAATG TTTGTTCTAA AAAAAAAAAA              2460
```

Seq ID NO: 447 Protein sequence
Protein Accession #: NP_114148.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MDARRVPQKD LRVKKNLKKP RYVKLISMET SSSSDDSCDS FASDNFANTR LQSVREGCRT   60
        RSQCRHSGPL RVAMKFPARS TRGATNKKAB SRQPSENSVT DSNSDSEDES GMNFLEKRAL   120
        NIKQNKAMLA KLMSELESPP GSFRGRHPLP GSDSQSRRPR RRTFPGVASR RNPERRARPL   180
        TRSRSRILGS LDALPMEEEB EEDKYMLVRK RKTVDGYMNE DDLPRSRRSR SSVTLPHIIR   240
        PVEBITEEEL ENVCSNSREK IYNRSLGSTC HQCRQKTIDT KTNCRNPDCW GVRGQPCGPC   300
        LRNRYGEEVR DALLDPNWHC PPCRGICNCS PCRQRDGRCA TGVLVYLAKY HGFGNVHAYL   360
        KSLKQEFEMQ A
```

Seq ID NO: 448 DNA sequence
Nucleic Acid Accession #: NM_019894
Coding sequence: 1..1314

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        ATGTTACAGG ATCCTGACAG TGATCAACCT CTGAACAGCC TCGATGTCAA ACCCCTGCGC   60
        AAACCCCGTA TCCCCATGGA GACCTTCAGA AAGGTGGGGA TCCCCATCAT CATAGCACTA   120
        CTGAGCCTGG CGAGTATCAT CATTGTGGTT GTCCTCATCA AGGTGATTCT GGATAAATAC   180
        TACTTCCTCT GCGGGCAGCC TCTCCACTTC ATCCCGAGGA AGCAGCTGTG TGACGGAGAG   240
        CTGGACTGTC CCTTGGGGGA GGACGAGGAG CACTGTGTCA AGAGCTTCCC CGAAGGGCCT   300
        GCAGTGGCAG TCCGCCTCTC CAAGGACCGA TCCACACTGC AGGTGCTGGA CTCGGCCACA   360
        GGGAACTGGT TCTCTGCCTG TTTCGACAAC TTCACAGAAG CTCTCGCTGA GACAGCCTGT   420
        AGGCAGATGG GCTACAGCAG CAAACCCACT TTCAGAGCTG TGGAGATTGG CCCAGACCAG   480
        GATCTGGATG TTGTTGAAAT CACAGAAAAC AGCCAGGAGC TTCGCATGCG GAACTCAAGT   540
        GGGCCCTGTC TCTCAGGCTC CCTGGTCTCC CTGCACTGTC TTGCCTGTGG GAAGAGCCTG   600
        AAGACCCCCC GTGTGGTGGG TGGGGAGGAG GCCTCTGTGG ATTCTTGGCC TTGGCAGGTC   660
        AGCATCCAGT ACGACAAACA GCACGTCTGT GGAGGGGAGCA TCCTGGACCC CCACTGGGTC  720
        CTCACGGCAG CCCACTGCTT CAGGAAACAT ACGGATGTGT TCAACTGGAA GGTGCGGGCA   780
        GGCTCAGACA AACTGGGCAG CTTCCCCATCC CTGGCTGTGG CCAAGATCAT CATCATTGAA  840
        TTCAACCCCA TGTACCCCAA AGACAATGAC ATCGCCCTCA TGAAGCTGCA GTTCCCACTC   900
        ACTTTCTCAG GCACAGTCAG GCCCATCTGT CTGCCCTTCT TTGATGAGGA GCTCACTCCA   960
        GCCACCCCAC TCTGGATCAT TGGATGGGGC TTTACGAAGC AGAATGGAGG GAAGATGTCT   1020
        GACATACTGC TGCAGGCGTC AGTCCAGGTC ATTGACAGCA CACGGTGCAA TGCAGACGAT   1080
        GCGTACCAGG GGGAAGTCAC CGAGAAGATG ATGTGTGCAG GCATCCCGGA AGGGGGTGTG   1140
        GACACCTGCC AGGGTGACAG TGGTGGGCCC CTGATGTACC AATCTGACCA GTGGCATGTG   1200
        GTGGGCATCG TTAGCTGGGG CTATGGCTGC GGGGGCCCGA GCACCCCAGG AGTATACACC   1260
        AAGGTCTCAG CCTATCTCAA CTGGATCTAC AATGTCTGGA AGGCTGAGCT GTAA          1260
```

Seq ID NO: 449 Protein sequence
Protein Accession #:   NP_063947.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MLQDPDSDQP LNSLDVKPLR KPRIPMETFR KVGIPIIIAL LSLASIIIVV VLIKVILDKY   60
        YFLCGQPLHF IPRKQLCDGE LDCPLGEDEB HCVKSFPEGP AVAVRLSKDR STLQVLDSAT   120
        GNWFSACFDN FTEALAETAC RQMGYSSKPT FRAVEIGPDQ DLDVVEITEN SQELRMRNSS   180
        GPCLSGSLVS LHCLACGKSL KTPRVVGGEE ASVDSWPWQV SIQYDKQHVC GGSILDPHWV   240
        LTAAHCFRKH TDVFNWKVRA GSDKLGSFPS LAVAKIIIIE FNPMYPKDND IALMKLQFPL   300
        TFSGTVRPIC LPPFDEELTP ATPLWIIGWG PTKQNGGKMS DILLQASVQV IDSTRCNADD   360
        AYQGEVTEKM MCAGIPEGGV DTCQGDSGGP LMYQSDQWHV VGIVSWGYGC GGPSTPGVYT   420
```

Seq ID NO: 450 DNA sequence
Nucleic Acid Accession #: XM_051860.2
Coding sequence: 52..3042

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GCTCACCCAG GAAAAATATG CAATGGTCCC ATTGATATAC AGGCCACTAC AATGGATGGA   60
        GTTAACCTCA GCACCGAGGT TGTCTACAAA AAAGGCCAGG ATTATAGGTT TGCTTGCTAC   120
        GACCGGGGCA GAGCCTGCCG GAGCTACCGT GTACGGTTCC TCTGTGGGAA GCCTGTGAGG   180
        CCCAAACTCA CAGTCACCAT TGACACCAAT GTGAACAGCA CCATTCTGA CTTGGAGGAT     240
        AATGTACAGT CATGGAAACC TGGAGATACC CTGGTCATTG CCAGTACTGA TTACTCCATG   300
        TACCAGGCAG AAGAGTTCCA GGTGCTTCCC TGCAGATCCT GCGCCCCCAA CCAGGTCAAA   360
```

```
GTGGCAGGGA AACCAATGTA CCTGCACATC GGGGAGGAGA TAGACGGCGT GGACATGCGG     420
GCGGAGGTTG GGCTTCTGAG CGGGAACATC ATAGTGATGG GGGAGATGGA GGACAAATGC     480
TACCCCTACA GAAACCACAT CTGCAATTTC TTTGACTTCG ATACCTTTGG GGGCCACATC     540
AAGTTTGCTC TGGGATTTAA GGCAGCACAC TTGGAGGGCA CGGAGCTGAA GCATATGGGA     600
CAGCAGCTGG TGGGTCAGTA CCCGATTCAC TTCCACCTGG CCGGTGATGT AGACGAAAGG     660
GGAGGTTATG ACCCACCCAC ATACATCAGG GACCTCTCCA TCCATCATAC ATTCTCTCGC     720
TGCGTCACAG TCCATGGCTC CAATGGCTTG TTGATCAAGG ACGTTGTGGG CTATAACTCT     780
TTGGGCCACT GCTTCTTCAC GGAAGATGGG CCGGAGGAAC GCAACACTTT TGACCACTGT     840
CTTGGCCTCC TTGTCAAGTC TGGAACCCTC CTCCCCTCGG ACCGTGACAG CAAGATGTGC     900
AAGATGATCA CAGGAGACTC CTACCCAGGG TACATCCCCA AGCCCAGGCA AGACTGCAAT     960
GCTGTGTCCA CCTTCTGGAT GGCCAATCCC AACAACAACC TCATCAACTG TGCCGCTGCA    1020
GGATCTGAGG AAACTGGATT TTGGTTTATT TTTCACCACG TACCAACGGG CCCCTCCGTG    1080
GGAATGTACT CCCCAGGTTA TTCAGAGCAC ATTCCACTGG GAAAATTCTA TAACAACCGA    1140
GCACATTCCA ACTACCGGGC TGGCATGATC ATAGACAACG GAGTCAAAAC CACCGAGGCC    1200
TCTGCCAAGG ACAAGCGGCC GTTCCTCTCA ATCATCTCTG CCAGATACAG CCCTCACCAG    1260
GACGGCCGACC CGCTGAAGCC CCGGGAGCCG GCCATCATCA GACACTTCAT TGCCTACAAG    1320
AACCAGGACC ACGGGGCCTG GCTGCGCGGC GGGGATGTGT GGCTGGACAG CTGCCGGTTT    1380
GCTGACAATG GCATTGGCCT GACCCTGGCC AGTGGTGGAA CCTTCCCGTA TGACGACGGC    1440
TCCAAGCAAG AGATAAAGAA CAGCTTGTTT GTTGGCGAGA GTGGCCAACGT GGGGACGGAA    1500
ATGATGGACA ATAGGATCTG GGGCCCTGGC GGCTTGGACC ATAGCGGAAG GACCCTCCCT    1560
ATAGGCCAGA ATTTTCCAAT TAGAGGAATT CAGTTATATG ATGGCCCCAT CAACATCCAA    1620
AACTGCACTT TCCGAAAGTT TGTGGCCCTG GAGGGCCGGC ACACCAGCGC CCTGGCCTTC    1680
CGCCTGAATA ATGCCTGGCA GAGCTGCCCC CATAACAACG TGACCGGCAT TGCCTTTGAG    1740
GACGTTCCGA TTACTTCCAG AGTGTTCTTC GGAGAGCCTG GGCCCTGGTT CAACCAGCTG    1800
GACATGGATG GGGATAAGAC ATCTGTGTTC CATGACGTCG ACGGCTCCGT GTCCGAGTAC    1860
CCTGGCTCCT ACCTCACGAA GAATGACAAC TGGCTGGTCC GGCACCCAGA CTGCATCAAT    1920
GTTCCCGACT GGAGAGGGGC CATTTGCAGT GGGTGCTATG CACAGATGTA CATTCAAGCC    1980
TACAAGACCA GTAACCTGCG AATGAAGATC ATCAAGAATG ACTTCCCCAG CCACCCTCTT    2040
TACCTGGAGG GGGCGCTCAC CAGGAGCACC CATTACCAGC AATACCAACC GGTTGTCACC    2100
CTGCAGAAGG GCTACACCAT CCACTGGGAC CAGACGGCCC CGCCGAACT CGCCATCTGG    2160
CTCATCAACT TCAACAAGGG CGACTGGATC CGAGTGGGGC TCTGCTACCC GCGAGGCACC    2220
ACATTCTCCA TCCTCTCGGA TGTTCACAAT CGCCTGCTGA AGCAAACGTC CAAGACGGGC    2280
GTCTTCGTGA GGACCTTGCA GATGGACAAA GTGGAGCAGA GCTACCCTGG CAGGAGCCAC    2340
TACTACTGGG ACGAGGACTC AGGGCTGTTG TTCCTGAAGC TGAAAGCTCA GAACGAGAGA    2400
GAGAAGTTTG CTTTCTGCTC CATGAAAGGC TGTGAGAGGA TAAAGATTAA AGCTCTGATT    2460
CCAAAGAACG CAGGCGTCAG TGACTGCACA GCCACAGCTT ACCCCAAGTT CACCGAGAGG    2520
GCTGTCGTAG ACGTGCCGAT GCCCAAGAAG CTCTTTGGTT CTCAGCTGAA AACAAAGGAC    2580
CATTTCTTGG AGGTGAAGAT GGAGAGTTCC AAGCAGCACT TCTTCCACCT CTGGAACGAC    2640
TTCGCTTACA TTGAAGTGGA TGGGAAGAAG TACCCCAGTT CGGAGGATGG CATCCAGGTG    2700
GTGGTGATTG ACGGGAACCA AGGGCGCGTG GTGAGCCACA CGAGCTTCAG GAACTCCATT    2760
CTGCAAGGCA TACCATGGCA GCTTTTCAAC TATGTGGCGA CCATCCCTGA CAATTCCATA    2820
GTGCTTATGG CATCAAAGGG AAGATACGTC TCCAGAGGCC CATGGACCAG AGTGCTGGAA    2880
AAGCTTGGGG CAGACAGGGG TCTCAAGTTG AAAGAGCAAA TGGCATTCGT TGGCTTCAAA    2940
GGCAGCTTCC GGCCCATCTG GGTGACACTG GACACTGAGG ATCACAAAGC CAAAATCTTC    3000
CAAGTTGTGC CCATCCCTGT GGTGAAGAAG AAGAAGTTGT GAGGACAGCT GCCGCCCGGT    3060
GCCACCTCGT GGTAGACTAT GACGGTGACT CTTGGCAGCA GACCAGTGGG GGATGGCTGG    3120
GTCCCCCAGC CCCTGCCAGC AGCTGCCTGG GAAGGCCGTG TTTCAGCCCT GATGGGCCAA    3180
GGGAAGGCTA TCAGAGACCC TGGTGCTGCC ACCTGCCCCT ACTCAAGTGT CTACCTGGAG    3240
CCCCTGGGGC GGTGCTGGCC AATGCTGGAA ACATTCACTT TCCTGCAGCC TCTTGGGTGC    3300
TTCTCTCCTA TCTGTGCCTC TTCAGTGGGG GTTTGGGGAC CATATCAGGA GACCTGGGTT    3360
GTGCTGACAG CAAAGATCCA CTTTGGCAGG AGCCCTGACC CAGCTAGGAG GTAGTCTGGA    3420
GGGCTGGTCA TTCACAGATC CCCATGGTCT TCAGCAGACA AGTGAGGGTG GTAAATGTAG    3480
GAGAAAGAGC CTTGGCCTTA AGGAAATCTT TACTCCTGTA AGCAAGAGCC AACCTCACAG    3540
GATTAGGAGC TGGGGTAGAA CTGGCTATCC TTGGGGAAGA GGCAAGCCCT GCCTCTGGCC    3600
GTGTCCACCT TTCAGGAGAC TTTGAGTGGC AGGTTTGGAC TTGGACTAGA TGACTCTCAA    3660
AGGCCCTTTT AGTTCTGAGA TTCCAGAAAT CTGCTGCATT TCACATGGTA CCTGGAACCC    3720
AACAGTTCAT GGATATCCAC TGATATCCAT GATGCTGGGT GCCCCAGCGC ACACGGGATG    3780
GAGAGGTGAG AACTAATGCC TAGCTTGAGG GGTCTGCAGT CCAGTAGGGC AGGCAGTCAG    3840
GTCCATGTGC ACTGCAATGC CAGGTGGAGA AATCACAGAG AGGTAAAATG GAGGCCAGTG    3900
CCATTTCAGA GGGGAGGCTC AGGAAGGCTT CTTGCTTACA GGAATGAAGG CTGGGGGCAT    3960
TTTGCTGGGG GGAGATGAGG CAGCCTCTGG AATGGCTCAG GGATTCAGCC CTCCCTGCGG    4020
CTGCCTGCTG AAGCTGGTGA CTACGGGGTC GCCCTTTGCT CACGTCTCTC TGGCCCACTC    4080
ATGATGGAGA AGTGTGGTCA GAGGGGAGCA ATGGGCTTTG CTGCTTATGG GCACAGAGGA    4140
ATTCAGTCCC CAGGCAGCCC TGCCTCTGAC TCCAAGAGGG TGAAGTCCAC AGAAGTGAGC    4200
TCCTGCCTTA GGGCCTCATT TGCTCTTCAT CCAGGGAACT GAGCACAGGG GGCCTCCAGG    4260
AGACCCTAGA TGTGCTCGTA CTCCCTCGGC CTGGGATTTC AGAGCTGGAA TATATAGAAAA    4320
TATCTAGCCC AAAGCCTTCA TTTTAACAGA TGGGGAAAGT GAGCCCCCAA GATGGGAAAG    4380
AACCACACAG CTAAGGGAGG GCCTGGGGAG CCCCACCCTA GCCCTTGCTG CCACACCACA    4440
TTGCCTCAAC AACCGGCCCC AGAGTGCCCA GGCACTCCTG AGGTAGCTTC TGGAAATGGG    4500
GACAAGTCCC CTCGAAGGAA AGGAAATGAC TAGAGTAGAA TGACAGCTAG CAGATCTCTT    4560
CCCTCCTGCT CCCAGCGCAC ACAAACCCGC CCTCCCCTTG GTGTTGGCGG TCCCTGTGGC    4620
CTTCACTTTG TTCACTACCT GTCAGCCCAG CCTGGGTGCA CAGTAGCTGC AACTCCCCAT    4680
TGGTGCTACC TGGCTCTCCT GTCTCTGCAG CTCTACAGGT GAGGCCCAGC AGAGGGAGTA    4740
GGGCTCGCCA TGTTTCTGGT GAGCCAATTT GGCTGATCTT GGGTGTCTGA ACAGCTATTG    4800
GGTCCACCCG AGTCCCTTTC AGCTGCTGCT TAATGCCCTG CTCTCTCCCC GGCCCACCTT    4860
ATAGAGAGCC CAAAGAGCTC CTGTAAGAGG GAGAACTCTA TCTGTGGTTT ATAATCTTGC    4920
ACGAGGCACC AGAGTCTCCC TGGGTCTTGT GATGAACTAC ATTTATCCCC TTTCCTGCCC    4980
CAACCACAAA CTCTTTCCTT CAAAGAGGGC CTGCCTGGCT CCCTCCACCC AACTGCACCC    5040
ATGAGACTCG GTCCAAGAGT CCATTCCCCA GGTGGGAGCC AACTGTCAGG GAGGTCTTTC    5100
CCACCAAACA TCTTTCAGCT GCTGGGAGGT GACCATAGGG CTCTGCTTTT AAAGATATGG    5160
CTGCTTCAAA GGCCAGAGTC ACAGGAAGGA CTTCTTCCAG GGAGATTAGT GGTGATGGAG    5220
AGGAGAGTTA AAATGACCTC ATGTCCTTCT TGTCCACGGT TTTGTTGAGT TTTCACTCTT    5280
CTAATGCAAG GGTCTCACAC TGTGAACCAC TTAGGATGTG ATCACTTTCA GGTGGCCAGG    5340
AATGTTGAAT GTCTTTGGCT CAGTTCATTT AAAAAAGATA TCTATTTGAA AGTTCTCAGA    5400
GTTGTACATA TGTTTCACAG TACAGGATCT GTACATAAAA GTTTCTTTCC TAAACCATTC    5460
ACCAAGAGCC AAATATCTAGG CATTTTCTTG GTAGCACAAA TTTTTCTTATT GCTTAGAAAA    5520
TTGTCCTCCT TGTTATTTCT GTTTGTAAGA CTTAAGTGAG TTAGGTCTTT AAGGAAAGCA    5580
```

```
ACGCTCCTCT GAAATGCTTG TCTTTTTTCT GTTGCCGAAA TAGCTGGTCC TTTTTTCGGGA   5640
GTTAGATGTA TAGAGTGTTT GTATGTAAAC ATTTCTTGTA GGCATCACCA TGAACAAAGA   5700
TATATTTTCT ATTTATTTAT TATATGTGCA CTTCAAGAAG TCACTGTCAG AGAAATAAAG   5760
AATTGTCTTA AATGTCAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 451 Protein sequence
Protein Accession #: XP_051860.2

```
1          11         21         31         41         51
|          |          |          |          |          |

MDGVNLSTEV VYKKGQDYRF ACYDRGRACR SYRVRFLCGK FVRPKLTVTI DTNVNSTILN   60
LEDNVQSWKP GDTLVIASTD YSMYQAEEFQ VLPCRSCAPN QVKVAGKPMY LHIGEEIDGV  120
DMRAEVGLLS RNIIVMGEME DKCYPYRNHI CNFFDFDTFG GHIKFALGFK AAHLEGTELK  180
HMGQQLVGQY PIHFHLAGDV DERGGYDPPT YIRDLSIHHT FSRCVTVHGS NGLLIKDVVG  240
YNSLGHCFFT EDGPEERNTF DHCLGLLVKS GTLLPSDRDS KMCKMITGDS YPGYIPKPRQ  300
DCNAVSTFWM ANPNNNLINC AAAGSEETGF WFIFHHVPTG PSVGMYSPGY SEHIPLGKFY  360
NNRAHSNYRA GMIIDNGVKT TEASAKDKRP FLSIISARYS PHQDADPLKP REPAIIRHFI  420
AYKNQDHGAW LRGGDVWLDS CRPADNGIGL TLASGGTFPY DDGSKQEIKN SLFVGESGNV  480
GTEMMDNRIW GPGGLDHSGR TLPIGQNFPI RGIQLYDGPI NIQNCTFRKF VALEGRHTSA  540
LAFRLNNAWQ SCPHNNVTGI AFEDVPITSR VFPGEPGPWF NQLDMDGDKT SVPHDVDGSV  600
SEYPGSYLTK NDNWLVRHPD CINVPDWRGA ICSGCYAQMY IQAYKTSNLR MKIIKNDFPS  660
HPLYLEGALT RSTHYQQYQP VVTLQKGYTI HWDQTAPAEL AIWLINFNKG DWIRVGLCYP  720
RGTTFSILSD VHNRLLKQTS KTGVFVRTLQ MDKVEQSYPG RSHYYWDEDS GLLFLKLKAQ  780
NEREKFAFCS MKGCERIKIK ALIPKNAGVS DCTATAYPKF TERAVVDVPM PKKLFGSQLK  840
TKDHFLEVKM ESSKQHFFHL WNDFAYIEVD GKKYPSSEDG IQVVVIDGNQ GRVVSHTSFR  900
NSILQGIPWQ LFNYVATIPD NSIVLMASKG RYVSRGPWTR VLEKLGADRG LKLKEQMAFV  960
GFKGSFRPIW VTLDTEDHKA KIFQVVPIPV VKKKKL
```

Seq ID NO: 452 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 261..2861

```
1          11         21         31         41         51
|          |          |          |          |          |
GAGCTAGCGC TCAAGCAGAG CCCAGCGCGG TGCTATCGGA CAGAGCCTGG CGAGCGCAAG    60
CGGCGCGGGG AGCCAGCGGG GCTGAGCGCG GCCAGGGTCT GAACCCAGAT TTCCCAGACT   120
AGCTACCACT CCGCTTGCCC ACGCCCCGGG AGCTCGCGGC CAGCGACCAG CAGCGACCAG   180
ACGTCCGGGG CCGCTCGCGCT CCTGGCCCGC GAGGCGTGAC ACTGTCTCGG CTACAGACCC   240
AGAGGGAGCA CACTGCCAGG ATGGGAGCTG CTGGGAGGCA GGACTTCCTC TTCAAGGCCA   300
TGCTGACCAT CAGCTGGCTC ACTCTGACCT GCTTCCCTGG GGCCACATCA ACAGTGGCTG   360
CTGGGTGCCC TGACCAGAGC CCTGAGTTGC AACCCTGGAA CCCTGGCCAT GACCAAGACC   420
ACCATGTGCA TATCGGCCAG GGCAAGCACA TGCTGCTCAC CTCTTCTGCC ACGGTCTATT   480
CCATCCACAT CTCAGAGGGA GGCAAGCTGG TCATTAAAGA CCACGACGAG CCGATTGTTT   540
TGCGAACCCG GCACATCCTG ATTGACAACG GAGGAGAGCT GCATGCTGGG AGTGCCCTCT   600
GCCCTTTCCA GGGCAATTTC ACCATCATTT TGTATGGAAG GGCTGATGAA GGTATTCAGC   660
CGGATCCTTA CTATGGTCTG AAGTACATTG GGGTTGGTAA AGGAGGCGCT CTTGAGTTGC   720
ATGGACAGAA AAAGCTCTCC TGGACATTTC TGAACAAGAC CCTTCACCCA GGTGGCATGG   780
CAGAAGGAGG CTATTTTTTT GAAAGGAGCT GGGGCCACCG TGGAGTTATT GTTCATGTCA   840
TCGACCCCAA ATCAGGCACA GTCATCCATT CTGACCGGTT TGACACCTAT AGATCCAAGA   900
AAGAGAGTGA ACGTCTGGTC CAGTATTTGA ACGCGGTGCC CGATGGCAGG ATCCTTTCTG   960
TTGCAGTGAA TGATGAAGGT TCTCGAAATC TGGATGACAT GGCCAGGAAG GCGATGACCA  1020
AATTGGGAAG CAAACACTTC CTGCACCTTG GATTTAGACA CCCTTGGAGT TTTCTAACTG  1080
TGAAAGGAAA TCCATCATCT TCAGTGGAAG ACCATATTGA ATATCATGGA CATCGAGCT   1140
CTGCTGCTGC CCGGGTATTC AAATTGTTCC AGACAGAGCA TGGCGAATAT TTCAATGTTT  1200
CTTTGTCCAG TGAGTGGGTT CAAGACGTGG AGTGGACGGA GTGGTTCGAT CATGATAAAG  1260
TATCTCAGAC TAAAGGTGGG GAGAAAATTT CAGACCTCTG GAAAGCTCAC CCAGGAAAAA  1320
TATGCAATCG TCCCCATTGAT ATACAGGCCA CTACAATGGA TGGAGTTAAC CTCAGCACCG  1380
AGGTTGTCTA CAAAAAAGGC CAGGATTATA GGTTTGCTTG CTACGACCGG GGCAGAGCCT  1440
GCCGGAGCTA CCGTGTACGG TTCCTCTGTG GGAAGCCTGT GAGGCCCAAA CTCACAGTCA  1500
CCATTGACAC CAATGTGAAC AGCACCATTC TGAACTTGGA GGATAATGTA CAGTCATGGA  1560
AACCTGGAGA TACCCTGGTC ATTGCCAGTA CTGATTACTC CATGTACCAG GCAGAAGAGT  1620
TCCAGGTGCT TCCCTGCAGA TCCTGCGCCC CCAACCAGGT CAAAGTGGCA GGGAAACCAA  1680
TGTACCTGCA CATCGGGGAG GAGATAGACG GCGTGGACAT GCGGGCGGAG GTTGGGCTTC  1740
TGAGCCGGAA CATCATAGTG ATGGGGGAGA TGGAGGACAA ATGCTACCCC TACAGAAACC  1800
ACATCTGCAA TTTCTTTGAC TTCGATACCT TTGGGGGCCA CATCAAGTTT GCTCTGGGAT  1860
TTAAGGCAGC ACACTTGGAG GGCACGGAGC TGAAGCATAT CATGGGTTGG TCTGGTGGTC  1920
AGTACCCGAT TCACTTCCAC CTGGCCGGTG ATGTAGACGA AAGGGGAGGT TATGACCCAC  1980
CCACATACAT CAGGGACCTC TCCATCCATC ATACATTCTC TCGCTGCGTC ACAGTCCATG  2040
GCTCCAATGG CTTGTTGATC AAGGACGTTG TGGGCTATAA CTCTTTGGGC CACTGCTTCT  2100
TCACGGAAGA TGGGCCGGAG GAACGCAACA CTTTTGACCA CTGTCTTGGC CTCCTTGTCA  2160
AGTCTGGAAC CCTCCTCCCC TCGGACCGTG ACAGCAAGAT GTGCAAGATG ATCACAGAGG  2220
ACTCCTACCC AGGGTACATC CCCAAGCCCA GGCAAGACTG CAATGCTGTG TCCACCTTCT  2280
GGATGGCCAA TCCCAACAAC AACCTCATCA ACTGTGCCGC TGCAGGATCT GAGGAAACTG  2340
GATTTTGGTT TATTTTTCAC CACGTACCAA CGGGCCCCTC CGTGGGAATG TACTCCCCAG  2400
GTTATTCAGA GCACATTCCA CTGGGAAAAT TCTATAACAA CCGAGCACAT TCCAACTACC  2460
GGGCTGGCAT GATCATAGAC AACGGAGTCA AAACCACCGA GGCCTCTGCC AAGGACAAGC  2520
GGCCGTTCCT CTCAATCATC TCTGCCAGAT ACAGCCCTCA CCAGGACGCC GACCCGCTGA  2580
AGCCCCGGGA GCCGGCCATC ATCAGACACT TCATTGCCTA CAAGAACCAG GACCACGGGG  2640
CCTGGCTGCG CGGCGGGGAT GTGTGGCTGG ACAGCTGCCA TTTCAGAGGG GAGGCTCAGG  2700
AAGGCTTCTT GCTTACAGGA ATGAAGGCTG GGGGCATTTT GCTGGGGGGA GATGAGGCAG  2760
CCTCTGGAAT GGCTCAGGGA TTCAGCCCTC CCTGCCGCTG CCTGCTGAAG CTGGTGACTA  2820
CGGGGTCGCC CTTTGCTCAC GTCTCTCTGG CCCACTCATG ATGGAGAAGT GTGGTCAGAG  2880
GGGAGCAATG GGCTTTGCTG CTTATGAGCA CAGAGGGAATT CAGTCCCCAG GCAGCCCTGC  2940
CTCTGACTCC AAGAGGGGTGA AGTCCACAGA AGTGAGCTCC TGCCTTAGGG CCTCATTTGC  3000
TCTTCATCCA GGGAACTGAG CACAGGGGGC CTCCAGGAGA CCCTAGATGT GCTCGTACTC  3060
CCTCGGCCTG GGATTTCAGA GCTGGAAATA TAGAAAATAT CTAGCCCAAA GCCTTCATTT  3120
```

```
        TAACAGATGG GGAAAGTGAG CCCCCAAGAT GGGAAAGAAC CACACAGCTA AGGGAGGGCC   3180
        TGGGGAGCCC CACCCTAGCC CTTGCTGCCA CACCACATTG CCTCAACAAC CGGCCCCAGA   3240
        GTGCCCAGGC ACTCCTGAGG TAGCTTCTGG AAATGGGGAC AAGTCCCCTC GAAGGAAAGG   3300
   5    AAATGACTAG AGTAGAATGA CAGCTAGCAG ATCTCTTCCC TCCTGCTCCCA AGCGCACACA   3360
        AACCCGCCCT CCCCTTGGTG TTGGCGGTCC CTGTGGCCTT CACTTTGTTC ACTACCTGTC   3420
        AGCCCAGCCT GGGGTGCACG TAGCTGCAAC TCCCCATTGG TGCTACCTGG CTCTCCTGTC   3480
        TCTGCAGCTC TACAGGTGAG GCCCAGCAGA GGGAGTAGGG CTCGCCATGT TTCTCGGTGAG  3540
        CCAATTTGGC TGATCTTGGG TGTCTGAACA GCTATTGGGT CCACCCCAGT CCCTTTCAGG   3600
        TGCTGCTTAA TGCCCTGCTC TCTCCCTGGC CCACCTTATA GAGAGCCCAA AGAGCTCCTG   3660
  10    TAAGAGGGAG AACTCTATCT GTGGTTTATA ATCTTGCACG AGGCACCAGA GTCTCCCTGG   3720
        GTCTTGTGAT GAACTACATT TATCCCCTTT CCTGCCCCAA CCACAAACTC TTTCCTTCAA   3780
        AGAGGGCCTG CCTGGCTCCC TCCACCCAAC TGCACCCATG AGACTCGGTC CAAGAGTCCA   3840
        TTCCCCAGGT GGGAGCCAAC TGTCAGGGAG GTCTTTCCCA CCAAACATCT TTCAGCTGCT   3900
        GGGAGGTGAC CATAGGGCTC TGCTTTTAAA GATATGGCTG CTTCAAAGGC CAGAGTCACA   3960
  15    GGAAGGACTT CTTCCAGGGA GATTAGTGGT GATGGAGAGG AGAGTTAAAA TGACCTCATG   4020
        TCCTTCTTGT CCACGGTTTT GTTGAGTTTT CACTCTTCTA ATGCAAGGGT CTCACACTGT   4080
        GAACCACTTA GGATGTGATC ACTTTCAGGT GGGCCAGGAAT GTTGAATGTC TTTGGCTCAG  4140
        TTCATTTAAA AAAGATATCT ATTTGAAAGT TCTCAGAGTT GTACATATGT TTCACAGTAC   4200
        AGGATCTGTA CATAAAAGTT TCTTTCCTAA ACCATTCACC AAGAGCCAAT ATCTAGGCAT   4260
  20    TTTCTTGGTA GCACAAATTT TCTTATTGCT TAGAAAATTG TCCTCCTTGT TATTTCTGTT   4320
        TGTAAGACTT AAGTGAGTTA GGTCTTTAAG GAAAGCAACG CTCCTCTGAA ATGCTTGTCT   4380
        TTTTTCTGTT GCCGAAATAG CTGGTCCTTT TTCGGGAGTT AGATGTATAG AGTGTTTGTA   4440
        TGTAAACATT TCTTGTAGGC ATCACCATGA ACAAAGATAT ATTTTCTATT TATTTATTAT   4500
        ATGTGCACTT CAAGAAGTCA CTGTCAGAGA AATAAAGAAT TGTCTTAAAT GTCATGATTG   4560
  25    GAGATGTCCT TTGCATTGCT TGGAAGGGGT GTACCTAGAG CCAAGGAAAT TGGCTCTGGT   4620
        TTGGAAAAAT TTTGCTGTTA TTATAGTAAA CATACAAAGG ATGTCAAAAA AAAAAAAAAA   4680
        AAAAAAAAAA AAAAAAAAAA AA
```

    Seq ID NO: 453 Protein sequence
 30 Protein Accession #: Eos sequence

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MGAAGRQDFL FKAMLTISWL TLTCFPGATS TVAAGCPDQS PELQPWNPGH DQDHHVHIGQ    60
 35     GKTLLLTSSA TVYSIHISEG GKLVIKDHDE PIVLRTRHIL IDNGGELHAG SALCPFQGNP   120
        TIILYGRADE GIQPDPYYGL KYIGVGKGGA LELHGQKKLS WTFLNKTLHP GGMAEGGYFP   180
        ERSWGHRGVI VHVIDPKSGT VIHSDRFDTY RSKKESERLV QYLNAVPDGR ILSVAVNDEG   240
        SRNLDDMARK AMTKLGSKHF LHLGFRHPWS FLTVKGNPSS SVEDHIEYHG HRGSAAARVF   300
 40     KLFQTEHGEY FNVSLSSEWV QDVEWTEWFD HDKVSQTKGG EKISDLWKAH PGKICNRPID   360
        IQATTMDGVN LSTEVVYKKG QDYRFACYDR GRACRSYRVR FLCGKPVRPK LTVTIDTNVN   420
        STILNLEDNV QSWKPGDTLV IASTDYSMYQ AEBFQVLPCR SCAPNQVKVA GKPMYLHIGE   480
        EIDGVDMRAE VGLLSRNIIV MGEMEEDKCYP YRNHICNPFD PDTFGGHIKF ALGFKAAHLE   540
        GTELKHMGQQ LVGQYPIHFH LAGDVDERGG YDPPTYIRDL SIHHTFSRCV TVHGSNGLLI   600
 45     KDVVGYNSLG HCFPTEDGPE ERNTFDHCLG LLVKSGTLLP SDRDSKMCKM ITEDSYPGYI   660
        PKPRQDCNAV STFWMANPNN NLINCAAAGS EETGPWFIFH HVPTGPSVGM YSPGYSEHIP   720
        LGKFYNNRAH SNYRAGMIID NGVKTTEASA KDKRPFLSII SARYSPHQDA DPLKPREPAI   780
        IRHPIAYKNQ DHGAWLRGGD VWLDSCHFRG EAQEGFLLTG MKAGGILLGG DEAASGMAQG   840
        FSPPCRCLLK LVTTGSPFAH VSLAHS
```

    Seq ID NO: 454 DNA sequence
 50 Nucleic Acid Accession #: NM_013282.2
    Coding sequence: 85..2466

```
        1          11         21         31         41         51
        |          |          |          |          |          |
 55     CGACTCCTTA GAGCATGGCA TGGCTCAGAG GTGCTGGTAA AACTGATGGG GGTTTTTGCT    60
        GTCCCTCCCC TCAGCGCCGA CACCATGTGG ATCCAGGTTC GGACCATGGA CGGGAGGCAG   120
        ACCCACACGG TGGACTCGCT GTCCAGGCTG ACCAAGGTGG AGGAGCTGAG GCGGAAGATC   180
        CAGGAGCTGT TCCACGTGGA GCCAGGCCTG CAGAGGCTGT TCTACAGGGG CAAACAGATG   240
        GAGGACGGCC ATACCCTCTT CGACTACGAG GTCCGCCTGA ATGACACCAT CCAGCTCCTG   300
 60     GTCCGCCAGA GCCTCGTGCT CCCCCACAGC ACCAAGGAGC GGGACTCCGA GCTCTCCGAC   360
        ACCGACTCCG GCTGCTGCCT GGGGCCAGAGT GAGTCAGACA AGTCCTCCAC CCACGGCGAG   420
        GCGGCCGCCG AGACTGACAG CAGGCCAGCC GATGAGGACA TGTGGGATGA GACGGCGTGGTTT  480
        GGGCTGTACA AGGTCAATGA GTACGTCGAT GCTCGGGACA CGAACATGGG GGCGTGGTTT   540
 65     GAGGCGCAGG TGGTCAGGGT GACGCGGAAG GCCCCCTCCC GGGACGAGCC CTGCAGCTCC   600
        ACGTCCAGGC CGGCGCTGGA GGAGGACGTC ATTTACCACG TGAAATACGA CGACTACCCG   660
        GAGAACGGCG TGGTCCAGAT GAACTCCAGG GACGTCCGAG CGCGCGCCCG CACCATCATC   720
        AAGTGGCAGG ACCTGGAGGT GGGCCAGGTG GTCATGCTCA ACTACAACCC CGACAACCCC   780
        AAGGAGCGGG GCTTCTGGTA CGACGCGGAG ATCTCCAGGA AGCGCGAGAC CAGGACGGCG   840
 70     CGGGAACTCT ACGCCAACGT GGTGCTGGGG GATGATTCTC TGAACGACTG TCGGATCACTT  900
        TTCGTGGACG AAGTCTTCAA GATTGAGCGG CCGGGTGAAG GAGCCCCAT GGTTGACAAC    960
        CCCATGAGAC GGAAGAGCGG GCCGTCCTGC AAGCACTGCA AGGACGACGT GAACAGACTC   1020
        TGCCGGGTCT GCGCCTGCCA CCTGTGCGGG GGCGGCCAGG ACCCGACAA GCAGCTCATG    1080
        TGCGATGAGT GCGACATGGC CTTCCACATC TACTGCCTGG ACCCGCCCCT CAGCAGTGTT   1140
 75     CCCAGCGAGG ACGAGTGGTA CTGCCCTGAG TGCCGGAATG ATGCCAGCGA GGTGGTACTG   1200
        GCGGGAGAGC GGCTGAGAGA GAGCAAGAAG AAGGCGAAGA TGGCCTCGGC CACATCGTCC   1260
        TCACAGCGGG ACTGGGGCAA GGGCATGGCC TGTGTGGGCG GCACCAAGGA ATGTACCATC   1320
        GTCCGTCCA ACCACTACGG ACCCATCCCG GGGATCCCCG TGGGCACCAT GTGGCGGTTC    1380
        CGAGTCCAGG TCAGCGAGTC GGGTGTCCAT CGGCCCCACG TGGCTGGCAT ACACGGCCGG   1440
 80     AGCAACGACG GAGCGTACTC CCTAGTCCTG GCGGGGGGCT ATGAGGATGA CGTGGACCAT   1500
        GGGAATTTTT TCACATACAC GGGTAGTGGT GGTCGAGATC TTTCCGGCAA CAAGAGGACC   1560
        GCGGAACAGT CTTGTGATCA GAAACTCACC AACACCAACA GGGCGCTGGC TCTCAACTGC   1620
        TTTGCTCCCA TCAATGACCA AGAAGGGGCC GAGGCCAAGG ACTGGCGGTC GGGGAAGCCG   1680
        GTCAGGGTGG TGCGCAATGT CAAGGGTGGC AAGAATAGCA AGTACGCCCC CGCTGAGGGC   1740
 85     AACCGCTACG ATGGCATCTA CAAGGTTGTG AAATACTGGC CCGAGAAGGG GAAGTCCGGG   1800
        TTTCTCGTGT GGCGCTACCT TCTGCGGAGG GACGATGATG AGCCTGGCCC TTGGACGAAG   1860
        GAGGGGAAGG ACCGGATCAA GAAGCTGGGG CTGACCATGC AGTATCCAGA AGGCTACCTG   1920
```

    356

```
      GAAGCCCTGG CCAACCGAGA GCGAGAGAAG GAGAACAGCA AGAGGGAGGA GGAGGAGCAG  1980
      CAGGAGGGGG GCTTCGCGTC CCCCAGGACG GGCAAGGGCA AGTGGAAGCG GAAGTCGGCA  2040
      GGAGGTGGCC CGAGCAGGGC CGGGTCCCCG CGCCGGACAT CCAAGAAAAC CAAGGTGGAG  2100
      CCCTACAGTC TCACGGCCCA GCAGAGCAGC CTCATCAGAG AGGACAAGAG CAACGCCAAG  2160
5     CTGTGGAATG AGGTCCTGGC GTCACTCAAG GACCGGCCGG CGAGCGGCAG CCCGTTCCAG  2220
      TTGTTCCTGA GTAAAGTGGA GGAGACGTTC CAGTGTATCT GCTGTCAGGA GCTGGTGTTC  2280
      CGGCCCATCA CGACCGTGTG CCAGCACAAC GTGTGCAAGG ACTGCCTGGA CAGATCCTTT  2340
      CGGGCACAGG TGTTCAGCTG CCCTGCCTGC CGCTACGACC TGGGCCGCAG CTATGCCATG  2400
      CAGGTGAACC AGCCTCTGCA GACCGTCCTC AACCAGCTCT TCCCCGGCTA CGGCAATGGC  2460
10    CGGTGATCTC CAAGCACTTC TCGACAGGCG TTTTGCTGAA AACGTGTCGG AGGGCTCGTT  2520
      CATCGGCACT GATTTTGTTC TTAGTGGGCT TAACTTAAAC AGGTAGTGTT TCCTCCGTTC  2580
      CCTAAAAAGG TTTGTCTTCC TTTTTTTTTA TTTTTATTTT ACAAATCTAT ACATTTTCAG  2640
      GAATTTATGT ATTCTGGCTA AAAGTTGGAC TTCTCAGTAT TGTGTTTAGT TCTTTGAAAA  2700
      CATAAAAGCC TGCAATTTCT CGACAAAACA ACACAAGATT TTTTAAAGAT GGAATCAGAA  2760
15    ACTACGTGGT GTGGAGGCTG TTGATGTTTC TGGTGTCAAG TTCTCAGAAG TTGCTGCCAA  2820
      CAACTCTTTA AGAAGGCGAC AGGATCAGTC CTTCTCTAGG GTTCTGGCCC CCAAGGTCAG  2880
      AGCAAGCATC TTCCTGACAG CATTTTGTCA TCTAAAGTCC AGTGACATGG TTCCCCGTGG  2940
      TGGCCCGTGG CAGCCCGTGG CATGGCGTGG CTCAGCTGTC TGTTGAAGTT GTTGCAAGGA  3000
      AAAGAGGAAA CATCTCGGGC CTAGTTCAAA CCTTTGCCCT AAAGCCATCC CCCACCAGAC  3060
20    TGCTTAGCGT CTGAGATCCG CGTGAAAAGT CCTCTGCCCA CGAGAGCAGG GAGTTGGGGC  3120
      CACGCAGAAA TGGCCTCAAG GGGACTCTGC TCCACGTGGG GCCAGGCGTG TGACTGACGC  3180
      TGTCCGACGA AGGCGGCCAC GGACGGACGC CAGCACACGA AGTCACGTGC AAGTGCCTTT  3240
      GATTCGTTCC TTCTTTCTAA AGACGACAGT CTTTGTTGTT AGCACTGAAT TATTGAAAAT  3300
      GTCAACCAGA TTCTAGAAAC TGCGGTCATC CAGTTCTTCC TGACACCGGA TGGGTGCTTG  3360
25    GGAACCGTTT GAGCCTTATA GATCATTTAC ATTCAATTTT TTTAACTCAG CAAGTGAGAA  3420
      CTTACAAGAG GGTTTTTTTT TAATTTTTTT TTCTCTTAAT GAACACATTT TCTAAATGAA  3480
      TTTTTTTTGT AGTTACTGTA TATGTACCAA GAAAGATATA ACGTTAGGGT TTGGTTGTTT  3540
      TTGTTTTTGT ATTTTTTTTC TTTTGAAAGG GTTTGTTAAT TTTTCTAATT TTACCAAAGT  3600
      TTGCAGCCTA TACCTCAATA AAACAGGGAT ATTTTAAATC ACATACCTGC AGACAAACTG  3660
30    GAGCAATGTT ATTTTTAAAG GGTTTTTTTC ACCTCCTTAT TCTTAGATTA TTAATGTATT  3720
      AGGGAAGAAT GAGACAATTT TGTGTAGGCT TTTTCTAAAG TCCAGTACTT TGTCCAGATT  3780
      TTAGATTCTC AGAATAAATG TTTTTCACAG ATTGAAAAAA AAAAAAAA
```

Seq ID NO: 455 Protein sequence
Protein Accession #: NP_037414.2

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MWIQVRTMDG RQTHTVDSLS RLTKVEELRR KIQELPHVEP GLQRLFYRGK QMEDGHTLFD    60
      YEVRLNDTIQ LLVRQSLVLP HSTKERDSEL SDTDSGCCLG QSESDKSSTH GEAAAETDSR   120
      PADEDMWDET ELGLYKVNEY VDARDTNMGA WPEAQVVRVT RKAPSRDEPC SSTSRPALEE   180
      DVIYHVKYDD YPENGVVQMN SRDVRARART IIKWQDLEVG QVVMLNYNPD NPKERGFWYD   240
      AEISRKRETR TARELYANVV LGDDSLNDCR IIFVDEVFKI ERPGEGSPMV DNFMRRKSGP   300
      SCKHCKDDVN RLCRVCACHL CGGRQDPDKQ LMCDECDMAF HIYCLDPPLS SVPSEDEWYC   360
      PECRNDASEV VLAGERLRES KKKAKMASAT SSSQRDWGKG MACVGRTKEC TIVPSNHYGP   420
      IPGIPVGTMW RPRVQVSESG VHRPHVAGIH GRSNDGAYSL VLAGGYEDDV DHGNFFTYTG   480
      SGGRDLSGNK RTAEQSCDQK LTNTNRALAL NCPAPINDQE GAEAKDWRSG KPVRVVRNVK   540
      GGKNSKYAPA EGNRYDGIYK VVKYWPEKGK SGFLVWRYLL RRDDDEPGPW TKEGKDRIKK   600
      LGLTMQYPEG YLEALANRER EKENSKREEE EQQEGGPASP RTGKGKWKRK SAGGGPSRAG   660
      SPRRTSKKTK VEPYSLTAQQ SSLIREDKSN AKLWNEVLAS LKDRPASGSP FQLFLSKVEE   720
      TFQCICCQEL VFRPITTVCQ HNVCKDCLDR SFRAQVFSCP ACRYDLGRSY AMQVNQPLQT
```

Seq ID NO: 456 DNA sequence
Nucleic Acid Accession #: NM_001200.1
Coding sequence: 325..1514

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GGGGACTTCT TGAACTTGCA GGGAGAATAA CTTGCGCACC CCACTTTGCG CCGGTGCCTT    60
      TGCCCCAGCG GAGCCTGCTT CGCCATCTCC GAGCCCCACC GCCCCTCCAC TCCTCGGCCT   120
      TGCCCGACAC TGAGACGCTG TTCCCAGCGT GAAAAGAGAG ACTGCGCGGC CGGCACCCGG   180
      GAGAAGGAGG AGGCAAAGAA AAGGAACGGA CATTCGGTCC TTGCGCCAGG TCCTTTGACC   240
      AGAGTTTTTC CATGTGGACG CTCTTTCAAT GGACGTGTCC CCGCGTGCTT CTTAGACGGA   300
      CTGCGGGTCTC CTAAAGGTCG ACCATGGTGG CCGGGACCCG CTGTCTTCTA GCGTTGCTGC   360
      TTCCCCAGGT CCTCCTGGGC GGCGCGGCTG GCCTCGTTCC GGAGCTGGGC CGCAGGAAGT   420
      TCGCGGCGGC GTCGTCGGGC CGCCCCTCAT CCCAGCCCTC TGACGAGGTC CTGAGCGAGT   480
      TCGAGTTGCG GCTGCTCAGC ATGTTCGGCC TGAAACAGAG ACCCACCCCC AGCAGGGACG   540
      CCGTGGTGCC CCCCTACATG CTAGACCTGT ATCGGCAGGA CTCAGGTCAG CCGGGCTCAC   600
      CCGCCCCAGA CCACCGGTTG GAGAGGGCAG CCAGCCGAGC CAACACTGTG CGCAGCTTCC   660
      ACCATGAAGA ATCTTTGGAA GAACTACCAG AAACGAGTGG GAAAACAACC CGGAGATTCT   720
      TCTTTAATTT AAGTTCTATC CCCACGGAGG AGTTTATCAC CTCAGCAGAG CTTCAGGTTT   780
      TCCGAGAACA GATGCAAGAT GCTTTAGGAA ACAATAGCAG TTTCCATCAC CGAATTAATA   840
      TTTATGAAAT CATAAAACCT GCAACAGCCA ACTCGAAATT CCCCGTGACC AGACTTTTGG   900
      ACACCAGGTT GGTGAATCAG AATGCAAGCA GGTGGGAAAA TTTTGATGTC ACCCCCGCTG   960
      TGATGCGGTG GACTGCACAG GGACACGCCA ACCATGGATT CGTGGTGGAA GTGGCCCACT  1020
      TGGAGGAGAA ACAAGGTGTC TCCAAGAGAC ATGTTAGGAT AAGCAGGTCT TTGCACCAAG  1080
      ATGAACACAC CTGGTCACAG ATAAGGCCAT TGCTAGTAAC TTTTGGCCAT GATGGAAAAG  1140
      GGCATCCTCC TCCACAAAAGA GAAAAACGTC AAGCCCAAACA CAAACAGCGG AAACGCCTTA  1200
      AGTCCAGCTG TAAGAGACAC CCTTTGTACG TGGACTTCAG TGACGTGGGG TGGAATGACT  1260
      GGGATTGTGGC TCCCCCGGGG TATCACGCCT TTTACTGCCA CGGAGAATGC CCTTTTCCTC  1320
      TGGCTGATCA TCTGAACTCC ACTAATCATG CCATTGTTCA GACGTTGGTC AACTCTGTTA  1380
      ACTCTAAGAT TCCTAAGGCA TGCTGTGTCC CGACAGAACT CAGTGCTATC TCGATGCTGT  1440
      ACCTTGACGA GAATGAAAAG GTTGTATTAA AGAACTATCA GGACATGGTT GTGGAGGGTT  1500
      GTGGGTGTCG CTAGTACAGC AAAATTAAAT ACATAAATAT ATATATA
```

Seq ID NO: 457 Protein sequence
Protein Accession #: NP_001191.1

```
              1          11         21         31         41         51
              |          |          |          |          |          |
    5     MVAGTRCLLA LLLLPQVLLGG AAGLVPELGR RKPAAASSGR PSSQPSDEVL SEFELRLLSM    60
          PGLKQRPTPS RDAVVPPYML DLYRRHSGQP GSPAPDHRLS RAASRANTVR SFHHEESLEE   120
          LPETSGKTTR RPFFNLSSIP TEEFITSAEL QVFREQMQDA LGNNSSFHHR INIYEIIKPA   180
          TANSKFPVTR LLDT
```

```
              1          11         21         31         41         51        .
              |          |          |          |          |          |
    15    ATGGGGAGAA GACGGAGGCT GTGTCTCCAG CTCTACTTCC TGTGGCTGGG CTGTGTGGTG    60
          CTCTGGGCGC AGGGCACGGC CGGCCAGCCT CAGCCTCCTC CGCCCAAGCC GCCCCGGCCC   120
          CAGCCGCCGC CGCAACAGGT TCGGTCCGCT ACAGCAGGCT CTGAAGGCGG GTTTCTAGCG   180
          CCCGAGTATC GCGAGGAGGG TGCCGCAGTG GCCAGCCGCG TCCGCCGGCG AGGACAGCAG   240
          GACGTGCTCC GAGGGCCCAA CGTGTGCGGC TCCAGATTCC ACTCCTACTG CTGCCCTGGA   300
    20    TGGAAGACGC TCCCTGGAGG AAACCAGTGC ATTGTCCCGA TTTGTAGAAA TAGTTGTGGA   360
          GATGGATTTT GTTCCCGTCC TAACATGTGT ACTTGTTCCA GTGGGCAAAT ATCATCAACC   420
          TGTGGATCAA AATCAATTCA GCAGTGCAGT GTGAGATGCA TGAATGGTGG GACCTGTGCA   480
          GATGACCACT GCCAGTGCCA GAAAGGGATA ATTGGAACTT ATTGTGGACA ACCTGTCTGT   540
          GAAAATGGAT GTCAGAATGG TGGACGTTGC ATCGCCCAAC CGTGTGCTTG TGTTTATGGG   600
    25    TTCACTGGTC CACAGTGTGA AAGAGATTAC AGGACAGGCC CGTGTTTCAC TCAGGTCAAC   660
          AACCAGATGT GCCAAGGGCA GCTGACAGGC ATTGTCTGCA CGAAGACTCT GTGCTGTGCC   720
          ACCACTGGAC GGGCGTGGGG CCATCCCTGT GAGATGTGTC CAGCCCAGCC TCAGCCCTGC   780
          CGACGGGGTT TCATCCCCAG CATCCGCACT GGAGCTTGCC AAGATGTTGA TGAATGCCAG   840
          GCTATCCCAG GGATATGCCA AGGAGGAAAC TGTATCAATA CAGTGGGCTC TTTTGAATGC   900
    30    AGATGCCCTG CTGGTCACAA ACAGAGTGAA ACTACTCAGA AATGTGAAGA CATTGATGAG   960
          TGCAGCATCA TTCCTGGGAT ATGTGAAACT GGTGAATGTT CCAACACCGT GGGAAGCTAT  1020
          TTTTGTGTTT GTCCACGTGG ATATGTAACC TCAACAGATG GCTCTCGATG CATCGATCAG  1080
          AGAACAGGCA TGTGTTTCTC GGGCCTGGTG AATGGCCGCT GTGCACAAGA GCTCCCGGGG  1140
          AGAATGACGA AAATGCAGTG CTGCTGTGAG CCTGGCCGCT GCTGGGGCAT CGGAACCATT  1200
    35    CCTGAAGCCT GTCCTGTCAG AGGTTCTGAG GAATATCGCA GACTTTGCAT GGATGGACTT  1260
          CCAATGGGAG GAATTCAGG GAGTGCTGGT TCCAGACCTG GAGGCACTGG GGGAAATGGC  1320
          TTTGCCCCAA GTGGCAATGG CAATGGCTAT GGCCCAGGAG GGACAGGCTT CATCCCCATC  1380
          CCTGGAGGCA ATGGCTTTTC TCCTGGCGTT GGGGGAGCCG GTGTGGGGGC CGGGGGACAG  1440
          GGACCTATCA TCACTGGACT AACAATTCTG AACCAGACAA TAGATATCTG TAAGCATCAT  1500
    40    GCTAACCTTT GTTTAAATGG ACGCTGTATA CCAACTGTCT CAAGCTACCG ATGTGAATGC  1560
          AACATGGGTT ATAAGCAGGA TGCAAATGGA GATTGTATAG ATGTTGATGA ATGCACATCA  1620
          AATCCCTGCA CTAATGGAGA TTGTGTTAAC ACACCTGGTT CCTATTATTG TAAATGTCAT  1680
          GCTGGATTCC AGAGGACTCC TACCAAGCAA GCATGCATTG ATATTGATGA GTGCATCCAG  1740
          AATGGGGTTC TTTGTAAAAA CGGTCGATGC GTGAACTCAG ATGGAAGTTT CCAGTGCATT  1800
    45    TGCAATGCCG GCTTTGAATT AACTACAGAT GGAAAAAACT GTGTTGATCA TGATGAATGT  1860
          ACAACTACCA ACATGTGTTT GAATGGAATG TGCATCAATG AAGATGGCAG CTTCAAGTGC  1920
          ATCTGCAAAC CAGGATTTGT CTTGGCTCCA AATGGGCGTT ACTGTACTGA TGTTGATGAA  1980
          TGCCAGACCC CAGGAATCTG CATGAATGGG CACTGCATCA ACAGTGAAGG GTCCTTCCGC  2040
          TGTGACTGTC CCCCAGGCCT GGCTGTGGGC ATGGATGGAC GTGTGTGTGT TGATACTCAC  2100
    50    ATGCGCAGTA CCTGCTATGG AGGAATCAAG AAAGGAGTGT GTGTGCGTCC TTTCCCCGGT  2160
          GCAGTGACCA AGTCCGAAATG CTGCTGTGCC AATCCAGACT ATGGTTTTGG AGAACCCTGC  2220
          CAGCCATGCC CTGCAAAAAA TTCAGCTGAA TTCCACGGCC TTTGTAGTAG TGGAGTAGGT  2280
          ATCACTGTGG ATGGAAGAGA TATCAATGAA TGTGCTTTGG ATCCTGATAT ATGTGCCAAT  2340
          GGGATTGTG AAAACTTACG TGGTAGTTAC CGTTGTAATT GCAACAGTGG CTATGAACCA  2400
    55    GATGCCTCTG GAAGAAACTG TATTGACATT GATGAATGTT TAGTAAACAG ACTGCTTTGT  2460
          GATAACGGAT TGTGCCGAAA CACGCCAGGA AGTTACAGCT GTACGTGCCC ACCAGGGTAT  2520
          GTGTTCAGGA CTGAGACAGA GACCTGTGAA GATATAAATG AATGTGAAAG CAACCCATGT  2580
          GTCAATGGGG CCTGCAGAAA CAACCTTGGA TCTTTCAATT GTGAATGTTC GCCCGGCAGC  2640
          AAACTCAGCT CCACAGGATT GATCTGTATT GACAGCCTGA AGGGGACCTG TTGGCTCAAC  2700
    60    ATCCAGGACA GCCGCTGTGA GGTGAATATT AATGGAGCCA CTCTGAAATC TGAATGCTGT  2760
          GCCACCCTCG GAGCCGCCTG GGGGAGCCCC TGTGAGCGGT GTGAACTAGA TACAGCTTGC  2820
          CCAAGAGGGC TTGCCAGGAT TAAAGGTGTT ACGTGTGAAG ATGTTAATGA GTGTGAGGTG  2880
          TTCCCTGGCG TTTGTCCAAA TGGACGCTGT GTCAACAGTA AGGGATCTTT TCATTGCGAG  2940
          TGCCCTGAAG GCCTTACGTT GGATGGGACT GGCCGTGTAT GTTTGGATAT TCGCATGGAG  3000
    65    CAGTGTTACT TGAAGTGGGA TGAAGATGAA TGCATCCACC CCGTTCCTGG AAAGTTCCGC  3060
          ATGGATGCCT GCTGCTGTGC TGTCGGGGCG GCTTGGGGCA CCGAGTGTGA GGAGTGCCCC  3120
          AAACCTGGCA CCAAGGAATA CGAGACACTG TGCCCCCGGCG GGGCTGGCTT TGCTAACCGA  3180
          GGGGATGTTC TTACTGGGCG GCCATTTTAC AAAGACATCA ATGAATGCAA AGCATTTCCT  3240
          GGGATGTGCA CTTATGGGAA GTGCAGAAAT ACAATCGGAA GCTTCAAATG CCGTTGCAAT  3300
    70    AGTGGCTTTG CTCTAGACAT GGAGGAAAGA AACTGCACGG ACATCGACGA GTGCAGGATT  3360
          TCTCCTGACC TCTGTGGCAG TGGAATCTGC GTCAATACAC CGGGCAGCTT TGAGTGCGAG  3420
          TGCTTCGAAG GCTATGAAAG TGGCTTCATG ATGATGAAGA ACTGCATGGA CATTGACGGA  3480
          TGTGAACGTA CCCCTCTCCT TTGTAGGGGT GGCACCTGTG TGAACACTGA GGGCAGCTTT  3540
          CAGTGTGACT GCCCACTGGG ACACGAGCTG TCACCATCCC GTGAGGACTG TGTGGATATT  3600
    75    AATGAATGCT CCCTGAGTGA CAATCTCTGC AGAAATGGAA AATGTGTGAA CATGATTGGA  3660
          ACCTATCAGT GCTCTTGCAA TCCTGGATAT CAGGCTACGC CAGACCGCCA GGGCTGTACA  3720
          GATATTGATG AATGTATGAT AATGAACGGA GGCTGTGACA CCCAGTGCAC AAATTCAGAG  3780
          GGAAGCTACG AATGCAGCTG CAGTGAGGGT TATGCCCTGA TGCCAGATGG GAGATCGTGT  3840
          GCAGACATTG ATGAATGTGA AAACAATCCT GATATCTGTG ATGGCGGCCA GTGTACCAAC  3900
    80    ATTCCTGGAG AGTATCGCTG CCTCTGCTAT GATGGCTTCA TGGCTTCCAT GGACATGAAA  3960
          ACATGCATTG ATGTCAATGA ATGTGACCTA AATTCAAATA TCTGCATGTT TGGGGAATGT  4020
          GAGAACACAA AGGGATCCTT CATTTGCCAC TGTCAGCTGG GTTACTCAGT GAAGAAGGGG  4080
          ACCACAGGAT GTACAGATGT GGATGAGTGT GAAATTGGTG CTCATAACTG CGACATGCAT  4140
          GCCTCATGTC TGAATATCCC AGGAAGCTTC AAGTGTAGCT GCAGAGAAGG CTGGATTGGA  4200
    85    AACGGCATCA AGTGTATTGA TCTGGACGAA TGTTCTAATG AACCCACCA GTGTAGCATC  4260
          AATGCTCAGT GTGTAAATAC CCCGGGCTCA TACCGCTGTG CCTGCTCCGA AGGTTTCACT  4320
          GGTGATGGCT TTACCTGCTC AGATGTTGAT GAGTGTGCAG AAAACATAAA CCTCTGTGAG  4380
```

```
     AACGGACAGT GCCTTAATGT CCCGGGTGCA TATCGCTGCG AGTGTGAGAT GGGCTTCACT   4440
     CCAGCCTCAG ACAGCAGATC CTGCCAAGAT ATTGATGAAT GCTCCTTCCA AAACATTTGT   4500
     GTCTCTGGAA CATGTAATAA CCTGCCTGGA ATGTTTCATT GCATCTGCGA TGATGGTTAT   4560
     GAATTGGACA GAACAGGAGG GAACTGTACA GATATTGATG AGTGTGCAGA TCCTATAAAC   4620
 5   TGTGTCAATG GCCTATGTGT CAACACGCCT GGTCGCTATG AGTGTAACTG CCCACCCGAT   4680
     TTTCAGTTGA ACCCAACTGG TGTGGGTTGT GTTGACAACC GTGTGGGCAA CTGCTACCTG   4740
     AAGTTTGGAC CTCGAGGAGA TGGGAGTCTG TCTTGCAACA CCGAGATCGG GGTGGGCGTC   4800
     AGTCGCTCTT CATGCTGCTG CTCTCTGGGA AAGGCCTGGG GAAACCCCTG TGAGACATGC   4860
     CCCCCTGTCA ATAGCACTGA ATATTACACC CTGTGTCCCG GAGGTGAAGG CTTCAGACCT   4920
10   AACCCCATCA CAATCATTTT AGAAGACATT GACGAATGCC AGGAGTTACC AGGTCTCTGC   4980
     CAGGGTGGAA ACTGCATCAA CACTTTTGGG AGCTTCCAGT GTGAGTGCCC ACAAGGCTAC   5040
     TACCTCAGCG AGGATACCCG CATCTGTGAG GATATTGATG AGTGTTTTGC ACATCCTGGT   5100
     GTGTGTGGGC CTGGGACCTG CTATAACACC CTGGGAAATT ACACCTGCAT TTGCCCACCT   5160
     GAGTACATGC AGGTCAATGG AGGCCAAAC TGCATGGACA TGAGACAAAG CTTTTGCTAC   5220
15   CGAAGCTATA ATGGAACCAC TTGTGAGAAT GAGTTGCCTT TCAATGTGAC AAAAAGGATG   5280
     TGCTGCTGCA CATATAATGT GGGCAAAGCT GGGAACAAAC CTTGTGAACC ATGCCCAACT   5340
     CCAGGAACAG CTGACTTTAA AACCCATATGT GGAAATATTC CTGGATTCAC CTTTTGACATT   5400
     CACACAGGAA AAGCTGTTGA CATTGATGAA TGTAAAGAGA TTCCAGGCAT TTGTGCAAAT   5460
     GGTGTGTGCA TTAACCAGAT TGGCAGTTTC CGCTGTGAAT GCCCTACAGG ATTCAGTTAC   5520
20   AATGACCTGC TGTTGGTTTG TGAAGATATA GATGAGTGCA GCAATGGTGA TAATCTCTGC   5580
     CAGCGGAATG CAGACTGCAT CAATAGTCCT GGTAGTTACC GCTGTGAATG TGCCGCGGGT   5640
     TTCAAACTTT CACCCAATGG GGCCTGTGTA GATCGCAATG AATGTTTAGA AATTCCTAAC   5700
     GTTTGCAGTC ATGGCTTGTG TGTTGATCTG CAAGGAAGTT ACCAGTGCAT CTGCCACAAT   5760
     GGCTTTAAGG CTTCTCAGGA CCAGACCATG TGCATGGATG TTGATGAGTG CGAGCGGCAC   5820
25   CCATGTGGAA ATGGAACTTG TAAAAACACC GTTGGATCCT ATAACTGTCT GTGCTACCCA   5880
     GGGTTTGAAC TCACTCATAA TAATGATGAC CTGGACATAG ATGAGTGCAG TTCCTTTTTT   5940
     GGTCAGGTGT GCAGAAATGG ACGTTGTTTT AATGAAATTG GTTCTTTCAA GTGTCTATGT   6000
     AACGAAGGTT ATGAACTTAC CCCAGATGGC AAAAACTGTA TAGACACTAA TGAGTGTGTC   6060
     GCCCTTCCCG GCTCTTGCTC TCCTGGTACC TGTCAGAATT TGGAGGGATC CTTCAGACTG   6120
30   ATCTGTCCCC CAGGGTATGA AGTAAAAAGC GAGAACTGCA TTGATATAAA TGAATGTGAT   6180
     GAAGATCCCA ACATTTGTCT TTTTGGTTCC TGTACTAATA CTCCAGGGGG CTTCCAGTGC   6240
     CTCTGCCCCC CTGGCTTTGT ACTATCTGAT AATGGACGGA GATGCTTTGA TACTCGCCAG   6300
     AGCTTCTGCT TCACAAATTT TGAAAATGGA AAGTGTTCTG TACCCAAAGC TTTCAACACC   6360
     ACAAAAGCAA AATGCTGCTG TAGTAAGATG CCAGGAGAGG GCTGGGGGGA CCCCTGTGAG   6420
35   CTGTGCCCCA AAGACGATGA AGTTGCATTT CAGGATTTGT GTCCATATGG CCATGGAACT   6480
     GTCCCTAGTC TTCATGATAC ACGTGAAGAT GTCAATGAGT GTCTTGAGAG CCCAGGCATT   6540
     TGTTCAAATG GTCAATGTAT CAACACCGAC GGATCTTTTC GCTGTGAATG TCCAATGGGC   6600
     TACAACCTTG ACTACACTGG AGTACGCTGT GTGGATACTG ATGAGTGTTC AATCGGCAAT   6660
     CCGTGTGGAA ATGGTACATG CACCAATGTT ATTGGGAGTT TTGAATGCAA TTGCAATGAA   6720
40   GGCTTTGAGC CAGGGCCCAT GATGAATTGT GAAGATATCA ACGAATGTGC CCAGAACCCA   6780
     CTGCTGTGTG CTTTACGCTG CATGAACACT TTTGGGTCCT ATGAATGCAC GTGCCCGATT   6840
     GGCTATGCCC TCAGGGAAGA TCAAAAGATG TGCAAAGATC TGGATGAATG TGCTGAAGGG   6900
     TTACACGACT GTGAATCTAG GGGCATGATG TGTAAGAATC TAATCGGCAC CTTCATGTGC   6960
     ATCTGCCCTC CTGGAATGGC CCGAAGGCCC GATGGAGAAG GCTGTGTAGA TGAAAATGAA   7020
45   TGCAGGACCA AGCCAGGAAT CTGTGAAAAT GGACGTTGTG TTAACATTAT TGGAAGCTAT   7080
     AGATGTGAGT GTAATGAAGG ATTCCAGTCA AGTTCTTCAG GCACTGAATG CCTTGACAAT   7140
     CGACAGGGTC TCTGCTTTGC AGAGGTACTG CAGACAATAT GTCAAATGGC ATCCAGTAGT   7200
     CGCAATCTCG TCACTAAGTC AGAATGCTGC TGTGATGGTG GGCGAGGCTG GGGCCACCAG   7260
     TGCGAGCTTT GCCCCACTTCC TGGAACTGCA CAGTACAAAA AGATATGTCC TCATGGCCCA   7320
50   GGATATACAA CTGATGGAAG AGATATTGAT GAATGTAAGG TAATGCCAAA CCTCTGCACC   7380
     AATGGTCAGT GCATCAATAC CATGGGCTCA TTCCGATGCT TCTGCAAGGT TGGCTACACC   7440
     ACAGACATCA GTGGAACCTC TTGTATAGAC CTTGATGAAT GCTCCCAGTC CCCGAAACCA   7500
     TGCAACTACA TCTGCAAGAA CACTCGAGGGG AGTTATCAGT GTTCATGTCC GAGGGGGTAT   7560
     GTCCTGCAAG AGGATGGAAA GACATGCAAA GACCTTGATG AATGTGCAAAC AAAGCAGCAT   7620
55   AACTGCCAGT TCCTCTGTGT CAACACCCTG GGGGGGTTTA CCTGTAAATG TCCACCTGGT   7680
     TTCACACAGC ATCACACTGC TTGTATCGAC AACAACGAAT GTGGGTCTCA ACCTTTGCTT   7740
     TGTGGAGGAA AGGGAATCTG TCAAAACACT CCAGGCAGTT TCAGCTGTGA ATGCCAAAGA   7800
     GGGTTCTCTC TTGATGCCAC CGGACTGAAC TGTGAAGATG TTGATGAATG TGATGGGAAC   7860
     CACAGGTGCC AACACGGCTG CCAGAACATC CTGGGTGGCT ACAGATGTGG CTGCCCCCAA   7920
60   GGCTACATCC AGCACTACCA GTGGAATCAG TGTGTCGATG AGAATGAATG CTCCAATCCC   7980
     AATGCCTGTG GCTCTGCTTC CTGCTACAAC ACCCTGGGGA GTTACAAGTG CGCCTGCCCC   8040
     TCGGGGTTCT CCTTCGACCA GTTCTCCAGT GCCTGCCACG ACGTGAATGA GTGCTCGTCC   8100
     TCCAAGAACC CCTGCAATTA CGGCTGCTCT AACACGGAGG GGGCTACCT CTGTGGCTGC   8160
     CCCCCTGGGT ATTACAGAGT GGGACAAGGC CACTGTGTCT CAGGAATGGG ATTTACAAG   8220
65   GGGCAGTACC TGTCACTGGA TACAGAGGTC GATGAGGAAA ATGCTCTGTC CCCAGAAGCA   8280
     TGCTACGAGT GCAAAATCAA CGGCTATCCT AAGAAAGACA GCAGGCAGAA GAGAAGTATT   8340
     CATGAACCTG ATCCCACTGC TGTTGAACAG ATCAGCCTAG AGAGTGTCGA CATGGACAGC   8400
     CCGGTCAACA TGAAGTTCAA CCTCTCCCAC CTCGGCTCTA CTGGGACTCA CCTGGAACTA   8460
     AGGCCCGCCA TCCAGCCCCT CAACAACCAC ATCCGTTATG TCATCTCTCA AGGGAACGAT   8520
70   GACAGCGTCT TCCGCATCCA CCAAAGGAAT GGGCTCAGCT ACTTGCACAC GGCCAAGAAG   8580
     AAGCTCATGC CCGGCACATA CACACTGGAA ATCACTAGCA TCCCTCTCTA CAAGAAGAAG   8640
     GAGCTTAAGA AACTGGAAGA GAGCAATGAG GATGACTACC TCCTAGGGGA GCTTGGGGAG   8700
     GCTCTCAGAA TGAGGCTGCA GATTCAGCTC TATTAACCGT TCACAGACTT GGGCCCAGGC   8760
     TCAAATCCTA GCACAGCCAG TCTGCAGAAG CATTGAAAA GTCAAGGACT AATTTTAAAG   8820
75   AGGAAAAATA ATAATAACTC TTGTTTCTTT CCTCCCTGTC TTAGACTTTG AATGTTGACC   8880
     CTCACAGGGA GGGATAATTT AGACTCTGGT ATGGCCAAAG ATTTGAGCTC AAAGGCAACC   8940
     GTGGTTACTG TATTTTTTAT ATAACTTCAT TTTAAAATAT ATTAAAAGAA ACCTAAATGT   9000
     TCAAGATATC AGCATATGGC ACTAAATGCA CAAAAATAAT GTGAGCTTTT TTTTTTTTTT   9060
     CCTGTTAGCA GTCTGTAACA CTTTGGGTAT TTTGCTATAG TTGCTAATTA AAAAAATATA   9120
80   GATGTTTATT TATTTTTAAT GCAGTAATAT ATGGAGAAAT GAACAAACTA TGTAAACAAA   9180
     AAGGGAAACT CACTTGTTTT TCTTTAGATT TATAAATTTG AGCTATTTTT TTTAGAGGTG   9240
     CTTTTTAAAA ATCCAATAGA TACAAGAGAT GTTTCCTTTG GTTTTCTGCC AGTCATCCAG   9300
     CTGATACACA CCTGATCGAT TTTAAAGAAA GCCACACAGA GCTGAATCGG GCAGTGCTAA   9360
     TCAATAATTT AAAAGACATG AATGTCATTA GATCCTTTAT AACGTAGATC GAAGCCAAAG   9420
85   CAGCTCATTT GTGACAACAT TTCATATCAC CAGACACACC AGGCAACAGA AGTTGAAGCA   9480
     CAACCACTGT AGCAAAATAC CTTGACTGCT TGTGAGACCA TTAGCATTGC AGGCCAAACC   9540
     GTACTGTATT TCCTTCTCAT AACCTCAAGG AACCATATGT GCTACCCACA ACACCTCATT   9600
```

```
CTTACCCAGG GTGCGCTGCG TCCTCATGGT ACTGTAGGCA GCTGAAGAAC CGCCGTTCCC  9660
TTGAAAGGGA ACACCTGGCA TTCTGTGGTG TTTCGTGCTG TCTTAAATAA TGGTGCATTT  9720
ATTATGTTCA AGTATTTTCA GGATTGCCAT ATGTGCAAAC AAATCATGCA ATGCAGCCAA  9780
GGAATATATG TTGTTGTTGT TGTTTTAAAC CCATTTTTTT TTTAGAATTT TCATTAATAC  9840
TGTAGTTATA CACCATATGC CTCATTTTAT CATAGCCTAT TGTGTATGAA AGATGTTTGT  9900
ACAATGAATT GATGTTTAGT TTGCTTTAGT CATTTAAAAA GATATTGTAC CAGGATGTGC  9960
TATTAAGAGC ACGTATCCAT TATTCTTCTC AACCCAAGAA CCTGTTTCCT GGACCAGTGA 10020
CCAAACCTCA TATGTGAAAT GGCCAAAGCA CATGCAGGCT CCTGGTTGTT CCTCTCAAAC 10080
CTGTGCTGAC CAAAGATTAG TAACCAGTTA TACCCAGTAT TTTGAGGTTT TATTGTTTTT 10140
TTAATAACTA AAAAAAAACT CGTTGCC
```

Seq ID NO: 459 Protein sequence
Protein Accession #: NP_001990.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGRRRRLCLQ LYFLWLGCVV LWAQGTAGQP QPPPPKPPRP QPPPQQVRSA TAGSEGGFLA   60
PEYREEGAAV ASRVRRRGQQ DVLRGPNVCG SRFHSYCCPG WKTLPGGNQC IVPICRNSCG  120
DGFCSRPNMC TCSSGQISST CGSKSIQQCS VRCMNGGTCA DDHCQCQKGY IGTYCGQPVC  180
ENGCQNGGRC IAQPCACVYG FTGPQCERDY RTGPCFTQVN NQMCQGQLTG IVCTKTLCCA  240
TTGRAWGHPC EMCPAQPQPC RRGFIPNIRT GACQDVDECQ AIPGICQGGN CINTVGSFEC  300
RCPAGHKQSE TTQKCEDIDE CSIIPGICET GECSNTVGSY FCVCPRGYVT STDGSRCIDQ  360
RTGMCPSGLV NGRCAQELPG RMTKMQCCCB PGRCWGIGTI PEACPVRGSE BYRRLCMDGL  420
PMGGIPGSAG SRPGGTGGNG FAPSGNGNGY GPGGTGPIPI PGGNGPSPGV GGAGVGAGGQ  480
GPIITGLTIL NQTIDICKHH ANLCLNGRCI PTVSSYRCEC NMGYKQDANG DCIDVDECTS  540
NPCTNGDCVN TPGSYYCKCH AGPQRTPTKQ ACIDIDECIQ NGVLCKNGRC VNSDGSFQCI  600
CNAGFELTTD GKNCVDHDEC TTTNMCLNGM CINEDGSFKC ICKPGFVLAP NGRYCTDVDE  660
CQTPGICMNG BCINSEGSFR CDCPPGLAVG MDGRVCVDTH MRSTCYGGIK KGVCVRPFPG  720
AVTKSECCCA NPDYGFGEPC QPCPAKNSAE FHGLCSSGVG ITVDGRDINE CALDPDICAN  780
GICENLRGSY RCNCNSGYEP DASGRNCIDI DECLVNRLLC DNGLCRNTPG SYSCTCPPGY  840
VFRTETETCE DINECESNPC VNGACRNNLG SFNCECSPGS KLSSTGLICI DSLKGTCWLN  900
IQDSRCEVNI NGATLKSECC ATLGAAWGSP CERCELDTAC PRGLARIKGV TCEDVNECEV  960
FPGVCPNGRC VNSKGSFHCE CPEGLTLDGT GRVCLDIRME QCYLKWDEDE CIHPVPGKFR 1020
MDACCCAVGA AWGTECEECP KPGTKEYETL CPRGAGPANR GDVLTGRPFY KDINECKAPP 1080
GMCTYGKCRN TIGSFKCRCN SGFALDMEER NCTDIDECRI SPDLCGSGIC VNTPGSFECE 1140
CPEGYESGFM MMKNCMDIDG CERNPLLCRG GTCVNTEGSF QCDCPLGHEL SPSREDCVDI 1200
NECSLSDNLC RNGKCVNMIG TYQCSCNPGY QATPDROGCT DIDECMIMNG GCDTQCTNSE· 1260
GSYECSCSEG YALMPDGRSC ADIDECENNP DICDGGQCTN IPGEYRCLCY DGFMASMDMK 1320
TCIDVNECDL NSNICMFGEC ENTKGSPICH CQLGYSVKKG TTGCTDVDEC BIGAHNCDMH 1380
ASCLNIPGSP KCSCREGWIG NGIKCIDLDE CSNGTHQCSI NAQCVNTPGS YRCACSEGPT 1440
GDGPTCSDVD ECAENINLCE NGQCLNVPGA YRCECEMGFT PASDSRSCQD IDECSFQNIC 1500
VSGTCNNLPG MFECICDDGY ELDRTGGNCT DIDECADPIN CVNGLCVNTP GRYECNCPPD 1560
FQLNPTGVGC VDNRVGNCYL KFGPRGDGSL SCNTEIGVGV SRSSCCCSLG KAWGNPCETC 1620
PPVNSTEYYT LCPGGEGFRP NPITIILEDI DECQELPGLC QGGNCINTFG SFQCECPQGY 1680
YLSEDTRICE DIDECFAHPG VCGPGTCYNT LGNYTCICPP EYMQVNGGHN CMDMRKSFCY 1740
RSYNGTTCEN ELPFNVTKRM CCCTYNVGKA GNKPCEPCPT PGTADFKTIC GNIPGFTFDI 1800
HTGKAVDIDE CKEIPGICAN GVCINQIGSP RCECPTGPSY NDLLLVCEDI DECSNGDNLC 1860
QRNADCINSP GSYRCECACA FKLSPNGACV DRNECLEIPN VCSEHGLCVDL QGSYQCICHN 1920
GFKASQDQTM CMDVDECERH PCGNGTCKNT VGSYNCLCYP GFELTHNNDC LDIDECSSFP 1980
GQVCRNGRCF NEIGSFKCLC NEGYELTPDG KNCIDTNBCV ALPGSCSPGT CQNLEGSFRC 2040
ICPPGYBVKS ENCIDINECD EDPNICLFGS CTNTPGGFQC LCPGYWGDPCE LCPKDDBVAF QDLCPYGHGT 2100
SFCPTNFENG KCSVPKAFNT TKAKCCCSKM PGEGWGDPCE LCPKDDBVAF QDLCPYGHGT 2160
VPSLHDTRED VNECLESPGI CSNGQCINTD GSFRCECPMG YNLDYTGVRC VDTDECSIGN 2220
PCGNGTCTNV IGSFECNCNE GPEPGPMMNC EDINECAQNP LLCALRCMNT FGSYECTCPI 2280
GYALREDQKM CKDLDECAEG LHDCESRGMM CKNLIGTFMC ICPPGMARRP DGEGCVDENE 2340
CRTKPGICEN GRCVNIIGSY RCECNEGFQS SSSGTECLDN RQGLCPAEVL QTICQMASSS 2400
RNLVTKSECC CDGGRGWGHQ CELCPLPGTA QYKKICPHGP GYTTDGRDID BCKVMPNLCT 2460
NGQCINTWGS FRCPCKVGYT TDISGTSCID LDECSQSPKP CNYICKNTEG SYQCSCPRGY 2520
VLQEDGKTCK DLDECQTKQH NCQFLCVNTL GGFTCKCPPG FTQHHTACID NNECGSQPLL 2580
CGGKGIQQNT PGSPSCECQR GPSLDATGLN CEDVDECDGN HRCQHGCQNI LGGYRCGCPQ 2640
GYIQHYQWNQ CVDENECSNP NACGSASCYN TLGSYKCACP SGPSFDQPSS ACHDVNECSS 2700
SKNPCNYGCS· NTEGGYLCGC PPGYYRVGQG HCVSGMGFNK GQYLSLDTEV DEENALSPEA 2760
CYECKINGYP KKDSRQKRSI HEPDPTAVEQ ISLESVDMDS PVNMKFNLSH LGSKEHILEL 2820
RPAIQPLNNH IRYVISQGND DSVFRIHQRN GLSYLHTAKK KLMPGTYTLE ITSIPLYKKK 2880
ELKKLEESNE DDYLLGELGE ALRMRLQIQL Y
```

Seq ID NO: 460 DNA sequence
Nucleic Acid Accession #: NM_013372.1
Coding sequence: 63..617

```
1          11         21         31         41         51
|          |          |          |          |          |
GCGGCCGCAC TCAGCGCCAC GCGTCGAAAG CGCAGGCCCC GAGGACCCGC CGCACTGACA   60
GTATGAGCCG CACAGCCTAC ACGGTGGGAG CCCTGCTTCT CCTCTTGGGG ACCCTGCTGC  120
CGGCTGCTGA AGGGAAAAAG AAAGGGTCCC AAGGTGCCAT CCCCCCGCCA GACAAGGCCC  180
AGCACAATGA CTCAGAGCAG ACTCAGTCGC CCCAGCAGCC TGGCTCCAGG AACCGGGGGC  240
GGGGCCAAGG GCGGGGCACT GCCATGCCCG GGGAGGAGGT GCTGGAGTCC AGCCAAGAGG  300
CCCTGCATGT GACGGAGCGC AAATACCTGA AGCGAGACTG GTGCAAAACC CAGCCGCTTA  360
AGCAGACCAT CCACGAGGAA GGCTGCAACA GTCGCACCAT CATCAACCGC TTCTGTTACG  420
GCCAGTGCAA CTCTTTCTAC ATCCCCAGGC ACATCCGGAA GGAGGAAGGT TCCTTTCAGT  480
CCTGCTCCTT CTGCAAGCCC AAGAAATTCA CTACCATGAT GGTCACACTC AACTGCCCTG  540
AACTACAGCC ACCTACCAAG AAGAAGAGAG TCACACGTGT GAAGCAGTGT CGTTGCATAT  600
CCATCGATTT GGATTAAGCC AAATCCAGGT GCACCCAGCA TGTCCTAGGA ATGCAGCCCT  660
AGGAAGTCCC AGACCTAAAA CAACCAGATT CTTACTTGGC TTAAACCTAG AGGCCAGAAG  720
AACCCCCAGC TGCCTCCTGG CAGGAGCCTG CTTGTGCGTA GTTCGTGTGC ATGAGTGTGG  780
ATGGGTGCCT GTGGGTGTTT TTAGACACCA GAGAAAACAC AGTCTCTGCT AGAGAGCACT  840
CCCTATTTTG TAAACATATC TGCTTTAATG GGGATGTACC AGAAACCCAC CTCACCCCGG  900
```

```
     CTCACATCTA AAGGGGCGGG GCCGTGGTCT GGTTCTGACT TTGTGTTTTT GTGCCCTCCT   960
     GGGGACCAGA ATCTCCTTTC GGAATGAATG TTCATGGAAG AGGCTCCTCT GAGGGCAAGA  1020
     GACCTGTTTT AGTGCTGCAT TCGACATGGA AAAGTCCTTT TAACCTGTGC TTGCATCCTC  1080
     CTTTCCTCCT CCTCCTCACA ATCCATCTCT TCTTAAGTTG ATAGTGACTA TGTCAGTCTA  1140
 5   ATCTCTTGTT TGCCAAGGTT CCTAAATTAA TTCACTTAAC CATGATGCAA ATGTTTTTCA  1200
     TTTTGTGAAG ACCCTCCAGA CTCTGGGAGA GGCTGGTGTG GGCAAGGACA AGCAGGATAG  1260
     TGGAGTGAGA AAGGGAGGGT GGAGGGTGAG GCCAAATCAG GTCCAGCAAA AGTCAGTAGG  1320
     GACATTGCAG AAGCTTGAAA GGCCAATACC AGAACACAGG CTGATGCTTC TGAGAAAGTC  1380
     TTTTCCTAGT ATTTAACAGA ACCCAAGTGA ACAGAGGAGA AATGAGATTG CCAGAAAGTG  1440
10   ATTAACTTTG GCCGGTTGCAA TCTGCTCAAA CCTAACACCA AACTGAAAAC ATAAATACTG  1500
     ACCACTCCTA TGTTCGGACC CAAGCAAGTT AGCTAAACCA AACCAACTCC TCTGCTTTGT  1560
     CCCTCAGGTG GAAAAGAGAG GTAGTTTAGA ACTCTCTGCA TAGGGGTGGG AATTAATCAA  1620
     AAACCKCAGA GGCTGAAATT CCTAATACCT TTCCTTTATC GTGGTTATAG TCAGCTCATT  1680
     TCCATTCCAC TATTTCCCAT AATGCTTCTG AGAGCCACTA ACTTGATTGA TAAAGATCCT  1740
15   GCCTCTGCTG AGTGTACCTG ACAGTAAGTC TAAAGATGAR AGAGTTTAGG GACTACTCTG  1800
     TTTTAGCAAG ARATATTKTG GGGGTCTTTT TGTTTTAACT ATTGTCAGGA GATTGGGCTA  1860
     RAGAGAAGAC GACGAGAGTA AGGAAATAAA GGGGRATTGCC TCTGGCTAGA GAGTAAGTTA  1920
     GGTGTTAATA CCTGGTAGAA ATGTAAGGGA TATGACCTCC CTTTCTTTAT GTGCTCACTG  1980
     AGGATCTGAG GGGACCCTGT TAGGAGAGCA TAGCATCATG ATGTATTAGC TGTTCATCTG  2040
20   CTACTGGTTG GATGGACATA ACTATTGTAA CTATTCAGTA TTTACTGGTA GGCACTGTCC  2100
     TCTGATTAAA CTTGGCCTAC TGGCAATGGC TACTTAGGAT TGATCTAAGG GCCAAAGTGC  2160
     AGGGTGGGTG AACTTTATTG TACTTTGGAT TTGGTTAACC TGTTTTCTTC AAGCCTGAGG  2220
     TTTTATATAC AAACTCCCTG AATACTCTTT TTGCCTTGTA TCTTCTCAGC CTCCTAGCCA  2280
     AGTCCTATGT AATATGGAAA ACAAACACTG CAGACTTGAG ATTCAGTTGC CGATCAAGGC  2340
25   TCTGGCATTC AGAGAACCCT TGCAACTCGA GAAGCTGTTT TTATTTCGTT TTTGTTTTGA  2400
     TCCAGTGCTC TCCCATCTAA CAACTAAACA GGAGCCATTT CAAGGCGGGA GATATTTTAA  2460
     ACACCCAAAA TGTTGGGTCT GATTTTCAAA CTTTTAAACT CACTACTGAT GATTCTCACG  2520
     CTAGGCGAAT TTGTCCAAAC ACATAGTGTG TGTGTTTTGT ATACACTGTA TGACCCCACC  2580
     CCAAATCTTT GTATTGTCCA CATTCTCCAA CAATAAAGCA CAGAGTGGAT TTAATTAAGC  2640
30   ACACAAATGC TAAGGCAGAA TTTTGAGGGT GGGAGAGAAG AAAAGGGAAA GAAGCTGAAA  2700
     ATGTAAAACC ACACCAGGGA GGAAAAATGA CATTCAGAAC CAGCAAACAC TGAATTTCTC  2760
     TTGTTGTTTT AACTCTGCCA CAAGAATGCA ATTTCGTTAA TGGAGATGAC TTAAGTTGGC  2820
     AGCAGTAATC TTCTTTTAGG AGCTTGTACC ACAGTCTTGC ACATAAGTGC AGATTTGGCT  2880
     CAAGTAAAGA GAATTTCCTC AACACTAACT TCACTGGGAT AATCAGCAGC GTAACTACCC  2940
35   TAAAAGCATA TCACTAGCCA AAGAGGGAAA TATCTGTTCT TCTTACTGTG CCTATATTAA  3000
     GACTAGTACA AATGTGGTGT GTCTTCCAAC TTTCATTGAA AATGCCATAT CTATACCATA  3060
     TTTTATTCGA GTCACTGATG ATGTAATGAT ATATTTTTTC ATTATTATAG TAGAATATTT  3120
     TTATGGCAAG ATATTTGTGG TCTTGATCAT ACCTATTAAA ATAAATGCCAA ACACCAAATA  3180
     TGAATTTTAT GATGTACACT TTGTGCTTGG CATTAAAAGA AAAAAACACA CATCCTGGAA  3240
40   GTCTGTAAGT TGTTTTTTGT TACTGTAGGT CTTCAAAGTT AAGAGTGTAA GTGAAAAATC  3300
     TGGAGGAGAG GATAATTTCC ACTGTGTGGA ATGTGAATAG TTAAATGAAA AGTTATGGTT  3360
     ATTTAATGTA ATTATTACTT CAAATCCTTT GGTCACTGTG ATTTCAAGCA TGTTTTCTTT  3420
     TTCTCCTTTA TATGACTTTC TCTGAGTTGG GCAAAGAAGA AGCTGACACA CCGTATGTTG  3480
     TTAGAGTCTT TTATCTGGTC AGGGGAAACA AAATCTTGAC CCAGCTGAAC ATGTCTTCCT  3540
45   GAGTCAGTGC CTGAATCTTT ATTTTTTAAA TTGAATGTTC CTTAAAGGTT AACATTTCTT  3600
     AAGCAATATT AAGAAAGACT TTAAATGTTA TTTTGGAAGA CTTACGATGC ATGTATACAA  3660
     ACGAATAGCA GATAATGATG ACTAGTTCAC ACATAAAGTC CTTTTAAGGA GAAAATCTAA  3720
     AATGAAAAGT GGATAAACAG AACATTTATA AGTGATCAGT TAATGCCTAA GAGTGAAAGT  3780
     AGTTCTATTG ACATTCCTCA AGATATTTAA TATCAACTGC ATTATGTATT ATGTCTGCTT  3840
50   AAATCATTTA AAAACGGCAA AGAATTTATAT AGACTATGAG GTACCTTGCT GTGTAGGAGG  3900
     ATGAAAGGGG AGTTGATAGT CTCCATAAAAC TAATTTGGCT TCAAGTTTCA TGAATCTGTA  3960
     ACTAGAATTT AATTTTCACC CCAATAATGT TCTATATAGC CTTTGCTAAA GAGCAACTAA  4020
     TAAATTAAAC CTATTCTTTC AAAAAAAAA
```

55   Seq ID NO: 461 Protein sequence
     Protein Accession #: NP_037504.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
60   MSRTAYTVGA LLLLLGTLLP AABGKKKGSQ GAIPPPPDKAQ HNDSEQTQSP QQPGSRNRGR   60
     GQGRGTAMPG EEVLESSQEA LHVTERKYLK RDWCKTQPLK QTIHEEGCNS RTIINRPCYG  120
     QCNSPYIPRH IRKEEGSFQS CSPCKPKKFT TMMVTLNCPE LQPPTKKKRV TRVKQCRCIS  180
     IDLD
```

65   Seq ID NO: 462 DNA sequence
     Nucleic Acid Accession #: Eos sequence
     Coding sequence: 1..2733

```
     1          11         21         31         41         51
     |          |          |          |          |          |
70   ATGAAAGTTG GAGTGCTGTG GCTCATTTCT TTCTTCACCT TCACTGACGG CCACGGTGGC   60
     TTCCTGGGGA AAAATGATGG CATCAAAACA AAAAAAGAAC TCATTGTGAA TAAGAAAAAA  120
     CATCTAGGCC CAGTCGAAGA ATATCAGCTG CTGCTTCAGG TGACCTATAG AGATTCCAAG  180
     GAGAAAAGAG ATTTGAGAAA TTTTCTGAAG CTCTTGAAGC CTCCATTATT ATGGTCACAT  240
75   GGGCTAATTA GAATTATCAG AGCAAAGGCT ACCACAGACT GCAACAGCCT GAATGGAGTC  300
     CTGCAGTGTA CCTGTGAAGA CAGCTACACC TGGTTTCCTC CCTCATGCCT TGATCCCCAG  360
     AACTGCTACC TTCACACGGC TGGAGCACTC CCAAGCTGTG AATGTCATCT CAACAACCTG  420
     AGCCAGAGTG TCAATTTCTG TGAGAGAACA AAGATTTGGG GCACTTTCAA AATTAATGAA  480
     AGGTTTACAA ATGACCTTTT GAATTCATCT TCTGCTATAT ACTCCAAATA TGCAAATGGA  540
80   ATTGAAATTC AACTTAAAAA AGCATATGAA AGAATTCAAG GTTTTGAGTC GGTTCAGGTC  600
     ACCCAATTTC GAAATGGAAG CATCGTTGCT GGGTATGAAG TTGTTGGCTC CAGCAGTGCA  660
     TCTGAACTGC TGTCAGCCAT TGAACATGGT GCCGAGAAGG CTAAGACAGC CCTTCACAAG  720
     CTGTTTCCAT TAGAAGACGG CTCTTTCAGA GTGTTCGGAA AAGCCCAGTG TAATGACATT  780
     GTCTTTGGAT TTGGGTCCAA GGATGATGAA TATACCCTGC CCTGCAGCAG TGGCTACAGG  840
85   GGAAACATCA CAGCCAGTG TGAGTCCTCT GGGTGGCAGG TCATCAGGGA GACTTGTGTG  900
     CTCTCTCTGC TTGAAGAACT GAACAAGAAT TTCAGTATGA TTGTAGGCAA TGCCACTGAG  960
     GCAGCTGTGT CATCCTTCGT GCAAAATCTT TCTGTCATCA TTCGGCAAAA CCCATCAACC  1020
```

```
     ACAGTGGGGA ATCTGGCTTC GGTGGTGTCG ATTCTGAGCA ATATTTCATC TCTGTCACTG   1080
     GCCAGCCATT TCAGGGTGTC CAATTCAACA ATGGAGGATG TCATCAGTAT AGCTGACAAT   1140
     ATCCTTAATT CAGCCTCAGT AACCAACTGG ACAGTCTTAC TGCGGGAAGA AAAGTATGCC   1200
 5   AGCTCACGGT TACTAGAGAC ATTAGAAAAC ATCAGCACTC TGGTGCCTCC GACAGCTCTT   1260
     CCTCTGAATT TTTCTCGGAA ATTCATTGAC TGGAAAGGGA TTCCAGTGAA CAAAAGCCAA   1320
     CTCAAAAGGG GTTACAGCTA TCAGATTAAA ATGTGTCCCC AAAATACATC TATTCCCATC   1380
     AGAGGCCGTG TGTTAATTGG GTCAGACCAA TTCCAGAGAT CCCTTCCAGA AACTATTATC   1440
     AGCATGGCCT CGTTGACTCT GGGGAACATT CTACCCGTTT CCAAAAATGG AAATGCTCAG   1500
10   GTCAATGGAC CTGTGATATC CACGGTTATT CAAAACTATT CCATAAATGA AGTTTTCCTA   1560
     TTTTTTTCCA AGATAGAGTC AAACCTGAGC CAGCCTCATT GTGTGTTTTG GGATTTCAGT   1620
     CATTTGCAGT GGAACGATGC AGGCTGCCAC CTAGTGAATG AAACTCAAGA CATCGTGACG   1680
     TGCCAATGTA CTCACTTGAC CTCCTTCTCC ATATTGATGT CCCCTTTTGT CCCCTCTACA   1740
     ATCTTCCCCG TTGTAAAATG GATCACCTAT GTGGGACTGG GTATCTCCAT TGGAAGTCTC   1800
15   ATTTTTATGCC TGATCATCGA GGCTTTGTTT TGGAAGCAGA TTAAAAAAAG CCAAACCTCT   1860
     CACACACGTC GTATTTGCAT GGTGAACATA GCCCTGTCCC TCTTGATTGC TGATGTGTCTGG   1920
     TTTATTGTTG GTGCCACAGT GGACACCACG GTGAACCCTT CTGGAGTCTG CACAGCTGCT   1980
     GTGTTCTTTA CACACTTCTT CTACCTCTCT TTGTTCTTCT GGATGCTCAT GCTTGGCATC   2040
     CTGCTGGCTT ACCGGATCAT CCTCGTGTTC CATCACATGG CCCAGCATTT GATGATGGCT   2100
20   GTTGGGATTTT GCCTGGGTTA TGGGTGCCCT CTCATTATAT CTGTCATTAC CATTGCTGTC   2160
     ACGCAACCTA GCAATACCTA CAAAAGGAAA GATGTGTGTT GGCTTAACTG GTCCAATGGA   2220
     AGCAAACCAC TCCTGGCTTT TGTTGTCCCT GCACTGGCTA TTGTGGCTGT GAACTTCGTT   2280
     GTGGTGCTGC TAGTTCTCAC AAAGCTCTGG AGGCCGACTG TTGGGGAAAG ACTGAGTCGG   2340
     GATGACAAGG CCACCATCAT CCGGCGTGGG AAGAGCCTCC TCATTCTGAC CCCTCTGCTA   2400
25   GGGCTCACCT GGGGGCTTTGG AATAGGAACA ATAGTGGACA GCCAGAATCT GGCTTGGCAT   2460
     GTTATTTTTG CTTTACTCAA TGCATTCCAG GGATTTTTTA TCTTTATGCTT TGGAATACTC   2520
     TTGGACAGTA AGCTGCGACA ACTTCTGTTC AACAAGTTGT CTGCCTTAAG TTCTTGGAAG   2580
     CAAACAGAAA AGCAAAACTC ATCAGATTTA TCTGCCAAAC CCAAATTCTC AAAGCCTTTC   2640
     AACCCACTGC AAAACAAAGG CCATTATGCA TTTTCTCATA CTGGAGATTC CTCCGACAAC   2700
30   ATCATGCTAA CTCAGTTTGT CTCAAATGAA TAA
```

Seq ID NO: 463 Protein sequence
Protein Accession #: Eos sequence

```
       1          11         21         31         41         51
       |          |          |          |          |          |
     MKVGVLWLIS PFTPTDGHGG FLGKNDGIKT KKELIVNKKK HLGPVEEYQL LLQVTYRDSK    60
     EKRDLRNFLK LLKPPLLWSH GLIRIIRAKA TTDCNSLNGV LQCTCEDSYT WFPPPSCLDPQ   120
     NCYLHTAGAL PSCECHLNNL SQSVNFCERT KIWGTFKINE RPTNDLLNSS SAIYSKYANG   180
     IEIQLKKAYE RIQGFESVQV TQFRNGSIVA GYEVVGSSSA SELLSAIEHV AEKAKTALHK   240
     LFPLEDGSFR VFGKAQCNDI VFGPGSKDDE YTLPCSSGYR GNITAKCESS GWQVIRETCV   300
     LSLLEELNKN FSMIVGNATE AAVSSFVQNL SVIIRQNPST TVGNLASVVS ILSNISSLSL   360
     ASHPRVSNST MEDVISIADN ILNSASVTNW TVLLREEKYA SSRLLETLEN ISTLVPPTAL   420
     PLNFSRKFID WKGIPVNKSQ LKRGYSYQIK MCPQNTSIPI RGRVLIGSDQ FQRSLPETII   480
     SMASLTLGNI LPVSKNGNAQ VNGPVISTVI QNYSINEVFL FFSKIESNLS QPHCVFWDFS   540
     HLQWNDAGCH LVNETQDIVT CQCTHLTSFS ILMSPPVPST IFPVVKWITY VGLGISIGSL   600
     ILCLIIEALF WKQIKKSQTS HTRRICMVNI ALSLLIADVW FIVGATVDTT VNPSGVCTAA   660
     VFFTHFFYLS LFFWMLMLGI LLAYRIILVP HHMAQHLMMA VGPCLGYGCP LIISVITIAV   720
     TQPSNTYKRK DVCWLNWSNG SKPLLAFVVP ALAIVAVNFV VVLVLTKLW RPTVGERLSR   780
     DDKATIIRVG KSLLILTPLL GLTWGPGIGT IVDSQNLAWH VIFALLNAFQ GFFILCPGIL   840
     LDSKLRQLLF NKLSALSSWK QTEKQNSSDL SAKPKFSKPF NPLQNKGHYA PSHTGDSSDN   900
     IMLTQFVSNE
```

Seq ID NO: 464 DNA sequence
Nucleic Acid Accession #: AB035089.1
Coding sequence: 9845..10219

```
       1          11         21         31         41         51
       |          |          |          |          |          |
     GGGCATGCAG CCATCGGGGA AAATCCATAG TGCAGATAAA GCAAGGAGGA AGAAGAAGGA    60
     CAGTTCTAGT AAAAGGGAGA ACATCAATAT AGGATGTTTC TTAGCAATAG AAAAAGAAGG   120
     CCAAGAGGAA TTAGGGAGAG AGTTATAAGA GATCAGCAAG GGGACAGGGT TAGATTTGGT   180
     TTGGTTTGAA AGCATACAGT AAATATGATG TCTGTCCCTG GCAGTGTTGG CAGAGTAGGA   240
     AGGAGGAAGG GAGGCAAGAG ATAAATACAT TTTCTCTGTG CTCCAACTGT ACTTACATAT   300
     GAGACTATTT CCCTCTCTAG TTTTCAAACT TTACTGGAGT TGTTTTCCCT CATGAAAACC   360
     AAGAAAGGAA AGCTAGTTAG TCTTGTTCTG AGGTTGTTCA ATGTATACAT ATCTATATCT   420
     GTAGACAGAA TCCTTGGGAA TACAGTAATT GACATATATT CTGTTATTTG ATGCTTGAAA   480
     AATCTCCTCC ACTAACCAGT TTCCCTATAG ATTGCCACAA AGAAACAATA AGAAACAATA   540
     AATAAAATGT TCTCTTGACT TTGTTACTTA ACAATGCTGA GAAAACTTTA CAGCCTTCAT   600
     AAGGAAGTGA GGTCCAGGAA AATCTAGGAG ATATTTCTTA ACCAATCTAT AAAGGCATTA   660
     GTAATGACAG GATATTTCCT GAAAGTGTAA TTTCCCATTG AGGATTTGTT TTTAATTTCT   720
     GGATTCCTGG AGCCAATGAA GTTGGTGTAT GTTTATGAAA TATCAAGAGA CATAAGTTGG   780
     CAAGTGTTCA TATGCAAAAA CTTCTTGGAA TTTCTGAGTT CTCTGTGGCA ATATATGACA   840
     TCAGGATATG TCCAGTCTCA CACACCAGGA TATGTCCTTT CTAGCCTGTC TATCACATGC   900
     TAGGAGAACT ATTTAGGAAC AGAAAAAAAT GCCTGAAATG ATTTCTCATT TGAACTCATC   960
     CAAGCTTTCT CTAAATTTAA GCAAACTCCT GGTCATTTTC AGTTAGTACC TTTCCTTAAG  1020
     TTCAACCTTC AGGGCAAACC TCCGTGCCTC AGACGTTTAG CCATAGTCTG AAATTCTCTT  1080
     CCATAGATTG GTCCCCTGTA ACCCCGGTTT GTCTCAGCTT GTTATCCTGT TTTTTTCTTC  1140
     CCTCCATTCC CAGGATGAGC TTGTTGCTTC TGTCCTATGA GACATTAGAT TCCTTTTCTT  1200
     TGGTACCCGA GTAAATCCAT CCTACTCCAA TAGAGGAAGG TCCATTTTTG TCTTATAGCG  1260
     CTGGATGCAG ACTCAGCTGA GAAGACCATT ATTCATTTTT GGAATTCTTT ATCTCAGATA  1320
     TTTCCTCTTC TTTCTTTTTC TTCTATCTTT GGATTTTTAG TCCATCAACG CCCCATTAGT  1380
     CTATTCCCCG ACTTCAATCA GGGAACTTAT ACCTCTTAAA CTCATTCAGA GACTCAAAAC  1440
     ATATATATTG ATACAGGAGA CCTAAGAAGA GCATGTCTTG GGGGTTGAGG AAACAGGCAA  1500
     GTGAGAAATT TCCAGATTGG AAACACAGCT TCCTTTCTCC CATCCAGCCC CTACTTTCAG  1560
     CCTATGTGTT TCTGGCACCT TGTTGTAGAT AAATCTCCCT TGACTTTGTG ATGTGCTGAG  1620
     AAAACAAACT CACGGCTGGT GTTAAAAGG GCCCATGACA ATACCAAGTG TTGGGAGAA  1680
     TGTGGAGAAA TCAGAACTCT ATTCACGGTC GGTTGGAATG CACACTTGTG CAGAATTCTA  1740
```

```
        TGGAGAAGAG TCTGGCATTT CCTCAAAATG TTAACCTGGA TTTACCATAT GACCCAGCGA   1800
        TTTCATTCAT AGGTTTATAC TCAAAAGAAA TGAAGAAATA TGCCATGCAA AAAAATGTAC   1860
        ATGAAAGGTC ACAACATCAT TATTCATAAT AGTAAAAGGA TGGAAACAAC ACAAATGTCC   1920
        ATCAACTTAT GATTAAAGAA AATCTGGTCT ATTCATAGAA TGGAATATTA TTCGACCACA   1980
   5    AAAAGGAATG ATGTACTGAT CCATGCAATG ATGTGGACAA ACCATGAAAA TAACACTAGA   2040
        TTAAAGAAGC CAGTCACAAA AGGACTTACT GTATGATTCC ATTTACCTGA AATGTTTGGA   2100
        ATAGGCAAAT CCATAGAAAC AGGAGGTAGA TTCCTGGTTT CCAGGGTCTC CAGGAAGGGA   2160
        AGAATGAAGT ACAAGATTTC TTTTGGAGGT AGTGAAATTG TTGTGGAATG AGATCATGAT   2220
        GATGATAGCA CAACTTTGTG AATATAATAA AATCATTGAA TTGTACAGTT GAATTTATGG   2280
  10    TATATAAATT ATATGTTAAT AAAAAGGGGG TCCACAAAAC AAACAGCCCC CCACTCTGGT   2340
        TGTCAGGGAG ATATTGGATT AAATGGCCTT GGACAACAAC CCCTCTCCCT GGCCACAGAC   2400
        ATTCTTCAGA TTACAAGATA TTCCAGGGGA AACACTGGAA TGAGTCTGAA GCCAGGTGCT   2460
        AAACAGAAGG ACCATTGAGA AATGTTGTGA TCCTGACAGG TCAAGCAATT TATTTTTCGG   2520
        CTTCATTTTT AAATGTAAAA TTAGAAAGCT GCCATTTAAA ATGGCCGTC TGTTTCAATT   2580
  15    GCTCTTCTCA GTGTCAGCCT GTTAACTCAA TGTGTTAGTC TGTTTTCATG CTGCTGATAA   2640
        AAACATACCT GAGACTGGCA AGAAAAAGAG GTTTAATTGG GCTTAGAGTT CCACGTGATT   2700
        GGGGAGGCCT CAGAATCACA GTAGGAGGCA AAAGTTATTC TTACATGGTG GCTGCAAGAG   2760
        AAGATGAGGA AGAAGCAAAA GAAGAAACCC CTGATAAACC CATCGGATCT CCTGAGGCTT   2820
        ATTAACTATC ATGAGAATGA CACAAGAAAG ACCGGCCCCC ATGATCAAT TACCTCTACC   2880
  20    TGGGTCCCTC CAATAACATG TGGAAATTCT GGTAGATACA ATTCAAGTTG AGATTTGGGT   2940
        GGGAACACAG CCAAACCATA TCACTCAGCA AGGCAGATAA CTTTCTCACT GAGCCTATGC   3000
        AACAGAAAAC CATCTGGGAT GGTTGTAAGG GGCACAGGAA GTGACTGGTA GGATCACTGC   3060
        CAAAGCTGAG CACTCAGGAG AAGGCAATAG AATCCTATTC TCCATAGTAT GCTATAAGAT   3120
        ACTGAAGTAC ACTTCTTCAC TATCTCTTTG GACTTAGAAT TAGCACTACA TTCCTTGTTA   3180
  25    TACAGAAAAA TTACTAAGGA AATTCATAGG ATGACAAAAA CTTTCAGAAC TGAAAAACAG   3240
        GAAATGTAAG CTTTTTAGTT CTTTGGTATT CGAAGTATGC CTAAAAGACA ATGCAAAATC   3300
        CAAGAAAAGA ATGGTGGGGT TTTTGTTTGT TTGGTTTTGT TTTTGTTTTA CAGCTGGAGT   3360
        AGAATACAAA GGGATGGAGT TGAAACAAAT GAGAGGAAAT TGGAATTCTA AACTTATTCT   3420
        CATTGGCATT AGAAAGGCAC CTACATGTAT TTCACATGAG CCGGTGACTG CTGACTTGCA   3480
  30    TTCTTATTTT TTCCCTATAG ATTAAAAAGG AGGTACAATG GTAGAACTGT AATCCTGTCC   3540
        TTTGTCATAA ATTTTCATAT TCATAAAGGT GAGTGTTAGC CCGCTTGTGA AATCTGAAGT   3600
        TGAGTAACTT CAAATACTAA CCACAGAGGG AAAGGCAGCA AGAGGAGAGG CATAAATTTA   3660
        GGATCTCACC CTTCATTCCA CAGACACACA CAGCCTCTCT GCCCACCTCT GCTTCCTCTA   3720
        GGAACACAGG TAAGAGCTTC AAGCCTCTCC AGCTTAATAA CATGAATTAT TTTTGAGAAT   3780
  35    AATAATGATA CTGTGTTCTA TATCATGCAT CTCCTGCATT CTGTCTGATT ATATTTTACT   3840
        TATTCTGCCA GAGCAAAATT AAAATACCTA TTTCATCTGA TTTGTCCTTT ATCTAAATTG   3900
        CTTAGTTCCA AGTAAACCAA GGCACTTTTA GGAACACAGA GGGAGAGTGC CTTGCAGCCA   3960
        GAGAGTCTTG AAGGAGATGT CAGGGACGCA TCTTAACAGC TGGTTGGATG TGATCCCACAG   4020
        AGGTCTCCTG TTAGCATTCA TTGTAAAGCC ATCCTACCTA GCTCTAGTGT AACCAGCAAT   4080
  40    GAAAGAAAGA TAAAGAGGGT CGATTACTTA TTTTACAATAG TCTTTAAAAA CGTAGTTTTG   4140
        TAAGCCTTCT AATTAGGACA TTAATATATT TAATATATGC ACATTGTAGA AAGATTGAAG   4200
        CGTTAAAAAT AAGAGAAAAA CTTTAAATGT CAAAATCTCA CAACCCAGAT ATATCATTTC   4260
        TTTAAGAAAA TTGTACTACA AAATACCATT CCATTTATTA AAGTCATTCT GACAGGAATC   4320
        TGATGCTTTT CCAGGAGTTC CAGATCACAT CGAGTTCACC ATGAATTCAC TCAGTGAAGC   4380
  45    CAACACCAAG TTCATGTTCG ATCTGTTCCA ACAGTTCAGA AAATCAAAAG AGAACAACAT   4440
        CTTCTATTCC CCTATCAGCA TCACATCAGC ATTAGGGATG GTCCTCTTAG GAGCCAAAGA   4500
        CAACACTGCA CAACAAATTA GCAAGGTAGC TATCAGCATC ATTACGTTGT CCTGTTGCAG   4560
        TTTTTCTCTG GTTCCGTCGG CTAGCACGCA GATGGTAATA GATGTGGTGG TCTGATGGGT   4620
        AGCACAGGGG GCTGTGCAGG AATTCCCATA ACTGTGAGAC CACTGACTTA AACAGATCTT   4680
  50    TTGAGTAAAG TTTTCTTGTC CCGCTTCATG TCTCTTCCAG GTTCTTCACT TTGATCAAGT   4740
        CACAGAGAAC ACCACAGAAA AAGCTGCAAC ATATCATGTG AGTCACAGAG CACTCTGATT   4800
        CAGCTTTAGA TCCCTGAACA GGTCATAGTT TAAACCTGGA ACTTCACAAA AACTAAGAAA   4860
        AGGCCAGTTT TAGGGAAAAT CTTGGACACA AAGATTGAGA CATACAGAGT GGGTTGGCAT   4920
        TTCATGGCAC ATAATTATTA TTCCTCATTT CTGCGTTACT AAAAGACAGT CAGCACTGTA   4980
  55    CCTCAGAGCA TAGGTCTGGA TCAGGATAGG CTGGGTTCAG ACTCCAGCTT TGCTCTTCAC   5040
        AAATGATGAA TAAGAGCAGG ACACAACTGC TCGGAGTCCC AGTGACCTCA TCCCAGAAAA   5100
        CTAAGGGTAA GAAAAAATCT GACTCAATAC ATGCAAATAC ATGCAAATGT TTACAACAGT   5160
        GCCTTGCCCA TAAAAGTCAT AATAAATGTT ATTATTATTA TAAAGTAGCT ATAATTATAC   5220
        TAATCATAAT AATGTGAAAA TAATTTAATT TTCATTGAGT CATTAATGAG ATTCAGAGGA   5280
  60    ATAAGCACAA GTCCAAGTAT ATTTTGGAAA ATGATTGCTA TGGAATATAT TGGTTTAGAG   5340
        CCTTAATAGT GCAAAATGCT TTGCTGGAAG GTAGAAAGTT CTAGATTTAA ACAGGCTTAG   5400
        GTTCAAAACT TGGCACTTCT AATTTATGTC TCTATAAACA GGGTTTTTTT CCCCATTCTC   5460
        TGAGCTTTCT TGTGTTCATC TGAATTGAAC TAAAGACTTA GAGTTACCCA TGTAAAGTCC   5520
        TTAGCCATGG ACCTGGCATA CACTCTTCTT ACGTGCAGAG AATGACCATC ATGAGGAAAG   5580
  65    AGCCACAGAT CAGTCAATGT GTCCTACAAG ATAATAGCAC CAACAGGTAT AACAGGGCTT   5640
        CCTGGCATAA TCTATTTAAA ATATCCAACC TTCAACATAC TCGTATCCTT GATGACTGTT   5700
        AGAAGTGAAA TATGGTCCTT GCCCATAAGG AGCTGAGAGT TTAACTGGGA AGCTAAACCT   5760
        AACCCTTTAA ACCAACAAGG AGAAAATCTA CTGGTAGACA GCGCTGCATC TTTAGTTCAG   5820
        AAGAGAAAAG ATTGCAGTAC GTTAGAGCAA GAAGAATTTT CTGGAAGAAG TCAAATATAA   5880
  70    GGTGGATTTT GAAGGGTATT TGAGGTGAAA TACACCAATT ATCAGGGAAT AACATCAAAG   5940
        GTCCTCAATG AGACTACCAG CATTTAGGGA CTGATCTAAC AGACTTAGCA TGGGTTTAGT   6000
        ATTTACATTG ATACAGCAAT TGAATGATCT CCTTTTTTGA TGTTTGAAGG TTGATAGGTC   6060
        AGGAAATGTT CATCACCAGT TTCAAAAGCT TCTGACTGAA TTCAACAAAT CCACTGATGC   6120
        ATATGAGCTG AAGATCGCCA ACAAGCTCTT CGGAGAAAAG ACGTATCAAT TTTTACAGGT   6180
  75    AATTTCACCT GGCCTACCCA CATTTCATTT GCATCCTGAT GTCTGTGTCT CTGAGTGGCC   6240
        AAATGGAAGA AAGCAAGGCA GATGAGCCTG GCCGACCCAG GTGGAGAGCA TTTACTCAGA   6300
        GTGCATTAGC TCCATTTCCA CAACTCTCCC CCACTGGAGT GTCCCAGACC CCAACGATAC   6360
        ATCACTGAAG TGTGGATTTA GGGATAATCT TGTGATAAAA GAGGAGGTTG TGTAATAGAG   6420
        TGAGTAAGAG TAATAAGTAA TAAGATACCA TCGATAAACT GGCACTGACT CAGTCACATA   6480
  80    CGATACATCT TGGTGGGAAA TGTATGACTA ATGGGATATT ATTGGAATGG GCAGGCTTGG   6540
        GTGAGTTCCT GAGAATAGTT GAGGAAGTAC CAGGAAATAT TGAATGCACA GGATGAAAGA   6600
        CAAAAACAAA GATCAGAAAC ATCATGGTTA AAATTACTGG AGAGAAGTCT GAGAAGCAAT   6660
        GAATCTCCTT CAGGGAAGCC TGCTCTGCAG TTTGCAAACC ACAGCCTCTT CTGCTTCTGC   6720
        CTTTTGCCAA GATGATATTG ACCTTCAGTG ACCTCTTTCT TGGTGCCAGCC CACATTCCCG   6780
  85    TTTTGCATTG CCTACATGAC ACCTGTATAA AAATATCCAT GGACAGGAGA TACTGCATCT   6840
        ATTCAGGGTC TGGATTCAGC TTACTGTTGT TACAAATAAG TAAGTTTGGT AATATATAGT   6900
        TACATAAATT ACTCCTAATT CCTACTTCTT CCTTCATATC TCAAAGGAAT ATTTAGATGC   6960
```

363

```
      CATCAAGAAA TTTTACCAGA CCAGTGTGGA ATCTACTGAT TTTGCAAATG CTCCAGAAGA 7020
      AAGTCGAAAG AAGATTAACT CCTGGGTGGA AAGTCAAACG AATGGTAGGA GAGCCACCCA 7080
      TTATAGAAAC ACCTTTGAGA AACCTATGCC AGTGAGCCTT GTGCTTGACA CTGCATGGGG 7140
      GAACAGGTGT GGGGATTGAG ATGGGTTTGC AGGGGAGGGCT GAAGAGGGCA CTCCAGATGA 7200
  5   AGGATTTGTC CAAATGAATA TGAAGAGAGC CTAGGGGAGC CAAGGAGGAA ATCACGGAA 7260
      GCCAATTAGA TGGAAACACA TCTGGAGAAT TATTTGCTTA TGGCCCTGCA TGACAATAGC 7320
      TTTGTGGATC CCCTGTCTCC GCTCAGACCT ATTTTGAGAT CATATCCTTT ACTTTAAATC 7380
      AGACTCAAAT TTTTATGATG AATATTTAAT AGAAAACATT AGAAAGCGTC TCTCGTCTCC 7440
      TTTACTAATT GGGAAACAAG CAGCTCTCTG GTAAATCACC CTTTTGTCTC TGAGCTGGAG 7500
 10   CTGCCTGGAT CACATCTGTA GCCAATGTGT TCTGCAGGGA TTATCACAGC TCTCTTCCCC 7560
      ATCAAGGGCA AAGAGCTTGA CAAAGTCTCC ATTCTACAGA CATCTTTCTT ACCTCCCACC 7620
      TCTCATTACA GGCCAAACTT ACAGCAACTC AACATGAGAG TGAATAGGAA GATACCCCCG 7680
      GAAGTAGTGT CTGACAGCAC AGGACATGCG TTTCATATTA CAGAGCTCAA GTCACTCATC 7740
      CTAAAATGCA ATCAGGGCCT CCTTCCTCTG AATGGGGACC CGTAGTTAA AAAAAAATAA 7800
 15   AAGTAGGAAG AGGAGGGAGG GAGAAAGGAA AGACACATGT TGGAAGAGTA GACAAAATCA 7860
      GTTTATCAGT ATTCCAAATC AGATGATTGG AGACATTCAT ACACAGAGAA CGTGAACTCC 7920
      TTCTCTATCA CAAGAAGTGA TGTCTCCATC AAGGGTAACT TTATACGACT GGAGCCTTGA 7980
      AGAAAGCTGC ATCTGGTGAA CCACTGGTCA GTGAGTCTAA CAATTCAAAG ATCAAAGTCA 8040
      GTGAGTCTCA AGCAGGGATT TGGGTCAATA ATTAACGATC AGTCACGAAC ATTTGCAAAG 8100
 20   CATCTTCCAG ACAAGCCATT TGTAGCTTGT GTAAAAGACT CTTTTATTCT TTCCCTTGCA 8160
      GAAAAAATTA AAAACCTATT TCCTGATGGG ACTATTGGCA ATGATACGAC ACTGGTTCTT 8220
      GTGAACGCAA TCTATTTCAA AGGGCAGTGG GAGAATAAAT TTAAAAAAGA AAACACTAAA 8280
      GAGGAAAAAT TTTGGCCAAA CAAGGTATTG TCTATATTTT ATTTATATAG TGTAATATGT 8340
      TAATACATGG AATGTTAAAC ATTTCTGATG GAATGTAACA TGATAAGTAA AAAATAAAAA 8400
 25   TTGTTCATGT CTGTTATTTT GTTGTTTTAC TCTTATAACT TTATTTAGTT AGGAATACCT 8460
      GAAAAACTAT TGTTTCTAAC TCATGGAATT CCTGGGTTAT TTCTTAGAAG AAGAAGGATG 8520
      TGTTGCTATC TCAATAATAT TATCTTTTTT GTCTTGTGTT TCACGTGTTA TTTGTTGGAC 8580
      ACATTGATTT ATTGCAGAAT ACATACAAAT CTGTACAGAT GATGAGGCAA TACAATTCCT 8640
      TTAATTTTGC CTTGCTGGAG GATGTACAGG CCAAGGTCCT GGAAATACCA TACAAAGGCA 8700
 30   AAGATCTAAG CATGATTGTG CTGCTGCCAA ATGAAATCGA TGGTCTGCAG AAGGTAAGAA 8760
      CTTGCATCTA CAACTCTTCC TTCTACTGCC GGACATTTTT CCAAAGATAC CAAGTTTAAA 8820
      CAAGGTAAAA GCTTATGACC GAGTTGCCTC AAAATGATGA AAAATTCTAA ATGAGGAATG 8880
      ATGACTCACC TTCATATTAC AAATATTTGA GCATAGGGCC TGACACAAAC TGAAAGCTTA 8940
      GTTTTTGTTT GTTTGTTTGT TTTTATTATT ATTATTATAA TACTTTAAGC TTTAGGGTAC 9000
 35   ATGTGCACAA TGTGCAGGTT AGTTACATAT GTATACATGT GCCATGCTGG TGTGCTGCAC 9060
      CCATTAACTC ATCATTTAGC GTTAGGTATA TCTCCTAATG CTATCCCTCC CCCCTCCCCC 9120
      CACCCCACAA CAGTCCTCAG AGTGTGATGT TACCTTCCTG TGTCCAAGTG TTCTCATTGT 9180
      TCAATTCCCA TCTATGATTT AATTCCATCT ATGGCTTAGT TAATGATTAA TTTATTAGAG 9240
      TTACATGCAT TGGATATCAA TTTGATGATA TTATTATGCA GCAATTTAAA CTTGACTGGG 9300
 40   AGAAATATAT ACCAATGTGA GGAAAGTTTA CAAATAGGCC GAGTAGAAAA GGGAATACAA 9360
      ATTTAGGAAT TTAGGGAATT ACAATTTAAT AATTGCAATG TGTACTAAAT AATGTATACA 9420
      GAAAAATATG ATGAGCCTAT TAAAAATTGA CACATGTAGT AGGCTGTTGG CACAAGAAAT 9480
      AGTGATACAT ACAGTTCATT GTGTACAAAA TAATGTAATC ATATTTTACA TGTGTATCAT 9540
      ACAGTTGTAT ACATACATAT GTACACATAT ACATATACGT AAAAACATGA TTCTGTTTTT 9600
 45   ACATCATGT ATATACATAT ACACATATAA CCCAATGTAT TTATATATTC AGGACTCATA 9660
      TTTTACCTAT TAGAATAATA ATGTCTATTA AAGTGAACCT TCTGTATTTC ACATTTATTG 9720
      CCAAAATAAC GAATCTCCAC ATAGTCAATT CATTGTTAAG GTGTATTAGA GATCGACAGT 9780
      TAGTCATATC AGTTTCTTTT TTCCATTTGT ATAGCTTGAA GAGAAACTCA CTGCTGAGAA 9840
      ATTGATGGAA TGGACAAGTT TGCAGAATAT GAGAGAGACA TGTGTCGATT TACACTTACC 9900
 50   TCGGTTCAAA ATGGAAGAGA GCTATGACCT CAAGGACACG TTGAGAACCA TGGGAATGGT 9960
      GAATATCTTC AATGGGGATG CAGACCTCTC AGGCATGACC TGGAGCCACG GTCTCTCAGT 10020
      ATCTAAAGTC CTACACAAGG CCTTTGTGGA GGTCACTGAG GAGGGAGTGG AAGCTGCAGC 10080
      TGCCACCGCT GTAGTAGTAG TCGAATTATC ATCTCCTTCA ACTAATGAAG AGTTCTGTTG 10140
      TAATCACCCT TTCCTATTCT TCATAAGGCA AAATAAGACC AACAGCATCC TCTTCTATGG 10200
 55   CAGATTCTCA TCCCCATAGA TGCAATTAGT CTGTCACTCC ATTTAGAAAA TGTTCACCTA 10260
      GAGGTGTTCT GGTAAACTGA TTGCTGGCAA CAACAGATTC TCTTGGCTCA TATTTCTTTT 10320
      CTATCTCATC TTGATGATGA TAGTCATCAT CAAGAATTTA ATGATTAAAA TAGCATGCCT 10380
      TTCTCTCTTT CTCTTAATAA GCCCACATAT AAATGTACTT TTCCTTCCAG AAAAATTTCC 10440
      CTTGAGGAAA AATGTCCAAG ATAAGATGAA TCATTTAATA CCGTGTCTTC TAAATTTGAA 10500
 60   ATATAATTCT GTTTCTGACC TGTTTTAAAT GAACCAAACC AAATCATACT TTCTCTTCAA 10560
      ATTTAGCAAC CTAGAAACAC ACATTTCTTT GAATTTAGGT GATACCTAAA TCCTTCTTAT 10620
      GTTTCTAAAT TTTGTGATTC TATAAAACAC ATCATCAATA AAATAATGAC ATAAAATCAT 10680
      TTTTGCTTTA CCTGTTTTCT CTCTGGAAAG GGCAAGTGTC CAGTTACACA TAGGAAAGAT 10740
      AATTTAGAGA TATATTAATC ATATATAAAG GAAAATTAAA AACAGAGTAG TTCATGATGA 10800
 65   GCCTGGAGTA GAAGGCATAT CCCAGAACAG GAGGAGCCTT GTAAACCACA TAGGAACTTC 10860
      CTATTTTATG CTAAAGGGAT AAGAAACTCA TTACAGGCTT TGATGGTTGT TTGTCAAAGA 10920
      GGGGCATAAA ATTATCATAT CCACATCTAG AAAATACATC TCTGGCTACG CTGATATCAA 10980
      TGGATCGGAG GAAAGAACAG TGTGGGTTACC ATATATAAAT TAGGAAATCA TTAGAGTATT 11040
      GGGAGTGGAA ATGGAGAGAA AGAAAGAGCC TGGGGGAATT ATTTAGGAAA TAATAGTTAC 11100
 70   AGAAAGACAT CTAAGTTGCT GACCTATCTG ACTGGATGGA TGGAAGAATA TCTTGTTTCT 11160
      GAGAGAAAAA AAGACTTTGG GTTTAAATTT GTACTTGATG AATTAAGGTA CTTTTAATAT 11220
      TCAAATGGAT TTGCCTGGCA GGCACTTGAA GATATTAGTC TAAATCTCAG AAACAGAATA 11280
      TGATCTGAAG CTCTAAATTT GTGATATTCA ATATAAATAC TTTAGAGTCA TTGGGATAAA 11340
      TATGGTAGTT GTAGCTAAAA GCAAAAATAA GATACTAGGG AGAAAGGATA AAGTTAGAAG 11400
 75   AAAGAAGAAT CTAGAATTGA CCTTGAAGTA TATCAGCATG TGTAAAGATC AGGAATTGAT 11460
      CATTTTTATT TTCCAGAAAG TAGCTTTTCT TAGGGTTCCA TATTTACTCC CATAGATTCT 11520
      TCCC
```

Seq ID NO: 465 Protein sequence
Protein Accession #: BAB21525.1

```
 1          11         21         31         41         51
 |          |          |          |          |          |
MNSLSEANTK FMFDLFQQFR KSKENNIFYS PISITSALGM VLLGARDNTA QQISKVLHPD    60
QVTENTTEKA ATYHVDRSGN VHHQFQKLLT EFNKSTDAYB LKIANKLPGE KTYQFLQEYL   120
DAIKKFYQTS VESTDPANAP EESRKKINSW VESQTNEKIK NLFPDGTIGN DTTLVLVNAI   180
YFKGQWENKF KKENTKEEKF WPNKNTYKSV QMMRQYNSFN FALLEDVQAK VLEIPYKGKD   240
```

```
        LSMIVLLPNE IDGLQKLEEK LTAEKLMEWT SLQNMRETCV DLHLPRFKME ESYDLKDTLR    300
        TMGMVNIFNG DADLSGMTWS HGLSVSKVLH KAPVEVTEEG VEAAAATAVV VVELSSPSTN    360
        EEPCCNHPPL FFIRQNKTNS ILFYGRFSSP
```

5   Seq ID NO: 466 DNA sequence
        Nucleic Acid Accession #: NM_001910.1
        Coding sequence: 50..1240

10
```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GGAGAGAAGA AAGGAGGGGG CAAGGGAGAA GCTGCTGGTC GGACTCACAA TGAAAACGCT    60
        CCTTCTTTTG CTGCTGGTGC TCCTGGAGCT GGGAGAGGCC CAAGGATCCC TTCACAGGGT   120
        GCCCCTCAGG AGGCATCCGT CCCTCAAGAA GAAGCTGCGG GCACGGAGCC AGCTCTCTGA   180
        GTTCTGGAAA TCCCATAATT TGGACATGAT CCAGTTCACC GAGTCCTGCT CAATGGACCA   240
        GAGTGCCAAG GAACCCCTCA TCAACTACTT GGATATGGAA TACTTCGGCA CTATCTCCAT   300
        TGGCTCCCCA CCACAGAACT TCACTGTCAT CTTCGACACT GGATCCTCCA ACCTCTGGGT   360
        CCCCTCTGTG TACTGCACTA GCCCAGCCTG CAAGACGCAC AGCAGGTTCC AGCCTTCCCA   420
        GTCCAGCACA TACAGCCAGC CAGGTCAATC TTTCTCCATT CAGTATGGAA CCGGGAGCTT   480
        GTCCGGGATC ATTGGAGCCG ACCAAGTCTC TGTGGAAGGA CTAACCGTGG TTGGCCAGCA   540
        GTTTGGAGAA AGTGTCACAG AGCCAGGCCA GACCTTTGTG GATGCAGAGT TTGATGGAAT   600
        TCTGGGCCTG GGATACCCCT CCTTGGCTGT GGGAGGAGTG ACTCCAGTAT TTGACAACAT   660
        GATGGCTCAG AACCTGGTGG ACTTGCCGAT GTTTTCTGTC TACATGAGCA GTAACCCAGA   720
        AGGTGGTGCG GGGAGCGAGC TGATTTTTGG AGGCTACGAC CACTCCCATT TCTCTGGGAG   780
        CCTGAATTGG GTCCCAGTCA CCAAGCAAGC TTACTGGCAG ATTGCCACTGG ATAACATCCA   840
        GGTGGGAGGC ACTGTTATGT TCTGCTCCGA GGGCTGCCAG GCCATTGTGG ACACAGGGAC   900
        TTCCCTCATC ACTGGCCCTT CCGACAAGAT TAAGCAGCTG CAAAACGCCA TTGGGGCAGC   960
        CCCCGTGGAT GGAGAATATG CTGTGGAGTG TGCCAACCTT AACGTCATGC CGGATGTCAC  1020
        CTTCACCATT AACGGAGTCC CCTATACCCT CAGCCCAACT GCCTACACCC TACTGGACTT  1080
        CGTGGATGGA ATGCAGTTCT GCAGCAGTGG CTTTCAAGGA CTTGACATCC ACCCTCCAGC  1140
        TGGGCCCCTC TGGATCCTGG GGGATGTCTT CATTCGACAG TTTTACTCAG TCTTTGACCG  1200
        TGGGAATAAC CGTGTGGGAC TGGCCCCAGC AGTCCCCTAA GGAGGGGCCT TGTGTCTGTG  1260
        CCTGCCTGTC TGACAGACCT TGAAATATGT AGGCTGGGGC ATTCTTTACA CCTACAAAAA  1320
        GTTATTTTCC AGAGAATGTA GCTGTTTCCA GGGTTGCAAC TTGAATTAAG ACCAAACAGA  1380
        ACATGAGAAT ACACACACAC ACACACATAT ACACACACAC ACACTTCACA CATACACACC  1440
        ACTCCCACCA CCGTCATGAT GGAGGAATTA CGTTATACAT TCATATTTTG TATTGATTTT  1500
        TGATTATGAA AATCAAAAAT TTTCACATTT GATTATGAAA ATCTCCAAAC ATATGCACAA  1560
        GCAGAGATCA TGGTATAATA AATCCCTTTG CAACTCCACT CAGCCCTGAC AACCCATCCA  1620
        CACACGGCCA GGCCTGTTTA TCTACACTGC TGCCCACTCC TCTCTCCAGC TCCACATGCT  1680
        GTACCTGGAT CATTCTGAAG CAAATTCCGA GCATTACATC ATTTTGTCCA TAAATATTTC  1740
        TAACATCCTT AAATATACAA TCGGAATTCA AGCATCTCCC ATTGTCCCAC AAATGTTTGG  1800
        CTGTTTTTGT AGTTGGATTG TTTGTATTAG GATTCAAGCA AGGCCCATAT ATTGCATTTA  1860
        TTTGAAATGT CTGTAAGTCT CTTTCCATCT ACAGAGTTTA ACGTTGCTGG  1920
        TTGAAATCCC GAGGTGTCAT TTGACATGGT TCTCTGAACT TATCTTTCCT ATAAAATGGT  1980
        AGTTAGATCT GGAGGTCTGA TTTTGTGGCA AAAATACTTC CTAGGTGGTG CTGGGTACTT  2040
        CTTGTTGCAT CCTGTCAGGA GGCAGATAAT GCTGGTGCCT CTCTATTGGT AATGTTAAGA  2100
        CTGCTGGGTG GGTTTGGAGT TCTTGGCTTT AATCATTCAT TACAAAGTTC AGCATTTT
```

        Seq ID NO: 467 Protein sequence
        Protein Accession #: NP_001901.1

50
```
        1          11          21         31         41         51
        |          |           |          |          |          |
        MKTLLLLLLV LLELGEAQGS LHRVPLRRHP SLKKKLRARS QLSEFWKSHN LDMIQFTESC    60
        SMDQSAKEPL INYLDMEYPG TISIGSPPQN FTVIFDTGSS NLWVPSVYCT SPACKTHSRF   120
        QPSQSSTYSQ PGQSFSIQYG TGSLSGIIGA DQVSVEGLTV VGQQFGESVT EPGQTFVDAE   180
        FDGILGLGYP SLAVGGVTPV FDNMMAQNLV DLPMFSVYMS SNPEGGAGSE LIFGGYDHSH   240
        PSGSLNWVPV TKQAYWQIAL DNIQVGGTVM FCSEGCQAIV DTGTSLITGP SDKIKQLQNA   300
        IGAAPVDGEY AVECANLNVM PDVTFTINGV PYTLSPTAYT LLDFVDGMQP CSSGFQGLDI   360
        HPPAGPLWIL GDVFIRQFYS VFDRGNNRVG LAPAVP
```

        Seq ID NO: 468 DNA sequence
        Nucleic Acid Accession #: NM_018058.1
        Coding sequence: 319..1575

65
```
        1          11         21         31         41         51
        |          |          |          |          |          |
        TACGCGCTGC GGGACCGGCA GGGGAACGCC ATCGGGGTCA CAGCCTGCGA CATCGACGGG    60
        GACGGCCGGG AGGAGATCTA CTTCCTCAAC ACCAATAATG CCTTCTCGGG GGTGGCCACG   120
        TACACCGACA AGTTGTTCAA GTTCCGCAAT AACCGGTGGG AAGACATCCT GAGCGATGAG   180
        GTCAACGTGG CCCGTGGTGT GGCCAGCCTC TTTGCCGGAC GCTCTGTGGC CTGTGTGGAC   240
        AGAAAGGGCT CTGGACGCTA CTCTATCTAC ATTGCCAATT ACGCCTACGG TAATGTGGGC   300
        CCTGATGCCC TCATTGAAAT GGACCCTGAG GCCAGTGACC TCTCCCGGGG CATTCTGGCG   360
        CTCAGAGATG TGGCTGCTGA GGCTGGGGTC AGCAAATATA CAGGGGGCCG AGGCGTCAGC   420
        GTGGGCCCCA TCCTCAGCAG CAGTGCCTCG GATATCTTCT GCGACAATGA GAATGGGCCT   480
        AACTTCCTTT TCCACAAACCG GGGCGATGGC ACCTTTGTGG ACGCTGCCGC CAGTGCTGGT   540
        GTGGACGACC CCCACCAGCA TGGGCGAGGT GTCGCCCTGG CTGACTTCAA CCGTGATGGC   600
        AAAGTGGACA TCGTCTATGG CAACTGGAAT GGCCCCCACC GCCTCTATCT GCAAATGACC   660
        ACCCATGGGA AGGTCCGCTT CCGGGACATC GCCTCACCCA AGTTCTCCAT GCCCTCCCCT   720
        GTCCGCACGG TCATCACCGC CGACTTTGAC AATGACCAGG AGCTGGAGAT CTTCTTCAAC   780
        AACATTGCCT ACCGCAGCTC CTCAGCCAAC CGCCTCTTCC GCGTCATCGG TAGAGAGCAC   840
        GGAGACCCCC TCATCGAGGA GCTCAATCCC GGCGACGCCT TGGAGCCTGA GGGCCGGGGC   900
        ACAGGGGGTG TGGTGACCGA CTTCGACGGA GACGGGATGC TGGACCTCAT CTTGTCCCAT   960
        GGAGAGTCCA TGGCTCAGCC GCTGTCCGTC TTCCGGGGCA ATCAGGGCTT CAACAACAAC  1020
        TGGCTGCGAG TGGTGCCACG CACCCGGGTT GGGGCCTTTG CCAGGGGAGC TAAGGTCGTG  1080
        CTCTACACCA AGAAGAGTGG GGCCCACCTG AGGATCATCG ACGGGGGCTC AGGCTACCTG  1140
        TGTGAGATGG AGCCCGTGGC ACACTTTGGC CTGGGGAAGG ATGAAGCCAG CAGTGTGGAG  1200
        GTGACGTGGC CAGATGGCAA GATGGTGAGC CGGAACGTGG CCAGCGGGGA GATGAACTCA  1260
```

```
        GTGCTGGAGA TCCTCTACCC CCGGGATGAG GACACACTTC AGGACCCAGC CCCACTGGAG   1320
        ACACCAATGA ATGCATCCAG TTCCCATTCG TGTGCCCTCG AGACAAGCCC GTATGTGTCA   1380
        ACACCTATGG AAGCTACAGG TGCCGGACCA ACAAGAAGTG CAGTCGGGGC TACGAGCCCA   1440
        ACGAGGATGG CACAGCCTGC GTGGGGACTC TCGGCCAGTC ACCGGGCCCC CGCCCCACCA   1500
5       CCCCCACCGC TGCTGCTGCC ACTGCCGCTG CTGCTGCCGC TGCTGGAGCT GCCACTGCTG   1560
        CACCGGTCCT CGTAGATGGA GATCTCAATC TGGGGTCGGT GGTTAAGGAG AGCTGCGAGC   1620
        CCAGCTGCTG AGCAGGGGTG GGACATGAAC CAGCGGATGG AGTCCAGCAG GGGAGTGGGA   1680
        AAGTGGGCTT GTGCTGCTGC CTAGACAGTA GGGATGTAAA GGCCTGGGAG CTAGACCCTC   1740
        CCCAAGCCCA TCCATGCACA TTACTTAGCT AACAATTAGG GAGACTCGTA AGGCCAGGCC   1800
10      CTGTGCTGGG CACATAGCTG TGATCACAGC AGACAGGGTC GCTGCCCTGA TGGCGCTTAC   1860
        ATTCCAGTGG GTCTAATGAC CATATCTTAG GACACAGATG TGCCCAGGGA GGTGGTGTCA   1920
        CTGCACAGGA AGTATGAGGA CTTTAGTGTC CTGAGTTCAA ATCCTGATTC AGGAACTCAC   1980
        AAAGCTATGT GACCTTACAC CAGTCACTTA ACTTGTTAGC CATCCATTAT CGCATCTGCA   2040
        AAATGGGGAT TAAGAATAGA ATCTTGGGGT TAGTGTGGAG ATTAGATTAA ATGTATGTAA   2100
15      GACACTTGGC ACAAAACCTG GCACATAGTA AAGGCTCAAT AAAAACAAGT GCCTCTCACT   2160
        GGGCTTTGTC AACACGTG
```

Seq ID NO: 469 Protein sequence
Protein Accession #: NP_060528.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MDPEASDLSR GILALRDVAA EAGVSKYTGG RGVSVGPILS SSASDIPCDN ENGPNFLFHN   60
        RGDGTFVDAA ASAGVDDPHQ HGRGVALADF NRDGKVDIVY GNWNGPHRLY LQMSTHGKVR   120
        FRDIASPKFS MPSPVRTVIT ADPDNDQELE IPFNNIAYRS SSANRLFRVI RREHGDPLIE   180
        ELNPGDALEP DVPGGDGMLDL ILSHGESMAQ PLSVFRGNQG FNNNWLRVVP   240
        RTRVGAFARG AKVVLYTKKS GAHLRIIDGG SGYLCEMEPV AHFGLGKDEA SSVEVTWPDG   300
        KMVSRNVASG EMNSVLEILY PRDEDTLQDP APLETPMNAS SSHSCALETS PYVSTPMEAT   360
        GAGPTRSAVG ATSPTRMAQP AWGLSASHRA PAPPPPPLLL PLPLLLPLLE LPLLHRSS
```

Seq ID NO: 470 DNA sequence
Nucleic Acid Accession #: AJ279016
Coding sequence: 1..1962

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        ATGTCCAGGA TGTTACCGTT CCTGCTGCTG CTCTGGTTTC TGCCCATCAC TGAGGGGTCC   60
        CAGCGGGCTG AAACCCATGT CACTGCAGTC ACCAACTCAG TTCTGCCTCC TGACTATGAC   120
        AGTAATCCCA CCCAGCTCAA CTATGGTGTG GCAGTTACTG ATGTGGACCA TGATGGGGAC   180
        TTTGAGATCG TCGTGGCGGG GTACAATGGA CCCAACCTGG TTCTGAAGTA TGACCGGGCC   240
        CAGAAGCGGC TGGTGAACAT CGCGGTCGAT GAGCGCAGCT CACCCTACTA CGCGCTGCGG   300
        GACCGGCAGG GGAACGCCAT CGGGGTCACA GCCTGCGACA TCGACGGGGA CGGCCGGGAG   360
        GAGATCTACT TCCTCAACAC CAATAATGCC TTCTCGGGGG TGGCCACGTA CACCGACAAG   420
        TTGTTCAAGT TCCGCAATAA CCGGTGGGAA GACATCCTGA GCGATGAGGT CAACGTGGCC   480
45      CGTGGTGTGG CCAGCCTCTT TGCCGGACGC TCTGTGGCCT GTGTGGACAG AAAGGGCTCT   540
        GGACGCTACT CTATCTACAT TGCCAATTAC GCCTACGGTA ATGTGGGCCC TGATGCCCTC   600
        ATTGAAATGG ACCCTGAGGC CAGTGACCTC TCCCGGGGCA TTCTGGCGCT CAGAGATGTG   660
        GCTGCTGAGG CTGGGGTCAG CAAATATACA GGGGGCCGAG GCGTCAGCGT GGGCCCCATC   720
        CTCAGCAGCA GTGCCTCGGA TATCTTCTGC GACAATGAGA ATGGGCCTAA CTTCCTTTTC   780
50      CACAACCGGG GCGATGGCAC CTTTGTGGAC GCTGCGGCCA GTGCTGGTGT GGACGACCCC   840
        CACCAGCATG GGCGAGGTGT CGCCCTGGCT GACTTCAACC GTGATGGCAA AGTGGACATC   900
        GTCTATGGCA ACTGGAATGG CCCCCACCGC CTCTATCTGC AAATGAGCAC CCATGGGAAG   960
        GTCCGCTTCC GGGACATGGC CTCACCCAAG TTCTCCATGC CCTCCCCTGT CCGCACGGTC   1020
        ATCACCGCCG ACTTTGACAA TGACCAGGAG CTGGAGATCT TCTTCAACAA CATTGCCTAC   1080
55      CGCAGCTCCT CAGCCAACCG CCTCTTCCGC GTCATCCGTA GAGAGCACGG AGACCCCCTC   1140
        ATCGAGGAGC TCAATCCCGG CGACGCCTTG GAGCCTGAGG GCCGGGGCAC AGGGGGTGTG   1200
        GTGACCGACT TCGACGGAGA CGGGATGCTG GACCTCATCT TGTCCCATGG AGAGTCCATG   1260
        GCTCAGCCGC TGTCCGTCTT CCGGGGCAAT CAGGGCTTCA ACAACAACTG GCTGCGAGTG   1320
        GTGCCACGCA CCCGGGTTTGG GGCCTTTGCC AGGGGAGCTA AGGTCGTGCT CTACACCAAG   1380
60      AAGAGTGGGG CCCACCTGAG GATCATCGAC GGGGGCTCAG GCTACCTGTG TGAGATGGAG   1440
        CCCGTGGCAC ACTTTGGCCT GGGGAAGGAT GAAGCCAGCA GTGTGGAGGT GACGTGGCCA   1500
        GATGGCAAGA TGGTGAGCCG GAACGTGGCC AGCGGGGAGA TGAACTCAGT GCTGGAGATC   1560
        CTCTACCCCC GGGATGAGGA CACACTTCAG GACCCAGCCC CACTGGAGTG TGGCCAAGGA   1620
        TTCTCCCAGC AGGAAAATGG CCATTGCATG GACACCAATG AATGCATCCA GTTCCCATTC   1680
65      GTGTGCCCTC GAGACAAGCC CGTATGTGTC AACACCTATG GAAGCTACAG GTGCCGGACC   1740
        AACAAGAAGT GCAGTCGGGG CTACGAGCCC AACGAGGATG GCACAGCCTG CGTGGGGACT   1800
        CTCGGCCAGT CACCGGGCCC CCGCCCCACC ACCCCCACCG CTGCTGCTGC CACTGCCGCT   1860
        GCTGCTGCCG CTGCTGGAGC TGCCACTGCT GCACCGGTCC TCGTAGATGG AGATCTCAAT   1920
        CTGGGGTCGG TGGTTAAGGA GAGCTGCGAG CCCAGCTGCT GAGCAGGGGT GGGACATGAA   1980
70      CCAGCGGATG GAGTCCAGCA GGGGAGTGGG AAAGTGGGCT TGTGCTGCTG CCTAGACAGT   2040
        AGGGATGTAA AGGCCTGGGA GCTAGACCCT CCCCAAGCCC ATCCATGCAC ATTACTTAGC   2100
        TAACAATTAG GGAGACTCGT AAGGCCAGGC CCTGTGCTGG CACATAGCT GTGATCACAG   2160
        CAGACAGGGT CGCTGCCCTG ATGGCGCTTA CATTCCAGTG GGTCTAATGA CCATATCTTA   2220
        GGACACAGAT GTGCCCAGGG AGGTGGTGTC ACTGCACAGG AAGTATGAGG ACTTTAGTGT   2280
75      CCTGAGTTCA AATCCTGATT CAGGAACTCA CAAAGCTATG TGACCTTACA CCAGTCACTT   2340
        AACTTGTTAG CCATCCATTA TCGCATCTGC AAAATGGGGA TTAAGAATAG AATCTTGGGG   2400
        TTAGTGTGGA GATTAGATTA AATGTATGTA AGACACTTGG CACAAAACCT GGCACATAGT   2460
        AAAGGCTCAA TAAAAACAAG TGCCTCTCAC TGGGCTTTGT CAACACG
```

Seq ID NO: 471 Protein sequence
Protein Accession #: CAC08451

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MSRMLPFLLL LWFLPITEGS QRAEPMFTAV TNSVLPPDYD SNPTQLNYGV AVTDVDHDGD   60
        FEIVVAGYNG PNLVLKYDRA QKRLVNIAVD ERSSPYYALR DRQGNAIGVT ACDIDGDGRE   120
        EIYFLNTNNA PSGVATYTDK LPKFRNNRWB DILSDEVNVA RGVASLFAGR SVACVDRKGS   180
```

```
     GRYSIYIANY AYGNVGPDAL IEMDPEASDL SRGILALRDV AAEAGVSKYT GGRGVSVGPI  240
     LSSSASDIFC DNENGPNPLF HNRGDGTPVD AAASAGVDDP HQHGRGVALA DPNRDGKVDI  300
5    VYGNWNGPHR LYLQMSTHGK VRFRDIASPK PSMPSPVRTV ITADFDNDQE LEIPFNNIAY  360
     RSSSANRLFR VIRREHGDPL IEELNPGDAL EPEGRGTGGV VTDFDGDGML DLILSHGESM  420
     AQPLSVFRGN QGFNNNWLRV VPRTRFGAPA RGAKVVLYTK KSGAHLRIID GGSGYLCEME  480
     PVAHFGLGKD EASSVEVTWP DGKMVSRNVA SGEMNSVLEI LYPRDEDTLQ DPAPLECGQG  540
     FSQQENGHCM DTNECIQFPP VCPRDKPVCV NTYGSYRCRT NKKCSRGYEP NEDGTACVGT  600
     LGQSPGPRPT TPTAAAATAA AAAAAGAATA APVLVDGDLN LGSVVKESCE PSC          
```

10 Seq ID NO: 472 DNA sequence
    Nucleic Acid Accession #: FGENESHH
    Coding sequence: 1..4794

```
15    1          11         21         31         41         51
      |          |          |          |          |          |
      ATGGCGTGTC CGGGAGGACT CCCAGCCCGT TGCTCTGGTT GGATGGGACT GGGTGGGCCC   60
      AGCGGCTCCT CCCCAGCATC CCCTCCCCAT TCCTCCTCCA GGTACAATGG ACCCAACCTG  120
      GTTCTGAAGT ATGACCGGGC CCAGAAGCGG CTGGTGAACA TCGCGGTCGA TGAGCGCAGC  180
      TCACCCTACT ACGCGCTGCG GGACCGGCAG GGGAACGCCA TCGGGGTCAC AGCCTGCGAC  240
20    ATCGACGGGG ACGGCCGGGA GGAGATCTAC TTCCTCAACA CCAATAATGC CTTCTCGGGC  300
      CACAGCAGCT CAGCGCAGGT CCCTTCTGGG CTCCACAGAA ACAGGCCTGT GCTGAAGCCT  360
      CCACCTACAA CCCCTGCAGG CCTCCTGGGT CTGCCTCCAC TCAGCGGAAG GGACTTTTCC  420
      TCCTCCCTGG GTCAGGCTTC TCCGGACAGC AGGCAGGGAG AGAGGGTGCC GGTTCCCTGC  480
      TGTCGGGGTG GACTGAGACC TACCCATGAA CCAGAACCAT TTCTTCTGAG ACCCAAATCA  540
25    GGGGTGGCCA CGTACACCGA CAAGTTGTTC AAGTTCCGCA ATAACGGGTG GGAAGACATC  600
      CTGAGCGATG AGGTCAACGT GGCCCGTGGT GTGGCCAGCC TCTTTGCCGG ACGCTCTGTG  660
      GCCTGTGTGG ACAGAAAGGG CTCTGGACGC TACTCTATCT ACATTGCCAA TTACGCCTAC  720
      GGTAATGTGG GCCCTGATGC CCTCATTGAA ATGGACCCTG AGGCCAGTGA CCTCTCCCGG  780
      GGCATTCTGG CGCTCAGAGA TGTGGCTGCT GAGGCTGGGG TCAGCAAATA TACAGAAGGG  840
30    TTCTCCCACA CTGCCTCTCC AAGCATTGGT GAGATATCTG GCAGAACCGA GGAGCGGGAA  900
      GGAGGAGACC CAGAGGAGGC AGATGAGGAG CACAGTGGGG ATGGAAGCAC CAGCCAACTG  960
      TGCCGGCTGG GCTGGAAGGA CGGGCAGTTC AAGGAAGAAG CAGCAGCTTT GGTGGAGGAA 1020
      CAGAGGGAGG CTGGGGCAGC TGGCGTGCCC AGAGGACGTG TTCGAACAGC TCTGCAGACT 1080
      TCCAAAAGCC ATTTGGCTGA CAAGAACCTA TTTGGCCCAC CATGTTACTA TTCTGTCTGC 1140
35    GCGCCTTCTC CAGCCCACCC TTTCCCTGCC CGCCAAGCCC CCCAACACTA CCCTGTAGCC 1200
      CCCCTTGTCA CTCAGCTAAT GACACATGGA CGTCTGGCTG GAAAACTAGC CCGGAGTGTC 1260
      CCCCACCCCC GAGCCCCAGG AATGGACCCC AAATGTAAGG GCCGCCATGC TGAGCCCGGC 1320
      CTGATGGCTG AGGCTTTGGG CGCGTGGCCA GCGCTCAGCA CCACTGTGGT GCCAGGGGGC 1380
      CTGAGAAGCT GGGAGGAAAG CAGGCAGAAG GGGCAGGCCA TGTCCAGATG TGCACTCAGG 1440
40    GAGCTGGGAG GTCCCTGGAG CCAAGCCACA CAGCACCTGC CTGCTAGAGA GCTGTATGAC 1500
      CTGGAGAAC CTCCCATTTT ACAAAGAACA GACGGAGATC CAGGGAGGAG AAGGGACTCG 1560
      CCCAAGGTCA CACAGGAGTG CCATCTAGTG GCCACCATGC CAGCTCTCGG GGGACTCGAG 1620
      GGCCCCGGGA GGGTGGCCAA GCGAGAGATT GGGAGAGAGA CTGGGGCAGT AGGAAGACCA 1680
      CTCTCCCATC CCCTGGTCCC CAACTTCCCC AGCTGCTTGA GGCCTCTTGA AGCCGGGACA 1740
45    GTGCCGGGAG CTGCCCTGCC TGGGAATCCT GGGAACTGGG TTCTGGACAT GGCCAAGGCC 1800
      CTGGCGTGGA ACCAGATGGA AAAAGAGGAG GGGAAGATTC ATGGAGACCA TGAGCCCAGA 1860
      TTTAGGCTCA GGAAAGCACG GGAAGCAGAA TTCCCCCCAG GCTCCTCTGA GGAGCCTCTG 1920
      CTGCAGTTCC CCTCAGGCCT CAGAGGCAGC CCTGTCCTCC AGGTGGGCCT GGGGCTTGCT 1980
      TCTGCCACTC ACTGTGGGTC GATGTCTTTT CTAGGGGGCC GAGGCGTCAG CGTGGGCCCC 2040
50    ATCCTCAGCA GCAGTGCCTC GGATATCTTC TGCGACAATG AGAATGGGCC TAACTTCCTT 2100
      TTCCACAACC GGGGCGATGG CACCTTTGTG GACGCTGCGG CCAGTGCTGA ACGTCGTTTA 2160
      GCCTTCATCG TTCACCTCAA ATATCACCTC TGCAGAGATT TTCCTCACTC CCTGTGCCAC 2220
      CTAGCAGAAA CTGGTCCTTC CTCCTCCTGC TGCCCGTGGC ATGCACGTCT TCTTCAGGCT 2280
      CCACATTGCC ATCATGGTTT GTCTATGAGC TTTACAAGGA CCGGGTCACG GTTCTATTCA 2340
55    TTCTTGACGC AAGGCTTGGC CTCCAGTGCC CACCGGAGGA CACTCAGCCT CCAGGGTTCT 2400
      CAGGGGGCCC CACCCTGCCT TCTGGCAAGA GCTCCCTGTG TCCTGGGGTC TCTGATCCCC 2460
      ACTGCCTATT ACATTGTCCT GTGGTCTGCC ATCCCAGAGA GCCTGATGAC CCACAGCTAT 2520
      TTGTCCTCTG AAAGAGTCAA CGTGGGTGTG GACGACCCCC ACCAGCATGG GCGAGGTGTC 2580
      GCCCTGGCTG ACTTCAACCG TGATGGCAAA GTGGACATCG TCTATGGCAA CTGGAATGGC 2640
60    CCCCACCGCC TCTATCTGCA AATGAGCACC CATGGGAAGG TCCGCTTCCG GGACATCGCC 2700
      TCACCCAAGT TCTCCATGCC CTCCCCTGTC CGCACGGTCA TCACCGCCGA CTTTGACAAT 2760
      GACCAGGAGC TGGAGATCTT CTTCAACAAC ATTGCCTACC GCAGCTCCTC AGCCAACCGC 2820
      CTCTTCCGAT GCTCCATCCT GGCTCGTGGC TCTTCATCCT TGACAGCTGG TGGGAGGAAC 2880
      GGTCAGGGAG AAGGTTTAAG AATCAGAAGG GGAGGGTTCC CAGGGCCAGG GGGTCAGGCC 2940
65    AAGGTCAACA CAGGTCCCCT GATGAAGAAA CAGAAAGGAA GGAAGGACGA GGACTGGGCA 3000
      AGAGGCTGTG GGAATGCAGG GCAAAGCCTG GCCAAGGAGC CGGCCTCTGC TATTGCAGGG 3060
      AAAGGGAAGG GAAATGTGGC CCAAAGTGTG CCCAGAACCC AAGCGCCACA AGATACAAAG 3120
      CCACAGTACC ACAAAAAGGG GCTACAGGGT CCAATCACTA CCAGGAAAAG GGGCTACGGG 3180
      GTCCAATCAC TACCAGGAAA AGGGCTACG GGGTCCAATC ACTACCAGGA AAAGGGGCTA 3240
70    CGGGGTCCAA TCACTACCAG GAAAAGGGGC TACGGGGTCC AATCACTACC AGGAAAAGGG 3300
      GCTACGGGCT CCAATCACTA CCAGGAAAAG GGGCTACAGG GTCCAATCAC TACCAGGAAA 3360
      AGGGGCTACG GGTCCAATC ACTACCAGGA AAAGGGGCTA CAGGGTCCAA TCACTACCAC 3420
      AGAAAGGGGC TACGGGCTCC AATCACTACC AGGAAAAGGG GCTACGGGGT CCAATCACTA 3480
      CCAGGAAAAG GGGCTACAGG GTCCAATCAC TACCAGGAAA GGGCTACAATC 3540
75    ACTACCAGGA AAAGGGGCTA CGGGCTCCAA TCACTACCAG GAAAAGGGGC TACGGGGTCC 3600
      AATCACTACC AGGAAAAGGG GCTACAGGGT CCAATCACTA CCAGGAAAAG GGGCTACAGG 3660
      GTCCAATCAC TACCACAGAA AGGGGCTACG GGCTCCAATC ACTACCAGGA AAAGGGGCTA 3720
      CGGGGTCCAA TCACTACCAG GAAAAGGGGC TACGGGCTCC AATCACTACC AGGAAAAGAG 3780
      GCTATGGGGT CCAATCACTA CCAGGAAAAG GGGCTACGGG CTCAATCAC TACCAGGAAA 3840
80    AGGGGCTATG GGTCCAATC ACTACCACAG AAAGGGGCTA CGGGGTCCAA CGTCATCCGT 3900
      AGAGAGCACG GAGACCCCGT CATCGGAGGAG CTCAATCCCG GCGACGGCTT GGAGCCTGAG 3960
      GGCCGGGGCA CAGGGGGTGT GGTGACCGAC TTCGACGGAG ACGGGATGCT GGACCTCATC 4020
      TTGTCCCATG GAGAGTCCAT GGCTCAGCCG CTGTCCGTCT TCCGGGGCAA TCAGGGCTTC 4080
      AACAACAACT GGCTACAGAGT GGTGCCACGC ACCCGGTTTG GGGCCTTTGC CAGGGGAGCT 4140
85    AAGGTCGTGC TCTACACCAA GAAGAGTGGG GCCCACCTGA GGATCATCGA CGGGGGCTCA 4200
      GGCTACCTGT GTGAGATGGA GCCCGTGGCA CACTTTGGCC TGGGGAAGGA TGAAGCCAGC 4260
      AGTGTGGAGG TGACGTGGCC AGATGGCAAG ATGGTGAGCC GGAACGTGGC CAGCGGGGAG 4320
```

```
     ATGAACTCAG TGCTGGAGAT CCTCTACCCC CGGGATGAGG ACACACTTCA GGACCCAGCC  4380
     CCACTGGAGT GTGGCCAAGG ATTCTCCCAG CAGGAAAATG GCCATTGCAT GGACACCAAT  4440
     GAATGCATCC AGTTCCCATT CGTGTGCCCT CGAGACAAGC CCGTATGTGT CAACACCTAT  4500
     GGAAGCTACA GGTGCCGGAC CAACAAGAAG TGCAGTCGGG GCTACGAGCC CAACGAGGAT  4560
  5  GGCACAGCCT GCGTGGGTAC TGAGCTAGGC TCTAGGCATA CAATGACGTG GAAACCAAGG  4620
     CCCAAAAAGG AGCTGCAACT TTCCCAAGGC ATCTGCACCC CCGTCTGGTC CTTTTTCCTG  4680
     CCGGGTTGCC GGCTGCTCCT CAAAAGAGCT CAGCTCCAGG CTGCTCCCAG CACCCTTCTC  4740
     CAGAAAGCTC CAGGTATTCC AGAAGCCCAA GTGTATGAAC AAGATCAGGA ATAA         .
```

```
10   Seq ID NO: 473 Protein sequence
     Protein Accession #: FGENESH predicted


     1          11         21         31         41       ·  51
     |          |          |          |          |          |
15   MACPGGLPAR CSGWMGLGGP SGSSPASPPH SSSRYNGPNL VLKYDRAQKR LVNIAVDERS   60
     SPYYALRDRQ GNAIGVTACD IDGDGREEIY FLNTNNAFSG HSSSAQVPSG LHRNRPVLKP  120
     PPTTPAGLLG LPPLSGRDFS SSLGQASPDS RQGERVPVPC CRGGLRPTHE PEPFLLRPKS  180
     GVATYTDKLF KFRNNRWEDI LSDEVNVARG VASLFAGRSV ACVDRKGSGR YSIYIANYAY  240
20   GNVGPDALIE MDPEASDLSR GILALRDVAA EAGVSKYTEG PSHTASPSIG EISGRTEERE  300
     GGDPEEADEE HSGDGSTSQL CRLGWKDGQF KEEAAALVEE QREAGAAGVP RGRVRTALQT  360
     SKSHLADKNL FGPPCYYSVC APSPAHPPPA RQAPQHYPVA PLVTQLMTHG RLAGKLARSV  420
     PHPRAPGMDP KCKGRHAEPG LMAEALGAWP ALSTTVVPGG LRSWEESRQK GQAMSRCALR  480
     ELGGPWSQAT QHLPARELYD LGEPPILQRT DGDPGRRRDS PKVTQECHLV ATMPALGGLE  540
25   GPGRVAKREI GRETGAVGRP LSHPLVPNPP SCLRPLEAGT VPGAALPGNP GNWVLDMAKA  600
     LAWNQMEKEE GKIHGDHEPR PRLRKAREAE FPPGSSEEPL LQFPSGLRGS PVLQVGLGLA  660
     SATHCGSMSF LGGRGVSVGP ILSSSASDIF CDNENGPNFL FHNRGDGTFV DAAASAERRL  720
     APIVHLKYHL CRDPPHSLCH LAETGPSSSC CPWHARLLQA PHCHHGLSMS PTRTGSRFYS  780
 .. . FLTQGLASSA HRRTLSLQGS QGAPPCLLAR APCVLGSLIP TAYYIVLMSA ·IPESLMTHSY  840
30   LSSERVNVGV DDPHQHGRGV ALADPNRDGK VDIVYGNWNG PHRLYLQMST HGKVRFRDIA  900
     SPKFSMPSPV RTVITADFDN DQELEIFPNN IAYRSSSANR LFRCSILARG SSSLTAGGRN  960
     GQGEGLRIRR GGFPGPGGQA KVNTGPLMKK QKGRKDEDWA RGCGNAGQSL AKEPASAIAG 1020
     KGKGNVAQSV PRTQAPQDTK PHYHKKGLQG PITTRKRGYG VQSLPGKGAT GSNHYQEKGL 1080
     RGPITTRKRG YGVQSLPGKG ATGSNHYQEK GLQGPITTRK RGYGLQSLPG KGATGSNHYH 1140
35   RKGLRAPITT RKRGYGVQSL PGKGATGSNH YQEKGLRGPI TTRKRGYGLQ SLPGKGATGS 1200
     NHYQEKGLQG PITTRKRGYR VQSLPQKGAT GSNHYQEKGL RGPITTRKRG YGLQSLPGKG 1260
     AMGSNHYQEK GLRAPITTRK RGYGVQSLPQ KGATGSNVIR REHGDPLIEE LNPGDALEPE 1320
     GRGTGGVVTD FDGDGMLDLI LSHGESMAQP LSVFRGNQGF NNNWLRVVPR TRFGAFARGA 1380
     KVVLYTKKSG AHLRIIDGGS GYLCEMEPVA HPGLGKDEAS SVEVTWPDGK MVSRNVASGE 1440
40   MNSVLEILYP RDEDTLQDPA PLECGQGPSQ QENGHCMDTN ECIQFPPFVCP RDKFVCVNTY 1500
     GSYRCRTNKK CSRGYEPNED GTACVGTELG SRHTMTWKPR PKKELQLSQG ICTPVWSFFL 1560
     PGCRLLLKRA QLQAAPSTLL QKAPGIPEAQ VYEQDQE
```

```
     Seq ID NO: 474 DNA sequence
     Nucleic Acid Accession #: NM_003661.1
45   Coding sequence: 1..1152


     1          11         21         31         41         51
     |          |          |          |          |          |
     ATGAGTGCAC TTTTCCTTGG TGTGGGAGTG AGGGCAGAGG AAGCTGGAGC GAGGGTGCAA   60
50   CAAAACGTTC CAAGTGGGAC AGATACTGGA GATCCTCAAA GTAAGCCCCT CGGTGACTGG  120
     GCTGCTGGCA CCATGGACCC AGAGAGCAGT ATCTTTATTG AGGATGCCAT TAAGTATTTC  180
     AAGGAAAAAG TGAGCACACA GAATCTGCTA CTCCTGCTGA CTGATAATGA GGCCTGGAAC  240
     GGATTCGTGG CTGCTGCTGA ACTGCCCAGG AATGAGGCAG ATGAGCTCCG TAAAGCTCTG  300
     GACAACCTTG CAAGACAAAT GATCATGAAA GACAAAAACT GGCACGATAA AGGGCAGCAG  360
55   TACAGAAACT GGTTTCTGAA AGAGTTTCCT CGGTTGAAAA GTGAGCTTGA GGATAACATA  420
     AGAAGGCTCC GTGCCCTTGC AGATGGGGTT CAGAAGGTCC ACAAAGGCAC CACCATCGCC  480
     AATGTGGTGT CTGGCTCTCT CAGCATTTCC TCTGGCATCC TGACCCTCGT CGGGCATGGGT  540
     CTGGCACCCGT TCACAGAGGG AGGCAGCCTT GTACTCTTGG AACCTGGGAT GGAGTTGGGA  600
     ATCACAGCCG CTTTGACCGG GATTACCAGC AGTACCATGG ACTACGGAAA GAAGTGGTGG  660
60   ACACAAGCCC AAGCTCACGA CCTGGTCATC AAAAGCCTTG ACAAATTGAA GGAGGTGAGG  720
     GAGTTTTTGG GTGAGAACAT ATCCAACTTT CTTTCCTTAG CTGGCAATAC TTACCAACTC  780
     ACACGAGGCA TTGGGAAGGA CATCCGTGCC CTCAGACGAG CCAGAGCCAA TCTTCAGTCA  840
     GTACCGCATG CCTCAGCCTC ACGCCCCCGG GTCACTGAGC CAATCTCAGC TGAAAGCGGT  900
     GAACAGGTGG AGAGGGTTAA TGAACCCGAC ATCCTGGAAA TGAGCAGAGG AGTCAAGCTG  960
65   ACGGATGTGG CCCCTGTAAG CTTCTTTCTT GTGCTGGATG TAGTCTACCT CGTGTACGAA 1020
     TCAAAGCACT TACATGAGGG GGCAAAGTCA GAGACAGCTG AGGAGCTGAA GAAGGTGGCT 1080
     CAGGAGCTGG AGGAGAAGCT AAACATTCTC AACAATAATT ATAAGATTCT GCAGGCGGAC 1140
     CAAGAACTGT GA
```

```
70   Seq ID NO: 475 Protein sequence
     Protein Accession #: NP_003652.1


     1          11         21         31         41         51
     |          |          |          |          |          |
75   MSALFLGVGV RAEEAGARVQ QNVPSGTDTG DPQSKPLGDW AAGTMDPESS IFIEDAIKYF   60
     KEKVSTQNLL LLLTDNEAWN GFVAAAELPR NEADELRKAL DNLARQMIMK DKNWHDKGQQ  120
     YRNWFLKEFP RLKSELEDNI RRLRALADGV QKVHKGTTIA NVVSGSLSIS SGILTLVGMG  180
     LAPFTEGGSL VLLEPGMELG ITAALTGITS STMDYGKKWW TQAQAHDLVI KSLDKLKEVR  240
     EFLGENISNP LSLAGNTYQL TRGIGKDIRA LRRARANLQS VPHASASRPR VTEPISAESG  300
80   EQVERVNEPS ILEMSRGVKL TDVAPVSFFL VLDVVYLVYE SKHLHEGAKS ETAEELKKVA  360
     QELEEKLNIL NNNYKILQAD QEL
```

```
     Seq ID NO: 476 DNA sequence
     Nucleic Acid Accession #: NM_014452.1
85   Coding sequence: 1..1968


     1          11         21         31         41         51
```

```
        ATGGGGACCT CTCCGAGCAG CAGCACCGCC CTCGCCTCCT GCAGCCGCAT CGCCCGCCGA    60
        GCCACAGCCA CGATGATCGC GGGGCTCCCTT CTCCTGCTTG GATTCCTTAG CACCACCACA   120
        GCTCAGCCAG AACAGAAGGC CTCGAATCTC ATTGGCACAT ACGGCCATGT TGACCGTGCC   180
  5     ACCGGCCAGG TGCTAACCTG TGACAAGTGT CCAGCAGGAA CCTATGTCTC TGAGCATTGT    240
        ACCAACACAA GCCTGCGCGT CTGCAGCAGT TGCCCTGTGG GGACCTTTAC CAGGCATGAG    300
        AATGGCATAG AGAAATGCCA TGACTGTAGT CAGCCATGCC CATGGCCAAT GATTGAGAAA   360
        TTACCTTGTG CTGCCTTGAC TGACCGAGAA TGCACTTGCC CACCTGGCAT GTTCCAGTCT   420
        AACGGCTACCT GTGCCCCCCA TACGGTGTGT CCTGTGGGTT GGGGTGTGCG GAAGAAAGGG   480
  10    ACAGAGACTG AGGATGTGCG GTGTAAGCAG TGTGCTCGGG GTACCTTCTC AGATGTGCCT    540
        TCTAGTGTGA TGAAATGCAA AGCATACACA GACTGTCTGA GTCAGAACCT GGTGGTGATC   600
        AAGCCGGGGA CCAAGGAGAC AGACAACGTC TGTGGCACAC TCCCGTCCTT CTCCAGCTCC    660
        ACCTCACCTT CCCCTGGCAC AGCCATCTTT CCACGCCCTG AGCACATGGA AACCCATGAA   720
        GTCCCTTCCT CCACTTATGT TCCCAAAGGC ATGAACTCAA CAGAATCCAA CTCTTCTGCC    780
  15    TCTGTTAGAC CAAAGGTACT GAGTAGCATC CAGGAAGGGA CAGTCCCTGA CAACAAGC     840
        TCAGCAAGGG GGAAGGAAGA CGTGAACAAG ACCCTCCCAA ACCTTCAGGT AGTCAACCAC    900
        CAGCAAGGCC CCCACCACAG ACACATCCTG AAGCTGCTGC CGTCCATGGA GGCCACTGGG    960
        GGCGAGAAGT CCAGCACGCC CATCAAGGGC CCCAAGAGGG GACATCCTAG ACAGAACCTA   1020
        CACAAGCATT TTGACATCAA TGAGCATTTG CCCTGGATGA TTGTGCTTTT CCTGCTGCTG   1080
  20    GTGCTTGTGG TGATTGTGGT GTGCAGTATC CGGAAAAGCT CGAGGACTCT GAAAAAGGGG   1140
        CCCCGGCAGG ATCCCAGTGC CATTGTGGAA AAGGCAGGGC TGAAGAAATC CATGACTCCA   1200
        ACCCAGAACC GGGAGAAATG GATCTACTAC TGCAATGGCC ATGGTATCGA TATCCTGAAG   1260
        CTTGTAGCAG CCCAAGTGGG AAGCCAGTGG AAAGATATCT ATCAGTTTCT TTGCAATGCC   1320
        AGTGAGAGGG AGGTTGCTGC TTTCTCCAAT GGGTACACAG CCGACCACGA GCGGGCCTAC   1380
  25    GCAGCTCTGC AGCACTGGAC CATCCGGGGC CCCGAGGCCA GCACTGCCCA GCTAATTAGC   1440
        GCCCTGCGCC AGCACCGGAG AAACGATGTT GTGGAGAAGA TTCGTGGGCT GATGGAAGAC   1500
        ACCACCCAGC TGGAAACTGA CAAACTAGCT CTCCGATGA GCCCCAGCCC GCTTAGCCCG    1560
        AGCCCCATCC CCAGCCCCAA CGCGAAACTT GAGAATTCCG CTCTCCTGAC GGTGGAGCCT   1620
        TCCCCACAGG ACAAGAACAA GGGCTTCTTC GTGGATGAGT CGGAGCCCCT TCTCCGCTGT   1680
  30    GACTCTACAT CCAGCGGCTC CTCCGCGCTG AGCAGGAACG GTTCCTTTAT TACCAAAGAA   1740
        AAGAAGGACA CAGTGTTGCG GCAGGTACGC CTGGACCCCT GTGACTTGCA GCCTATCTTT   1800
        GATGACATGC TCCACTTTCT AAATCCTGAG GAGCTGCGGG TGATTGAAGA GATTCCCCAG   1860
        GCTGAGGACA AACTAGACCG GCTATTCGAA ATTATTGGAG TCAAGAGCCA GGAAGCCAGC   1920
        CAGACCCTCC TGGACTCTGT TTATAGCCAT CTTCCTGACC TGCTGTAG                1920
```

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MGTSPSSSTA LASCSRIARR ATATMIAGSL LLLGFLSTTT AQPEQKASNL IGTYRHVDRA    60
        TGQVLTCDKC PAGTYVSEHC TNTSLRVCSS CPVGTFTRHE NGIEKCHDCS QPCPWPMIEK   120
        LPCAALTDRE CTCPPGMFQS NATCAPHTVC PVGNGVRKKG TETEDVRCKQ CARGTFSDVP   180
        SSVMKCKAYT DCLSQNLVVI KPGTKETDNV CGTLPSFSSS TSPSPGTAIP PRPEHMETHE   240
  45    VPSSTYVPKG MNSTESNSSA SVRPKVLSSI QEGTVPDNTS SARGKEDVNK TLPNLQVVNH   300
        QQGPHHRHIL KLLPSMEATG GEKSSTPIKG PKRGHPRQNL HKHFDINEHL PWMIVLFLLL   360
        VLVVIVVCSI RKSSRTLKKG PRQDPSAIVE KAGLKKSMTP TQNREKWIYY CNGHGIDILK   420
        LVAAQVGSQW KDIYQFLCNA SEREVAAPSN GYTADHERAY PEASLAQLIS                480
        ALRQHRRNDV VEKIRGLMED TTQLETDKLA LPMSPSPLSP SPIPSPNAKL ENSALLTVEP   540
  50    SPQDKNKGPF VDESEPLLRC DSTSSGSSAL SRNGSFITKE KKDTVLRQVR LDPCDLQPIF   600
        DDMLHFLNPE ELRVIEEIPQ AEDKLDRLFE IIGVKSQEAS QTLLDSVYSH LPDLL
```

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GCTCTGCCCA AGCCGAGGCT GCGGGGCCGG CGCCGGCGGG AGGACTGCGG TGCCCCGCGG    60
        AGGGGCTGAG TTTGCCAGGG CCCACTTGAC CCTGTTTCCC ACCTCCCGCC CCCCAGGTCC   120
  60    GGAGGCGGGG GCCCCCGGGG CGACTCGGGG GCGGACCGCG GGGACGGAGCT GCCGCCCGTG   180
        AGTCCGGCCG AGCCACCTGA GCCCGAGCCG CGGGACACGG TCGCTCCTGC TCTCCGAATG   240
        CTGCGCACCG CGATGGGCCT GAGGAGCTGG CTCGCCGCCC CATGGGGCGC GCTGCCGGCCT   300
        CGGCCACCGC TGCTGCTGCT CCTGCTGCTG CTGCTCCTGC TGCACCGCGCC GCCTCCGACC   360
  65    TGGGCGCTCA GCCCCCCGGAT CAGCCTGCCT CTGGGCTCTG AAGAGCGGCA ATTCCTCAGA   420
        TTCGAAGCTG AACACATCTC CAACTACACA GCCCTTCTGC TGAGCAGGGA TGGCAGGACC   480
        CTGTACGTGG GTGCTCGAGA GGCCCTCTTT GCACTCAGTA GCAACCTCAG CTTCCTGCCA   540
        GGCGGGGAGT ACCAGGAGCT GCTTTGGGGT GCAGACGCAG AGAAGAAACA GCAGTGCAGC   600
        TTCAAGGGCA AGGACCCACA GCGCGGACTGT CAAAACTACA TCAAGATCCT CCTGCCGCTC   660
  70    AGCGGCAGTC ACCTGTTCAC CTGTGGCACA GCAGCCTTCA GCCCCATGTG TACCTACATC   720
        AACATGGAGA ACTTCACCCT GGCAAGGGAC GAGAAGGGGA ATGTCCTCCT GGAAGATGGC   780
        AAGGGCCGTT GTCCCTTCGA CCCGGAATTTC AAGTCCACTG CCCTGGTGGT TGATGGCGAG   840
        CTCTACACTG GAACAGTCAG CAGCTTCCAA GGGAATGACC CGGCCATCTC GCGGAGCCAA   900
        AGCCTTCGCC CCACCAAGAC CGGAGAGCTCC CTCAACTGGC TGCAAGACCC AGCTTTTGTG   960
  75    GCCTCAGCCT ACATTCCTGA GAGCCTGGGC AGCTTGCAAG GCGATGATGA CAAGATCTAC   1020
        TTTTTCTTCA GCGAGACTGG CCAGGAATTT GAGTTCTTTG AGAACACCAT TGTGTCCCGC   1080
        ATTGCCCGCA TCTGCAAGGG CGATGAGGGT GGAGAGCGGG TGCTACAGCA CGCCTGGACC   1140
        TCCTTCCTCA AGGCCCAGCT GCTGTGCTCA CGGCCGACG ATGGCTTCCC CTTCAACGTG   1200
        CTGCAGGATG TCTTCACGCT GAGCCCCAGC CCCCAGGACT GGCGTGACAC CCTTTTCTAT   1260
  80    GGGGTCTTCA CTTCCCAGTG GCACAGGGGA ACTACAGAAG GCTCTGCCGT CTGTGTCTTC   1320
        ACAATGAAGG ATGTGCAGAG AGTCTTCAGC GGCCTCTACA AGGAGGTGAA CGGTGAGACA   1380
        CAGCAGTGGT ACACCGTGAC CCACCCGGTG CCCACACCCG GGCCTGGAGC GTGCATCACC   1440
        AACAGTGCCC GGGAAAGGAA GATCAACTCA TCCCTGCAGC TCCCAGACCG CGTGCTGGAA   1500
        TTCCTCAAGG ACCACTTCCT GATGGACGGG CAGGTCGGAA GCCGCATGCT GCTGCTGCAG   1560
  85    CCCCAGGCTC GCTACCAGCG CGTGGCTGTA CACCGCGTCC CTGCCTGCCA CCACACCTAC   1620
        GATGTCCTCT CCTGGGCAC TGGTGACGGC CGGCTCCACA AGGCAGTGAG CGTGGGCCCC   1680
        CGGGTGCACA TCATTGAGGA GCTGCAGATC TTCTCATCGG GACAGCCCGT GCAGAATCTG   1740
```

```
     CTCCTGGACA CCCACAGGGG GCTGCTGTAT GCGGCCTCAC ACTCGGGCGT AGTCCAGGTG  1800
     CCCATGGCCA ACTGCAGCCT GTACAGGAGC TGTGGGGACT GCCTCCTCGC CCGGGACCCC  1860
     TACTGTGCTT GGAGCGGCTC CAGCTGCAAG CACGTCAGCC TCTACCAGCC TCAGCTGGCC  1920
     ACCAGGCCGT GGATCCAGGA CATCGAGGGA GCCAGCGCCA AGGACCTTTG CAGCGCGTCT  1980
     TCGGTTGTGT CCCCGTCTTT TGTACCAACA GGGGAGAAGC CATGTGAGCA AGTCCAGTTC  2040
     CAGCCCAACA CAGTGAACAC TTTGGCCTGC CCGCTCCTCT CCAACCTGGC GACCCGACTC  2100
     TGGCTACGCA ACGGGGCCCC CGTCAATGCC TCGGCCTCCT GCCACGTGCT ACCCACTGGG  2160
     GACCTGCTGC TGGTGGGCAC CCAACAGCTG GGGGAGTTCC AGTGCTGGTC ACTAGAGGAG  2220
     GGCTTCCAGC AGCTGGTAGC CAGCTACTGC CCAGAGGTGG TGGAGGACGG GGTGGCAGAC  2280
     CAAACAGATG AGGGTGGCAG TGTACCCGTC ATTATCAGCA CATCGCGTGT GAGTGCACCA  2340
     GCTGGTGGCA AGGCCAGCTG GGGTGCAGAC AGGTCCTACT GGAAGGAGTT CCTGGTGATG  2400
     TGCACGCTCT TTGTGCTGGC CGTGCTGCTC CCAGTTTTAT TCTTGCTCTA CCGGCACCGG  2460
     AACAGCATGA AAGTCTTCCT GAAGCAGGGG GAATGTGCCA GCGTGCACCC CAAGACCTGC  2520
     CCTGTGGTGC TGCCCCCTGA GACCCGCCCA CTCAACGGCC TAGGGCCCCC TAGCACCCCG  2580
     CTCGATCACC GAGGGTACCA GTCCCTGTCA GACAGCCCCC CGGGGTCCCG AGTCTTCACT  2640
     GAGTCAGAGA AGAGGCCACT CAGCATCCAA GACAGCTTCG TGGAGGTATC CCCAGTGTGC  2700
     CCCCGGCCCC GGGTCCGCCT TGGCTCGGAG ATCCGTGACT CTGTGGTGTG AGAGCTGACT  2760
     TCCAGAGGAC GCTGCCCTGG CTTCAGGGGC TGTGAATGCT CGGAGAGGGT CAACTGGACC  2820
     TCCCCTCCGC TCTGCTCTTC GTGGAACACG ACCGTGGTGC CCGGCCCTTG GGAGCCTTGG  2880
     GGCCAGCTGG CCTGCTGCTC TCCAGTCAAG TAGCGAAGCT CCTACCACCC AGACACCCAA  2940
     ACAGCCGTGG CCCCAGAGGT CCTGGCCAAA TATGGGGGCC TGCCTAGGTT GGTGGAACAG  3000
     TGCTCCTTAT GTAAACTGAG CCCTTTGTTT AAAAAACAAT TCCAAATGTG AAACTAGAAT  3060
     GAGAGGGAAG AGATAGCATG GCATGCAGGC CACACGGCTG CTCCAGTTCA TGGCCTCCCA  3120
     GGGGTGCTGG GGATGCATCC AAAGTGGTTG TCTGAGACAG AGTTGGAAAC CCTCACCAAC  3180
     TGGCCTCTTC ACCTTCCACA TTATCCCGCT GCCACCGGCC GCCCTGTCTC ACTGCAGATT  3240
     CAGGACCAGC TTGGGCTGCG TGCGTTCTGC CTTGCCAGTC AGCCGAGGAT GTAGTTGTTG  3300
     CTGCCGTCGT CCCACCACCT CAGGGACCAG AGGGCTAGGT TGGCACTGCG GCCCCTCACCA  3360
     GGTCCTGGGC TCGGACCCAA CTCCTGGACC TTTCCAGCCT GTATCAGGCT GTGGCCACAC  3420
     GAGAGGACAG CGCGAGCTCA GGAGAGATTT CGTGACAATG TACGCCTTTC CCTCAGAATT  3480
     CAGGGAAGAG ACTGTCGCCT GCCTTCCTCC GTTGTTGCGT GAGAACCCGT GTGCCCCTTC  3540
     CCACCATATC CACCCTCGCT CCATCTTTGA ACTCAAACAC GAGGAACTAA CTGCACCCTG  3600
     GTCCTCTCCC CAGTCCCCAG TTCACCCTCC ATCCCTCACC TTCCTCCACT CTAAGGGATA  3660
     TCAACACTGC CCAGCACAGG GGCCCTGAAT TTATGTGGTT TTTATACATT TTTTAATAAG  3720
     ATGCACTTTA TGTCATTTTT TAATAAAGTC TGAAGAATTA CTGTTT
```

Seq ID NO: 479 Protein sequence
Protein Accession #: XP_044533.3

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MLRTAMGLRS WLAAPWGALP PRPPLLLLLL LLLLLQPPPP TWALSPRISL PLGSEERPFL   60
     RFEAEHISNY TALLLSRDGR TLYVGAREAL FALSSNLSFL PGGEYQELLW GADAEKKQQC  120
     SPKGKDPQRD CQNYIKILLP LSGSHLFTCG TAAFSPMCTY INMENPTLAR DEKGNVLLED  180
     GKGRCPFDPN PKSTALVVDG ELYTGTVSSF QGNDPAISRS QSLRPTKTES SLNWLQDPAF  240
     VASAYIPESL GSLQGDDDKI YFFPSETGQE FEFFENTIVS RIARICKGDE GGERVLQQRW  300
     TSFLKAQLLC SRPDDGFPFN VLQDVPTLSP SPQDWRDTLF YGVFTSQWHR GTTEGSAVCV  360
     FTMKDVQRVF SGLYKEVNRE TQQWYTVTHP VPTPRPGACI TNSARERKIN SSLQLPDRVL  420
     NFLKDHFLMD GQVRSRMLLL QPQARYQRVA VHRVPGLHHT YDVLFLGTGD GRLHKAVSVG  480
     PRVHIIEELQ IPSSGQPVQN LLLDTHRGLL YAASHSGVVQ VPMANCSLYR SCGDCLLARD  540
     PYCAWSGSSC KHVSLYQPQL ATRPWIQDIE GASAKDLCSA SSVVSPSFVP TGEKPCEQVQ  600
     PQPNTVNTLA CPLLSNLATR LWLRNGAPVN ASASCHVLPT GDLLLVGTQQ LGEFQCWSLE  660
     EGPQQLVASY CPEVVEDGVA DQTDEGGSVP VIISTSRVSA PAGGKASWGA DRSYWKEFLV  720
     MCTLFVLAVL LPVLFLLYRH RNSMKVFLKQ GECASVHPKT CPVVLPPETR PLNGLGPPST  780
     PLDHRGYQSL SDSPPGSRVF TESEKRPLSI QDSFVEVSPV CPRPRVRLGS EIRDSVV
```

Seq ID NO: 480 DNA sequence
Nucleic Acid Accession #: NM_004217.1
Coding sequence: 58..1092

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGCCGGGAGA GTAGCAGTGC CTTGGACCCC AGCTCTCCTC CCCCTTTCTC TCTAAGGATG   60
     GCCCAGAAGG AGAACTCCTA CCCCTGGCCC TACGGCCGAC AGACGGCTCC ATCTGGCCTG  120
     AGCACCCTGC CCCAGCGAGT CCTCCGGAAA GAGCCTGTCA CCCCATCTGC ACTTGTCCTC  180
     ATGAGCCGGCT CCAATGTCCA GCCCACAGCT GCCCCTGGCC AGAAGGTGAT GGAGAATAGC  240
     AGTGGGACAC CCGACATCTT AACGCGGCAC TTCACAATTG ATGACTTTGA GATTGGGCGT  300
     CCTCTGGGCA AAGGCAAGTT TGGAAACGTG TACTTGGCTC GGGAGAAGAA AAGCCATTTC  360
     ATCGTGGCGC TCAAGGTCCT CTTCAAGTCC CAGATAGAGA AGGAGGGCGT GGAGCATCAG  420
     CTGCGCAGAG AGATCGAAAT CCAGGCCCAC CTGCACCATC CCAACATCCT GCGTCTCTAC  480
     AACTATTTTT ATGACCGGAG GAGGATCTAC TTGATTCTAG AGTATGCCCC CCGCGGGGAG  540
     CTCTACAAGG AGCTGCAGAA GAGCTGCACA TTTGACGAGC CACGATCATG  600
     GAGGAGTTGG CAGATGCTCT AATGTACTGC CATGGGAAGA AGGTGATTCA CAGAGACATA  660
     AAGCCAGAAA ATCTGCTCTT AGGGCTCAAG GGAGAGCTGA AGATTGCTGA CTTCGGCTGG  720
     TCTGTGCATG CGCCCTCCCT GAGGAGGAAG ACAATGTGTG GCACCCTGGA CTACCTGCCC  780
     CCAGAGATGA TTGAGGGGCG CATGCACAAT GAGAAGGTGG ATCTGTGGTG CATTGGAGTG  840
     CTTTGCTATG AGCTGCTGGT GGGGAACCCA CCCTTTGAGA GTGCATCACA CAACGAGACC  900
     TATCGCCGCA TCGTCAAGGT GGACCTAAAG TTCCCCGCTT CTGTGCCCAC GGGAGCCCAG  960
     GACCTCATCT CCAAACTGCT CAGGCATAAC CCCTCGGAAC GGCTGCCCCT GGCCCAGGTC 1020
     TCAGCCCACC CTTGGGTCCG GGCCAACTCT CGGAGGGTGC TGCCTCCCTC TGCCCTTCAA 1080
     TCTGTGCGCCT GATGGTCCCT GTCATTCACT CGGGTGCGTG TGTTTGTATG TCTGTGTATG 1140
     TATAGGGGAA AGAAGGGATC CCTAACTGTT CCCTTATCTG TTTTCTACCT CCTCCTTTGT 1200
     TTAATAAAGG CTGAAGCTTT TTGT
```

Seq ID NO: 481 Protein sequence
Protein Accession #: NP_004208

```
     1          11         21         31         41         51
```

370

```
    |          |          |          |          |          |
    MAQKENSYPW PYGRQTAPSG LSTLPQRVLR KEPVTPSALV LMSRSNVQPT AAPGQKVMEN    60
    SSGTPDILTR HPTIDDFEIG RPLGKGKFGN VYLAREKKSH FIVALKVLFK SQIEKEGVEH   120
    QLRREIEIQA HLHHPNILRL YNYFYDRRRI YLILEYAPRG ELYKELQKSC TFDEQRTATI   180
    MEELADALMY CHGKKVIHRD IKPENLLLGL KGELKIADFG WSVHAPSLRR KTMCGTLDYL   240
    PPEMIEGRMH NEKVDLWCIG VLCYELLVGN PPFESASHNE TYRRIVKVDL KPPASVPTGA   300
    QDLISKLLRH NPSERLPLAQ VSAHPWVRAN SRRVLPPSAL QSVA
```

Seq ID NO: 482 DNA sequence
Nucleic Acid Accession #: AK055663
Coding sequence: 38..1423

```
    1         11         21         31         41         51
    |         |          |          |          |          |
    AGAACGGCTT CCGGCGGGAG CTGTGCAGCT CCTTATCATG GGGACAATTC ATCTCTTTCG    60
    AAAACCACAA AGATCCTTTT TTGGCAAGTT GTTACGGGAA TTTAGACTTG TAGCAGCTGA   120
    CCGAAGGTCC TGGAAGATAC TGCTCTTTGG TGTAATAAAC TTGATATGTA CTGGCTTCCT   180
    GCTTATGTGG TGCAGTTCTA CTAATAGTAT AGCTTTAACT GCCTATACTT ACCTGACCAT   240
    TTTTGATCTT TTTAGTTTAA TGACATGTTT AATAAGTTAC TGGGTAACAT TGAGGAAACC   300
    TAGCCCTGTC TATTCATTTG GGTTTGAAAG ATTAGAAGTC CTGGCTGTAT TTGCCTCCAC   360
    AGTCTTGGCA CAGTTGGGAG CTCTCTTTAT ATTAAAAGAA AGTGCAGAAC GCTTTTTGGA   420
    ACAGCCCGAG ATACACACGG GAAGATTATT AGTTGGTACT TTTGTGGCTC TTTGTTTCAA   480
    CCTGTTCACG ATGCTTTCTA TTCGGAATAA ACCTTTTGCT TATGTCTCAG AAGCTGCTAG   540
    TACGAGCTGG CTTCAAGAGC ATGTTGCAGA TCTTAGTCGA AGCTTGTGTG GAATTATTCC   600
    GGGACTTAGC AGTATCTTCC TTCCCCGAAT GAATCCATTT GTTTTGATTG ATCTTGCTGG   660
    AGCATTTGCT CTTTGTATTA CATATATGCT CATTGAAATT AATAATTATT TTGCCGTAGA   720
    CACTGCCTCT GCTATAGCTA TTGCCTTGAT GACATTTGGC ACTATGTATC CCATGAGTGT   780
    GTACAGTGGG AAAGTCTTAC TCCAGACAAC ACCACCCCAT GTTATTGGTC AGTTGGACAA   840
    ACTCATCAGA GAGGTATCTA CCTTAGATGG AGTTTTAGAA GTCCGAAATG AACATTTTTG   900
    GACCCTAGGT TTTGGCTCAT TGGCTGGATC AGTGCATGTA AGAATTCGAC GAGATGCCAA   960
    TGAACAAATG GTTCTTGCTC ATGTGACCAA CAGGCTGTAC ACTCTAGTGT CTACTCTAAC  1020
    TGTTCAAATT TTCAAGGATG ACTGGATTAG GCCTGCCTTA TTGTCTGGGC CTGTTGCAGC  1080
    CAATGTCCTA AACTTTTCAG ATCATCACGT AATCCCAATG CCTCTTTTAA AGGGTACTGA  1140
    TGATTTGAAC CCAGTTACAT CAACTCCAGC TAAACCTAGT AGTCCACCTC CAGAATTTTC  1200
    ATTTAACACT CCTGGGAAAA ATGTGAACCC AGTTATTCTT CTAAACACAC AAACAAGGCC  1260
    TTATGGTTTT GGTCTCAATC ATGGACACAC ACCTTACAGC AGCATGCTTA ATCAAGGACT  1320
    TGGAGTTCCA GGAATTGGAG CAACTCAAGG ATTGAGGACT GGTTTTACAA ATATACCAAG  1380
    TAGATATGGA ACTAATAATA GAATTGGACA ACCAAGACCA TGATAGACTC TAACTTATTT  1440
    TTATAAGGAA TATTGACTCC TTGGCTTCCA ATTTATTTAG TAATCCAACT TTGCATTGAC  1500
    TGTTTAATCA TTTACTCTAA ATGTTAGATA ATAGTAGTCT TGTTCACATT TCATGAAACC  1560
    TATGAAACTA TATTTTTGTA AAATGTATTT GTGACAGTGA AATCCTCGTA AATGTTAAAG  1620
    GCTTTAAATA GGCTTCCTTT AGAAAATGTG TTTCTTTAAA TTTGGATTTT GGTATCTTTG  1680
    GTTTTGTAGT TGACTGCAGT GTGATGTGAC CTTACCTTTA TAAGAGCCAC TTGATGGAGT  1740
    AGATCTGTCA CATTACTAAG ATACGATATT TCTTTTTTTT TCCGAGACGG AGTCTTGCTC  1800
    TGCCACTGTG CCCGGCCAAT ACATTATTAT TAACTTAAGG CTGTACTTTA TTAAGGCTTC  1860
    CTTAGTTTTT GTTTTGTTTT GTTTTTTGAG ATGGAGTCTC ACTCTGTCGC CCAGGCTGGA  1920
    ATGCAGTGGC ATGATCTCAG CTCACTGCAA CCTCTGCCTC CTGAGTTCAA ATGATTCTCC  1980
    TGCCTCAGCC TCCCGAGTAG CTGGGATTAC AGGCACCTGC CACCACGCCC AGCTAATTTT  2040
    TGTATTTTTA GTAAAGACGG GGGATTTCAC CATGTTGGCC AGGCTGGTCT TGAACTCCTG  2100
    ACCTCATGAT CCACCCACCT TAGCCTCCCA AAGTGCTGGG ATTAGGTGTG AGCCACCGCA  2160
    CCTGGCCGAT ATTTTCTTTA ATGAAATTTA TAAATATGCT TCTTGAATAA TACACATTTT  2220
    GGGAAAGGGA AAAATGTCTG TTCAAAAAGT AAAGGTCTCT TTTATAGCTT TTCCAAACTT  2280
    AATTGCTAAA TTTTTCTTTG AGGTTCTCCT GAATTATGTC TTACAAACTA AAAGCAAAAA  2340
    TTTTTAGCAG AAATTTTGGA ATACATTCTA TCTAGCACAA TTTGAATTTT TAATTATCAA  2400
    GATTTTTGTT AAAGTTTCTC TCCTTTAAAA ATTTTAGTAC ATTTGTAAAT
```

Seq ID NO: 483 Protein sequence
Protein Accession #: BAB70980.1

```
    1         11         21         31         41         51
    |         |          |          |          |          |
    MGTIHLFRKP QRSFFGKLLR EFRLVAADRR SWKILLFGVI NLICTGPLLM WCSSTNSIAL    60
    TAYTYLTIFD LFSLMTCLIS YWVTLRKPSP VYSPGFERLE VLAVFASTVL AQLGALFILK   120
    ESAERFLEQP EIHTGRLLVG TFVALCFNLP TMLSIRNKPF AYVSEAASTS WLQEHVADLS   180
    RSLCGIIPGL SSIFLPRMNP FVLIDLAGAF ALCITYMLIE INNYFAVDTA SAIAIALMTP   240
    GTMYPMSVYS GKVLLQTTPP HVIGQLDKLI REVSTLDGVL EVRNEHFWTL GPGSLAGSVH   300
    VRIRRDANEQ MVLAHVTNRL YTLVSTLTVQ IFKDDWIRPA LLSGPVAANV LNFSDHHVIP   360
    MPLLKGTDDL NPVTSTPAKP SSPPPEFSFN TPGKNVNPVI LLNTQTRPYG PGLNHGHTPY   420
    SSMLNQGLGV PGIGATQGLR TGFTNIPSRY GTNNRIGQPR P
```

Seq ID NO: 484 DNA sequence
Nucleic Acid Accession #: FGENESH predicted
Coding sequence: 1..900

```
    1         11         21         31         41         51
    |         |          |          |          |          |
    ATGCCGCCGC GGGAGCTGAG CGAGGCCGAG CCGCCCCGC TCCGGGCCCC GACCCCTCCC    60
    CCGCGGCGGC GTAGCGCGCC CCCAGAGCTG GGCATCAAGT GCGTGCTGGT GGGCGACGGC   120
    GCCGTGGGCA AGAGCAGCCT CATCGTCAGC TACACCTGCA ATGGGTACCC CGGCGCGCTAC  180
    CGGCCCACTG CGCTGGACAC CTTCTCTGGT ACGTACGTTC AATCGCCCGT GCGGCCGCGT   240
    GGCTGCGGCG GGGCTGTGCA CCGGGGAGCT GGGGCGGGCG TCTCGGCGGG AGGGCGCAGA   300
    GGACCCCGGG GAGGAGACTG GAGCAGGCCC CGAGGTGGCG CTGGTGCGGC CCAGGACGCT   360
    CTTCCTAACT CAGGCTCTCC CCGCCCCGCC CCTGCAGTGC AAGTCCTGGT GGATGGAGCT   420
    CCGGTGCGCA TTGAGCTCTG GGACACAGCG GGACAGGAGG ATTTTGACGG ACTTCGTTCC   480
    CTTTGCTACC CGGATACCGA TGTCTTCCTG GCGTGCTTCA GCGTGGTGCA GCCCAGCTCC   540
    TTTCAAAACA TCACAGAGAA ATGGCTGCCC GAGATCCGCA CGCACAACCC CCAGGCGCCT   600
    GTGCTGCTGG TGGGCACCCA GGCCGACCTG AGGGACGATG TCAACGTACT AATTCAGCTG   660
```

371

```
GACCAGGGGG GCCGGGAGGG CCCCGTGCCC CAACCCCAGG CTCAGGGTCT GGCCGAGAAG    720
ATCCGAGCCT GCTGCTACCT TGAGTGCTCA GCCTTGACGC AGAAGAACTT GAAGGAAGTA    780
TTTGACTCGG CTATTCTCAG TGCCATTGAG CACAAAGCCC GGCTGGAGAA GAAACTGAAT    840
GCCAAAGGTG TGCGCACCCT CTCCCGCTGC CGCTGGAAGA AGTTCTTCTG CTTCGTTTGA
```

    Seq ID NO: 485 Protein sequence
    Protein Accession #: PGENESH predicted

```
1          11         21         31         41         51
|          |          |          |          |          |
MPPRELSEAE PPPLRAPTPP PRRRSAPPEL GIKCVLVGDG AVGKSSLIVS YTCNGYPARY    60
RPTALDTFSG TYVQSPVRPR GCGGAVERGA GAGVSAGGRR GPRGGDWSRP RGGAGAAQDA   120
LPNSGSPRPA PAVQVLVDGA PVRIELWDTA GQEDFDRLRS LCYPDTDVFL ACPSVVQPSS   180
PQNITEKWLP EIRTHNPQAP VLLVGTQADL RDDVNVLIQL DQGGREGPVP QPQAQGLAEK   240
IRACCYLECS ALTQKNLKEV FDSAILSAIE HKARLEKKLN AKGVRTLSRC RWKKFFCFV
```

    Seq ID NO: 486 DNA sequence
    Nucleic Acid Accession #: XM_063832.2
    Coding sequence: 1..711

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGCCGCCGC GGGAGCTGAG CGAGGCCGAG CCGCCCCCGC TCCGGGCCCC GACCCCTCCC    60
CCGCGGCGGC GTAGCGCGCC CCCAGAGCTG GGCATCAAGT GCGTGCTGGT GGGCGACGGC   120
GCCGTGGGCA AGAGCAGCCT CATCGTCAGC TACACCTGCA ATGGGTACCC CGCGCGCTAC   180
CGGCCCACTG CGCTGGACAC CTTCTCTGTG CAAGTCCTGG TGGATGGAGC TCCGGTGCGC   240
ATTGAGCTCT GGGACACAGC GGGACAGGAG GATTTTGACC GACTTCGTTC CCTTTGCTAC   300
CCGGATACCG ATGTCTTCCT GGCGTGCTTC AGCGTGGTGC AGCCCAGCTC CTTTCAAAAC   360
ATCACAGAGA AATGGCTGCC CGAGATCCGC ACGCACAACC CCCAGGCGCC TGTGCTGCTG   420
GTGGGCACCC AGGCCGACCT GAGGGACGAT GTCAACGTAC TAATTCAGCT GGACCAGGGG   480
GGCCGGGAGG GCCCCGTGCC CCAACCCCAG GCTCAGGGTC TGGCCGAGAA GATCCGAGCC   540
TGCTGCTACC TTGAGTGCTC AGCCTTGACG CAGAAGAACT TGAAGGAAGT ATTTGACTCG   600
GCTATTCTCA GTGCCATTGA GCACAAAGCC CGGCTGGAGA AGAAACTGAA TGCCAAAGGT   660
GTGCGCACCC TCTCCCGCTG CCGCTGGAAG AAGTTCTTCT GCTTCGTTTG A
```

    Seq ID NO: 487 Protein sequence
    Protein Accession #: XP_063832.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MPPRELSEAE PPPLRAPTPP PRRRSAPPEL GIKCVLVGDG AVGKSSLIVS YTCNGYPARY    60
RPTALDTFSV QVLVDGAPVR IELWDTAGQE DFDRLRSLCY PDTDVFLACF SVVQPSSFQN   120
ITEKWLPEIR THNPQAPVLL VGTQADLRDD VNVLIQLDQG GREGPVPQPQ AQGLAEKIRA   180
CCYLECSALT QKNLKEVFDS AILSAIEHKA RLEKKLNAKG VRTLSRCRWK KFFCFV
```

    Seq ID NO: 488 DNA sequence
    Nucleic Acid Accession #: NM_014398.1
    Coding sequence: 64..1314

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACCGATT CGGGGCCTGC CCGGACTTCG CCGCACGCTG CAGAACCTCG CCCAGCGCCC    60
ACCATGCCCC GGCAGCTCAG CGCGGCGGCC GCGCTCTTCG CGTCCCTGGC CGTAATTTTG   120
CACGATGGCA GTCAAATGAG AGCAAAAGCA TTTCCAGAAA CCAGAGATTA TTCTCAACCT   180
ACTGCAGCAG CAACAGTACA GGACATAAAA AAACCTGTGC AGCAACCAGC TAAGCAAGCA   240
CCTCACCAAA CTTTAGCAGC AAGATTCATG GATGGTCATA TCACCTTTCA AACAGCGGCC   300
ACAGTAAAAA TTCCAACAAC TACCCCAGCA ACTACAAAAA CACTGCAAC CACCAGCCCA   360
ATTACCTACA CCCTGGTCAC AACCCAGGCC ACACCCAACA ACTCACACAC AGCTCCTCCA   420
GTTACTGAAG TTACAGTCGG CCCTAGCTTA GCCCCTTATT CACTGCCACC CACCATCACC   480
CCACCAGCTC ATACAGCTGG AACCAGTTCA TCAACCGTCA GCCACACAAC TGGGAACACC   540
ACTCAACCCA GTAACCAGAC CACCCTTCCA GCAACTTTAT CGATAGCACT GCACAAAAGC   600
ACAACCGGTC AGAAGCCTGA TCAACCCACC CATGCCCCAG GAACAACGGC AGCTGCCCAC   660
AATACCACCG GCACAGCTGC ACCTGCCTCC ACGGTTCCTG GGCCCACCCT TGCACCTCAG   720
CCATCGTCAG TCAAGACTGG AATTTATCAG GTTCTAAACG GAAGCAGACT CTGTATAAAA   780
GCAGAGATGG GGATACAGCT GATTGTTCAA GACAAGGAGT CGGTTTTTTC ACCTGGCGGA   840
TACTTCAACA TCGACCCCAA CGCAACGCAA GCCTCTGGGA ACTGTGGCAC CCGAAAATCC   900
AACCTTCTGT TGAATTTTCA GGGCGGGATT TGTGAATCTCA CATTTACCAA GGATGAAGAA   960
TCATATTATA TCAGTGAAGT GGGAGCCTAT TTGACCGTCT GACAGTTTAC  1020
CAAGGAATCA AACATGCGGT GGTGATGTTC AGACAGCAG TCGGGCATTC CTTCAAGTGC  1080
GTGAGTGAAC AGAGCCTCCA GTTGTCAGCC CACCTGCAGG TGAAACAAC CGATGTCCAA  1140
CTTCAAGCCT TTGATTTTGA AGATGACCAC TTTGGAAATG TGGATGAGTG CTCGTCTGAC  1200
TACACAATTG TGCTTCCTGT GATTGGGGC ATCGTGGTTG GTCTCTGCCT TATGGGTATG  1260
GGTGTCTATA AAATCCGCCT AAGGTGTCAA TCATCTGGAT ACCAGAGAAT CTAATTGTTG  1320
CCCGGGGGGA ATGAAAATAA TGGAATTTAG AGAACTCTTT CATCCCTTCC AGGATGGATG  1380
TTGGGAAATT CCCTCAGAGT GTGGGTCCTT CAAACAATGT AAACCACCAT CTTCTATTCA  1440
AATGAAGTGA GTCATGTGTG ATTTAAGTTC AGGCAGCACA TCAATTTCTA AATACTTTTT  1500
GTTTATTTTA TGAAAGATAT AGTGAGCTGT TTATTTTCTA GTTTCCTTTA GAATATTTTA  1560
GCCACTCAAA GTCAACATTT GAGATATGTT GAATTAACAT AATATATGTA AAGTAGAATA  1620
AGCCTTCAAA TTATAAACCA AGGGTCAATT GTAACTAATA CTACTGTGTG TGCATTGAAG  1680
ATTTTATTTT ACCCTTGATC TTAACAAAGC CTTTGCTTTG TTATCAAATG GACTTTCAGT  1740
GCTTTTACTA TCTGTGTTTT ATGGTTTCAT GTAACATACA TATTCCTGGT GTAGCACTTA  1800
ACTCCTTTTC CACTTTAAAT TTGTTTTTGT TTTTTGAGAC GGAGTTTCAC TCTTGTCACC  1860
CAGGCTGGAG TACAGTGGCA CGATCTCGGC TTATGGCAAC CTCCGCCTCC CGGGTTCAAG  1920
TGATTCTCCT GCTTCAGCTT CCCGAGTAGC TGGGATTACA GGCACACACT ACCACGCCTG  1980
GCTAATTTTT GTATTTTTAT TATAGACGGG TTTCACCATG TTGGCCAGC TGGTCTTGAA  2040
CTCCTTGACCT CAGGTGATCC ACCCACCTCA GCCTCCCAAA GTGCTGGGAT TACAGGCATG  2100
AGCCATTGCG CCCGGCCTTA AATGTTTTTT TTAATCATCA AAAAGAACAA CATATCTCAG  2160
```

```
GTTGTCTAAG TGTTTTTATG TAAAACCAAC AAAAAGAACA AATCAGCTTA TATTTTTTAT  2220
CTTGATGACT CCTGCTCCAG AATTGCTAGA CTAAGAATTA GGTGGCTACA GATGGTAGAA  2280
CTAAACAATA AGCAAGAGAC AATAATAATG GCCCTTAATT ATTAACAAAG TGCCAGAGTC  2340
TAGGCTAAGC ACTTTATCTA TATCTCATTT CATTCTCACA ACTTATAAGT GAATGAGTAA  2400
ACTGAGACTT AAGGGAACTG AATCACTTAA ATGTCACCTG GCTAACTGAT GGCAGAGCCA  2460
GAGCTTGAAT TCATGTTGGT CTGACATCAA GGTCTTTGGT CTTCTCCCTA CACCAAGTTA  2520
CCTACAAGAA CAATGACACC ACACTCTGCC TGAAGGCTCA CACCTCATAC CAGCATACGC  2580
TCACCTTACA GGGAAATGGG TTTATCCAGG ATCATGAGAC ATTAGGGTAG ATGAAAGGAG  2640
AGCTTTGCAG ATAACAAAAT AGCCTATCCT TAATAAATCC TCCACTCTCT GGAAGGAGAC  2700
TGAGGGGCTT TGTAAAACAT TAGTCAGTTG CTCATTTTTA TGGGATTGCT TAGCTGGGCT  2760
GTAAAGATGA AGGCATCAAA TAAACTCAAA GTATTTTTAA ATTTTTTTGA TAATAGAGAA  2820
ACTTCGCTAA CCAACTGTTC TTTCTTGAGT GTATAGCCCC ATCTTGTGGT AACTTGCTGC  2880
TTCTGCACTT CATATCCATA TTTCCTATTG TTCACTTTAT TCTGTAGAGC AGCCTGCCAA  2940
GAATTTTATT TCTGCTGTTT TTTTTGCTGC TAAAGAAAGG AACTAAGTCA GGATGTTAAC  3000
AGAAAAGTCC ACATAACCCT AGAATTCTTA GTCAAGGAAT AATTCAAGTC AGCCTAGAGA  3060
CCATGTTGAC TTTCCTCATG TGTTTCCTTA TGACTCAGTA AGTTGGCAAG GTCCTGACTT  3120
TAGTCTTAAT AAAACATTGA ATTGTAGTAA AGGTTTTTGC AATAAAAACT TACTTTGG
```

Seq ID NO: 489 Protein sequence
Protein Accession #:   NP_055213.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MPRQLSAAAA LFASLAVILH DGSQMRAKAF PETRDYSQPT AAATVQDIKK PVQQPAKQAP   60
HQTLAARPMD GHITFQTAAT VKIPTTTPAT TKNTATTSPI TYTLVTTQAT PNNSHTAPPV  120
TEVTVGPSLA PYSLPPTITP PAHTAGTSSS TVSHTTGNTT QPSNQTTLPA TLSIALHKST  180
TGQKPDQPTH APGTTAAAHN TTRTAAPAST VPGPTLAPQP SSVKTGIYQV LNGSRLCIKA  240
EMGIQLIVQD KESVFSPRRY FNIDPNATQA SGNCGTRKSN LLLNFQGGFV NLTFTKDEES  300
YYISEVGAYL TVSDPETVYQ GIKHAVVMFQ TAVGHSFKCV SEQSLQLSAH LQVKTTDVQL  360
QAFDFEDDHF GNVDECSSDY TIVLPVIGAI VVGLCLMGMG VYKIRLRCQS SGYQRI
```

Seq ID NO: 490 DNA sequence
Nucleic Acid Accession #: NM_005409.3
Coding sequence: 94..378

```
1          11         21         31         41         51
|          |          |          |          |          |
TTCCTTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG   60
CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC  120
TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC  180
TGTCTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAGTGG CAGATATTGA GAAAGCCTCC  240
ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAT  300
AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GGCTTATAAT CAAAAAAGTT  360
GAAAGAAAGA ATTTTTAAAA ATATCAAAC ATATGAAGTC CTGGAAAAGG GCATCTGAAA  420
AACCTAGAAC AAGTTTAACT GTGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG  480
AGACTTTTCT ATGGTTTTGT GACTTTCAAC TTTTGTACAG TTATGTGAAG GATGAAAGGT  540
GGGTGAAAGG ACCAAAAACA GAAATACAGT CTTCCTGAAT GAATGACAAT CAGAATTCCA  600
CTGCCCAAAG GAGTCCAGCA ATTAAATGGA TTTCTAGGAA AAGCTACCTT AAGAAAGGCT  660
GGTTACCATC GGAGTTTACA AAGTGCTTTC ACGTTCTTAC TTGTTGTATT ATACATTCAT  720
GCATTTCTAG GCTAGAGAAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT  780
GAGAACATTT CTGTCTCTAG AAGTTATCTG TCTGTATTGA TCTTTATGCT ATATTACTAT  840
CTGTGGTTAC AGTGGAGACA TTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG  900
CATCTATGTG TCGTAAAGCA TTCCTCAAAC ATTTTTTCAT GCAAATACAC ACTTCTTTCC  960
CCAAATATCA TGTAGCACAT CAATATGTAG GGAAACATTC TTATGCATCA TTGGTTTTGT 1020
TTTATAACCA ATTCATTAAA TGTAATTCAT AAAATGTACT ATGAAAAAAA TTATACGCTA 1080
TGGGATACTG GCAACAGTGC ACATATTTCA TAACCAAATT AGCAGCACCG GTCTTAATTT 1140
GATGTTTTTC AACTTTTATT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTTAC 1200
TGTACTTTTT GTTTTGATCC GTTTGTATAA ATGATAGCAA TATCTTGGAC ACATTTGAAA 1260
TACAAAATGT TTTTGTCTAC CAAAGAAAAA TGTTGAAAAA TAAGCAAATG TATACCTAGC 1320
AATCACTTTT ACTTTTTGTA ATTCTGTCTC TTAGAAAAAT ACATAATCTA ATCAATTTCT 1380
TTGTTCATGC CTATATACTG TAAAATTTAG GTATACTCAA GACTAGTTTA AAGAATCAAA 1440
GTCATTTTTT TCTCTAATAA ACTACCACAA CCTTTCTTTT TTAAAAAAAA AAA
```

Seq ID NO: 491 Protein sequence
Protein Accession #: NP_005400.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MSVKGMAIAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI   60
EVIITLKENK GQRCLNPKSK QARLIIKKVE RKNF
```

Seq ID NO: 492 DNA sequence
Nucleic Acid Accession #: NM_000577.1
Coding sequence: 41..520

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACGAGGG GAAGACCTCC TGTCCTATCA GGCCCTCCCC ATGGCTTTAG AGACGATCTG   60
CCGACCCTCT GGGAGAAAAT CCAGCAAGAT GCAAGCCTTC AGAATCTGGG ATGTTAACCA  120
GAAGACCTTC TATCTGAGGA ACAACCAACT AGTTGCCGGA TACTTGCAAG GACCAAATGT  180
CAATTTAGAA GAAAAGATAG ATGTGGTACC CATTGAGCCT CATGCTCTGT TCTTGGGAAT .240
CCATGGAGGG AAGATGTGCC TGTCCTGTGT CAAGTCTGGT GATGAGACCA GACTCCAGCT  300
GGAGGCAGTT AACATCACTG ACCTGAGCGA GAACAGAAAG CAGGACAAGC GCTTCGCCTT  360
CATCCGCTCA GACAGTGGCC CCACCACCAG TTTTGAGTCT GCCGCCTGCC CCGGTTGGTT  420
CCTCTGCACA GCGATGGAAG CTGACCAGCC CGTCAGCCTC ACCAATATGC CTGACGAAGG  480
CGTCATGGTC ACCAAATTCT ACTTCCAGGA GGACGAGTAG TACTGCCCAG GCCTGCCTGT  540
TCCCATTCTT GCATGGCAAG GACTGCAGGG ACTGCCAGTC CCCCTGCCCC AGGGCTCCCG  600
```

```
     GCTATGGGGG CACTGAGGAC CAGCCATTGA GGGGTGGACC CTCAGAAGGC GTCACAACAA    660
     CCTGGTCACA GGACTCTGCC TCCTCTTCAA CTGACCAGCC TCCATGCTGC CTCCAGAATG    720
     GTCTTTCTAA TGTGTGAATC AGAGCACAGC AGCCCCTGCA CAAAGCCCTT CCATGTCGCC    780
     TCTGCATTCA GGATCAAACC CCGACCACCT GCCCAACCTG CTCTCCTCTT GCCACTGCCT    840
  5  CTTCCTCCCT CATTCCACCT TCCCATGCCC TGGATCCATC AGGCCACTTG ATGACCCCCA    900
     ACCAAGTGGC TCCCACACCC TGTTTTACAA AAAAGAAAAG GGTCCTCCAT GAGGGAGGTT    960
     TTTAAGGGGT TGTGGAAAAT GAAAATTAGG ATTTCATGAT TTTTTTTTTT CAGTCCCCGT   1020
     GAAGGAGAGC CCTTCATTTG GAGATTATGT TCTTTCGGGG AGAGGCTGAG GACTTAAAAT   1080
     ATTCCTGCAT TTGTGAAATG ATGGTGAAAG TAAGTGGTAG CTTTTCCCTT CTTTTTCTTC   1140
 10  TTTTTTTGTG ATGTCCCAAC TTGTAAAAAT TAAAAGTTAT GGTACTATGT TAGCCCCATA   1200
     ATTTTTTTTT TCCTTTTAAA ACACTTCCAT AATCTGGACT CCTCTGTCCA GGCACTGCTG   1260
     CCCAGCCTCC AAGCTCCATC TCCACTCCAG ATTTTTTACA GCTGCCTGCA GTACTTTACC   1320
     TCCTATCAGA AGTTTCTCAG CTCCCAAGGC TCTGAGCAAA TGTGGCTCCT GGGGGGTTCTT   1380
     TCTTCCTCTG CTGAAGGAAT AAATTGCTCC TTGACATTGT AGAGCTTCTG GCACTTGGAG   1440
 15  ACTTGTATGA AAGATGGCTG TGCCTCTGCC TGTCTCCCCC ACCAGGCTGG GAGCTCTGCA   1500
     GAGCAGGAAA CATGACTCGT ATATGTCTCA GGTCCCTGCA GGGCCAAGCA CCTAGCCTCG   1560
     CTCTTGGCAG GTACTCAGCG AATGAATGCT GTATATGTTG GGTGCAAAGT TCCCTACTTC   1620
     CTGTGACTTC AGCTCTGTTT TACAATAAAA TCTTGAAAAT GCCTAAAAAA AAAAAAAAAA   1680
     AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAA
```

```
Seq ID NO: 493 Protein sequence
Protein Accession #: NP_000568.1
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |

     MALETICRPS GRKSSKMQAF RIWDVNQKTF YLRNNQLVAG YLQGPNVNLE EKIDVVPIEP    60
     HALFLGIHGG KMCLSCVKSG DETRLQLEAV NITDLSENRK QDKRFAFIRS DSGPTTSFES   120
     AACPGWFLCT AMEADQPVSL TNMPDEGVMV TKFYFQEDE
```

```
Seq ID NO: 494 DNA sequence
Nucleic Acid Accession #: NM_002081.1
Coding sequence: 222..1898
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |

     GGCTGCCCGA GCGAGCGTTC GGACCTCGCA CCCCGCGCGC CCCGCGCCGC CGCCGCCGCC    60
     GGCTTTTGTT GTCTCCGCCT CCTCGGCCGC CGCCGCCTCT GGACCGCGAG CCGCGCGCGC   120
     CGGGACCTTG GCTCTGCCCT TCGCGGGCGG GAACTGCGCA GGACCCGGCC AGGATCCGAG   180
     AGAGGCGCGG GCGGGTGGCC GGGGGCGCCG CCGGCCCCGC CATGGAGCTC CGGGCCCGAG   240
     GCTGGTGGCT GCTATGTGCG GCCGCAGCGC TGGTCGCCTG CGCCGCGCGG GACCCGGCCA   300
     GCAAGAGCCG GAGCTGCGGC GAGGTCCGGC AGATCTACGG AGCCAAGGGC TTCAGCCTGA   360
     GCGACGTGCC CCAGGCGGAG ATCTCGGGTG AGCACCTGCG GATCTGTCCC CAGGGCTACA   420
     CCTGCTGCAC CAGCGAGATG GAGGAGAACC TGGCCAACCG CAGCCATGCC GAGCTGGAGA   480
     CCGCGCTCCG GGACAGCAGC CGCGTCCTGC AGGCCATGCT TGCCACCCAG CTGCGCAGCT   540
     TCGATGACCA CTTCCAGCAC CTGCTGAACG ACTCGGAGCG GATCGTGCAG CAGGGCTACA   600
     CCGGCGCCTT CGGAGAGCTG TACACGCAGA ACGCGAGGGC CTTCCGGGAC CTGTACTCAG   660
     AGCTGCGCCT GTACTACCGC GGTGCCAACC TGCACCTGGA GGAGACGCTG GCCGAGTTCT   720
     GGGCCCGCCT GCTCGAGCGC CTCTTCAAGC AGCTGCACCC CCAGCTGCTG CTGCCTGATG   780
     ACTACCTGGA CTGCCTGGGC AAGCAGGCCG AGGCGCTGCG GCCCTTCGGG GAGGCCCCGA   840
     GAGAGCTGCG CCTGCGGGCC ACCCGTGCCT TCGTGGCTGC TCGCTCCTTT GTGCAGGGCC   900
     TGGGTGTGGC CAGCGACGTG GTCCGGAAAG TGGCTCAGGT CCCCCTGGGC CCGGAGTGCT   960
     CGAGAGCTGT CATGAAGCTG GTCTACTGTG CTCACTGCCT GGGAGTCCCC GGCGCCAGGC   1020
     CCTGCCCTGA CTATTGCCGA AATGTGCTCA AGGGCTGCCT TGCCAACCAG GCCGACCTGG   1080
     ACGCCGAGTG GAGGAACCTC CTGGACTCCA TGGTGCTCAT CACCGACAAG TTCTGGGGTA   1140
     CATCGGGTGT GGAGAGTGTC ATCGGCAGCG TGCACACGTG GCTGGCGGAG GCCATCAACG   1200
     CCCTCCAGGA CAACAGGGAC ACGCTCACGG CCAAGGTCAT CCAGGGCTGC GGGAACCCCA   1260
     AGGTCAACCC CCAGGGCCCT GGGCCTGAGG AGAAGCGGCG CCGGGGCAAG CTGGCCCCGC   1320
     GGGAGAGGCC ACCTTCAGGC ACGCTGGAGA AGTGGTCTC TGAAGCCAAG GACGGCAGCG   1380
```

GCGACGTCCA GGACTTCTGG ATCAGCCTCC CAGGGACACT GTGCAGTGAG AAGATGGCCC   1440

```
     GCGACGTCCA GGACTTCTGG ATCAGCCTCC CAGGGACACT GTGCAGTGAG AAGATGGCCC   1440
     TGAGCACTGC CAGTGATGAC CGCTGCTGGA ACGGGATGGC CAGAGGCCGG TACCTCCCCG   1500
     AGGTCATGGG TGACGGCCTG GCCAACCAGA TCAACAACCC CGAGGTGGAG GTGGACATCA   1560
     CCAAGCCGGA CATGACCATC CGGCAGCAGA TCATGCAGCT GAAGATCATG ACCAACCGGC   1620
     TGCGCAGCGC CTACAACGGC AACGACGTGG ACTTCCAGGA CGCCAGTGAC GACGGCAGCG   1680
     GCTCGGGCAG CGGTGATGGC TGTCTGGATG ACCTCTGCGG CCGGAAGGTC AGCAGGAAGA   1740
     GCTCCAGCTC CCGGACGCCC TTGACCCATG CCCTCCCAGG CCTGTCAGGA CAGGAAGGAC   1800
     AGAAGACCTC GGCTGCCAGC TGCCCCCAGC CCCCGACCTT CCTCCTGCCC CTCCTCCTCT   1860
     TCCTGGCCCT TACAGTAGCC AGGCCCCGGT GGCGGTAACT GCCCCAAGGC CCCAGGGACA   1920
     GAGGCCAAGG ACTGACTTTG CCAAAAATAC AACACAGACG ATATTTAATT CACCTCAGCC   1980
     TGGAGAGGCC TGGGGTGGGA CAGGGAGGGC CGGCGGCTCT GAGCAGGGGC AGGCGCAGAG   2040
     GTCCCAGCCC CAGGCCTGGC CTCGCCTGCC TTTCTGCCTT TTAATTTTGT ATGAGGTCCT   2100
     CAGGTCAGCT GGGAGCCAGT GTGCCCAAAA GCCATGTATT TCAGGGACCT CAGGGGCACC   2160
     TCCGGCTGCC TAGCCCTCCC CCCAGCTCCC TGCACCGCCG CAGAAGCAGC CCCTCGAGGC   2220
     CTACAGAGGA GGCCTCAAAG CAACCCGCTG GAGCCCACAG CGAGCCTGTG CCTTCCTCCC   2280
     CGCCTCCTCC CACTGGGACT CCCAGCCAGAG CCCACCAGCC AGCCGTGCC CACCCCCCGA   2340
     CCTCCAGAGA AGCCCCGCAC GGGCTGTCTG GGTGTCCGCC ATCCAGGGTC TGGCAGAGCC   2400
     TCTGAGATGA TGCATGATGC CCTCCCCTCA GCGCAGGCTG CAGAGCCCGG CCCCACCTCC   2460
     CTGCGCCCTT GAGGGGCCCC AGCGTCTGCA GGGTGACGCC TGAGACAGCA CCACTGCTGA   2520
     GGAGTCTGAG GACTGTCCTC CCACAGACCC TGCAGTGAGG GGCCTCCAT GCGCAGATGA   2580
     GGGGCCACTG ACCCACCTGC GCTTCTGCTG GAGGAGGGGA AGCTGGGCAC AAAGGCCCAG   2640
     GGAGGCAGCG TGGGCTCTGC CAATGTGGGC TGCCCCTCGC ACACAGGGCT CACAGGGCAG   2700
     GCCTTGCTGG GGTCCAGGGC TGTTGGAGGA CCCCGAGGGC TGAGGAGCAG CCAGGACCCG   2760
     CCTGCTCCCA TCCTCACCCA GATCAGGAAC CAGGGCCTCC CTGTTCACGG TGACACAGGT   2820
     CAGGGCTCAG AGTGACCCTC GGCTGTCACC TGCTCACAGG GATGCTGGTG GCTGGTGAGA   2880
     CCCCGCACTG CACACGGGAA TGCCTAGGTC CCTTCCCGAC CAGCCAGCT GCACTGCAGG   2940
     GCACGGGGAC CTGGATAGTT AAGGGCTTTT CCAAACATGC ATCCATTTAC TGACACTTCC   3000
     TGTCCTTGTT CATGGAGAGC TGTTCGCTCC TCCCAGATGG CTTCGGAGGC CCGCAGGGCC   3060
     CACCTTGGAC CCTGGTGACC TCCTGTCACT CACTGAGGCC ATCAGGGCCC TGCCCCAGGC   3120
```

```
        CTGGACGGGC CCTCCTTCCC TCCTGTGCCC CAGCTGCCAG GTGGCCCTGG GGAGGGGTGG  3180
        TGTGGTGTTG GGAAGGGGTC CTGCAGGGGG AGGAGGACTT GGAGGGTCTG GGGGCAGCTG  3240
        TCCTGAACCG ACTGACCCTG AGGAGGCCGC TTAGTGCTGC TTTGCTTTTC ATCACCGTCC  3300
        CGCACAGTGG ACGGAGGTCC CCGGTTGCTG GTCAGGTCCC CATGGCTTGT TCTCTGGAAC  3360
 5      CTGACTTTAG ATGTTTTGGG ATCAGGAGCC CCCAACACAG GCAAGTCCAC CCCATAATAA  3420
        CCCTGCCAGT GCCAGGGTGG GCTGGGGACT CTGGCACAGT GATGCCGGGC GCCAGGACAG  3480
        CAGCACTCCC GCTGCACACA GACGGCCTAG GGGTGGCGCT CAGACCCCAC CCTACGCTCA  3540
        TCTCTGGAAG GGGCAGCCCT GAGTGGTCAC TGGTCAGGGC AGTGGCCAAG CCTGCTGTGT  3600
        CCTTCCTCCA CAAGGTCCCC CCACCGCTCA GTGTCAGCGG GTGACGTGTG TTCTTTTGAG  3660
10      TCCTTGTATG AATAAAAGGC TGGAAACCTA AA
```

Seq ID NO: 495 Protein sequence
Protein Accession #: NP_002072.1

```
15      1          11         21         31         41         51
        |          |          |          |          |          |
        MELRARGWWL LCAAAALVAC ARGDPASKSR SCGEVRQIYG AKGPSLSDVP QAEISGEHLR  60
        ICPQGYTCCT SEMEENLANR SHAELETALR DSSRVLQAML ATQLRSFDDH PQHLLNDSER  120
        TLQATFPGAF GELYTQNARA FRDLYSELRL YYRGANLHLE ETLAEFWARL LERLFKQLHP  180
20      QLLLPDDYLD CLGKQAEALR PFGEAPRELR LRATRAFVAA RSFVQGLGVA SDVVRKVAQV  240
        PLGPECSRAV MKLVYCAHCL GVPGARPCPD YCRNVLKGCL ANQADLDAEW RNLLDSMVLI  300
        TDKFWGTSGV ESVIGSVHTW LAEAINALQD NRDTLTAKVI QGCGNPKVNP QGPGPEEKRR  360
        RGKLAPRERP PSGTLEKLVS EAKAQLRDVQ DFWISLPGTL CSEKMALSTA SDDRCWNGMA  420
        RGRYLPEVMG DGLANQINNP EVEVDITKPD MTIRQQIMQL KIMTNRLRSA YNGNDVDPQD  480
        ASDDGSGSGS
```

Seq ID NO: 496 DNA sequence
Nucleic Acid Accession #: NM_001650.2
Coding sequence: 40.1011

```
30      1          11         21         31         41         51
        |          |          |          |          |          |
        GGGGCAGGCA ATGAGAGCTG CACTCTGGCT GGGGAAGGCA TGAGTGACAG ACCCACAGCA  60
        AGGCGGTGGG GTAAGTGTGG ACCTTTGTGT ACCAGAGAGA ACATCATGGT GGCTTTCAAA  120
35      GGGGTCTGGA CTCAAGCTTT CTGGAAAGCA GTCACAGCGG AATTTCTGGC CATGCTTATT  180
        TTTGTTCTCC TCAGCCTGGG ATCCACCATC AACTGGGGTG GAACAGAAAA GCCTTTACCG  240
        GTCGACATGG TTCTCATCTC CCTTTGCTTT GGACTCAGCA TTGCAACCAT GGTGCAGTGC  300
        TTTGGCCATA TCAGCGGTGG CCACATCAAC CCTGCAGTGA CTGTGGCCAT GGTGTGCACC  360
        AGGAAGATCA GCATCGCCAA GTCTGTCTTC TACATCGCAG CCCAGTGCCT GGGGGCCATC  420
40      ATTGGAGCAG GAATCCTCTA TCTGGTCACA CCTCCCAGTG TGGTGGGAGG CCTGGGAGTC  480
        ACCATGGTTC ATGGAAATCT TACGGCTGGT CATGGTCTCC TGGTTGAGTT GATAATCACA  540
        TTTCAATTGG TGTTTACTAT CTTTGCCAGC TGTGATTCCA AACGGACTGA TGTCACTGGC  600
        TCAATAGCTT TAGCAATTGG ATTTTCTGTT GCAATTGGAC ATTTATTTGC AATCAATTAT  660
        ACTGGTGCCA GCATGAATCC CGCCCGATCC TTTGGACCTG CAGTTATCAT GGGGAATTGG  720
45      GAAAACCATT GGATATATTG GGTTGGGCCC ATCATAGGAG CTGTCCTCGC TGGCTGGCCTT  780
        TATGAGTATG TCTTCTGTCC AGATGTTGAA TTCAAACGTC GTTTTAAAGA AGCCTTCAGC  840
        AAAGCTGCCC AGCAAACAAA AGGAAGCTAC ATGGAGGTGG AGGACAACAG GAGTCAGGTA  900
        GAGACGGATG ACCTGATTCT AAAACCTGGA GTGGTGCATG TGATTGACGT TGACCGGGGA  960
50      GAGGAGAAGA AGGGGAAAGA CCAATCTGGA GAGGTATTGT CTTCAGTATG ACTAGAAGAT  1020
        CGCACTGAAA GCAGACAAGA CTCCTTAGAA CTGTCCTCAG ATTTCCTTCC ACCCATTAAG  1080
        GAAACAGATT TGTTATAAAT TAGAAATGTG CAGGTTTGTT GTTTCATGTC ATATTACTCA  1140
        GTCTAAACAA TAAATATTTC ATAATTTACA AAGGAGGAAC GGAAGAAACC TATTGTGAAT  1200
        TCCAAATCTA AAAAAAGAAA TATTTTTAAG ATGTTCTTAA GCAAATATAT ACCTATTTTA  1260
        TCTAGTTACC TTTCATTAAC AACCAATTTT AACCGTGTGT CAAGATTTGG TTAAGTCTTG  1320
55      CCTGACAGAA CTCAAAGACA CGTCTATCAG CTTATTCCTT CTCTACTGGA ATATTGGTAT  1380
        AGTCAATTCT TATTTGAATA TTTATTCTAT TAAACTGAGT TTAACAATGG C
```

Seq ID NO: 497 Protein sequence
Protein Accession #: NP_001641.1

```
60      1          11         21         31         41         51
        |          |          |          |          |          |
        MSDRPTARRW GKCGPLCTRE NIMVAFKGVW TQAFWKAVTA EFLAMLIFVL LSLGSTINWG  60
        GTEKPLPVDM VLISLCFGLS IATMVQCFGH ISGGHINPAV TVAMVCTRKI SIAKSVFYIA  120
65      AQCLGAIIGA GILYLVTPPS VVGGLGVTMV HGNLTAGHGL LVELIITFQL VFTIFASCDS  180
        KRTDVTGSIA LAIGFSVAIG HLPAINYTGA SMNPARSFGP AVIMGNWENH WIYWVGPIIG  240
        AVLAGGLYEY VPCPDVEFKR RFKEAPSKAA QQTKGSYMEV EDNRSQVETD DLILKPGVVH  300
        VIDVDRGEEK KGKDQSGEVL SSV
```

Seq ID NO: 498 DNA sequence
Nucleic Acid Accession #: AB020684.1
Coding sequence: 1..1744

```
75      1          11         21         31         41         51
        |          |          |          |          |          |
        CCCCCTTGTC ATTAATACAT TAAAAAGATT CAATCTTTAC CCTGAGGTAA TTTTGGCCAG  60
        TTGGTACCGG ATTTATACCA AAATAATGGA CTTGATTGGT ATTCAAACCA AGATATGTTG  120
        GACGGTTACC AGAGGAGAAG GACTCAGTCC TATTGAAAGC TGTGTGAAGGAT TGGGAGATCC  180
80      TGCTTGCTTT TATGTTGCTG TAATTTTTAT TTTAAATGGA CTAATGATGG CATTATTCTT  240
        CATATATGGC ACATATTTAA GTGGCAGCCG ATTAGGAGGC CTGGTTACAG TGTTGTGCTT  300
        CTTTTTCAAT CATGGAGAGT GTACCCGTGT AATGTGGACA CCACCTCTCC GTGAAAGCTT  360
        CTCCATATCCA TTTCTTGTTC TTCAGATGTT GCTAGTGACT CATATTCTCA GGGCTACAAA  420
        ACTTTATAGA GGAAGCTTGA TTGCACTCTG CATTTCCAAT GTATTTTTCA TGCTTCCTTG  480
        GCAGTTTGCT CAGTTTGTAC TTCTTACTCA GATTGCATCA TTATTGCAG TATATGTTGT  540
85      CGGGTACATT GATATATGTA AATTACGGAA GATCATTTAT ATACACATGA TTTCTCTTGC  600
        ACTTTGTTTT GTTTTGATGT TTGGGAACTC AATGTTATTA ACTTCTTATT ATGCTTCTTC  660
        TTTGGTAATT ATTTGGGGTA TTCTGGCAAT GAAACCACAT TTCCTGAAAA TAAATGTATC  720
```

```
      TGAACTTAGT TTATGGGTTA TTCAAGGATG TTTTTGGTTA TTTGGAACTG TCATACTTAA   780
      ATACTTGACA TCTAAAATTT TTGGTATTGC AGATGACGCT CATATTGGCA ACTTACTAAC   840
      ATCAAAATTC TTTAGTTATA AGGATTTTGA TACTTTATTG TATACCTGTG CAGCGGAGTT   900
      TGACTTTATG GAAAAAGAGA CTCCACTGAG ATACACAAAG ACATTATTGC TTCCAGTTGT   960
      TCTTGTAGTG TTTGTTGCTA TTGTTAGAAA GATTATTAGT GATATGTGGG GTGTCTTAGC  1020
      TAAACAACAG ACACATGTAA GAAAACACCA GTTTGATCAT GGAGAGCTGG TTTACCATGC  1080
      ATTGCAATTG TTAGCATATA CAGCCCTTGG TATTTTAATT ATGAGACTAA AACTCTTCTT  1140
      GACACCACAC ATGTGTGTTA TGGCATCACT GATCTGCTCA AGACAGCTAT TTGGATGGCT  1200
      CTTTTGCAAA GTACATCCTG GTGCTATTGT GTTTGCTATA TTAGCAGCAA TGTCAATACA  1260
      AGGTTCAGCA AATCTGCAAA CCCAGTGGAA TATTGTAGGG GAGTTCAGCA ATTTGCCCCA  1320
      AGAAGAACTT ATAGAATGGA TCAAATATAG TACTAAACCA GATGCAGTGT TTGCGGGTGC  1380
      CATGCCCACG ATGGCAAGTG TTAAGCTCTC TGCACTTCGG CCCATTGTGA ATCATCCACA  1440
      TTATGAAGAC GCAGGCTTGA GAGCCAGAAC AAAAATAGTA TACTCAATGT ATAGTCGGAA  1500
      AGCAGCCGAA GAAGTGAAGC GAGAACTGAT AAAGTTAAAA GTGAACTATT ACATTCTAGA  1560
      AGAGTCATGG TGTGTAAGAA GATCCAAGCC TGGTTGCAGT ATGCCTGAAA TTTGGGATGT  1620
      AGAAGATCCT GCCAATGCTG GGAAAACTCC CTTATGTAAC CTCTTGGTGA AGGATTCCAA  1680
      ACCTCACTTC ACCACTGTAT TCCAGAACGA TGTTTACAAA GTCCTAGAAG TTGTAAAAGA  1740
      ATGACTGCTA CATGACCTGC TGCCTACGGA GAACTACATC TGTAATGGTT TTAATGTTTT  1800
      GCTAAGTCAT GTGTTGTTCA TATCCCAAAA ACTTTTATAG GTAACTGTTT TCAAATAGAA  1860
      AACGTTTTAT TTGGTCAATT TGAATGTCAT TCTAATTATA AAAATGACTT ACACCTTTAT  1920
      CAATTGGTTA CTATTTCAAT GCACCCTTTA AAATTTGCTA TGCAAATGAG TATATGCTTG  1980
      TACTTGACTT TAATATTTGT GCTAAAGTGA GCAAAGCTAC CTGTATAAAG AAAACACAGT  2040
      GGGTTGTGAC AAGGATGACA TGAAAATACA GGACAATTCT GACAATGTAG GGGCTGATTT  2100
      TATAGTGTAA GAACTATTAA TGCCCCTTGC TTCTTTTTTC TGCCTCTTGC TCTTGTCTTT  2160
      TGGACATTTC AGTGATTGTA AGTTCTTGGG TCATGTCAGC CCCTGTCATC AACTTGAGTT  2220
      ACAGTAGATG GGGCAGACAT GGAGTGTTTG CTATATAAAA CTATCTGTTT GTTTTACTTC  2280
      CTTGTGCGCT TTTTGTTCTC TGTTCTCTTG TTAATGAAGC TTTTCCTGCC CATTATTAAT  2340
      CCAAACTCTT GGACCTTGTG GTTAGGAAAT TCCCTTAACT TCCAGCCATA TGGCATTATC  2400
      GTGTCTCTTT CTCTCTCTCT CTTGCTCTCT CTCTTCTCCT CTCTTCTCCA TTTTCTGTCA  2460
      AATAAGTACT GTTTACTCAT TTAGTTGCTT ATCAAGTACT TATTCTTGGT TTTAAAAAAA  2520
      ATTAATGGTA ACTGTATTTT TCTCATTTTT AGCATTATTC AAATGTTTAT ATTTTAATAC  2580
      CTTTAAACCA CTTTAAAGTT TTTTCATGTT TAATTATAGT TTTAAGAAAA ACTATTTTGA  2640
      ACAACCCCAA ATATAGTGCA TCTAGAAACT AATGTATATT TGATTAGACA TCATTTATAG  2700
      TGGAACAGTA GACTGTAGTA CATGGTAATT TTTCTTTTAC TATTAAGATA CAATAAAACA  2760
      TGACTAATTT TGCTGTCAAA AATGTAAAGA ATAATGATAA ATGGAGTTTT TTATATTTTA  2820
      CTTTTAAGAT TGCCTGTCTT TAATAAGACA AAGCCTTAAG CCTTATGTTA TAATTTTGGT  2880
      TCTAAAAACC ATCATTTCAG TATAAGGAAT AAGTATATTT CGTCCTCCTC TTTAGTTTTT  2940
      TTCTTCCTAT TTATTTTTAT TTTGAAAAAT TTCTACACCT TCTTTGAATT CCTTGTGATGA  3000
      ATTTTTGTTT CTTAGAAGTT AATTTGTGTG AAATGAGATT CTTCAAAACG ATGAAACCTC  3060
      ATAGCTCTGA GAAAAGGTTT TAGGGTTTTA AATTCTAAGC AAAGCGTGAC TATGGCTGAC  3120
      AGACTACACA TTTAATTATA CAGCTTCTCT TTCTTAACCA CAGGCAGATT AACCTCATTG  3180
      TGGATTGTCC TTCAGACCTT AGTCCTCAGG CATGGTTTCT GGTGCCCACT CCTGGAAGCC  3240
      GCTGTTCCCT TTCTACCTTC TTACCAGAGC CCAAGGGCAG GCCTGGTCCC GGGGAAGCAG  3300
      CAGCTTGCTG ACATAAGTCA GCTGCAAAGG CTGAGGAGTG TGCCCTCAGA GAAGCACCGC  3360
      CCCCAGTCT TGTGCCAGCG CCTAGAGCCG CAGCTCCCAG GGATGCTCCT TCCCTGGAGG  3420
      CAGCCCAGGA GAGGGACTCT GGCAGCGTTC TTCAGATTTG TGGCCACTGT TTCTCATTTG  3480
      CTGGTTGACT GTTTTTATTT CTTAGGCTTT TGCTAGTTTT AGAAAATAGG GAAGCAGCCC  3540
      TTGATTGTG GATTAAAAGC AACATTTGAG CGATGATGCA CAACAGTCCA GGAAAATGGG  3600
      CGGTGGACAC TTGAGGCTGA GGATGGGAGT TGACATGAGC AGGGAGAGGG AGGTGCGCGC  3660
      TGCTTATCTG TGATTGTTGC TCACCTGAGT GTGGCTGATT GTGTACATCC AGCAGTTACA  3720
      ATTTTTAAAA ATTATACTTT TACATTTATT TTATATTTTT CTCACCCCCA GTAATTTCCT  3780
      TCCAAAGAAG TTCACATGTA ATAAGTAGAA ATTCTGTATA GGAAAAAAGC ATTAAAAATA  3840
      CTATTATAAC TGCTTCATTT GCTGGGAACC ATTAAAAGTA ATATAAATTA GCTTTTTCCA  3900
      GAAGGATCCT TTTGTAGCAG TGTTTATGAA TGTAACCCCC AGCAAAATAT GGCTATATAT  3960
      TAGGGGAGCC AGTTTGGAGC AGAGGCCTGA AGGTCCCTGC TATGCAGCCG TGGCCACAGC  4020
      TCGCAGCCCA AGCACTGTGG AGCATCCACA CCTTTGATGG CAATGCAGAT TGGTAGCAGG  4080
      TTCCATAGGC GTACAAAACA GTATTAAAGC TCAGTGTTTT GCATATTGTT AGCATTTACA  4140
      AATATTTTTG CTTTAGTATG AGGAAAGTAA GGATGGGCAA AGAAGCGATC AAAATAGCTA  4200
      TTGCTACAAC ATTTTCGAAA ACAAAGTTGG GGCTGTATTT CTTTAAAAAG ATAAGCCTCT  4260
      AAAAATGCTT GGCAAAAAAA ATATAGTGTT AAAAATAGGCC AGTGATATTA ATGAGAAAAT  4320
      GAAAGTATGT ATCAGGAATA AAGTGATATT GCATAGGAGT ATTGTATTTT TATGAATTTT  4380
      ATGCCAGTTG TTTACATGTA CTATATATGT TAAATTAAAA AAAATCATGA GAAATG
```

Seq ID NO: 499 Protein sequence
Protein Accession #: BAA74900.1

```
      1         11        21        31        41        51
      |         |         |         |         |         |
      PLVINTLKRP NLYPEVILAS WYRIYTKIMD LIGIQTKICW TVTRGEGLSP IESCBGLGDP    60
      ACFYVAVIFI LNGLMMALFP IYGTYLSGSR LGGLVTVLCF FPNHGECTRV MWTPPLRESP   120
      SYPPLVLQML LVTHILRATK IYRGSLIALC ISNVPFMLPW QFAQFVLLTQ IASLPAVYVV   180
      GYIDICKLRR IIYIHMISLA LCPVLMPGNS MLLTSYYASS LVIIWGILAM KPHFLKINVS   240
      ELSLWVIQGC PWLFGTVILK YLTSKIPGIA DDAHIGNLLT SKFPSYKDFD TLLYTCAAEF   300
      DFMEKETPLR YTKTLLLPVV LVVFVAIVRK IISDMWGVLA KQQTHVRKHQ FDHGELVYHA   360
      LQLLAYTALG ILIMRLKLPL TPHMCVMASL ICSRQLFGWL PCKVHPGAIV FAILAAMSIQ   420
      GSANLQTQWN IVGEFSNLPQ EELIEWIKYS TKPDAVPAGA MPTMASVKLS ALRPIVNHPH   480
      YEDAGLRART KIVYSMYSRK AAEEVKRELI KLKVNYYILE ESWCVRRSKP GCSMPEIWDV   540
      EDPANAGKTP LCNLLVKDSK PHFTTVPQNS VYKVLEVVKE
```

Seq ID NO: 500 DNA sequence
Nucleic Acid Accession #: NM_001276.1
Coding sequence: 127..1278

```
      1         11        21        31        41        51
      |         |         |         |         |         |
      AGTGGAGTGG GACAGGTATA TAAAGGAAGT ACAGGGCCTG GGGAAGAGGC CCTGTCTAGG    60
      TAGCTGGCAC CAGGAGCCGT GGGCAAGGGA AGAGGCCACA CCCTGCCCTG CTCTGCTGCA   120
```

376

```
        GCCAGAATGG GTGTGAAGGC GTCTCAAACA GGCTTTGTGG TCCTGGTGCT GCTCCAGTGC    180
        TGCTCTGCAT ACAAACTGGT CTGCTACTAC ACCAGCTGGT CCCAGTACCG GGAAGGCGAT    240
        GGGAGCTGCT TCCCAGATGC CCTTGACCGC TTCCTCTGTA CCCACATCAT CTACAGCTTT    300
        GCCAATATAA GCAACGATCA CATCGACACC TGGGAGTGGA ATGATGTGAC GCTCTACGGC    360
  5     ATGCTCAACA CACTCAAGAA CAGGAACCCC AACCTGAAGA CTCTCTTGTC TGTCGGAGGA    420
        TGGAACTTTG GGTCTCAAAG ATTTTCCAAG ATAGCCTCCA ACACCCAGAG TCGCCGGACT    480
        TTCATCAAGT CAGTACCGCC ATTCCTGCGC ACCCATGGCT TTGATGGGCT GGACCTTGCC    540
        TGGCTCTACC CTGGACGGAG AGACAAACAG CATTTTACCA CCCTAATCAA GGAAATGAAG    600
        GCCGAATTTA TAAAGGAAGC CCAGCCAGGG AAAAAGCAGC TCCTGCTCAG CGCAGCCACTG   660
 10     TCTGCGGGGA AGGTCACCAT TGACAGCAGC TATGACATTG CCAAGATATC CCAACACCTG    720
        GATTTCATTA GCATCATGAC CTACGATTTT CATGGAGCCT GGCGTGGGAC CACAGGCCAT    780
        CACAGTCCCC TGTTCCGAGG TCAGGAGGAT GCAAGTCCTG ACAGATTCAG CAACACTGAC    840
        TATGCTGTGG GGTACATGTT GAGGCTGGGG GCTCCTGCCA GTAAGCTGGT GATGGGCATC    900
        CCCACCTTCG GGAGGAGCTT CACTCTGGCT TCTTCTGAGA CTGGTGTTGG AGCCCCAATC    960
 15     TCAGGACCGG GAATTCCAGG CCGGTTCACC AAGGAGGCAG GGACCCTTGC CTACTATGAG   1020
        ATCTGTGACT TCCTCCGCGG AGCCACAGTC·CATAGAACCC TCGGCCAGCA GGTCCCCTAT   1080
        GCCACCAAGG GCAACCAGTG GGTAGGGATCA GACGACCAGG AAAGCGTCAA AAGCAAGGTG   1140
        CAGTACCTGA AGGATAGGCA GCTGGCAGGC GCCATGGTAT GGGCCCTGGA CCTGGATGAC   1200
        TTCCAGGGCT CCTTCTGCGG CCAGGATCTG CGCTTCCCTC TCACCAATGC CATCAAGGAT   1260
 20     GCACTCGCTG CAACGTAGCC CTCTGTTCTG CACACAGCAC GGGGGCCAAG GATGCCCCGT   1320
        CCCCCTCTGG CTCCAGCTGG CCGGGAGCCT GATCACCTGC CCTGCTGAGT CCCAGGCTGA   1380
        GCCTCAGTCT CCCTCCCTTG GGGCCTATGC AGAGGTCCAC AACACACAGA TTTGAGCTCA   1440
        GCCCTGGTGG GCAGAGAGGT AGGGATGGGG CTGTGGGGAT AGTGAGGCAT CGCAATGTAA ·1500
        GACTCGGGAT TAGTACACAC TTGTTGATGA TTAATGGAAA TGTTTACAGA TCCCCAAGCC   1560
 25     TGGCAAGGGA ATTTCTTCAA CTCCCTGCCC CCTAGCCCTC CTTATCAAAG GACACCATTT   1620
        TGGCAAGCTC TATCACCAAG GAGCCAAACA TCCTACAAGA CACAGTGACC ATACTAATTA   1680
        TACCCCCTGC AAAGCCAGCT TGAAACCTTC ACTTAGGAAC GTAATCGTGT CCCCTATCCT   1740
        ACTTCCCCTT CCTAATTCCA CAGCTGCTCA ATAAAGTACA AGAGTTTAAC AGTGTGTTGG   1800
        CGCTTTGCTT TGGTCTATCT TTGAGCGCCC ACTAGACCCA CTGGACTCAC CTCCCCCATC   1860
 30     TCTTCTGGGT TCCTTCCTCT GAGCCTTGGG ACCCCTGAGC TTGCAGAGAT GAAGGCCGCC   1920
        ATGTT
```

```
Seq ID NO: 501 Protein sequence
Protein Accession #: NP_001267.1
```

```
 1         11         21         31         41         51
 |         |          |          |          |          |
MGVKASQTGF VVLVLLQCCS AYKLVCYYTS WSQYREGDGS CFPDALDRFL CTHIIYSFAN    60
ISNDHIDTWE WNDVTLYGML NTLKNRNPNL KTLLSVGGWN FGSQRPSKIA SNTQSRRTFI   120
KSVPPFLRTH GFDGLDLAWL YPGRRDKQHF TTLIKEMKAE FIKEAQPGKK QLLLSAALSA   180
GKVTIDSSYD IAKISQHLDF ISIMTYDFHG AWRGTTGHHS PLFRGQEDAS PDRFSNTDYA   240
VGYMLRLGAP ASKLVMGIPT FGRSFTLASS ETGVGAPISG PGIPGRFTKE AGTLAYYEIC   300
DPLRGATVHR TLGQQVPYAT KGNQWVGYDD QESVKSKVQY LKDRQLAGAM VWALDLDDPQ   360
GSFCGQDLRF PLTNAIKDAL AAT
```

```
Seq ID NO: 502 DNA sequence
Nucleic Acid Accession #: NM_006474.1
Coding sequence: 181..669
```

```
 1         11         21         31         41         51
 |         |          |          |          |          |
GCTGCCTAGG GTCTGGAAAG CTCGGGCACC CTCCCTCTCC GGGGCTCCTG CTCCCACCCC    60
TCCGGCCCCC CCACCGTCGC GCTCCTCCAG GCTGGGCCTG TGGCCGCGGT GCTTTTAATT   120
TTCCCCCAGC TCAGAATCTT GCTGCTCGGC CCCCAGGAGA GCAACAACTC AACGGGAACG   180
ATGTGGAAGG TGTCAGCTCT GCTCTTCGTT TTGGGAAGCG CGTCGCTCTG GGTCCTGGCA   240
GAAGGAGCCA GCACAGGCCA GCCAGAAGAT GACACTGAGA CTACAGGTTT GGAAGGCGGC   300
GTTGCCATGC CAGGTGCCGA AGATGATGTG GTGACTCCAG GAACCAGCGA AGACCGCTAT   360
AAGTCTGGCT TGACAACTCT GGTGGCAACA AGTGTCAACA GTGTAACAGG CATTCGCATC   420
GAGGATCTGC CAACTTCAGA AAGCACAGTC CACGCGCAAG AACAAAGTCC AAGCGCCACA   480
GCCTCAAACG TGGCCACCAG TCACTCCACG GAGAAAGTGG ATGGAGACAC ACAGACAACA   540
GTTGAGAAAG ATGGTTTGTC AACAGTGACC CTGGTTGGAA TCATAGTTGG GGTCTTACTA   600
GCCATCGGTT TCATTGGTGG AATCATCGTT GTGGTTATGC GAAAAATGTC GGGAAGGTAC   660
·TCGCCCTAAA GAGCTGAAGG GTTACGCCCT GCTTGCCAAC GTGCTTTAAA AAAAGACCGT   720
TTCTGACTCT GTGGCCCTGT CCCTGAGCTC GTGGGGAGAA GATGACCCTG GGAACATTTG   780
CGGGCCCATT CAGATTCCAC GGTGACTTTC CGTTTGCCAA ATTAACCGAG GAAAGACCTT   840
TCACCAGATT TGGTTCTTAA ACTTT
```

```
Seq ID NO: 503 Protein sequence
Protein Accession #: NP_006465.1
```

```
 1         11         21         31         41         51
 |         |          |          |          |          |
MWKVSALLFV LGSASLWVLA EGASTGQPED DTETTGLEGG VAMPGAEDDV VTPGTSEDRY    60
KSGLTTLVAT SVNSVTGIRI EDLPTSESTV HAQEQSPSAT ASNVATSHST EKVDGDTQTT   120
VEKDGLSTVT LVGIIVGVLL AIGFIGGIIV VVMRKMSGRY SP
```

```
Seq ID NO: 504 DNA sequence .
Nucleic Acid Accession #: Eos sequence
Coding sequence: 62..895
```

```
 1         11         21         31         41         51
 |         · |        |          |          |          |
CACTGCTCTG AGAATTTGTG AGCAGCCCCT AACAGGCTGT TACTTCACTA CAACTGACGA    60
TATGATCATC TTAATTTACT TATTTCTCTT GCTATGGGAA GCATGGGGAT TGAGGGGATT   120
CAAGGATGGA ATTTTTCATA ACTCCATATG GCTTGAACGA GCAGCCGGTG TGTACCACAG   180
AGAAGCACGG TCTGGCAAAT ACAAGCTCAC CTACGCAGAA GCTAAGGCGG TGTGTGAATT   240
TGAAGGCGGC CATCTCGCAA CTTACAAGCA GCTAGAGGCA GCCAGAAAAA TTGGATTTCA   300
```

```
        TGTCTGTGCT GCTGGATGGA TGGCTAAGGG CAGAGTTGGA TACCCCATTG TGAAGCCAGG   360
        GCCCAACTGT GGATTTGGAA AAACTGGCAT TATTGATTAT GGAATCCGTC TCAATAGGAG   420
        TGAAAGATGG GATGCCTATT GCTACAACCC ACACGCAAAG GAGTGTGGTG GCGTCTTTAC   480
        AGATCCAAAG CAAATTTTTA AATCTCCAGG CTTCCCAAAT GAGTACGAAG ATAACCAAAT   540
5       CTGCTACTGG CACATTAGAC TCAAGTATGG TCAGCGTATT CACCTGAGTT TTTTAGATTT   600
        TGACCTTGAA GATGACCCAG GTTGCTTGGC TGATTATGTT GAAATATATG ACAGTTACGA   660
        TGATGTCCAT GGCTTTGTGG GAAGATACTG TGGAGATGAG CTTCCAGATG ACATCATCAG   720
        TACAGGAAAT GTCATGACCT TGAAGTTTCT AAGTGATGCT TCAGTGACAG CTGGAGGTTT   780
        CCAAATCAAA TATGTTGCAA TGGATCCTGT ATCCAAATCC AGTCAAGGAA AAAATACAAG   840
10      TACTACTTCT ACTGGAAATA AAAACTTTTT AGCTGGAAGA TTTAGCCACT TATAAAAAAA   900
        AAAAAAAGGA TGATCAAAAC ACACAGTGTT TATGTTGGAA TCTTTTGGAA CTCCTTTGAT   960
        CTCACTGTTA TTATTAACAT TTATTTATTA TTTTTCTAAA TGTGAAAGCA ATACATAATT  1020
        TAGGGAAAAT TGGAAAATAT AGGAAACTTT AAACGAAGAA ATGAAACCTC TCATAATCCC  1080
        ACTGCATAGA AATAACAAGC GTTAACATTT TCATATTTTT TTCTTTCAGT CATTTTTCTA  1140
15      TTTGTGGTAT ATGTATATAT GTACCTATAT GTATTTGCAT TTGAAATTTT GGAATCCTGC  1200
        TCTATGTACA GTTTTGTATT ATACTTTTTA AATCTTGAAC TTTATAAACA TTTTCTGAAA  1260
        TCATTGATTA TTCTACAAAA ACATGATTTT AAACAGCTGT AAAATATTCT ATGATATGAA  1320
        TGTTTTATGC ATTATTTAAG CCTGTCTCTA TTGTTGGAAT TTCAGGTCAT TTTCATAAAT  1380
        ATTGTTGCAA TAAATATCCT TGAACACACA AAAAAAAAAA AA
20
        Seq ID NO: 505 Protein sequence
        Protein Accession #: Eos sequence


        1          11         21         31         41         51
25      |          |          |          |          |          |
        MIILIYLFLL LWEDTQGWGF KDGIFHNSIW LERAAGVYHR EARSGKYKLT YAEAKAVCEF    60
        EGGHLATYKQ LEAARKIGFH VCAAGWMAKG RVGYPIVKPG PNCGFGKTGI IDYGIRLNRS   120
        ERWDAYCYNP HAKECGGVFT DPKQIFKSPG FPNEYEDNQI CYWHIRLKYG QRIHLSFLDF   180
30      DLEDDPGCLA DYVEIYDSYD DVHGFVGRYC GDELPDDIIS TGNVMTLKFL SDASVTAGGF   240
        QIKYVAMDPV SKSSQGKNTS TTSTGNKNFL AGRFSHL


        Seq ID NO: 506 DNA sequence
        Nucleic Acid Accession #: NM_007115.1
        Coding sequence: 69..902
35

        1          11         21         31         41         51
        |          |          |          |.         |          |
        GAATTCGCAC TGCTCTGAGA ATTTGTGAGC AGCCCCTAAC AGGCTGTTAC TTCACTACAA    60
        CTGACGATAT GATCATCTTA ATTTACTTAT TTCTCTTGCT ATGGGAAGAC ACTCAAGGAT   120
40      GGGGATTCAA GGATGGAATT TTTCATAACT CCATATGGCT TGAACGAGCA GCCGGTGTGT   180
        ACCACAGAGA AGCACGGTCT GGCAAATACA AGCTCACCTA CGCAGAAGCT AAGGCGGTGT   240
        GTGAATTTGA AGGCGGCCAT CTCGCAACTT ACAAGCAGCT AGAGGCAGCC AGAAAAATTG   300
        GATTTCATGT CTGTGCTGCT GGATGGATGG CTAAGGGCAG AGTTGGATAC CCCATTGTGA   360
45      AGCCAGGGCC CAACTGATGA TTTGGAAAAA CTGGCATTAT TGATTATGGA ATCCGTCTCA   420
        ATAGGAGTGA AAGATGGGAT GCCTATTGCT ACAACCCACA CGCAAGGAG TGTGGTGGCG   480
        TCTTTACAGA TCCAAAGCGA ATTTTTAAAT CTCCAGGCTT CCCAAATGAG TACGAAGATA   540
        ACCAAATCTG CTACTGGCAC ATTAGACTCA AGTATGGTCA GCGTATTCAC CTGAGTTTTT   600
        TAGATTTTGA CCTTGAAGAT GACCCAGGTT GCTTGGCTGA TTATGTTGAA ATATATGACA   660
50      GTTACGATGA TGTCCATGGC TTTGTGGGAA GATACTGTGG AGATGAGCTT CCAGATGACA   720
        TCATCAGTAC AGGAAATGTC ATGACCTTGA AGTTTCTAAG TGATGCTTCA GTGACAGCTG   780
        GAGGTTTCCA AATCAAATAT GTTGCAATGG ATCCTGTATC CAAATCCAGT CAAGGAAAAA   840
        ATACAAGTAC TACTTCTACT GGAAATAAAA ACTTTTTAGC TGGAAGATTT AGCCACTTAT   900
55      AAAAAAAAAA AAGGATGATC AAAACACACA GTGTTTATGT TGGAATCTTT TGGAACTCCT   960
        TTGATCTCAC TGTTATTATT AACATTTATT TATTATTTTT CTAAATGTGA AAGAAATACA  1020
        TAATTTAGGG AAAATTGGAA AATATAGGAA ACTTTAAACG AGAAAATGAA ACCTCTCATA  1080
        ATCCCACTGC ATAGAAATAA CAAGCGTTAA CATTTTCATA TTTTTTTCTT TCAGTCATTT  1140
        TTGTATTTGT GGTATATGTA TATGTACC TATATGTATT TGCATTTGAA ATTTTGGAAT  1200
60      .CCTGCTCTAT GTACAGTTTT GTATTATACT TTTTAAATCT TGAACTTTAT GAACATTTTC  1260
        TGAAATCATT GATTATTCTA CAAAAACATG ATTTTAAACA GCTGTAAAAT ATTCTATGAT  1320
        ATGAATGTTT TATGCATTAT TTAAGCCTGT CTCTATTGTT GGAATTTCAG GTCATTTTCA  1380
        TAAATATTGT TGCAATAAAT ATCCTTCGGA ATTC
65
        Seq ID NO: 507 Protein sequence
        Protein Accession #: NP_009046.1


        1          11         21         31         41         51
70      |          |          |          |          |          |
        MIILIYLFLL LWEDTQGWGF KDGIFHNSIW LERAAGVYHR EARSGKYKLT YAEAKAVCEF    60
        EGGHLATYKQ LEAARKIGFH VCAAGWMAKG RVGYPIVKPG PNXXFGKTGI IDYGIRLNRS   120
        ERWDAYCYNP HAKECGGVFT DPKRIFKSPG FPNEYEDNQI CYWHIRLKYG QRIHLSFLDF   180
        DLEDDPGCLA DYVEIYDSYD DVHGFVGRYC GDELPDDIIS TGNVMTLKFL SDASVTAGGF   240
        QIKYVAMDPV SKSSQGKNTS TTSTGNKNFL AGRFSHL

75      Seq ID NO: 508 DNA sequence
        Nucleic Acid Accession #: NM_001044.1
        Coding sequence: 129..1991


        1          11         21         31         41         51
80      |          |          |          |          |          |
        ACCGCTCCGG AGCGGGAGGG GAGGCTTCGC GGAACGCTCT CGGCGCCAGG ACTCGCGTGC    60
        AAAGCCCAGG CCCGGGCGGC CAGACCAAGA GGGAAGAAGC ACAGAATTCC TCAACTCCCA   120
        GTGTGCCCAT GAGTAAGAGC AAATGCTCCG TGGGACTCAT GTCTTCCGTG GTGGCCCCGG   180
        CTAAGGAGCC CAATGCCGTG GGCCCGAAGG AGGTGGAGCT CATCCTTGTC AAGGAGCAGA   240
85      ACGGAGTGCA GCTCACCAGC TCCACCCTCA CCAACCCGCG GCAGAGCCCC GTGGAGGCCC   300
        AGGATCGGGA GACCTGGGGC AAGAAGATCG ACTTTCTCCT GTCCGTCATT GGCTTTGCTG   360
        TGGACCTGGC CAACGTCTGG CGGTTCCCCT ACCTGTGCTA CAAAAATGGT GGCGGTGCCT   420
```

```
TCCTGGTCCC CTACCTGCTC TTCATGGTCA TTGCTGGGAT GCCACTTTTC TACATGGAGC   480
TGGCCCTCGG CCAGTTCAAC AGGGAAGGGG CCGCTGGTGT CTGGAAGATC TGCCCCATAC   540
TGAAAGGTGT GGGCTTCACG GTCATCCTCA TCTCACTGTA TGTCGGCTTC TTCTACAACG   600
TCATCATCGC CTGGGCGCTG CACTATCTCT TCTCCTCCTT CACCACGGAG CTCCCCTGGA   660
TCCCACTGCAG CAACTCCTGG AACAGCCCCA ACTGCTCGGA TGCCCATCGT GGTGACTCCA   720
GTGGAGACAG CTCGGGCCTC AACGACACTT TTGGGACCAC ACCTGCTGCC GAGTACTTTG   780
AACGTGGCGT GCTGCACCTC CACCAGAGCC ATGGCATCGA CGACCTGGGG CCTCCGCGGT   840
GGCAGCTCAC AGCCTGCCTG GTGCTGGTCA TCGTGCTGCT CTACTTCAGC CTCTGGAAGG   900
GCGTGAAGAC CTCAGGGAAG GTGGTATGGA TCACAGCCAC CATGCCATAC GTGGTCCTCA   960
CTGCCCTGCT CCTGCGTGGG GTCACCCTCC CTGGAGCCAT AGACGGCATC AGAGCATACC  1020
TGAGCGTTGA CTTCTACCGG CTCTGCGAGG CGTCTGTTTG GATTGACGCG GCCACCCAGG  1080
TGTGCTTCTC CCTGGGCGTG GGGTTCGGGG TGCTGATCGC CTTCTCCAGC TACAACAAGT  1140
TCACCAACAA CTGCTACAGG GACGCGATTG TCACCACCTC CATCAACTCC CTGACGAGCT  1200
TCTCCTCCGG CTTCGTCGTC TTCTCCTTCC TGGGGTACAT GGCACGAAG CACAGTGTGC  1260
CCATCGGGGA CGTGGCCAAG GACGGGCCAG GGCTGATCTT CATCATCTAC CCGGAAGCCA  1320
TCGCCACGCT CCCTCTGTCC TCAGCCTGGG CCGTGGTCTT CTTCATCATG CTGCTCACCC  1380
TGGGTATCGA CAGCGCCATG GGTGGTATGG AGTCAGTGAT CACCGGGCTC ATCGATGAGT  1440
TCCAGCTGCT GCACAGACAC CGTGAGCTCT TCACGCTCTT CATCGTCCTG GCGACCTTCC  1500
TCCTGTCCCT GTTCTGCGTC ACCAACGGTG GCATCTACGT CTTCACGCTC CTGGACCATT  1560
TTGCAGCCGG CACGTCCATC CTCTTTGGAG TGCTCATCGA AGCCATCGGA GTGGCCTGGT  1620
TCTATGGTGT TGGGCAGTTC AGCGACGACA TCCAGCAGAT GACCGGGCAG CGGCCCAGCC  1680
TGTACTGGCG GCTGTGCTGG AAGCTGGTCA GCCCCTGCTT TCTCCTGTTC GTGGTCGTGG  1740
TCAGCATTGT GACCTTCAGA CCCCCCCACT ACGGAGCCTA CATCTTCCCC GACTGGGCCA  1800
ACGCGCTGGG CTGGGTCATC GCCACATCCT CCATGGCCAT GGTGCCCATC TATGCGGCCT  1860
ACAAGTTCTG CAGCCTGCCT GGGTCCTTTC GAGAGAAACT GGCCTACGCC ATTGCACCCG  1920
AGAAGGACCG TGAGCTGGTG GACAGAGGGG AGGTGCGCCA GTTCACGCTC CGCCACTGGC  1980
TCAAGGTGTA GAGGGAGCAG AGACGAAGAC CCCAGGAAGT CATCCTGCAA TGGGAGAGAC  2040
ACGAACAAAC CAAGGAAATC TAAGTTTCGA GAGAAAGGAG GGCAACTTCT ACTCTTCAAC  2100
CTCTACTGAA AACACAAACA ACAAAGCAGA AGACTCCTCT CTTTACACCTT TTTACACCTT  2160
TCCGTGCCGG GAGCGCACCT CGCCGTGTCT TGTGTTGCTG TAATAACGAC GTAGATCTGT  2220
GCAGCGAGGT CCACCCCGTT GTTGTCCCTG CAGGGCAGAA AAACGTCTAA CTTCATGCTG  2280
TCTGTGTGAG GCTCCCTCCC TCCCTGCTCC CTGCTCCCGG CTCTGAGGCT GCCCCAGGGG  2340
CACTGTGTTC TCAGGCGGGG ATCACGATCC TTGTAGACGC ACCTGCTGAG AATCCCCGTG  2400
CTCACAGTAG CTTCCTAGAC CATTTACTTT GCCCATATTA AAAAGCCAAG TGTCCTGCTT  2460
GGTTTAGCTG TGCAGAAGGT GAAATGGAGG AAACCACAAA TTCATGCAAA GTCCTTTCCC  2520
GATGCGTGGC TCCCAGCAGA GGCCGTAAAT TGAGCGTTCA GTTGACACAT TGCACACACA  2580
GTCTGTTCAG AGGCATTGGA GGATGGGGGT CCTGGTATGT CTCACCAGGA AATTCTGTTT  2640
ATGTTCTTGC AGCAGAGAGA AATAAAACTC CTTGAAACCA GCTCAGGCTA CTGCCACTCA  2700
GGCAGCCTGT GGGTCCTTGT GGTGTAGGGA ACGGCCTGAG AGGAGCGTGT CCTATCCCCG  2760
GACGCATGCA GGGCCCCCAC AGGAGCGTGT CCTATCCCCG GACGCATGCA GGGCCCCCAC  2820
AGGAGCATGT CCTATCCCTG GACGCATGCA GGGCCCCCAC AGGAGCGTGT ACTACCCCAG  2880
AACGCATGCA GGGCCCCCAC AGGAGCGTGT ACTACCCCAG GACGCATGCA GGGCCCCCAC  2940
TGGAGCGTGT ACTACCCCAG GACGCATGCA GGGCCCCCAC AGGAGCGTGT CCTATCCCCG  3000
GACCGGACGC ATGCAGGGCC CCCACAGGAG CGTGTACTAC CCCAGGACGC ATGCAGGGCC  3060
CCCACAGGAG CGTGTACTAC CCCAGGATGC ATGCAGGGCC CGTGTACTAC  3120
CCCAGGACGC ATGCAGGGCC CCCATGCAGG CAGCCTGCAG ACCAACACTC TGCCTGGCCT  3180
TGAGCCGTGA CCTCCAGGAA GGGACCCCAC TGGAATTTTA TTTCTCTCAG GTGCGTGCCA  3240
CATCAATAAC AACAGTTTTT ATGTTTGCGA ATGGCTTTTT AAAATCATAT TTACCTGTGA  3300
ATCAAAACAA ATTCAAGAAT GCAGTATCCG CGAGCCTGCT TGCTGATATT GCAGTTTTTG  3360
TTTACAAGAA TAATTAGCAA TACTGAGTGA AGGATGTTGG CCAAAAGCTG CTTTCCATGG  3420
CACACTGCCC TCTGCCACTG ACAGGAAAGT GGATGCCATA GTTTGAATTC ATGCCTCAAG  3480
TCGGTGGGCC TGCCTACGTG CTGCCCGAGG GCAGGGGCCG TGCAGGGCCA GTCATGGCTG  3540
TCCCCTGCAA GTGGACGTGG GCTCCAGGGA CTGGAGTGTA ATGCTCGGTG GGAGCCGTCA  3600
GCCTGTGAAC TGCCAGGCAG CTGCAGTTAG CACAGAGGAT GGCTTCCCCA TTGCCTTCTG  3660
GGGAGGGACA CAGAGGACGG CTTCCCCATC GCCTTCTGGC CGCTGCAGTC AGCACAGAGA  3720
GCGGCTTCCC CATTGCCTTC TGGGGAGGGA CACAGAGGAC AGTTTCCCCA TCGCCTTCTG  3780
GTTGTTGAAG ACAGCACAGA GAGCGGCTTC CCCATCGCCT TCTGGGGAGG GGCTCCGTGT  3840
AGCAACCCAG GTGTTGTCCG TGTCTGTTGA CCAATCTCTA TTCAGCATCG TGTGGGTCCC  3900
TAAGCACAAT AAAAGACATC CACAATGGAA AAAAAAAAG GAATTC
```

Seq ID NO: 509 Protein sequence
Protein Accession #: NP_001035.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MSKSKCSVGL MSSVVAPAKE PNAVGPKEVE LILVKEQNGV QLTSSTLTNP RQSFVEAQDR   60
ETWGKKIDFL LSVIGFAVDL ANVWRPPYLC YKNGGGAFLV PYLLFMVIAG MPLFYMELAL  120
GQFNREGAAG VWKICPILKG VGFTVILISL YVGFFYNVII AWALHYLFSS FTTELPWIHC  180
NNSWNSPNCS DAHPGDSSGD SSGLNDTFGT TPAAEYFERG VLHLHQSHGI DDLGPPRWQL  240
TACLVLVIVL LYFSLWKGVK TSGKVVWITA TMPYVVLTAL LLRGVTLPGA IDGIRAYLSV  300
DFYRLCEASV WIDAATQVCF SLGVGPGVLI APSSYNKFTN NCYRDAIVTT SINSLTSFSS  360
GFVVFSPLGY MAQKHSVPIG DVAKDGPGLI FIIYPEAIAT LPLSSAWAVV FFIMLLTLGI  420
DSAMGGMESV ITGLIDEPQL LHRHRELFTL FIVLATFLLS LPCVTNGGIY VFTLLDHFAA  480
GTSILFGVLI EAIGVAWFYG VGQFSDDIQQ MTGQRPSLYW RLCWKLVSPC FLLFVVVVSI  540
VTFRPPHYGA YIFPDWANAL GWVIATSSMA MVPIYAAYKF CSLPGSFREK LAYAIAPEKD  600
RELVDRGEVR QFTLRHWLKV
```

Seq ID NO: 510 DNA sequence
Nucleic Acid Accession #: NM_001216.1
Coding sequence: 43..1422

```
1          11         21         31         41         51
|          |          |          |          |          |
GCCCGTACAC ACCGTGTGCT GGGACACCCC ACAGTCAGCC GCATGGCTCC CCTGTGCCCC   60
AGCCCTGGC TCCCTCTGTT GATCCCGGCC CCTGCTCCAG GCCTCACTGT GCAACTGCTG  120
CTGTCACTGC TGCTTCTGAT GCCTGTCCAT CCCCAGAGGT TGCCCCGGAT GCAGGAGGAT  180
TCCCCCTTGG GAGGAGGCTC TTCTGGGGAA GATGACCCAC TGGGCGAGGA GGATCTGCCC  240
```

```
     AGTGAAGAGG ATTCACCCAG AGAGGAGGAT CCACCCGGAG AGGAGGATCT ACCTGGAGAG    300
     GAGGATCTAC CTGGAGAGGA GGATCTACCT GAAGTTAAGC CTAAATCAGA AGAAGAGGGC    360
     TCCCTGAAGT TAGAGGATCT ACCTACTGTT GAGGCTCCTG GAGATCCTCA AGAACCCCAG    420
     AATAATGCCC ACAGGGACAA AGAAGGGGAT GACCAGAGTC ATTGGCGCTA TGGAGGCGAC    480
 5   CCGCCCTGGC CCCGGGTGTC CCCAGCCTGC GCGGGCCGCT TCCAGTCCCC GGTGGATATC    540
     CGCCCCCAGC TCGCCGCCTT CTGCCCGGCC CTGCGCCCCC TGGAACTCCT GGGCTTCCAG    600
     CTCCCGCCGC TCCCAGAACT CCGCCTCGCC AACAATGGCC ACAGTGTGCA ACTGACCCTG    660
     CCTCCTGGGC TAGAGATGGC TCTGGGTCCC GGGCGGGAGT ACCGGGCTCT GCAGCTGCAT    720
     CTGCACTGGG GGGCTGCAGG TCGTCCGGGC TCGGAGCACA CTGTGGAAGG CCACCGTTTC    780
10   CCTGCCGAGA TCCACGTGGT TCACCTCAGC ACCGCCTTTG CCAGAGTTGA CGAGGCCTTG    840
     GGGCGCCCGG GAGGCCTGGC CGTGTTGGCC GCCTTTCTGG AGGAGGGGCCC GGAAGAAAAC    900
     AGTGCCTATG AGCAGTTGCT GTCTCGCTTG GAAGAAATCG CTGAGGAAGG CTCAGAGACT    960
     CAGGTCCCAG GACTGGACAT ATCTGCACTC CTGCCCTCTG ACTTCAGCCG CTACTTCCAA   1020
     TATGAGGGGT CTCTGACTAC ACCGCCCTGT GCCCAGGGTG TCATCTGGAC TGTGTTTAAC   1080
15   CAGACAGTGA TGCTGAGTGC TAAGCAGCTC CACACCCTCT CTGACACCCT GTGGGGACCT   1140
     GGTGACTCTC GGCTACAGCT GAACTTCCGA GCGACGCAGC CTTTGAATGG GCGAGTGATT   1200
     GAGGCCTCCT CCCCTGCTGG AGTGGACAGC AGTCCTCGGG CTGCTGAGCC AGTCCAGCTG   1260
     AATTCCTGCC TGGCTGCTGG TGACATCCTA GCCCTGGTTT TTGGCCTCCT TTTTGCTGTC   1320
     ACCAGCGTCG CGTTCCTTGT GCAGATGAGA AGGCAGCACA GAGGGAGGAC CAAAGGGGGT   1380
20   GTGAGCTACC GCCCAGCAGA GGTAGCCGAG ACTGGAGCCT AGAGGCTGGA TCTTGGAGAA   1440
     TGTGAGAAGC CAGCCAGAGG CATCTGAGGG GGAGCCGGTA ACTGTCCTGT CCTGCTCATT   1500
     ATGCCACTTC CTTTTAACTG CCAAGAAATT TTTTAAAATA AATATTTATA AT
```

Seq ID NO: 511 Protein sequence
Protein Accession #: NP_001207.1

```
     1          11         21    ..   31         41    ..   51
     |          |          |          |          |          |
     MAPLCPSPWL PLLIPAPAPG LTVQLLLSLL LLMPVHPQRL PRMQEDSPLG GGSSGEDDPL    60
     GEEDLPSEED SPREEDPPGE EDLPGEEDLP GEEDLPEVKP KSEEEGSLKL EDLPTVEAPG   120
     DPQEPQNNAH RDKEGDDQSH WRYGGDPPWP RVSPACAGRF QSPVDIRPQL AAFCPALRPL   180
     ELLGFQLPPL PELRLRNNGH SVQLTLPPGL EMALGPGREY RALQLHLHWG AAGRPGSEHT   240
     VEGHRFPAEI HVVHLSTAPA RVDEALGRPG GLAVLAAFLE EGPEENSAYE QLLSRLEEIA   300
     EEGSETQVPG LDISALLPSD FSRYFQYEGS LTTPPCAQGV IWTVFNQTVM LSAKQLHTLS   360
     DTLWGPGDSR LQLNFRATQP LNGRVIEASP PAGVDSSPRA AEPVQLNSCL AAGDILALVF   420
     GLLFAVTSVA FLVQMRRQHR RGTKGGVSYR PAEVAETGA
```

Seq ID NO: 512 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..3978

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     ATGGTGGGTG AAGGACCCTA CCTTATCTCA GATCTGGACC AGCGAGGCCG GCGGAGATCC     60
     TTTGCAGAAA GATATGACCC CAGCCTGAAG ACCATGATCC CAGTGCGACC CTGTGCAAGG    120
     TTAGCACCCA ACCCGGTGGA TGATGCCGGG CTACTCTCCT TCGCCACATT TTCCTGGCTC    180
     ACGCCGGTGA TGGTGAAAGG CTACCGGCAA AGGCTGACCG TAGACACCCT GCCCCCATTG    240
     TCGACATATG ACTCATCTGA CACCAATGCC AAAAGATTTC CATTCCTTTG GGATGAAGAG    300
     GTAGCAAGGG TGGGTCCTGA GAAGGCCTCT CTGAGCCACG TGGTGTGGAA ATTCCAGAGG    360
     ACACGCGTGT TGATGGACAT CGTTGGCCAA CATCCTGTGCA TCATCATGGC AGCCATAGGG    420
     CCGACAGTTC TCATTCACCA AATCCTCCAG CAGACTGAGA GGACCTCTGG GAAAGTCTGG    480
     GTTGGCATTG GACTGTGCAT AGCCCTTTTT GCCACCGAGT TTACCAAAGT CTTCTTTTGG    540
     GCCCTTGCCT GGGCCATCAA CTACCGCACG GCCATCCGGT TGAAGGTGGC GCTCTCCACC    600
     TTGGTTTTTG AAAAACCTAGT GTCCTTCAAG ACATTGACCC ACATCTCTGT TGGCGAGGTG    660
     CTCAATATAC TGTCAAGTGA TAGCTATTCT TTGTTTGAAG CTGCCTTGTT TTGTCCTTTG    720
     CCAGCCACCA TCCCGATCCT AATGGTCTTT TGTGCGGCGT ACGCCTTTTT CATTCTGGGG    780
     CCCACAGCTC TCATCGGGAT ATCAGTGTAT GTCATATTCA TACCCGTCCA GATGTTTATG    840
     GCCAAGCTCA ATTCAGCTTT CCGAAGGTCA GCAATTTTGG TGACAGACAA GCGAGTTCAG    900
     ACAATGAATG AGTTTCTGAC CTGCATCAGG CTGATCAAAA TGTATGCCTG GGAGAAATCT    960
     TTTACCAACA CTATCCAAGA TATAAGAAGG AGGGAAAGAA AATTACTGGA AAAAGCTGGA   1020
     TTTGTCCAAA GTGGAAACTC TGCCCTGGCC CCCATCGTGT GCACCATAGC CATCGTGCTG   1080
     ACATTATCCT GCCACATCCT CCTGAGACGC AAACTCACCG CACCCGTGGC ATTTAGTGTG   1140
     ATTGCCATGT TTAATGTAAT GAAGTTTTCC ATTGCAATCT TGCCCTTCTC CATCAAAGCA   1200
     ATGGCTGAAG CGAATGTCTC TCTAAGGAGA ATGAAGAAAA TTCTCATAGA TAAAAGCCCC   1260
     CCATCTTACA TCACCCAACC AGAAGACCCA GATACTGTCT TGCTTTTAGC AAATGCCACC   1320
     TTGACATGGG AGCATGAAGC CAGCAGGAAA AGTACCCCAA AGAAATTGCA GAACCAGAAA   1380
     AGGCATTTAT GCAAGAAACA GAGGTCAGAG GCATACAGTG AGAGGAGTCC ACCAGCCAAG   1440
     GGAGCCACTG GCCCAGAGGA GCAAAGTGAC AGCCTCAAAT CGGTTCTGCA CAGCATAAGC   1500
     TTTGTGGTGA GAAAGTTATG TCGTTATCCC GAAGCCCAGC TCCTGGCTTG GAGGTGGCCA   1560
     GCAGTGTTTG TTGGAGAAT CATCAGAGGA TACAGGCCTC ATGGATTTTC TGCTAAAGAC   1620
     AAGGATGAAT CTAGAAGGCT TCTTACTTGG CCCCAAGAAG TGGATAGGAC TCAAAGGGCA   1680
     GCCAAATACC TGGGGAAGAT CTTGGGAATA TGTGGGAATG TGGGAAGTGG AAAGAGCTCC   1740
     CTCCTTGCAG CTCTCCTAGG ACAGATGCAG CTGCAGAAAG GGGTGGTGGC AGTCAATGGA   1800
     ACTTTGGCCT ACGTTTCACA GCAGGCATGG ATCTTTCATG GAAATGTGAG AGAAACATA   1860
     CTCTTTGGAG AAAAGTATGA TCACCAAAGG TATCAGCACA CAGTTCCGCGT CTGTGCCTC   1920
     CAGAAGGACC TGAGCAACCT CCCCTATGGA GACCTGACTG AGATTGGGGA GCGGGGCCTC   1980
     AACCTCTCTG GGGGGCAGGA GCAGAGGATT AGCCTGGCCC ACCTCGTCTA CTCCGACCGT   2040
     CAGCTCTACC TGCTGGACGA CCCCCTGTCG GCCGTGGACG CCCACGTGGG GAAGCACGTC   2100
     TTTGAGGAGT GCATTAAGAA GACGCTCAGG GGAAAGACAG TCGTCCTGGT GACCCACCAG   2160
     CTACAGTTCC TAGAGTCTTG TGATGAAGTT ATTTTATTAG AAGATGGAGA GATTTGTGAA   2220
     AAGGGAACCC ACAAGGAGTT AATGGAGGAG AGAGGGCGCT ATGCAAAACT GATTCACAAC   2280
     CTGCGAGGAT TGCAGTTCAA GGATCCTGAA CACCTTTACA ATGCAGCAAT GGTGGAAGCC   2340
     TTCAAGGAGA GCCCTGCTGA GAGAGAGGAA GATGCTGGTA TAATCGGGTA CCTCCTTTCT   2400
     CTCTTCACTG TGTTCCTCTT CCTCCTGATG ATTGGCAGCG CAACTGGTGA ACCTGGTGG   2460
     CTGGGTCTCT GGTTGGACAA GGGCTCACGG ATGACCTGTG GGCCCCAGGG CAACAGGACC   2520
     ATGTGTGAGG TCGGCGCGGT GCTGGCAGAC ATCGGTCAGC ATGTGTACCA GTGGGTGTAC   2580
     ACTGCAAGCA TGGTGGTTCAT GCTGGTGGTTT GGCGTCACCA AAGGCTTCGT CTTCACCAAG   2640
```

```
ACCACACTGA TGGCATCCTC CTCTCTGCAT GACACGGTGT TTGATAAGAT CTTAAAGAGC   2700
CCAATGAGTT TCTTTGACAC GACTCCCACT GGCAGGCTAA TGAACCGTTT TTCCAAGGAT   2760
ATGGACGAGC TGGATGTGAG GCTGCCGTTT CACGCAGAGA ACTTTCTGCA GCAGTTTTTT   2820
ATGGTGGTGT TTATTCTCGT GATCTTGGCT GCTGTGTTTC CTGCTGTCCT TTTAGTCGTG   2880
GCCAGCCTTG CTGTAGGCTT CTTCATTCTG TTACGCATTT TCCACAGAGG AGTCCAGGAG   2940
CTCAAGAAGG TGGAGAATGT CAGCCGGTCA CCCTGGTTCA CCCACATCAC CTCCTCCATG   3000
CAGGGCCTGG GCATCATTCA CGCCTATGGC AAGAAGGAGA GCTGCATCAC CTATACTTCA   3060
TCCAAAGGCC TGTCATTGTC ATACATCATC CAGCTGAGCG GACTGCTCCA AGTGTGTGTG   3120
CGAACGGGAA CAGAGACGCA AGCCAAATTC ACCTCCGTGG AGCTGCTCAG GGAATACATT   3180
TCGACCTGTG TTCCTGAATG CACTCATCCC CTCAAAGTGG GGACCTGTCC CAAGGACTGG   3240
CCCAGCTGTG GGGAGATCAC CTTCAGAGAC TATCAGATGA GATACAGAGA CAACACCCCC   3300
CTTGTTCTCG ACAGCCTGAA CTTGAACATA CAAAGTGGGC AGGCAGTCGG GATTGTTGGA   3360
AGAACAGGTT CCGGAAAGTC ATCGTTAGGA ATGGCTTTGT TTCGTCTGGT GGAGCCAGCC   3420
AGTGGCACAA TCTTTATTGA TGAGGTGGAT ATCTGCATTC TCAGCTTGGA AGACCTCAGA   3480
ACCAAGCTGA CTGTGATCCC ACAGGATCCT GTCCTGTTTG TAGGTACAGT AAGGTACAAC   3540
TTGGATCCCT TTGAGAGTCA CACCGATGAG ATGCTCTGGC AGGTTCTGGA GAGAACATTC   3600
ATGAGAGACA CAATAATGAA ACTCCCAGAA AAATTACAGG CAGAAGTCAC AGAAAATGGA   3660
GAAAACTTCT CAGTAGGGGA ACGTCAGCTG CTTTGTGTGG CCCGAGCTCT TCTCCGTAAT   3720
TCAAAGATCA TTCTCCTTGA TGAAGCCACC GCCTCTATGG ACTCCAAGAC TGACACCCTG   3780
GTTCAGAACA CCATCAAAGA TGCCTTCAAG GGCTGCACTG TGCTGACCAT CGCCCACCGC   3840
CTCAACACAG TTCTCAACTG CGATCACGTC CTGGTTATGG AAAATGGGAA GGTGATTGAG   3900
TTTGACAAGC CTGAAGTCCT TGCAGAGAAG CCAGATTCTG CATTTGCGAT GTTACTAGCA   3960
GCAGAAGTCA GATTGTAG
```

25   Seq ID NO: 513 Protein sequence
     Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MVGEGPYLIS DLDQRGRRRS PAERYDPSLK TMIPVRPCAR LAPNPVDDAG LLSPATFSWL    60
TPVMVKGYRQ RLTVDTLPPL STYDSSDTNA KRFRVLWDEE VARVGPEKAS LSHVVWKFQR   120
TRVLMDIVAN ILCIIMAAIG PTVLIHQILQ QTERTSGKVW VGIGLCIALF ATEFTKVFFW   180
ALAWAINYRT AIRLKVALST LVFENLVSFK TLTHISVGEV LNILSSDSYS LFEAALFCPL   240
PATIPILMVF CAAYAPPILG PTALIGISVY VIFIPVQMFM AKLNSAFRRS AILVTDKRVQ   300
TMNEFLTCIR LIKMYAWEKS PTNTIQDIRR RERKLLEKAG FVQSGNSALA PIVSTIAIVL   360
TLSCHILLRR KLTAPVAFSV IAMFNVMKPS IAILPFSIKA MAEANVSLRR MKKILIDKSP   420
PSYITQPEDP DTVLLLANAT LTWEHEASRK STPKKLQNQK RHLCKKQRSE AYSERSPPAK   480
GATGPEBQSD SLKSVLHSIS FVVRKLCRYP EAQLLAWRWP AVFVGRIIRG YRPHGFSAKD   540
KDESRRLLTW PQEVDRTQRA AKYLGKILGI CGNVGSGKSS LLAALLGQMQ LQKGVVAVNG   600
TLAYVSQQAW IPHGNVRENI LPGEKYDHQR YQHTVRVCGL QKDLSNLPYG DLTEIGERGL   660
NLSGGQRQRI SLARAVYSDR QLYLLDDPLS AVDAHVGKHV FEECIKKTLR GKTVVLVTHQ   720
LQFLESCDEV ILLEDGEICE KGTHKELMEE RGRYAKLIHN LRGLQFKDPE HLYNAAMVEA   780
FKESPAEREE DAGIIGYLLS LFTVFLFLLM IGSAAFSNWW LGLWLDKGSR MTCGPQGNRT   840
MCEVGAVLAD IGQHVYQWVY TASMVFMLVF GVTKGFVPTK TTLMASSSLH DTVFDKILKS   900
PMSFPDTTPT GRLMNRFSKD MDELDVRLPF HAENFLQQPP MVVFILVILA AVFPAVLLVV   960
ASLAVGFPIL LRIFHRGVQB LKKVENVSRS PWPTHITSSM QGLGIIHAYG KKESCITYTS  1020
SKGLSLSYII QLSGLLQVCV RTGTETQAKP TSVELLREYI STCVPECTHP LKVGTCPKDW  1080
PSCGEITFRD YQMRYRDNTP LVLDSLNLNI QSGQTVGIVG RTGSGKSSLG MALFRLVEPA  1140
SGTIFIDEVD ICILSLEDLR TKLTVIPQDP VLFVGTVRYN LDPFESHTDE MLWQVLERTF  1200
MRDTIMKLPE KLQAEVTENG ENFSVGERQL LCVARALLRN SKIILLDEAT ASMDSKTDTL  1260
VQNTIKDAFK GCTVLTIAHR LNTVLNCDHV LVMENGKVIE FDKPEVLAEK PDSAFAMLLA  1320
AEVRL
```

55   Seq ID NO: 514 DNA sequence
     Nucleic Acid Accession #: Z31560
     Coding sequence: 1-966

```
1          11         21         31         41         51
|          |          |          |          |          |
CACAGCGCCC GCATGTACAA CATGATGGAG ACGGAGCTGA AGCCGCCGGG CCCGCAGCAA    60
ACTTCGGGGG GCGGCGGCGG CAACTCCACC GCGGCGGCGG CCAGAAAAAC               120
AGCCCGGACC GGGTCAAGCG GCCCATGAAT GCCTTCATGG TGTGGTCCCG CGGGCAGCGG   180
CGCAAGATGG CCCAGGAGAA CCCCAAGATG CACAACTCGG AGATCAGCAA GCGGCTGGGC   240
GCCGAGTGGA AACTTTGTC GGAGACGGAG AAGCGGCCGT TCATCGACGA GGCTAAGCGG   300
CTGCGAGCGC TGCACATGAA GGAGCACCCG GATTATAAAT ACCGGCCCCG GCGGAAAACC   360
AAGACGCTCA TGAAGAAGGA TAAGTACACG CTGCCCGGCG GGCTGCTGGC CCCCGGCGGC   420
AATAGCATGG CGAGCGGGGT CGGGGTGGGC GCCGGCCTGG GCGGGGCGGT GAACCAGCGC   480
ATGGACAGTT ACGCGCACAT GAACGGCTGG AGCAACGGCA GCTACAGCAT GATGCAGGAC   540
CAGCTGGGCT ACCCGCAGCA CCCGGGGCCT AATGCGCACG CGCAGCGCA GATGCAGCCC   600
ATGCACCGCT ACGACGTGAG CGCCCTGCAG TACAACTCCA TGACCAGCTC GCAGACCTAC   660
ATGAACGGCT CGCCCACCTA CAGCATGTCC TACTCGCAGC AGGGCACCCG TGGCATGGCT   720
CTTGGCTCCA TGGGTTCGGT GGTCAAGTCC GAGGCCAGCT CCAGCCCCCC TGTGGTTACC   780
TCTTCCTCCC ACTCCAGGGC GCCCTGCCAG GCCGGGGACC TCCGGGACAT GATCAGCATG   840
TATCTCCCCG GCGCCGAGGT GCCGGAACCC GCCGCCCCCA GCAGACTTCA CATGTCCCAG   900
CACTACCAGA GCGCGCCGGT GCCCGGCACG GCCATTAACG GCACACTGCC CCTCTCACAC   960
ATGTGAGGGC CGACAGCGCA ACTGGAGGGG GGAGAAATTT TCAAAGAAAA ACGAGGGAAA  1020
TGGGAGGGGT GCAAAGAGG AGAGTAAGAA ACAGCATGGA GAAAACCCGG TACGCTCAAA  1080
AAAAA
```

80   Seq ID NO: 515 Protein sequence
     Protein Accession #: CAA83435

```
1          11         21         31         41         51
|          |          |          |          |          |
HSARMYNMME TELKPPGPQQ TSGGGGGNST AAAAGGNQKN SPDRVKRPMN AFMVWSRGQR    60
RKMAQENPKM HNSEISKRLG AEWKLLSETE KRPFIDEAKR LRALHMKEHP DYKYRPRRKT   120
KTLMKKDKYT LPGGLLAPGG NSMASGVGVG AGLGAGVNQR MDSYAHMNGW SNGSYSMMQD   180
```

```
                   QLGYPQHPGL NAHGAAQMQP MHRYDVSALQ YNSMTSSQTY MNGSPTYSMS YSQQGTPGMA   240
                   LGSMGSVVKS EASSSPPVVT SSSHSRAPCQ AGDLRDMISM YLPGAEVPEP AAPSRLHMSQ   300
                   HYQSGPVPGT AINGTLPLSH M
```

5   Seq ID NO: 516 DNA sequence
               Nucleic Acid Accession #: U91618
               Coding sequence: 29..541

```
10       1          11         21         31         41         51
         |          |          |          |          |          |
         CGGACTTGGC TTGTTAGAAG GCTGAAAGAT GATGGCAGGA ATGAAAATCC AGCTTGTATG   60
         CATGCTACTC CTGGCTTTCA GCTCCTGGAG TCTGTGCTCA GATTCAGAAG AGGAAATGAA   120
         AGCATTAGAA GCAGATTTCT TGACCAAATAT GCATACATCA AAGATTAGTA AAGCACATGT   180
         TCCCTCTTGG AAGATGACTC TGCTAAATGT TTGCAGTCTT GTAAATAATT TGAACAGCCC   240
15       AGCTGAGGAA ACAGGAGAAG TTCATGAAGA GGAGCTTGTT GCAAGAAGGA AACTTCCTAC   300
         TGCTTTAGAT GGCTTTAGCT TGGAAGCAAT GTTGACAATA TACCAGCTCC ACAAAATCTG   360
         TCACAGCAGG GCTTTTCAAC ACTGGGAGTT AATCCAGGAA GATATTCTTG ATACTGGAAA   420
         TGACAAAAAT GGAAAGGAAG AAGTCATAAA GAGAAAAATT CCTTATATTC TGAAACGGCA   480
         GCTGTATGAG AATAAACCCA GAAGACCCTA CATACTCAAA GGAGATTCTT ACTATTACTG   540
20       AGAGAATAAA TCATTTATTT ACATGTGATT GTGATTCATC ATCCCTTAAT TAAATATCAA   600
         ATTATATTTG TGTGAAAATG TGACAAACAC ACTTATCTGT CTCTTCTACA ATTGTGGTTT   660
         ATTGAATGTG TTTTTCTGCA CTAATAGAAA TTAGACTAAG TGTTTTCAAA TAAATCTAAA   720
         TCTTCAAAAA AAAAAAAAAA AAATGGGGCC GCAATT
```

25   Seq ID NO: 517 Protein sequence
               Protein Accession #: AAB50564

```
         1          11         21         31         41         51
         |          |          |          |          |          |
30       MMAGMKIQLV CMLLLAFSSW SLCSDSEEEM KALEADPLTN MHTSKISKAH VPSWKMTLLN   60
         VCSLVNNLNS PAEETGEVHE EELVARRKLP TALDGPSLEA MLTIYQLHKI CHSRAFQHWB   120
         LIQEDILDTG NDKNGKEEVI KRKIPYILKR QLYENKPRRP YILKRDSYYY
```

35   Seq ID NO: 518 DNA sequence
               Nucleic Acid Accession #: NM_006536.2
               Coding sequence: 109..2940

```
         1          11         21         31         41         51
         |          |          |          |          |          |
40       ACCTAAAACC TTGCAAGTTC AGGAAGAAAC CATCTGCATC CATATTGAAA ACCTGACACA   60
         ATGTATGCAG CAGGCTCAGT GTGAGTGAAC TGGAGGCTTC TCTACAACAT GACCCAAAGG   120
         AGCATTGCAG GTCCTATTTG CAACCTGAAG TTTGTGACTC TCCTGGTTGC CTTAAGTTCA   180
         GAACTCCCAT TCCTGGGAGC TGGAGTACGA CTTCAAGACA ATGGGTATAA TGGATTGCTC   240
         ATTGCAATTA ATCCTCAGGT ACCTGAGAAT CAGAACCTCA TCTCAAACAT TAAGGAAATG   300
45       ATAACTGAAG CTTCATTTTA CCTATTTAAT GCTACCAAGA GAAGAGTATT TTTCAGAAAT   360
         ATAAAGATTT TAATACCTGC CACATGGAAA GCTAATAATA ACAGCAAAAT AAAAACAAGAA   420
         TCATATGAAA AGGCAAATGT CATAGTGACT GACTGGTATG GGGCACATGG AGATGATCCA   480
         TACACCCTAC AATACAGAGG GTGTGGAAAA GAGGGAAAAT ACATTCATTT CACACCTAAT   540
         TTCCTACTGA ATGATAACTT AACAGCTGGC TACGGATCAC GAGGCCGAGT GTTTGTCCAT   600
50       GAATGGGCCC ACCTCCGTTG GGGTGTGTTC GATGAGTATA ACAATGACAA ACCTTTCTAC   660
         ATAAATGGGC AAAATCAAAT TAAAGTGACA AGGTGTTCAT CTGACATCAC AGGCATTTTT   720
         GTGTGTGAAA AAGGTCCTTG CCCCCCAAGAA AACTGTATTA TTTTAAAGAA TTTTAAAGAA   780
         GGATGCACCT TTATCTACAA TAGCACCCAA AATGCAACTG CATCAATAAT GTTCATGCAA   840
         AGTTTATCTT CTGTGGTTGA ATTTTGTAAT GCAAGTACCC ACAACCAAGA AGCACCCAAAC   900
55       CTACAGAACC AGATGTGCAC CCTCAGAAGT GCATGGGATG TAATCACAGA CTCTGCTGAC   960
         TTTCACCACA GCTTTCCCAT GAATGGGACT GAGCTTCCAC CTCCTCCCAC ATTCTCGCTT   1020
         GTACAGGCTG GTGACAAAGT GGTCTGTTTA GTGCTGGATG TGTCCAGCAA GATGGCAGAG   1080
         GCTGACAGAC TCCTTCAACT ACAACAAGCC GCAGAATTTT ATTTGATGCA GATTGTTGAA   1140
         ATTCATACCT TCGTGGGCAT TGCCAGTTTC GACAGCAAAG GAGAGATCAG AGCCCAGCTA   1200
60       CACCAAATTA ACAGCAATGA TGATCGAAAG TTGCTGGTTT CATATCTGCC CACCACTGTA   1260
         TCAGCTAAAA CAGACATCAG CATTTGTTCA GGGCTTAAGA AAGGATTTGA GGTGGTTGAA   1320
         AAACTGAATG GAAAAGCTTA TGGCTCTGTG ATGATATTAG TGACCAGCGG AGATGATAAG   1380
         CTTCTTGGCA ATTGCTTACC CACTGTGCTC AGCAGTGGTT CAACAATTCA CTCCATTGCC   1440
         CTGGGTTCAT CTGCAGCCCC AAATCTGGAG GAATTATCAC GTCTTACAGG AGGTTTAAAG   1500
65       TTCTTTGTTC CAGATATATC AAACTCCAAT AGCATGATTG ATGCTTTCAG TAGAATTTCC   1560
         TCTGGAACTG GAGACATTTT CCAGCAACAT ATTCAGCTTG AAAGTACAGG TGAAAATGTC   1620
         AAACCTCACC ATCAATTGAA AAACACAGTG ACTGTGGATA ATACTGTGGG CAACGACACT   1680
         ATGTTTCTAG TTACGTGGCA GGCCAGTGGT CCTCCTGAGA TTATATTATT TGATCCTGAT   1740
         GGACGAAAAT ACTACACAAA TAATTTTATC ACCAATCTAA CTTTTCGGAC AGCTAGTCTT   1800
70       TGGATTCCAG GAACAGCTAA GCCTGGGCAC TGGACTTACA CCCTGAACAA TACCCATCAT   1860
         TCTCTGCAAG CCCTGAAAGT GACAGTGACC TCTCGCCGCT CCAACTCAGC TGTGCCCCCA   1920
         GCCACTGTGG AAGCCTTTGT GGAAAGAGAC AGCCTCCATT TTCCTCATCC TGTGATGATT   1980
         TATGCCAATG TGAAACAGGG ATTTTATCCC ATTCTTAATG CCACTGTCAC TGCCACAGTT   2040
         GAGCCAGAGA CTGGAGATCC TGTTACGCTG AGACTCCTTG ATGATGGAGC AGGTGCTGAT   2100
75       GTTATAAAAA ATGATGGAAT TTACTCGAGG TATTTTTTCT CCTTTGCTGC AAATGGTAGA   2160
         TATAGCTTGA AAGTGCATGT CAATCACTCT CCCAGCATAA GCACCCCAGC CCACTCTATT   2220
         CCAGGGAGTC ATGCTATGTA TGTACCAGGT TACACAGCAA ACGGTAATAT TCAGATGAAT   2280
         GCTCCAAGGA AATCAGTAGG CAGAAATGAG GAGGAGCGAA AGTGGGGCTT TAGCCGAGTC   2340
         AGCTCAGGAG GCTCCTTTTC AGTGCTGGGA GTTCCAGCTG GCCCCCACCC TGATGTGTTT   2400
80       CCACCATGCA AAATTATTGA CCTGGAAGCT GTAAAAGTAG AAGAGGAATT GACCCTATCT   2460
         TGGACAGCAC CTGGAAGACA CTTTGATCAG GGCCAGGCTA CAAGCTATGA AATAAGAATG   2520
         AGTAAAAGTC TACAGAAAAT CCAAGATGAC TTTAACAATG CTATTTTAGT AAATACATCA   2580
         AAGCGAAATC CTCAGCAAGC TGGCATCAGG GAGATATTTA CGTTCTCACC CCAGATTTCC   2640
         ACGAATGGAC CTGAACATCA GCCAAATGGA GAAACACATG AAAGCCCACG AATTTATGTT   2700
85       GCAATACGAG CAATGGATAG GAACTCCTTA CAGTCTGCTG TATCTAACAT TGCCCAGGCG   2760
         CCTCTGTTTA TTCCCCCCCAA TTCTGATCCT GTACCTGCCA GAGATTATCT TATATTGAAA   2820
         GGAGTTTTAA CAGCAATGGG TTTGATAGGA ATCATTTGCC TTATTATAGT TGTGACACAT   2880
```

```
CATACTTTAA GCAGGAAAAA GAGAGCAGAC AAGAAAGAGA ATGGAACAAA ATTATTATAA   2940
ATAAATATCC AAAGTGTCTT CCTTCTTAGA TATAAGACCC ATGGCCTTCG ACTACAAAAA   3000
CATACTAACA AAGTCAAATT AACATCAAAA CTGTATTAAA ATGCATTGAG TTTTTGTACA   3060
ATACAGATAA GATTTTTACA TGGTAGATCA ACAATTCTTT TTGGGGGTAG ATTAGAAAAC   3120
CCTTACACTT TGGCTATGAA CAAATAATAA AAATTATTCT TTAAAGTAAT GTCTTTAAAG   3180
GCAAAGGGAA GGGTAAAGTC GGACCAGTGT CAAGGAAAGT TTGTTTTATT GAGGTGGAAA   3240
AATAGCCCCA AGCAGAGAAA AGGAGGGTAG GTCTGCATTA TAACTGTCTG TGTGAAGCAA   3300
TCATTTAGTT ACTTTGATTA ATTTTTCTTT TCTCCTTATC TGTGCAGTAC AGGTTGCTTG   3360
TTTACATGAA GATCATGCTA TATTTTATAT ATGTAGCCCC TAATGCAAAG CTCTTTACCT   3420
CTTGCTATTT TGTTATATAT ATTTCAGATG ACATCTCCCT GCTAATGCTC AGAGATCTTT   3480
TTTCACTGTA AGAGGTAACC TTTAACAATA TGGGTATTAC CTTTGTCTCT TCATACCGGT   3540
TTTATGACAA AGGTCTATTG AATTTATTTG TNTGTAAGTT TCTACTCCCA TCAAAGCAGC   3600
TTTCTAAGTT TATTGCCTTG GGTTATTATG GAATGATAGT TATAGCCCCN TATAATGCCT   3660
TACCTAGGAA A
```

Seq ID NO: 519 Protein sequence
Protein Accession #: NP_006527.1

```
         1          11         21         31         41         51
         |          |          |          |          |          |
MTQRSIAGPI CNLKFVTLLV ALSSELPFLG AGVQLQDNGY NGLLIAINPQ VPENQNLISN    60
IKEMITEASP YLFNATKRRV FFRNIKILIP ATWKANNNSK IKQRSYEKAN VIVITDWYGAH   120
GDDPYTLQYR GCGKEGKYIH FTPNFLLNDN LTAGYGSRGR VPVHEWAHLR WGVFDEYNND   180
KPFYINGQNQ IKVTRCSSDI TGIFVCEKGP CPQENCIISK LFKEGCTPIY NSTQNATASI   240
MFMQSLSSVV EPCNASTHNQ EAPNLQNQMC SLRSAWDVIT DSADFHHSFP MNGTELPPPP   300
TPSLVQAGDK VVCLVLDVSS KMAEADRLLQ LQQAAEFYLM QIVEIHTFVG IASFDSKGEI   360
RAQLHQINSN DDRKLLVSYL PTTVSAKTDI SICSGLKKGF EVVEKLANGKA YGSVMILVTS   420
GDDKLLGNCL PTVLSSGSTI HSIALGSSAA PNLEELSRLT GGLKPFVPDI SNSNSMIDAF   480
SRISSGTGDI FQQHIQLEST GENVKPHHQL KNTVTVDNTV GNDTMFLVTW QASGPPEIIL   540
FDPDGRKYYT NNPITNLTFR TASLWIPGTA KPGHWTYTLN NTHHSLQALK VTVTSRASNS   600
AVPPATVEAF VERDSLHFPH PVMIYANVKQ GFYPILNATV TATVEPETGD PVTLRLLDDG   660
AGADVIKNDG IYSRYFFSFA ANGRYSLKVH VNHSPSISTP AHSIPGSHAM YVPGYTANGN   720
IQMNAPRKSV GRNEEERKWG FSRVSSGGSF SVLGVPAGPH PDVFPPCKII DLEAVKVEEE   780
LTLSWTAPGE DPDQGQATSY EIRMSKSLQN IQDDPNNAIL VNTSKRNPQQ AGIREIFTFS   840
PQISTNGPEH QPNGETHESH RIYVAIRAMD RNSLQSAVSN IAQAPLFIPP NSDPVPARDY   900
LILKGVLTAM GLIGIICLII VVTHHTLSRK KRADKKENGT KLL
```

Seq ID NO: 520 DNA sequence
Nucleic Acid Accession #: NM_000228.1
Coding sequence: 82..3600

```
         1          11         21         31         41         51
         |          |          |          |          |          |
GCTTTCAGGC GATCTGGAGA AAGAACGGCA GAACACACAG CAAGGAAAGG TCCTTTCTGG    60
GGATCACCCC ATTGGCTGAA GATGAGACCA TTCTTCCTCT GTGTGTTTGC CCTGAGCTGGC   120
CTCCTGCATG CCCAACAAGC CTGCTCCCGT GGGGCCTGCT ATCCACCTGT TGGGGACCTG   180
CTTGTTGGGA GGACCCGGTT TCTCCGAGCT TCATCTACCT GTGGACTGAC CAAGCCTGAG   240
ACCTACTGCA CCCAGTATGG CGAGTGGCAG ATGAAATGCT GCAAGTGTGA CTCCAGGCAG   300
CCTCACAACT ACTACAGTCA CCGAGTAGAG AATGTGGCTC CATCCTCCGG CCCCATGCGC   360
TGGTGGCAGT CCCAGAATGA TGTGAACCCT GTCTCTCTGC AGCTGGACCT GGACAGGAGA   420
TTCCAGCTTC AAGAAGTCAT GATGGAGTTC CAGGGGCCCA TGCCGCCGGG CATGCTGATT   480
GAGCGCTCCT CAGACTTCGG TAAGACCTGG CGAGTGTACC AGTACCTGGC TGCCGACTGC   540
ACCTCCACCT TCCCTCGGGT CCGCCAGGGT CGGCCTCAGA GCTGGCAGGA TGTTCGGTGC   600
CAGTCCCTGC CTCAGAGGCC TAATGCACGC CTAAATGGGG GGAAGGTCCA ACTTAACCTT   660
ATGGATTTAG TGTCTGGGAT TCCAGCAACT CAAAGTCAAA AAATTCAAGA GGTGGGGGAG   720
ATCACAAACT TGAGAGTCAA TTTCACCAGG CTGGCCCCTG TGCCCCAAAG GGGCTACCAC   780
CCTCCCAGCG CCTACTATGC TGTGTCCCAG CTCCGTCTGC AGGGGAGCTG CTTCTGTCAC   840
GGCCATGCTG ATCGCTGCGC ACCCAAGCCT GGGGCCTCTG CAGGCCCCTC CACCGCTGTA   900
CAGGTCCACG ATGTCTGTGT CTGCCACGCA CAACACTGCC GCCCAAATTG TGAGCGCTGT   960
GCACCCTTCT ACAACAACCG GCCCTGGAGA CCGGCGGAGG GCCAGGACGC CCATGAATGC   1020
CAAAGGTGCG ACTGCAATGG CCACTCAGAG ACATGTCACT TTGACCCCGC TGTGTTTGCC   1080
GCCAGCCAGG GGGCATATGG AGGTGTGTGT GACAATTGCC GGGACCACAC CGAAGGCAAG   1140
AACTGTGAGC GGTGTCAGCT GCACTATTTC CGGAACCGGC GCCCGGGAGC TTCCATTCAG   1200
GAGACCTGCA TCTCCTGCGA GTGTGATCCG GATGGGGCAG TGCCAGGGCC TCCCTGGTGG   1260
CCAGTGACCG GGCAGTGTGT GTGCAAGGAG CATGTGCAGG GAGAGCGCTG TGACCTATGC   1320
AAGCCGGGCT TCACTGGACT CACCTACGCC AACCCGCAGG GCTGCCACCG CTGTGACTGC   1380
AACATCCTGG GGTCCCGGAG GGACATGCCG TGTGACGAGG AGAGTGGGCG CTGCCTTTGT   1440
CTGCCCAACG TGGTGGGTCC CAAATGTGAC CAGTGTGCTC CCTACCACTG GAAGCTGGCC   1500
AGTGGCCAGG GCTGTGAACC GTGTGCCTGC GACCCGCACA CTCCCCTCA GCCCACAGTG   1560
CAACCAGTTC ACAGGGCAGT GCCCTGTCGG GAAGGCTTTG GTGGCCTGAT GTGCAGCGCT   1620
GCAGCCATCC GCCAGTGTCC AGACCGGACC TATGGAGACG TGGCCACAGG ATGCCGAGCC   1680
TGTGACTGTG ATTTCCGGGG AACAGAGGGC CCGGGCTGCG ACAAGGCATC AGGCCGCTGC   1740
CTCTGCCGCC CTGGCTTGAC CGGGGCCCGC TGTGACCAGT GCCAGCGAGG CTACTGCAAT   1800
CGCTACCCGG TGTGCGTGGC CTGCCACCCT TGCTTCCAGA CCTATGATGC GGACCTGCGG   1860
GAGCAGGCCC TGCGCTTTGG TAGACTCCGC AATGCCACCG CCAGCCTGTG GTCAGGGCCT   1920
GGGCTGGAGG ACCGTGGCCT GGCCTCCCGG ATCCTAGATG CAAAGAGTAA GATTGAGCAG   1980
ATCCGAGCAG TTCTCAGCAG CCCCGCAGTC ACAGAGCAGG AGGTGGCCAG GGTGGCCAGT   2040
GCCATCCTCT CCCTCAGGCG AACTCTCCAG GGCCTGCAGC TGGATCTGCC CCTGGAGGAG   2100
GAGACGTTGT CCCTTCCGAG AGACCTGGAG AGTCTTGACA GAAGCTTCAA TGGTCTCCTT   2160
ACTATGTATC AGAGGAAGAG GGAGCAGTTT GAAAAAATAA GCAGTGCTGA TCCTTCAGGA   2220
GCCTTCCGGA TGCTGAGCAC AGCCTACGAG CAGTCAGCCC AGGCTGCTCA GCAGGTCTCC   2280
GACAGCTCGC GCCTTTTGGA CCAGCTCAGG GACAGCCGGA GAGAGGCAGA GAGGCTGGTG   2340
CGGCAGGCGG GAGGAGGAGG AGGCACCGGC AGCCCCAAGC TTGTGGCCCT GAGGCTGGAG   2400
ATGTCTTCGT TGCCTGACCT GACACCCACC TTCAACAAGC TCTGTGGACA CTCCAGGCAG   2460
ATGGCTTGCA CCCCAATATC ATGCCCTGGT GAGCTATGTC CCCAAGACAA TGGCACAGCC   2520
TGTGGCTCCC GCTGCAGGGG TGTCCTTCCC AGGGCCGGTG GGGCCTTCTT GATGGCGGGG   2580
CAGGTGGCTG AGCAGCTGCG GGGCTTCAAT GCCCAGCTCC AGCGGACCAG GCAGATGATT   2640
```

```
   AGGGCAGCCG AGGAATCTGC CTCACAGATT CAATCCAGTG CCCAGCGCTT GGAGACCCAG 2700
   GTGAGCGCCA GCCGCTCCCA GATGGAGGAA GATGTCAGAC GCACACGGCT CCTAATCCAG 2760
   CAGGTCCGGG ACTTCCTAAC AGACCCCGAC ACTGATGCAG CCACTATCCA GGAGGTCAGC 2820
5  GAGGCCGTGC TGGCCCTGTG GCTGCCCACA GACTCAGCTA CTGTTCTGCA GAAGATGAAT 2880
   GAGATCCAGG CCATTGCAGC CAGGCTCCCC AACGTGGACT TGGTGCTGTC CCAGACCAAG 2940
   CAGGACATTG CGCGTGCCCG CCGGTTGCAG GCTGAGGCTG AGGAAGCCAG GAGCCGAGCC 3000
   CATGCAGTGG AGGGCCAGGT GGAAGATGTG GTTGGGAACC TGCGGCAGGG GACAGTGGCA 3060
   CTGCAGGAAG CTCAGGACAC CATGCAAGGC ACCAGCCGCT CCCTTCGGCT TATCCAGGAC 3120
   AGGGTTGCTG AGGTTCAGCA GGTACTGCGG CCAGCAGAAA AGCTGGTGAC AAGCATGACC 3180
10 AAGCAGCTGG GTGACTTCTG GACACGGATG GAGGAGCTCC GCCACCAAGC CCGGCAGCAG 3240
   GGGGCAGAGG CAGTCCAGGC CCAGCAGCTT GCGGAAGGTG CCAGCGAGCA GGCATTGAGT 3300
   GCCCAAGAGG GATTTGAGAG AATAAAACAA AAGTATGCTG AGTTGAAGGA CCGGTTGGGT 3360
   CAGAGTTCCA TGCTGGGTGA GCAGGGTGCC CGGATCCAGA GTGTGAAGAC AGAGGCAGAG 3420
   GAGCTGTTTG GGGAGACCAT GGAGATGATG GACAGGATGA AGACATGGA GTTGGAGCTG 3480
15 CTGCGGGGCA GCCAGGCCAT CATGCTGCGC TCGGCGGACC TGACAGGACT GGAGAAGCGT 3540
   GTGGAGCAGA TCCGTGACCA CATCAATGGG CGCGTGCTCT ACTATGCCAC CTGCAAGTGA 3600
   TGCTACAGCT TCCAGCCCGT TGCCCCACTC ATCTGCCGCC TTTGCTTTTG GTTGGGGGCA 3660
   GATTGGGTTG GAATGCTTTC CATCTCCAGG AGACTTTCAT GCAGCCTAAA GTACAGCCTG 3720
   GACCACCCCT GGTGTGTAGC TAGTAAGATT ACCCTGAGCT GCAGCTGAGC CTGAGCCAAT 3780
20 GGGACAGTTA CACTTGACAG ACAAAGATGG TGGAGATTGG CATGCCATTG AAACTAAGAG 3840
   CTCTCAAGTC AAGGAAGCTG GGCTGGGCAG TATCCCCCGC CTTTAGTTCT CCACTGGGGA 3900
   GGAATCCTGG ACCAAGCACA AAAACTTAAC AAAAGTGATG TAAAAATGAA AAGCCAAATA 3960
   AAAATCTTTG G
```

Seq ID NO: 521 Protein sequence
Protein Accession #: NP_000219.1

```
   1         11         21         31         41         51
   |         |          |          |          |          |
   MRPPFLLCFA LPGLLHAQQA CSRGACYPPV GDLLVGRTRF LRASSTCGLT KPETYCTQYG   60
   EWQMKCCKCD SRQPHNYYSH RVENVASSSG PMRWWQSQND VNPVSLQLDL DRRFQLQEVM  120
   MEPQGPMPAG MLIERSSDFG KTWRVYQYLA ADCTSTPPRV RQGRPQSWQD VRCQSLPQRP  180
   NARLNGGKVQ LNLMDLVSGI PATQSQKIQE VGEITNLRVN PTRLAPVPQR GYHPPSAYYA  240
   VSQLRLQGSC FCHGHADRCA PKPGASAGPS TAVQVHDVCV CQHNTAGPNC ERCAPFYNNR  300
   PWRPAEGQDA HECQRCDCNG HSETCHFDPA VFAASQGAYG GVCDNCRDHT EGKNCERCQL  360
   HYFRNRRPGA SIQETCISCE CDPDGAVPGA PCDPVTGQCV CKEHVQGERC DLCKPGFTGL  420
   TYANPQGCHR CDCNILGSRR DMPCDEESGR CLCLPNVVGP KCDQCAPYHW KLASGQGCEP  480
   CACDPHNSPQ PTVQPVHRAV PCREGPGGLM CSAAAIRQCP DRTYGDVATG CRACDCDFRG  540
   TEGPGCDKAS GRCLCRPGLT GPRCDQCQRG YCNRYPVCVA CHPCFQTYDA DLREQALRFG  600
   RLRNATASLW SGPGLEDRGL ASRILDAKSK IEQIRAVLSS PAVTEQEVAQ VASAILSLRR  660
   TLQGLQLDLP LEEETLSLPR DLESLDRSFN GLLTMYQRKR EQFEKISSAD PSGAFRMLST  720
   AYEQSAQAAQ QVSDSSRLLD QLRDSRREAE RLVRQAGGGG GTGSPKLVAL RLEMSSLPDL  780
   TPTFNKLCGN SRQMACTPIS CPGELCPQDN GTACGSRCRG VLPRAGGAFL MAGQVAEQLR  840
   GFNAQLQRTR QMIRAAEESA SQIQSSAQRL ETQVSASRSQ MEEDVRRTRL LIQQVRDFLT  900
   DPDTDAATIQ EVSEAVLALW LPTDSATVLQ KMNEIQAIAA RLPNVDLVLS QTKQDIARAR  960
   RLQAEAEEAR SRAHAVEGQV EDVVGNLRQG TVALQEAQDT MQGTSRSLRL IQDRVAEVQQ 1020
   VLRPAEKLVT SMTKQLGDFW TRMEELRHQA RQQGAEAVQA QQLAEGASEQ ALSAQEGFER 1080
   IKQKYAELKD RLGQSSMLGE QGARIQSVKT EAEELFGETM EMMDRMKDME LELLRGSQAI 1140
   MLRSADLTGL EKRVEQIRDH INGRVLYYAT CK
```

Seq ID NO: 522 DNA sequence
Nucleic Acid Accession #: NM_001944.1
Coding sequence: 84..3083

```
   1         11         21         31         41         51
   |         |          |          |          |          |
   TTTTCTTAGA CATTAACTGC AGACGGCTGG CAGGATAGAA GCAGCGGCTC ACTTGGACTT   60
   TTTCACCAGG GAAATCAGAG ACAATGATGG GGCTCTTCCC CAGAACTACA GGGGCTCTGG  120
   CCATCTTCGT GGTGGTCATA TTGGTTCATG GAGAATTGCG AATAGAGACT AAAGGTCAAT  180
   ATGATGAAGA AGAGATGACT ATGCAACAAG CTAAAAGAAG GCAAAAACGT GAATGGGTGA  240
   AATTTGCCAA ACCCTGCAGA GAAGGAGAAG ATAACTCAAA AAGAAACCCA ATTGCCAAGA  300
   TTACTTCAGA TTACCAAGCA ACCCAGAAAA TCACCTACCG AATCTCTGGA GTGGGAATCG  360
   ATCAGCCGCC TTTTGGAATC TTTGTTGTTG ACAAAAACAC TGGAGATATT AACATAACAG  420
   CTATAGTCGA CCGGGAGGAA ACTCCAAGCT TCCTGATCCA ATGTCGGGCT CTAAATGCCC  480
   AAGGACTAGA TGTAGAGAAA CCACTTTATC TAACGGTTAA AATTTTGGAT ATTAATGATA  540
   ATCCTCCAGT ATTTTCACAA CAAATTTTCA TGGGTGAAAT TGAAGAAAAT AGTGCCTCAA  600
   ACTCACTGGT GATGATACTA AATGCCACAG ATGCAGATGA ACCAAACCAC TTGAATTCTA  660
   AAATTGCCTT CAAAATTGTC TCTCAGGAAC CAGCAGGCAC ACCCATGTTC CTCCTAAGCA  720
   GAAACACTGG GGAAGTCCGT ACTTTGACCA ATTCTCTTGA CCGAGAGCAA GCTAGCAGCT  780
   ATCGTCTGGT TGTGAGTGGT GCAGACAAAG ATGGAGAAGG ACTATCAACT CAATGTGAAT  840
   GTAATATTAA AGTGAAAGAT GTCAACGATA ACTTCCCAAT GTTTAGAGAC TCTCAGTATT  900
   CAGCACGTAT TGAAGAAAAT ATTTTAAGTT CTGAATTACT TCGATTTCAA GTAACAGATT  960
   TGGATGAAGA GTACACAGAT AATTGGCTTG CAGTATATTT CTTTACCTCT GGGAATGAAG 1020
   GAAATTGGTT TGAAATACAA ACTGATCCTA GAACTAATGA AGGCATCCTG AAAGTGGTGA 1080
   AGGCTCTAGA TTATGAACAA CTACAAAGCG TGAAACTTAG TATTGCTGTC AAAAACAAAG 1140
   CTGAATTTCA CCAATCAGTT ATCTCTCGAT ACCGAGTTCA GTCAACCCCA GTCACAATTC 1200
   AGGTAATAAA TGTAAGAGAA GGAATTGCAT TCCGTCCTGC TTCCAAGACA TTTACTGTGC 1260
   AAAAAGGCAT AAGTAGCAAA AAATTGGTGG ATTATATCCT GGGAACATAT CAAGCCATCG 1320
   ATGAGGACAC TAACAAAGCT GCCTCAAATG TCAAATATGT CATGGGACGT AACGATGGTG 1380
   GATACCTAAT GATTGATTCA AAAACTGCTG AAATCAAATT TGTCAAAAAT ATGAACCGAG 1440
   ATTCTACTTT CATAGTTAAC AAAAACAATCA CAGCTGAGGT TCTGGCCATA GATGAATACA 1500
   CGGGTAAAAC TTCTACAGGC ACGGTATATG TTAGAGTACC CGATTTCAAT GACAATTGTC 1560
   CAACAGCTGT CCTCGAAAAA GATGCAGTTT GCAGTTCTTC ACCTTCCGTG GTTGTCTCCG 1620
   CTAGAACACT GAATAATAGA TACACTGGCC CCTATACATT TGCACTGGAA GATCAACCTG 1680
85 TAAAGTTGCC TGCCGTATGC AGTATCACAA CCCTCAATGC TACCTCGGCC CTCCTCAGAG 1740
   CCCAGGAACA GATACCTCCT GGAGTATACC ACATCTCCCT GGTACTTACA GACAGTCAGA 1800
   ACAATCGGTG TGAGATGCCA CGCAGCTTGA CACTGGAAGT CTGTCAGTGT GACAACAGGG 1860
```

```
       GCATCTGTGG AACTTCTTAC CCAACCACAA GCCCTGGGAC CAGGTATGGC AGGCCGCACT    1920
       CAGGGAGGCT GGGGCCTGCC GCCATCGGCC TGCTGCTCCT TGGTCTCCTG CTGCTGCTGT    1980
       TGGCCCCCCT TCTGCTGTTG ACCTGTGACT GTGGGGCAGG TTCTACTGGG GGAGTGACAG    2040
       GTGGTTTTAT CCCAGTTCCT GATGGCTCAG AAGGAACAAT TCATCAGTGG GGAATTGAAG    2100
   5   GAGCCCATCC TGAGACAAG  GAAATCACAA ATATTTGTGT GCCTCCTGTA ACAGCCAATG    2160
       GAGCCGATTT CATGGAAAGT TCTGAAGTTT GTACAAATAC GTATGCCAGA GGCACAGCGG    2220
       TGGAAGGCAC TTCAGGAATG GAAATGACCA CTAAGCTTGG AGCAGCCACT GAATCTGGAG    2280
       GTGCTGCAGG CTTTGCAACA GGGACAGTGT CAGGAGCTGC TTCAGGATTC GGAGCAGCCA    2340
       CTGGAGTTGG CATCTGTTCC TCAGGGCAGT CTGGAACCAT GAGAACAAGG CATTCCACTG    2400
  10   GAGGAACCAA TAAGGACTAC GCTGATGGGG CGATAAGCAT GAATTTTCTG GACTCCTACT    2460
       TTTCTCAGAA AGCATTTGCC TGTGCGGAGG AAGACGATGG CCAGGAAGCA AATGACTGCT    2520
       TGTTGATCTA TGATAATGAA GGCGCAGATG CCACTGGTTC TCCTGTGGGC TCCGTGGGTT    2580
       GTTGCAGTTT TATTGCTGAT GACCTGGATG ACAGCTTCTT GGACTCACTT GGACCCAAAT    2640
       TTAAAAAACT TGCAGAGATA AGCCTTGGTG TTGATGGTGA AGGCAAAGAA GTTCAGCCAC    2700
  15   CCTCTAAAGA CAGCGGTTAT GGGATTGAAT CCTGTGGCCA TCCCATAGAA GTCCAGCAGA    2760
       CAGGATTTGT TAAGTGCCAG ACTTTGTCAG GAAGTCAAGG AGCTTCTGCT TTGTCCGCCT    2820
       CTGGGTCTGT CCAGCCAGCT GTTTCCATCC CTGACCCTCT GCAGCATGGT AACTATTTAG    2880
       TAACGGAGAC TTACTCGGCT TCTGGTTCCC TCGTGCAACC TTCCACTGCA GGCTTTGATC    2940
       CACTTCTCAC ACAAAATGTG ATAGTGACAG AAAGGGTGAT CTGTCCCATT TCCAGTGTTC    3000
  20   CTGGCAACCT AGCTGGCCCA ACGCAGCTAC GAGGGTCACA TACTATGCTC TGTACAGAGG    3060
       ATCCTTGCTC CCGTCTAATA TGACCAGAAT GAGCTGGAAT ACCACACTGA CCAAATCTGG    3120
       ATCTTTGGAC TAAAGTATTC AAAATAGCAT AGCAAAGCTC ACTGTATTGG GCTAATAATT    3180
       TGGCACTTAT TAGCTTCTCT CATAAACTGA TCACGATTAT AAATTAAATG TTTGGGTTCA    3240
       TACCCCAAAA GCAATATGTT GTCACTCCTA ATTCTCAAGT ACTATTCAAA TTGTAGTAAA    3300
  25   TCTTAAAGTT TTTCAAAACC CTAAAATCAT ATTCGC
```

       Seq ID NO: 523 Protein sequence
       Protein Accession #: NP_001935.1

```
  30   1         11         21         31         41         51
       |         |          |          |          |          |
       MMGLFPRTTG ALAIFVVVIL VHGELRIETK GQYDEEEMTM QQAKRRQKRE WVKFAKPCRE     60
       GEDNSKRNPI AKITSDYQAT QKITYRISGV GIDQPPFGIF VVDKNTGDIN ITAIVDREET    120
       PSFLITCRAL NAQGLDVEKP LILTVKILDI NDNPPVFSQQ IFMGEIEENS ASNSLVMILN    180
  35   ATDADEPNHL NSKIAFKIVS QEPAGTPMFL LSRNTGEVRT LTNSLDREQA SSYRLVVSGA    240
       DKDGEGLSTQ CECNIKVKDV NDNFPMFRDS QYSARIEENI LSSELLRFQV TDLDEEYTDN    300
       WLAVYFPTSG NEGNWFEIQT DPRTNEGILK VVKALDYEQL QSVKLSIAVK NKAEFHQSVI    360
       SRYRVQSTPV TIQVINVREG IAFRPASKTF TVQKGISSKK LVDYILGTYQ AIDEDTNKAA    420
       SNVKYVMGRN DGGYLMIDSK TAEIKFVKNM NRDSTFIVNK TITAEVLAID EYTGKTSTGT    480
  40   VYVRVPDFND NCPTAVLEKD AVCSSSPSVV VSARTLNNRY TGPYTPALED QPVKLPAVWS    540
       ITTLNATSAL LRAQEQIPPG VYHISLVLTD SQNNRCEMPR SLTLEVCQCD NRGICGTSYP    600
       TTSPGTRYGR PHSGRLGPAA IGLLLLGLLL LLLAPLLLLT CDCGAGSTGG VTGGFIPVPD    660
       GSEGTIHQWG IEGAHPEDKE ITNICVPPVT ANGADFMESS EVCTNTYARG TAVEGTSGMB    720
       MTTKLGAATE SGGAAGFATG TVSGAASGFG AATGVGICSS GQSGTMRTRH STGGTNKDYA    780
  45   DGAISMNPLD SYFSQKAFAC AEEDDGQEAN DCLLIYDNEG ADATGSPVGS VGCCSPIADD    840
       LDDSPLDSLG PKFKKLAEIS LGVDGEGKEV QPPSKDSGYG IESCGHPIEV QQTGFVKCQT    900
       LSGSQGASAL SASGSVQPAV SIPDPLQHGN YLVTETYSAS GSLVQPSTAG FDPLLTQNVI    960
       VTERVICPIS SVPGNLAGPT QLRGSHTMLC TEDPCSRLI
```

  50   Seq ID NO: 524 DNA sequence
       Nucleic Acid Accession #: XM_058069.2
       Coding sequence: 1..1413

```
  55   1         11         21         31         41         51
       |         |          |          |          |          |
       ATGAAGTTTC TTCTAATACT GCTCCTGCAG GCCACTGCTT CTGGAGCTCT TCCCCTGAAC     60
       AGCTCTACAA GCCTGGAAAA AAATAATGTG CTATTTGGTG AAAGATACTT AGAAAAATTT    120
       TATGGCCTTG AGATAAACAA ACTTCCAGTG ACAAAAATGA AATATAGTGG AAACTTAATG    180
       AAGGAAAAAA TCCAAGAAAT GCAGCACTTC TTGGGTCTGA AAGTGACCGG GCAACTGGAC    240
  60   ACATCTACCC TGGAGATGAT GCACGCACCT CGATGTGGAG TCCCGATGT  CCATCATTTC    300
       AGGGAAATGC CAGGGGGGCC CGTATGGAGG AAACATTATA TCACCTACAG AATCAATAAT    360
       TACACACCTG ACATGAACCG TGAGGATGTT GACTACGCAA TCCGGAAAGC TTTCCAAGTA    420
       TGGAGTAATG TTACCCCCTT GAAATTCAGC AAGATTAACA CAGGCATGGC TGACATTTTG    480
       GTGGTTTTTG CCCGTGGAGC TCATGGAGAC TTCCATGCTT TTGATGGCAA AGGTGGAAAC    540
  65   CTAGCCCATG CTTTTGGACC TGGATCTGGC ATTGGAGGGG ATGCACATTT CGATGAGGAC    600
       GAATTCTGGA CTACACATTC AGGAGGCACA AACTTGTTCC TCACTGCTGT TCACGAGATT    660
       GGCCATTCCT TAGGTCTTGG CCATTCTAGT GATCCAAAGG CGGTAATGTT CCCCACCTAC    720
       AAATATGTTG ACATCAACAC ATTTCGCCTC TCTGCTGATG ACATACGTGG CATTCAGTCC    780
       CTGTATGGAG ACCCAAAAGA GAACCAACGC TTGCCAAATC CTGACAATTC AGAACCAGCT    840
  70   CTCTGTGACC CCAATTTGAG TTTTGATGCT GTCACTACCG TGGGAAATAA GATCTTTTTC    900
       TTCAAAGACA GGTCTTCTG  GCTGAAGGTT TCTGAGAGAC CAAAGACCAG TGTTAATTTA    960
       ATTTCTTCCT TATGGCCAAC CTTGCCATCT GGCATTGAAG CTGCTTATGA AATTGAAGCC   1020
       AGAAATCAAG TTTTTCTTTT TAAAGATGAC AAATACTGGT TAATTAGCAA TTTAAGACCA   1080
       GAGCCAAATT ATCCCAAGAG CATACATTCT TTTGGTTTTC CTAACTTTGT GAAAAAAATT   1140
  75   GATGCAGCTG TTTTTAACCC ACGTTTTTAT AGGACCTACT TCTTTGTAGA TAACCAGTAT   1200
       TGGAGGTATG ATGAAAGGAG ACAGATGATG GACCCTGGTT ATCCCAAACT GATTACCAAG   1260
       AACTTCCAAG GAATCGGGCC TAAAAATTGAT GCAGTCTTCT ACTCTAAAAA CAAATACTAC   1320
       TATTTCTTCC AAGGATCTAA CCAATTTGAA TATGACTTCC TACTCCAACG TATCACCAAA   1380
       ACACTGAAAA GCAATAGCTG GTTTGGTTGT TGA
```

  80   Seq ID NO: 525 Protein sequence
       Protein Accession #: P39900

```
  85   1         11         21         31         41         51
       |         |          |          |  .       |          |
       MKFLLILLLQ ATASGALPLN SSTSLEKNNV LPGERYLEKF YGLEINKLPV TKMKYSGNLM     60
       KEKIQEMQHF LGLKVTGQLD TSTLEMMHAP RCGVPDVHHF REMPGGPVWR KHYITYRINN    120
```

```
     YTFPDMNREDV  DYAIRKAPQV  WSNVTPLKPS  KINTGMADIL  VVPARGAHGD  FHAPDGKGGI   180
     LAHAFGPGSG   IGGDAHFDED  EPWTTHSGGT  NLFLTAVHEI  GHSLGLGHSS  DPKAVMFPTY   240
     KYVDINTFRL   SADDIRGIQS  LYGDPKENQR  LPNPDNSEPA  LCDPNLSFDA  VTTVGNKIFF   300
     FKDRFFWLKV   SERPKTSVNL  ISSLWPTLPS  GIEAAYEIEA  RNQVFLFKDD  KYWLISNLRP   360
     EPNYPKSIHS   FGFPNFVKKI  DAAVFNPRFY  RTYFFVDNQY  WRYDERRQMM  DPGYPKLITK   420
     NFQGIGPKID   AVFYSKNKYY  YFFQGSNQFE  YDFLLQRITK  TLKSNSWFGC
```

Seq ID NO: 526 DNA sequence
Nucleic Acid Accession #: NM_024423.1
Coding sequence: 64..2590

```
     1         11          21          31          41          51
     |          |           |           .           |           |           |
     GGCAGGTCTC  GCTCTCGGCA  CCCTCCCGGC  GCCCGCGTTC  TCCTGGCCCT  GCCCGGCATC    60
     CCGATGGCCG  CCGCTGGGCC  CGGGCGCTCC  GTGCGCGGAG  CCGTCTGCCT  GCATCTGCTG   120
     CTGACCCTCG  TGATCTTCAG  TCGTGATGGT  GAAGCCTGCA  AAAAGGTGAT  ACTTAATGTA   180
     CCTTCTAAAC  TAGAGGCAGA  CAAAATAATT  GGCAGAGTTA  ATTTGGAAGA  GTGCTTCAGG   240
     TCTGCAGACC  TCATCCGGTC  AAGTGATCCT  GATTTCAGAG  TTCTAAATGA  TGGGTCAGTG   300
     TACACAGCCA  GGGCTGTTGC  GCTGTCTGAT  AAGAAAAGAT  CATTTACCAT  ATGGCTTTCT   360
     GACAAAAGGA  AACAGACACA  GAAAGAGGTT  ACTGTGCTGC  TAGAACATCA  GAAGAAGGTA   420
     TCGAAGACAA  GACACACTAG  AGAAACTGTT  CTCAGGCGTG  CCAAGAGGAG  ATGGGCACCT   480
     ATTCCTTGCT  CTATGCAAGA  GAATTCCTTG  GGCCCTTTCT  CATTGTTTCT  TCAACAAGTT   540
     GAATCTGATG  CAGCACAGAA  CTATACTGTC  TTCTACTCAA  TAAGTGGACG  TGGAGTTGAT   600
     AAAGAACCTT  TAAATTTGTT  TTATATAGAA  AGAGACACTG  GAAATCTATT  TTGCACTCGG   660
     CCTGTGGATC  GTGAAGAATA  TGATGTTTTT  GATTTGATTG  CTTATGCGTC  AACTGCAGAT   720
     GGATATTCAG  CAGATCTGCC  CCTCCCACTA  CCCATCAGGG  TAGAGGATGA  AAATGACAAC   780
     CACCCTGTTT  TCACAGAAGC  AATTTATAT  TTTGAAGTTT  TGGAAAGTAG  TAGACCTGGT   840
     ACTACAGTGG  GGGTGGTTTG  TGCCACAGAC  AGAGATGAAC  CGGACACAAT  GCATACGCGC   900
     CTGAAATACA  GCATTTTGCA  GCAGACACCA  AGGTCACCTG  GGCTCTTTTC  TGTGCATCCC   960
     AGCACAGGCG  TAATCACCAC  AGTCTCTCAT  TATTTGGACA  GAGAGGTTGT  AGACAAGTAC  1020
     TCATTGATAA  TGAAAGTACA  AGACATGGAT  GGCCAGTTTT  TTGGATTGAT  AGGCACATCA  1080
     ACTTGTATCA  TAACAGTAAC  AGATTCAAAT  GATAATGCAC  CCACTTTCAG  ACAAAATGCT  1140
     TATGAAGCAT  TTGTAGAGGA  AAATGCATTC  AATGTGGAAA  TCTTACGAAT  ACCTATAGAA  1200
     GATAAGGATT  TAATTAACAC  TGCCAATTGG  AGAGTCAATT  TTACCATTTT  AAAGGGAAAT  1260
     GAAAATGGAC  ATTTCAAAAT  CAGCACAGAC  AAAGAAACTA  ATGAAGGTGT  TCTTTCTGTT  1320
     GTAAAGCCAC  TGAATTATGA  AGAAAACCGT  CAAGTGAACC  TGGAAATTGG  AGTAAACAAT  1380
     GAAGCGCCAT  TTGCTAGAGA  TATTCCCAGA  GTGACAGCCT  TGAACAGAGC  CTTGGTTACA  1440
     GTTCATGTGA  GGGATCTGGA  TGAGGGGCCT  GAATGCACTC  CTGCAGCCCA  ATATGTGCGG  1500
     ATTAAAGAAA  ACTTAGCAGT  GGGGTCAAAG  ATCAACGGCT  ATAAGGCATA  TGACCCCGAA  1560
     AATAGAAATG  GCAATGGTTT  AAGGTACAAA  AAATTGCATG  ATCCTAAAGG  TTGGATCACC  1620
     ATTGATGAAA  TTTCAGGGTC  AATCATAACT  TCCAAAATCC  TGGATAGGGA  GGTTGAAACT  1680
     CCCAAAAATG  AGTTGTATAA  TATTACAGTC  CTGGCAATAG  ACAAAGATGA  TAGATCATGT  1740
     ACTGGAACAC  TTGCTGTGAA  CATTGAAGAT  GTAAATGATA  ATCCACCAGA  AATACTTCAA  1800
     GAATATGTAG  TCATTTGCAA  ACCAAAAAATG  GGGTATACCG  ACATTTTAGC  TGTTGATCCT  1860
     GATGAACCTG  TCCATGAGC  TCCATTTTAT  TTCAGTTTGC  ATCCAACTTC  TCCAGAAATC  1920
     AGTAGACTGT  GGAGCCTCAC  CAAAGTTAAT  GATACAGCTG  CCCGTCTTTC  TATATCAGAAA  1980
     AATGCTGGAT  TTCAAGAATA  TACCATTCCT  ATTACTGTAA  AAGACAGGGC  CGGCCAAGCT  2040
     GCAACAAAAT  TATTGAGAGT  TAATCTGTGT  GAATGTACTC  ATCCAACTCA  GTGTCGTGCG  2100
     ACTTCAAGGA  GTACAGGAGT  AATACTTGGA  AAATGGGCAA  TCCTTGCAAT  ATTACTGGGT  2160
     ATAGCACTGC  TCTTTTCTGT  ATTGCTAACT  TTAGTATGTG  GAGTTTTTGG  TGCAACTAAA  2220
     GGGAAACGTT  TTCCTGAAGA  TTTAGCACAG  CAAAACTTAA  TTATATCAAA  CACAGAAGCA  2280
     CCTGGAGACG  ATAGAGTGTG  CTCTGCCAAT  GGATTTATGA  CCCAAACTAC  CAACAACTCT  2340
     AGCCAAGGTT  TTTGTGGTAC  TATGGGATCA  GGAATGAAAA  ATGGAGGGCA  GGAAACCATT  2400
     GAAATGATGA  AAGGAGGAAA  CCAGACCTTG  GAATCCTGCC  GGGGGGCTGG  GCATCATCAT  2460
     ACCCTGGACT  CCTGCAGGGG  AGGACACACG  GAGGTGGACA  ACTGCAGATA  CACTTACTCG  2520
     GAGTGGCACA  GTTTTACTCA  ACCCCGTCTC  GGTGAAGAAT  CCATTAGAGG  ACACACTGGT  2580
     TAAAAATTAA  ACATAAAAGA  AATTGCATCG  ATGTAATCAG  AATGAAGACC  GCATGCCATC  2640
     CCAAGATTAT  GTCCTCACTT  ATAACTATGA  GGGAAGAGGA  TCTCCAGCTG  GTTCTGTGGG  2700
     CTGCTGCAGT  GAAAAGCAGG  AAGAAGATGG  CCTTGACTTT  TTAAATAATT  TGGAACCCAA  2760
     ATTTATTACA  TTAGCAGAAG  CATGCACAAA  GAGATAATGT  CACAGTGCTA  CAATTAGGTC  2820
     TTTGTCAGAC  ATTCTGGAGG  TTTCCAAAAA  TAATATTGTA  AAGTTCAATT  TCAACATGTA  2880
     TGTATATGAT  GATTTTTTTC  TCAATTTTGA  ATTATGCTAC  TCACCAATTT  ATATTTTTAA  2940
     AGCCAGTTGT  TGCTTATCTT  TTCCAAAAAG  TGAAAAATGT  TAAAACAGAC  AACTGGTAAA  3000
     TCTCAAACTC  CAGCACTGGA  ATTAAGGTCT  CTAAAGCATC  TGCTCTTTTT  TTTTTTTACG  3060
     GATATTTTAG  TAATAAAATAT  GCTGGATAAA  TATTAGTCCA  ACAATAGCTA  AGTTATGCTA  3120
     ATATCACATT  ATTATGTATT  CACTTTAAGT  GATAGTTTAA  AAAATAAACA  AGAAATATTG  3180
     AGTATCACTA  TGTGAAGAAA  GTTTTGGAAA  AGAAACAATG  AAGACTGAAT  TAAATTAAAA  3240
     ATGTTGCAGC  TCATAAAGAA  TTGGGACTCA  CCCCTACTGC  ACTACCAAAT  TCATTTGACT  3300
     TTGGAGGCAA  AATGTGTTGA  AGTGCCCTAT  GAAGTAGCAA  TTTTCTATAG  GAATATAGTT  3360
     GGAAATAAAT  GTGTGTGTGT  ATATTATTAT  TAATCAATGC  AATATTTAAA  ATGAAATGAG  3420
     AACAAAGAGG  AAAATGGTAA  AAACTTGAAA  TGAGGCTGGG  GTATAGTTTG  TCCTACAATA  3480
     GAAAAAAGAG  AGAGCTTCCT  AGGCCTGGGC  TCTTAAATGC  TGCATTATAA  CTGAGTCTAT  3540
     GAGGAAATAG  TTCCTGTCCA  ATTTGTGTAA  TTTGTTTAAA  ATTGTAAATA  AATTAAACTT  3600
     TTCTGGTTTC  TGTGGGAAGG  AAATAGGGAA  TCCAATGGAA  CAGTAGCTTT  GCTTTGCAGT  3660
     CTGTTTCAAG  ATTTCTGCAT  CCACAAGTTA  GTAGCAAACT  GGGGAATACT  CGCTGCAGCT  3720
     GGGGTTCCCT  GCTTTTTGGT  AGCAAGGGTC  CAGAGATGAG  GTGTTTTTTT  CGGGGAGCTA  3780
     ATAACAAAAA  CATTTTAAAA  CTTACCTTTA  CTGAAGTTAA  ATCCTCTATT  GCTGTTTCTA  3840
     TTCTCTCTTA  TAGTGACCAA  CATCTTTTTA  ATTTAGATCC  AAATAACCAT  GTCCTCCTAG  3900
     AGTTTAGAGG  CTAGAGGGAG  CTGAGGGGAG  GATCTTACTG  AAAGCACCCT  GGGGAGATTG  3960
     ATTGTCCTTA  AACCTAAGCC  CCACAAACTT  GACACCTGAT  CAGGTCTGGG  AGCTACAAAA  4020
     TTTCATTTTT  CTCCTCACTG  CCCTTCTTCT  GAGTGGCATT  GGCCTGAATC  AAGGAAAGCC  4080
     AGGCCTTGTG  GGCCCCCTTC  TTTCGGCTTT  CTGCTAAAGC  AACACCTCCA  GCAGAGATTC  4140
     CCTTAAGTGA  CTCCAGGTTT  TCCACCATCC  TTCAGCGTGA  ATTAATTTTT  AATCAGTTTA  4200
     CTTTTCTCCAG  AGAAATTTTA  AAATAATAGA  AGAAATAGAA  ATTTTGAATG  TATAAAAGAA  4260
     AAAGATCAAG  TTGTCATTTT  AGAACAGAGG  GAACTTTGGG  AGAAAGCAGC  CCAAGTAGGT  4320
     TATTTGTACA  GTCAGAGGGC  AACAGGAAGA  TGCAGGCCTT  CAAGGGCAAG  GAGAGGCCAC  4380
     AAGGAATATG  GGTGGGAGTA  AAAGCAACAT  CGTCTGCTTC  ATACTTTTTC  CTAGGCTTGG  4440
```

```
      CACTGCCTTT TCCTTTCTCA GGCCAATGGC AACTGCCATT TGAGTCCGGT GAGGGATCAG    4500
      CCAACCTCTT CTCTATGGCT CACCTTATTT GGAGTGAGAA ATCAAGGAGA CAGAGCTGAC    4560
      TGCATGATGA GTCTGAAGGC ATTTGCAGGA TGAGCCTGAA CTGGTTGTGC AGAACAAACA    4620
 5    AGGCATTCAT GGGAATTGTT GTATTCCTTC TGCAGCCCTC CTTCTGGGCA CTAAGAAGGT    4680
      CTATGAATTA AATGCCTATC TAAAATTCTG ATTTATTCCT ACATTTTCTG TTTTCTAATT    4740
      TGACCCTAAA ATCTATGTGT TTTAGACTTA GACTTTTTAT TGCCCCCCCC CCCTTTTTTT    4800
      TTGAGACGGA GTCTCGCTCT GACGCACAGG CTGGAGTGCA GTGGCTCCGA TCTCTGCTCA    4860
      CTGAAAGCTC CGCCTCCCGG GTTCATGCCA TTCTCCTGCC TCAGCCTCCT GAGTAGCTGG    4920
      GACTACAGGC GCCCACCACC ACGCCCGGCT AATTTTTTGT ATTTTTAATA GAGACGGGGT    4980
10    TTCACTGTGT TAGCCAGGAT GGTCTCGATC TCCTGACCTC GTGATCCGCC TGCCTCGGCC    5040
      TCCCAAAGTG CTGGGATTAC AGGCATGACC CACCGCTCCC GGCCTTGTTT TCCGTTTAAA    5100
      GTCGTCTTCT TTTAATGTAA TCATTTTGAA CATGTGTGAA AGTTGATCAT ACGAATTGGA    5160
      TCAATCTTGA AATACTCAAC CAAAAGACAG TCGAGAAGCC AGGGGGAGAA AGAACTCAGG    5220
      GCACAAAATA TTGGTCTGAG AATGGAATTC TCTGTAAGCC TAGTTGCTGA AATTTCCTGC    5280
15    TGTAACCAGA AGCCAGTTTT ATCTAACGGC TACTGAAACA CCCACTGTGT TTTGCTCACT    5340
      CCCACTCACC GATCAAAACC TGCTACCTCC CCAAGACTTT ACTAGTGCCG ATAAACTTTC    5400
      TCAAAGAGCA ACCAGTATCA CTTCCCTGTT TATAAAACCT CTAACCATCT CTTTGTTCTT    5460
      TGAACATGCT GAAAACCACC TGGTCTGCAT GTATGCCCGA ATTTGTAATT CTTTTCTCTC    5520
      AAATGAAAAT TTAATTTTAG GGATTCATTT CTATATTTTC ACATATGTAG TATTATTATT    5580
20    TCCTTATATG TGTAAGGTGA AATTTATGGT ATTTGAGTGT GCAAGAAAAT ATATTTTTAA    5640
      AGCTTTCATT TTTCCCCCAG TGAATGATTT AGAATTTTTT ATGTAAATAT ACAGAATGTT    5700
      TTTTCTTACT TTTATAAGGA AGCAGCTGTC TAAAATGCAG TGGGGTTTGT TTTGCAATGT    5760
      TTTAAACAGA GTTTTAGTAT TGCTATTAAA AGAAGTTACT TTGCTTTTAA AGAAACTTGG    5820
      CTGCTTAAAA TAAGCAAAAA TTGGATGCAT AAAGTAATAT TTACAGATGT GGGGAGATGT    5880
25    AATAAAACAA TATTTAACTTG GCTGCTTAAA ATAAGCAAAA ATTGGATGCA TAAAGTAATA    5940
      TTTACAGATG TGGGGAGATG TAATAAAACA ATATTAACTT GGTTTCTTGT TTTTGCTGTA    6000
      TTTAGAGATT AAATAATTCT AAGATGATCA CTTTGCAAAA TTATGCTTAT GGCTGGCATG    6060
      GAAATAGAAA TACTCAATTA TGTCTTTGTT GTATTAATGG GAAATATTTT GGACAATGTT    6120
      TCATTATCAA ATTGTCGACA TCATTAATAT ATATTGTAAT GTTGGGAAGA ATCTACTATT    6180
30    TTGAAGCACA GCTTTACAGA TGAGTATCTA TGATACATAT GTATAATAAA TTTTGATCGG    6240
      GTATTAAAAG TATTAGAAGG TGGTTATAAT TGCAGAGTAT TCCATGAATA GTACACTGAC    6300
      ACAGGGGTTT TACTTTGAGG ACCAGTGTAG TCAAGGGAAA ACATGAGTTA AAAAGAAAAG    6360
      CAGGCAATAT TGCAGTCTTG ATTCTGCCAC TTACAGGATA GATAATGCCT GAACTTTAAT    6420
      GACAAGATGA TCCAACCATA AAGGTGCTCT GTGCTTCACA GTGAATCTTT TCCCCATGCA    6480
35    GGAGTGTGCT CCCCTACAAA CGTTAAGACT GATCATTTCA AAAATCTATT AGCTATATCA    6540
      AAAGCCTTAC ATTTTAATAT AGGTTGAACC AAAATTTCAA TTCCAGTAAC TTCTATTGTA    6600
      ACCATTATTT TTGTGTATGT CTTCAAGAAT GTTCATTGGA TTTTTGTTTG TAATAGTAAA    6660
      ATACCGGATA CATTTCACGT GTCCTTCAGT ATTGATTTGG TTGAATATTG GGTCATAATG    6720
      GTTGAGAAGC ATGGACACTA GAGCCAGAAT GCTTGGATAT GAATCCTGGA TCTGTCACTT    6780
40    ACTTCTGTGT GACCTTTGAA AGGCTACTTA TTTCCTCTCT TAGCTTTCTC ATTAAAATCA    6840
      ATGAACAATG CCAGCCTCAT GGGGTTGTTG AATGATTAAA TTAGTTAATA TACCTAAAGT    6900
      ACATAGAACA CTGCCTGCAC ATAGTAAAAG AATTATAAGT GTGAGGTAGT TGGTAAAATT    6960
      ATGTAGTTGG ATATACTACC GAACAATATC TAATCTCTTT TTAGGGAAAT AAAGTTTGTG    7020
      CATATATATA ATCCCGAAAC ATG
```

45

Seq ID NO: 527 Protein sequence
Protein Accession #: NP_077741.1

50
```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS    60
      ADLIRSSDPD FRVLNDGSVY TARAVALSDK KRSFTIWLSD KRKQTQKEVT VLLEHQKKVS    120
      KTRHTRETVL RRAKRRWAPI PCSMQENSLG PFPLFLQQVE SDAAQNYTVF YSISGRGVDK    180
      EPLNLFYIER DTGNLPCTRP VDREEYDVFD LIAYASTADG YSADLPLPLP IRVEDENDNH    240
55    PVFTEAIYNF EVLESSRPGT TVGVVCATDR DEPDTMHTRL KYSILQQTPR SPGLFSVHPS    300
      TGVITTVSHY LDREVVDKYS LIMKVQDMDG QFFGLIGTST CIITVTDSND NAPTFRQNAY    360
      EAFVEENAFN VBILRIPIED KDLINTANWR VNFTILKGNE NGHFKISTDK ETNEGVLSVV    420
      KPLNYEENRQ VNLEGVNNE APPARDIPRV TALNRALVTV HVRDLDEGPE CTPAAQYVRI    480
      KENLAVGSKI NGYKAYDPEN RNGNGLRYKK LHDPKGWITI DEISGSIITS KILDREVETP    540
60    KNELYNITVL AIDKDDRSCT GTLAVNIEDV NDNPPEILQE YVVICKPKMG YTDILAVDPD    600
      EPVHGAPFYP SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGPQEYTIPI TVKDRAGQAA    660
      TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLFSVLLTL VCGVPGATKG    720
      KRFPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNSS QGFCGTMGSG MKNGGQETIE    780
      MMKGGNQTLE SCRGAGHHHT LDSCRGGHTE VDNCRYTYSE WHSFTQPRLG EESIRGHTG
```

65

Seq ID NO: 528 DNA sequence
Nucleic Acid Accession #: NM_001941.2
Coding sequence: 64..2754

70
```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GGCAGGTCTC GCTCTCGGCA CCCTCCCGGC GCCCGCGTTC TCCTGGCCCT GCCCGGCATC    60
      CCGATGGCCG CCGCTGGGCC CCGGCGCTCC GTGCGCGGAG CCGTCTGCCT GCATCTGCTG    120
      CTGACCCTCG TGATCTTCAG TCGTGATGGT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA    180
75    CCTTCTAAAC TAGAGGCAGA CAAAATAATT GGCAGAGTTA ATTTGGAAGA GTGCTTCAGG    240
      TCTGCAGACC TCATCCGGTC AAGTGATCCT GATTTCAGAG TTCTAAATGA TGGGTCAGTG    300
      TACACAGCCA GGGCTGTTGC GCTGTCTGAT AAGAAAAGAT CATTTACCAT ATGGCTTTCT    360
      GACAAAAGGA AACAGACACA GAAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA    420
      TCGAAGACAA GACACACTAG AGAAACTGTT CTCAGGCGTG CCAAGAGGAG ATGGGCACCT    480
80    ATTCCTTGCT CTATGCAAGA GAATTCCTTG GGCCCTTTCC CATTGTTTCT TCAACAAGTT    540
      GAATCTGATG CAGCACAGAA CTATACTGTC TTCTACTCAA TAAGTGGACG TGGAGTTGAT    600
      AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACACTG GAAATCTATT TTGCACTCGG    660
      CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTTGATTG CTTATGCGTC AACTGCAGAT    720
      GGATATTCAG CAGATCTGCC CCTCCCACTA CCCATCAGGG TAGAGGATGA AAATGACAAC    780
85    CACCCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAGTAG TAGACCTGGT    840
      ACTACAGTGG GGGTGGTTTG TGCCACAGAC AGAGATGAAC CGGACACAAT GCATACGCGC    900
      CTGAAATACA GCATTTTGCA GCAGACACCA AGGTCACCTG GGCTCTTTTC TGTGCATCCC    960
```

```
       AGCACAGGCG TAATCACCAC AGTCTCTCAT TATTTGGACA GAGAGGTTGT AGACAAGTAC 1020
       TCATTGATAA TGAAAGTACA AGACATGGAT GGCCAGTTTT TTGGATTGAT AGGCACATCA 1080
       ACTTGTATCA TAACAGTAAC AGATTCAAAT GATAATGCAC CCACTTTCAG ACAAAATGCT 1140
       TATGAAGCAT TTGTAGAGGA AAATGCATTC AATGTGGAAA TCTTACGAAT ACCTATAGAA 1200
  5    GATAAGGATT TAATTAACAC TGCCAATTGG AGAGTCAATT TTACCATTTT AAAGGGAAAT 1260
       GAAAATGGAC ATTTCAAAAT CAGCACAGAC AAAGAAACTA TCTTTCTGTT 1320
       GTAAAGCCAC TGAATTATGA AGAAAACCGT CAAGTGAACC TGGAAATTGG AGTAAACAAT 1380
       GAAGCGCCAT TTGCTAGAGA TATTCCCAGA GTGACAGCCT TGAACAGAGC CTTGGTTACA 1440
       GTTCATGTGA GGGATCTGGA TGAGGGGCCT GAATGCACTC CTGCAGCCCA ATATGTGCGG 1500
 10    ATTAAAGAAA ACTTAGCAGT GGGGTCAAAG ATCAACGGCA TAAGGCATA  TGACCCCGAA 1560
       AATAGAAATG GCAATGGTTT AAGGTACAAA AAATTGCATG ATCCTAAAGG TTGGATCACC 1620
       ATTGATGAAA TTTCAGGGTC AATCATAACT TCCAAAATCC TGGATAGGGA GGTTGAAACT 1680
       CCCAAAAATG AGTTGTATAA TATTACAGTC CTGGCAATAG ACAAAGATGA TAGATCATGT 1740
       ACTGGAACAC TTGCTGTGAA CATTGAAGAT GTAAATGATA ATCCACCAGA AATACTTCAA 1800
 15    GAATATGTAG TCATTTGCAA ACCAAAAATG GGGTATACCG ACATTTTAGC TGTTGATCCT 1860
       GATGAACCTG TCCATGAGC  TCCATTTTAT TTCAGTTTGC CCAATACTTC TCCAGAAATC 1920
       AGTAGACTGT GGAGCCTCAC CAAAGTTAAT GATACAGCTG CCCGTCTTTC ATATCAGAAA 1980
       AATGCTGGAT TTCAAGAATA TACCATTCCT ATTACTGTAA AAGACAGGGC CGGCCAAGCT 2040
       GCAACAAAAT TATTGAGAGT TAATCTGTGT GAATGTACTC ATCCAACTCA GTGTCGTGCG 2100
 20    ACTTCAAGGA GTACAGGAGT AATACTTGGA AAATGGGCAA TCCTTGCAAT ATTACTGGGT 2160
       ATAGCACTGC TCTTTTCTGT ATTGCTAACT TTAGTATGTG GAGTTTTTGG TGCAACTAAA 2220
       GGGAAACGTT TTCCTGAAGA TTTAGCACAG CAAAACTTAA TTATATCAAA CACAGAAGCA 2280
       CCTGGAGACG ATAGAGTGTG CTCTGCCAAT GGATTTATGA CCCAAACTAC CAACAACTCT 2340
       AGCCAAGGTT TTTGTGGTAC TATGGGATCA GGAATGAAAA ATGGAGGGCA GGAAACCATT 2400
 25    GAAATGATGA AAGGAGGAAA CCAGACCTTG GAATCCTGCC GGGGGGCTGG GCATCATCAT 2460
       ACCCTGGACT CCTGCAGGGG AGGACACACG GAGGTGGACA ACTGCAGATA CACTTACTCG 2520
       GAGTGGCACA GTTTTACTCA ACCCGTCTC  GGTGAAAAAT TGCATCGATG TAATCAGAAT 2580
       GAAGACCGCA TGCCATCCCA AGATTATGTC CTCACTTATA ACTATGAGGG AAGAGGATCT 2640
       CCAGCTGGTT CTGTGGGCTG CTGCAGTGAA AAGCAGGAAG AAGATGGCCT TGACTTTTTA 2700
 30    AATAATTTGG AACCCAAATT TATTACATTA GCAGAAGCAT GCACAAAGAG ATAATGTCAC 2760
       AGTGCTACAA TTAGGTCTTT GTCAGACATT CTGGAGGTTT CCAAAAATAA TATTGTAAAG 2820
       TTCAATTTCA ACATGTATGT ATATGATGAT TTTTTTCTCA ATTTGAATT ATGCTACTCA 2880
       CCAATTTATA TTTTTAAAGC CAGTTGTTGC TTATCTTTTC CAAAAAGTGA AAAATGTTAA 2940
       AACAGACAAC TGGTAAATCT CAAACTCCAG CACTGGAATT AAGGTCTCTA AAGCATCTGC 3000
 35    TCTTTTTTTT TTTTACGGAT ATTTTAGTAA TAAATATGCT GGATAAAATAT TAGTCCAACA 3060
       ATAGCTAAGT TATGCTAATA TCACATTATT ATGTATTCAC TTTAAGTGAT AGTTTAAAAA 3120
       ATAAACAAGA AATATTGAGT ATCACTATGT GAAGAAAGTT TTGGAAAAGA AACAATGAAG 3180
       ACTGAATTAA ATTAAAAATG TTGCAGCTCA TAAAGAATTG GGACTCACCC CTACTGCACT 3240
       ACCAAATTCA TTTGACTTTG GAGGCAAAAT GTGTTGAAGT GCCCTATGAA GTAGCAATTT 3300
 40    TCTATAGGAA TATAGTTGGA AATAAATGTG TGTGTGTATA TTATTATTAA TCAATGCAAT 3360
       ATTTAAAATG AAATGAGAAC AAAGAGGAAA ATGGTAAAAA CTTGAAATGA GGCTGGGGTA 3420
       TAGTTGTCC  TACAATAGAA AAAAGAGAGA GCTTCCTAGG CCTGGGCTCT TAAATGCTAG 3480
       ATTATAACTG AGTCTATGAG GAAATAGTTC CTGTCCAATT TGTGTAATTT GTTTAAAATT 3540
       GTAAATAAAT TAAACTTTTC TGGTTTCTGT GGGAAGGAAA TAGGGAATCC AATGGAACAG 3600
 45    TAGCTTTGCT TTGCAGTCTG TTTCAAGATT TCTGCATCCA CAAGTTAGTA GCAAACTGGG 3660
       GAATACTCGC TGCAGCTGGG GTTCCCTGCT TTTTGGTAGC AAGGGTCCAG AGATGAGGTG 3720
       TTTTTTTCGG GGAGCTAATA ACAAAAACAT TTTAAAACTT ACCTTTACTG AAGTTAAATC 3780
       CTCTATTGCT GTTTCTATTC TCTCTTATAG TGACCAACAT ATTTTTAATT TAGATCCAAA 3840
       TAACCATGTC CTCCTAGAGT TTAGAGGCTA GAGGGAGCTG AGGGGAGGAT CTTACTGAAA 3900
 50    GCACCCTGGG GAGATTGATT GTCCTTAAAC CTAAGCCCCA CAAACTTGAC ACCTGATCAG 3960
       GTCTGGGAGC TACAAAATTT CATTTTTCTC CTCACTGCCC TTCTTCTGAG TGGCATTGGC 4020
       CTGAATCAAG GAAAGCCAGG CCTTGTGGGC CCCCTTCTTT CGGCTTTCTG CTAAAGCAAC 4080
       ACCTCCAGCA GAGATTCCCT TAAGTGACTC CAGGTTTTCC ACCATCCTTC AGCGTGAATT 4140
       AATTTTTAAT CAGTTTGCTT TCTCCAGAGA AATTTTAAAA TAATAGAAGA AATAGAAATT 4200
 55    TTGAATGTAT AAAAGAAAAA GATCAAGTTG TCATTTTAGA ACAGAGGGAA CTTTGGGAGA 4260
       AAGCAGCCCA AGTAGGTTAT TTGTACAGTC AGAGGGCAAC AGGAAGATGC AGGCCTTCAA 4320
       GGGCAAGGAG AGGCCACAAG GAATATGGGT GGGAGTAAAA GCAACATCGT CTGCTTCATA 4380
       CTTTTTCCTA GGCTGGCAC  TGCCTTTTCC TTTCTCAGGC CAATGGCAAC TGCCATTTGA 4440
       GTCCGGTGAG GGATCAGCCA ACCTCTTCTC TATGGCTCAC CTTATTTGGA GTGAGAAATC 4500
 60    AAGGAGACAG AGCTGACTGC ATGATGAGTC TGAAGGCATT TGCAGGATGA GCCTGAACTG 4560
       GTTGTGCAGA ACAAACAAGG CATTCATGGG AATTGTTGTA TTCCTTCTGC AGCCCTCCTT 4620
       CTGGGCACTA AGAAGGTCTA TGAATTAAAT GCCTATCTAA AATTCTGATT TATTCCTACA 4680
       TTTTCTGTTT TCTAATTTGA CCCTAAAATC TATGTGTTTT AGACTTAGAC TTTTTATTGC 4740
       CCCCCCCCCC TTTTTTTTTG AGACGGAGTC TCGCTCTGAC GCACAGGCTG GAGTGCAGTG 4800
 65    GCTCCGATCT CTGCTCACTG AAAGCTCCGC CTCCCGGGTT CATGCCATTC TCCTGCCTCA 4860
       GCCTCCTGAG TAGCTGGGAC TACAGGCGCC CACCACCACG CCCGGCTAAT TTTTTGTATT 4920
       TTTAATAGAG ACGGGGTTTC ACTGTGTTAG CCAGGATGGT CTCGATCTCC TGACCTCGTG 4980
       ATCCGCCTGC CTCGGCCTCC CAAAGTGCTG GGATTACAGG CATGACCCAC CGCTCCCGGC 5040
       CTTGTTTTCC GTTTAAAGTC GTCTTCTTTT AATGTAATCA TTTTGAACAT GTGTGAAAGT 5100
 70    TGATCATACG AATTGGATCA ATCTTGAAAT ACTCAACCAA AAGACAGTCG AGAAGCCAGG 5160
       GGGAGAAAGA ACTCAGGGCA CAAAATATTG GTCTGAGAAT GGAATTCTCT GTAAGCCTAG 5220
       TTGCTGAAAT TTCCTGCTGT AACCAGAAGC CAGTTTTATC TAACGGCTAC TGAAACACCC 5280
       ACTGTGTTTT GCTCACTCCC TCACTCACG  ATCAAAACCT GCTACCTCCC CAAGACTTTA 5340
 75    CTAGTGCCGA TAAACTTTCT CAAAGAGCAA CCAGTATCAC TTCCCTGTTT ATAAAACCTC 5400
       TAACCATCTC TTTGTTCTTT GAACATGCTG AAAACCACCT GGTCTGCATG TATGCCCGAA 5460
       TTTGTAATTC TTTTCTCTCA AATGAAAATT TAATTTTAGG GATTCATTTC TATATTTTCA 5520
       CATATGTAGT ATTATTATTT CCTTATATGT GTAAGGTGAA ATTTATGGTA TTTGAGTGTG 5580
       CAAGAAAATA TATTTTTAAA GCTTTCATTT TTCCCCCAGT GAATGATTTA GAATTTTTTA 5640
 80    TGTAAATATA CAGAATGTTT TTTCTTACTT TTATAAGGAA GCAGCTGTCT AAAATGCAGT 5700
       GGGGTTTGTT TTGCAATGTT TTAAACAGAG TTTTAGTATT GCTATTAAAA GAAGTTACTT 5760
       TGCTTTTAAA GAAACTTGGC TGCTTAAAAT AAGCAAAAAT TGGATGCATA AAGTAATATT 5820
       TACAGATGTG GGGAGATGTA ATAAAACAAT ATTAACTTGG TTTCTTGTTT TTGCTGTATT 5880
       TAGAGATTAA ATAATTCTAA GATGATCACT TTGCAAAATT ATGCTTATGC CTGGCATGGA 5940
 85    AATAGAAATA CTCAATTATG TCTTTTGTTGT ATTAATGGGG AATATTTTGG ACAATGTTTC 6000
       ATTATCAAAT TGTCGACATC ATTAATATAT ATTGTAATGT TGGGAAGAGA TCACTATTTT 6060
       GAAGCACAGC TTTACAGATG AGTATCTATG ATACATATGT ATAATAAATT TTGATCGGGT 6120
       ATTAAAAGTA TTAGAAGGTG GTTATAATTG CAGAGTATTC CATGAATAGT ACACTGACAC 6180
```

```
AGGGGTTTTA CTTTGGAGGAC CAGTGTAGTC AAGGGAAAAC ATGAGTTAAA AAGAAAAGCA  6240
GGCAATATTG CAGTCTTGAT TCTGCCACTT ACAGGATAGA TAATGCCTGA ACTTTAATGA  6300
CAAGATGATC CAACCTAAA GGTGCTCTGT GCTTCACAGT GAATCTTTTC CCCATGCAGG  6360
AGTGTGCTCC CCTACAAACG TTAAGACTGA TCATTTCAAA AATCTATTAG CTATATCAAA  6420
AGCCTTACAT TTTAATATAG GTTGAACCAA AATTTCAATT CCAGTAACTT CTATTGTAAC  6480
CATTATTTTT GTGTATGTCT TCAAGAATGT TCATTGGATT TTTGTTTGTA ATAGTAAAAT  6540
ACCGGATACA TTTCACGTGT CCTTCAGTAT TGATTTGGTT GAATATTGGG TCATAATGGT  6600
TGAGAAGCAT GGACACTAGA GCCAGAATGC TTGGATATGA ATCCTGGATC TGTCACTTAC  6660
TTCTGTGTGA CCTTTGAAAG GCTACTTATT TCCTCTCTTA GCTTTCTCAT TAAAATCAAT  6720
GAACAATGCC AGCCTCATGG GGTTGTTGAA TGATTAAATT AGTTAATATA CCTAAAGTAC  6780
ATAGAACACT GCCTGCACAT AGTAAAAGAA TTATAAGTGT GAGGTAGTTG GTAAAATTAT  6840
GTAGTTGGAT ATACTACCGA ACAATATCTA ATCTCTTTTT AGGGAAATAA AGTTTGTGCA  6900
TATATATAAT CCCGAAACAT G
```

Seq ID NO: 529 Protein sequence
Protein Accession #: NP_001932.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS   60
ADLIRSSDPD FRVLNDGSVY TARAVALSDK KRSPTIWLSD KRKQTQKEVT VLLEHQKKVS  120
KTRHTRETVL RRAKRRWAPI PCSMQENSLG PPPLFLQQVE SDAAQNYTVP YSISGRGVDK  180
EPLNLFYIER DTGNLFCTRP VDREEYDVFD LIAYASTADG YSADLPLPLP IRVEDENDNH  240
PVPTEAIYNP EVLESSRPGT TVGVVCATDR DEPDTMHTRL KYSILQQTPR SPGLFSVHPS  300
TGVITTVSHY LDREVVDKYS LIMKVQDMDG QPFGLIGTST CIITVTDSND NAPTFRQNAY  360
EAFVEENAFN VEILRIPIED KDLINTANWR VNFTILKGNE NGHFKISTDK ETNEGVLSVV  420
KPLNYEENRQ VNLEIGVNNE APPARDIPRV TALNRALVTV HVRDLDSGPB CTPAAQYVRI  480
KENLAVGSKI NGYKAYDPEN RNGNGLRYKK LHDPKGWITI DEISGSIITS KILDREVETP  540
KNELYNITVL AIDKDDRSCT GTLAVNIEDV NDNPPEILQE YVVICKPKMG YTDILAVDPD  600
EPVHGAPFYF SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGFQEYTIPI TVKDRAGQAA  660
TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLPSVLLTL VCGVPFGATKG  720
KRPPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNSS QGPCGTMGSG MKNGGQETIE  780
MMKGGNQTLE SCRGAGHHHT LDSCRGGHTE VDNCRYTYSE WHSPTQPRLG EKLHRCNQNE  840
DRMPSQDYVL TYNYEGRGSP AGSVGCCSEK QEEDGLDFLN NLEPKFITLA EACTKR
```

Seq ID NO: 530 DNA sequence
Nucleic Acid Accession #: NM_016583.2
Coding sequence: 72..842

```
1          11         21         31         41         51
|          |          |          |          |          |
GGAGTGGGGG AGAGAGAGGA GACCAGGACA GCTGCTGAGA CCTCTAAGAA GTCCAGATAC   60
TAAGAGCAAA GATGTTTCAA ACTGGGGGCC TCATTGTCTT CTACGGGCTG TTAGCCCAGA  120
CCATGGCCCA GTTTGGAGGC CTGCCCGTGC CCCTGGACCA GACCCTGCCC TTGAATGTGA  180
ATCCAGCCCT GCCCCTTGAGT CCCACAGGTC TTGCAGGAAG CTTGACAAAT GCCCTCAGCA  240
ATGGCCTGCT GTCTGGGGGC CTGTTGGGCA TTCTGGAAAA CCTTCCGCTC CTGGACATCC  300
TGAAGCCTGG AGGAGGTACT TCTGGTGGCA TCCTTGGGGG ACTGCTTGGA AAAGTGACGT  360
CAGTGATTCC TGGCCTGAAC AACATCATTG ACATAAAGGT CACTGACCCC CAGCTGCTGG  420
AACTTGGCCT TGTGCAGAGC CCTGATGGCC ACCGTCTCTA TGTCACCATC CCTCTCGGCA  480
TAAAGCTCCA AGTGAATACG CCCCTGGTCG GTGCAAGTCT GTTGAGGCTG GCTGTGAAGC  540
TGGACATCAC TGCAGAAATC TTAGCTGTGA GAGATAAGCA GGAGAGGATC CACCTGGTCC  600
TTGGTGACTG CACCCATTCC CCTGGAAGCC TGCAAATTTC TCTGCTTGAT GGACTTGGCC  660
CCCTCCCCAT TCAAGGTCTT CTGGACAGCC TCACAGGGAT CTTGAATAAA GTCCTGCCTG  720
AGTTGGTTCA GGGCAACGTG TGCCCTCTGG TCAATGAGGT TCTCAGAGGC TTGGACATCA  780
CCCTGGTGCA TGACATTGTT AACATGCTGA TCCACGGACT ACAGTTTGTC ATCAAGGTCT  840
AAGCCTTCCA GGAAGGGGCT GGCCTCTGCT GAGCTGCTTC CCAGTGCTCA CAGATGGCTG  900
GCCCATGTGC TGGAAGATGA CACAGTTGCC TTCTCTCCGA GGAACCTGCC CCCTCTCCTT  960
TCCCACCAGG CGTGTGTAAC ATCCCATGTG CCTCACCTAA TAAAATGGCT CTTCTTCTGC 1020
AAAAAAAAAA AAAAAAAAAA AAAAAAAAA
```

Seq ID NO: 531 Protein sequence
Protein Accession #: NP_057667.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MFQTGGLIVF YGLLAQTMAQ FGGLPVPLDQ TLPLNVNPAL PLSPTGLAGS LTNALSNGLL   60
SGGLLGILEN LPLLDILKPG GGTSGGLLGG LLGKVTSVIP GLNNIIDIKV TDPQLLELGL  120
VQSPDGHRLY VTIPLGIKLQ VNTPLVGASL LRLAVKLDIT ABILAVRDKQ ERIHLVLGDC  180
THSPGSLQIS LLDGLGPLPI QGLLDSLTGI LNKVLPELVQ GNVCPLVNEV LRGLDITLVH  240
DIVNMLIHGL QFVIKV
```

Seq ID NO: 532 DNA sequence
Nucleic Acid Accession #: NM_004363.1
Coding sequence: 115..2223

```
1          11         21         31         41         51
|          |          |          |          |          |
CTCAGGGCAG AGGGAGGAAG GACAGCAGAC CAGACAGTCA CAGCAGCCTT GACAAAACGT   60
TCCTGGAACT CAAGCTCTTC TCCACAGAGG AGGACAGAGC AGACAGCAGA GACCATGGAG  120
TCTCCCTCGG CCCCTCCCCA CAGATGGTGC ATCCCCTGGC AGAGGCTCCT GCTCACAGCC  180
TCACTTCTAA CCTTCTGGAA CCCGCCCACC ACTGCCAAGC TCATCACGCCG  240
TTCAATGTCG CAGAGGGGAA GGAGGTGCTT CTACTTGTCC ACAATCTGCC CCAGCATCTT  300
TTTGGCTACA GCTGGTACAA AGGTGAAAGA GTGGATGGCA ACCGTCAAAT TATAGGGATAT  360
GTAATAGGAA CTCAACAAGC TACCCCAGGG CCCGCATACA GTGGTCGAGA GATAATATAC  420
CCCAATGCAT CCCTGCTGAT CCAGAACATC ATCCAGAATG ACACAGGATT CTACACCCTA  480
```

```
     CACGTCATAA AGTCAGATCT TGTGAATGAA GAAGCAACTG GCCAGTTCCG GGTATACCCG   540
     GAGCTGCCCA AGCCCTCCAT CTCCAGCAAC AACTCCAAAC CCGTGGAGGA CAAGGATGCT   600
     GTGGCCTTCA CCTGTGAACC TGAGACTCAG GACGCAACCT ACCTGTGGTG GGTAAACAAT   660
     CAGAGCCTCC CGGTCAGTCC CAGGCTGCAG CTGTCCAATG GCAACAGGAC CCTCACTCTA   720
  5  TTCAATGTCA CAAGAAATGA CACAGCAAGC TACAAATGTG AAACCCAGAA CCCCAGTGAGT  780
     GCCAGGCGCA GTGATTCAGT CATCCTGAAT GTCCTCTATG GCCCGGATGC CCCCACCATT   840
     TCCCCTCTAA ACACATCTTA CAGATCAGGG GAAAATCTGA ACCTCTCCTG CCACGCAGCC   900
     TCTAACCCAC CTGCACAGTA CTCTTGGTTT GTCAATGGGA CTTTCCAGCA ATCCACCCAA   960
     GAGCTCTTTA TCCCCAACAT CACTGTGAAT AATAGTGGAT CCTATACGTG CCAAGCCCAT  1020
 10  AACTCAGACA CTGGCCTCAA TAGGACCACA GTCACGACGA TCACAGTCTA TGCAGAGCCA  1080
     CCCAAACCCT TCATCACCAG CAACAACTCC AACCCCGTGG AGGATGAGGA TGCTGTAGCC  1140
     TTAACCTGTG AACCTGAGAT TCAGAACACA ACCTACCTGT GGTGGGTAAA TAATCAGAGC  1200
     CTCCCGGTCA GTCCCAGGCT GCAGCTGTCC AATGACAACA GGACCCTCAC TCTACTCAGT  1260
     GTCACAAGGA ATGATGTAGG ACCCTATGAG TGTGGAATCC AGAACGAATT AAGTGTTGAC  1320
 15  CACAGCGACC CAGTCATCCT GAATGTCCTC TATGGCCCAG ACGACCCCAC CATTTCCCCC  1380
     TCATACACCT ATTACCGTCC AGGGGTGAAC CTCAGCCTCT CCTGCCATGC AGCCTCTAAC  1440
     CCACCTGCAC AGTATTCTTG GCTGATTGAT GGGAACATCC AGCAACACAC ACAAGAGCTC  1500
     TTTATCTCCA ACATCACTGA GAAGAACAGC GGACTCTATA CCTGCCAGGC CAATAACTCA  1560
     GCCAGTGGCC ACAGCAGGAC TACAGTCAAG ACAATCACAG TCTCTGCGGA GCTGACCCAAG  1620
 20  CCCTCCATCT CCAGCAACAA CTCCAAACCC GTGGAGGACA AGGATGCTGT GGCCTTCACC  1680
     TGTGAACCTG AGGCTCAGAA CACAACCTAC CTGTGGTGGG TAAATGGTCA GAGCCTCCCA  1740
     GTCAGTCCCA GGCTGCAGCT GTCCAATGGC AACAGGACCC TCACTCTATT CAATGTCACA  1800
     AGAAATGACG CAAGAGCCTA TGTATGTGGA ATCCAGAACT CAGTGAGTGC AAAACCGCAGT  1860
     GACCCAGTCA CCCTGGATGT CCTCTATGGG CCGGACACCC CCATCATTTC CCCCCCAGAC  1920
 25  TCGTCTTACC TTTGGGGAGC GAACCTCAAC CTCTCCTGCC ACTCGGCCTC TAACCCATCC  1980
     CCGCAGTATT CTTGGCGTAT CAATGGGATA CCGCAGCAAC ACACACAAGT TCTCTTTATC  2040
     GCCAAAATCA CGCCAAATAA TAACGGGACC TATGCCTGTT TTGTCTCTAA CTTGGCTACT  2100
     GGCCGCAATA ATTCCATAGT CAAGAGCATC ACAGTCTCTG CATCTGGAAC TTCTCCTGGT  2160
     CTCTCAGCTG GGGCCACTGT CGGGCATCATG ATTGGAGTGC TGGTTGGGGT TGCTCGTGATA  2220
 30  TAGCAGCCCT GGTGTGAGTT CTTCATTTCA GGAAGACTGA CAGTTGTTTT GCTTCTTCCT  2280
     TAAAGCATTT GCAACAGCTA CAGTCTAAAA TTGCTTCTTT ACCAAGGATA TTTACAGAAA  2340
     AGACTCTGAC CAGAGATCGA GACCATCCTA GCCAACATCG TGAAACCCCA TCTCTACTAA  2400
     AAATACAAAA ATGAGCTGGG CTTGGTGGCG CGCACCTGTA GTCCCAGTTA CTCGGGAGGC  2460
     TGAGGCAGGA GAATCGCTTG AACCCGGGAG GTGGAGATTG CAGTGAGCCC AGATCGCACC  2520
 35  ACTGCACTCC AGTCTGGCAA CAGAGCAAGA CTCCATCTCA AAAAGAAAAG AAAAGAAGAC  2580
     TCTGACCTGT ACTCTTGAAT ACAAGTTTCT GATACCACTG CACTGTCTGA GAATTTCCAA  2640
     AACTTTAATG AACTAACTGA CAGCTTCATG AAACTGTCCA CCAAGATCAA GCACAGAAAA  2700
     TAATTAATTT CATGGGACTA AATGAACTAA TGAGGATTGC TGATTCTTTA AATGTCTTGT  2760
     TTCCCAGATT TCAGGAACGT TTTTTTCTTT TAAGCTATCC ACTCTTACAG CAATTTGATA  2820
 40  AAAATATACTT TTGTGAACAA AAATTGAGAC ATTTACATTT TCTCCCTATG TGGTCGCTCC  2880
     AGACTTGGGA AACTATTCAT GAATATTTAT ATTGTATGGT AATATAGTTA TTGCACAAGT  2940
     TCAATAAAAA TCTGCTCTTT GTATAACAGA AAAA
```

```
     Seq ID NO: 533 Protein sequence
45   Protein Accession #: NP_004354.1

     1          11         21         31         41         51
     |          |          |          |          |          |
     MESPSAPPHR WCIPWQRLLL TASLLTFWNP PTTAKLTIES TPFNVAEGKE VLLLVEHLPQ   60
50   HLFGYSWYKG ERVDGNRQII GYVIGTQQAT PGPAYSGREI IYPNASLLIQ NIIQNDTGFY  120
     TLHVIKSDLV NEEATGQFRV YPELPKPSIS SNNSKPVEDK DAVAFTCEPE TQDATYLWWV  180
     NNQSLPVSPR LQLSNGNRTL TLFNVTRNDT ASYKCETQNP VSARRSDSVI LNVLYGPDAP  240
     TISPLNTSYR SGENLNLSCH AASNPPAQYS WFVNGTFQQS TQELFIPNIT VNNSGSYTCQ  300
     AHNSDTGLNR TTVTTITVYA EPPKPPITSN NSNPVEDEDA VALTCEPEIQ NTTYLWWVNN  360
55   QSLPVSPRLQ LSNDNRTLTL LSVTRNDVGP YECGIQNELS VDHSDPVILN VLYGPDDPTI  420
     SPSYTYYRPG VNLSLSCHAA SNPPAQYSWL IDGNIQQHTQ ELFISNITEK NSGLYTCQAN  480
     NSASGHSRTT VKTITVSAEL PKPSISSNNS KPVEDKDAVA FTCEPEAQNT TYLWWVNGQS  540
     LPVSPRLQLS NGNRTLTLFN VTRNDARAYV CGIQNSVSAN RSDPVTLDVL YGPDTPIISP  600
     PDSSYLSGAN LNLSCHSASN PSPQYSWRIN GIPQQHTQVL PIAKITPNNN GTYACFVSNL  660
60   ATGRNNSIVK SITVSASGTS PGLSAGATVG IMIGVLVGVA LI
```

```
     Seq ID NO: 534 DNA sequence
     Nucleic Acid Accession #: NM_006952.1
     Coding sequence: 11..793
65

     1          11         21         31         41         51
     |          |          |          |          |          |
     AATCCCGACA ATGGCGAAAG ACAACTCAAC TGTTCGTTGC TTCCAGGGCC TGCTGATTTT   60
70   TGGAAATGTG ATTATTGGTT GTTGCGGCAT TGCCCTGACT GCGGAGTGCA TCTTCTTTGT  120
     ATCTGACCAA CACAGCCTCT ACCCACTGCT TGAAGCCACC GACAACGATG ACATCTATGG  180
     GGCTGCCTGG ATCGGCATAT TTGTGGGCAT CTGCCTCTTC TGCCTGTCTG TTCTAGGCAT  240
     TGTAGGCATC ATGAAGTCCA GCAGGAAAAT TCTTCTGGCG TATTTCATTC TGATGTTTAT  300
     AGTATATGCC TTTGAAGTGG CATCTTGTAT CACAGCAGCA ACACAACGAG ACTTTTTCAC  360
75   ACCCAACCTC TTCCTGAAGC AGATGCTAGA GAGGTACCAA AACAACAGCC CTCCAAACAA  420
     TGATGACCAG TGGAAAAACA ATGGAGTCAC CAAAACCTGG GACAGGCTCA TGCTCCAGGA  480
     CAATTGCTGT GGCGTAAATG GTCCATCAGA CTGGCAAAAA TACACATCTG CCTTCCGGAC  540
     TGAGAATAAT GATGCTGACT ATCCCTGGCC TCGTCAATGC TGTGTTATGA ACAATCTTAA  600
     AGAACCTCTC AACCTGGAGG CTTGTAAACT AGGCGTGCCT GGTTTTTATC ACAAATCAGGG  660
80   CTGCTATGAA CTGATCTCTG GTCCAATGAA CCGACACGCC TGGGGGGTTG CCTGGTTTGG  720
     ATTTGCCATT CTCTGCTGGA CTTTTTGGGT TCTCCTGGGT ACCATGTTCT ACTGGAGCAG  780
     AATTGAATAT TAAGAA
```

```
     Seq ID NO: 535 Protein sequence
     Protein Accession #: NP_008883.1
85

     1          11         21         31         41         51
     |          |          |          |          |          |
```

```
MAKDNSTVRC FQGLLIFGNV IIGCCGIALT AECIFFVSDQ HSLYPLLEAT DNDDIYGAAW    60
IGIFVGICLF CLSVLGIVGI MKSSRKILLA YFILMFIVYA FEVASCITAA TQRDFFTPNL   120
FLKQMLERYQ NNSPPNNDDQ WKNNGVTKTW DRLMLQDNCC GVNGPSDWQK YTSAFRTENN   180
DADYPWPRQC CVMNNLKEPL NLEACKLGVP GFYHNQGCYE LISGPMNRHA WGVAWFGFAI   240
LCWTFWVLLG TMFYWSRIEY
```

Seq ID NO: 536 DNA sequence
Nucleic Acid Accession #: NM_002638.1
Coding sequence: 120..473

```
1          11         21         31         41         51
|          |          |          |          |          |
CAATACAGCT AAGGAATTAT CCCTTGTAAA TACCACAGAC CCGCCCTGGA GCCAGGCCAA    60
GCTGGACTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA   120
TGAGGGCCAG CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGCTGGGACG CTGGTTCTAG   180
AGGCAGCTGT CACGGGAGTT CCTGTTAAAG GTCAAGACAC TGTCAAAGGC CGTGTTCCAT   240
TCAATGGACA AGATCCCGTT AAAGGACAAG TTTCAGTTAA AGGTCAAGAT AAAGTCAAAG   300
CGCAAGAGCC AGTCAAAGGT CCAGTCTCCA CTAAGCCTGG CTCCTGCCCC ATTATCTTGA   360
TCCGGTGCGC CATGTTGAAT CCCCCTAACC GCTGCTTGAA AGATACTGAC TGCCCAGGAA   420
TCAAGAAGTG CTGTGAAGGC TCTTGCGGGA TGGCCTGTTT CGTTCCCCAG TGAAGGGAGC   480
CGGTCCTTGC TGCACCTGTG CCGTCCCCAG AGCTACAGGC CCCATCTGGT CCTAAGTCCC   540
TGCTGCCCTT CCCCTTCCCA CACTGTCCAT TCTTCCTCCC ATTCAGGATG CCCACGGCTG   600
GAGCTGCCTC TCTCATCCAC TTTTCCAATAA A
```

Seq ID NO: 537 Protein sequence
Protein Accession #: NP_002629.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MRASSFLIVV VFLIAGTLVL EAAVTGVPVK GQDTVKGRVP PNGQDPVKGQ VSVKGQDKVK    60
AQEPVKGPVS TKPGSCPIIL IRCAMLNPPN RCLKDTDCPG IKKCCEGSCG MACFVPQ
```

Seq ID NO: 538 DNA sequence
Nucleic Acid Accession #: NM_001793.2
Coding sequence: 71..2560

```
1          11         21         31         41         51
|          |          |          |          |          |
AAAGGGGCAA GAGCTGAGCG GAACACCGGC CCGCCGTCGC GGCAGCTGCT TCACCCCTCT    60
CTCTGCAGCC ATGGGGCTCC CTCGTGGACC TCTCGCGTCT CTCCTCCTTC TCCAGGTTTG   120
CTGGCTGCAG TGCGCGGCCT CCGAGCCGTG CCGGGCGGTC TTCAGGGAGG CTGAAGTGAC   180
CTTGGAGGCG GGAGGCGCGG AGCAGGAGCG CGGCCAGGCG CTGGGGAAAG TATTCATGGG   240
CTGCCCTGGG CAAGAGCCAG CTCTGTTTAG CACTGATAAT GATGACTTCA CTGTGCGGAA   300
TGGCGAGACA GTCCAGGAAA GAAGGTCACT GAAGGAAAGG AATCCATTGA AGATCTTCCC   360
ATCCAAACGT ATCTTACGAA GACACAAGAG AGATTGGGTG GTTGCTCCAA TATCTGTCCC   420
TGAAAATGGC AAGGGTCCCT TCCCCCAGAG ACTGAATCAG CTCAAGTCTA ATAAAGATAG   480
AGACACCAAG ATTTTCTACA GCATCACGGG GCCGGGGGCA GACAGCCCCC CTGAGGGTGT   540
CTTCGCTGTA GAGAAGGAGA CAGGCTGGTT GTTGTTGAAT AAGCCACTGG ACCGGGAGGA   600
GATTGCCAAG TATGAGCTCT TTGGCCACGC TGTGTCAGAG AATGGTGCCT CAGTGGAGGA   660
CCCCATGAAC ATCTCCATCA TCGTGACCGA CCAGAATGAC CACAAGCCCA AGTTTACCCA   720
GGACACCTTC CGAGGGAGTG TCTTAGAGGG AGTCCTACCA GGTACTTCTG TGATGCAGGT   780
GACAGCCACG GATGAGGATG ATGCCATCTA CACCTACAAT GGGGTGGTTG CTTACTCCAT   840
CCATAGCCAA GAACCAAAGG ACCCACACGA CCTCATGTTC ACCATTACC GGAGCACAGG   900
CACCATCAGC GTCATCTCCA GTGGCCTGGA CCGGGAAAAA GTCCCTGAGT ACACACTGAC   960
CATCCAGGCC ACAGACATGG ATGGGGACGG CTCCACCACC ACGGCAGTGG CAGTAGTGGA  1020
GATCCTTGAT GCCAATGACA ATGCTCCCAT GTTTGACCCC CAGAAGTACG AGGCCCATGT  1080
GCCTGAGAAT GCAGTGGGCC ATGAGGTGCA GAGGCTGACG GTCACTGATC TGGACGCCCC  1140
CAACTCACCA GCGTGGCGTG CCACCTACCT TATCATGGGC GGTGACGACG GGGACCATTT  1200
TACCATCACC ACCCACCCTG AGAGCAACCA GGGCATCCTG ACAACCAGGA AGGGTTTGGA  1260
TTTTGAGGCC AAAAACCAGC ACACCCTGTA CGTTGAAGTG ACCAACGAGG CCCCTTTTGT  1320
GCTGAAGCTC CCAACCTCCA CAGCCACCAT AGTGGTCCAC GTGGAGGATG TGAATGAGGC  1380
ACCTGTGTTT GTCCCACCCT CCAAAGTCGT TGAGGTCCAG GAGGGCATCC CCACTGGGGA  1440
GCCTGTGTGT GTCTACACTG CAGAAGACCC TGACAAGGAG AATCAAAAGA TCAGCTACCG  1500
CATCCTGAGA GACCCAGCAG GGTGGCTAGC CATGGACCCA GACAGTGGGC AGGTCACAGC  1560
TGTGGGCACC CTCGACCGTG AGGATGAGCA GTTTGTGAGG AACAACATCT ATGAAGTCAT  1620
GGTCTTGGCC ATGGACAATG GAAGCCCTCC CACCACTGGC ACGGGAACCC TTCTGCTAAC  1680
ACTGATTGAT GTCAATGACC ATGGCCCAGT CCCTGAGCCC CGTCAGATCA CCATCTGCAA  1740
CCAAAGCCCT GTGCGCCAGG TGCTGAACAT CACGGACAAG GACCTGTCTC CCCACACCTC  1800
CCCTTTCCAG GCCCAGCTCA CAGATGACTC AGACATCTAC TGGACGGCAG AGGTCAACGA  1860
GGAAGGTGAC ACAGTGGTCT TGTCCCTGAA GAAGTTCCTG AAGCAGGATA CATATGACGT  1920
GCACCTTTCT CTGTCTGACC ATGGCAACAA AGAGCAGCTG ACGGTGATCA GGGCCACTGT  1980
GTGCGACTGC CATGGCCATG TCGAAACCTG CCCTGGACCC TGGAAGGGAG GTTTCATCCT  2040
CCCTGTGCTG GGGGCTGTCC TGGCTCTGCT GTTCCTCCTG CTGGTGCTGC TTTTGTTGGT  2100
GAGAAAGAAG CGGAAGATCA AGGAGCCCCT CCTACTCCCA GAAGATGACA CCCGTGACAA  2160
CGTCTTCTAC TATGGCGAAG AGGGGGGTGG CGAAGAGGAC CAGGACTATG ACATCACCCA  2220
GCTCCACCGA GGTCTGGAGG CCAGGCCGGA GGTGGTTCTC CGCAATGACG TGGCCACCAAC  2280
CATCATCCCG ACACCCATGT ACCGTCCTCG GCCAGCCAAC CCAGATGAAA TCGGCAACTT  2340
TATAATTGAG AACCTGAAGG CGGCTAACAC AGACCCCACA GCCCCGCCCT ACGACACCCT  2400
CTTGGTGTTC GACTATGAGG GCAGCGGCTC CGACGCGCGG TCCCTGAGCT CCCTCACCTC  2460
CTCCGCCTCC GACCAAGACC AAGATTACGA TTATCTGAAC GAGTGGGGCA GCCGCTTCAA  2520
GAAGCTGGCA GACATGTACG GTGGCGGGGA GGACGACTAG GCGGCCTGCC TGCAGGGCTG  2580
GGGACCCAAC GTCAGGCCAC AGAGCATCTC CAAGGGGTCT CAGTTCCCCC TTCAGCTGAG  2640
GACTTCGGAG CTTGTCAGGA AGTGGCCGTA GCAACTTGGC GGAGACAGGC TATGAGTCTG  2700
ACGTTAGAGT GGTTGCTTCC TTAGCCTTTC AGGATGGAGG AATGTGGGCA GTTTGACTTC  2760
AGCACTGAAA ACCTCTCCAC CTGGGCCAGG GTTGCTCAG AGGCCAAGTT TCCAGAAGCC  2820
TCTTACCTGC CGTAAAATGC TCAACCCTGT GTCCTGGGCC TGGGCTGCT GTGACTGACC  2880
TACAGTGGAC TTTCTCTCTG GAATGGAACC TTCTTAGGCC TCCTGGTGCA ACTTAATTTT  2940
```

```
         TTTTTTTAAT GCTATCTTCA AAACGTTAGA GAAAGTTCTT CAAAAGTGCA GCCCAGAGCT   3000
         GCTGGGCCCA CTGGCCGTCC TGCATTTCTG GTTTCCAGAC CCCAATGCCT CCCATTCGGA   3060
         TGGATCTCTG CGTTTTTATA CTGAGTGTGC CTAGGTTGCC CCTTATTTTT TATTTTCCCT   3120
         GTTGCGTTGC TATAGATGAA GGGTGAGGAC AATCGTGTAT ATGTACTAGA ACTTTTTTAT   3180
   5     TAAAGAAACT TTTCCCAGAA AAAAA


         Seq ID NO: 539 Protein sequence
         Protein Accession #: NP_001784.2

  10     1          11         21         31         41         51
         |          |          |          |          |          |
         MGLPRGPLAS LLLLQVCWLQ CAASEPCRAV FREAEVTLEA GGAEQEPGQA LGKVPMGCPG   60
         QEPALFSTDN DDFTVRNGET VQERRSLKER NPLKIFPSKR ILRRHKRDWV VAPISVPENG   120
         KGPFPQRLNQ LKSNKDRDTK IFYSITGPGA DSPPEGVFAV EKETGWLLLN KPLDREEIAK   180
  15     YELFGHAVSE NGASVEDPMN ISIIVTDQND HKPKPTQDTF RGSVLEGVLP GTSVMQVTAT   240
         DEDDAIYTYN GVVAYSIHSQ EPKDPHDLMF TIHRSTGTIS VISSGLDREK VPEYTLTIQA   300
         TDMDGDGSTT TAVAVVEILD ANDNAPMFDP QKYEAHVPEN AVGHEVQRLT VTDLDAPNSP   360
         AWRATYLIMG GDDGDHFTIT THPESNQGIL TTRKGLDFEA KNQHTLYVEV TNEAPFVLKL   420
         PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ EGIPTGEPVC VYTAEDPDKE NQKISYRILR   480
  20     DPAGWLAMDP DSGQVTAVGT LDREDEQFVR NNIYEVMVLA MDNGSPPTTG TGTLLLTLID   540
         VNDHGPVPEP RQITICNQSP VRQVLNITDK DLSPHTSPPQ AQLTDDSDIY WTAEVNEEGD   600
         TVVLSLKKPL KQDTYDVHLS LSDHGNKEQL TVIRATVCDC BGHVETCPGP WKGGFILPVL   660
         GAVLALLFLL LVLLLLVRKK RKIKEPLLLP EDDTRDNVFY YGEEGGGEED QDYDITQLHR   720
         GLEARPEVVL RNDVAPTIIP TPMYRPRPAN PDEIGNFIIE NLKAANTDPT APPYDTLLVF   780
  25     DYEGSGSDAA SLSSLTSSAS DQDQDYDYLN EWGSRFKKLA DMYGGGEDD


         Seq ID NO: 540 DNA sequence
         Nucleic Acid Accession #: Eos sequence
         Coding sequence: 1..672
  30
         1          11         21         31         41         51
         |          |          |          |          |          |
         ATGAGGCTCC AAAGACCCCG ACAGGCCCCG GCGGGTGGGA GGCGCGCGCC CCGGGGCGGG   60
         CGGGGCTCCC CCTACCGGCC AGACCCGGGG AGAGGCGCGC GGAGGCTGCG AAGGTTCCAG   120
  35     AAGGGCGGGG AGGGGGCGCC GCGCGCTGAC CCTCCCTGGG CACCGCTGCG GACGATGCGG   180
         CTGCTCGCCT TGCTGCTGGT CGTGGCCCTA CCGCGGGTGT GGACAGACGC CAACCTGACT   240
         GCGAGACAAC GAGATCCAGA GGACTCCCAG CGAACGGACG AGGGTGACAA TAGAGTGTGG   300
         TGTCATGTTT GTGAGAGAGA AAACACTTTC GAGTGCCAGA ACCCAAGGAG GTGCAAATGG   360
         ACAGAGCCAT ACTGCGTTAT AGCGGCCGTG AAAATATTTC CACGTTTTTT CATGGTTGCG   420
  40     AAGCAGTGCT CCGCTGGTTG TGCAGCGATG GAGAGACCCA AGCCAGAGGA GAAGCGGTTT   480
         CTCCTGGAAG AGCCCATGCC CTTCTTTTAC CTCAAGTGTT GTAAAATTCG CTACTGCAAT   540
         TTAGAGGGGC CACCTATCAA CTCATCAGTG TTCAAAGAAT ATGCTGGGAG CATGGGTGAG   600
         AGCTGTGGTG GGCTGTGGCT GGCCATCCTC CTGCTGCTGG CCTCCATTGC AGCCGGCCTC   660
         AGCCTGTCTT GA
  45
         Seq ID NO: 541 Protein sequence
         Protein Accession #: Eos sequence


  50     1          11         21         31         41         51
         |          |          |          |          |          |
         MRLQRPRQAP AGGRRAPRGG RGSPYRPDPG RGARRLRRFQ KGGEGAPRAD PPWAPLGTMA   60
         LLALLLVVAL PRVWTDANLT ARQRDPEDSQ RTDEGDNRVW CHVCERENTP ECQNPRRCKW   120
         TEPYCVIAAV KIFPRFFMVA KQCSAGCAAM ERPKPEEKRF LLEEPMPFFY LKCCKIRYCN   180
  55     LEGPPINSSV FKEYAGSMGE SCGGLWLAIL LLLASIAAGL SLS


         Seq ID NO: 542 DNA sequence
         Nucleic Acid Accession #: XM_035292.2
         Coding sequence: 53..1576

  60     1          11         21         31         41         51
         |          |          |          |          |          |
         GCTCGCTGGG CCGCGGCTCC CGGGTGTCCC AGGCCCGGCC GGTGCGCAGA GCATGGCGGG   60
         TGCGGGCCCG AAGCGGCGCG CGCTAGCGGC GCCGGCGGCC GAGGAGAAGG AAGAGGCGCG   120
         GGAGAAGATG CTGGCCGCCA AGAGCGCGGA CGGCTCGGCG CCGGCAGGCG AGGGCGGAGG   180
  65     CGTGACCCTG CAGCGGAACA TCACGCTGCT CAACGGCGTG GCCATCATCG TGGGGACCAT   240
         TATCGGCTCG GGCATCTTCG TGACGCCCAC GGGCGTGCTC AAGGAGGCAG GCTCGCCGGG   300
         GCTGGCGCTG GTGGTGTGGG CCGGTGCGG CGTCTTCTCC ATCGTGGGCG GGCTCTGCTA   360
         CGCGGAGCTC GGCACCACCA TCTCCAAATC GGGCGGCGAC TACGCCTACA TGCTGGAGGT   420
         CTACGGCTCG CTGCCCGCCT TCCTCAAGCT CTGGATCGAG CTGCTCATCA TCCGGCCTTC   480
  70     ATCGCAGTAC ATCGTGGCCC TGGTCTTCGC CACCTACCTG CTCAAGCCGC TCTTCCCCAC   540
         CTGCCCGGTG CCCGAGGAGG CAGCCAAGCT CGTGGCCTGC CTCTGCGTGC TGCTGCTCAC   600
         GGCCGTGAAC TGCTACAGCG TGAAGGCCGC CACCCGGGTC CAGGATGCCT TTGCCGCCGC   660
         CAAGCTCCTG GCCCTGGCCC TGATCATCCT GCTGGGCTTC GTCCAGATCG GAAAGGGTGA   720
         TGTGTCCAAT CTAGATCCCA ACTTCTCATT TGAAGGCACC AAACTGGATG TGGGGAACAT   780
  75     TGTGCTGGCA TTATACAGCG GCCTCTTTGC CTATGGAGGA TGGAATTACT TGAATTTCGT   840
         CACAGAGGAA ATGATCAACC CCTACAGAAA CCTGCCCCTG GCCATCATCA TCTCCCCTGCC   900
         CATCGTGACG CTGGTGTACG TGCTGACCAA CCTGGCCTAC TTCACCACCG TGTCCACCGA   960
         GCAGATGCTG TCGTCCGAGG CCGTGGCCGT GGACTTCGGG AACTATCACC TGGGCGTCAT   1020
         GTCCTGGATC ATCCCCGTCT TCGTGGGGCCT GTCCTGCTTC GGCTCCGTCA TGGGTCCCT   1080
  80     GTTCACATCC TCCAGGCTCT TCTTCGTGGG GTCCCGGGAA GGCCACCTGC CCTCCATCCT   1140
         CTCCATGATC CACCCACAGC TCCTCACCCC CGTGCCGTCC CTCGTGTTCA CGTGTGTGAT   1200
         GACGCTGCTC TACGCCTTCT CCAAGGACAT CTTCTCCGTC ATCAACTTCT TCAGCTTCTT   1260
         CAACTGGCTC TGCGTGGCCC TGGCCATCAT CGGCATGATC TGGCTGCGCC ACAGAAAGCC   1320
         TGAGCTTGAG CGGCCCATCA AGGTGAACCT GGCCCTGCCT GTGTTCTTCA TCCTGGCCTG   1380
  85     CCTCTTCCTG ATCGCCGTCT CCTTCTGGAA GACACCCGTG GAGTGTGGCA TCGGCTTCAC   1440
         CATCATCCTC AGCGGGCTGC CGTCTACTT CTTCGGGGTC TGGTGGAAAA ACAAGCCCAA   1500
         GTGGCTCCTC CAGGGCATCT TCTCCACGAC CGTCCTGTGT CAGAAGCTCA TGCAGGTGGT   1560
```

CCCCCAGGAG ACATAGCCAG GAGGCCGAGT GGCTGCCGGA GGAGCATGC

Seq ID NO: 543 Protein sequence
Protein Accession #: XP_035292.2

```
1          11         21         31         41         51
|          |          |          |          |          |
MAGAGPKRRA LAAPAAEEKE EAREKMLAAK SADGSAPAGE GEGVTLQRNI TLLNGVAIIV   60
GTIIGSGIFV TPTGVLKEAG SPGLALVVWA ACGVFSIVGA LCYAELGTTI SKSGGDYAYM  120
LEVYGSLPAF LKLWIELLII RPSSQYIVAL VFATYLLKPL FPTCPVPEEA AKLVACLCVL  180
LLTAVNCYSV KAATRVQDAF AAAKLLALAL IILLGFVQIG KGDVSNLDPN FSPEGTKLDV  240
GNIVLALYSG LPAYGGWNYL NFVTEEMINP YRNLPLAIII SLPIVTLVYV LTNLAYFTTL  300
STEQMLSSEA VAVDFGNYHL GVMSWIIPVF VGLSCFGSVN GSLFTSSRLF FVGSREGHLP  360
SILSMIHPQL LTPVPSLVFT CVMTLLYAFS KDIFSVINPP SFFNWLCVAL AIIGMIWLRH  420
RKPELERPIK VNLALPVFPI LACLFLIAVS FWKTPVECGI GPTIILSGLP VYFFGVWWKN  480
KPKWLLQGIF STTVLCQKLM QVVPQET
```

Seq ID NO: 544 DNA sequence
Nucleic Acid Accession #: NM_005268.1
Coding sequence: 168..989

```
1          11         21         31         41         51
|          |          |          |          |          |
TAAAAAGCAA AAGAATTCGC GGCCGCGTCG ACACGGGCTT CCCCGAAAAC CTTCCCCGCT    60
TCTGGATATG AAATTCAAGC TGCTTGCTGA GTCCTATTGC CGGCTGCTGG GAGCCAGGAG   120
AGCCCTGAGG AGTAGTCACT CAGTAGCAGC TGACGCGTGG GTCCACCATG AACTGGAGTA   180
TCTTTGAGGG ACTCCTGAGT GGGGTCAACA AGTACTCCAC AGCCTTTGGG CGCATCTGGC   240
TGTCTCTGGT CTTCATCTTC CGCGTGCTGG TGTACCTGGT GACGGCCGAG CGTGTGTGGA   300
GTGATGACCA CAAGGACTTC GACTGCAATA CTCGCCAGCC CGGCTGCTCC AACGTCTGCT   360
TTGATGAGTT CTTCCCTGTG TCCCATGTGC GCCTCTGGGC CCTGCAGCTT ATCCTGGTGA   420
CATGCCCCTC ACTGCTCGTG GTCATGCACG TGGCCTACCG GGAGGTTCAG GAGAAGAGGC   480
ACCGAGAAGC CCATGGGGAG AACAGTGGGC GCCTCTACCT GAACCCCGGC AAGAAGCGGG   540
GTGGGCTCTG GTGGACATAT GTCTGCAGCC TAGTGTTCAA GGCGAGCGTG GACATCGCCT   600
TTCTCTATGT GTTCCACTCA TTCTACCCCA AATATATCCT CCCTCCTGTG GTCAAGTGCC   660
ACGCAGATCC ATGTCCCAAT ATAGTGGACT GCTTCATCTC CAAGCCCTCA GAGAAGAACA   720
TTTTCACCCT CTTCATGGTG GCCACAGCTG CCATCTGCAT CCTGCTCAAC CTCGTGGAGC   780
TCATCTACCT GGTGAGCAAG AGATGCCACG AGTGCCTGGC AGCAAGGAAA GCTCAAGCCA   840
TGTGCACAGG TCATCACCCC CACGGTACCA CCTCTTCCTG CAAACAAGAC GACCTCCTTT   900
CGGGTGACCT CATCTTTCTG GGCTCAGACA GTCATCCTCC TCTCTTACCA GACCGCCCCC   960
GAGACCATGT GAAGAAAACC ATCTTGTGAG GGGCTGCCTG GACTGGTCTG GCAGGTTGGG  1020
CCTGGATGGG GAGGCTCTAG CATCTCTCAT AGGTGCAACC TGAGAGTGGG GGAGCTAAGC  1080
CATGAGGTAG GGGCAGGCAA GAGAGAGGAT TCAGACGCTC TGGGAGCCAG TTCCTAGTCC  1140
TCAACTCCAG CCACCTGCCC CAGCTCGACG GCACTGGGCG AGTTCCCCCT CTGCTCTGCA  1200
GCTCGGTTTC CTTTTCTAGA ATGGAAATAG TGAGGGCCAA TGC
```

Seq ID NO: 545 Protein sequence
Protein Accession #: NP_005259.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MNWSIFEGLL SGVNKYSTAF GRIWLSLVFI FRVLVYLVTA ERVWSDDHKD FDCNTRQPGC   60
SNVCFDEFFP VSHVRLWALQ LILVTCPSLL VVMHVAYREV QEKRHREAHG ENSGRLYLNP  120
GKKRGGLWWT YVCSLVFKAS VDIAFLYVFH SFYPKYILPP VVKCHADPCP NIVDCFISKP  180
SEKNIFTLFM VATAAICILL NLVELIYLVS KRCHECLAAR KAQAMCTGHH PEGTTSSCKQ  240
DDLLSGDLIF LGSDSHPPLL PDRPRDHVKK TIL
```

Seq ID NO: 546 DNA sequence
Nucleic Acid Accession #: NM_002391.1
Coding sequence: 26..457

```
1          11         21         31         41         51
|          |          |          |          |          |
CGGGCGAAGC AGCGCGGGCA GCGAGATGCA GCACCGAGGC TTCCTCCTCC TCACCCTCCT    60
CGCCCTGCTG GCGCTCACCT CCGCGGTCGC CAAAAAGAAA GATAAGGTGA AGAAGGGCGG   120
CCCGGGGAGC GAGTGCGCTG AGTGGGCCTG GGGGCCCTGC ACCCCCAGCA GCAAGGATTG   180
CGGCGTGGGT TTCCGCGAGG GCACCTGCGG GGCCCAGACC CAGCGGCATC GGTGCAGGGT   240
GCCCTGCAAC TGGAAGAAGG AGTTTGGAGC CGACTGCAAG TACAAGTTTG AGAACTGGGG   300
TGCCTGTGAT GGGGGCACGG GCACCAAAGT CCGCCAAGGC ACCCTGAAGA AGGCGCGCTA   360
CAATGCTCAG TGCCAGGAGA CCATCCGCGT CACCAAGCCC TGCACCCCCA AGACCAAAGC   420
AAAGGCCAAA GCCAAGAAAG GGAAGGGAAA GGACTAGACG CCAAGCCTGG ATGCCAAGGA   480
GCCCCTGGTG TCACATGGGG CCTGGCCACG CCCTCCCTCT CCCAGGCCCG AGATGTGACC   540
CACCAGTGCC TTCGTCTGCT CGTTAGCTT TAATCAATCA TGCCCTGCCT TGTCCCTCTC   600
ACTCCCCAGC CCCACCCCTA AGTGCCCAAA GTGGGGAGGG ACAAGGGATT CTGGGAAGCT   660
TGAGCCTCCC CCAAAGCAAT GTGAGTCCCA GAGCCCGCTT TTGTTCTTCC CCACAATTCC   720
ATTACTAAGA AACACATCAA ATAAACTGAC TTTTTCCCCC CAATAAAAGC TCTTCTTTTT   780
TAATAT
```

Seq ID NO: 547 Protein sequence
Protein Accession #: NP_002382.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MQHRGFLLLT LLALLALTSA VAKKKDKVKK GGPGSECAEW AWGPCTPSSK DCGVGFREGT   60
CGAQTQRIRC RVPCNWKKEF GADCKYKFEN WGACDGGTGT KVRQGTLKKA RYNAQCQETI  120
RVTKPCTPKT KAKAKAKKGK GKD
```

Seq ID NO: 548 DNA sequence

393

Nucleic Acid Accession #: NM_006783.1
Coding sequence: 1..786

```
       1          11         21         31         41         51
       |          |          |          |          |          |
5      ATGGATTGGG GGACGCTGCA CACTTTCATC GGGGGTGTCA ACAAACACTC CACCAGCATC    60
       GGGAAGGTGT GGATCACAGT CATCTTTATT TTCCGAGTCA TGATCCTAGT GGTGGCTGCC   120
       CAGGAAGTGT GGGGTGACGA GCAAGAGGAC TTCGTCTGCA ACACACTGCA ACCGGGATGC   180
       AAAAATGTGT GCTATGACCA CTTTTTCCCG GTGTCCCACA TCCGGCTGTG GGCCCTCCAG   240
10     CTGATCTTCG TCTCCACCCC AGCGCTGCTG GTGGCCATGC ATGTGGCCTA CTACAGGCAC   300
       GAAACCACTC GCAAGTTCAG GCGAGGAGAG AAGAGGAATG ATTTCAAAGA CATAGAGGAC   360
       ATTAAAAAGC ACAAGGTTCG GATAGAGGGG TGGCTGTGGT GGACGTACAC CAGCAGCATC   420
       TTTTTCCGAA TCATCTTTGA AGCAGCCTTT ATGTATGTGT TTTACTTCCT TTACAATGGG   480
       TACCACCTGC CCTGGGTGTT GAAATGTGGG ATTGACCCCT GCCCCAACCT TGTTGACTGC   540
15     TTTATTTCTA GGCAACAGA GAAGACCGTG TTTACCATTT TTATGATTTC TGCGTCTGTG   600
       ATTTGCATGC TGCTTAACGT GGCAGAGTTG TGCTACCTGC TGCTGAAAGT GTGTTTTAGG   660
       AGATCAAAGA GAGCACAGAC GCAAAAAAAT CACCCCAATC ATGCCCTAAA GGAGAGTAAG   720
       CAGAATGAAA TGAATGAGCT GATTTCAGAT AGTGGTCAAA ATGCAATCAC AGGTTTCCCA   780
       AGCTAA
20
```

Seq ID NO: 549 Protein sequence
Protein Accession #: NP_006774.1

```
       1          11         21         31         41         51
       |          |          |          |          |          |
25     MDWGTLHTFI GGVNKHSTSI GKVWITVIFI FRVMILVVAA QEVWGDEQED FVCNTLQPGC    60
       KNVCYDHFFP VSHIRLWALQ LIFVSTPALL VAMHVAYYRH ETTRKFRRGE KRNDFKDIED   120
       IKKHKVRIEG SLWWTYTSSI FFRIIFEAAF MYVFYFLYNG YHLPWVLKCG IDPCPNLVDC   180
30     PISRPTEKTV PTIFMISASV ICMLLNVAEL CYLLLKVCFR RSKRAQTQKN HPNHALKESK   240
       QNEMNELISD SGQNAITGFP S
```

Seq ID NO: 550 DNA sequence
Nucleic Acid Accession #: NM_002571.1
35   Coding sequence: 99..587

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CATCCCTCTG GCTCCAGAGC TCAGAGCCAC CCACAGCCGC AGCCATGCTG TGCCTCCTGC    60
       TCACCCTGGG CGTGGCCCTG GTCTGTGGTG TCCCGGCCAT GGACATCCCC CAGACCAAGC   120
40     AGGACCTGGA GCTCCCAAAG TTGGCAGGGA CCTGGCACTC CATGGCCATG GCGACCAACA   180
       ACATCTCCCT CATGGCGACA CTGAAGGCCC CTCTGAGGGT CCACATCACC TCACTGTTGC   240
       CCACCCCCGA GGACAACCTG GAGATCGTTC TGCACAGATG GGAGAACAAC AGCTGTGTTG   300
       AGAAGAAGGT CCTTGGAGAG AAGACTGGGA ATCCAAAGAA GTTCAAGATC AACTATACGG   360
       TGGCGAACGA GGCCACGCTG CTCGATACTG ACTACGACAA TTTTCCTGTT TCTCTGCCTAC   420
45     AGGACACCAC CACCCCCATC CAGAGCATGA TGTGCCAGTA CCTGGCCAGA GTCCTGGTTG   480
       AGGACGATGA GATCATGCAG GGATTCATCA GGGCTTTCAG GCCCCTGCCC AGGCACCTAT   540
       GGTACTTGCT GGACTTGAAA CAGATGGAAG AGCCGTGCCG TTTCTAGCTC ACCTCCGCCT   600
       CCAGGAAGAC CAGACTCCCA CCCTTCCACA CCTCCAGAGC AGTGGGACTT CCTCCTGCCC   660
       TTTCAAAGAA TAACCACAGC TCAGAAGACG ATGACGTGGT CATCTGTGTC GCCATCCCCT   720
50     TCCTGCTGCA CACCTGCACC ATTGCCATGG GGAGGCTGCT CCCTGGGGGC AGAGTCTCTG   780
       GCAGAGGTTA TTAATAAACC CTTGGAGCAT G
```

Seq ID NO: 551 Protein sequence
Protein Accession #: NP_002562.1
55

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MDIPQTKQDL ELPKLAGTWH SMAMATNNIS LMATLKAPLR VHITSLLPTP EDNLEIVLHR    60
60     WENNSCVEKK VLGEKTGNPK KFKINYTVAN EATLLDTDYD NFLFLCLQDT TTPIQSMMCQ   120
       YLARVLVEDD EIMQGFIRAF RPLPRHLWYL LDLKQMEEPC RF
```

Seq ID NO: 552 DNA sequence
Nucleic Acid Accession #: NM_006500.1
65   Coding sequence: 27..1967

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       ACTTGCGTCT CGCCCTCCGG CCAAGCATGG GGCTTCCCAG GCTGGTCTGC GCCTTCTTGC    60
70     TGCCGCCTG CTGCTGCTGT CCTCGCGTCG CGGGTGTGCC CGGAGAGGCT GAGCAGCCTG   120
       CGCCTGAGCT GGTGGAGGTG GAAGTGGGCA GCACAGCCCT TCTGAAGTGC GGCCTCTCCC   180
       AGTCCCAAGG CAACCTCAGC CATGTCGACT GGTTTTCTGT CCACAAGGAG AAGCGGACGC   240
       TCATCTTCCG TGTCGCGCCAG GGCCAGGGCC AGAGCGAACC TGGGGAGTAC GAGCAGCGGC   300
       TCAGCCTCCA GGACAGAGGG GCTACTCTGG CCCTGACTCA AGTCACCCCC CAAGACGAGC   360
75     GCATCTTCTT GTGCCAGGGC AAGCGCCCTC GGTCCCAGGA GTACGCCATC CAGCTCCGCG   420
       TCTACAAAGC TCCGGAGGAG CCAAACATCC AGGTCAACCC CCTGGGCATC CCTGTGAACA   480
       GTAAGGAGCC TGAGGAGGTC GCTACCTGTG TAGGGAGGAA CGGGTACCCC ATTCCTCAAG   540
       TCATCTGGTA CAAGAATGGC CGGCCTCTGA AGGAGGAGAA GAACCGGGTC CACATTCAGT   600
       CGTCCCAGAC TGTGGAGTCG AGTGGTTTGT ACACCTTGCA GAGTATTCTG AAGGCACAGC   660
80     TGGTTAAAGA AGACAAAGAT GCCCAGTTTT ACTGTGAGCT CAACTACCGG CTGCCCAGTG   720
       GGAACCACAT GAAGGAGTCC AGGGAAGTCA CGGTCCCTGT TTTCTACCG ACAGAAAAAG   780
       TGTGGCTGGA AGTGGAGCCC GTGGGAATGC TGAAGGAAGG GGACCGCGTG GAAATCAGGT   840
       GTTTGGCTGA TGGCAACCCT CCACCACACT TCAGCATCAG CAAGCAGAAC CCCAGCACCA   900
       GGGAGGCAGA GGAAAGAGACA ACCAACGACA ACGGGGTCCT GGTGCTGGAG CCTGCCCGGA   960
85     AGGAACACAG TGGGCGCTAT GAATGTCAGG CCTGGAACTT GGACACCATG ATATCGCTGC  1020
       TGAGTGAACC ACAGGAACTA CTGGTGAACT ATGTGTCTGA CGTCCGAGTG AGTCCCGCAG  1080
       CCCCTGAGAG ACAGGAAGGC AGCAGCCTCA CCCTGACCTG TGAGGCAGAG AGTAGCCAGG  1140
       ACCTCGAGTT CCAGTGGCTA AGAGAAGAGA CAGACCAGGT GCTGGAAAGG GGGCCTGTGC  1200
```

```
        TTCAGTTGCA TGACCTGAAA CGGGAGGCAG GAGGCGGCTA TCGCTGCGTG GCGTCTGTGC  1260
        CCAGCATACC CGGCCTGAAC CGCACACAGC TGGTCAAGCT GGCCATTTTT GGCCCCCCTT  1320
        GGATGGCATT CAAGGAGAGG AAGGTGTGGA TGAAAGAGAA TATGGTGTTG AATCTGTCTT  1380
        GTGAAGCGTC AGGGCACCCC CGGCCCACCA TCTCCTGGAA CGTCAACGGC ACGGCAAGTG  1440
 5      AACAAGACCA AGATCCACAG CGAGTCCTGA GCACCCTGAA TGTCCTCGTG ACCCGGGAGC  1500
        TGTTGGAGAC AGGTGTTGAA TGCACGGCCT CCAACGACCT GGGCAAAAAC ACCAGCATCC  1560
        TCTTCCTGGA GCTGGTCAAT TTAACCACCG TCACACCAGA CTCCAACACA ACCACTGGCC  1620
        TCAGCACTTC CACTGCCAGT CCTCATACCA GAGCCAACAG CACCTCCACA GAGAGAAAGC  1680
        TGCCGGAGCC GGAGAGCCGG GGCGTGGTCA TCGTGGCTGT GATTGTGTGC ATCCTGGTCC  1740
10      TGGCGGTGCT GGGCGCTGTC CTCTATTTCC TCTATAAGAA GGGCAAGCTG CCGTGCAGGC  1800
        GCTCAGGGAA GCAGGAGATC ACGCTGCCCC CGTCTCGTAA GACCGAACTT GTAGTTGAAG  1860
        TTAAGTCAGA TAAGCTCCCA GAAGAGATGG GCCTCCTGCA GGGCAGCAGC GGTGACAAGA  1920
        GGGCTCCGGG AGACCAGGGA GAGAAATACA TCGATCTGAG GCATTAGCCC CGAATCACTT  1980
        CAGCTCCCTT CCCTGCCTGG ACCATTCCCA GCTCCCTGCT CACTCTTCTC TCAGCCAAAG  2040
15      CCTCCAAAGG GACTAGAGAG AAGCCTCCTG CTCCCCTCAC CTGCACACCC CCTTTCAGAG  2100
        GGCCACTGGG TTAGGACCTG AGGACCTCAC TTGGCCCTGC AAGCCGCTTT TCAGGGACCA  2160
        GTCCACCACC ATCTCCTCCA CGTTGAGTGA AGCTCATCCC AAGCAAGGAG CCCCAGTCTC  2220
        CCGAGCGGGT AGGAGAGTTT CTTGCAGAAC GTGTTTTTTC TTTACACACA TTATGGCTGT  2280
        AAATACCTGG CTCCTGCCAG CAGCTGAGCT GGGGTAGCCTC TCTGAGCTGG TTTCCTGCCC  2340
20      CAAAGGCTGG CTTCCACCAT CCAGGTGCAC CACTGAAGTG AGGACACACC GGAGCCAGGC  2400
        GCCTGCTCAT GTTGAAGTGC GCTGTTCACA CCCGCTCCGG AGAGCACCCC AGCGGCACTC  2460
        AGAAGCAGCT GCAGTGTTGC TGCCACCACC CTCCTGCTCG CCTCTTCAAA GTCTCCTGTG  2520
        ACATTTTTTC TTTGGTCAGA AGCCAGGAAC TGGTGTCATT CCTTAAAAGA TACGTGCCGG  2580
        GGCCAGGTGT GGTGGCTCAC GCCTGTAATC CCAGCACTTT GGGAGGCCGA GGCGGGCGGA  2640
25      TCACCAAAGTC AGGACGAGAC CATCCTGGCT AACACGGTGA AACCCTGTCT CTACTAAAAA  2700
        TACAAAAAAA AATTAGCTAG GCGTAGTGGT TGGCACCTAT AGTCCCAGCT ACTCGGAAGG  2760
        CTGAAGCAGG AGAATGGTAT GAATCCAGGA GGTGGAGCGT GCAGTGAGCC GAGACCGTGC  2820
        CACTGCACTC CAGCCTGGGC AACACAGCGA GACTCCGTCT CGAGGAAAAA AAAAGAAAAG  2880
        ACGCGTACCT GCGGTGAGGA AGCTGGGCGC TGTTTTCGAG TTCAGGTGAA TTAGCCTCAA  2940
30      TCCCCGTGTT CACTTGCTCC CATAGCCCTC TTGATGGATC ACGTAAAACT GAAAGGCAGC  3000
        GGGGAGCAGA CAAAGATGAG GTCTACACTG TCCTTCATGG GGATTAAAGC TATGGTTATA  3060
        TTAGCACCAA ACTTCTACAA ACCAAGCTCA GGGCCCCAAC CCTAGAAGGG CCCAAATGAG  3120
        AGAATGGTAC TTAGGGATGG AAAACGGGGC CTGGCTAGAG CTTCGGGTGT GTGTGTCTGT  3180
        CTGTGTGTAT GCATACATAT GTGTGTATAT ATGGTTTTGT CAGGTGTGTA AATTTGCAAA  3240
35      TTGTTTCCTT TATATATGTA TGTATATATA TATATGAAAA TATATATATA TATGAAAAAT  3300
        AAAGCTTAAT TGTCCCAGAA AATCATACAT TGCTTTTTTA TTCTACATGG GTACCACAGG  3360
        AACCTGGGGG CCTGTGAAAC TACAACCAAA AGGCACACAA AACCGTTTCC AGTTGGCAGC  3420
        AGAGATCAGG GGTTACCTCT GCTTCTGAGC AAATGGCTCA AGCTCTACCA GAGCAGACAG  3480
        CTACCCTACT TTTCAGCAGC AAAACGTCCC GTATGACGCA GCACGAAGGG CCTGGCAGGC  3540
40      TGTTAGCAGG AGCTATGTCC CTTCCTATCG TTTCCGTCCA CTT
```

```
Seq ID NO: 553 Protein sequence
Protein Accession #: NP_006491.1

1          11         21         31         41         51
|          |          |          |          |          |
GLPRLVCAFL LAACCCCPRV AGVPGEAEQP APELVEVEVG STALLKCGLS QSQGNLSHVD    60
WFSVHKEKRT LIFRVRQGQG QSEPGEYEQR LSLQDRGATL ALTQVTPQDE RIFLCQGKRP   120
RSQEYRIQLR VYKAPEEPNI QVNPLGIPVN SKEPEEVATC VGRNGYPIPQ VIWYKNGRPL   180
KEEKNRVHIQ SSQTVESSGL YTLQSILKAQ LVKEDKDAQF YCELNYRLPS GNHMKESREV   240
TVPVFYPTEK VWLEVEPVGM LKEGDRVEIR CLADGNPPPH FSISKQNPST REABEETTND   300
NGVLVLEPAR KEHSGRYECQ AWNLDTMISL LSEPQELLVN YVSDVRVSPA APERQEGSSL   360
TLTCEAESSQ DLEPQWLREE TDQVLERGPV LQLHDLKREA GGGYRCVASV PSIPGLNRTQ   420
LVKLAIFGPP WMAFKERKVW VKENMVLNLS CEASGHPRPT ISWNVNGTAS EQDQDPQRVL   480
STLNVLVTPB LLETGVECTA SNDLGKNTSI LFLELVNLTT LTPDSNTTTG LSTSTASPHT   540
RANSTSTERK LPEPESRGVV IVAVIVCILV LAVLGAVLYF LYKKGKLPCR RSGKQEITLP   600
PSRKTELVVE VKSDKLPEEM GLLQGSSGDK RAPGDQGEKY IDLRH
```

```
Seq ID NO: 554 DNA sequence
Nucleic Acid Accession #: NM_003183.3
Coding sequence: 165..2639

1          11         21         31         41         51
|          |          |          |          |          |
TCGAGCCTGG CGGTAGAATC TTCCCAGTAG GCGGCGCGGG AGGGAAAAGA GGATTGAGGG    60
GCTAGGCCGG GCGGATCCCG TCCTCCCCCG ATGTGAGCAG TTTTCCGAAA CCCCGTCAGG   120
CGAAGGCTGC CCAGAGAGGT GGAGTTCGTGA GCGGGGCGGG CAGTCTCTCC   180
TATTCCTGAC CAGCGTGGTT CCTTTCGTGC TGGCGCCGCG ACCTCCGGAT GACCCGGGCT   240
TCGGCCCCCA CCAGAGACTC GAGAAGCTTG ATTCTTTGCT CTCAGACTAC GATATTCTCT   300
CTTTATCTAA TATCCAGCAG CATTCGGTAA GAAAAAGAGA TCTAACGACT TCAACACATG   360
TAGAAACACT ACTAACTTTT TCAGCTTTGA AAAGGCATTT TAAATTATAC CTGACATCAA   420
GTACTGAACG TTTTTCACAA AATTTCAAGG TCGTGGTGGT GGATGGTAAA AACGAAAGCG   480
AGTACACTGC AAAATGGCAG GACTTCTTCA CTGGACACGT GGTTGGTGAG CCTGACTCTA   540
GGGTTCTAGC CCACATAAGA GATGATGATG TTATAATCAG AATCAACACA GATGGGGCCG   600
AATATAACAT AGAGCCACTT TGGAGATTTG TTAATGATAC CAAAGACAAA AGAATGTTAG   660
TTTATAAATC TGAAGATATC AAGAATGTTT CACGTTTGCA GTCTCCAAAA GTGTGTGGTT   720
ATTTAAAAGT GGATAATGAA GAGTTGCTCC CAAAAGGGTT AGTAGACAGA GAACCACCTG   780
AAGAGCTTGT TCATCGAGTG AAAAGAAGAG CTGACCCAGA TCCCATGAAG AACACGTGTA   840
AATTATTGGT GGTAGCAGAT CATCGCTTCT ACAGATACAT GGGCAGAGGG AAGAGAGTA   900
CAACTACAAA TTACTTAATA GAGCTAATTG ACAGAGTTGA TGACATCTAT CGGACACACTT   960
CATGGGATAA TGCAGGTTTT AAAGGCTATG GAATACGAT AGAGCAGATT CGCATTCTCA   1020
AGTCTCCACA AGAGGTAAAA CCTGGTGAAA AGCACTACAA CATGGCAAAA AGTTACCCAA   1080
ATGAGAAAAA GGATGCTTGA GATGTGAAGA TGTTGCTAGA GCAATTTAGC TTTGATATAG   1140
CTGAGGAAGC ATCTAAAGTT TGCTTGGCAC ACCTTTTCAC ATACCAAGAT TTTGATATGG   1200
GAACTCTTGG ATTAGCTTAT GTTGGCTCTC CCAGAGCAAA CAGCCATGGA GGTGTTTGTC   1260
CAAAGGCTTA TTATAGCCCA GTTGGGAAGA AAAATATCTA TTTGAATAGT GGTTTGACGA   1320
GCACAAAGAA TTATGGTAAA ACCATCCTTA CAAAGGAAGC TGACCTGGTT ACAACTCATG   1380
```

```
     AATTGGGACA TAATTTTGGA GCAGAACATG ATCCGGATGG TCTAGCAGAA TGTGCCCCGA 1440
     ATGAGGACCA GGGAGGGAAA TATGTCATGT ATCCCATAGC TGTGAGTGGC GATCACGAGA 1500
     ACAATAAGAT GTTTTCAAAC TGCAGTAAAC AATCAATCTA TAAGACCATT GAAAGTAAGG 1560
  5  CCCAGGAGTG TTTTCAAGAA CGCAGCAATA AAGTTTGTGG GAACTCGAGG GTGGATGAAG 1620
     GAGAAGAGTG TGATCCTGGC ATCATGTATC TGAACAACGA CACCTGCTGC AACAGCGACT 1680
     GCACGTTGAA GGAAGGTGTC CAGTGCAGTG ACAGGAACAG TCCTTGCTGT AAAAACTGTC 1740
     AGTTTGAGAC TGCCCAGAAG AAGTGCCAGG AGGCGATTAA TGCTACTTGC AAAGGCGTGT 1800
     CCTACTGCAC AGGTAATAGC AGTGAGTGCC CGCCTCCAGG AAATGCTGAA AATGACACTG 1860
     TTTGCTTGGA TCTTGGCAAG TGTAAGGATG GGAAATGCAT CCCTTTCTGC GAGAGGGAAC 1920
 10  AGCAGCTGGA GTCCTGTGCA TGTAATGAAA CTGACAACTC CTGCAAGGTG TGCTGCAGGG 1980
     ACCTTTCTGG CCGCTGTGTG CCCTATGTCG ATGCTGAACA AAAGAACTTA TTTTTGAGGA 2040
     AAGGAAAGCC CTGTACAGTA GGATTTTGTG ACATGAATGG CAAATGTGAG AAACGAGTAC 2100
     AGGATGTAAT TGAACGATTT TGGGATTTCA TTGACCAGCT GAGCATCAAT ACTTTTGGAA 2160
 15  AGTTTTTAGC AGACAACATC GTTGGGTCTG TCCTGGTTTT CTCCTTGATA TTTTGGATTC 2220
     CTTTCAGCAT TCTTGTCCAT TGTGTGGATA AGAAAATTGGA TAAACAGTAT GAATCTCTGT 2280
     CTCTGTTTCA CCCCAGTAAC GTCGAAATGC TGAGCAGCAT GGATTCTGCA TCGGTTCGCA 2340
     TTATCAAACC CTTTCCTGCG CCCCAGACTC CAGGCCGCCT GCAGCCTGCC CCTGTGATCC 2400
     CTTCGGCGCC AGCAGCTCCA AAACTGGACC ACCAGAGAAT GGACACCATC CAGGAAGACC 2460
 20  CCAGCACAGA CTCCCATATG GACGAGGATG GGTTTGAGAA GGACCCCTTC CCAAATAGCA 2520
     GCACAGCTGC CAAGTCATTT GAGGATCTCA CGGACCATCC GGTCGCCAGA AGTGAAAAGG 2580
     CTGCCTCCTT TAAACTGCAG CGTCAGAATC GTGTTAACAG CAAAGAAACA GAGTGCTAAT 2640
     TTAGTTCTCA GCTCTTCTGA CTTAAGTGTG CAAAATATTT TTATAGATTT GACCTACAAA 2700
     TCAATCACAG CTTGTATTTT GTGAAGACTG GGAAGTGACT TAGCAGATGC TGGTCATGTG 2760
 25  TTTGAACTTC CTGCAGGTAA ACAGTTCTTG TGTGGTTTGG CCCTTCTCCT TTTGAAAAGG 2820
     TAAGGTGAAA GTGAATCTAC TTATTTTGAG GCTTTCAGGT TTTAGTTTTT AAAATATCTT 2880
     TTGACCTGTG GTGCAAAAGC AGAAAATACA GCTGGATTGG GTTATGAATA TTTACGTTTT 2940
     TGTAAATTAA TCTTTTATAT TGATAACAGC ACTGACTAGG GAAATGATCA GTTTTTTTTT 3000
     ATACACTGTA ATGAACCGCT GAATATGAAG CATTTGGCAT TTATTTGTGA GAAAAGTGGA 3060
 30  ATAGTTTTTT TTTTTTTTTT TTTTTTTTGC CTTCAACTAA AAACAAAGGA GATAAATTTA 3120
     GTATACATTG TATCTAAATT GTGGGTCTAT TTCTTAGTTAT TACCCAGAGT TTTTATGTAG 3180
     CAGGGAAAAT ATATATCTAA ATTTTAGAAAT CATTTGGGTT AATATGGCTC TTCATAATTC 3240
     TAAGCTAAT GCTCAGAACC TAACCACTAC CTTACAGTGA GGGCTATACA TGGTAGCCAG 3300
     TTGAATTTAT GGAATCTACC AACTGTTTAG GGCCCTGATT TGCTGGGCAG TTTTTCTGTA 3360
 35  TTTTATAAGT ATCTTCATGT ATCCCTGTTA CTGATAGGGA TACATGTCTT AGAAAATTCA 3420
     CTATTGGCTG GGAGTGGTGG CTCATGCCTG TAATCCCAGC ACTTGGGAGG GCTGAGGTTG 3480
     CGCCACTACA CTCCAGCCTG GGTGACAGAG TGAGATCTGC CTC
```

Seq ID NO: 555 Protein sequence
Protein Accession #: NP_003174.2

```
   1         11        21        31        41        51
   |         |         |         |         |         |
   MRQSLLFLTS VVPPVLAPRP PDDPGPGPHQ RLEKLDSLLS DYDILSLSNI QQHSVRKRDL  60
   QTSTHVETLL TPSALKRHFK LYLTSSTERF SQNFKVVVVD GKNESEYTAK WQDFPTGHVV 120
   GEPDSRVLAH IRDDDVIIRI NTDGAEYNIE PLWRFVNDTK DKRMLVYKSE DIKNVSRLQS 180
   PKVCGYLKVD NEELLPKGLV DREPPEELVH RVKRRADPDP MKNTCKLLVV ADHRPYRYMG 240
   RGEESTTTNY LIELIDRVDD IYRNTSWDNA GFKGYGIQIE QIRILKSPQE VKPGEKHYNM 300
   AKSYPNEEKD AWDVKMLLEQ FSFDIAEEAS KVCLAHLFTY QDFDMGTLGL AYVGSPRANS 360
   HGGVCPKAYY SPVGKKNIYL NSGLTSTKNY GKTILTKEAD LVTTHELGHN PGAEHDPDGL 420
   AECAPNEDQG GKYVMYPIAV SGDHENNKMF SNCSKQSIYK TIESKAQECF QERSNKVCGN 480
   SRVDEGEECD PGIMYLNNDT CCNSDCTLKE GVQCSDRNSP CCKNCQFETA QKKCQEAINA 540
   TCKGVSYCTG NSSECPPPGN AENDTVCLDL GKCKDGKCIP FCEREQQLES CACNETDNSC 600
   KVCCRDLSGR CVPYVDAEQK NLFLRKGKPC TVGFCDMNGK CEKRVQDVIE RFWDFIDQLS 660
   INTFGKFLAD NIVGSVLVFS LIFWIPPSIL VHCVDKKLDK QYESLSLFHP SNVEMLSSMD 720
   SASVRIIKPP PAPQTPGRLQ PAPVIPSAPA APKLDHQRMD TIQEDPSTDS HMDEDGFEKD 780
   PPPNSSTAAK SPEDLTDHPV ARSEKAASFK LQRQNRVNSK ETEC
```

Seq ID NO: 556 DNA sequence
Nucleic Acid Accession #: NM_021832.1
Coding sequence: 164..2248

```
   1         11        21        31        41        51
   |         |         |         |         |         |
   TCGAGCCTGG CGGTAGAATC TTCCCAGTAG GCGGCGCGGG AGGAAAAGAG GATTGAGGGG   60
   CTAGGCCGGG CGGATCCCGT CCTCCCCCGA TGTGAGCAGT TTTCCGAAAC CCCGTCAGGC  120
   GAAGGCTGCC CAGAGAGGTG GAGTCGGTAG CGGGGCCGGG AACATGAGGC AGTCTCTCCT  180
   ATTCCTGACC AGCGTGGTTC CTTTCGTGCT GGCGCCGCGA CCTCCGGATG ACCCGGGCTT  240
   CGGCCCCCAC CAGAGACTCG AGAAGCTTGA TTCTTTGCTC TCAGACTACG ATATTCTCTC  300
   TTTATCTAAT ATCCAGCAGC ATTCGGTAAG AAAAAGAGAT CTACAGACTT CAACACATGT  360
   AGAAACACTA CTAACTTTTT CAGCTTTGAA AAGGCATTTT AAATTATACC TGACATCAAG  420
   TACTGAACGT TTTTCACAAA ATTTCAAGGT CGTGGTGGTG GATGGTAAAA ACGAAAGCGA  480
   GTACACTGTA AAATGGCAGG ACTTCTTCAC TGGACACGTG GTTGGTGAGC CTGACTCTAG  540
   GGTTCTAGCC CACATAGAG ATGATGATGT TATAATCAGA ATCAACACAG ATGGGGCCGA  600
   ATATAACATA GAGCCACTTT GGAGATTTGT TAATGATACC AAAGACAAA GAATGTTACT  660
   TTATAAATCT GAAGATATCA AGAATGTTTC ACGTTTGCAG TCTCCAAAAG TGTGTGGTTA  720
   TTTAAAAGTG GATAATGAAG AGTTGCTCCC AAAAGGGTTA GTAGACAGAG AACCACCTGA  780
   AGAGCTTGTT CATCGAGTGA AAAGAAGAGC TGACCCAGAT CCCATGAAGA ACACGTGTAA  840
   ATTATTGGTG GTAGCAGATC ATCGCTTCTA CAGATACATG GGCAGAGGGG AAGAGAGTAC  900
   AACTACAAAT TACTTAATAG AGCTAATTGA CAGAGTTGAT GACATCTATC GGAACACTTC  960
   ATGGGATAAT GCAGGTTTTA AAGGCTATGG AATACAGATA GAGCAGATTC GCATTCTCAA 1020
   GTCTCCACAA GAGGTAAAAC CTGGTGAAAA GCACTACAAC ATGGCAAAA GTTACCCAAA 1080
   TGAAGAAAAG GATGCTTGGG ATGTGAAGAT GTTGCTAGAG CAATTTAGCT TTGATATAGC 1140
   TGAGGAAGCA TCTAAAGTTT GCTTGGCACA CCTTTTCACA TACCAAGATT TTGATATGGG 1200
   AACTCTTGGA TTAGCTTATG TTGGCTCTCC CAGAGCAAAC AGCCATGGA GTGTTTGTCC 1260
   AAAGGCTTAT TATAGCCCAG TTGGGAAGAA AAATATCTAT TTGAATAGTG GTTTGACGAG 1320
   CACAAAGAAT TATGGTAAAA CCATCCTTAC AAAGGAAGCT GACCTGGTTA CAACTCATGA 1380
   ATTGGGACAT AATTTTGGAG CAGAACATGA TCCGGATGGT CTAGCAGAAT GTGCCCCGAA 1440
```

```
     TGAGGACCAG GGAGGGAAAT ATGTCATGTA TCCCATAGCT GTGAGTGGCG ATCACGAGAA   1500
     CAATAAGATG TTTTCAAACT GCAGTAAACA ATCAATCTAT AAGACCATTG AAAGTAAGGC   1560
     CCAGGAGTGT TTTCAAGAAC GCAGCAATAA AGTTTGTGGG AACTCGAGGG TGGATGAAGG   1620
     AGAAGAGTGT GATCCTGGCA TCATGTATCT GAACAACGAC ACCTGCTGCA ACAGCGACTG   1680
5
     CACGTTGAAG GAAGGTGTCC AGTGCAGTGA CAGGAACAGT CCTTGCTGTA AAAACTGTCA   1740
     GTTTGAGACT GCCCAGAAGA AGTGCCAGGA GGCGATTAAT GCTACTTGCA AAGGCGTGTC   1800
     CTACTGCACA GGTAATAGCA GTGAGTGCCC GCCTCCAGGA AATGCTGAAG ATGACACTGT   1860
     TTGCTTGGAT CTTGGCAAGT GTAAGGATGG GAAATGCATC CCTTTCTGCG AGAGGGAACA   1920
     GCAGCTGGAG TCCTGTGCAT GTAATGAAAC TGACAACTCC TGCAAGGTGT GCTGCAGGGA   1980
10
     CCTTTCCGGC CGCTGTGTGC CCTATGTCGA TGCTGAACAA AAGAACTTAT TTTTGAGGAA   2040
     AGGAAAGCCC TGTACAGTAG GATTTTGTGA CATGAATGGC AAATGTGAGA AACGAGTACA   2100
     GGATGTAATT GAACGATTTT GGGATTTCAT TGACCAGCTG AGCATCAATA CTTTTGGAAA   2160
     GTTTTTAGCA GACAACATCG TTGGGTCTGT CCTGGTTTTC TCCTTGATAT TTTGGATTCC   2220
     TTTCAGCATT CTTGTCCATT GTGTGTAACG TCGAAATGCT GAGCAGCATG GATTCTGCAT   2280
15
     CGGTTCGCAT TATCAAACCC TTTCCTGCGC CCCAGACTCC AGGCCGCCTG CAGCCTGCCC   2340
     CTGTGATCCC TTCGGCGCCA GCAGCTCCAA AACTGGACCA CCAGAGAATG GACACCATCC   2400
     AGGAAGACCC CAGCACAGAC TCACATATGG ACGAGGATGG GTTTGAGAAG GACCCCTTCC   2460
     CAAATAGCAG CACAGCTGCC AAGTCATTTG AGGATCTCAC GGACCATCCG GTCACCAGAA   2520
     GTGAAAAGGC TGCCTCCTTT AAACTGCAGC GTCAGAATCG TGTTGACAGC AAAGAAACAG   2580
20
     AGTGCTAATT TAGTTCTCAG CTCTTCTGAC TTAAGTGTGC AAAATATTTT TATAGATTTG   2640
     ACCTACAATC AATCACAGCT TATATTTTGT GAAGACTGGG AAGTGACTTA GCAGATGCTG   2700
     GTCATGTGTT TGAACTTCCT GCAGGTAAAC AGTTCTTGTG TGGTTTGGCC CTTCTCCTTT   2760
     TGAAAAGGTA AGGTGAAGGT GAATCTAGCT TATTTTGAGG CTTTCAGGTT TTAGTTTTTA   2820
     AAAATATCTTT TGACCTGTGG TGCAAAAGCA GAAAATACAG CTGGATTGGG TTATGAGTAT   2880
25
     TTACGTTTTT GTAAATTAAT CTTTTATATT GATAACAGGC ACTGACTAGG GAAATGATCA   2940
     GTTTTTTTTT ATACACTGTA ATGAACCGCT GAATATGAAG CATTTGGCAT TTATTTGTGA   3000
     GAAAAGTGGA ATAGTTTTTT TTTTTTTTT TTTTTTTTGC CTTCAACTAA AAACAAAGGA   3060
     GATAAATTTA GTATACATTG TATCTAAATT GTGGGTCTAT TTCTAGTTAT TACCCAGAGT   3120
     TTTTATGTAG CAGGGAAAAT ATATATCTAA ATTTAGAAAT CATTTGGGTT AATATGGCTT   3180
30
     TTCATAATTC TAAGACTAAT GCTCAGAACC TAACCACTAC CTTACAGTGA GGGCTATACA   3240
     TGGTAGCCAG TTGAATTTAT GGAATCTACC AACTGTTTAG GGCCCTGATT TGCTGGGCAG   3300
     TTTTTCTGTA TTTTATAAGT ATCTTCATGT ATCCCTGTTA CTGATAGGGA TACATGTCTT   3360
     AGAAAATTCA CTATTGGCTG GGAGTGGTGG CTCATGCCTG TAATCCCAGC ACTTGGAGAG   3420
35   3421 GCTGAGGTTG CGCCACTACA CTCCAGCCTG GGTGACAGAG TGAGATCTGC CTC
```

Seq ID NO: 557 Protein sequence
Protein Accession #: NP_068604.1

```
40   1          11         21         31         41 ...     51
     |          |          |          |          |          |
     MRQSLLFLTS VVPFVLAPRP PDDPGFGPHQ RLEKLDSLLS DYDILSLSNI QQHSVRKRDL   60
     QTSTHVETLL TPFSALKRHFK LYLTSSTERF SQNFKVVVVD GKNESEYTVK WQDFFTGHVV   120
     GEPDSRVLAH IRDDDVIIRI NTDGAEYNIE PLWRFVNDTK DKRMLVYKSE DIKNVSRLQS   180
     PKVCGYLKVD NEELLPKGLV DREPPEELVH RVKRRADPDP MKNTCKLLVV ADHRFYRYMG   240
45   RGEESTTTNY LIELIDRVDD IYRNTSWDNA GFKGYGIQIE QIRILKSPQE VKPGEKHYNM   300
     AKSYPNEEKD AWDVKMLLEQ FSPDIAEEAS KVCLAHLFTY QDFDMGTLGL AYVGSPRANS   360
     HGGVCPKAYY SPVGKKNIYL NSGLTSTKNY GKTILTKEAD LVTTHELGHN FGAEHDPDGL   420
     AECAPNEDQG GKYVMYPIAV SGDHENNKMF SNCSKQSIYK TIESKAQECF QERSNKVCGN   480
     SRVDEGEECD PGIMYLNNDT CCNSDCTLKE GVQCSDRNSP CCKNCQFETA QKKCQEAINA   540
50   TCKGVSYCTG NSSECPPPGN AEDDTVCLDL GKCKDGKCIP FCEREQQLES CACNETDNSC   600
     KVCCRDLSGR CVPYVDAEQK NLFLRKGKPC TVGFCDMNGK CEKRVQDVIE RFWDFIDQLS   660
     INTFGKFLAD NIVGSVLVFS LIFWIPPSIL VHCV
```

Seq ID NO: 558 DNA sequence
55 Nucleic Acid Accession #: NM_004994.1
Coding sequence: 20..2143

```
     1          11         21         31         41         51
     |          |          |          |          |          |
60   AGACACCTCT GCCCTCACCA TGAGCCTCTG GCAGCCCCTG GTCCTGGTGC TCCTGGTGCT   60
     GGGCTGCTGC TTTGCTGCCC CCAGACAGCG CCAGTCCACC CTTGTGCTCT TCCCTGGGAA   120
     CCTGAGAACC AATCTCACCG ACAGGCAGCT GGCAGAGGAA TACCTGTACC GCTATGGTTA   180
     CACTCGGGTG GCAGAGATGC GTGGAGAGTC GAAATCTCTG GGGCCTGCGC TGCTGCTTCT   240
     CCAGAAGCAA CTGTCCCTGC CCGAGACCGG TGAGCTGGAT AGCGCCACGC TGAAGGCCAT   300
65   GCGAACCCCA CGGTGCGGGG TCCCAGACCT GGGCAGATTC CAAACCTTTG AGGGCGACCT   360
     CAAGTGGCAC CACCACAACA TCACCTATTG GATCCAAAAC TACTCGGAAG ACTTGCCGCG   420
     GGCGGTGATT GACGACGCCT TTGCCCGCGC CTTCGCACTG TGGAGCGCGG TGACGCCGCT   480
     CACCTTCACT CGCGTGTACA GCCGGGACGC AGACATCGTC ATCCAGTTTG GTGTCGCGGA   540
     GCACGGAGAC GGGTATCCCT CGACGGGAAC GGACGGGCTC CTGGCACACG CCTTTCCTCC   600
70   TGGCCCCGGC ATTCAGGGAG ACGCCCATTT CGACGATGAC GAGTTGTGGT CCCTGGGCAA   660
     GGGCGTCGTG GTTCCAACTC GGTTTGGAAA CGCAGATGGC GCGGCCTGCC ACTTCCCCTT   720
     CATCTTCGAG GGCCGCTCCT ACTCTGCCTG CACCACCGAC GGTCGCTCCG ACGGCTTGCC   780
     CTGGTGCAGT ACCACGGCCA ACTACGACAC CGACGACCGG TTTGGCTTCT GCCCCAGCGA   840
     GAGACTCTAC ACCCGGGACG GCAATGCTGA TGGGAAACCC TGCCAGTTTC CATTCATCTT   900
75   CCAAGGCCAA TCCTACTCCG CCTGCACCAC GGACGGTCGC TCCGACGGCT ACCGCTGGTG   960
     CGGCACCACC GCCAACTACG ACCGGGACAA GCTCTTCGGC TTCTGCCCGA CCCGAGCTGA   1020
     CTCGACGGTG ATGGGGGGCA ACTCGGCGGG GGAGCTGTGC GTCTTCCCCT TCACTTTCCT   1080
     GGGTAAGGAG TACTCGACCT GTACCAGCGA GGGCCGCGGA GATGGGCGCG TCTGGTGCGC   1140
     TACCACCTCG AACTTTGACA GCGACAAGAA GTGGGGCTTC TGCCCGGACC AAGGATACAG   1200
80   TTTGTTCCTC GTGGCGGCGC ATGAGTTCGG CCACGCGCTG GGCTTAGATC ATTCCTCAGT   1260
     GCCGGAGGCG CTCATGTACC CTATGTACCG CTTCACTGAG GGGCCCCCCT TGCATAAGGA   1320
     CGACGTGAAT GGCATCCGGC ACCTCTATGG TCCTCGCCCT GAACCTGAGC CACGGCCTCC   1380
     AACCACCACC ACACCGCAGC CCACGGCTCC CCCGACGGTC TGCCCCACCG GACCCCCCAC   1440
     TGTCCACCCC TCAGAGCGCC CCACAGCTGG CCCCACAGGT CCCCCCTCAG CTGGCCCCAC   1500
85   AGGTCCCCCC ACTGCTGGCC CTTCTACGGC CACTACTGTG CCTTTGAGTC CGGTGGACGA   1560
     TGCCTGCAAC GTGAACATCT TCGACGCCAT CGCGGGAGATT GGGAACCAGC TGTATTTGTT   1620
     CAAGGATGGG AAGTACTGGC GATTCTCTGA GGGCAGGGGG AGCCGGCCGC AGGGCCCCTT   1680
```

```
      CCTTATCGCC GACAAGTGGC CCGCGCTGCC CCGCAAGCTG GACTCGGTCT TTGAGGAGCC  1740
      GCTCTCCAAG AAGCTTTTCT TCTTCTCTGG GCGCCAGGTG TGGGTGTACA CAGGCGCGTC  1800
      GGTGCTGGGC CCGAGGCGTC TGGACAAGCT GGGGCTGGGA GCCGACGTGG CCCAGGTGAC  1860
      CGGGGCCCTC CGGAGTGGCA GGGGGAAGAT GCTGCTGTTC AGCGGGCGGC GCCTCTGGAG  1920
5     GTTCGACGTG AAGGCGCAGA TGGTGGATCC CCGGAGCGCC AGCGAGGTGG ACCGGATGTT  1980
      CCCCGGGGTG CCTTTGGACA CGCACGACGT CTTCCAGTAC CGAGAGAAAG CCTATTTCTG  2040
      CCAGGACCGC TTCTACTGGC GCGTGAGTTC CCGGAGTGAG TTGAACCAGG TGGACCAAGT  2100
      GGGCTACGTG ACCTATGACA TCCTGCAGTG CCCTGAGGAC TAGGGCTCCC GTCCTGCTTT  2160
      GCAGTGCCAT GTAAATCCCC ACTGGGACCA ACCCTGGGGA GGAGCCAGT TTGCCGGATA  2220
10    CAAACTGGTA TTCTGTTCTG GAGGAAAGGG AGGAGTGGAG GTGGGCTGGG CCCTCTCTTC  2280
      TCACCTTTGT TTTTGTTGG AGTGTTTCTA ATAAACTTGG ATTCTCTAAC CTTT
```

Seq ID NO: 559 Protein sequence
Protein Accession #: NP_004985.1

```
      1          11         21         31         41         51
      I          I          I          I          I          I
      MSLWQPLVLV LLVLGCCPAA PRQRQSTLVL FPGDLRTNLT DRQLAEEYLY RYGYTRVAEM   60
      RGESKSLGPA LLLLQKQLSL PETGELDSAT LKAMRTPRCG VPDLGRFQTF EGDLKWHHHN  120
      ITYWIQNYSE DLPRAVIDDA FARAFALWSA VTPLTPTRVY SRDADIVIQF GVAEHGDGYP  180
      FDGKDGLLAH AFPPGPGIQG DAHFDDDELW SLGKGVVVPT RFGNADGAAC HPPFIFEGRS  240
      YSACTTDGRS DGLPWCSTTA NYDTDDRFGP CPSERLYTRD GNADGKPCQF PPIFQGQSYS  300
      ACTTDGRSDG YRWCATTANY DRDKLPGFCP TRADSTVMGG NSAGELCVFP FTFLGKEYST  360
      CTSEGRGDGR LWCATTSNFD SDKKWGPCPD QGYSLFLVAA HEFGHALGLD HSSVPEALMY  420
      PMYRFTEGPP LHKDDVNGIR ELYGPRPEPE PRPPTTTTPQ PTAPPTVCPT GPPTVHPSER  480
      PTAGPTGPPS AGPTGPPTAG PSTATTVPLS PVDDACNVNI FDAIAEIGNQ LYLFKDGKYW  540
      RFSEGRGSRP QGPFLIADKW PALPRKLDSV FEEPLSKKLF FFSGRQVWVY TGASVLGPRR  600
      LDKLGLGADV AQVTGALRSG RGKMLLFSGR RLWRFDVKAQ MVDPRSASEV DRMFPGVPLD  660
      THDVFQYREK AYFCQDRFYW RVSSRSELNQ VDQVGYVTYD ILQCPED
```

Seq ID NO: 560 DNA sequence
Nucleic Acid Accession #: NM_000213.1
Coding sequence: 127..5385

```
      1          11         21         31         41         51
      I          I          I          I          I          I
      CGCCCGCGCG CTGCAGCCCC ATCTCCTAGC GGCAGCCCAG GCGCGGAGGG AGCGAGTCCG   60
      CCCCGAGGTA GGTCCAGGAC GGGCGCACAG CAGCAGCCGA GGCTGGCCGG GAGAGGGAGG  120
      AAGAGGATGG CAGGGCCACG CCCCAGCCCA TGGGCCAGGC TGCTCCTGGC AGCCTTGATC  180
      AGCGTCAGCC TCTCTGGGAC CTTGGCAAAC CGCTGCAAGA AGGCCCCAGT GAAGAGCTGC  240
      ACGGAGTGTG TCCGTGTGGA TAAGGACTGC GCCTACTGCA CAGACGAGAT GTTCAGGGAC  300
      CGGCGCTGCA ACACCCAGGC GGAGCTGCTG GCCGCGGGCT GCCAGCGGGA GAGCATCGTG  360
      GTCATGGAGA GCAGCTTCCA AATCACAGAG GAGACCCAGA TTGACACCAC CCTGCGGCGC  420
      AGCCAGATGT CCCCCCAAGG CCTGCGGGTC CGTCTGCGGC CCGGTGAGGA GCGGCATTTT  480
      GAGCTGGAGG TGTTTGGAGCC ACTGGAGAGC CCCGTGGACC TGTACATCCT CATGGACTTC  540
      TCCAACTCCA TGTCCGATGA TCTGGACAAC CTCAAGCAAGA TGGGGCAGAA CCTGGCTCGG  600
      GTCCTGAGCC AGCTCACCAG CGACTACACT ATTGGATTTG GCAAGTTTGT GGACAAAGTC  660
      AGCGTCCCGC AGACGGACAT GAGGCCTGAG AAGCTGAAGG AGCTGAAGG CAACAGTGAC  720
      CCCCCCTTCT CCTTCAAGAA CGTCATCAGC CTGACAGAAG ATGTGGATGA GTTCCGGAAT  780
      AAACTGCAGG GAGAGCGGAT CTCAGGCAAC CTGGATGCTC CTGAGGGCGG CTTCGATGCC  840
      ATCCTGCAGA CAGCTGTGTG CACGAGGGAC ATTGGCTGGC GCCCGGACAG CACCCACCTG  900
      CTGGTCTTCT CCACCGAGTC AGCCTTCCAC TATGAGGCTG ATGGCGCCAA CGTGCTGGCT  960
      GGCATCATGA GCCGCAACGA TGAACGGTGC CACCTGGACA CCACGGGCAC CTACACCCAG  1020
      TACAGGACAC AGGACTACCC GTCGGTGCCC ACCCTGGTGC GCCTGCTCGC CAAGCACAAC  1080
      ATCATCCCCA TCTTTGCTGT CACCAACTAC TCCTATAGCT ACTACGAGAA GCTTCACACC  1140
      TATTTCCCTG TCTCCTCACT GGGGGTGCTG CAGGAGGACT CGTCCAACAT CGTGGAGCTG  1200
      CTGGAGGAGG CCTTCAATCG GATCCGCTCT AAACCTGGACA TCCGGGCCCT AGACAGCCCC  1260
      CGAGGCCTTC GGACAGAGGT CACCTCCAAG ATGTTCCAGA AGACGGAGAC TGGGTCCTTT  1320
      CACATCCGGC GGGGGGAAGT GGGTATATAC CAGGTGCAGC TGCGGGCCCT TGAGCACGTG  1380
      GATGGGACGC ACGTGTGCCA GCTGCCGGAG GACCAGAAGG GCAACATCCA TCTGAAACCT  1440
      TCCTTCTCCG ACGGCCTCAA GATGGACGCG GGCATCATCT GTGATGTGTG CACCTGCGAG  1500
      CTGCAAAAAG AGGTGCGGTC AGCTCGCTGC AGCTTCAACG GAGACTTCGT GTGCGGACAG  1560
      TGTGTGTGCA GCGAGGGCTG GAGTGGCCAG ACCTGCAACT GCTCCACCGG CTCTCTGAGT  1620
      GACATTCAGC CCTGCCTGCG GGAGGGCGAG GACAAGCCGT GCTCCGGCCG TGGGGAGTGC  1680
      CAGTGCGGGC ACTGTGTGTG CTACGGCGAA GGCCGCTACG AGGGTCAGTT CTGCGAGTAT  1740
      GACAACTTCC AGTGTCCCCG CACTTCCGGG TTCCTCTGCA ATGACCGAGG ACGCTGCTCC  1800
      ATGGGCCAGT GTGTGTGTGA GCCTGGTTGG ACAGGCCCAA GCTGTGACTG TCCCCTCAGC  1860
      AATGCCACCT GCATCGACAG CAATGGGGGC ATCGTGTAATG GACGTGGCCA CTGTGAGTGT  1920
      GGCCGCTGCC ACTGCCACCA GCAGTCGCTC TACACGGACA CCATCTGCGA GATCAACTAC  1980
      TCGGCGATCC ACCCGGGGCCT CTGCCGAGGAC CTACGCTCCT GCGGTGCAGTG CCAGGCGTGG  2040
      GGCACCGGCG AGAAGAAGGG.GCGCACGTGT GAGGAATGCA ACTTCAAGGT CAAGATGGTG  2100
      GACGAGCTTA AGAGAGCCGA GGAGGTGGTG GTGCGCTGCT CCTTCCGGGA CGAGGATGAC  2160
      GACTGCACCT ACAGCTACAC CATGGAAGGT GACGGCGCCC CTGGGCCCAA CAGCACTGTC  2220
      CTGGTGCACA AGAAGAAGGA CTGCCCTCCG GGCTCCTTCT GGTGGCTCAT CCCCCTGCTC  2280
      CTCCTCCTCG TGCCGCTCCT GGCCCTGCTA CTGCTGCTAT GCTGGAAGTA CTGTGCCTGC  2340
      TGCAAGGCCT GCCTGGCACT TCTCCCGTGC TGCAACCGAG GTCACATGGT GGGCTTTAAG  2400
      GAAGACCACT ACATGTGCGG GGAGAACCTG ATGGCCTCTG ACCACTTGGA CACGCCCATG  2460
      CTGCGCAGCG GGAACCTCAA GGGCCGTGAC GTGGTCCGCT GGAAGGTCAC CAACAACATG  2520
      CAGCGGCCTG GCTTTGCCAC TCATGCCGCC AGCATCAACC CCACAGAGCT GGTGCCCTAC  2580
      GGGCTGTCCT TGCGCCTGGC CCGCCTTTGC ACCGAGAACC TGCTGAAGCC TGACACTCGG  2640
      GAGTGCGCCC AGCTGCGCCA GGAGGTGGAG GAGAACCTGA ACGAGGTCTA CAGGCAGATC  2700
      TCCGGTGTAC ACAAGCTCCA GCAGACCAAG TTCCGGCAGC AGCCCAATGC CGGGAAAAAG  2760
      CAAGACCACA CCATTGTGGA CACAGTGCTG ATGGCGCCCC GCTCGGCCAA GCCGGCCCTG  2820
      CTGAAGCTTA CAGAGAAGCA GGTGGAACAG AGGGCCTTCC ACGACCTCAA GGTGGCCCCG  2880
      GGCTACTACA CCCTCACTGC AGACCAGGAC GCCCGGGGCA TGGTGGAGTT CCAGGAGGGC  2940
      GTGGAGCTGG TGGACGTACG GGTGCCCCTC TTTATCCGGC TGAGGATGA CGACGAGAAG  3000
      CAGCTGCTGG TGGAGGCCAT CGACGTGCCC GCAGGCACTG CCACCCTCGG CCGCCGCCTG  3060
```

```
        GTAAACATCA CCATCATCAA GGAGCAAGCC AGAGACGTGG TGTCCTTTGA GCAGCCTGAG   3120
        TTCTCGGTCA GCCGCGGGGA CCAGGTGGCC CGCATCCCTG TCATCCGGCG TGTCCTGGAC   3180
        GGCGGGAAGT CCCAGGTCTC CTACCGCACA CAGGATGGCA CCGCGCAGGG CAACCGGGAC   3240
        TACATCCCCG TGGAGGGTGA GCTGCTGTTC CAGCCTGGGG AGGCCTGGAA AGAGCTGCAG   3300
        GTGAAGCTCC TGGAGCTGCA AGAAGTTGAC TCCCTCCTGC GGGGCCGCCA GGTCCGCCGT   3360
        TTCCACGTCC AGCTCAGCAA CCCTAAGTTT GGGGCCCAAC TGGGCCAGCC CCACTCCACC   3420
        ACCATCATCA TCAGGGACCC AGATGAACTG GACCGGAGCT TCACGAGTCA GATGTTGTCA   3480
        TCACAGCCAC CCCCTCACGG CGACCTGGGC GCCCCGCAGA ACCCCAATGC TAAGGCCGCT   3540
        GGGTCCAGGA AGATCCATTT CAACTGGCTG CCCCCTTCTG GCAAGCCAAT GGGGTACAGG   3600
        GTAAAGTACT GGATTCAGGG TGACTCCGAA TCCGAAGCCC ACCTGCTCGA CAGCAAGGTG   3660
        CCCTCAGTGG AGCTCACCAA CCTGTACCCG TATTGCGACT ATGAGATGAA GGTGTGCGCC   3720
        TACGGGGCTC AGGGCGAGGG ACCCTACAGC TCCCTGGTGT CCTGCCGCAC CCACCAGGAA   3780
        GTGCCCAGCG AGCCAGGGCG TCTGGCCTTC AATGTCGTCT CCTCCACGGT GACCCAGCTG   3840
        AGCTGGGCTG AGCCGGCTGA GACCAACGGT GAGATCACAG CCTACGAGGT CTGCTATGGC   3900
        CTGGTCAACG ATGACAACCG ACCTATTGGG CCCATGAAGA AAGTGCTGGT TGACAACCCT   3960
        AAGAACCGGA TGCTGCTTAT TGAGAACCTT CGGGAGTCCC AGCCCTACCG CTACACGGTG   4020
        AAGGCGCGCA ACGGGGCCGG CTGGGGGCCT GAGCGGGGAGG CCATCATCAA CCTGGCCACC   4080
        CAGCCCAAGA GGCCCATGTC CATCCCCATC ATCCCTGACA TCCCTATCGT GGACGCCCAG   4140
        AGCGGGGAGG ACTACGACAG CTTCCTTATG TACAGCGATG ACGTTCTACG CTCTCCATCG   4200
        GGCAGCCAGA GGCCCAGCGT CTCCGATGAC ACTGAGCACC TGGTGAATGG CCGGATGGAC   4260
        TTTGCCTTCC CGGGCAGCAC CAACTCCCTG CACAGGATGA CCACGACCAG TGCTGCTGCC   4320
        TATGGCACCC ACCTGAGCCC ACACGTGCCC CACCGCGTGC TAAGCACATC CTCCACCCTC   4380
        ACACGGGACT ACAACTCACT GACCCGCTCA GAACACTCAC ACTCGACCAC ACTGCCGAGG   4440
        GACTACTCCA CCCTCACCTC CGTCTCCTCC CACGACTCTC GCCTGACTGC TGGTGTGCCC   4500
        GACACGCCCA CCCGCCTGGT GTTCTCTGCC CTGGGGCCCA CATCTCTCAG AGTGAGCTGG   4560
        CAGGAGCCGC CGGTGCGAGCG GCCGCTGCAG GGCTACAGTG TGGAGTACCA GCTGCTGAAC   4620
        GGCGGTGAGC TGCATCGGCT CAACATCCCC AACCCTGCCC AGACCTCGGT GGTGGTGGAA   4680
        GACCTCCTGC CCAACCACTC CTACGTGTTC CGCGTGCGGG CCCAGAGCCA GGAAGGCTGG   4740
        GGCCGAGAGC GTGAGGGTGT CATCACCATT GAATCCCAGG TGCACCCGCA GAGCCCACTG   4800
        TGTCCCCTGC CAGGCTCCGC CTTCACTTTG AGCACTCCCA GTGCCCCAGG CCCGCTGGTG   4860
        TTCACTGCCC TGAGCCCAGA CTCGCTGCAG CTGAGCTGGG AGCGGCCACG GAGGCCCAAT   4920
        GGGGATATCG TCGGCTACCT GGTGACCTGT GAGATGGCCC AAGGAGGAGG GCCAGCCACC   4980
        GCATTCCGGG TGGATGGAGA CAGCCCCGAG AGCCGGCTGA CGGTGCGGGG CCTCAGCGAG   5040
        AACGTGCCCT ACAAGTTCAA GGTGCAGGCC AGGACCACTG AGGGCTTCGG GCCAGAGCGC   5100
        GAGGGCATCA TCACCATAGA GTCCCAGGAT GGAGGACCCT TCCCGCAGCT GGGCAGCCGT   5160
        GCCGGGCTCT TCCAGCACCC GCTGCAAAGC GAGTACAGCA GCATCACCAC CACCCACACC   5220
        AGCGCCACGG AGCCCTTCCT AGTGGATGGG CCGACCCTGG GGGCCCAGCA CCTGGAGGCA   5280
        GGCGGCTCCC TCACCCGGCA TGTGACCCAG GAGTTTGTGA GCCGGACACT GACCACCAGC   5340
        GGAACCCTTA GCACCCACAT GGACCAACAG TTCTTCCAAA CTTGACCGCA CCCTGCCCCA   5400
        CCCCCGCCAT GTCCCACTAG GCGTCCTCCC GACTCCTCTC CCGGAGCCTC CTCAGCTACT   5460
        CCATCCTTGC ACCCCTGGGG GCCCAGCCCA CCCGCATGCA CAGAGCAGGG GCTAGGTGTC   5520
        TCCTGGGAGG CATGAAGGGG GCAAGGTCCG TCCTCTGTGG GCCCAAACCT ATTTGTAACC   5580
        AAAGAGCTGG GAGCAGCACA AGGACCCAGC CTTTGTTCTG CACTTAATAA ATGGTTTTGC   5640
        TACTG
```

Seq ID NO: 561 Protein sequence
Protein Accession #: NP_000204.1

```
1          11         21         31         41         51
|          |          |          |·         |          |
MAGPRPSPWA RLLLAALISV SLSGTLANRC KKAPVKSCTE CVRVDKDCAY CTDEMFRDRR   60
CNTQAELLAA GCQRESIVVM ESSFQITEET QIDTTLRRSQ MSPQGLRVRL RPGEERHFEL   120
EVPEPLESPV DLYILMDFSN SMSDDLDNLK KMGQNLARVL SQLTSDYTIG FGKFVDKVSV   180
PQTDMRPEKL KEPWPNSDPP FSFKNVISLT EDVDEFRNKL QGERISGNLD APEGGPDAIL   240
QTAVCTRDIG WRPDSTHLLV FSTESAFHYE ADGANVLAGI MSRNDERCHL DTTGTYTQYR   300
TQDYPSVPTL VRLLAKHNII PIFAVTNYSY SYYEKLHTYF PVSSLGVLQE DSSNIVELLE   360
EAFNRIRSNL DIRALDSPRG LRTEVTSKMF QKTRTGSFHI RRGEVGIYQV QLRALEHVDG   420
THVCQLPEDQ KGNIHLKPSF SDGLKMDAGI ICDVCTCELQ KEVRSARCSF NGDPVCGQCY   480
CSEGWSGQTC NCSTGSLSDI QPCLREGEDK PCSGRGECQC GHCVCYGPGR YEGQFCEYDN   540
FQCPRTSGFL CNDRGRCSMG QCVCEPGWTG PSCDCPLSNA TCIDSNGGIC NGRGHCECGR   600
CHCHQQSLYT DTICEINYSA IHPGLCEDLR SCVQCQAWGT GEKKGRTCEE CNFKVMVDE   660
LKRAEEVVVR CSFRDEDDDC TYSYTMEGDG APGPNSTVLV HKKKDCPPGS FWWLIPLLLL   720
LLPLLALLLL LCWKYCACCK ACLALLPCCN RGHMVGFKED HYMLRENLMA SDHLDTPMLR   780
SGNLKGRDVV RWKVTNNMQR PGFATHAASI NPTELVPYGL SLRLARLCTE NLLKPDTREC   840
AQLRQEVEEN LNEVYRQISG VHKLQQTKFR QQPNAGKKQD HTIVDTVLMA PRSAKPALLK   900
LTEKQVEQRA FHDLKVAPGY YTLTADQDAR GMVEFQEGVE LVDVRVPLFI RPEDDDEKQL   960
LVEAIDVPAG TATLGRRLVN ITIIKEQARD VVSFEQPEFS VSRGDQVARI PVIRRVLDGG   1020
KSQVSYRTQD GTAQGNRDYI PVEGELLFQP GEAWKELQVK LLELQEVDSL LRGRQVRRFH   1080
VQLSNPKFGA HLGQPHSTTI IIRDPDELDR SFTSQMLSSQ PPPHGDLGAP QNPNAKAAGS   1140
RKIHFNWLPP SGKPMGYRVK YWIQGDSESE AHLLDSKVPS VELTNLYPYC DYEMKVCAYG   1200
AQGEGPYSSL VSCRTHQEVR SEPGRLAFNV VSSTVTQLSW AEPAETNGEI TAYEVCYGLV   1260
NDDNRPIGPM KKVLVDNPKN RMLLIENLRE SQPYRYTVKA RNGAGWGPER EAIINLATQP   1320
KRPMSIPIIP DIPIVDAQSG EDYDSFLMYS DDVLRSPSGS QRPSVSDDTE HLVNGRMDFA   1380
FPGSTNSLHR MTTTSAAAYG THLSPHVPHR VLSTSSTLTR DYNSLTRSEH SHSTTLPRDY   1440
STLTSVSSHD SRLTAGVPDT PTRLVFSALG PTSLRVSWQE PRCERPLQGY SVEYQLLNGG   1500
ELHRLNIPNP AQTSVVVEDL LPNHSYVPRV RAQSQEGWGR EREGVITIES QVHPQSPLCP   1560
LPGSAFTLST PSAPGPLVFT ALSPDSLQLS WERPRRPNGD IVGYLVTCEM AQGGGPATAF   1620
RVDGDSPESR LTVPGLSENV PYKFKVQART TEGPGPEREG IITIESQDGG PFPQLGSRAG   1680
LFQHPLQSEY SSITTTHTSA TEPFLVDGPT LGAQHLEAGG SLTRHVTQEF VSRTLTTSGT   1740
LSTEMDQQFP QT
```

Seq ID NO: 562 DNA sequence
Nucleic Acid Accession #: NM_013332.1
Coding sequence: 1..63

```
1          11         21         31         41         51
|          |          |          |          |          |
```

```
     GCACGAGGGC GCTTTTGTCT CCGGTGAGTT TTGTGGCGGG AAGCTTCTGC GCTGGTGCTT      60
     AGTAACGGAC TTTCCTCCGG ACTCCTGCAC GACCTGCTCC TACAGCCGGC GATCCACTCC     120
     CGGCTGTTCC CCCGGAGGGT CCAGAGGCCT TTCAGAAGGA GAAGGCAGCT CTGTTTCTCT     180
     GCAGAGGAGT AGGGTCCTTT CAGCCATGGA GCATGTGTTG AACCTCTACC TGTTAGGTGT     240
  5  GGTACTGACC CTACTCTCCA TCTTCGTTAG AGTGATGGAG TCCCTAGAAG GCTTACTAGA     300
     GAGCCCATCG CCTGGGACCT CCTGGACCAC CAGAAGCCAA CTAGCCAACA CAGAGCCCAC     360
     CAAGGGCCTT CCAGACCATC CATCCGAAG CATGTGATAA GACCTCCTTC CATACTGGCC      420
     ATATTTTGGA ACACTGACCT AGACATGTCC AGATGGGAGT CCCATTCCTA GCAGACAAGC     480
     TGAGCACCGT TGTAACCAGA GAACTATTAC TAGGCCTTGA AGAACCTGTC TAACTGGATG     540
 10  CTCATTGCCT GGGCAAGGCC TGTTTAGGCC GGTTGCGGTG GCTCATGCCT GTAATCCTAG     600
     CACTTTGGGA GGCTGAGGTG GGTGGATCAC CTGAGGTCAG GAGTTCGAGA CCAGCCTCGC     660
     CAACATGGCG AAACCCCATC TCTACTAAAA ATACAAAAGT TAGCTGGGTG TGGTGGCAGA     720
     GGCCTGTAAT CCCAGTTCCT TGGGAGGCTG AGGCGGGAGA ATTGCTTGAA CCCGGGGACG     780
 15  GAGGTTGCAG TGAACCGAGA TCGCACTGCT GTACCCAGCC TGGGCCACAG TGCAAGACTC     840
     CATCTCAAAA AAAAAAAGAA AAGAAAAAGC CTGTTTAATG CACAGGTGTG AGTGGATTGC     900
     TTATGGCTAT GAGATAGGTT GATCTCGCCC TTACCCCGGG GTCTGGTGTA TGCTGTGCTT     960
     TCCTCAGCAG TATGGCTCTG ACATCTCTTA GATGTCCCAA CTTCAGCTGT TGGGAGATGG    1020
 20  TGATATTTTC AACCCTACTT CCTAAACATC TGTCTGGGGT TCCTTTAGTC TTGAATGTCT    1080
     TATGCTCAAT TATTTGGTGT TGAGCCTCTC TTCCACAAGA GCTCCTCCAT GTTTGGATAG    1140
     CAGTTGAAGA GGTTGTGTGG GTGGGCTGTT GGGAGTGAGG ATGGAGTGTT CAGTGCCCAT    1200
     TTCTCATTTT ACATTTTAAA GTCGTTCCTC CAACATAGTG TGTATTGGTC TGAAGGGGGT    1260
     GGTGGGATGC CAAAGCCTGC TCAAGTTATG GACATTGTGG CCACCATGTG GCTTAAATGA    1320
     TTTTTTCTAA CTAATAAAGT GGAATATATA TTTCAAAAAA AAAAAAAAAA AA
```

```
 25  Seq ID NO:  563 Protein sequence
     Protein Accession #: NP_037464.1


     1         11        21        31        41        51
     |         |         |         |         |         |
 30  MKHVLNLYLL GVVLTLLSIP VRVMESLEGL LESPSPGTSW TTRSQLANTE PTKGLPDHPS      60
     RSM
```

```
     Seq ID NO:  564 DNA sequence
     Nucleic Acid Accession #:  NM_023915.1
 35  Coding sequence: 250..1326


     1         11        21        31        41        51
     |         |         |         |         |         |
     GGCACGAGGG TTTCGTTTTC ATGCTTTACC AGAAAATCCA CTTCCCTGCC GACCTTAGTT      60
 40  TCAAAGCTTA TTCTTAATTA GAGACAAGAA ACCTGTTTCA ACTTGAAGAC ACCGTATGAG     120
     GTGAATGGAC AGCCAGCCAC CACAATGAAA GAAATCAAAC CAGGAATAAC CTATGCTGAA     180
     CCCACGCCTC AATCGTCCCC AAGTGTTTCC TGACACGCAT CTTTGCTTAC AGTGCATCAC     240
     AACTGAAGAA TGGGGTTCAA CTTGACGCTT GCAAAATTAC CAAATAACGA GCTGCACGGC     300
     CAAGAGAGTC ACAATTCAGG CAACAGGAGC GACGGGCCAG GAAAGAACAC CACCCTTCAC     360
 45  AATGAATTTG ACACAATTGT CTTGCCGGTG CTTTATCTCA TTATATTTGT GGCAAGCATC     420
     TTGCTGAATG GTTTAGCAGT GTGGATCTTC TTCCACATTA GGAATAAAAC CAGCTTCATA     480
     TTCTATCTCA AAAACATAGT GGTTGCAGAC CTCATAATGA CGCTGACATT TCCATTTCGA     540
     ATAGTCCATG ATGCAGGATT TGGACCTTGG TACTTCAAGT TTATTCTCTG CAGATACACT     600
     TCAGTTTTGT TTTATGCAAA CATGTATACT TCCATCGTGT TCCTTGGGCT GATAAGCATT     660
 50  GATCGCTATC TGAAGGTGGT CAAGCCATTT GGGGACTCTC GGATGTACAG CATAACCTTC     720
     ACGAAGGTTT TATCTGTTTG TGTTTGGGTG ATCATGGCTG TTTTGTCTTT GCCAAACATC     780
     ATCCTGACAA ATGGTCAGCC AACAGAGGAC AATATCCATG ACTGCTCAAA ACTTAAAAGT     840
     CCTTTGGGGG TCAAATGGCA TACGGCAGTC ACCTATGTGA ACAGCTGCTT GTTTGTGGCC     900
     GTGCTGGTGA TTCTGATCGG ATGTTACATA GCCATATCCA GGTACATCCA CAAATCCAGC     960
 55  AGGCAATTCA TAAGTCAGTC AAGCCGAAAG CGAAAACATA ACCAGAGCAT CAGGGTTGTT    1020
     GTGGCTGTGT TTTTTACCTG CTTTCTACCA TATCACTTGT GCAGAATTCC TTTTACTTTT    1080
     AGTCACTTAG ACAGGCTTTT AGATGAATCT GCACAAAAAA TCCTATATTA CTGCAAAGAA    1140
     ATTACACTTT TCTTGTCTGC GTGTAATGTT TGCCTGGATC CAATAATTTA CTTTTTCATG    1200
     TGTAGGTCAT TTTCAAGAAG GCTGTTCAAA AAATCAAATA TCAGAACCAG GAGTGAAAGC    1260
 60  ATCAGATCAC TGCAAAGTGT GAGAAGATCG GAAGTTCGCA TATATTATGA TTACACTGAT    1320
     GTGTAGGCCT TTTATTGTTT GTTGGAATCG ATATGTACAA AGTGTAAATA AATGTTTCTT    1380
     TTCATTATCC TTAAAAAAAA AA
```

```
 65  Seq ID NO:  565 Protein sequence
     Protein Accession #: NP_076404


     1         11        21        31        41        51
     |         |         |         |         |         |
 70  MGFNLTLAKL PNNELHGQES HNSGNRSDGP GKNTTLHNEF DTIVLPVLYL IIFVASILLN      60
     GLAVWIFFHI RNKTSPIFYL KNIVVADLIM TLTFPFRIVH DAGFGPWYFK PILCRYTSVL     120
     FYANMYTSIV FLGLISIDRY LKVVKPPGDS RMYSITFTKV LSVCVWVIMA VLSLPNIILT     180
     NGQPTEDNIH DCSKLKSPLG VKWHTAVTYV NSCLFVAVLV ILIGCYIAIS RYIHKSSRQF     240
     ISQSSRKRKH NQSIRVVVAV FFTCFLPYHL CRIPPTPSHL DRLLDESAQK ILYYCKEITL     300
     FLSACNVCLD PIIYPFMCRS FSRRLFKKSN IRTRSESIRS LQSVRRSEVR IYYDYTDV
```

```
 75  Seq ID NO:  566 DNA sequence
     Nucleic Acid Accession #:  NM_005365.1
     Coding sequence: 1..948


 80  1         11        21        31        41        51
     |         |         |         |         |         |
     ATGTCTCTCG AGCAGAGGAG TCCGCACTGC AAGCCTGATG AAGACCTTGA AGCCCAAGGA      60
     GAGGACTTGG GCCTGATGGG TGCACAGGAA CCCACAGGCG AGGAGGAGGA GACTACCTCC     120
     TCCTCTGACA GCAAGGAGGA GGAGGTGTCC GCTGCTGGGG CATCAAGTCC TCCCCAGAGT     180
 85  CCTCAGGGAG GCGCTTCCTC CTCCATTTCC GTCTACTACA CTTTATGGAG CCAATTCGAT     240
     GAGGGCTCCA GCAGTCAAGA AGAGGAAGAG CCAAGCTCCT CGGTCGACCC AGCTCAGCTG     300
     GAGTTCATGT TCCAAGAAGC ACTGAAATTG AAGGTGGCTG AGTTGGTTCA TTTCCTGCTC     360
```

```
        CACAAATATC GAGTCAAGGA GCCGGTCACA AAGGCAGAAA TGCTGGAGAG CGTCATCAAA    420
        AATTACAAGC GCTACTTTCC TGTGATCTTC GGCAAAGCCT CCGAGTTCAT GCAGGTGATC    480
        TTTGGCACTG ATGTGAAGGA GGTGGACCCC GCCGGCCACT CCTACATCCT TGTCACTGCT    540
  5     CTTGGCCTCT CGTGCGATAG CATGCTGGGT GATGGTCATA GCATGCCCAA GGCCGCCCTC    600
        CTGATCATTG TCCTGGGTGT GATCCTAACC AAAGACAACT GCGCCCCTGA AGAGGTTATC    660
        TGGGAAGCGT TGAGTGTGAT GGGGGTGTAT GTTGGGAAGG AGCACATGTT CTACGGGGAG    720
        CCCAGGAAGC TGCTCACCCA AGATTGGGTG CAGGAAAACT ACCTGGAGTA CCGGCAGGTG    780
 10     CCCGGCAGTG ATCCTGCGCA CTACGAGTTC CTGTGGGGTT CCAAGGCCCA CGCTGAAACC    840
        AGCTATGAGA AGGTCATAAA TTATTTGGTC ATGCTCAATG CAAGAGAGCC CATCTGCTAC    900
        CCATCCCTTT ATGAAGAGGT TTTGGGAGAG GAGCAAGAGG GAGTCTGA
```

Seq ID NO: 567 Protein sequence
Protein Accession #: NP_005356.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MSLEQRSPHC KPDEDLEAQG EDLGLMGAQE PTGEEEETTS SSDSKEEVS AAGSSSPPQS    60
        PQGGASSSIS VYYTLWSQFD EGSSSQEEEE PSSSVDPAQL EFMFQEALKL KVAELVHFLL    120
        HKYRVKEPVT KAEMLESVIK NYKRYFPVIF GKASEFMQVI FGTDVKEVDP AGHSYILVTA    180
        LGLSCDSMLG DGHSMPKAAL LIIVLGVILT KDNCAPEEVI WEALSVMGVY VGKEHMFYGE    240
        PRKLLTQDWV QENYLEYRQV PGSDPAHYEF LWGSKAHAET SYEKVINYLV MLNAREPICY    300
        PSLYEEVLGE EQEGV
```

Seq ID NO: 568 DNA sequence
Nucleic Acid Accession #: NM_014400
Coding sequence: 86..1126

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GGTTACTCAT CCTGGGCTCA GGTAAGAGGG CCCGAGCTCG GAGGCGGCAC ACCCAGGGGG    60
        GACGCCAAGG GAGCAGGACG GAGCCATGGA CCCCGCCAGG AAAGCAGGTG CCCAGGCCAT    120
        GATCTGGACT GCAGGCTGGC TGCTGCTGCT GCTGCTTCGC GGAGGAGCGC AGGCCCTGGA    180
        GTGCTACAGC TGCGTGCAGA AAGCAGATGA CGGATGCTCC CCGAACAAGA TGAAGACAGT    240
        GAAGTGCGCG CCGGGCGTGG ACGTCTGCAC CGAGGCCGTG GGGGCGGTGG AGACCATCCA    300
        CGGACAATTC TCGCTGGCAG TGCGGGGTTG CGGTTCGGGA CTCCCCGGCA AGAATGACCG    360
        CGGCCTGGAT CTTCACGGGC TTCTGGCGTT CATCCAGCTG CAGCAATGCG CTCAGGATCG    420
        CTGCAACGCC AAGCTCAACC TCACCTCGCG GGCGCTCGAC CCGGCAGGTA ATGAGAGTGC    480
        ATACCCGCCC AACGGCGTGG AGTGCTACAG CTGTGTGGGC CTGAGCCGGG AGGCGTGCCA    540
        GGGTACATCG CCGCCGGTCG TGAGCTGCTA CAACGCCAGC GATCATGTCT ACAAGGGCTG    600
        CTTCGACGGC AACGTCACCT TGACGGCAGC TAATGTGACT GTGTCCTTGC CTGTCCGGGG    660
        CTGTGTCCAG GATGAATTCT GCACTCGGGA TGGAGTAACA GGCCCAGGGT TCACGCTCAG    720
        TGGCTCCTGT TGCCAGGGGT CCCGCTGTAA CTCTGACCTC CGCACAAGA CCTACTTCTG    780
        CCCTCGAATC CCACCCCTTG TCCGGCTGCC CCCTCCAGAG CCCACGACTG TGGCCTCAAC    840
        CACATCTGTC ACCACTTCTA CCTCGGCCCC AGTGAGACCC ACATCCACCA CCAAACCCAT    900
        GCCAGCGCCA ACCAGTCAGA CTCCGAGACA GGGAGTAGAA CACGAGGCCT CCCGGGATGA    960
        GGAGCCCAGG TTGACTGGAG GCGCCGCTGG CCACCAGGAC CGCAGCAATT CAGGGCAGTA    1020
        TCCTGCAAAA GGGGGGCCCC AGCAGCCCCA TAATAAAGGC TGTGTGGCTC CCACAGCTGG    1080
        ATTGGCAGCC CTTCTGTTGG CCGTGGCTGC TGGTGTCCTA CTGTGAGCTT CTCCACCTGG    1140
        AAATTTCCCT CTCACCTACT TCTCTGGCCC TGGGTACCCC TCTTCTCATC ACTTCCTGTT    1200
        CCCACCACTG GACTGGGCTG GCCCAGCCCC TGTTTTTCCA ACATTCCCCA GTATCCCCAG    1260
        CTTCTGCTGC GCTGGTTTGC GGCTTTGGGA AATAAAAATAC CGTTGTATAT ATTCTGGCAG    1320
        GGGTGTTCTA GCTTTTTGAG GACAGCTCCT GTATCCTTCT CATCCTTGTC TCTCCGCTTG    1380
        TCCTCTTGTG ATGTTAGGAC AGAGTGAGAG AAGTCAGCTG TCACGGGGAA GGTGAGAGAG    1440
        AGGATGCTAA GCTTCCTACT CACTTTCTCC TAGCCAGCCT GGACTTTGGA GCGTGGGGTG    1500
        GGTGGGACAA TGGCTCCCCA CTCTAAGCAC TGCCTCCCCT ACTCCCCGCA TCTTTGGGGA    1560
        ATCGGTTCCC CATATGTCTT CCTTACTAGA CTGTGAGCTC CTCGAGGGCA GGGACCGTGC    1620
        CTTATGTCTG TGTGTGATCA GTTTCTGGCA CATAAATGCC TCAATAAAGA TTTAATTACT    1680
        TTGTATAGTG AAAAAAAA
```

Seq ID NO: 569 Protein sequence
Protein Accession #: NP_055215

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MDPARKAGAQ AMIWTAGWLL LLLLRGGAQA LECYSCVQKA DDGCSPNKMK TVKCAPGVDV    60
        CTEAVGAVET IHGQFSLAVX GCGSGLPGKN DRGLDLHGLL AFIQLQQCAQ DRCNAKLNLT    120
        SRALDPAGNE SAYPPNGVEC YSCVGLSREA CQGTSPPVVS CYNASDHVYK GCFDGNVTLT    180
        AANVTVSLPV RGCVQDEPCT RDGVTGPGPT LSGSCCQGSR CNSDLRNKTY FSPRIPPLVR    240
        LPPPEPTTVA STTSVTTSTS APVRPTSTTK PMPAPTSQTP RQGVEHEASR DEEPRLTGGA    300
        AGHQDRSNSG QYPAKGGPQQ PHNKGCVAPT AGLAALLLAV AAGVLL
```

Seq ID NO: 570 DNA sequence
Nucleic Acid Accession #: NM_005329.1
Coding sequence: 1..1662

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        ATGCCGGTGC AGCTGACGAC AGCCCTGCGT GTGGTGGGCA CCAGCCTGTT TGCCCTGGCA    60
        GTGCTGGGTG GCATCCTGGC AGCCTATGTG ACGGGCTACC AGTTCATCCA CACGGAAAAG    120
        CACTACCTGT CCTTCGGCCT GTACGGCGCA ATCCTGGGCG TGCACTGGCC CATTCAGAGC    180
        CTTTTTGCCT TCCTGGAGCA CCGGCGCATG CGACGTGCCG GCCAGGCCCT GAAGCTGCCC    240
        TCCCCGCGGC GGGGCTCGGT GGCACTGTGC ATTGCCGCGT ACCAGGAGGA CCCTGACTAC    300
        TTGCGCAAGT GCCTCGCGCTC GGCCCAGCGC ATCTCCTTCC CTGACCTCAA GGTGAGTCATG    360
        GTGGTGGATG GCAACCGCCA GGAGGACGCC TACATGCTGG ACATCTTCCA CGAGGTCGTG    420
        GGCGGCACCG AGCAGGCCGG CTTCTTTGTG TGGCGCAGCA ACTTCCATGA GGCAGGCGAG    480
        GGTGAGACGG AGGCCAGCCT GCAGGAGGGC ATGGACCGTG TGCGGGATGT GGTGCGGGCC    540
        AGCACCTTCT CGTGCATCAT GCAGAAGTGG GGAGGCAAGC GCGAGGTCAT GTACACGGCC    600
```

```
     TTCAAGGCCC TCGGCGATTC GGTGGACTAC ATCCAGGTGT GCGACTCTGA CACTGTGCTG    660
     GATCCAGCCT GCACCATCGA GATGCTTCGA GTCCTGGAGG AGGATCCCCA AGTAGGGGGA    720
     GTCGGGGGAG ATGTCCAGAT CCTCAACAAG TACGACTCAT GGATTTCCTT CCTGAGCAGC    780
     GTGCGGTACT GGATGGCCTT CAACGTGGAG CGGGCCTGCC AGTCCTACTT TGGCTGTGTG    840
5    CAGTGTATTA GTGGGCCCTT GGGCATGTAC CGCAACAGCC TCCTCCAGCA GTTCCTGGAG    900
     GACTGGTACC ATCAGAAGTT CCTAGGCAGC AAGTGCAGCT TCGGGGATGA CCGGCACCTC    960
     ACCAACCGAG TCCTGAGCCT TGGCTACCGA ACTAAGTATA CCGCGCGCTC CAAGTGCCTC   1020
     ACAGAGACCC CCACTAAGTA CCTCCGGTGG CTCAACCAGC AAACCCGCTG GAGCAAGTCT   1080
     TACTTCCGGG AGTGGCTCTA CAACTCTCTG TGGTTCCATA AGCACCACCT CTGGATGACC   1140
10   TACGAGTCAG TGGTCACGGG TTTCTTCCCC TTCTTCCTCA TTGCCACGGT TATACAGCTT   1200
     TTCTACCGGG GCCGCATCTG GAACATTCTC CTCTTCCTGC TGACGGTGCA GCTGGTGGGC   1260
     ATTATCAAGG CCACCTACGC CTGCTTCCTT CGGGGCAATG CAGAGATGAT CTTCATGTCC   1320
     CTCTACTCCC TCCTCTATAT GTCCAGCCTT CTGCCGGCCA AGATCTTTGC CATTGCTACC   1380
     ATCAACAAAT CTGGCTGGGG CACCTCTGGC CGAAAAACCA TTGTGGTGAA CTTCATTGGC   1440
15   CTCATTCCTG TGTCCATCTG GGTGGCAGTT CTCCTGGGAG GGCTGGCCTA CACAGCTTAT   1500
     TGCCAGGACC TGTTCAGTGA GACAGAGCTA GCCTTCCTTG TCTCTGGGGC TATACTGTAT   1560
     GGCTGCTACT GGGTGGCCCT CCTCATGCTA TATCTGGCCA TCATCGCCCG GCGATGTGGG   1620
     AAGAAGCCGG AGCAGTACAG CTTGGCTTTT GCTGAGGTGT GA
```

Seq ID NO: 571 Protein sequence
Protein Accession #: NP_005320.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MPVQLTTALR VVGTSLFALA VLGGILAAYV TGYQPIHTEK HYLSFGLYGA ILGLHLLIQS    60
     LFAFLEHRRM RRAGQALKLP SPRRGSVALC IAAYQEDPDY LRKCLRSAQR ISFPDLKVVM   120
     VVDGNRQEDA YMLDIFHEVL GGTEQAGFFV WRSNFHEAGE GETEASLQEG MDRVRDVVRA   180
     STFSCIMQKW GGKREVMYTA FKALGDSVDY IQVCDSDTVL DPACTIEMLR VLEEDPQVGG   240
     VGGDVQILNK YDSWISFLSS VRYWMAFNVE RACQSYFGCV QCISGPLGMY RNSLLQQFLE   300
     DWYHQKFLGS KCSFGDDRHL TNRVLSLGYR TKYTARSKCL TETPTKYLRW LNQQTRWSKS   360
     YFREWLYNSL WFHKHHLWMT YESVVTGFFP FFLIATVIQL FYRGRIWNIL LFLLTVQLVG   420
     IIKATYACFL RGNAEMIFMS LYSLLYMSSL LPAKIFAIAT INKSGWGTSG RKTIVVNFIG   480
     LIPVSIWVAV LLGGLAYTAY CQDLFSETEL AFLVSGAILY GCYWVALLML YLAIIARRCG   540
     KKPEQYSLAP AEV
```

Seq ID NO: 572 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-7095

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA     60
     CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA    120
     CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT    180
     CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA    240
     CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG    300
     AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA    360
     CAAGTAAATG TGAATCCTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA    420
     AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTCA TGACTACCGT    480
     GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAGCA AGATAACTTT TCACTGGGGA    540
     AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT    600
     GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA    660
     GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG    720
     GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT    780
     TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC    840
     AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT    900
     ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA    960
     TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTGGAGAGCA ACAGTACAAG   1020
     TTCTCTAGAC AGGTGTTTTC CTCCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT   1080
     AGTTCAGAAC CAGAAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA   1140
     TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG   1200
     CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG   1260
     GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA   1320
     TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT   1380
     AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG   1440
     GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA   1500
     AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG   1560
     ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA   1620
     AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAAATTAGCC  1680
     ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG   1740
     GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGCTA TCCACATATG   1800
     AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG   1860
     AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC   1920
     GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC   1980
     GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC   2040
     GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT   2100
     GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG   2160
     AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG   2220
     TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA   2280
     CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC   2340
     TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG   2400
     GTATACAATG GTGAGACACC TCTTCAACCT TCCTACAGTA GTGAAGTCTT TCCTCTAGTC   2460
     ACCCCTTTGT TGCTTGACAA TCAGATCCTC AACACTACCC CTGCTGCTTC AAGTAGTGAT   2520
     TCGGCCTTGC ATGCTACGCC TGTATTTCCC AGTGTCGATG TGTCATTTGA ATCCATCCTG   2580
     TCTTCCTATG ATGGGTGCACC TTTGCTTCCA TTTTCCTCTG CTTCCTTCAG TAGTGAATTG   2640
     TTTCGCCATC TGCATACAGT TTTCTCAAATC CTTCCACAAG TTACTTCAGC TACCGAGAGT   2700
     GATAAGGTGC CCTTGCATGC TTCTCTGCCA GTGGCTGGGG GTGATTTGCT ATTAGAGCCC   2760
```

```
        AGCCTTGCTC AGTATTCTGA TGTGCTGTCC ACTACTCATG CTGCTTCAGA GACGCTGGAA  2820
        TTTGGTAGTG AATCTGGTGT TCTTTATAAA ACGCTTATGT TTTCTCAAGT TGAACCACCC  2880
        AGCAGTGATG CCATGATGCA TGCACGTTCT TCAGGGCCTG AACCTTCTTA TGCCTTGTCT  2940
        GATAATGAGG GCTCCCAACA CATCTTCACT GTTTCTTACA GTTCTGCAAT ACCTGTGCAT  3000
5       GATTCTGTCG GTGTAACTTA TCAGGGTTCC TTATTTAGCG GCCCTAGCCA TATACCAATA  3060
        CCTAAGTCTT CGTTAATAAC CCCAACTGCA TCATTACTGC AGCCTACTCA TGCCCTCTCT  3120
        GGTGATGGGG AATGGTCTGG AGCCTCTTCC GATAGTGAAT TTCTTTTACC TGACACAGAT  3180
        GGGCTGACAG CCCTTAACAT TTCTTCACCT GTTTCTGTAG CTGAATTTAC ATATACAACA  3240
        TCTGTGTTTG GTGATGATAA TAAGGCGCTT TCTAAAAGTG AAATAATATA TGGAAATGAG  3300
10      ACTGAACTGC AAATTCCTTC TTTCAATGAG ATGGTTTACC CTTCTGAAAG CACAGTCATG  3360
        CCCAACATGT ATGATAATGT AAAATAAGTTG AATGCGTCTT TACAAGAAAC CTCTGTTTCC  3420
        ATTTCTAGCA CCAAGGGCAT GTTTCCAGGG TCCCTTGCTC ATACCACCAC TAAGGTTTTT  3480
        GATCATGAGA TTAGTCAAGT TCCAGAAAAT AACTTTTCAG TTCAACCTAC ACATACTGTC  3540
        TCTCAAGCAT CTGGTGACAC TTCGCTTAAA CCTGTGCTTA GTGCAAACTC AGAGCCAGCA  3600
15      TCCTCTGACC CTGCTTCTAG TGAAATGTTA TCTCCTTCAA CTCAGCTCTT ATTTTATGAG  3660
        ACCTCAGCTT CTTTTAGTAC TGAAGTATTG CTACAACCTT CCTTTCAGGC TTCTGATGTT  3720
        GACACCTTGC TTAAACTGT  TCTTCCAGCT GTGCCCAGTG ATCCAATATT GGTTGAAACC  3780
        CCCAAAGTTG ATAAAATTAG TTCTACAATG TTGCATCTCA TTGTATCAAA TTCTGCTTCA  3840
        AGTGAAAACA TGCTGCACTC TACATCTGTA CCAGTTTTTG ATGTGTCGCC TACTTCTCAT  3900
20      ATGCACTCTG CTTCACTTCA AGGTTTGACC ATTTCCTATG CAAGTGAGAA ATATGAACCA  3960
        GTTTTGTTAA AAAGTGAAAG TTCCCACCAA GTGGGTACCTT CTTTGTACAG TAATGATGAG  4020
        TTGTTCCAAC CGGCCAATTT GGAGATTAAC CAGGCCCATC CCCAAAAGG AAGGCATGTA  4080
        TTTGCTACAC CTGTTTTATC AATTGATGAA CCATTAAATA CACTAATAAA TAAGCTTATA  4140
        CATTCCGATG AAATTTTAAC CTCCACCAAA AGTTCTGTTA CTGGTAAGGT ATTTGCTGGT  4200
25      ATTCCAACAG TTGCTTCTGA TACATTTGTA TCTACTGATC ATTCTGTTCC TATAGGAAAT  4260
        GGGCATGTTG CCATTACAGC TGTTTCTCCC CACAGAGATG GTTCTGTAAC CTCAACAAAG  4320
        TTGCTGTTTC CTTCTAAGGC AACTTCTGAG CTGAGTCATA GTGCCAAATC TGATGCCGGT  4380
        TTAGTGGGTG GTGGTGAAGA TGGTGACACT GATGATGATG GTGATGATGA TGATGATGAC  4440
        AGAGGTAGTG ATGGCTTATC CATTCATAAG TGTATGTCAT GCTCATCCTA TAGAGAATCA  4500
30      CAGGAAAAGG TAATGAATGA TTCAGACACC CACGAAAACA GTCTTATGGA TCAGAATAAT  4560
        CCAATCTCAT ACTCACTATC TGAGAATTCT GAAGAAGATA ATAGAGTCAC AAGTGTATCC  4620
        TCAGACAGTC AAACTGGTAT GGACAGAAGT CCTGGTAAAT CACCATCAGC AAATGGGCTA  4680
        TCCCAAAAGC ACAATGATGG AAAAGAGGAA AATGACATTC AGACTGGTAG TGCTCTGCTT  4740
        CCTCTCAGCC CTGAATCTAA AGCATGGGCA GTTCTGACAA GTGATGAAGA AAGTGGATCA  4800
35      GGGCAAGGTA CCTCAGATAG CCTTAATGAG AATGAGACTT CCACAGATTT CAGTTTTGCA  4860
        GACACTAATG AAAAAGATGC TGATGGGATC CTGGCAGCAG GTGACTCAGA AATAACTCCT  4920
        GGATTCCCAC AGTCCCCAAC ATCATCTGTT ACTAGCGAGA ACTCAGAAGT GTTCCACGTT  4980
        TCAGAGGCAG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGTTG  5040
        GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT  5100
40      CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT  5160
        TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA  5220
        ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA  5280
        CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGACACTGA AAGAGTTTTA CCAGGAAGTG  5340
        CAGAGCTGTA CTGTTGACTT AGGTATTACA GCAGACAGCT CCAACCACCC AGACAACAAG  5400
45      CACAAGAATC GATACATAAA TATCGTTGCC TATGATCATA GCAGGGTTAA GCTAGCACAG  5460
        CTTGCTGAAA AGGATGGCAA ACTGACTGAT TATATCAATG CCAATTATGT TGATGGCTAC  5520
        AACAGACCAA AAGCTTATAT TGCTGCCCAA GGCCCACTGA AATCCACAGC TGAAGATTTC  5580
        TGGAGAATGA TATGGGAACA TAATGTGGAA GTTATTGTCA TGATAACAAA CCTCGTGGAG  5640
        AAAGGAAGGA GAAAATGTGA TCAGTACTGG CCTGCCGATG GGAGTGAGGA GTACGGGAAC  5700
50      TTTCTGGTCA CTCAGAAGAG TGTGCAAGTG CTTGCCTATT ATACTGTGAG GAATTTTACT  5760
        CTAAGAAACA CAAAATAAA AAAGGGCTCC CAGAAAGGAA GACCCAGTGG ACGTGTGGTC  5820
        ACACAGTATC ACTACACGCA GTGGCCTGAC ATGGGAGTAC CAGAGTACTC CCTGCCAGTG  5880
        CTGACCTTTG TGAGAAAGGC AGCCTATGCC AAGCGCCATG CAGTGGGGCC TGTTGTCGTC  5940
        CACTGCAGTG CTGGAGTTGG AAGAACAGGC ACATATATTG TGCTAGACAG TATGTTGCAG  6000
55      CAGATTCAAC ACGAAGGAAC TGTCAACATA TTTGGCTTCT TAAAACACAT CCGTTCACAA  6060
        AGAAATTATT TGGTACAAAC TGAGGAGCAA TATGTCTTCA TTCATGATAC ACTGGTTGAG  6120
        GCCATACTTA GTAAAGAAAC TGAGGTGCTG GACAGTCATA TTCATGCCTA TGTTAATGCA  6180
        CTCCTCATTC CTGGACCAGC AGGCAAAACA AAGCTAGAGA AACAATTCCA GCTCCTGAGC  6240
        CAGTCAAATA TACAGCAGAG TGACTATTCT GCAGCCCTAA AGCAATGCAA CAGGGAAAAG  6300
60      AATCGAACTT CTTCTATCAT CCCTGTGGAA AGATCAAGGG TTGGCATTTC ATCCCTGAGT  6360
        GGAGAAGGCA CAGACTACAT CAATGCCTCC TATATCATGG GCTATTACCA GAGCAATGAA  6420
        TTCATCATTA CCCAGCACCC TCTCCTTCAT ACCATCAAGG ATTTCTGGAG GATGATATGG  6480
        GACCATAATG CCCAACTGGT GGTTATGATT CCTGATGGCC AAAACATGGC AGAAGATGAA  6540
        TTTGTTTACT GGCCAAATAA AGATGAGCCT ATAAATTGTG AGAGCTTTAA GGTCACTCTT  6600
65      ATGGCTGAAG AACACAAATG TCTATCTAAT GAGGAAAAAC TTATAATTCA GGACTTTATC  6660
        TTAGAAGCTA CACAGGATGA TTATGTACTT GAAGTGAGGC ACTTTCAGTG TCCTAAATGG  6720
        CCAAATCCAG ATAGCCCCAT TAGTAAAAACT TTTGAACTTA TAAGTGTTAT AAAAGAAGAA  6780
        GCTGCCAATA GGGATGGGCC TATGATTGTT CATGATGAGC ATGGAGGAGT GACGGCAGGA  6840
        ACTTTCTGTG CTCTGACAAC CCTTATGCAC CAACTAGAAA AAGAAAATTC CGTGGATGTT  6900
70      TACCAGGTAG CCAAGATGAT CAATCTGATG AGGCCAGGAG TCTTTGCTGA CATTGAGCAG  6960
        TATCAGTTTC TCTACAAAGT GATCCTCAGC CTTGTGAGCA CAAGGCAGGA AGAGAATCCA  7020
        TCCACCTCTC TGGACAGTAA TGGTGCAGCA TTGCCTGATG AAATATAGC  TGAGAGCTTA  7080
        GAGTCTTTAG TTTAACACAG AAAGGGGTGG GGGGACTCAC ATCTGAGCAT TGTTTTCCTC  7140
75      TTCCTAAAAT TAGGCAGGAA AATCAGTCTA GTTCTGTTAT CTGTTGATTT CCCATCACCT  7200
        GACAGTAACT TTCATGACAT AGGATTCTGC CGCCAAATTT ATATCATTAA CAATGTGTGC  7260
        CTTTTTGCAA GACTTGTAAT TTACTTATTA TGTTTGAACT AAAATGATTG AATTTTACAG  7320
        TATTTCTAAG AATGGAATTG TGGTATTTTT TTCTGTATTG ATTTTAACAG AAAATTTCAG  7380
        TTTATAGAGG TTAGGAATTC CAAACTACAG AAAAATGTTTG TTTTTAGTGT CAAATTTTTA  7440
80      GCTGTATTTG TAGCAATTAT CAGGTTTGCT AGAAAATATAA CTTTTAATAC AGTAGCCTGT  7500
        AAATAAAACA CTCTTCCATA TGATATTCAA CATTTTACAA CTGCAGTATT CACCTAAAGT  7560
        AGAAATAATC TGTTACTTAT TGTAAATACT GCCCTAGTGT CTCCATGGAC CAAATTTATA  7620
        TTTATAATTG TAGATTTTTA TATTTTACTA CTGAGTCAAG TTTTCTAGTT CTGTGTAATT  7680
        GTTTAGTTTA ATGACGTAGT TCATTAGCTG GTCTTACTCT ACCAGTTTTC TGACATTGTA  7740
85      TTGTGTTACC TAAGTCATTA ACTTTGTTTC AGCATGTAAT TTTAACTTTT GTGGAAAATA  7800
        GAAATACCTT CATTTTGAAA GAAGTTTTTA TGAGAATAAC ACCTTACCAA ACATTGTTCA  7860
        AATGGTTTTT ATCCAAGGAA TTGCAAAAAT AAATATAAAT ATTGCCATTA AAAAAAAAAA  7920
        AAAAAAAAAA AAAAAAAAAA AAAA
```

Seq ID NO: 573 Protein sequence:
Protein Accession #: Eos sequence

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK    60
       QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTFIHNTGK TVBINLTNDY RVSGGVSEMV   120
       FKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRPSSPEEAV KGKGKLRALS   180
       ILPEVGTEEN LDPKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC   240
       TDTVDWIVPK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNFREQQY KFSRQVFSSY   300
       TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK   360
       HEFLTDGYQD LGAILNNLLP NMSVVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLPPE   420
       LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN   480
       RSPTRGSEPS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND   540
       GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPPIS   600
       ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPPSSTDI   660
       TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSPSAGPVMS QGPSVTDLEM PHYSTFAYFP   720
       TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNGETPLQ PSYSSEVFPL VTPLLLDNQI   780
       LNTTPAASSS DSALHATPVF PSVDVSFESI LSSYDGAPLL PFSSASFSSE LFRHLHTVSQ   840
       ILPQVTSATE SDKVPLHASL PVAGGDLLLE PSLAQYSDVL STTHAASETL EFGSESGVLY   900
       KTLMFSQVEP PSSDAMMHAR SSGPEPSYAL SDNEGSQHIP TVSYSSAIPV HDSVGVTYQG   960
       SLFSGPSHIP IPKSSLITPT ASLLQPTHAL SGDGEWSGAS SDSEFLLPDT DGLTALNISS  1020
       PVSVAEFTYT TSVFGDDNKA LSKSEIIYGN ETELQIPSFN EMVYPSESTV MPNMYDNVNK  1080
       LNASLQETSV SISSTKGMFP GSLAHTTTKV FDHEISQVPE NNFSVQPTHT VSQASGDTSL  1140
       KPVLSANSPT ASSDPASSEM LSPSTQLLFY ETSASPSTEV LLQPSFQASD VDTLLKTVLP  1200
       AVPSDPILVB TPKVDKISST MLHLIVSNSA SSENNLHSTS VPVFDVSPTS HMHSASLQGL  1260
       TISYASEKYE PVLLKSESSH QVVPSLYSND ELFQTANLEI NQAHPPKGRH VFATPVLSID  1320
       EPLNTLINKL IHSDEILTST KSSVTGKVFA GIPTVASDTF VSTDHSVPIG NGHVAITAVS  1380
       PHRDGSVTST KLLPPSKATS ELSHSAKSDA GLVGGGEDGD TDDDGDDDDD DRGSDGLSIH  1440
       KCMSCSSYRE SQEKVMNDSD THENSLMDQN NPISYSLSEN SEEDNRVTSV SSDSQTGMDR  1500
       SPGKSPSANG LSQKHNDGKE ENDIQTGSAL LPLSPESKAW AVLTSDEESG SGQGTSDSLN  1560
       ENETSTDPSP ADTNEKDADG ILAAGDSEIT PGFPQSPTSS VTSENSEVFH VSEAEASNSS  1620
       HESRIGLAEG LESEKKAVIP LVIVSALTFI CLVVLVGILI YWRKCFQTAH FYLEDSTSPR  1680
       VISTPPTPIP PISDDVGAIP IKHFPKHVAD LHASSGPTEE PETLKEFYQE VQSCTVDLGI  1740
       TADSSNHPDN KHKNRYINIV AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA  1800
       QGPLKSTAED PWRMIWEHNV EVIVMITNLV EKGRRKCDQY WPADGSEEYG NFLVTQKSVQ  1860
       VLAYYTVRNF TLRNTKIKKG SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTFVRKAAY  1920
       AKRHAVGPVV VECSAGVGRT GTYIVLDSML QQIQHEGTVN IFGFLKHIRS QRNYLVQTEE  1980
       QYVFIHDTLV EAILSKETEV LDSHIHAYVN ALLIPGPAGK TKLEKQFQLL SQSNIQQSDY  2040
       SAALKQCNRE KNRTSSIIPV ERSRVGISSL SGEGTDYINA SYIMGYYQSN EFIITQHPLL  2100
       HTIKDFWRMI WDHNAQLVVM IPDGQNMAED EPVYWPNKDE PINCESFKVT LMAEEHKCLS  2160
       NEEKLIIQDP ILEATQDDYV LEVRHRPQCPK WPNPDSPISK TFELISVIKE EAANRDGPMI  2220
       VHDEHGGVTA GTFCALTTLM HQLEKENSVD VYQVAKMINL MRPGVPADIE QYQFLYKVIL  2280
       SLVSTRQEEN PSTSLDSNGA ALFDGNIAES LESLV
```

Seq ID NO: 574 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-4518

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
       CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
       CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT   180
       CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
       CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
       AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
       CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGGT GGGATAAAAC ATCATTGGAA   420
       AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT   480
       GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA   540
       AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT   600
       GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA   660
       GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG   720
       GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT   780
       TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC   840
       AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT   900
       ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA   960
       TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TCGAGAGCA ACAGTACAAG  1020
       TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT  1080
       AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA  1140
       TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG  1200
       CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG  1260
       GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT GATAGCCATA  1320
       TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT  1380
       AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG  1440
       GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA  1500
       AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG  1560
       ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA  1620
       AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC  1680
       ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG  1740
       GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG  1800
       AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG  1860
       AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATCTTCAGG CTCCAGTCCC  1920
       GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC  1980
       GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC  2040
       GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT  2100
```

```
5        GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG   2160
         AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG   2220
         TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA   2280
         CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC   2340
10       TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG   2400
         GTATACAATG CAGAGGCCAG TAATAGTAGC CATGAGTCTC GTATTGGTCT AGCTGAGGGG   2460
         TTGGAATCCG AGAAGAAGGC AGTTATACCC CTTGTGATCG TGTCAGCCCT GACTTTTATC   2520
         TGTCTAGTGG TTCTTGTGGG TATTCTCATC TACTGGAGGA AATGCTTCCA GACTGCACAC   2580
         TTTTACTTAG AGGACAGTAC ATCCCCTAGA GTTATATCCA CACCTCCAAC ACCTATCTTT   2640
15       CCAATTTCAG ATGATGTCGG AGCAATTCCA ATAAAGCACT TTCCAAAGCA TGTTGCAGAT   2700
         TTACATGCAA GTAGTGGGTT TACTGAAGAA TTTGAGACAC TGAAAGAGTT TTACCAGGAA   2760
         GTGCAGAGCT GTACTGTTGA CTTAGGTATT ACAGCAGACA GCTCCAACCA CCCAGACAAC   2820
         AAGCACAAGA ATCGATACAT AAATATCGTT GCCTATGATC ATAGCAGGGT TAAGCTAGCA   2880
         CAGCTTGCTG AAAAGGATGG CAAACTGACT GATTATATCA ATGCCAATTA TGTTGATGGC   2940
20       TACAACAGAC CAAAAGCTTA TATTGCTGCC CAAGGCCCAC TGAAATCCAC AGCTGAAGAT   3000
         TTCTGGAGAA TGATATGGGA ACATAATGTG GAAGTTATTG TCATGATAAC AAACCTCGTG   3060
         GAGAAAGGAA GGAGAAAATG TGATCAGTAC TGGCCTGCCG ATGGGAGTGA GGAGTACGGG   3120
         AACTTTCTGG TCACTCAGAA GAGTGTGCAA GTGCTTGCCT ATTATACTGT GAGGAATTTT   3180
         ACTCTAAGAA ACACAAAAAT AAAAAAGGGC TCCCAGAAAG GAAGACCCAG TGGACGTGTG   3240
25       GTCACACAGT ATCACTACAC GCAGTGGCCT GACATGGGAG TACCAGAGTA CTCCCTGCCA   3300
         GTGCTGACCT TTGTGAGAAA GGCAGCCTAT GCCAAGCGCC ATGCAGTGGG GCCTGTTGTC   3360
         GTCCACTGCA GTGCTGGAGT TGGAAGAACA GGCACATATA TTGTGCTAGA CAGTATGTTG   3420
         CAGCAGATTC AACACGAAGG AACTGTCAAC ATATTTGGCT TCTTAAAACA CATCCGTTCA   3480
         CAAAGAAATT ATTTGGTACA AACTGAGGAG CAATATGTCT TCATTCATGA TACACTGGTT   3540
30       GAGGGCCATC TTAGTAAAGA AACTGAGGTG CTGGACAGTC ATATTCATGC CTATGTTAAT   3600
         GCACTCCTCA TTCCTGGACC AGCAGGCAAA ACAAAGCTAG AGAAACAATT CCAGCTCCTG   3660
         AGCCAGTCAA ATATACAGCA GAGTGACTAT TCTGCAGCCC TAAAGCAATG CAACAGGGAA   3720
         AAGAATCGAA CTTCTTCTAT CATCCCTGTG GAAAGATCAA GGGTTGGCAT TTCATCCCTG   3780
         AGTGGAGAAG GCACAGACTA CATCAATGCC TCCTATATCA TGGGCTATTA CCAGAGCAAT   3840
35       GAATTCATCA TTACCCAGCA CCCTCTCCTT CATACCATCA AGGATTCTG GAGGATGATA   3900
         TGGGACCATA ATGCCCAACT GGTGGTTATG ATTCCTGATG GCCAAAACAT GGCAGAAGAT   3960
         GAATTTGTTT ACTGGCCAAA TAAAGATGAG CCTATAAATT GTGAGAGCTT TAAGGTCACT   4020
         CTTATGGCTG AAGAACACAA ATGTCTATCT AATGAGGAAA AACTTATAAT TCAGGACTTT   4080
         ATCTTAGAAG CTACACAGGA TGATTATGTA CTTGAAGTGA GGCACTTTCA GTGTCCTAAA   4140
40       TGGCCAAATC CAGATAGCCC CATTAGTAAA ACTTTTGAAC TTATAAGTGT TATAAAAGAA   4200
         GAAGCTGCCA ATAGGGATGG GCCTATGATT GTTCATGATG AGCATGGAGG AGTGACGGCA   4260
         GGAACTTTCT GTGCTCTGAC AACCCTTATG CACCAACTAG AAAAAGAAAA TTCCGTGGAT   4320
         GTTTACCAGG TAGCCAAGAT GATCAATCTG ATGAGGCCAG GAGTCTTTGC TGACATTGAG   4380
         CAGTATCAGT TTCTCTACAA AGTGATCCTC AGCCTTGTGA GCACAAGGCA GGAAGAGAAT   4440
45       CCATCCACCT CTCTGGACAG TAATGGTGCA GCATTGCCTG ATGGAAATAT AGCTGAGAGC   4500
         TTAGAGTCTT TAGTTTAACA CAGAAAGGGG TGGGGGGACT CACATCTGAG CATTGTTTTC   4560
         CTCTTCCTAA AATTAGGCAG GAAAATCAGT CTAGTTCTGT TATCTGTTGA TTTCCCATCA   4620
         CCTGACAGTA ACTTTCATGA CATAGGATTC TGCCGCCAAA TTTATATCAT TAACAATGTG   4680
         TGCCTTTTTG CAAGACTTGT AATTTACTTA TTATGTTTGA ACTAAAATGA TTGAATTTTA   4740
50       CAGTATTTCT AAGAATGGAA TTGTGGTATT TTTTTCTGTA TTGATTTTAA CAGAAAATTT   4800
         CAATTTATAG AGGTTAGGAA TTCCAAACTA CAGAAAATGT TTGTTTTTAG TGTCAAATTT   4860
         TTAGCTGTAT TTGTAGCAAT TATCAGGTTT GCTAGAAATA TAACTTTTAA TACAGTAGCC   4920
         TGTAAATAAA ACACTCTTCC ATATGATATT CAACATTTTA CAACTGCAGT ATTCACCTAA   4980
         AGTAGAAATA ATCTGTTACT TATTGTAAAT ACTGCCCTAG TGTCTCCATG GACCAAATTT   5040
55       ATATTTATAA TTGTAGATTT TTATATTTTA CTACTGAGTC AAGTTTTCTA GTTCTGTGTA   5100
         ATTGTTTAGT TTAATGACGT AGTTCATTAG CTGGTCTTAC TCTACCAGTT TTCTGACATT   5160
         GTATTGTGTT ACCTAAGTCA TTAACTTTGT TTCAGCATGT AATTTTAACT TTTGTGGAAA   5220
         ATAGAAATAC CTTCATTTTG AAAGAAGTTT TTATGAGAAT AACACCTTAC CAAACATTGT   5280
         TCAAATGGTT TTTATCCAAG GAATTGCAAA AATAAATATA AATATTGCCA TTAAAAAAAA   5340
         AAAAAAAAAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 575 Protein sequence:
Protein Accession #: Eos sequence

```
       1          11         21         31         41         51
       |          |          |          |          |          |
       MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK    60
       QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTPIHNTGK TVEINLTNDY RVSGGVSEMV   120
       PKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGKLRALS   180
       ILPEVGTEEN LDFKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC   240
       TDTVDWIVFK DTVSISESQL AVPCEVLTMQ QSGYVMLMDY LQNNPREQQY KPSRQVFSSY   300
       TGKEEIKEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK   360
       HEFLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLFPE   420
       LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN   480
       RSPTRGSEFS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPET VEGTSASLND   540
       GSKTVLRSPH MNLSGTAESL NTVSITEYER ESLLTSPKLD TGAEDSSGSS PATSAIPFIS   600
       ENISQGYIPS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI   660
       TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSPSAGPVMS QGPSVTDLEM PHYSTFPAYFP   720
       TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNAEASNS SHESRIGLAE GLESEKKAVI   780
       PLVIVSALTP ICLVVLVGIL IYWRKCFQTA HFYLEDSTSP RVISTPPTPI FPISDDVGAI   840
       PIKHFPKHVA DLHASSGPTE EPETLKEFYQ EVQSCTVDLG ITADSSNHPD NKHKWRYINI   900
       VAYDHSRVKL AQLAEKDGKL TDYINANYVD GYNRPKAYIA AQGPLKSTAE DFWRMIWEHN   960
       VEVIVMITNL VEKGRRKCDQ YWPADGSEEY GNFLVTQKSV QVLAYYTVRN FTLRNTKIKK  1020
       GSQKGRPSGR VVTQYHYTQW PDMGVPEYSL PVLTFVRKAA YAKRHAVGPV VVHCSAGVGR  1080
       TGTYIVLDSM LQQIQHEGTV NIPGFLKHIR SQRNYLVQTE EQYVFIHDTL VEAILSKETE  1140
       VLDSHIHAYV NALLIPGPAG KTKLEKQFQL LSQSNIQQSD YSAALKQCNR EKNRTSSIIP  1200
       VERSRVGISS LSGEGTDYIN ASYIMGYYQS NEPIITQHPL LETIKDPWRM IWDHNAQLVH  1260
       MIPDGQNMAE DEFVYWPNKD EPINCESFKV TLMAEEHKCL SNEEKLIIQD FILEATQDDY  1320
       VLEVRHFQCP KWPNPDSPIS KTFELISVIK EEAANRDGPM IVRDEHGGVT AGTPCALTTL  1380
       MHQLEKENSV DVYQVAKMIN LMRPGVFADI EQYQPLYKVI LSLVSTRQEE NPSTSLDSNG  1440
       AALPDGNIAE SLESLV
```

Seq ID NO: 576 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 148-4494

```
       1          11         21         31         41         51
       |          |          |          |          |          |
      CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA     60
      CAAAAAAGCAG ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA    120
      CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT     180
      CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA     240
      CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG     300
      AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA     360
      CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA     420
      AACACATTCA TTCATAAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT     480
      GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA     540
      AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT     600
      GAGATGCAAA TCTACTGCTT TGATGCAGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA     660
      GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG     720
      GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT     780
      TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC     840
      AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT     900
      ACAGTTAGCA TCTCTGAAAA CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA     960
      TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG    1020
      TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT    1080
      AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCTT TCTTGTTACA    1140
      TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG    1200
      CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG    1260
      GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA    1320
      TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT    1380
      AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG    1440
      GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA    1500
      AACCCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG    1560
      ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA    1620
      AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC    1680
      ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG    1740
      GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG    1800
      AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG    1860
      AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC    1920
      GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC    1980
      GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC    2040
      GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT    2100
      GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG    2160
      AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG    2220
      TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA    2280
      CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC    2340
      TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG    2400
      GTATACAATG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGTTG    2460
      GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT    2520
      CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT    2580
      TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA    2640
      ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA    2700
      CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGGAAGTGC AGAGCTGTAC TGTTGACTTA    2760
      GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAAGC ACAAGAATCG ATACATAAAT    2820
      ATCGTTGCCT ATGATCATAG CAGGGTTAAG CTAGCACAGC TTGCTGAAAA GGATGGAACT    2880
      CTGACTGATT ATATCAATGC CAATTATGTT GATGGCTACA ACAGACCAAA AGCTTATATT    2940
      GCTGCCCAAG GCCCACTGAA ATCCACAGCT GAAGATTTCT GGAGAATGAT ATGGGAACAT    3000
      AATGTGGAAG TTATTGTCAT GATAACAAAC CTCGTTGAGA AAGGAAGGAG AAAATGTGAT    3060
      CAGTACTGGC CTGCCGATGG GAGTGAGGAG TACGGGAACT TTCTGGTCAC TCAGAAGAGT    3120
      GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC TAAGAAACAC AAAAATAAAA    3180
      AAGGGCTCCC AGAAAGGAAG ACCCAGTGGA CGTGTGGTCA CACAGTATCA CTACACGCAG    3240
      TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC TGACCTTTGT GAGAAAGGCA    3300
      GCCTATGCCA AGCGCCATGC AGTGGGGCCT GTTGTCGTCC ACTGCAGTGC TGGAGTTGGA    3360
      AGAACAGGCA CATATATTGT GCTAGACAGT ATGTTGCAGC AGATTCAACA CGAAGGAACT    3420
      GTCAACATAT TTGGCTTCTG AAAAACACATC CGTTCACAAA GAAATTATTT GGTACAAACT    3480
      GAGGAGCAAT ATGTCTTCAT TCATGATACA CTGGTTGAGG CCATACTTAG TAAAGAAACT    3540
      GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTTAATGCAC TCCTCATTCC TGGACCAGCA    3600
      GGCAAAACAA AGCTAGAGAA ACAATTCCAG CTCCTGAGCC AGTCAAATAT ACAGCAGAGT    3660
      GACTATTCTG CAGCCCTAAA GCAATGCAAC AGGGAAAAGA ATCGAACTTC TTCTATCATC    3720
      CCTGTGGAAA GATCAAGGGT TGGCATTTCA TCCCTGAGTG GAGAAGGCAC AGACTACATC    3780
      AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT TCATCATTAC CCAGCACCCT    3840
      CTCCTTCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG ACCATAATGC CCAACTGGTG    3900
      GTTATGATTC CTGATGGCCA AAACATGGCA GAAGATGAAT TTGTTTACTG GCCAAATAAA    3960
      GATGAGCCTA TAAATTGTGA GAGCTTTAAG GTCACTCTTA TGGCTGAAGA ACACAAATGT    4020
      CTATCTAATG AGGAAAAACT TATAATTCAG GACTTTATCT TAGAAGCTAC ACAGGATGAT    4080
      TATGTACTTG AAGTGAGGCA CTTTCAGTGT CCTAAATGGC CAAATCCAGA TAGCCCCATT    4140
      AGTAAAACTT TTGAACTTAT AAGTGTTATA AAAGAAGAAG CTGCCAATAG GGATGGGCCT    4200
      ATGATTGTTC ATGATGAGCA TGGAGGAGTG ACGGCAGGAA CTTTCTGTGC TCTGACAACC    4260
      CTTATGCACC AACTAGAAAA AGAAAATTCC GTGGATGTTT ACCAGGTAGC CAAGATGATC    4320
      AATCTGATGA GGCCAGGAGT CTTTGCTGAC ATTGAGCAGT ATCAGTTTCT CTACAAAGTG    4380
      ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT CCACCTCTCT GGACAGTAAT    4440
      GGTGCAGCAT TGCCTGATGG AAATATAGCT GAGAGCTTAG AGTCTTTAGT TTAACACAGA    4500
      AAGGGGTGGG GGGACTCACA TCTGAGCATT GTTTTCCTCT TCCTAAAATT AGGCAGGAAA    4560
      ATCAGTCTAG TTCTGTTATC TGTTGATTTC CCATCACCTG ACAGTAACTT TCATGACATA    4620
      GGATTCTGCC GCCAAATTTA TATCATTAAC AATGTGTGCC TTTTTGCAAG ACTTGTAATT    4680
      TACTTATTAT GTTTGAACTA AAATGATTGA ATTTTACAGT ATTTCTAAGA ATGGAATTGT    4740
      GGTATTTTTT TCTGTATTGA TTTTAACAGA AAATTTCAAT TTATAGAGGT TAGGAATTCC    4800
```

406

```
      AAACTACAGA AAATGTTTGT TTTTAGTGTC AAATTTTTAG CTGTATTTGT AGCAATTATC  4860
      AGGTTTGCTA GAAATATAAC TTTTAATACA GTAGCCTGTA AATAAAACAC TCTTCCATAT  4920
      GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAGTA GAAATAATCT GTTACTTATT  4980
      GTAAATACTG CCCTAGTGTC TCCATGGACC AAATTTATAT TTATAATTGT AGATTTTTAT  5040
   5  ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG TTTAGTTTAA TGACGTAGTT  5100
      CATTAGCTGG TCTTACTCTA CCAGTTTTTG GACATTGTAT TGTGTTACCT AAGTCATTAA  5160
      CTTTGTTTCA GCATGTAATT TTAACTTTTG TGGAAAATAG AAATACCTTC ATTTTGAAAG  5220
      AAGTTTTTAT GAGAATAACA CCTTACCAAA CATTGTTCAA ATGGTTTTTA TCCAAGGAAT  5280
      TGCAAAAATA AATATAAATA TTGCCATTAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA  5340
  10  AAA
```

Seq ID NO: 577 Protein sequence:
Protein Accession #: EOS sequence

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MRILKRPLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK    60
      QSPINIDEDL TQVNVNLKKL KPQGWDKTSL ENTPIHNTGK TVEINLTNDY RVSGGVSEMV   120
      FKASKITPHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRPSSFBEAV KGKGKLRALS   180
      ILPEVGTEEN LDPKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC   240
      TDTVDWIVFK DTVSISESQL AVPCEVLTMQ QSGYVMLMDY LQNNFREQQY KPSRQVFSSY   300
      TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK   360
      HEPLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLFPE   420
      LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN   480
      RSPTRGSEPS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND   540
      GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPPIS   600
      ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI   660
      TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTFAYFP   720
      TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNEASNSS HESRIGLAEG LESEKKAVIP   780
      LVIVSALTPI CLVVLVGILI YWRKCFQTAH FYLEDSTSPR VISTPPTPIF PISDDVGAIP   840
      IKHFPKHVAD LHASSGFTEE FEEVQSCTVD LGITADSSNH PDNKHKNRYI NIVAYDHSRV   900
      KLAQLABKDG KLTDYINANY VDGYNRPKAY IAAQGPLKST AEDFWRMIWE HNVEVIVMIT   960
      NLVEKGRRKC DQYWPADGSE EYGNPLVTQK SVQVLAYYTV RNFTLRNTKI KKGSQKGRPS  1020
      GRVVTQYHYT QWPDMGVPEY SLPVLTFVRK AAYAKRHAVG PVVVHCSAGV GRTGTYIVLD  1080
      SMLQQIQHEG TVNIPGFLKH IRSQRNYLVQ TEEQYVPIHD TLVEAILSKE TEVLDSHIHA  1140
      YVNALLIPGP AGKTKLEKQP QLLSQSNIQQ SDYSAALKQC NREKNRTSSI IPVERSRVGI  1200
      SSLSGEGTDY INASYIMGYY QSNEPIITQH PLLHTIKDPW RMIWDHNAQL VVMIPDGQNM  1260
      AEDEPVYWPN KDEPINCESP KVTLMAEEHK CLSNEEKLII QDPILEATQD DYVLEVRHFQ  1320
      CPKWPNPDSP ISKTPELISV IKEEAANRDG PMIVHDEHGG VTAGTPCALT TLMHQLEKEN  1380
      SVDVYQVAKM INLMRPGVFA DIEQYQPLYK VILSLVSTRQ EENPSTSLDS NGAALPDGNI  1440
      AESLESLV
```

Seq ID NO: 578 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 501-4514

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
      CAAAAAAAAC ATTTCCTTCG CTCCCCCTCG CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
      CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCCT CGCTTGCATT   180
      CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
      CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAT TGGGGAAAGA   300
      AATATCCAAC ATGTAAATAGC CCAAAACAAT CTCCTATCAA TATTGATGAA GATCTTACAC   360
      AAGTAAATGT GAATCTTAAG AAAACTTAAAT TTCAGGGTTG GGATAAAACA TCATTGGAAA   420
      ACACATTCAT TCATAACACT GGGAAAACAG TGGAAATTAA TCTCACTAAT GACTACCGTG   480
      TCAGCGGAGG AGTTTCAGAA ATGGTGTTTA AAGCAAGCAA GATAACTTTT CACTGGGGAA   540
      AATGCAATAT GTCATCTGAT GGATCAGAGC ATAGTTTAGA AGGACAAAAA TTTCCACTTG   600
      AGATGCAAAT CTACTGCTTT GATGCGGACC GATTTTCAAG TTTTGAGGAA GCAGTCAAAG   660
      GAAAAGGGAA GTTAAGAGCT TTATCCATTT TGTTTGAGGT TGGGACAGAA GAAAATTTGG   720
      ATTTCAAAGC GATTATTGAT GGAGTCGAAA GTGTTAGTCG TTTTGGGAAG CAGGCTGCTT   780
      TAGATCCATT CATACTGTTG AACCTTCTGC CAAACTCAAC TGACAAGTAT TACATTTACA   840
      ATGGCTCATT GACATCTCCT CCCTGCACAG ACACAGTTGA CTGGATTGTT TTTAAAGATA   900
      CAGTTAGCAT CTCTGAAAGC CAGTTGGCTG TTTTTTTGTGA AGTTCTTACA ATGCAACAAT   960
      CTGGTTATGT CATGCTGATG GACTACTTAC AAAACAATTT TCGAGAGCAA CAGTACAAGT  1020
      TCTCTAGACA GGTGTTTTCC TCATACACTG GAAAGGAAGA GATTCATGAA GCAGTTTGTA  1080
      GTTCAGAACC AGAAAATGTT CAGGCTGACC CAGAGAATTA TACCAGCCTT CTTGTTACAT  1140
      GGGAAAGACC TCGAGTCGTT TATGATACCA TGATTGAGAA GTTTGCAGTT TTGTACCAGC  1200
      AGTTGGATGG AGAGGACCAA ACCAAGCATG AATTTTTGAC AGATGGCTAT CAAGACTTGG  1260
      GTGCTATTCT CAATAATTTG CTACCCAATA TGAGTTATGT TCTTCAGATA GTAGCCATAT  1320
      GCACTAATGG CTTATATGGA AAATACAGCG ACCAACTGAT TGTCGACATG CCTACTGATA  1380
      ATCCTGAACT TGATCTTTTC CCTGAATTAA TTGGAACTGA AGAAATAATC AAGGAGGAGG  1440
      AAGAGGGAAA AGACATTGAA GAAGGCGCTA TTGTGAATCC TGGTAGAGAC AGTGCTACAA  1500
      ACCAAATCAG GAAAAAGGAA CCCCAGATTT CTACCACAAC ACACTACAAT CGCATAGGGA  1560
      CGAAATACAA TGAAGCCAAG ACTAACCGAT CCCCAACAAG AGGAAGTGAA TTCTCTGGAA  1620
      AGGGTGATGT TCCCAATACA TCTTTAAATT CCACTTCCCA ACCAGTCACT AAATTAGCCA  1680
      CAGAAAAAGA TATTTCCTTG ACTTCTCAGA CTGTGACTGA ACTGCCACCT CACACTGTGG  1740
      AAGGTACTTC AGCCTCTTTA AATGATGGCT CTAAAACTGT TCTTAGATCT CCACATATGA  1800
      ACTTGTCGGG GACTGCAGAA TCCTTAAATA CAGTTTCTAT AACAGAATAT GAGGAGGAGA  1860
      GTTTATTGAC CAGTTCCAAG CTTGATACTG GAGCTGAAGA TTCTTCAGGC TCCAGTCCCG  1920
      CAACTTCTGC TATCCCATTC ATCTCTCGAGA ACATATCCCA AGGGTATATA TTTTCCTCCG  1980
      AAAACCCAGA GACAATAACA TATGATGTCC TTATACCAGA ATCTGCTAGA AATGCTTCCG  2040
      AAGATTCAAC TTCATCAGGT TCAGAAGAAT CACTAAAGGA TCCTTCTATG GAGGGAAATG  2100
      TGTGGTTTCC TAGCTCTACA GACATAACAG CACAGCCCGA TGTTGGATCA GGCAGAGAGA  2160
      GCTTTCTCCA GACTAATTAC ACTGAGATAC GTGTTGATGA ATCTGAGAAG ACAACCAAGT  2220
      CCTTTTCTGC AGGCCCAGTG ATGTCACAGG GTCCCTCAGT TACAGATCTG GAAATGCCAC  2280
```

```
ATTATTCTAC CTTTGCCTAC TTCCCAACTG AGGTAACACC TCATGCTTTT ACCCCATCCT   2340
CCAGACAACA GGATTTGGTC TCCACGGTCA ACGTGGTATA CTCGCTAGACA ACCCAACCGG   2400
TATACAATGA GGCCAGTAAT AGTAGCCATG AGTCTCGTAT TGGTCTAGCT GAGGGGTTGG   2460
AATCCGAGAA GAAGGCAGTT ATACCCCTTG TGATCGTGTC AGCCCTGACT TTTATCTGTC   2520
TAGTGGTTCT TGTGGGTATT CTCATCTACT GGAGGAAATG CTTCCAGACT GCACACTTTT   2580
ACTTAGAGGA CAGTACATCC CCTAGAGTTA TATCCACACC TCCAACACCT ATCTTTCCAA   2640
TTTCAGATGA TGTCGGAGCA ATTCCAATAA AGCACTTTCC AAAGCATGTT GCAGATTTAC   2700
ATGCAAGTAG TGGGTTTACT GAAGAATTTG AGACACTGAA AGAGTTTTAC CAGGAAGTGC   2760
AGAGCTGTAC TGTTGACTTA GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAGGC   2820
ACAAGAATCA ATACATAAAT ATCGTTGCCT ATGATCATAG CAGGGTTAAG CTAGCACAGC   2880
TTGCTGAAAA GGATGGCAAA CTGACTGATT ATATCAATGC CAATTATGTT GATGGCTACA   2940
ACAGACCAAA AGCTTATATT GCTGCCCAAG GCCCACTGAA ATCCACAGCT GAAGATTTCT   3000
GGAGAATGAT ATGGGAACAT AATGTGGAAG TTATTGTCAT GATAACAAAC CTCGTGGAGA   3060
AAGGAAGGAG AAAATGTGAT CAGTACTGGC CTGCCGATGG GAGTGAGGAG TACGGGAACT   3120
TTCTGGTCAC TCAGAAGAGT GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC   3180
TAAGAAACAC AAAAATAAAA AAGGGCTCCC AGAAAGGAAG ACCCAGTGGA CGTGTGGTCA   3240
CACAGTATCA CTACACGCAG TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC   3300
TGACCTTTGT GAGAAAGGCA GCCTATGCCA AGCGCCATGC AGTGGGGCCT GTTGTCGTCC   3360
ACTGCAGTGC TGGAGTTGGA AGAACAGGCA CATATATTGT GCTAGACAGT ATGTTGCAGC   3420
AGATTCAACA CGAAGGAACT GTCAACATAT TTGGCTTCTT AAAACACATC CGTTCACAAA   3480
GAAATTATTT GGTACAAACT GAGGAGCAAT ATGTCTTCAT TCATGATACA CTGGTTGAGG   3540
CCATACTTAG TAAAGAAACT GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTTAATGCAC   3600
TCCTCATTCC TGGACCAGCA GGCAAAACAA AGCTAGAGAA ACAATTCCAG CTCCTGAGCC   3660
AGTCAAATAT ACAGCAGAGT GACTATTCTG CAGCCCTAAA GCAATGCAAC AGGGAAAAGA   3720
ATCGAACTTC TTCTATCATC CCTGTGGAAA GATCAAGGGT TGGCATTTCA TCCCTGAGTG   3780
GAGAAGGCAC AGACTACATC AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT   3840
TCATCATTAC CCAGCACCCT CTCCTTCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG   3900
ACCATAATGC CCAACTGGTG GTTATGGATTC CTGATGGCCA AAACATGGCA GAAGATGAAT   3960
TTGTTTACTG GCCAAATAAA GATGAGCCTA TAAATTGTGA GAGCTTTAAG GTCACTCTTA   4020
TGGCTGAAGA ACACACAAATGT CTATCTAATG AGGAAAAACT TATAATTCAG GACTTTATCT   4080
TAGAAGCTAC ACAGGATGAT TATGTACTTG AAGTGAGGCA CTTTCAGTGT CCTAAATGGC   4140
CAAATCCAGA TAGCCCCATT AGTAAAACTT TTGAACTTAT AAGTGTTATA AAAGAAGAAG   4200
CTGCCAATAG GGATGGGCCT ATGATTGTTC ATGATGAGCA TGGAGGAGTG ACGGCAGGAA   4260
CTTTCTGTGC TCTGACAACC CTTATGCACC AACTAGAAAA AGAAAATTCC GTGGATGTTT   4320
ACCAGGTAGC CAAGATGATC AATCTGATGA GGCCAGGAGT CTTTGCTGAC ATTGAGCAGT   4380
ATCAGTTTCT CTACAAAGTG ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT   4440
CCACCTCTCT GGACAGTAAT GGTGCAGCAT TGCCTGATGG AAATATAGCT GAGAGCTTAG   4500
AGTCTTTAGT TTAACACAGA AAGGGGTGGG GGGACTCACA TCTGAGCATT GTTTTCCTCT   4560
TCCTAAAATT AGGCAGGAAA ATCAGTCTAG TTCTGTTATC TGTTGATTTC CCATCACCTG   4620
ACAGTAACTT TCATGACATA GGATTCTGCC GCCAAATTTA TATCATTAAC AATGTGTGCC   4680
TTTTTGCAAG ACTTGTAATT TACTTATTAT GTTTGAACTA AAATGATTGA ATTTTACAGT   4740
ATTTCTAACA ATGGAATTCC GGTATTTTTT TCTGTATTGA AAATTTCAAT   4800
TTATAGAGGT TAGGAATTCC AAACTACAGA AAATGTTTGT TTTTAGTGTC AAATTTTTAG   4860
CTGTATTTGT AGCAATTATC AGGTTTGCTA GAAATATAAC TTTTAATACA GTAGCCTGTA   4920
AATAAAACAC TCTTCCATAT GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAGTA   4980
GAAATAATCT GTTACTTATT GTAAATACTG CCCTAGTGTC TCCATGGACC AAATTTATAT   5040
TTATAATTGT AGATTTTTAT ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG   5100
TTTAGTTTAA TGACGTAGTT CATTAGCTGG TCTTACTCTA CCAGTTTTCT GACATTGTAT   5160
TGTGTTACCT AAGTCATTAA CTTTGTTTCA GCATGTAATT TTAACTTTTG TGGAAAATAG   5220
AAATACCTTC ATTTTGAAAG AAGTTTTTAT GAGAATAACA CCTTACCAAA CATTGTTCAA   5280
ATGGTTTTTA TCCAAGGAAT TGCAAAAATA AATATAAATA TTGCCATTAA AAAAAAAAAA   5340
AAAAAAAAAA AAAAAAAAAA AAA
```

Seq ID NO: 579 Protein sequence:
Protein Accession #: EOS sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MVPKASKITF HWGKCNMSSD GSEHSLEGQK PPLEMQIYCP DADRFSSPEE AVKGKGKLRA    60
LSILFEVGTE ENLDPKAIID GVESVSRFGK QAALDPPILL NLLPNSTDKY YIYNGSLTSP   120
PCTDTVDWIV FKDTVSISES QLAVFCEVLT MQQSGYVMLM DYLQNNFREQ QYKPSRQVFS   180
SYTGKEEIHE AVCSSEPENV QADPENYTSL LVTWERPRVV YDTMIEKFAV LYQQLDGEDQ   240
TKHEFLTDGY QDLGAILNNL LPNMSYVLQI VAICTNGLYG KYSDQLIVDM PTDNPELDLF   300
PELIGTEEII KEEEEGKDIE EGAIVNPGRD SATNQIRKKE PQISTTTHYN RIGTKYNEAK   360
TNRSPTRGSE PSGKGDVPNT SLNSTSQPVT KLATEKDISL TSQTVTELPP HTVEGTSASL   420
NDGSKTVLRS PHMNLSGTAE SLNTVSITEY EEESLLTSFK LDTGAEDSSG SSPATSAIPP   480
ISENISQGYI PSSENPETIT YDVLIPESAR NASEDSTSSG SBESLKDPSM BGNVWFPSST   540
DITAQPDVGS GRESFLQTNY TEIRVDESEK TTKSFSAGPV MSQGPSVTDL EMPHYSTPAY   600
FPTEVTPHAP TPSSRQQDLV STVNVVYSQT TQPVYNEASN SSHESRIGLA EGLESEKKAV   660
IPLVIVSALT FICLVVLVGI LIYWRKCFQT AEFYLEDSTS PRVISTPPTP IFPISDDVGA   720
IPIKHPPKHV ADLHASSGFT EEPETLKEFY QEVQSCTVDL GITADSSNHP DNKHKNRYIN   780
IVAYDHSRVK LAQLAEKDGK LTDYINANYV DGYNRPKAYI AAQGPLKSTA EDFWRMIWEH   840
NVEVIVMITN LVEKGRRKCD QYWPADGSEE YGNFLVTQKS VQVLAYYTVR NPTLRNTRIK   900
KGSQKGRPSG RVVTQYHYTQ WPDMGVPEYS LPVLTFVRKA AYAKRHAVGP VVVHCSAGVG   960
RTGTYIVLDS MLQQIQHEGT VNIFGFLKHI RSQRNYLVQT .EEQYVFIHDT LVEAILSKET  1020
EVLDSHIEAY VNALLIPGPA GKTKLEKQPQ LLSQSNIQQS DYSAALKQCN REKNRTSSII  1080
PVERSRVGIS SLSGEGTDYI NASYIMGYYQ SNEFIITQHP LLHTIKDFWR MIWDHNAQLV  1140
VMIPDGQNMA EDEFVYWPNK DEPINCESFK VTLMAEEHKC LSNEEKLIIQ DPILEATQDD  1200
YVLEVRHFPQC PKWPNPDSPI SKTFELISVI KEEAANRDGP MIVHDEHGGV TAGTFCALTT  1260
LMHQLEKENS VDVYQVAKMI NLMRPGVFAD IEQYQFLYKV ILSLVSTRQE ENPSTSLDSN  1320
GAALPDGNIA ESLESLV
```

Seq ID NO: 580 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 148-4632'

```
1          11         21         31         41         51
|          |          |          |          |          |
```

```
        |         |         |         |         |         |
     CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
     CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
     CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AACGTTTCCT CGCTTGCATT   180
  5  CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
     CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
     AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
     CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA   420
     AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT   480
 10  GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA   540
     AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT   600
     GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA   660
     GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG   720
     GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT   780
 15  TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC   840
     AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT   900
     ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA   960
     TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG  1020
     TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT  1080
 20  AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA  1140
     TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG  1200
     CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG  1260
     GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA  1320
     TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT  1380
 25  AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG  1440
     GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA  1500
     AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG  1560
     ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA  1620
     AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAATTAGCC  1680
 30  ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG  1740
     GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG  1800
     AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG  1860
     AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC  1920
     GCAACTTCTG CTATCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC  1980
 35  GAAAACCCAG AGACAATAGA ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC  2040
     GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT  2100
     GTGTGTGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG  2160
     AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAAGA GACAACCAAG  2220
     TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA  2280
 40  CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC  2340
     TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG  2400
     GTATACAATG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGGTTG  2460
     GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTTATCTGT  2520
     CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCGAGAC TGCACACTTT  2580
 45  TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA  2640
     ATTTCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA  2700
     CATGCAAGTA GTGGGTTTAC TGAAGAATTT GAGACACTGA AAGAGTTTTA CCAGGAAGTG  2760
     CAGAGCTGTA CTGTTGACTT AGGTATTACA GCAGACAGCT CCAACCACCC AGACAACAAG  2820
     CACAAGAATC GATACATAAA TATCGTTGCC TATGATCATA GCAGGGTTAA GCTAGCACAG  2880
 50  CTTGCTGAAA AGGATGGCAA ACTGACTGAT TATATCAATG CCAATTATGT TGATGGCTAC  2940
     AACACCAAA AAGCTTATAT TGCTGCCCAA GGCCCACTGA AATCCACAGC TGAAGATTTC  3000
     TGGAGAATGA TATGGGAACA TAATGTGGAA GTTATTGTCA TGATAACAAA CCTCGTGGGA  3060
     AAAGGAAGGA GAAAATGTGA TCAGTACTGG CCTGCCGATG GGAGTGAGGA GTACGGGAAC  3120
 55  TTTCTGGTCA CTCAGAAGAG TGTGCAAGTG CTTGCCTATT ATACTGTGAG GAATTTTACT  3180
     CTAAGAAACA CAAAAATAAA AAAGGGCTCC CAGAAAGGAA GACCCAGTGG ACGTGTGGTC  3240
     ACACAGTATC ACTACACGCA GTGGCCTGAC ATGGGAGTAC CAGAGTACTC CCTGCCAGTG  3300
     CTGACCTTTG TGAGAAAGGC AGCCTATGCC AAGCGCCATG CAGTGGGGGCC TGTTGTCGTC  3360
     CACTGCAGTG CTGGAGTTGG AAGAACAGGC ACATATATTG TGCTAGACAG TATGTTGCAG  3420
 60  CAGATTCAAC ACGAAGGAAC TGTCAACATA TTTGGCTTCT TAAAACACAT CCGTTCACAA  3480
     AGAAATTATT TGGTACAAAC TGAGGAGCAA TATGTCTTCA TTCATGATAC ACTGGTTGAG  3540
     GCCATACTTA GTAAAGAAAC TGAGGTGCTG GACAGTCATA TTCATGCCTA TGTTAATGCA  3600
     CTCCTCATTC CTGGACCAGC AGGCAAAACA AAGCTAGAGA AACAATTCCA GGGTCTCACT  3660
     CTGTCACCCA GGCTGGAGTG CAGAGGCACA ATCTCGGCTC ACTGCAACCT TCCTCTCCCT  3720
 65  GGCTTAACTG ATCCTCCTAC CTCAGCCTCC CGAGTGGCTG GGACTATACT CCTGAGCCAG  3780
     TCAAATATAC AGCAGAGTGA CTATTCTGCA GCCCTAAAGC AATGCAACAG GGAAAAGAAT  3840
     CGAACTTCTT CTATCATCCC TGTGGAAAGA TCAAGGGTTG GCATTTCATC CCTGAGTGGA  3900
     GAAGGCACAG ACTACATCAA TGCCTCCTAT ATCATGGGCT ATTACCAGAG CAATGAATTC  3960
     ATCATTACCC AGCACCCTCT CCTTCATACC ATCAAGGATT TCTGGAGGAT GATATGGGAC  4020
 70  CATAATGCCC AACTGGTGGT TATGATTCCT GATGGCCAAA ACATGGCAGA AGATGAATTT  4080
     GTTTACTGGC CAAATAAAGA TGAGCCTATA AATTGTGAGA GCTTTAAGGT CACTCTTATG  4140
     GCTGAAGAAC ACAAATGTCT ATCTAATGAG GAAAAACTTA TAATTCAGGA CTTTATCTTA  4200
     GAAGCTACAC AGGATGATTA TGTACTTGAA GTGAGGCACT TTCAGTGTCC TAAATGGCCA  4260
     AATCCAGATA GCCCCATTAG TAAAACTTTT GAACTTATAA GTGTTATAAA AGAAGAAGCT  4320
 75  GCCAATAGGG ATGGGCCTAT GATTGTTCAT GATGAGCATG GAGGAGTGAC GGCAGGAACT  4380
     TTCTGTGCTC TGACAACCCT TATGCACCAA CTAGAAAAAG AAAATTCCGT GGATGTTTAC  4440
     CAGGTAGCCA AGATGATCAA TCTGATGAGG CCAGGAGTCT TTGCTGACAT TGAGCAGTAT  4500
     CAGTTTCTCT ACAAAGTGAT CCTCAGCCTT GTGGGCACAA GGCAGGAAGA GAATCCATCC  4560
     ACCTCTCTGG ACAGTAATGG TGCAGCATTG CCTGATGGAA ATATAGCTGA GAGCTTAGAG  4620
 80  TCTTTAGTTT AACACAGAAA GGGGTGGGGG GACTCACATC TGAGCATTGT TTTCCTCTTC  4680
     CTAAAATTAG GCAGGAAAAT CAGTCTAGTT CTGTTATCTG TTGATTCCCC ATCACCTGAC  4740
     AGTAACTTTC ATGACATAGG ATTCTGCCGC CAAATTTATA TCATTAACAA TGTGTGCCTT  4800
     TTTGCAAGAC TTGTAATTTA CTTATTATGT TTGAACTAAA ATGATTGAAT TTTACAGTAT  4860
     TTCTAAGAAT GGAATTGTGG TATTTTTTTC TGTATTGATT TTAACAGAAA ATTTCAATTT  4920
     ATAGAGGTTA GGAATTCCAA ACTACAGAAA ATGTTTGTTT TTAGTGTCAA ATTTTTAGCT  4980
 85  GTATTTGTAG CAATTATCAG GTTTGCTAGA AATATACTTT TTAATACAGT AGCCTGTAAA  5040
     TAAAACACTC TTCCATATGA TATTCAACAT TTTACAACTG CAGTATTCAC CTAAAGTAGA  5100
     AATAATCTGT TACTTATTGT AAAATACTGCC CTAGTGTCTC CATGGACCAA ATTTATATTT  5160
```

```
ATAATTGTAG ATTTTTATAT TTTACTACTG AGTCAAGTTT TCTAGTTCTG TGTAATTGTT 5220
TAGTTTAATG ACGTAGTTCA TTAGCTGGTC TTACTCTACC AGTTTTCTGA CATTGTATTG 5280
TGTTACCTAA GTCATTAACT TTGTTTCAGC ATGTAATTTT AACTTTTGTG GAAAATAGAA 5340
ATACCTTCAT TTTGAAAGAA GTTTTTATGA GAATAACACC TTACCAAACA TTGTTCAAAT 5400
GGTTTTTATC CAAGGAATTG CAAAAATAAA TATAAATATT GCCATTAAAA AAAAAAAAAA 5460
AAAAAAAAAA AAAAAAAAAA A
```

Seq ID NO: 581 Protein sequence:
Protein Accession #: EOS sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK    60
QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTPIHNTGK TVEINLTNDY RVSGGVSEMV   120
PKASKITPHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRPSSPEEAV KGKGKLRALS   180
ILFEVGTEEN LDFKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC   240
TDTVDWIVPK DTVSISESQL AVPCEVLTMQ QSGYVMLMDY LQNNFREQQY KPFSRQVFSSY  300
TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK   360
HEFLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLPPE   420
LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEARTN   480
RSPTRGSEFS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND   540
GSKTVLRSPH MNLSGTAESL NTVSITEYEB ESLLTSPKLD TGAEDSSGSS PATSAIPPIS   600
ENISQGYIFS SENPETITDI VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWFPSSTDI   660
TAQPDVGSGR ESPLQTNYTB IRVDESEKTT KSPSAGPVMS QGPSVTDLEM PEYSTPAYFP   720
TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNEASNSS HESRIGLAEG LESEKKAVIP   780
LVIVSALTPI CLVVLVGILI YWRKCPQTAB FYLEDSTSPR VISTPPTPIP PISDDVGAIP   840
-IKHPPKHVAD LHASSGPTEB FETLKEFYQB VQSCTVDLGI TADSSNHPDN KHKNRYINIV  . 900
AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA QGPLKSTAED FWRMIWEHNV   960
EVIVMITNLV EKGRRKCDQY WPADGSEEYG NFLVTQKSVQ VLAYYTVRNF TLRNTKIKKG  1020
SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTFVRKAAY AKRHAVGPVV VHCSAGVGRT  1080
GTYIVLDSML QQIQHEGTVN IFGFLKHIRS QRNYLVQTEB QYVPIHDTLV EAILSKETEV  1140
LDSHIBAYVN ALLIPGPAGK TKLEKQFQGL TLSPRLECRG TISAHCNLPL PGLTDPPTSA  1200
SRVAGTILLS QSNIQQSDYS AALKQCNREK NRTSSIIPVE RSRVGISSLS GEGTDYINAS  1260
YIMGYYQSNE PIITQHPLLH TIKDPWRMIW DHNAQLVVMI PDGQNMAEDE FVYWPNKDEP  1320
INCESPKVTL MAEEHKCLSN EEKLIIQDPI LEATQDDYVL EVRHFQCPKW PNPDSPISKT  1380
FELISVIKEB AANRDGPMIV HDEHGGVTAG TFCALTTLMH QLEKENSVDV YQVARMINLM  1440
RPGVFADIEQ YQFLYKVILS LVGTRQEENP STSLDSNGAA LPDGNIAESL ESLV
```

Seq ID NO: 582 DNA sequence
Nucleic Acid Accession #: NM_002851.1
Coding sequence: 148..7092

```
1          11         21         31         41         51
|          |          |          |          |          |
CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA    60
CAAAAAAAAC ATTTCCTTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA   120
CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGGTTTCT CGCCTTGCATT  180
CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA   240
CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG   300
AAATATCCAA CATGTAATAG CCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA   360
CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGGT GGGATAAAAC ATCATTGGAA   420
AACACATTCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT   480
GTCAGCGGAG GAGTTTCAGA AATGGTGTTT AAAGCAAGCA AGATAACTTT TCACTGGGGA   540
AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT   600
GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA   660
GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTTG   720
GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTTAGTC GTTTTGGGAA GCAGGCTGCT   780
TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACTCAA CTGACAAGTA TTACATTTAC   840
AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT   900
ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTTGTG AAGTTCTTAC AATGCAACAA   960
TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG  1020
TTCTCTAGAC AGGTGTTTTC CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT  1080
AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA  1140
TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG  1200
CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG  1260
GGTGCTATTC TCAATAATTT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA  1320
TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT  1380
AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAACTG AAGAAATAAT CAAGGAGGAG  1440
GAAGAGGGAA AAGACATTGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA  1500
AACCAAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG  1560
ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA  1620
AAGGGTGATG TTCCCAATAC ATCTTTAAAT TCCACTTCCC AACCAGTCAC TAAAATTAGCC  1680
ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG  1740
GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACTG TTCTTAGATC TCCACATATG  1800
AACTTGTCGG GGACTGCAGA ATCCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG  1860
AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCG  1920
GCAACTTCTG CTATCCCCATT CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCTCC  1980
GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC  2040
GAAGATTCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAAT  2100
GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG  2160
AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTTGATG AATCTGAGAA GACAACCAAG  2220
TCCTTTTCTG CAGGCCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAAATGCCA  2280
CATTATTCTA CCTTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC  2340
TCCAGACAAC AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG  2400
GTATACAATG GTGAGACACC TCTTCAACCT TCCTACAGTA GTGAAGTCTT TCCTCTAGTC  2460
ACCCCTTTGT TGCTTGACAA TCAGATCCTC AACACTACCC CTGCTGCTTC AAGTAGTGAT  2520
```

```
     TCGGCCTTGC ATGCTACGCC TGTATTTCCC AGTGTCGATG TGTCATTTGA ATCCATCCTG 2580
     TCTTCCTATG ATGGTGCACC TTTGCTTCCA TTTTCCTCTG CTTCCTTCAG TAGTGAATTG 2640
     TTTCGCCATC TGCATACAGT TTCTCAAATC CTTCCACAAG TTACTTCAGC TACCGAGAGT 2700
     GATAAGGTGC CCTTGCATGC TTCTCTGCCA GTGGCTGGGG GTGATTTGCT ATTAGAGCCC 2760
5    AGCCTTGCTC AGTATTCTGA TGTGCTGTCC ACTACTCATG CTGCTTCAGA GACGCTGGAA 2820
     TTTGGTAGTG AATCTGGTGT TCTTTATAAA ACGCTTATGT TTTCTCAAGT TGAACCACCC 2880
     AGCAGTGATG CCATGATGCA TGCACGTTCT TCAGGGCCTG AACCTTCTTA TGCCTTGTCT 2940
     GATAATGAGG GCTCCCAACA CATCTTCACT GTTTCTTACA GTTCTGCAAT ACCTGTGCAT 3000
     GATTCTGTGG GTGTAACCTA TCAGGGTTCC TTATTTAGCG GCCCTAGCCA TATACCAATA 3060
10   CCTAAGTCTT CGTTAATAAC CCCAACTGCA TCATTACTGC AGCCTACTCA TGCCCTCTCT 3120
     GGTGATGGGG AATGGTCTGG AGCCTCTTCT GATAGTGAAT TTCTTTTACC TGACACAGAT 3180
     GGGCTGACAG CCCTTAACAT TTCTTCACCT GTTTCTGTAG CTGAATTTAC ATATACAACA 3240
     TCTGTGTTTG GTGATGATAA TAAGGCGCTT TCTAAAAGTG AAATAATATA TGGAAATGAG 3300
     ACTGAACTGC AAATTCCTTC TTTCAATGAG ATGGTTTACC CTTCTGAAAG CACAGTCATG 3360
15   CCCAACATGT ATGATAATGT AAATAAGTTG AATGCGTCTT TACAAGAAAC CTCTGTTTCC 3420
     ATTTCTAGCA CCAAGGGCAT GTTTCCAGGG TCCCTTGCTC ATACCACCAC TAAGGTTTTT 3480
     GATCATGAGA TTAGTCAAGT TCCAGAAAAT AACTTTTCAG TTCAACCTAC ACATACTGTC 3540
     TCTCAAGCAT CTGGTGACAC TTCGCTTAAA CCTGTGCTTA GTGCAAACTC AGAGCCAGCA 3600
     TCCTCTGACC CTGCTTCTAG TGAAATGTTA TCTCCTTCAA CTCAGCTCTT ATTTTATGAG 3660
20   ACCTCAGCTT CTTTTAGTAC TGAAGTATTG CTACAACCTT CCTTTCAGGC TTCTGATGTT 3720
     GACACCTTGC TTAAAACTGT TCTTCCAGCT GTGCCCAGTG ATCCAATATT GGTTGAAACC 3780
     CCCAAAGTTG ATAAAATTAG TTCTACAATG TTGCATCTCA TTGTATCAAA TTCTGCTTCA 3840
     AGTGAAAACA TGCTGCACTC TACATCTGTA CCAGTTTTTG ATGTGTCGCC TACTTCTCAT 3900
     ATGCACTCTG CTTCACTTCA AGGTTTGACC ATTTCCTATG CAAGTGAGAA ATATGAACCA 3960
25   GTTTTGTTAA AAAGTGAAAG TTCCCACCAA GTGGTACCTT CTTTGTACAG TAATGATGAA 4020
     TTGTTCCAAA CGGCCAATTT GGAGATTAAC CAGGCCCATC CCCCAAAAGG AAGGCATGTA 4080
     TTTGCTACAC CTGTTTTATC AATTGATGAA CCATTAAATA CACTAATAAA TAAGCTTATA 4140
     CATTCCGATG AAATTTTAAC CTCCACCAAA AGTTCTGTTA CTGGTAAGGT ATTTGCTGGT 4200
     ATTCCAACAG TTGCTTCTGA TACATTTGTA TCTACTGATC ATTCTGTTCC TATAGGAAAT 4260
30   GGGCATGTTG CCATTACAGC TGTTTCTCCC CACAGAGATG GTTCTGTAAC CTCAACAAAG 4320
     TTGCTGTTTC CTTCTAAGGC AACTTCTGAG CTGAGTCATA GTGCCAAATC TGATGCCGGT 4380
     TTAGTGGGTG GTGGTGAAGA TGGTGACACT GATGATGATG GTGATGATGA TGATGACAGA 4440
     GATAGTGATG GCTTATCCAT TCATAAGTGT ATGTCATGCT CATCCTATAG AGAATCACAG 4500
     GAAAAGGTAA TGAATGATTC AGACACCCAC GAAAACAGTC TTATGGATCA GAATAATCCA 4560
35   ATCTCATACT CACTATCTGA GAATTCTGAA GAAGATAATA GAGTCACAAG TGTATCCTCA 4620
     GACAGTCAAA CTGGTATGGA CAGAAGTCCT GGTAAATCAC CATCAGCAAA TGGGCTATCC 4680
     CAAAAGCACA ATGATGGAAA AGAGGAAAAT GACATTCAGA CTGGTAGTGC TCTGCTTCCT 4740
     CTCAGCCCTG AATCTAAAGC ATGGGCAGTT CTGACAAGTG ATGAAGAAAG TGGATCAGGG 4800
     CAAGGTACCT CAGATAGCCT TAATGAGAAT GAGACTTCCA CAGATTTCAG TTTTTGCAGAC 4860
40   ACTAATGAAA AAGATGCTGA TGGGATCCTG GCAGCAGGTG ACTCAGAAAT AACTCCTGGA 4920
     TTCCCACAGT CCCCAACATC ATCTGTTACT AGCGAGAACT CAGAAGTGTT CCACGTTTCA 4980
     GAGGCAGAGG CCAGTAATAG TAGCCATGAG TCTCGTATTG GTCTAGCTGA GGGGTTGGAA 5040
     TCCGAGAAGA AGGCAGTTAT ACCCCTTGTG ATCGTGTCAG CCCTGACTTT TATCTGTCTA 5100
     GTGGTTCTTG TGGGTATTCT CATCTACTGG AGGAAATGCT TCCAGACTGC ACACTTTTAC 5160
45   TTAGAGGACA GTACATCCCC TAGAGTTATA TCCACACCTC CACACCTAT CTTTCCAATT 5220
     TCAGATGATG TCGGAGCAAT TCCAATAAAG CACTTTCCAA AGCATGTTGC AGATTTACAT 5280
     GCAAGTAGTG GGTTTACTGA AGAATTTGAG ACACTGAAAG AGTTTTACCA GGAAGTGCAG 5340
     AGCTGTACTG TTGACTTAGG TATTACAGCA GACAGCTCCA ACCACCCAGA CAACAAGCAC 5400
     AAGAATCGAT ACATAAATAT CGTTGCCTAT GATCATAGCA GGGTTAAGCT AGCACAGCTT 5460
50   GCTGAAAAGG ATGGCAAACT GACTGATTAT ATCAATGCCA ATTATGTTGA TGGCTACAAC 5520
     AGACCAAAAG CTTATATTGC TGCCCAAGGC CCACTGAAAT CCACAGCTGA AGATTTCTGG 5580
     AGAATGATAT GGGAACATAA TGTGGAAGTT ATTGTCATGA TAACAAACCT CGTGGAGAAA 5640
     GGAAGGAGAA AATGTGATCA GTACTGGCCT GCCGATGGGA GTGAGGAGTA CGGGAACTTT 5700
     CTGGTCACTC AGAAGAGTGT GCAAGTGCTT GCCTATTATA CTGTGAGGAA TTTTACTCTA 5760
55   AGAAACACAA AAATAAAAAA GGGCTCCCAG AAAGGAAGAC CCAGTGGACG TGTGGTCACA 5820
     CAGTATCACT ACACGCAGTG GCCTGACATG GGAGTACCAG AGTACTCCCT GCCAGTGCTG 5880
     ACCTTTGTGA GAAAGGCAGC CTATGCCAAG CGCCATGCAG TGGGGCCTGT TGTCGTCCAC 5940
     TGCAGTGCTG GAGTTGGAAG AACAGGCACA TATATTGTGC TAGACGTAGT GTTGCAGCAG 6000
     ATTCAACACG AAGGAACTGT CAACATATTT GGCTTCTTAA AACACATCCG TTCACAAAGA 6060
60   AATTATTTGG TACAAACTGA GGAGCAATAT GTCTTCATTC ATGATACACT GGTTGAGGCC 6120
     ATACTTAGTA AAGAAACTGA GGTGCTGGAC AGTCATATTC ATGCCTATGT TAATGCACTC 6180
     CTCATTCCTG GACCAGCAGG CAAAACAAAG CTAGAGAAAC AATTCCAGCT CCTGAGCCAG 6240
     TCAAATATAC AGCAGAGTGA CTATTCTGCA GCCCTAAAGC AATGCAACAG GGAAAAGAAT 6300
     CGAACTTCTT CTATCATCCC TGTGTGAAAGA TCAAGGGTTG GCATTTCATC CCTGAGTGGA 6360
65   GAAGGCACGA ACTACATCAA TGCCTCCTAT ATCATGGGCT ATTACCAGAG CAATGAATTC 6420
     ATCATTACCC AGCACCCTCT CCTTCATACC ATCAAGGATT TCTGGAGGAT GATATGGGAC 6480
     CATAATGCCC AACTGGTGGT TATGATTCCT GATGGGCAAA ACATGCCAGA AGATGAATTT 6540
     GTTTACTGGC CAAATAAAGA TGAGCCTATA AATTGTGAGA GCTTTAAGGT CACTCTTATG 6600
     GCTGAAGAAC ACAAATGTCT ATCTAATGAG GAAAAACTTA TAATTCAGGA CTTTATCTTA 6660
70   GAAGCTACAC AGGATGATTA TGTACTTGAA GTGAGGCACT TTCAGTGTCC TAAATGGCCA 6720
     AATCCAGATA GCCCCATTAG TAAAACTTTT GAACTTATAA GTGTTATAAA AGAAGAAGCT 6780
     GCCAATAGGG ATGGGCCTAT GATTGTTCAT GATGAGCATG GAGGAGTGAC GGCAGGAACT 6840
     TTCTGTGCTC TGACAACCCT TATGCACCAA CTAGAAAAAG AAAATTCCGT GGATGTTTAC 6900
     CAGGTAGCCA AGATGATCAA TCTGATGAGG CCAGGAGTCT TTGCTGACAT TGAGCAGTAT 6960
75   CAGTTTCTCT ACAAAGTGAT CCTCAGCCTT GTGAGCACAA GGCAGGAAGA GAATCCATCC 7020
     ACCTCTCTGG ACAGTAATGG TGCAGCATTG CCTGATGGAA ATATAGCTGA GAGCTTAGAG 7080
     TCTTTAGTTT AACACAGAAA GGGGTGGGGG GACTCACATC TGAGCATTGT TTTCCTCTTC 7140
     CTAAAATTAG GCAGGAAAAT CAGTCTAGTT CTGTTATCTG TTGATTTCCC ATCACCTGAC 7200
     AGTAACTTTC ATGACATAGG ATTCTGCCGC CAAATTTATA TCATTAACAA TGTGTGCCTT 7260
80   TTTGCAAGAC TTGTAATTTA CTTATTATGT TTGAACTAAA ATGATTGAAT TTTACAGTAT 7320
     TTCTAAGAAT GGAATTGTGG TATTTTTTTC TGTATTGATT TTAACAGAAA ATTTCAATTT 7380
     ATAGAGGTTA GGAATTCCAA ACTACAGAAA ATGTTTGTTT TTAGTGTCAA ATTTTTAGCT 7440
     GTATTTGTAG CAATTATCAG GTTTGCTAGA AATATAACTT TTAATACAGT AGCCTGTAAA 7500
     TAAAACACTC TTCCATATGA TATTCAACAT TTTACAACTG CAGTATTCAC CTAAAGTAGA 7560
85   AATAATCTGT TACTTATTGT AAATACTGCC CTAGTGTCTC CATGGACCAA ATTTATATTT 7620
     ATAATTGTAG ATTTTTATAT TTTACTACTG AGTCAAGTTT TCTAGTTCTG TGTAATTGTT 7680
     TAGTTTAATG ACGTAGTTCA TTAGCTGGTC TTACTCTACC AGTTTTCTGA CATTGTATTG 7740
```

```
TGTTACCTAA GTCATTAACT TTGTTTCAGC ATGTAATTTT AACTTTTGTG GAAAATAGAA  7800
ATACCTTCAT TTTGAAAGAA GTTTTTATGA GAATAACACC TTACCAAACA TTGTTCAAAT  7860
GGTTTTTATC CAAGGAATTG CAAAAATAAA TATAAATATT GCCATTAAAA AAAAAAAAAA  7920
AAAAAAAAAA AAAAAAAAAA A
```

Seq ID NO: 583 Protein sequence
Protein Accession #: NP_002842.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK   60
QSPINIDEDL TQVNVNLKKL KFQGWDKTSL ENTFIHNTGK TVBINLTNDY RVSGGVSEMV  120
FKASKITFHW GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSPEEAV KGKGKLRALS  180
ILFEVGTEEN LDFKAIIDGV ESVSRPGKQA ALDPPFILLNL LPNSTDKYYI YNGSLTSPPC  240
TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNPREQQY KPSRQVFSSY  300
TGKEEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK  360
HEFLTDGYQD LGAILNNLLP NMSYVLQIVA ICTNGLYGKY SDQLIVDMPT DNPELDLPPE  420
LIGTEEIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN  480
RSPTRGSEPS GKGDVPNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPHT VEGTSASLND  540
GSKTVLRSPH MNLSGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPPIS  600
ENISQGYIFS SENPETITYD VLIPESARNA SEDSTSSGSE ESLKDPSMEG NVWPPSSTDI  660
TAQPDVGSGR ESFLQTNYTE IRVDESEKTT KSFSAGPVMS QGPSVTDLEM PHYSTFAYFP  720
TEVTPHAFTP SSRQQDLVST VNVVYSQTTQ PVYNGETPLQ PSYSSEVFPL VTPLLLDNQI  780
LNTTPAASSS DSALHATPVF PSVDVSFESI LSSYDGAPLL PFSSASFSSE LFRHLHTVSQ  840
ILPQVTSATE SDKVPLHASL PVAGGDLLLE PSLAQYSDVL STTHAASETL EPGSESGVLY  900
KTLMFSQVEP PSSDAMMHAR SSGPEPSYAL SDNEGSQHIF TVSYSSAIPV HDSVGVTYQG  960
SLPSGPSHIP IPKSSLIITPT ASLLQPTHAL SGDGEWSGAS SDSEFLLPDT DGLTALNISS 1020
PVSVAEFTYT TSVPGDDNKA LSKSEIIYGN ETELQIPSFN EMVYPSESTV MPNMYDNVNK 1080
LNASLQETSV SISSTKGMPP GSLAHTTTKV FDHEISQVPE NNFSVQPTHT VSQASGDTSL 1140
KPVLSANSEP ASSDPASSEM LSPSTQLLPY ETSASPSTEV LLQPSPQASD VDTLLKTVLP 1200
AVPSDPILVE TPKVDKISST MLHLIVSNSA SSENMLHSTS VPVPDVSPTS HMHSASLQGL 1260
TISYASEKYE PVLLKSESSH QVVPSLYSND ELFQTANLEI NQAEPPKGRH VFATPVLSID 1320
EPLNTLINKL IHSDEILTST KSSVTGKVFA GIPTVASDTP VSTDHSVPIG NGHVAITAVS 1380
PHRDGSVTST KLLFPSKATS ELSHSAKSDA GLVGGGEDGD TDDDGDDDDD RDSDGLSIHK 1440
CMSCSSYRES QEKVMNDSDT HENSLMDQNN PISYSLSENS EEDNRVTSVS SDSQTGMDRS 1500
PGKSPSANGL SQKHNDGKEE NDIQTGSALL PLSPESKAWA VLTSDEESGS GQGTSDSLNE 1560
NETSTDPSFA DTNEKDADGI LAAGDSEITP GFPQSPTSSV TSENSEVFHV SEAEASNSSH 1620
ESRIGLAEGL ESEKKAVIPL VIVSALTFIC LVVLVGILIY WRKCFQTAHF YLEDSTSPRV 1680
ISTPPTPIFP ISDDVGAIPI KHFPPKHVADL HASSGFTEEF ETLKEFYQEV QSCTVDLGIT 1740
ADSSNHPDNK HKNRYINIVA YDHSRVKLAQ LAEKDGKLTD YINANYVDGY NRPKAYIAAQ 1800
GPLKSTAEDF WRMIWEHNVE VIVMITNLVE KGRRKCDQYW PADGSEEYGN FLVTQKSVQV 1860
LAYYTVRNFT LRNTKIKKGS QKGRPSGRVV TQYHYTQWPD MGVPEYSLPV LTFVRKAAYA 1920
KRHAVGPVVV HCSAGVGRTG TYIVLDSMLQ QIQHEGTVNI PGFLKHIRSQ RNYLVQTEEQ 1980
YVFIHDTLVE AILSKETEVL DSHIHAYVNA LLIPGPAGKT KLEKQPQLLS QSNIQQSDYS 2040
AALKQCNREK NRTSSIIPVE RSRVGISSLS GEGTDYINAS YIMGYYQSNE FIITQHPLLH 2100
TIKDPWRMIW DHNAQLVVMI PDGQNMAEDE FVYWPNKDEP INCESPKVTL MAEEHKCLSN 2160
EEKLIIQDPI LEATQDDYVL EVRHPQCPKW PNPDSPISKT FELISVIKEE AANRDGPMIV 2220
HDEHGGVTAG TPCALTTLMH QLEKENSVDV YQVAKMINLM RPGVFADIEQ YQFLYKVILS 2280
LVSTRQEENP STSLDSNGAA LPDGNIAESL ESLV
```

Seq ID NO: 584 DNA sequence
Nucleic Acid Accession #: NM_005688.1
Coding sequence: 126..4439

```
1          11         21         31         41         51
|          |          |          |          |          |
CCGGGCAGGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC   60
AGGGGCGCAG GAATTCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCGCTCAG  120
AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCCAGTCCT GGGTATAGAA  180
GTGTGAGGGA GAGAACCAGC ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAAGTTCA  240
GGAGAACTCG ACCGTTGGAA TGCCAAGATG CCTTGGAAAC AGCAGCCCGA GCCGAGGGCC  300
TCTCTCTTGA TGCCTCCATG CATTCTCAGC TCAGAATCGT GGATGAGGAG CATCCCAAGG  360
GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCATCCG GACTACTTCC AAACACCAGC  420
ACCCAGTGGA CAATGCTGGG CTTTTTTCCT GTATGACTTT TTCGTGGCTT TCTTCTCGAG  480
CCCGTGTGGC CCACAAGAAG GGGGAGCTCT CAATGGAAGA CGTGTGGTCT CTGTCCAAGC  540
ACGAGTCTTC TGACGTGAAC TGCAGAAGAC TAGAGAGACT GTGGCAAGAA GAGCTGAATG  600
AAGTTGGGCC AGACGCTGCT TCCCTGCGAA GGGTTGTGTG GATCTTCTGC CGCACCAGGC  660
TCATCCTGTC CATCGTGTGC CTGATGATCA CGCAGCTGGC TGGCTTCAGT GGACCAGCCT  720
TCATGGTGAA ACACCTCTTG GAGTATACCC AGGCAACAGA GTCTAACCTG CAGTACAGCT  780
TGTTGTTAGT GCTGGGCCTC CTCCTGACGG AAATCGTGCG GTCTTGGTCG CTTGCACTGA  840
CTTGGGCATT GAATTACCGA ACCGGTGTCC GCTTGCGGGG GGCCATCCTA ACCATGGCAT  900
TTAAGAAGAT CCTTAAGTTA AAGAACATTA AAGAGAAATC CCTGGGTGAG CTCATCAACA  960
TTTGCTCCAA CGATGGGCAG AGAATGTTTG AGGCAGCAGC CGTTGGCAGC CTGCTGGCTG 1020
GAGGACCCGT TGTTGCCATC TTAGGCATGA TTTATAATGT AATTATTCTG GGACCAACAG 1080
GCTTCCTGGG ATCAGCTGTT TTTATCCTCT TTTACCCAGC AATGATGTTT GCATCACGGC 1140
TCACAGCATA TTTTCAGGAGA AAATGCGTGG CCGCCACGGA TGAACGTGTC CAGAAGATGA 1200
ATGAAGTTCT TACTTACATT AAATTTATCA AAATGTATGC CTGGGTCAAA GCATTTTCTC 1260
AGAGTGTTCA AAAAATCCGC GAGGAGGAGC GTCGGATATT GGAAAAAGCC GGGTACTTCC 1320
AGGGTATCAC TGTGGGTGTG GCTCCCATTG TGGTGGTGAT TGCCAGCGTG GTGACCTTCT 1380
CTGTTCATAT GACCCTGGGC TTCGATCTGA CAGCAGCACA GGCTTCACA GTGGTGACAG 1440
TCTTCAATTC CATGACTTTT GCTTTGAAAG TAACACCGTT TTCAGTAAAG TCCCTCTCAG 1500
AAGCCTCAGT GGCTGTTGAC AGATTTAAGA GTTTGTTTCT AATGGAAGAG GTTCACATGA 1560
TAAAGAACAA ACCAGCCAGT CCTCACATCA AGATAGAGAT GAAAAATGCC ACCTTGGCAT 1620
GGGACTCCTC CCACTCCAGT ATCCAGAACT CGCCCAAGCT GACCCCCAAA ATGAAAAAAG 1680
ACAAGAGGGC TTCCAGGGGC AAGAAAGAGA AGGTGAGGCA GCTGCAGCGC ACTGAGCATC 1740
AGGCGGTGCT GGCAGAGCAG AAAGGCCACC TCCTCCTGGA CAGTGACGAG CGGCCCAGTC 1800
CCGAAGAGGA AGAAGGCAAG CACATCCACC TGGGCCACCT GGCTTACAG AGGACACTGC 1860
```

```
     ACAGCATCGA TCTGGAGATC CAAGAGGGTA AACTGGTTGG AATCTGCGGC AGTGTGGGAA   1920
     GTGGAAAAAC CTCTCTCATT TCAGCCATTT TAGGCCAGAT GACGCTTCTA GAGGGCAGCA   1980
     TTGCAATCAG TGGAACCTTC GCTTATGTGG CCCAGCAGGC CTGGATCCTC AATGCTACTC   2040
     TGAGAGACAA CATCCTGTTT GGGAAGGAAT ATGATGAAGA AAGATACAAC TCTGTGCTGA   2100
 5   ACAGCTGCTG CCTGAGGCCT GACCTGGCCA TTCTTCCCAG CAGCGACCTG ACGGAGATTG   2160
     GAGAGCGAGG AGCCAACCTG AGCGGTGGGC AGCGCCAGAG GATCAGCCTT GCCCGGGCCT   2220
     TGTATAGTGA CAGGAGCATC TACATCCTGG ACGACCCCCT CAGTGCCTTA GATGCCCATG   2280
     TGGGCAACCA CATCTTCAAT AGTGCTATCC GGAAACATCT CAAGTCCAAG ACAGTTCTGT   2340
     TTGTTACCCA CCAGTTACAG TACCTGGTTG ACTGTGATGA AGTCATCTTC ATGAAAGAGG   2400
10   GCTGTATTAC GGAAAGAGGC ACCCATGAGG AACTGATGAA TTTAAATGGT GACTATGCTA   2460
     CCATTTTTAA TAACCTGTTG CTGGGAGAGA CACCGCCAGT TGAGATCAAT TCAAAAAAGG   2520
     AAACCAGTGG TTCACAGAAG AAGTCACAAG ACAAGGGTCC TAAAACAGGA TCAGTAAAGA   2580
     AGGAAAAAGC AGTAAAGCCA GAGGAAGGGC AGCTTGTGCA GCTGGAAGAG AAAGGGCAGG   2640
     GTTCAGTGCC CTGGTCAGTA TATGGTGTCT ACATCCAGGC TGCTGGGGGC CCCTTGGCAT   2700
15   TCCTGGTTAT TATGGCCCTT TTCATGCTGA ATGTAGGCAG CACCGCCTTC AGCACCTGGT   2760
     GGTTGAGTTA CTGGATCAAG CAAGGAAGCG GGAACACCAC TGTGACTCGA GGGAACGAGA   2820
     CCTCGGTGAG TGACAGCATG AAGGACAATC CTCATATGCA GTACTATGCC AGCATCTACG   2880
     CCCTCTCCAT GGCAGTCATG CTGATCCTGA AAGCCATTCG AGGAGTTGTC TTTGTCAAGG   2940
     GCACGCTGCG AGCTTCCTCC CGGCTGCATG ACGAGCTTTT CCGAAGGATC CTTCGAAGCC   3000
20   CTATGAAGTT TTTTGACACG ACCCCCACAG GGAGGATTCT CAACAGGTTT TCCAAAGACA   3060
     TGGATGAAGT TGACGTGCGG CTGCCGTTCC AGGCCGAGAT GTTCATCCAG AACGTTATCC   3120
     TGGTGTTCTT CTGTGTGGGA ATGATCGCAG GAGTCTTCCC GTGGTTCTT GTGGCAGTGG   3180
     GGCCCCTTGT CATCCTCTTT TCAGTCCTGC ACATTGTCTC CAGGGTCCTG ATTCGGGAGC   3240
     TGAAGCGTCT GGACAATATC ACGCAGTCAC CTTTCCTCTC CCACATCACG TCCAGCATAC   3300
25   AGGGCCTTGC CACCATCCAC GCCTACAATA AAGGGCAGGA GTTTCTGCAC AGATACCAGG   3360
     AGCTGCTGGA TGACAACCAA GCTCCTTTTT TTTTGTTTAC GTGTGGCATG CGGTGGCTGG   3420
     CTGTGCGGCT GGACCTCATC AGCATCGCCC TCATCACCAC CACGGGGCTG ATGATCGTTC   3480
     TTATGCACGG GCAGATTCCC CCAGCCTATG CGGGTCTCGC CATCTCTTAT GCTGTCCAGT   3540
     TAACGGGGCT GTTCCAGTTT ACGGTCAGAC TGGCATCTGA GACAGAAGCT CGATTCACCT   3600
30   CGGTGGAGAG GATCAATCAC TACATTAAGA CTCGTGTCCTT GGAAGCACCT GCCAGAATTA   3660
     AGAACAAGGC TCCCTCCCCT GACTGGCCCC AGGAGGGGGA GGTGACCTTT GAGAACGCAG   3720
     AGATGAGGTA CCGAGAAAAC CTCCCTCTTG TCCTAAAGAA AGTATCCTTC ACGATCAAAC   3780
     CTAAAGAGAA GATTGGCATT GTGGGGCGGA CAGGATCAGG GAAGTCCTCG CTGGGGATGG   3840
     CCCTCTTCCG TCTGGTGGAG TTATCTGGAG GCTGCATCAA GATTGATGGA GTGAGAATCA   3900
35   GTGATATTGG CCTTGCCGAC CTCCGAAGCA AACTCTCTAT CATTCCTCAA GAGCCGGTGC   3960
     TGTTCAGTGG CACTGTCAGA TCAAATTTGG ACCCCTTCAA CCAGTACACT GAAGACCAGA   4020
     TTTGGGATGC CCTGGAGAGG ACACACATGA AAGAATGTAT TGCTCAGCTA CCTCTGAAAC   4080
     TTGAATCTGA AGTGATGGAG AATGGGGATA ACTTCTCAGT GGGGGAACGG CAGCTCTGT   4140
     GCATAGCTAG AGCCCTGCTC CGCCACTGTA AGATTCTGAT TTTAGATGAA GCCCACAGCTG   4200
40   CCATGGCACAC AGAGACAGAC TTATTGATTC AAGAGACCAT CCGAGAAGCA TTTGCAGACT   4260
     GTACCATGCT GACCATTGCC CATCGCCTGC ACACGGTTCA AGGCTCCGAT AGGATTATGG   4320
     TGCTGCCCCA GGGACAGGTG GTGGAGTTTG ACACCCCATC GGTCCTTCTG TCCAACGACA   4380
     GTTCCCGATT CTATGCCATG TTTGCTGCTG CAGAGAACAA GGTCGCTGTC AAGGGCTGAC   4440
     TCCTCCCTGT TGACGAAGTC TCTTTTCTTT AGAGCATTGC CATTCCCTGC CTGGGGCGGG   4500
45   CCCCTCATCG CGTCCTCCTA CCGAAACCTT GCCTTTCTCG ATTTTATCTT TCGCACAGCA   4560
     GTTCCGGATT GGCTTGTGTG TTTCACTTTT AGGGAGAGTC ATATTTTGAT TATTGTATTT   4620
     ATTCCATATT CATGTAAACA AAATTTAGTT TTTGTTCTTA ATTGCACTCT AAAAGGTTCA   4680
     GGGAACCGTT ATTATAATTG TATCAGAGGC CTATAATGAA GCTTTATACG TGTAGCTATA   4740
     TCTATATATA ATTCTGTACA TAGCCTATAT TTACAGTGAA AATGTAAGCT GTTTATTTTA   4800
50   TATTAAAATA AGCACTGTGC TAATAACAGT GCATATTCCT TTCTATCATT TTTGTACAGT   4860
     TTGCTGTACT AGAGATCTGG TTTTGCTATT AGACTGTAGG AAGAGTAGCA TTTCATTCTT   4920
     CTCTAGCTGG TGGTTTCACG GTGCCAGGTT TTCTGGGTGT CCAAAGGAAG ACGTGTGGCA   4980
     ATAGTGGGCC CTCCGACAGC CCCCTCTGCC GCCTCCCCAC AGCCGCTCCA GGGGTGGCTG   5040
     GAGACGGGTG GGCGGCTGGA GACCATGCAG AGCGCCGTGA GTTCTCAGGG CTCCTGCCTT   5100
55   CTGTCCTGGT GTCACTTACT GTTTCTGTCA GGAGAGCAGC GGGGCGAAGC CCAGGCCCCT   5160
     TTTCACTCCC TCCATCAAGA ATGGGGATCA CAGAGACATT CCTCCGAGCC GGGGAGTTTC   5220
     TTTCCTGCCT TCTTCTTTTT GCTGTTGTTT CTAAACAAGA ATCAGTCTAT CCACAGAGAG   5280
     TCCCACTGCC TCAGGTTCCT ATGGCTGGCC ACTGCACAGA TCCAAGACCT TCCAAGACCT   5340
     GTTGGTTCCA AGCCCTGGAG CCAACTGCTG CTTTTTGAGG TGGCACTTTT TCATTTGCCT   5400
60   ATTCCCACAC CTCCACAGTT CAGTGGCAGG GCTCAGGATT TCGTGGGTCT GTTTTTCCTTT   5460
     CTCACCGCAG TCGTCGCACA GTCTCTCTCT TCTCTCCCCC TCAAAGTCTG CAACTTTAAG   5520
     CAGCTCTTGC TAATCAGTGT CTCACACTGG CGTAGAAGTT TTTGTACTGT AAAAGAGACCT   5580
     ACCTCAGGTT GCTGGTTGCT GTGTGGTTTG GTGTGTTCCC GCAAACCCCC TTTGTGCTGT   5640
     GGGGTCGGTA GCTCAGGTGG GCGTGGTCAC TGCTGTCATC AGTTGAATGG TCAGCGGTTGC   5700
65   ATGTCGTGAC CAACTAGACA TTCTGTCGCC TTAGCATGGT TGCTGAACAC CTTGTGGAAG   5760
     CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTTG TAAAAAAAAA AAAAAAAAA   5820
     AAAAAAAAAA AAAAAAA
```

Seq ID NO: 585 Protein sequence
Protein Accession #: NP_005679.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     |          |          |          |          |          |
     MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRR TRPLECQDAL STAARAEGLS   60
     LDASMHSQLR ILDEEHPKGK YHHGLSALKP IRRTSKEQHP VDNAGLPSCM TPSWLSSLAR   120
     VAHKKGELSM EDVWSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRRV VWIFPCRTRLI   180
     LSIVCLMITQ LAGFSGPAFM VKHLLEYTQA TESNLQYSLL LVLGLLLTEI VRSWSLALTW   240
     ALNYRTGVRL RGAILTMAFK KILKLKNIKE KSLGELINIC SNDGQRMPEA AAVGSLLAGG   300
     PVVAILGMIY NVIILGPTGF LGSAVFILFY PAMMFASRLT AYFRRKCVAA TDERVQKMNE   360
     VLTYIKFIKM YAWVKAPSQS VQKIREEERR ILEKAGYPQG ITVGVAPIVV VIASVVTPSV   420
     EMTLGFDLTA AQAFTVVTVP NSMTFALKVT PPSVKSLSEA SVAVDRPKSL FLMEEVHMIK   480
     NKPASPHIKI EMKNQATLAWD SSHSSIQNSP KLTPKMKKDK RASRGKKEKV RQLQRTEHQA   540
     VLAEQKGHLL LDSDERPSPE EEEGKHIHLG HLRLQRTLHS IDLEIQEGKL VGICGSVGSG   600
     KTSLISAILG QMTLLEGSIA ISGTPAYVAQ QAWILNATLR DNILPGKEYD EERYNSVLNS   660
     CCLRPDLAIL PSSDLTEIGE RGANLSGGQR QRISLARALY SDRSIYILDD PLSALDAHVG   720
     NHIFNSAIRK HLKSKTVLFV THQLQYLVDC DEVIPMKEGC ITERGTHEEL MNLNGDYATI   780
     FNNLLLGETP PVEINSKKET SGSQKKSQDK GPKTGSVKKE KAVKPEEGQL VQLEEKGQGS   840
```

```
     VPHSVYGVYI QAAGGPLAFL VIMALFMLNV GSTAFSTWWL SYWIKQGSGN TTVTRGNETS   900
     VSDSMKDNPH MQYYASIYAL SMAVMLILKA IRGVVFVKGT LRASSRLHDE LFRRILRSPM   960
     KFFDTTPTGR ILNRFSKDMD EVDVRLPFQA EMFIQNVILV FPCVGMIAGV FPWFLVAVGP  1020
     LVILFSVLHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEFLHRYQEL  1080
     LDDNQAPFFL PTCAMRWLAV RLDLISIALI TTTGLMIVLM HGQIPPAYAG LAISYAVQLT  1140
     GLFQFTVRLA SETEARPTSV ERINHYIKTL SLEAPARIKN KAPSPDWPQE GEVTFENAEM  1200
     RYRENLPLVL KKVSFTIKPK EKIGIVGRTG SGKSSLGMAL FRLVELSGGC IKIDGVRISD  1260
     IGLADLRSKL SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE  1320
     SEVMENGDNF SVGERQLLCI ARALLRECKI LILDEATAAM DTETDLLIQE TIREAFADCT  1380
     MLTIAHRLHT VLGSDRIMVL AQGQVVEFDT PSVLLSNDSS RFYAMFAAAE NKVAVKG
```

Seq ID NO: 586 DNA sequence
Nucleic Acid Accession #: NM_001327.1
Coding sequence: 89..631

```
1          11         21         31         41         51
|          |          |          |          |          |
AGCAGGGGGC GCTGTGTGTA CCGAGAATAC GAGAATACCT CGTGGGCCCT GACCTTCTCT   60
CTGAGAGCCG GGCAGAGGCT CCGGAGCCAT GCAGGCCGAA GGCCGGGGCA CAGGGGGTTC  120
GACGGGCGAT GCTGATGGCC CAGGAGGCCC TGGCATTCCT GATGGCCCAG GGGGCAATGC  180
TGGCGGCCCA GGAGAGGCGG GTGCCACGGG CGGCAGAGGT CCCCGGGGCG CAGGGGCAGC  240
AAGGGCCTCG GGGCCGGGAG GAGGCGCCCC GCGGGGTCCG CATGGCGGCG CGGCTTCAGG  300
GCTGAATGGA TGCTGCAGAT GCGGGGCCAG GGGGCCGGAG AGCCGCCTGC TTGAGTTCTA  360
CCTCGCCATG CCTTTCGCGA CACCCATGGA AGCAGAGCTG GCCCGCAGGA GCCTGGCCCA  420
GGATGCCCCA CCGCTTCCCG TGCCAGGGGT GCTTCTGAAG GAGTTCACTG TGTCCGGCAA  480
CATACTGACT ATCCGACTGA CTGCTGCAGA CCACCGCCAA CTGCAGCTCT CCATCAGCTC  540
CTGTCTCCAG CAGCTTTCCC TGTTGATGTG GATCACGCAG TGCTTTCTGC CCGTGTTTTT  600
GGCTCAGCCT CCCTCAGGGC AGAGGCGCTA AGCCCAGCCT GGCGCCCCTT CCTAGGTCAT  660
GCCTCCTCCC CTAGGGAATG GTCCCAGCAC GAGTGGCCAG TTCATTGTGG GGGCCTGATT  720
GTTTGTCGCT GGAGGAGGAC GGCTTACATG TTTGTTTCTG TAGAAAATAA AACTGAGCTA
```

Seq ID NO: 587 Protein sequence
Protein Accession #: NP_001318.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MQAEGRGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPGGGA   60
PRGPHGGAAS GLNGCCRCGA RGPESRLLEF YLAMPPATPM EAELARRSLA QDAPPLPVPG  120
VLLKEFTVSG NILTIRLTAA DHRQLQLSIS SCLQQLSLLM WITQCFLPVF LAQPPSGQRR
```

Seq ID NO: 588 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 52..459

```
1          11         21         31         41         51
|          |          |          |          |          |
CCTCGTGGGC CCTGACCTTC TCTCTGAGAG CCGGGCAGAG GCTCCGGAGC CATGCAGGCC   60
GAAGGCCAGG GCACAGGGGG TTCGACGGGC GATGCTGATG GCCCAGGAGG CCCTGGCATT  120
CCTGATGGCC CAGGGGGCAA TGCTGGCGGC CCAGGAGAGG CGGGTGCCAC GGGCGGCAGA  180
GGTCCCCGGG GCGCAGGGGC AGCAAGGGGC TCGGGGCCGA GAGGAGGCGC CCCGCGGGGT  240
CCGCATGGCG GTGCCGCTTC TGCGCAGGAT GGAAGGTGCC CCTGCGGGGG CAGGAGGCCG  300
GACAGCCGCC TGCTTCAGTT CCGACTGACT GCTGCAGACC ACCGCCAACT GCAGCTCTCC  360
ATCAGCTCCT GTCTCCAGCA GCTTTCCCTG TTGATGTGGA TCACGCAGTG CTTTCTGCCC  420
GTGTTTTTGG CTCAGGCTCC CTCAGGGCAG AGGCGCTAAG CCCAGCCTGG CGCCCCTTCC  480
TAGGTCATGC CTCCTCCCCT AGGGAATGGT CCCAGCACGA GTGGCCAGTT CATTGTGGGG  540
GCCTGATTGT TTGTCGCTGG AGGAGGACGG CTTACATGTT TGTTTCTGTA GAAAATAAAG  600
CTGAGCTA
```

Seq ID NO: 589 Protein sequence
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MQAEGQGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPRGGA   60
PRGPHGGAAS AQDGRCPCGA RRPDSRLLQF RLTAADHRQL QLSISSCLQQ LSLLMWITQC  120
FLPVFLAQAP SGQRR
```

Seq ID NO: 590 DNA sequence
Nucleic Acid Accession #: NM_005562.1
Coding sequence: 90..3671

```
1          11         21         31         41         51
|          |          |          |          |          |
ACAGCGGAGC GCAGAGTGAG AACCACCAAC CGAGGCGCCG GGCAGCGACC CCTGCAGCGG   60
AGACAGAGAC TGAGCGGCCC GGCACCGCCA TGCCTGCGCT CTGGCTGGGC TGCTGCCTCT  120
GCTTCTCGCT CCTCCTGCCC GCAGCCCGGG CCACCTCCAG GAGGGAAGTC TGTGATTGCA  180
ATGGGAAGTC CAGGCAGTGT ATCTTTGATC GGGAACTTCA CAGACAAACT GGTAATGGAT  240
TCCGCTGCCT CAACTGCAAT GACAACACTG ATGGCATTCA CTGCGAGAAG TGCAAGAATG  300
GCTTTTACCG GCACAGAGAA AGGGACCGCT GTTTGCCCTG CAATTGTAAC TCCAAAGGTT  360
CTCTTAGTGC TCGATGTGAC AACTCTGGAC GGTGCAGCTG TAAACCAGGT GTGACAGGAG  420
CCAGATGCGA CCGATGTCTG CCAGGCTTCC ACATGCTCAC GGATGCGGGG TGCACCCAAG  480
ACCAGAGACT GCTAGACTCC AAGTGTGACT GTGACCCAGC TGGCATCGCA GGGCCCTGTG  540
ACGCGGGCCG CTGTGTCTGC AAGCCAGCTG TTACTGGAGA ACGCTGTGAT AGGTGTCGAT  600
CAGGTTACTA TAATCTGGAT GGGGGGAACC CTGAGGGCTG TACCCAGTGT TTCTGCTATG  660
GGCATTCAGC CAGCTGCCGC AGCTCTGCAG AATACAGTGT CCATAAGATC ACCTCTACCT  720
TTCATCAAGA TGTTGATGGC TGGAAGGCTG TCCAACGAAA TGGGTCTCCT GCAAAGCTCC  780
AATGGTCACA GCGCCATCAA GATGTGTTTA GCTCAGCCCA ACGACTAGAC CCTGTCTATT  840
```

414

```
TTGTGGCTCC TGCCAAATTT CTTGGGAATC AACAGGTGAG CTATGGGCAA AGCCTGTCCT    900
TTGACTACCG TGTGGACAGA GGAGGCAGAC ACCCATCTGC CCATGATGTG ATTCTGGAAG    960
GTGCTGGTCT ACGGATCACA GCTCCCTTGA TGCCACTTGG CAAGACACTG CCTTGTGGGC   1020
TCACCAAGAC TTACACATTC AGGTAAATG AGCATCCAAG CAATAATTGG AGCCCCCAGC    1080
TGAGTTACTT TGAGTATCGA AGGTTACTGC GGAATCTCAC AGCCCTCCGC ATCCGAGCTA   1140
CATATGGAGA ATACAGTACT GGGTACATTG ACAATGTGAC CCTGATTTCA GCCGGCCCTG   1200
TCTCTGGAGC CCCAGCACCC TGGGTTGAAC AGTGTATATG TCCTGTTGGG TACAAGGGGC   1260
AATTCTGCCA GGATTGTGCT TCTGGCTACA AGAGAGATTC AGCGAGACTG GGGCCTTTTG   1320
GCACCTGTAT TCCTTGTAAC TGTCAAGGGG GAGGGGCCTG TGATCCAGAC ACAGGAGATT   1380
GTTATTCAGG GGATGAGAAT CCTGACATTG AGTGTGCTGA CTGCCCAATT GGTTTCTACA   1440
ACGATCCGCA CGACCCCCGC AGCTGCAAGC CATGTCCCTG TCATAACGGG TTCAGCTGCT   1500
CAGTGATGCC GGAGACGGAG GAGGTGGTGT GCAATAACTG CCCTCCCGGG GTCACCGGTG   1560
CCCGCTGTGA GCTCTGTCCT GATGGCTACT TTGGGGACCC CTTTGGTGAA CATGGCCCAG   1620
TGAGGCCTTG TCAGCCCTGT CAATGCAACA ACAATGTGGA CCCCAGTGCC TCTGGGAATT   1680
GTGACCGGCT GACAGGCAGG TGTTTGAAGT GTATCCACAA CACAGCCGGC ATCTACTGCG   1740
ACCAGTGCAA AGCAGGCTAC TTCGGGGACC CATTGGCTCC CAACCCAGCA GACAAGTGTC   1800
GAGCTTGCAA CTGTAACCCC ATGGGCTCAG AGCCTGTAGG ATGTCGAAGT GATGGCACCT   1860
GTGTTTGCAA GCCAGGATTT GGTGGCCCCA ACTGTGAGCA TGGAGCATTC AGCTGTCCAG   1920
CTTGCTATAA TCAAGTGAAG ATTCAGATGG ATCAGTTTAT GCAGCAGCTT CAGAGAATGG   1980
AGGCCCTGAT TTCAAAGGCT CAGGGTGGTG ATGGAGTAGT ACCTGATACA GAGCTGGAAG   2040
GCAGGATGCA GCAGGCTGAG CAGGCCCTTC AGGACATTCT GAGAGATGCC CAGATTTCAG   2100
AAGGTGCTAG CAGATCCCTT GGTCTCCAGT TGGCCAAGGT GAGGAGCCAA GAGAACAGCT   2160
ACCAGAGCCG CCTGGATGAC CTCAAGATGA CTGTGGAAAG AGTTCGGGCT CTGGGAAGTC   2220
AGTACCAGAA CCGAGTTCGG GATACTCACA GGCTCATCAC TCAGATGCAG CTGAGCCTGG   2280
CAGAAAGTGA AGCTTCCTTG GGAAACACTA ACATTCCTGC CTCAGACCAC TACGTGGGGC   2340
CAAATGGCTT TAAAAGTCTG GCTCAGGAGG CCACAAGATT AGCAGAAAGC CACGTTGAGT   2400
CAGCCAGTAA CATGGAGCAA CTGACAAGGG AAACTGAGGA CTATTCCAAA CAAGCCCTCT   2460
CACTGGTGCG CAAGGCCCTG CATGAAGGAG TCGGAAGCGG AAGCGGTAGC CCGGACGGTG   2520
CTGTTGGTGCA AGGGCTTGTG GAAAAATTGG AGAAAACCAA GTCCCTGGCC CAGCAGTTGA   2580
CAAGGGAGGC CACTCAAGCG GAAATTGAAG CAGATAGGTC TTATCGCAC AGTCTCCGCC   2640
TCCTGGATTC AGTGTCTCGG CTTCAGGGAG TCAGTGATCA GTCCTTTCAG GTGGAAGAAG   2700
CAAAGAGGAT CAAACAAAAA GCGGATTCAC TCTCAACGCT GGTAAGCCAG CATATGGATG   2760
AGTTCAAGCG TACACAAAAG AATCTGGGAA ACTGGAAAGA AGAAGCACAG CAGCTCTTAC   2820
AGAATGGAAA AAGTGGGAGA GAGAAATCAG ATCAGCTGCT TTCCCGTGCC AATCTTGCTA   2880
AAAGCAGAGC ACAAGAAGCA CTGAGTATGG GCAATGCCAC TTTTTATGAA GTTGAGACGA   2940
TCCTTAAAAA CCTCAGAGAG TTTGACCTGC AGGTGGACAA CAGAAAAGCA GAAGCTGAAG   3000
AAGCCATGAA GAGACTCTCC TACATCAGCC AGAAGGTTTC AGATGCCAGT GACAAGACCC   3060
AGCAAGCAGA AAGAGCCCTG GGGAGCGCTG CTGCTGATGC ACAGAGGGCA AAGAATGGGG   3120
CCGGGGAGGC CCTGGAAATC TCCAGTGAGA TTGAACAGGA GATTGGGAGT CTGAACTTGG   3180
AAGCCAATGT GACAGCAGAT GGAGCCTTGG CCATGGAAAA GGGACTGGCC TCTCTGAAGA   3240
GTGAGATGAG GGAAGTGGAA GGAGAGCTGG AAAGGAAGGA GCTGGAGTTT GACACGAATA   3300
TGGATGCAGT ACAGATGGTG ATTACAGAAG CCCAGAAGGT TGATACCAGA GCCAAGAACG   3360
CTGGGGTTAC AATCCAAGAC ACACTCAACA CATTAGACGG CCTCCTGCAT CTGATGGACC   3420
AGCCTCTCAG TGTAGATGAA GAGGGGCTGG TCTTACTGGA GCAGAAGCTT TCCCGAGCCA   3480
AGACCCAGAT CAACAGCCAA CTGCGGCCCA TGATGTCAGA GCTGGAAGAG AGGGCACGTC   3540
AGCAGAGGGG CCACCTCCAT TTGCTGGAGA CAAGCATAGA TGGGATTCTG GCTGATGTGA   3600
AGAACTTGGA GAACATTAGG GACAACCTGC CCCCAGGCTG CTACAATACC CAGGCTCTTG   3660
AGCAACAGTG AAGCTGCCAT AAATATTTCT CAACTGAGGT TCTTGGGATA CAGATCTCAG   3720
GGCTCGGGAG CCATGTCATG TGAGTGGGTG GGATGGGGAC ATTTGAACAT GTTTAATGGG   3780
TATGCTCAGG TCAACTGACC TGACCCCATT CCTGATCCCA TGGCCAGGTG GTTGTCTTAT   3840
TGCACCATAC TCCTTGCTTC CTGATGCTGG GCAATGAGGC AGATAGCACT GGGTGTGAGA   3900
ATGATCAAGG ATCTGGACCC CAAAGAATAG ACTGGATGGA AAGACAAACT GCACAGGCAG   3960
ATGTTTGCCT CATAATAGTC GTAAGTGGAG TCCTGGAATT TGGACAAGTG CTGTTGGGAT   4020
ATAGTCAACT TATTCTTTGA GTAATGTGAC TAAAGGAAAA AACTTTGACT TTGCCCAGGA   4080
ATGAAATTCT TCCTAATGTC AGAACAGAGT GCAACCCAGT CACACTGTGG CCAGTAAAAT   4140
ACTATTGCCT CATATTGTCC TCTGCAAGCT TCTTGCTGAT CAGAGTTCCT CCTACTTACA   4200
ACCCAGGGTG TGAACATGTT CTCCATTTTC AAGCTGGAAG AAGTGAGCAG TGTTGGAGTG   4260
AGGACCTGTA AGGCAGGCCC ATTCAGAGCT ATGGTGCTTG CTGGTGCCTG CCACCTTCAA   4320
GTTCTGGACC TGGGCATGAC ATCCTTTCTT TTAATGATGC CATGGCAACT TAGAGATTGC   4380
ATTTTTATTA AAGCATTTCC TACCAGCAAA GCAAATGTTG GGAAAGTATT TACTTTTTCG   4440
GTTTCAAAGT GATAGAAAAG TGTGGCTTGG GCATTGAAAG AGGTAAAATT CTCTAGATTT   4500
ATTAGTCCTA ATTCAATCCT ACTTTTCGAA CACCAAAAAT GATGCGCATC AATGTATTTT   4560
ATCTTATTTT CTCAATCTCC TCTCTCTTTC CTCCACCCAT AATAAGAGAA TGTTCCTACT   4620
CACACTTCAG CTGGGTCACA TCCATCCCTC CATTCATCCT TCCATCCATC TTTCCATCCA   4680
TTACCTCCAT CCATCCTTCC AACATATATT TATTGAGTAC CTACTGTGTG CCAGGGGCTG   4740
GTGGGACAGT GGTGACATAG TCTCTGCCCT CATAGAGTTG ATTGTCTAGT GAGGAAGACA   4800
AGCATTTTTA AAAAATAAAT TTAAACTTAC AAACTTTGTT TGTCACAAGT GGTGTTTATT   4860
GCAATAACCG CTTGGTTTGC AACCTCTTTG CTCAACAGAA CATATGTTGC AAGACCCTCC   4920
CATGGGGGCA CTTGAGTTTT GGCAAGGCTG ACAGAGCTCT GGGTTGTGCA CATTTCTTTG   4980
CATTCCAGCT GTCACTCTGT GCCTTTCTAC AACTGATTGC AACAGACTGT TGAGTTATGA   5040
TAACACCAGT GGGAATTGCT GGAGGAACCA GAGGCACTTC CACCTTGGCT GGGAAGACTA   5100
TGGTGCTGCC TTGCTTCTGT ATTTCCTTGG ATTTTCCTGA AAGTGTTTTT AAATAAAGAA   5160
CAATTGTTAG ATGCC
```

Seq ID NO: 591 Protein sequence
Protein Accession #: NP_005553.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MPALWLGCCL CPSLLLLPAAR ATSRREVCDC NGKSRQCIFD RELHRQTGNG FRCLNCNDNT    60
DGIHCEKCKN GFYRHRERDR CLPCNCNSKG SLSARCDNSG RCSCKPGVTG ARCDRCLPGF   120
HMLTDAGCTQ DQRLLDSKCD CDPAGIAGPC DAGRCVCKPA VTGERCDRCR SGYYNLDGGN   180
PEGCTQCFCY GHSASCRSSA EYSVHKITST FHQDVDGWKA VQRNGSPAKL QWSQRHQDVF   240
SSAQRLDPVY FVAPAKFLGN QQVSYGQSLS FDYRVDRGGR HPSAHDVILE GAGLRITAPL   300
MPLGKTLPCG LTKTYTFRLN EHPSNNWSPQ LSYFEYRRLL RNLTALRIRA TYGEYSTGYI   360
DNVTLISARP VSGAPAPWVE QCICPVGYKG QFCQDCASGY KRDSARLGPP GTCIPCNCQG   420
GGACDPDTGD CYSGDENPDI ECADCPIGFY NDPEDPRSCK PCPCHNGFSC SVMPETEEVV   480
```

```
        CNNCPPGVTG ARCELCADGY FGDPFGEHGP VRPCQPCQCN NNVDPSASGN CDRLTGRCLK   540
        CIHNTAGIYC DQCKAGYFGD PLAPNPADKC RACNCNPMGS EPVGCRSDGT CVCKPGFGGP   600
        NCEHGAPSCP ACYNQVKIQM DQFMQQLQRM EALISKAQGG DGVVPDTELE GRMQQAEQAL   660
        QDILRDAQIS EGASRSLGLQ LAKVRSQENS YQSRLDDLKM TVERVRALGS QYQNRVRDTH   720
5       RLITQMQLSL AESEASLGNT NIPASDHYVG PNGPKSLAQE ATRLAESHVE SASNMEQLTR   780
        ETEDYSKQAL SLVRKALHEG VGSGSGSPDG AVVQGLVEKL EKTKSLAQQL TREATQAEIE   840
        ADRSYQHSLR LLDSVSRLQG VSDQSPQVEE AKRIKQKADS LSTLVTRHMD EFKRTQKNLG   900
        NWKEEAQQLL QNGKSGREKS DQLLSRANLA KSRAQEALSM GNATFYEVES ILKNLREFDL   960
10      QVDNRKABAE EAMKRLSYIS QKVSDASDKT QQAERALGSA AADAQRAKNG AGEALEISSE  1020
        IEQEIGSLNL EANVTADGAL AMEKGLASLK SEMREVEGEL ERKELEFDTN MDAVQMVITE  1080
        AQKVDTRAKN AGVTIQDTLN TLDGLLHLMD QPLSVDEEGL VLLEQKLSRA KTQINSQLRP  1140
        MMSELEERAR QQRGHLHLLE TSIDGILADV KNLENIRDNL PPGCYNTQAL EQQ
```

Seq ID NO: 592 DNA sequence
Nucleic Acid Accession #: AF101051.1
Coding sequence: 221.856

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GAGCAACCTC AGCTTCTAGT ATCCAGACTC CAGCGCCGCC CCGGGCGCGG ACCCCAACCC   60
        CGACCCAGAG CTTCTCCAGC GGCGGCGCAG CGAGCAGGGC TCCCCGCCTT AACTTCCTCC  120
        GCGGGGCCCA GCCACCTTCG GGAGTCCGGG TTGCCCACCT GCAAACTCTC CGCCTTCTGC  180
        ACCTGCCACC CCTGAGCCAG CGCGGGCGCC CGAGCGAGTC ATGGCCAACG CGGGGCTGCA  240
        GCTGTTGGGC TTCATTCTCG CCTTCCTGGG ATGGATCGGC GCCATCGTCA GCACTGCCCT  300
        GCCCCAGTGG AGGATTTACT CCTATGCCGG CGACAACATC GTGACGGCCC AGGCCATGTA  360
        CGAGGGGCTG TGGATGTCCT GCGTGTCGCA GAGCACCGGG CAGATCCAGT GCAAAGTCTT  420
        TGACTCCTTG CTGAATCTGA GCAGCACATT GCAAGCAACC CGTGCCTTGA TGGTGGTTGG  480
        CATCCTCCTG GGAGTGATAG CAATCTTTGT GGCCACCGTT GGCATGAAGT GTATGAAGTG  540
        CTTGGAAGAC GATGAGGTGC AGAAGATGAG GATGGCTGTC ATTGGGGGTG CGATATTTCT  600
        TCTTGCAGGT CTGGCTATTT TAGTTGCCAC AGCATGGTAT GGCAATAGAA TCGTTCAAGA  660
        ATTCTATGAC CCTATGACCC CAGTCAATGC CAGGTACGAA TTTGGTCAGG CTCTCCTTCAC  720
        TGGCTGGGCT GCTGCTTCTC TCTGCCTTCT GGGAGGTGCC CTACTTTGCT GTTCCTGTCC  780
        CCGAAAAACA ACCTCTTACC CAACACCAAG GCCCTATCCA AAACCTGCAC CTTCCAGCGG  840
        GAAAGACTAC GTGTGACACA GAGGCAAAAG GAGAAAATCA TGTTGAAACA AACCGAAAAT  900
        GGACATTGAG ATACTATCAT TAACATTAGG ACCTTAGAAT TTTGGGTATT GTAATCTGAA  960
        GTATGGTATT ACAAAACAAA CAAACAAACA AAAAACCCAT GTGTTAAAAT ACTCAGTGCT  1020
        AAACATGGCT TAATCTTATT TTATCTTCTT TCCTCAATAT AGGAGGGAAG ATTTTACCAT  1080
        TTGTATTACT GCTTCCCATT GAGTAATCAT ACTCAAATGG GGGAAGGGGT GCTCCTTAAA  1140
        TATATATAGA TATGTATATA TACATGTTTT TCTATTAAAA ATAGACAGTA AAAATACTATT  1200
        CTCATTATGT TGATACTAGC ATACTTAAAA TATCTCTAAA ATAGGTAAAT GTATTTAATT  1260
        CCATATTGAT GAAGATGTTT ATTGGTATAT TTTCTTTTTC GTCCTTATAT ACATATGTAA  1320
        CAGTCAAATA TCATTTACTC TTCTTCATTA GCTTTGGGTG CCTTTGCCAC AAGACCTAGC  1380
        CTAATTTACC AAGGATGAAT TCTTTCAATT CTTCATGCGT GCCCTTTTCA TATACTTATT  1440
        TTATTTTTTA CCATAATCTT ATAGCACTTG CATCGTTATT AAGCCCTTAT TTGTTTTGTG  1500
        TTTCATTGGT CTCTATCTCC TGAATCTAAC ACATTTCATA GCCTACATTT TAGTTTCTAA  1560
        AGCCAAGAAG AATTTATTAC AAATCAGAAC TTTGGAGGCA AATCTTTCTG CATGACCAAA  1620
        GTGATAAATT CCTGTTGACC TTCCCACACA ATCCCTGTAC TCTGACCCAT AGCACTCTTG  1680
        TTTGCTTTGA AAATATTTGT CCAATTGAGT AGCTGCATGC TGTTCCCCCA GGTGTTGTAA  1740
        CACAACTTTA TTGATTGAAT TTTTAAGCTA CTTATTCATA GTTTTATATC CCCCTAAACT  1800
        ACCTTTTTGT TCCCCATTCC TTAATTGTAT TGTTTTCCCA AGTGTAATTA TCATGCGTTT  1860
        TATATCTTCC TAATAAGGTG TGGTCTGTTT GTCTGAACAA AGTGCTAGAC TTTCTGGAGT  1920
        GATAATCTGG TGACAAAATAT TCTCTCTGTA GCTGTAAGCA AGTCACTTAA TCTTTCTACC  1980
        TCTTTTTTCT ATCTGCCAAA TTGAGATAAT GATACTTAAC CAGTTAGAAG AGGTAGTGTG  2040
        AATATTAATT AGTTTATATT ACTCTCATTC TTTGAACATG AACTATGCCT ATGTAGTGTC  2100
        TTTATTTGCT CAGCTGGCTG AGACACTGAA GAAGTCACTG AACAAAACCT ACACACGTAC  2160
        CTTCATGTGA TTCACTGCCT TCCTCTCTCT ACCAGTCTAT TTCCACTGAA CAAAACCTAC  2220
        ACACATACCT TCATGTGGTT CAGTGCCTTC CTCTCTCTAC CAGTCTATTT CCACTGAACA  2280
        AAACCTACGC ACATACCTTC ATGTGGCTCA GTGCCTTCCT CTCTCTACCA GTCTATTTCC  2340
        ATTCTTTCAG CTGTGTCTGA CATGTTTGTG CTCTGTTCCA TTTTAACAAC TGCTCTTACT  2400
        TTTCCAGTCT GTACAGAATG CTATTTCACT TGAGCAAGAT GATGTATGGA AAGGGTGTTG  2460
        GCACTGGTGT CTGGAGACCT GGATTTGAGT CTTGGTGCTA TCAATCACCG TCTGTGTTTG  2520
        AGCAAGGCAT TTGGCTGCTG TAAGCTTATT GCTTCATCTG TAAGCGGTGG TTTGTAATTC  2580
        CTGATCTTCC CACCTCACAG TGATGTTGTG GGGATCCAGT GAGATAGAAT ACATGTAAGT  2640
        GTGGTTTTGT AATTTGAAAA GTGCTATACT AAGGGAAAGA ATTGAGGAAT TAACTGCATA  2700
        CGTTTTGGTG TTGCTTTTCA AATGTTTGAA AATAAAAAAA TGTTAAGAAA TGGGTTTCTT  2760
        GCCTTAACCA GTCTCTCAAG TGATGAGACA GTGAAGTAAA ATTGAGTGCA CTAAACGAAT  2820
        AAGATTCTGA GGAAGTCTTA TCTTCTGCAG TGAGTATGGC CCAATGCTTT CTGTGGCTAA  2880
        ACAGATGTAA TGGGAAGAAA TAAAAGCCTA CGTGTTGGTA AATCCAACAG CAAGGGAGAT  2940
        TTTTGAATCA TAATAACTCA TAAGGTGCTA TCTGTTCAGT GATGCCCTCA GAGCTCTTGC  3000
        TGTTAGCTGG CAGCTGACGC TGCTAGGATA GTTAGTTTGG AAATGGTACT TCATAATAAA  3060
        CTACACAAGG AAAGTCAGCC ACCGTGTCTT ATGAGGAATT GGACCTAATA AATTTTAGTG  3120
        TGCCTTCCAA ACCTGAGAAT ATATGCTTTT GGAAGTTAAA ATTTAAATGG CTTTTGCCAC  3180
        ATACATAGAT CTTCATGATG TGTGAGTGTA ATTCCATGTG GATATCAGTT ACCAAACATT  3240
        ACAAAAAAAT TTTATGGCCC AAAATGACCA ACGAAATTGT TACAATAGAA TTTATCCAAT  3300
        TTTGATCTTT TTATATTCTT CTACCACACC TGGAAACAGA CCAATAGACA TTTTGGGGTT  3360
        TTATAATGGG AATTTGTATA AAGCATTACT CTTTTTCAAT AAATTGTTTT TTAATTTAAA  3420
        AAAAGGAAAA AAAAAAAAAA AAA
```

Seq ID NO: 593 Protein sequence
Protein Accession #: AAD16433.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MANAGLQLLG FILAFLGWIG AIVSTALPQW RIYSYAGDNI VTAQAMYEGL WMSCVSQSTG   60
        QIQCKVFDSL LNLSSTLQAT RALMVVGILL GVIAIFVATV GMKCMKCLED DEVQKMRMAV  120
        IGGAIFLLAG LAILVATAWY GNRIVQEFYD PMTPVNARYE FGQALPTGWA AASLCLLGGA  180
        LLCCSCPRKT TSYPTPRPYP KPAPSSGKDY V
```

416

Seq ID NO: 594 DNA sequence
Nucleic Acid Accession #: NM_006180.1
Coding sequence: 352..2820

```
1          11         21         31         41         51
|          |          |          |          |          |
CCCCCATTCG CATCTAACAA GGAATCTGCG CCCCAGAGAG TCCCGGACGC CGCCGGTCGG   60
TGCCGGCGC GCCGGGCCAT GCAGCGACGG CCGCCGCGGA GCTCGGAGCA GCGGTAGCGC   120
CCCCCTGTAA AGCCGGTTCGC TATGCCGGGA CCACTGTGAA CCCTGCCGCC TGCCGGAACA   180
CTCTTCGCTC CGGACCAGCT CAGCCTCTGA TAAGCTGGAC TCGGCACGCC CGCAACAAGC   240
ACCGAGGAGT TAAGAGAGCC GCAAGCGCAG GGAAGGCCTC CCCGCACGGG TGGGGGAAAG   300
CGGCCGGTGC AGCGCGGGGA CAGGCACTCG GGCTGGCACT GATGTCGTCC GATGTCGTCC   360
TGGATAAGGT GGCATGGACC CGCCATGGCG CGGCTCTGGG GCTTCTGCTG GCTGGTTGTG   420
GGCTTCTGGA GGGCCGCTTT CGCCTGTCCC ACGTCCTGCA AATGCAGTGC CTCTCGGATC   480
TGGTGCAGCG ACCCTTCTCC TGGCATCGTG GCATTTCCGA GATTGGAGCC TAACAGTGTA   540
GATCCTGAGA ACATCACCGA AATTTTCATC GCAAACCAGA AAAGGTTAGA AATCATCAAC   600
GAAGATGATG TTGAAGCTTA TGTGGGACTG AGAAATCTGA CAATTGTGGA TTCTGGATTA   660
AAATTTGTGG CTCATAAAGC ATTTCTGAAA AACAGCAACC TGCAGCACAT CAATTTTACC   720
CGAAACAAAC TGACGAGTTT GTCTAGGAAA CATTTCCGTC ACCTTGACTT GTCTGAACTG   780
ATCCTGGTGG GCAATCCATT TACATGCTCC TGTGACATTA TGTGGATCAA GACTCTCCAA   840
GAGGCTAAAT CCAGTCCAGA CACTCAGGAT TTGTACTGCC TGAATGAAAG CAGCAAGAAT   900
ATTCCCCTGG CAAACCTGCA GATACCCAAT TGTGGTTTGC CATCTGCAAA TCTGGCCGCA   960
CCTAACCTCA CTGTGGAGGA AGGAAAGTCT ATCACATTAT CCTGTAGTGT GGCAGGTGAT   1020
CCGGTTCCTA ATATGTATTG GGATGTTGGT AACCTGGTTT CCAAACATAT GAATGAAACA   1080
AGCCACACAC AGGGCTCCTT AAGGATAACT AACATTTCAT CCGATGACAG TGGGAAGCAG   1140
ATCTCTTGTG TGGCGGAAAA TCTTGTAGGA GAAGATCAAG ATTCTGTCAA CCTCACTGTG   1200
CATTTTGCAC CAACTATCAC ATTTCTCGAA TCTCCAACCT CAGACCACCA CTGGTGCATT   1260
CCATTCACTG TGAAAGGCAA CCCCAAACCA GCGCTTCAGT GGTTCTATAA CGGGGCAATA   1320
TTGAATGAGT CCAAATACAT CTGTACTAAA ATACATGTTA CCAATCACAC GGAGTACCAC   1380
GGCTGCCTCC AGCTGGATAA TCCCACTCAC ATGAACAATG GGGACTACAC TCTAATAGCC   1440
AAGAATGAGT ATGGGAAGGA TGAGAAACAG ATTTCTGCTC ACTTCATGGG CTGGCCTGGA   1500
ATTGACGATG GTGCAAACCC AAATTATCCT GATGTAATTT ATGAAGATTA TGGAACTGCA   1560
GCGAATGACA TCGGGGACAC CACGAACAGA AGTAATGAAA TCCCTTCCAC AGACGTCACT   1620
GATAAAACCG GTCGGGAACA TCTCTCGGTC TATGCTGTGG TGGTGATTGC GTCTGTGGTG   1680
GGATTTTGCC TTTTGGTAAT GCTGTTTCTG CTTAAGTTGG CAAGACACTC CAAGTTTGGC   1740
ATGAAAGGCC CAGCCTCCGT TATCAGCAAT GATGATGACT CTGCCAGCCC ACTCCATCAC   1800
ATCTCCAATG GGAGTAACAC TCCATCTTCT TCGGAAGGTG GCCCAGATGC TGTCATTATT   1860
GGAATGACCA AGATCCCTGT CATTGAAAAT CCCCAGTACT TTGGCATCAC CAACAGTCAG   1920
CTCAAGCCAG ACACATTTGT TCAGCACATC AAGCGACATA ACATTGTTCT GAAAAGGGAG   1980
CTAGGCGAAG GAGCCTTTGG AAAAGTGTTC CTAGCTGAAT GCTATAACCT CTGTCCTGAG   2040
CAGGACAAGA TCTTGGTGGC AGTGAAGACC CTGAAGGATG CCAGTGACAA TGCACGCAAG   2100
GACTTCCACC GTGAGGCCGA GCTCCTGACC AACCTCCAGC ATGAGCACAT CGTCAAGTTC   2160
TATGGCGTCT GCGTGGAGGG CGACCCCCTC ATCATGGTCT TTGAGTACAT GAAGCATGGG   2220
GACCTCAACA AGTTCCTCAG GGCACACGGC CCTGATGCCG TGCTGATGGC TGAGGGCAAC   2280
CCGCCCACGG AACTGACGCA GTCGCAGATG CTGCATATAG CCCAGCAGAT CGCCGCGGGC   2340
ATGGTCTACC TGGCGTCCCA GCACTTCGTG CACCGGCGATT TGGCCACCAG GAACTGCCTG   2400
GTCGGGGAGA ACTTGCTGGT GAAAATCGGG GACTTTGGA TGTCCCGGGA CGTGTACGGC   2460
ACTGACTACT ACAGGGTCGG TGGCCACACA ATGCTGCCCA TTCGCTGGAT GCCTCCAGAG   2520
AGCATCATGT ACAGGAAATT CACGACGGAA AGCGACGTCT GGAGCCTGGG GGTCGTGTTG   2580
TGGGAGATTT TCACCTATGG CAAACAGCCC TGGTACCAGC TGTCAAACAA TGAGGTGATA   2640
GAGTGTATCA CTCAGGGCCG AGTCCTGCAG CGACCCCGCA CGTGCCCCA GGAGGTGTAT   2700
GAGCTGATGC TGGGGTGCTG GCAGCGAGAG CCCCACATGA GGAAGAACAT CAAGGGCATC   2760
CATACCCTCC TTCAGAACTT GGCCAAGGCA TCTCCGGTCT ACCTGGACAT TCTAGGCTAG   2820
GGCCCTTTTC CCCAGACCGA TCCTTCCCAA CGTACTCCTC AGACGGGGCTG AGAGGATGAA   2880
CATCTTTTAA CTGCCGCTGG AGGCCACCAA GCTGCTCTCC TTCACTCTGA CAGTATTAAC   2940
ATCAAAGACT CCGAGAAGCT CTCGAGGGAA GCAGTGTGTA CTTCTTCATC CATAGACACA   3000
GTATTGACTT CTTTTTGGCA TTATCTCTTT CTCTCTTTCC ATCTCCCTTG GTTGTTCCTT   3060
TTTCTTTTT TAAATTTTCT TTTTCTTCTT TTTTTCGTC TTCCCTGCTT CACGATTCTT   3120
ACCCTTTCTT TTGAATCAAT CTGGCTTCTG CATTACTATT AACTCTGCAT AGACAAAGGC   3180
CTTAACAAAC GTAAATTGTT ATATCAGCAG ACACTCCAGT TTGCCCACCA CACTAACAA   3240
TGCCTTGTTG TATTCCTGCC TTTGATGTGG ATGAAAAAAA GGGAAAACAA ATATTTCACT   3300
TAAACTTTGT CACTTCTGCT GTACAGATAT CGAGAGTTTC TATGGATTCA CTTCTATTTA   3360
TTTATTATTA TTACTGTTCT TATTGTTTTT GGATGGCTTA AGCCTGTGTA TAAAAAAGAA   3420
AACTTGTGTT CAATCTGTGA AGCCTTTATC TATGGGAGAT TAAAACCAGA GAGAAAGAAG   3480
ATTTATTATG AACCGCAATA TGGGAGGAAC AAAGACAACC ACTGGGATCA GCTGGTGTCA   3540
GTCCCTACTT AGGAAATACT CAGCAACTGT TAGCTGGGAA GAATGTATTC GGCACCTTCC   3600
CCTGAGGACC TTTCTGAGGA GTAAAAAGAC TACTGGCCTC TGTGCCATGG ATGATTCTTT   3660
TCCCATCACC AGAAATGATA GCGTGCAGTA GAGAGCAAAG ATGGCTT
```

Seq ID NO: 595 Protein sequence
Protein Accession #: NP_006171.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MSSWIRWHGP AMARLWGFCW LVVGFWRAAF ACPTSCKCSA SRIWCSDPSP GIVAPPRLEP   60
NSVDPENITE IFIANQKRLE IINEDDVEAY VGLRNLTIVD SGLKFVAHKA FLKNSNLQHI   120
NFTRNKLTSL SRKHFRHLDL SELILVGNPF TCSCDIMWIK TLQEAKSSPD TQDLYCLNES   180
SKNIPLANLQ IPNCGLPSAN LAAPNLTVEE GKSITLSCSV AGDPVPNMYW DVGNLVSKHM   240
NETSHTQGSL RITNISSDDS GKQISCVAEN LVGEDQDSVN LTVHFAPTIT FLESPTSDHH   300
WCIPFTVKGN PKPALQWFYN GAILNESKYI CTKIHVTNHT EYHGCLQLDN PTHMNNGDYT   360
LIAKNEYGKD EKQISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST   420
DVTDKTGREH LSVYAVVVIA SVVGPCLLVM LFLLKLARHS KFGMKGPASV ISNDDDSASP   480
LHHISNGSNT PSSEGGPDA VIIGMTKIPV IENPQYFGIT NSQLKPDTFV QHIKRHNIVL   540
KRELGEGAFG KVFLAECYNL CPEQDKILVA VKTLKDASDN ARKDFHREAE LLTNLQHEHI   600
VKFYGVCVEG DPLIMVFEYM KHGDLNKPLR AHGPDAVLMA EGNPPTELTQ SQMLHIAQQI   660
AAGMVYLASQ HFVHRDLATR NCLVGENLLV KIGDFGMSRD VYSTDYYRVG GHTMLPIRHM   720
```

```
PPESIMYRKF TTRSDVWSLG VVLWEIFTYG KQPWYQLSNN EVIECITQGR VLQRPRTCPQ   780
EVYELMLGCW QREPHMRKNI KGIHTLLQNL AKASPVYLDI LG
```

Seq ID NO: 596 DNA sequence
Nucleic Acid Accession #: AF410899
Coding sequence: 483..2999

```
     1         11         21         31         41         51
     |          |          |          |          |          |
GGGAGCAGGA GCCTCGCTGG CTGCTTCGCT CGCGCTCTAC GCGCTCAGTC CCCGGCGGTA    60
GCAGGAGCCT GGACCCAGGC GCCGGCGGCG GGCGTGAGGC GCCGGAGCCC GGCCTCGAGG   120
TGCATACCGG ACCCCCATTC GCATCTAACA AGGAATCTGC GCCCCAGAGA GTCCCGGACG   180
CCGCCGGTCG GTGCCCGGCG CGCCGGGCCA TGCAGCGACG GCCGCCGCGG AGCTCCGAGC   240
AGCCGTAGCG CCCCCCTGTA AAGCGGTTCG CTATGCCGGG ACCACTGTGA ACCCTGCCGC   300
CTGCCGGAAC ACTCTTCGCT CCGGACCAGC TCAGCCTCTG ATAAGCTGGA CTCGGCACGC   360
CCGCAACAAG CACCGAGGAG TTAAGAGAGC CGCAAGCGCA GGGAAGGCCT CCCCGCACGG   420
GTGGGGGAAA GCGGCCGGTG CAGCGCGGGG ACAGGCACTC GGGCTGGCAC TGGCTGCTAG   480
GGATGTCGTC CTGGATAAGG TGGCATGGAC CCGCCATGGC GCGGCTCTGG GGCTTCTGCT   540
GGCTGGTTGT GGGCTTCTGG AGGGCCGGCT TCGCCTGTCC CACGTCCTGC AAATGCAGTG   600
CCTCTCGGAT CTGGTGCAGC GACCCTTCTC CTGGCATCGT GGCATTTCCG AGATTGGAGC   660
CTAACAGTGT AGATCCTGAG AACATCACCG AAATTTTCAT CGCAAACCAG AAAAGGTTAG   720
AAATCATCAA CGAAGATGAT GTTGAAGCTT ATGTGGGACT GAGAAATCTG ACAATTGTGG   780
ATTCTGGATT AAAATTTGTG GCTCATAAAG CATTTCTGAA AAACAGCAAC CTGCAGCACA   840
TCAATTTTAC CCGAAACAAA CTGACGGAGTT TGTCTAGGAA ACATTTCCGT CACCTTGACT   900
TGTCTGAACT GATCCTGGTG GGCAATCCAT TTACATGCTC CTGTGACATT ATGTGGATCA   960
AGACTCTCCA AGAGGCTAAA TCCAGTCCAG ACACTCAGGA TTTGTACTGC CTGAATGAAA  1020
GCAGCAAGAA TATTCCCCTG GCAAACCTGC AGATACCCAA TTGTGGTTTG CCATCTGCAA  1080
ATCTGGCCGC ACCTAACCTC ACTGTGGAGG AAGGAAAGTC TATCACATTA TCCTGTAGTG  1140
TGGCAGGTGA TCCGGTTCCT AATATGTATT GGGATGTTGG TAACCTGGTT TCCAAACATA  1200
TGAATGAAAC AAGCCACACA CAGGGCTCCT TAAGGATAAC TAACATTTCA TCCGATGACA  1260
GTGGGAAGCA GATCTCTTGT GTGGCGGAAA ATCTTGTAGG AGAAGATCAA GATTCTGTCA  1320
ACCTCACTGT GCATTTTGCA CCAACTATCA CATTTCTCGA ATCTCCAACC TCAGACCACC  1380
ACTGGTGCAT TCCATTCACT GTGAAAGGCA ACCCCAAACC AGCGCTTCAG TGGTTCTATA  1440
ACGGGGCAAT ATTGAATGAG TCCAAATACA TCTGTACTAA AATACATGTT ACCAATCACA  1500
CGGAGTACCA CGGCTGCCTC CAGCTGGATA ATCCCACTCA CATGAACAAT GGGGACTACA  1560
CTCTAATAGC CAAGAATGAG TATGGGAAGG ATGAGAAACA GATTTCTGCT CACTTCATGG  1620
GCTGGCCTGG AATTGACGAT GGTGCAAACC CAAATTATCC TGATGTAATT TATGAAGATT  1680
ATGGAACTGC AGCGAATGAC ATCGGGGACA CCACGAACAG AAGTAATGAA ATCCCTTCCA  1740
CAGACGTCAC TGATAAAACC GGTCGGGAAC ATCTCTCGGT CTATGCTGTG GTGGTGATTG  1800
CGTCTGTGGT GGGATTTTGC CTTTTGGTAA TGCTGTTTCT GCTTAAGTTG GCAAGACACT  1860
CCAAGTTTGG CATGAAAGAT TTCTCATGGT TTGGATTTGG GAAAGTAAAA TCAAGACAAG  1920
GTGTTGGCCC AGCCTCCGTT ATCAGCAATG ATGATGACTC TGCCAGCCCA CTCCATCACA  1980
TCTCCAATGG GAGTAACACT CCATCTTCTT CGGAAGGTGG CCCAGATGCT GTCATTATTG  2040
GAATGACCAA GATCCCTGTC ATTGAAAATC CCCAGTACTT TGGCATCACC AACAGTCAGC  2100
TCAATGCCAGA CACATTTGTT CAGCACATCA AGCGACATAA CATTGTTCTG AAAAGGGAGC  2160
TAGGCGAAGG AGCCTTTGGA AAAGTGTTCC TAGCTGAATG CTATAACCTC TGTCCTGAGC  2220
AGGACAAGAT CTTGGTGGCA GTGAAGACCC TGAAGGATGC CAGTGACAAT GCACGCAAGG  2280
ACTTCCACCG TGAGGCCGAG CTCCTGACCA ACCTCCAGCA TGAGCAACTC GTCAAGTTCT  2340
ATGGCGTCTG CGTGGAGGGC GACCCCCTCA TCATGGTCTT TGAGTACATG AAGCATGGGG  2400
ACCTCAACAA GTTCCTCAGG GCACACGGCC CTGATGCCGT GCTGATGGCT GAGGGCAACC  2460
CGCCCACGGA ACTGACGCAG TCGCAGATGC TGCATATAGC CCAGCAGATC GCCGCGGGCA  2520
TGGTCTACCT GGCGTCCCAG CACTTCGTGC ACCGGGATTT GGCCACCAGG AACTGCCTGG  2580
TCGGGGAGAA CTTGCTGGTG AAAATCGGGG ACTTTGGGAT GTCCCGGGAC GTGTACAGCA  2640
CTGACTACTA CAGGGTCGGT GGCCACACAA TGCTGCCCAT TCGCTGGATG CCTCCAGAGA  2700
GCATCATGTA CAGGAAATTC ACGACGGAAA CGACAGCGTCTG GAGCCTGGGG GTCGTGTTGT  2760
GGGAGATTTT CACCTATGGC AAACAGCCCT GGTACCAGCT GTCAAACAAT GAGGTGATAG  2820
AGTGTATCAC TCAGGGCCGA GTCCTGCAGC GACCCCGCAC GTGCCCCCAG GAGGTGTATG  2880
AGCTGATGCT GGGGTGCTGG CAGCGAGAGC CCCACATGAG GAAGAACATC AAGGGCATCC  2940
ATACCCTCCT TCAGAACTTG GCCAAGGCAT CTCCGGTCTA CCTGGACATT CTAGGCTAGG  3000
GCCCTTTTCC CCAGACCGAT CCTTCCCAAC GTACTCCTCA GACGGGCTGA GAGGATGAAC  3060
ATCTTTTAAC TGCCGCTGGA GGCCACCAAG CTGCTCTCCT TCACTCTGAC AGTATTAACA  3120
TCAAAGACTC CGAGAAGCTC TCGAGGGAAG CAGTGTGTAC TTCTTCATCC ATAGACACAG  3180
TATTGACTTC TTTTTGGCAT TATCTCTTTC TCTCTTTCCA TCTCCCTTGG TTGTTCCTTT  3240
TTCTTTTTTT AAATTTTCTT TTTCTTCTTT TTTTTCGTCT TCCCTGCTTC ACGATTCTTA  3300
CCCTTTCTTT TGAATCAATC TGGCTTCTGC ATTACTATTA ACTCTGCATA GACAAAGGCC  3360
TTAACAAACG TAATTTGTTA TATCAGCAGA CACTCCAGTT TGCCCACCAC AACTAACAAT  3420
GCCTTGTTGT ATTCCTGCCT TTGATGTGGA TGAAAAAAAG GGAAAACAAA TATTTCACTT  3480
AAACTTTGTC ACTTCTGCTA TACAGATATC GAGAGTTTCT ATGGATTCAC TTCTATTTAT  3540
TTATTATTAT TACTGTTCTT ATTGTTTTTG GATGGCTTAA GCCTGTGTAT AAAAAAGAAA  3600
ACTTGTGTTC AATCTGTGAA GCCTTTATCT ATGGGAGATT AAAACCAGAG AGAAAGAAGA  3660
TTTATTATGA ACCGCAATAT GGGAGGAACA AAGACAACCA CTGGTGTCAG CTGGTGTCAG  3720
TCCCTACTTA GGAAATACTC AGCAACTGTT AGCTGGGAAG AATGTATTCG GCACCTTCCC  3780
CTGAGGACCT TTCTGAGGAG TAAAAAGACT ACTGGCCTCT GTGCCATGGA TGATTCTTTT  3840
CCCATCACCA GAAATGATAG CGTGCAGTAG AGAGCAAAGA TGGCTTCCGT GAGACACAAG  3900
ATGCGCCATA GTGTGCTCGG ACACAGTTTT GTCTTCGTAG GTTGTGATGA TAGCACTGGT  3960
TTGTTTCTCA AGCGCTATCC ACAGAACCTT TGTCAACTTC AGTTGAAAAG AGGTGGATTC  4020
ATGTCCAGAG CTCATTTCGG GGTCAGGTGG GAAAGCC
```

Seq ID NO: 597 Protein sequence
Protein Accession #: AAL67965.1

```
     1         11         21         31         41         51
     |          |          |          |          |          |
MSSWIRWHGP AMARLWGFCW LVVGFWRAAF ACPTSCKCSA SRIWCSDPSP GIVAFPRLEP    60
NSVDPENITE IFIANQKRLE IINEDDVEAY VGLRNLTIVD SGLKFVAHKA PLKNSNLQHI   120
NFTRNKLTSL SRKHFRHLDL SELILVGNPP TCSCDIMWIK TLQEAKSSPD TQDLYCLNES   180
SKNIPLANLQ IPNCGLPSAN LAAPNLTVEE GKSITLSCSV AGDPVPNMYW DVGNLVSKHM   240
```

```
      NETSHTQGSL RITNISSDDS GKQISCVAEN LVGEDQDSVN LTVHFAPTIT FLESPTSDHH   300
      WCIPFTVKGN PKPALQWFYN GAILNESKYI CTKIHVTNHT SYHGCLQLDN PTHMNNGDYT   360
      LIAKNEYGKD EKQISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST   420
      DVTDKTGREH LSVYAVVVIA SVVGPCLLVM LFLLKLARHS KFGMKDPSWF GFGKVKSRQG   480
5
      VGPASVISND DDSASPLHHI SNGSNTPSSS EGGPDAVIIG MTKIPVIENP QYFGITNSQL   540
      KPDTFVQHIK RHNIVLKREL GEGAFGKVPL AECYNLCPEQ DKILVAVKTL KDASDNARKD   600
      FHREAELLTN LQHEHIVKFY GVCVEGDPLI MVFEYMKHGD LNKFLRAHGP DAVLMAEGNP   660
      PTELTQSQML HIAQQIAAGM VYLASQHFVH RDLATRNCLV GENLLVKIGD FGMSRDVYST   720
      DYYRVGGHTM LPIRWMPPES IMYRKFTTES DVWSLGVVLW EIFTYGKQPW YQLSNNEVIE   780
10
      CITQGRVLQR PRTCPQEVYE LMLGCWQREP HMRKNIKGIH TLLQNLAKAS PVYLDILG
```

Seq ID NO: 598 DNA sequence
Nucleic Acid Accession #: AB052906
Coding sequence: 74..814

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      AAAACCTTGA GGTGATTCAT CTTCCAGGCT CTCCTTCCAT CAAGTCTCTC CTCCCTAGCG   60
      CTCTGGGTCC TTAATGGCAG CAGCCGCCGC TACCAAGATC CTTCTGTGCC TCCCGCTTCT   120
      GCTCCTGCTG TCCGGCTGGT CCCGGGCTGG GCGAGCCGAC CCTCACTCTC TTTGCTATGA   180
      CATCACCGTC ATCCCTAAGT TCAGACCTGG ACCACGGTGG TGTGCGGTTC AAGGCCAGGT   240
      GGATGAAAAG ACTTTTCTTC ACTATGACTG TGGCAACAAG ACAGTCACAC CTGTCAGTCC   300
      CCTGGGGAAG AAACTAAATG TCACAACGGC CTGGAAAGCA CAGAACCCAG TACTGAGAGA   360
      GGTGGTGGAC ATACTTACAG AGCAACTGCG TGACATTCAG CTGGAGAATT ACACACCCAA   420
      GGAACCCCTC ACCCTGCAGG CCAGGATGTC TTGTGAGCAG AAAGCTGAAG GACACAGCAG   480
      TGGATCTTGG CAGTTCAGTT TCGATGGGCA ·GATCTTCCTC CTCTTTGACT CAGAGAAGAG   540
      AATGTGGACA ACGGTTCATC CTGGAGCCAG AAAGATGAAA GAAAAGTGGG AGAATGACAA   600
      GGTTGTGGCC ATGTCCTTCC ATTACTTCTC AATGGGAGAC TGTATAGGAT GGCTTGAGGA   660
      CTTCTTGATG GGCATGGACA GCACCCTGGA GCCAAGTGCA GGAGCACCAC TCGCCATGTC   720
      CTCAGGCACA ACCCAACTCA GGGCCACAGC CACCACCCTC ATCCTTTGCT GCCTCCTCAT   780
      CATCCTCCCC TGCTTCATCC TCCCTGGCAT CTGAGGAGAG TCCTTTAGAG TGACAGGTTA   840
      AAGCTGATAC CAAAAGGCTC CTGTGAGCAC GGTCTTGATC AAACTCGCCC TTCTGTCTGG   900
      CCAGCTGCCC ACGACCTACG GTGTATGTCC AGTGGCCTCC AGCAGATCAT GATGACATCA   960
      TGGACCCAAT AGCTCATTCA CTGCCTTGAT TCCTTTTGCC AACAATTTTA CCAGCAGTTA   1020
      TACCTAACAT ATTATGCAAT TTTCTCTTGG TGCTACCTGA TGGAATTCCT GCACTTAAAG   1080
      TTCTGGCTGA CTAAACAAGA TATATCATTT TCTTTCTTCT CTTTTTGTTT GGAAAATCAA   1140
      GTACTTCTTT GAATGATGAT CTCTTTCTTG CAAATGATAT TGTCAGTAAA ATAATCACGT   1200
      TAGACTTCAG ACCTCTGGGG ATTCTTTCCG TGTCCTAGTAA TTTATTGTTC TGTACTGATA   1260
      ATAAGAAAAA ATTTATATTA ATGATTGTTT CCTTTAGTAA TTTATTGTTC TGTACTGATA   1260
      TTTAAATAAA GAGTTCTATT TCCCAAAAAA AAAAAAAAAA AA                      1320
```

Seq ID NO: 599 Protein sequence
Protein Accession #: BAB61048.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MAAAAATKIL LCLPLLLLLS GWSRAGRADP HSLCYDITVI PKFRPGPRWC AVQGQVDEKT   60
      FLHYDCGNKT VTPVSPLGKK LNVTTAWKAQ NPVLREVVDI LTEQLRDIQL ENYTPKEPLT   120
      LQARMSCEQK AEGHSSGSWQ FSFDGQIFLL FDSEKRMWTT VHPGARKMKE KWENDKVVAM   180
      SFHYPSMGDC IGWLEDFLMG MDSTLEPSAG APLAMSSGTT QLRATATTLI LCCLLIILPC   240
      FILPGI
```

Seq ID NO: 600 DNA sequence
Nucleic Acid Accession #: NM_001898.1
Coding sequence: 57..482

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GGCTCTCACC CTCCTCTCCT GCAGCTCCAG CTTTGTGCTC TGCCTCTGAG ·GAGACCATGG   60
      CCCAGTATCT GAGTACCCTG CTGCTCCTGC TGGCCACCCT AGCTGTGGCC CTGGCCTGGA   120
      GCCCCAAGGA GGAGGATAGG ATAATCCCGG GTGGCATCTA TAACGCAGAC CTCAATGATG   180
      AGTGGGTACA GCGTGCCCTT CACTTCGCCA TCAGCGAGTA TAACAAGGCC ACCAAAGATG   240
      ACTACTACAG ACGTCCGCTG CGGGTACTAA GAGCCAGGCA ACAGACCGTT GGGGGGGGTGA   300
      ATTACTTCTT CGACGTAGAG GTGGGCCGCA CCATATGTAC CAAGTCCCAG CCCAACTTGG   360
      ACACCTGTGC CTTCCATGAA CAGCCAGAAC TGCAGAAGAA ACAGTTGTGC TCTTTCGAGA   420
      TCTACGAAGT TCCCTGGGAG AACAGAAGGT CCCTGGTGAA ATCCAGGTGT CAAGAATCCT   480
      AGGGATCTGT GCCAGGCCAT TGGCACCAGC CACCACCCAC TCCCACCCCC TGTAGTGCTC   540
      CCACCCCTGG ACTGGTGGCC CCCACCCTGC GGGAGGCCTC CCCATGTGCC TGCGCCAAGA   600
      GACAGACAGA GAAGGCTGCA GGAGTCCTTT GTTGCTCAGC AGGGGCGCTCT GCCCTCCCTC   660
      CTTCCTTCTT GCTTCTAATA GCCCTGGTAC ATGGTACACA CCCCCCCACC TCCTGCAATT   720
      AAACAGTAGC ATCGCC
```

Seq ID NO: 601 Protein sequence
Protein Accession #: NP_001889.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MAQYLSTLLL LLATLAVALA WSPKEEDRII PGGIYNADLN DEWVQRALHF AISEYNKATK   60
      DDYYRRPLRV LRARQQTVGG VNYFFDVEVG RTICTKSQPN LDTCAFHEQP ELQKKQLCSF   120
      EIYEVPWENR RSLVKSRCQE S
```

Seq ID NO: 602 DNA sequence
Nucleic Acid Accession #: NM_003976.2
Coding sequence: 299.961

```
      1          11         21         31         41         51
      |          |          |          |          |          |
```

```
     CTCTGAGCTT CTCTGAGCCT TGTTTGCTCA TCTGGAAAAA GGGGATTAAA CCATTTACCT      60
     CATGGAGTTG TGAAAGAATA GCTGCAAAGC ACCTAACACA TAGTAAGGTT CCCAGTGCAG     120
     CTACTTCTGC TGGGTTGAGT CTAGCTGTGT AGGCCCCTTG TTCCTCACCT GGAGAAACTG     180
     GGGTGGCAGG CCGGTCCCCC ACAAAAGATA ACTCATCTCT TAATTTGCAA GCTGCCTCAA     240
     CAGGAGGGTG GGGGAACAGC TCAACAATGG CTGATGGGCG CTCCTGGTGT TGATAGAGAT     300
     GGAACTTGGA CTTGGAGGCC TCTCCACGCT GTCCCACTGC CCCTGGCCTA GCGGGCAGCC     360
     TGCCCTGTGG CCCACCCTGG CCGCTCTGGC TCTGCTGAGC AGCGTCGCAG AGGCCTCCCT     420
     GGGCTCCGCG CCCCGCAGCC CTGCCCCCCG CGAAGGCCCC CCGCCTGTCC TGGCGTCCCC     480
     CGCCGGCCAC CTGCCGGGGG GACGCACGGC CCGCTGGTGC AGTGGAAGAG CCCGGCGGCG     540
     GCCGCCGCAG CCTTCTCGGC CCGCGCCCCC GCCGCCTGCA CCCCCATCTG CTCTTCCCCG     600
     CGGGGGCCGC GCGGCGCGGG CTGGGGGCCC GGGCAGCCGC GCTCGGGCAG CGGGGGCGCG     660
     GGGCTGCCGC CTGCGCTCGC AGCTGGTGCC GGTGCGCGCG CTCGGCCTGG GCCACCGCTC     720
     CGACGAGCTG GTGCGTTTCC GCTTCTGCAG CGGCTCCTGC CGCCGCGCGC GCTCTCCACA     780
     CGACCTCAGC CTGGCCAGCC TACTGGGCGC CGGGGCCCTG CGACCGCCCC CGGGCTCCCG     840
     GCCCGTCAGC CAGCCCTGCT GCCGACCCAC GCGCTACGAA GCGGTCTCCT TCATGGACGT     900
     CAACAGCACC TGGAGAACCG TGGACCGCCT CTCCGCCACC GCCTGCGGCT GCCTGGGCTG     960
     AGGGCTCGCT CCAGGGCTTT GCAGACTGGA CCCTTACCGG TGGCTCTTCC TGCCTGGGAC    1020
     CCTCCCGCAG AGTCCCACTA GCCAGCGGCC TCAGCCAGGG ACGAAGGCCT CAAAGCTGAG    1080
     AGGCCCTAC CGGTGGGTGA TGGATATCAT CCCCGAACAG GTGAAGGGAC AACTGACTAG    1140
     CAGCCCCAGA GCCCTCACCC TGCGGATCCC AGCCTAAAAG ACACCAGAGA CCTCAGCTAT    1200
     GGAGCCCTTC GGACCCACTT CTCACAGACT CTGGCACTGG CCAGGCCTCG AACCTGGGAC    1260
     CCCTCCTCTG ATGAACACTA CAGTGGCTGA GGCATCAGCC CCGCCCAGG CCCTGTAGGG    1320
     ACAGCATTTG AAGGACACAT ATTGCAGTTG CTTGGTTGAA AGTGCCTGTG CTGGAACTGG    1380
     CCTGTACTCA CTCATGGGAG CTGGCCCC
```

Seq ID NO: 603 Protein sequence
Protein Accession #: NP_003967.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS      60
PAGHLPGGRT ARWCSGRARR PPPQPSRPAP PPPAPPSALP RGGRAARAGG PGSRARAAGA     120
RGCRLRSQLV PVRALGLGHR SDELVRFRFC SGSCRRARSP HDLSLASLLG AGALRPPPGS     180
RPVSQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG
```

Seq ID NO: 604 DNA sequence
Nucleic Acid Accession #: NM_057091.1
Coding sequence: 783..1445

```
1         11        21        31        41        51
|         |         |         |         |         |
ACTGGCCGCT GAGAGAAGAA TCGGGTGGAG CAGAGAGCAG CTGCTGCAGG GCAGACAGCC      60
GGACCCCCAA ATCTGCACGT ACCAGCAGTC AGCCGCCCCA CGCAGGGACC GGCTTACCCC     120
TCGCTCCCCG CCCTCACTCA CTTTCTCCCG CCCTCGGCCC GGCCTCCCAG CTCTCTACTT     180
CGCGTGTCTA CAAACTCAAC TCCCGGTTTC CGTGCCTCTC CACCGCTCGA GTTCTCTACT     240
CTCCATATCC GAGGGGCCCC TCCCAGCATC TACCCCCCTC CCAACCTCGG GGGACCTAGC     300
CAAGCTAGGG GGGACTGGAT CCGACGGGTG GAGCAGCCAG GTGAGCCCCG AAAGGTGGGG     360
CGGGGCAGGG GCGCTCCCAG CCCCCACCCG GGATCTGGTG ACGCTGGGGC TGGAATTTGA     420
CACCGGACGG CTGCGGCGGC GGGCAGGAGG CTGCTGAGGG ATGGAGTTGG GCCCGGCCCC     480
CAGACAAGGC CCGGGGGCTC CGCCAGCAGC AGGTCCCTCG GGCCCCAGCC CTGCTGCCA     540
CCCGGGCCTG GAGCCCCACA CCCGAGGGTG CAGACTGGCT GCCAAGGCCA CACTTTTGGC     600
TAAAAGAGGC ACTGCCAGGT GTACAGTCCT GGGCATGCGC TGTTTGAGCT TCGGGGGAGA     660
GCCCAGCACT GGTCCCCGGA AAGGTGCCTA GAAGAACAAG GTGCAGGACC CCGTGCTGCC     720
TCAACAGGAG GGTGGGGGAA CAGCTCAACA ATGGCTGATG GGCGCTCCTG GTGTTGATAG     780
AGATGGAACT TGGACTTGGA GGCCTCTCCA CGCTGTCCCA CTGCCCCTGG CCTAGCGGGC     840
AGCCTGCCCT GTGCCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCCT     900
CCCTGGGCTC CGCGCCCCGC AGCCCTGCCC CCCGCGAAGG CCCCCCGCCT GTCCTGGCGT     960
CCCCCGCCGG CCACCTGCCG GGGGGACGCA CGGCCCGCTG GTGCAGTGGA AGAGCCCGGC    1020
GGCGGCCGCC GCAGCCTTCT CGGCCCGCGC CCCCGCCGCC TGCACCCCCA TCTGCTCTTC    1080
CCCGCGGGGG CCGCGCGGCG CGGGCTGGGG GCCCGGGCAG CCGCGCTCGG GCAGCGGGGG    1140
CGCGGGGCTG CCGCCTGCGC TCGCAGCTGG TGCCGGTGCG CGCGCTCGGC CTGGGCCACC    1200
GCTCCGACGA GCTGGTGCGT TTCCGCTTCT GCAGCGGCTC CTGCCGCCGC GCGCGCTCTC    1260
CACACGACCT CAGCCTGGCC AGCCTACTGG GCGCCGGGGC CCTGCGACCG CCCCCGGGCT    1320
CCCGGCCCGT CAGCCAGCCC TGCTGCCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG    1380
ACGTCAACAG CACCTGGAGA ACCGTGGACC GCCTCTCCGC CACCGCCTGC GGCTGCCTGG    1440
GCTGAGGGCT CGCTCCAGGG CTTTGCAGAC TGGACCCTTA CCGGTGGCTC TTCCTGCCTG    1500
GGACCCTCCC GCAGAGTCCC ACTAGCCAGC GGCCTCAGCC AGGGACGAAG GCCTCAAAGC    1560
TGAGAGGCCC CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGGTGAAG GGACAACTGA    1620
CTAGCAGCCC CAGAGCCCTC ACCCTGCGGA TCCCAGCCTA AAAGACACCA GAGACCTCAG    1680
CTATGGAGCC CTTCGGACCC ACTTCTCACA GACTCTGGCA CTGGCCAGGC CTCGAACCTG    1740
GGACCCCTCC TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCGCC CAGGCCCTGT    1800
AGGGACAGCA TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAAGTGCC TGTGCTGGAA    1860
CTGGCCTGTA CTCACTCATG GGAGCTGGCC CC
```

Seq ID NO: 605 Protein sequence
Protein Accession #: NP_003967.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS      60
PAGHLPGGRT ARWCSGRARR PPPQPSRPAP PPPAPPSALP RGGRAARAGG PGSRARAAGA     120
RGCRLRSQLV PVRALGLGHR SDELVRFRFC SGSCRRARSP HDLSLASLLG AGALRPPPGS     180
RPVSQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG
```

Seq ID NO: 606 DNA sequence
Nucleic Acid Accession #: NM_057160.1

Coding sequence: 1..714

```
          1          11         21         31         41         51
          |          |          |          |          |          |
    ATGCCCGGCC TGATCTCAGC CCGAGGACAG CCCCTCCTTG AGGTCCTTCC TCCCCAAGCC    60
    CACCTGGGTG CCCTCTTTCT CCCTGAGGCT CCACTTGGTC TCTCCGCGCA GCCTGCCCTG   120
    TGGCCCACCC TGGCCGCTCT GGCTCTGCTG AGCAGCGTCG CAGAGGCCTC CCTGGGCTCC   180
    GCGCCCCGCA GCCCTGCCCC CCGCGCAAGGC CCCCCGCCTG TCCTGGCGTC CCCCGCCGGC   240
    CACCTGCCGG GGGGACGCAC GGCCGCGCTGG TGCAGTGGAA GAGCCGGCG GCCGCCGCGG   300
    CAGCCTTCTC GGCCCGCGCC CCCGCCGCCT GCACCCCCAT CTGCTCTTCC CCGCGGGGGC   360
    CGCGCGGCGC GGGCTGGGGG CCCGGGCAGC CGCGCTCGGG CAGCGGGGGC GCGGGGCTGC   420
    CGCCTGCGCT CGCAGCTGGT GCCGGTGCGC GCGCTCGGCC TGGGCCACCG CTCCGACGAG   480
    CTGGTGCGTT TCCGCTTCTG CAGCGGCTCC TGCCGCCGCG CGCGCTCTCC ACACGACCTC   540
    AGCCTGGCCA GCCTACTGGG CGCCGGGGCC CTGCGACCGC CCCCGGGCTC CCGGCCCGTC   600
    AGCCAGCCCT GCTGCCGACC CACGCGCTAC GAAGCGGTCT CCTTCATGGA CGTCAACAGC   660
    ACCTGGAGAA CCGTGGACCG CCTCTCCGCA ACCGCCTGCG GCTGCCTGGG CTGAGGGCTG   720
    GCTCCAGGGC TTTGCAGACT GGACCCTTAC CGGTGGCTCT TCCTGCCTGG GACCCTCCCG   780
    CAGAGTCCCA CTAGCCAGCG GCCTCAGCCA GGGACGAAGG CCTCAAAGCT GAGAGGCCCC   840
    TACCGGTGGG TGATGGATAT CATCCCCGAA CAGGTGAAGG GACAACTGAC TAGCAGCCCC   900
    AGAGCCCTCA CCCTGCGGAT CCCAGCCTAA AAGACACCAG AGACCTCAGC TATGGAGCCC   960
    TTCGGACCCA CTTCTCACAG ACTCTGGCAC TGGCCAGGCC TCGAACCTGG GACCCCTCCT  1020
    CTGATGAACA CTACAGTGGC TGAGGCATCA GCCCCCGCCC AGGGCCTGTA GGGACAGCAT  1080
    TTGAAGGACA CATATTGCAG TTGCTTGGTT GAAAGTGCCT GTGCTGGAAC TGGCCTGTAC  1140
    TCACTCATGG GAGCTGGCCC C
```

Seq ID NO: 607 Protein sequence
Protein Accession #: NP_476501.1

```
          1          11         21         31         41         51
          |          |          |          |          |          |
    MPGLISARGQ PLLEVLPPQA HLGALFLPEA PLGLSAQPAL WPTLAALALL SSVAEASLGS    60
    APRSPAPREG PPPVLASPAG HLPGGRTARW CSGRARRPPP QPSRPAPPPP APPSALPRGG   120
    RAARAGGPGS RARAAGARGC RLRSQLVPVR ALGLGHRSDE LVRFRFCSGS CRRARSPHDL   180
    SLASLLGAGA LRPPPGSRPV SQPCCRPTRY EAVSFMDVNS TWRTVDRLSA TACGCLG
```

Seq ID NO: 608 DNA sequence
Nucleic Acid Accession #: NM_057090.1
Coding sequence: 29..715

```
          1          11         21         31         41         51
          |          |          |          |          |          |
    CTGATGGGCG CTCCTGGTGT TGATAGAGAT GGAACTTGGA CTTGGAGGCC TCTCCACGCT    60
    GTCCCACTGC CCCTGGCCTA GGCGGCAGGC TCCACTTGGT CTCTCCGCGC AGCCTGCCCT   120
    GTGGCCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCCT CCCTGGGCTC   180
    CGCGCCCCGC AGCCCTGCCC CCCGCGCAAGG CCCCCCGCCT GTCCTGGCGT CCCCCGCCGG   240
    CCACCTGCCG GGGGGACGCA CGGCCCGCTG GTGCAGTGGA AGAGCCGGCG GCCGCCGCGG   300
    GCAGCCTTCT CGGCCCGCGC CCCCGCCGCC TGCACCCCCA TCTGCTCTTC CCCGCGGGGG   360
    CCGCGCGGCG CGGGCTGGGG GCCCGGGCAG CCGCGCTCGG GCAGCGGGGG CGCGGGGCTG   420
    CCGCCTGCGC TCGCAGCTGG TGCCGGTGCG CGCGCTCGGC CTGGGCCACC GCTCCGACGA   480
    GCTGGTGCGT TTCCGCTTCT GCAGCGGCTC CTGCCGCCGC GCGCGCTCTC CACACGACCT   540
    CAGCCTGGCC AGCCTACTGG GCGCCGGGGC CCTGCGACCG CCCCCGGGCT CCCGGCCCGT   600
    CAGCCAGCCC TGCTGCCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG ACGTCAACAG   660
    CACCTGGAGA ACCGTGGACC GCCTCTCCGC CACCGCCTGC GGCTGCCTGG GCTGAGGGCT   720
    CGCTCCAGGG CTTTGCAGAC TGGACCCTTA CCGGTGGCTC TTCCTGCCTG GGACCCTCCC   780
    GCAGAGTCCC ACTAGCCAGC GGCCTCAGCC AGGGACGAAG GCCTCAAAGC TGAGAGGCCC   840
    CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGGTGAAG GGACAACTGA CTAGCAGCCC   900
    CAGAGCCCTC ACCCTGCGGA TCCCAGCCTA AAAGACACCA GAGACCTCAG CTATGGAGCC   960
    CTTCGGACCC ACTTCTCACA GACTCTGGCA CTGGCCAGGC CTCGAACCTG GGACCCCTCC  1020
    TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCCGCC CAGGGCCTGT AGGGACAGCA  1080
    TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAAGTGCC TGTGCTGGAA CTGGCCTGTA  1140
    CTCACTCATG GGAGCTGGCC CC
```

Seq ID NO: 609 Protein sequence
Protein Accession #: NP_476431.1

```
          1          11         21         31         41         51
          |          |          |          |          |          |
    MELGLGGLST LSHCPWPRRQ APLGLSAQPA LWPTLAALAL LSSVAEASLG SAPRSPAPRE    60
    GPPPVLASPA GHLPGGRTAR WCSGRARRPP PQPSRPAPPP PAPPSALPRG GRAARAGGPG   120
    SRARAAGARG CRLRSQLVPV RALGLGHRSD ELVRFRFCSG SCRRARSPHD LSLASLLGAG   180
    ALRPPPGSRP VSQPCCRPTR YEAVSFMDVN STWRTVDRLS ATACGCLG
```

Seq ID NO: 610 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1746

```
          1          11         21         31         41         51
          |          |          |          |          |          |
    ATGCCACTGA AGCATTATCT CCTTTTGCTG GTGGGCTGCC AAGCCTGGGG TGCAGGGTTG    60
    GCCTACCATG GCTGCCCTAG CGAGTGTACC TGCTCCAGGG CCTCCAGGT GGAGTGCACC   120
    GGGGCACGCA TTGTGGCGGT GCCCACCCCT CTGCCCTGGA ACGCCATGAG CCTGCAGATC   180
    CTCAACACGC ACATCACTGA ACTCAATGAG TCCCGTTCC TCAATATCTC AGCCCTCATC   240
    GCCCTGAGGA TTGAGAAGAA TGAGCTGTCG CGCATCACGC CTGGGGCCTT CCGAAACCTG   300
    GGCTCGCTGC GCTATCTCAG CCTCGCCAAC AACAAGCTCA AGGTTCTGCC CATCGGCCTC   360
    TTCCAGGGCC TGGACAGCCT TGAGTCTCTC CTTCTGTCCA GTAACCAGCT GTTGCAGATC   420
    CAGCCGGCCC ACTTCTCCCA GTGCAGCAAC CTCAAGGAGC TGCAGTTGCA CGGCAACCAC   480
    CTGGAATACA TCCCTGACGG AGCCTTCGAC CACCTGGTAG GACTCACGAA GCTCAATCTG   540
```

```
       GGCAAGAATA GCCTCACCCA CATCTCACCC AGGGTCTTCC AGCACCTGGG CAATCTCCAG   600
       GTCCTCCGGC TGTATGAGAA CAGGCTCACG GATATCCCCA TGGGCACTTT TGATGGGCTT   660
       GTTAACCTGC AGGAACTGGC TCTACAGCAG AACCAGATTG GACTGCTCTC CCCTGGTCTC   720
       TTCCACAACA ACCACCACCT CCAGAGACTC TACCTGTCCA ACAACCACAT CTCCCAGCTG   780
     5 CCACCCAGCA TCTTCATGCA GCTGCCCCAG CTCAACCGTC TTACTCTCTT TGGGAATTCC   840
       CTGAAGGAGC TCTCTCTGGG GATCTTCGGG CCCATGCCCA ACCTGCGGGA GCTTTGGCTC   900
       TATGACAACC ACATCTCTTC TCTACCCGAC AATGTCTTCA GCAACCTCCG CCAGTTGCAG   960
       GTCCTGATTC TTAGCCGCAA TCAGATCAGC TTCATCTCCC CGGGTGCCTT CAACGGGCTA  1020
       ACGGAGCTTC GGGAGCTGTC CCTCCACACC AACGCACTGC CGGGAATGTC             1080
    10 TTCCGCATGT TGGCCAACCT GCAGAACATC TCCCTGCAGA ACAATCGCCT CAGACAGCTC  1140
       CCAGGGAATA TCTTCGCCAA CGTCAATGGC CTCATGGCCA TCCAGCTGCA GAACAACCAG  1200
       CTGGAGAACT TGCCCCTCGG CATCTTCGAT CACCTGGGGA AACTGTGTGA GCTGCGGCTG  1260
       TATGACAATC CCTGGAGGTG TGACTCAGCA ATCCTTCCGC TCCGCAACTG GCTCCTGCTC  1320
       AACCAGCCTA GGTTAGGGAC GGACACTGTA CCTGTGTGTT TCAGCCCAGC CAATGTCCGA  1380
    15 GGCCAGTCCC TCATTATCAT CAATGTCAAC GTTGCTGTTC CAAGCGGTCCA TGTCCCTGAG  1440
       GTGCCTAGTT ACCCAGAAAC ACCATGGTAC CCAGACACAC TGACACCACA             1500
       TCCGTCTCTT CTACCACTGA GCTAACCAGC CCTGTGGAAG ACTACACTGA TCTGACTACC  1560
       ATTCAGGTCA CTGATGACCG CAGCGTTTGG GGCATGACCC AGGCCCAGAG CGGGCTGGCC  1620
       ATTGCCGGCA TTGTAATTGG CATTGTCGCC CTGGCCTGCT CCCTGGCTGC CTGCGTGGGC  1680
    20 TGTTGCTGCT GCAAGAAGAG GAGCCAAGCT GTCCTGATGC AGATGAAGGC ACCCAATGAG  1740
       TGTTAAAGAG GCAGGCTGGA GCAGGGCTGG GGAATGATGG GACTGGAGGA CCTGGGAATT  1800
       TCATCTTTCT GCCTCCACCC CTGGGTCCAT GGAGCTTTCC CGTGATTGCT CTTTCTGGCC  1860
       CTAGATAAAG GTGTGCCTAC CTCTTCCTGA CTTGCCTGAT TCTCCGGTAG AGAAGCAGGT  1920
       CGTGCCGGAC CTTCCTACAA TCAGGAAGAT AGATCCAACT GGCCATGCCA AAAGCCCTGG  1980
    25 GGATTTCCGA TTCATACCCC TGGGCTTCCT TCGAGAGGGC TCTTCCTCCA AATCCTCCCC  2040
       ACCTGTCCTC CAAGAACAGC CTTCCCTGCG CCCAGGCCCC CTCGGGGCCT CTGTAGACTC  2100
       AGTTAGTCCA CAGCCTGCTC ACTTCGTGGG AATAGTTCTC CGCTGAGATA GCCCCTCTCG  2160
       CCTAAGTATT ATGTAAGTTG ATTTCCCTTC TTTTGTTTCT CTTGTTTGTG CTATGGCTTG  2220
       ACCCAGCATG TCCCCTCAAA TGAAAGTTCT CCCCTTGATT TTCTGCTCCT GAAGGCAGGA  2280
    30 TGAGTTCTCT CCTCAAAGAA GACTTCAAAC CATTTAACTG GTTTCTTAAG AGCCGTCAAT  2340
       CAGCCTGGTT TTGGGGATGC TATGAAAGAG AGAAGGAAAA TCATGCCGCT CAGTTCCTGG  2400
       AGACAGAAGA GCCGTCATCA GTGTCTCACT TGTGATTTTT ATCTGGAAAA GGAAGAAACA  2460
       CCCCAGCACA GCAAGCTCAG CCTTTTAGAG AAGGATATTT CCAAACTGCA AACTTTGCTT  2520
       TGAAAAGTTT AGCCCTTTAA GGAATGAAAT CATGTAGAAT TTTGGACTTC TAAAAACATT  2580
    35 AAAATCAGCT TATTAATACG GGATAGAGAA AGAAATCTGG TGCCTGGGGG TCCCTGTGTT  2640
       CACCCCTAGA GTTTGTTTTA AAATTTTTAA TTGAAGCATG TGAAGTGTAC STGCAGAAAA  2700
       GTGGGAACAT GATAGTGTAT GGCTTGGTGG ATTTTCACAA ACTGAACATA CCTGTGTAAT  2760
       CAGCATCTAG ACCCAGACCC AGAGCATCAC AAATATCCCC CATCCTGGGC TTTTCCCAGA  2820
       GGAGATGGGG GCTTCTGAAG ATGGACTTAC CTGGGACCTG CCCCCCATGA GCCAGGACGG  2880
    40 TCCCCCCACA GTCAGCCTGT GCAAAGGCCC CGTGGCCAGG GGTGGAGGAG AATATGTGGG  2940
       TGTGGACAGG ATGGGAGACT GTGGCCTGAA CAGGAGATTT TATTATATCT GGAGACCCTG  3000
       AGAGACCCTG AGACCTGGGG CACCATGGCT GGCCAGGTCA GAAGCATCCT GACTGCAGAG  3060
       GTCCGTGCAG CCACACCCTC TTCCCTGCCA GCAAGTTGTC TGCCGGCTCAT CGGAGGCCCC  3120
       TCCGCCTGGA GCCTTCTATG GACGTGATAT GCCTGTATCT GTTTTTAATT TTCATTCTTC  3180
    45 ACTTAGGGGA AGTGAAATCG CTCAGAGATG AGATCCTTTA AGAAAAACG AAGTGTAACG  3240
       GAATCTAGTG TCTTTCTAAT GTGGTAAAAT TCTCCATCAA CATCACAGTC AGCTGGCAGC  3300
       TGAACTTCAG AATCTCACTT ACAGCAGGCG ACACGGGGGT ACACCGATGG GTCACACTGG  3360
       GTCTGGGGGC TCCCTGGAGC TCCTCCTGCG TGTGGTCTGG TTAGGAGTTG AGTTGTTTGC  3420
       TCCAGGGTTA TTCTCCTCCT CGAGTCACAG TCACACGAAT ACCTGCCTTC TCTGGCTTTC  3480
    50 CTGCTATACA CATATTCACA TGGCGCTCAA GAAGTTAGGC TCATGGCAAC GTGTGTCTTT  3540
       CTCTGGACAA CTGGCCCAGT TTACAGTGAA ATGGAGAATT TCAGGTCTCC ACGTCTGCCC  3600
       AGGAAAGAAC TTCAGCTGAC TCCACGGGGA TCTGGAAATC CACGACCAAT CCCGATCGGC  3660
       TCTTATTAGC TCCCCGCTCC ACAAGACACC TGTGCTTTGG AAATCCACCA CCAATCCCGA  3720
    55 TCGGCTCTTA TTAGCTCCCC GCTCCACAAG ACACCTGTGA TCTGGAAATC TACCACCAAT  3780
       CCCGATCGGC TCTTATTAGC TCCCCGCTCC ACAAGACACC TGTGACATCC TCCAGGGCCA  3840
       CAGGAGCACG TGCTGACCAG TTTTCCCTTC CAGTTCCTGC ACAAAAAGTG TCCAGAGGGC  3900
       TGTTTGCAAA CACTAGTGCA CTTTGTAGCT TTTCACCCTC TGTCCCAGGG AATCTAGGAG  3960
       AGATGAGGCC CGTCAGAGTC AAGAGATGTC ATCCCCCCAG GGTCTCCAAG GCATTTCCAG  4020
    60 ACTATTGGTG GCACCTGGAG GACATGCACC AAGGCTTGCC AGAGCCAACA GGAAGTGAGC  4080
       CCAGAGCATG GCACATGAGC ATCACCCGCT GATGGTGGCC TGCTGTGCCT GGTGCCAACA  4140
       GGGGCATCCC GGCCCGTACC CCTCCAGACA GGAAGCATGG GTTTGCCCAC AGACCTGTCG  4200
       GGTGCTCCTG TGAGTGGCCT CCAGATGTCT TTGTGCATAG GCACAAGTGG GCCAGGGCTG  4260
       GAGGGGAGGTG GGAAACCTCA TCATCCGGTG GGCCCTGCCA ATCTTAACCC AGAACCCTTA  4320
    65 GGTATTCCTG GCAGTAGCCA TGACATTGGA GCACCTTCCT CTCCAGCCAG AGGCTGACCT  4380
       GAGGGCCACT GTCCTCAGAT GACACCACCC AGGAGCACCC TAGGTGAGGG GTGAGGGCCC  4440
       CCTTATGTGA ACCTCTTGCC TCTTCCTTTC TCCCATCAGA GTGGTTGGAT GGAGCCATTG  4500
       GCCTCCTTTT CTTCAGCGGG CCCTTCAACC TCTCTGCACC ATGTTGTCTG GCTGAGGAGC  4560
       TACTAGAAAA GCTGAGTGGA GTCTCCTTTC CAACAGGATG ATGCATTTGC TCAATTCTCA  4620
    70 GGGCTGGAAT GAGCCGGCTG GTCCCCCAGA AAGCTGGAGT GGGGTACAGA GTTCAGTTTT  4680
       CCTCTCTGTT TACAGCTCCT TGACAGTCCC ACGCCCATCT GGAGTGGGAG CTGGGAGTTA  4740
       GTGTTGGAGA AGAAACAACA AAAGCCAATT AGAACCACTA TTTTTAAAAA GTGCTTACTG  4800
       TGCACAGATA CTCTTCAAGC ACTGGACGTG GATTCTCTCT CTAGCCCTCA GCACCCCTGC  4860
       GGTAGGAGTG CCGCCTCTAC CCACTTGTGA TGGGGTACAG AGGCACTTGC TCTTCTGCAT  4920
    75 GGTGTTCAAT AGGCTGGGAG TTTTATTTAT CTCTTCAAAC TTTGTACAAG AGCTCATGGC  4980
       TTGTCTTGGG CTTTCGTCAT TAAACCCAAG GAAATGGAAG CCATTCCCCT GTTGCTCTCC  5040
       TTAGTCTTGG TCATCAGAAC CTCACTTGGT ACCATATAGA TCAAAAGCTT TGTAACCACA  5100
       GGAAAAAATA AACTCTTCCA TCCCTTAAAG AATAGAAATAG TTTGTCCCTC TCATGGGAAT  5160
       TGGGCTGTAT GTATATTGTT CTTCCTCCTT AGAATTTAGA GATACAAGAG TTCTACTTAG  5220
    80 AACTTTTCAT GGACACAATT TCCACAACCT TTCAGATGCT GATGTGAGAC TATTGGGAAA  5280
       GAACTTCCAA ACTCAGGAAG TTTGCAGAGA GCAGACAGCT AGAGATAACT CGGACCCCAG  5340
       AGTTGGTCGA CAGATGTTAG ATGTATCCTA GCTTTTAGCC ATAAACCACT CAAAGATTCA  5400
       GCCCCCAGAT CCCACAGTCA GAACTGAATC TGCGTTGTTG GGAAGCCAGC AGTGGCCTTG  5460
       GGAAGGAAGC CATGGCTGTG GTTCAGAGAG GGTGGGCTGG CAAGCCACTT CCGGGGAAAA  5520
    85 CTCCTTCCGC CCCAGGTTTC TTCTTCTCTT AAGGAGAGAT TGTTCTCCACC AACCCGCTGC  5580
       CTTCATGCTG CCTTCAAAGC TAGATCATGT TTGCCTTGCT TAGAGAATTA CTGCAAATCA  5640
       GCCCCAGTGC TTGGCGATGC ATTTACAGAT TTCTAGGCCC TCAGGGTTTT GTAGAGTGTG  5700
       AGCCCTGGTG GGCAGGGTTG GGGGGTCTGT CTTCTGCTGG ATGCTGCTTG TAATCCATTT  5760
```

GGTGTACAGA ATCAACAATA AATAATATAC ATGTAT

Seq ID NO: 611 Protein sequence
Protein Accession #: BAB84587.1

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MPLKHYLLLL VGCQAWGAGL AYHGCPSECT CSRASQVECT GARIVAVPTP LPWNAMSLQI    60
        LNTHITELNE SPFLNISALI ALRIEKNELS RITPGAFRNL GSLRYLSLAN NKLQVLPIGL   120
        FQGLDSLESL LLSSNQLLQI QPAHFSQCSN LKELQLHGNH LEYIPDGAFD HLVGLTKLNL   180
        GKNSLTHISP RVFQHLGNLQ VLRLYENRLT DIPMGTFDGL VNLQELALQQ NQIGLLSPGL   240
        FHNNHNLQRL YLSNNHISQL PPSIFMQLPQ LNRLTLFGNS LKELSLGIFG PMPNLRELWL   300
        YDNHISSLPD NVFSNLRQLQ VLILSRNQIS FISPGAFNGL TELRELSLHT NALQDLDGNV   360
        FRMLANLQNI SLQNNRLRQL PGNIFANVNG LMAIQLQNNQ LENLPLGIFD HLGKLCELRL   420
        YDNPWRCDSD ILPLRNWLLL NQPRLGTDTV PVCFSPANVR GQSLIIINVN VAVPSVHVPE   480
        VPSYPETPWY PDTPSYPDTT SVSSTTELTS PVEDYTDLIT IQVTDDRSVW GMTQAQSGLA   540
        IAAIVIGIVA LACSLAACVG CCCCKKRSQA VLMQMKAPNE C
```

Seq ID NO: 612 DNA sequence
Nucleic Acid Accession #: XM_098151
Coding sequence: 1..447

```
        1          11         21         32         41         51
        |          |          |          |          |          |
        ATGATGCATT TGCTCAATTC TCAGGGCTGG AATGAGCCGG CTGGTCCCCC AGAAAGCTGG    60
        AGTGGGGTAC AGAGTTCAGT TTTCCTCTCT GTTTACAGCT CCTTGACAGT CCCACGCCCA   120
        TCTGGAGTGG GAGCTGGGAG TCAGTGTTGG AGAAGAAACA ACAAAAGCCA ATTAGAACCA   180
        CTATTTTTAA AAAGTGCTTA CTGTGCACAG ATACTCTTCA AGCACTGGAC GTGGATTCTC   240
        TCTCTAGCCC TCAGCACCCC TGCGGTAGGA GTGCCGCCTC TACCCACTTG TGATGGGGTA   300
        CAGAGGCACT TGCTCTTCTG CATGGTGTTC AATAGGCTGG GAGTTTTATT TATCTCTTCA   360
        AACTTTGTAC AAAGAGCTCAT GGCTTGTCTT GGGCTTTCGT CATTAAACCA AAGGAAATGG   420
        AAGCCATTCC CCTGTTGCTC TCCTTAG
```

Seq ID NO: 613 Protein sequence
Protein Accession #: XP_098151

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        MMHLLNSQGW NEPAGPPESW SGVQSSVFLS VYSSLTVPRP SGVGAGSQCW RRNNKSQLEP    60
        LFLKSAYCAQ ILFKHWTWIL SLALSTPAVG VPPLPTCDGV QRHLLPCMVP NRLGVLFISS   120
        NFVQELMACL GLSSLNQRKW KPPPCCSP
```

Seq ID NO: 614 DNA sequence
Nucleic Acid Accession #: NM_002658.1
Coding sequence: 77..1372

```
        1          11         21         31         41         51
        |          |          |          |          |          |
        GTCCCCGCAG CGCCGTCGCG CCCTCCTGCC GCAGGCCACC GAGGCCGCCG CCGTCTAGCG    60
        CCCCGACCTC GCCACCATGA GAGCCCTGCT GGCGCGCCTG CTTCTCTGCG TCCTGGTCGT   120
        GAGCGGACTCC AAAGGCAGCA ATGAACTTCA TCAAGTTCCA TCGAACTGTG ACTGTCTAAA   180
        TGGAGGAACA TGTGTGTCCA ACAAGTACTT CTCCAACATT CACTGGTGCA ACTGCCCCAAA   240
        GAAATTCGGA GGGCAGCACT GTGAAATAGA TAAGTCAAAA ACCTGCTATG AGGGGAATGG   300
        TCACTTTTAC CGAGGAAAGG CCAGCACTGA CACCATGGGC CGGCCCTGCC TGCCCTGGAA   360
        CTCTGCCACT GTCCTTCAGC AAACGTACCA TGCCCACAGA TCTGATGCTC TTCAGCTGGG   420
        CCTGGGGAAA CATAATTACT GCAGGAACCC AGACAACGG AGGCGACCCT GGTGCTATGT   480
        GCAGGTGGGC CTAAAGCCGC TTGTCCAAGA GTGCATGGTG CATGACTGCG CAGATGGAAA   540
        AAAGCCCTCC TCTCCTCCAG AAGAATTAAA ATTTCAGTGT GGCCAAAAGA CTCTGAGGCC   600
        CCGCTTTAAG ATTATTGGGG GAGAATTCAC CACCATCGAG AACCAGCCCT GGTTTGCGGC   660
        CATCTACAGG AGGCACCGGG GGGGCTCTGT CACCTACGTG TGTGGAGGCA GCCTCATCAG   720
        CCCTTGCTGG GTGATCAGCG CCACACACTG CTTCATTGAT TACCCAAAGA AGGAGGACTA   780
        CATCGTCTAC CTGGGTCGCT CAAGGCTTAA CTCCAACACG CAAGGGGAGA TGAAGTTTGA   840
        GGTGGAAAAC CTCATCCTAC ACAAGGACTA CAGCGCTGAC ACGCTTGCTC ACCACAACGA   900
        CATTGCCTTG CTGAAGATCC GTTCCAAGGA GGGCAGGTGT GCGCAGCCAT CCCGGACTAT   960
        ACAGACCATC TGCCTGCCCT CGATGTATAA CGATCCCCAG TTTGGCACAA GCTGTGAGAT  1020
        CACTGGCTTT GGAAAAGAGA ATTCTACCGA CTATCTCTAT CCGGAGCAGC TGAAAATGAC  1080
        TGTTGTGAAG CTGATTTCCC ACCGGGAGTG TCAGCAGCCC CACTACTACG GCTCTGAAGT  1140
        CACCACCAAA ATGCTATGTG CTGCTGACCC CCAATGGAAA ACAGATTCCT GCCAGGGAGA  1200
        CTCAGGGGGA CCCCTCGTCT GTTCCCTCCA AGGCCGCATG ACTTTGACTG GAATTGTGAG  1260
        CTGGGGCCGT GGATGTGCCC TGAAGGACAA GCCAGGCGTC TACACGAGAG TCTCACACTT  1320
        CTTACCCTGG ATCCGCAGTC ACACCAAGGA AGAGAATGGC CTGGCCCTCT GAGGGTCCCC  1380
        AGGGAGGAAA CGGGCACCAC CGGCTTTCTT GCTGGTTGTC ATTTTTGCAG TAGAGTCATC  1440
        TCCATCAGCT GTAAGAAGAG ACTGGGAAGA TAGGCTCTGC ACAGATGGAT TTGCCTGTGG  1500
        CACCACCAGG GTGAACGACA ATAGCTTTAC CCTCACGGAT AGGCCTGGGT GCTAGGCTGCC  1560
        CAGACCCTCT GGCCAGGATG GAGGGGTGGT CCTGACTCAA CATGTTACTG ACCAGCAACT  1620
        TGTCTTTTTC TGGACTGAAG CCTGCAGGAG TTAAAAAGGG CAGGGCATCT CCTGTGCATG  1680
        GGCTCGAAGG GAGAGCCAGC TCCCCCGACC GGTGGGCATT TGTGAGGCCC ATGGTTGAGA  1740
        AATGAATAAT TTCCCAATTA GGAAGTGTAA GCAGCTGAGG TCTCTTGAGG GAGCTTAGCC  1800
        AATGTGGGAG CAGCGGTTTG GGGAGCAGAG ACACTAACGA CTTCAGGGCA GGGCTCTGAT  1860
        ATTCCATGAA TGTATCAGGA AATATATATG TGTGTGTATG TTTGCACACT TGTTGTGTGG  1920
        GCTGTGAGTG TAAGTGTGAG TAAGAGCTGG TGTCTGATTG TTAAGTCTAA ATATTTCCTT  1980
        AAACTGTGTG GACTGTGATG CCACACAGAG TGGTCTTTCT GGAGAGGTTA TAGGTCACTC  2040
        CTGGGGCCTC TTGGGTCCCC CACGTGACAG TGCCTGGGAA TGTACTTATT CTGCAGCATG  2100
        ACCTGTGACC AGCACTGTCT CAGTTTCACT TTCACATAGA TGTCCCTTTC TTGGCCAGTT  2160
        ATCCCTTCCT TTTAGCCTAG TTCATCCAAT CCTCACTGGG TGGGGTGAGG ACCACTCCTT  2220
        ACACTGAATA TTTATATTTC ACTATTTTTA TTTATATTTT TGTAATTTTA AATAAAAGTG  2280
        ATCAATAAAA TGTGATTTTT CTGA
```

Seq ID NO: 615 Protein sequence
Protein Accession #: NP_002649.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MRALLARLLL CVLVVSDSKG SNELHQVPSN CDCLNGGTCV SNKYFSNIHW CNCPKKFGGQ    60
     HCEIDKSKTC YEGNGHPYRG KASTDTMGRP CLPWNSATVL QQTYHAHRSD ALQLGLGKHN   120
     YCRNPDNRRR PWCYVQVGLK PLVQECMVHD CADGKKPSSP PEELKFQCGQ KTLRPRFKII   180
     GGEFTTIENQ PWFAAIYRRH RGGSVTYVCG GSLISPCWVI SATHCFIDYP KKEDYIVYLG   240
     RSRLNSNTQG EMKFEVENLI LHKDYSADTL AHHNDIALLK IRSKEGRCAQ PSRTIQTICL   300
     PSMYNDPQFG TSCEITGPGK ENSTDYLYPE QLKMTVVKLI SHRECQQPHY YGSEVTTKML   360
     CAADPQWKTD SCQGDSGGPL VCSLQGRMTL TGIVSWGRGC ALKDKPGVYT RVSHFLPWIR   420
     SHTKEENGLA L
```

Seq ID NO: 616 DNA sequence
Nucleic Acid Accession #: NM_024422.1
Coding sequence: 202..2907

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     CGCCAAAGGA AAAGCCCCTT GGATGAGAGG CAGGCGCTTC AGAGAAGCTA AGAAAAGCAC    60
     CTCTCCGCGC GCCCCACCTC CTCCGCCTCG CGCTCCTCCT GAGCAGCGGG CCCAGACTGC   120
     GCTCCGGCCG CGGCCCTCGC CCCGCGGAGC CCTCCTACCC CGGCCCGACG CTCGGCCCGC   180
     GACCTGCCCC GAGCCCTCTC CATGGAGGCA GCCCGCCCCT CCGGCTCCTG GAACGGAGCC   240
     CTCTGCCGGC TGCTCCTGCT GACCCTCGCG ATCTTAATAT TTGCCAGTGA TGCCTGCAAA   300
     AATGTGACAT TACATGTTCC CTCCAAACTA.GATGCCGAGA AACTTGTTGG TAGAGTTAAC   360
     CTGAAAGAGT GCTTTACAGC TGCAAATCTA ATTCATTCAA GTGATCCTGA CTTCCAAATT   420
     TTGGAGGATG GTTCAGTCTA TACAACAAAT ACTATTCTAT TGTCCTCGGA GAAGAGAAGT   480
     TTTACCTATT TACTTTCCAA CACTGAGAAC CAAGAAAAGA AGAAAATATT TGTCTTTTTG   540
     GAGCATCAAA CAAAGGTCCT AAAGAAAAGA CATACTAAAG AAAAAGTTCT AAGGCGCGCC   600
     AAGAGAAGAT GGGCTCCAAT TCCTTGTTCG ATGCTAGAAA ACTCCTTGGG TCCTTTTCCA   660
     CTTTTCCTTC AACAGGTTCA ATCTGACACG GCCCAAAACT ATACCATATA CTATTCCATA   720
     AGAGGTCCTG GAGTTGACCA AGAACCTCGG AATTTATTTT ATGTGGAGAG AGACACTGGA   780
     AACTTGTATT GTACTCGTCC TGTAGATCGT GAGCAGTATG AATCTTTTGA GATAATTGCC   840
     TTTGCAACAA CTCCAGATGG GTATACTCCA GAACTTCCAC TGCCCCTAAT AATCAAAATA   900
     GAGGATGAAA ATGATAACTA CCCAATTTTT ACAGAAGAAA CTTATACTTT TACAATTTTT   960
     GAAAATTGCA GAGTGGGCAC TACTGTGGGA CAAGTGTGTG CTACTGACAA AGATGAGCCT  1020
     GACACGATGC ACACACGCCT GAAGTACTCC ATCATTGGGC AGGTGCCACC ATCACCCACC  1080
     CTATTTTCTA TGCATCCAAC TACAGGCGTG ATCACCACAA CATCATCTCA GCTAGACAGA  1140
     GAGTTAATTG ACAAGTACCA GTTGAAAATA AAAGTACAAG ACATGGATGG TCAGTATTTT  1200
     GGTCTACAGA CAACTTCAAC TTGTATCATT AACATTGATG ATGTAAATGA CCACTTGCCA  1260
     ACATTTACTC GTACTTCTTA TGTGACATCA GTGGAAGAAA ATACAGTTGA TGTGGAAATC  1320
     TTACGAGTTA CTGTTGAGGA TAAGGACTTA GTGAATACTG CTAACTGGAG AGCTAATTAT  1380
     ACCATTTTAA AGGGCAATGA AAATGGCAAT TTTAAAATTG TAACAGATGC CAAAACCAAT  1440
     GAAGGAGTTC TTTGTGTAGT TAAGCCTTTG AATTATGAAG AAAAGCAACA GATGATCTTG  1500
     CAAATTGGTG TAGTTAATGA AGCTCCATTT TCCAGAGAGG CTAGTCCAAG ATCAGCCATG  1560
     AGCACAGCAA CAGTTACTGT TAATGTAGAA GATCAGGATG AGGGCCCTGA GTGTAACCCT  1620
     CCAATACAGA CTGTTCGCAT GAAAGAAAAT GCAGAAGTGG GAACAACAAG CAATGGGATAT  1680
     AAAGCATATG ACCCAGAAAC AAGAAGTAGC AGTGGCATAA GGTATAAGAA ATTAACTGAT  1740
     CCAACAGGGT GGGTCACCAT TGATGAAAAT ACAGGATCAA TCAAAGTTTT CAGAAGCCTG  1800
     GATAGAGAGG CAGAGACCAT CAAAAATGGC ATATATAATA TTACAGTCCT TGCATCAGAC  1860
     CAAGGAGGGA GAACATGTAC GGGGACACTG GGCATTATAC TTCAAGACGT GAATGATAAC  1920
     AGCCCATTCA TACCTAAAAA GACAGTGATC ATCTGCAAAC CCACCATGTC ATCTGCGGAG  1980
     ATTGTTGCGG TTGATCCTGA TGAGCCTATC CATGGCCCAC CCTTTGACTT TAGTCTGGAG  2040
     AGTTCTACTT CAGAAGTACA GAGAATGTGG AGACTGAAAG CAATTAATGA TACAGCAGCA  2100
     CGTCTTTCCT ATCAGAATGA TCCTCCATTT GGCTCATATG TAGTACCTAT AACAGTGAGA  2160
     GATAGACTTG GCATGTCTAG TGTCACTTCA TTGGATGTTA CACTGTGTGA CTGCATTACC  2220
     GAAAATGACT GCACACATGC TGTAGATCCA AGGATTGGCG GTGGAGGAGT ACAACTTGGA  2280
     AAGTGGGCCA TCCTTGCAAT ATTGTTGGGC ATAGCATTGC TCTTTTGCAT CCTGTTTACG  2340
     CTGGTCTGTG GGGCTTCTGG GACGTCTAAA CAACCAAAAG TAATTCCTGA TGATTTAGCC  2400
     CAGCAGAACC TAATTGTATC AAACACAGAA GCTCCTGGAG ATGACAAAGT GTATTCTGCG  2460
     AATGGCTTCA CAACCCAAAC TGTGGGCGCT TCTGCTCAGG GAGTTTGTGG CACCGTGGGA  2520
     TCAGGAATCA AAAACGGAGG TCAGGAGACC ATCGAAATGG TGAAGGAGG ACACCAGAGT  2580
     TCGGAATCCT GCCGGGGGGC TGGCCACCAT CACACCCTGG ACTCCTGCAG GGGAGGACAC  2640
     ACGGAGGTGG ACAACTGCAG ATACACTTAC TCGGAGTGGC ACAGTTTTAC TCAGCCCCGT  2700
     CTTGGTGAAA AAGTGTATCT GTGTAATCAA GATGAAAATC ACAAGCATGC CCAAGACTAT  2760
     GTCCTGACAT ATAACTATGA AGGAAGAGGA TCGGTGGCTG GGTCTGTAGG TTGTTGCAGT  2820
     GAACGACAAG AAGAAGATGG GCTTGAATTT TTGGATAATT TGGAGCCCAA ATTTAGGACA  2880
     CTAGCAGAAG CATGCATGAA GAGATGAGTG TGTTCTAATA AGTCTCTGAA AGCCAGTGGC  2940
     TTTATGACTT TTAAAAAAAA TTACAAACCA AGAATTTTTT AAAGCAGAAG ATGCTATTTG  3000
     TGGGGGTTTT TCTCTCATTA TTTGGATGAA ATCTCTTTGG TCAAATGCAC ATTTACAGAG  3060
     AGACACTATA AACAAGTACA CAAATTTTTC AATTTTTACA TATTTTTAAA TTACTTATCT  3120
     TCTATCCAAG GAGGTCTACA GAGAAATTAA AGTCTGCCTT ATTGTTACA TTTGGGTATA  3180
     ATGACAACAG CCAATTTATA GTGCAATAAA ATGTAATTAA TTCAAGTCCT TATTATAGAC  3240
     TATTTGAAGC ACAACCTAAT GGAAAATTGT AGAGACCTTG CTTTAACATT ATCTCCAGTT  3300
     AATTAAGTGT TCATGTGGTG CTTGGAAACT GTTGTTTTCC TGAACATCTA AAGTGTGTAG  3360
     ACTGCATTCT TGCTATTATT TTATTCTTGT AATGTGACCT TTTCACTGTG CAAAGGGAGA  3420
     TTTCTAGCCA GGCATTGACT ATTACAATTT CATT
```

Seq ID NO: 617 Protein sequence
Protein Accession #: NP_077740.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MEAARPSGSW NGALCRLLLL TLAILIPASD ACKNVTLHVP SKLDAEKLVG RVNLKECPTA    60
     ANLIHSSDPD FQILEDGSVY TTNTILLSSE KRSFTILLSN TENQEKKKIF VFLEHQTKVL   120
```

```
     KKRHTKEKVL RRAKRRWAPI PCSMLENSLG PFPLFLQQVQ SDTAQNYTIY YSIRGPGVDQ   180
     EPRNLPYVER DTGNLYCTRP VDREQYESFE IIAPATTPDG YTPELPLPLI IKIEDENDNY   240
     PIPTEETYTF TIFENCRVGT TVGQVCATDK DEPDTMHTRL KYSIIGQVPP SPTLFSMRPT   300
  5  TGVITTTSSQ LDRELIDKYQ LKIKVQDMDG QYPGLQTTST CIINIDDVND HLPTFTRTSY   360
     VTSVEENTVD VEILRVTVED KDLVNTANWR ANYTILKGNE NGNFKIVTDA KTNEGVLCVV   420
     KPLNYEEKQQ MILQIGVVNE APPSREASPR SAMSTATVTV NVEDQDEGPB CNPPIQTVRM   480
     KENAEVGTTS NGYKAYDPET RSSSGIRYKK LTDPTGWVTI DENTGSIKVP RSLDREAETI   540
     KNGIYNITVL ASDQGGRTCT GTLGIILQDV NDNSPFIPKK TVIICKPTMS SAEIVAVDPD   600
 10  EPIHGPPFDP SLESSTSEVQ RMWRLKAIND TAARLSYQND PPFGSYVVPI TVRDRLGMSS   660
     VTSLDVTLCD CITENDCTHR VDPRIGGGGV QLGKWAILAI LLGIALLPCI LFTLVCGASG   720
     TSKQPKVIPD DLAQQNLIVS NTEAPGDDKV YSANGFTTQT VGASAQGVCG TVGSGIKNGG   780
     QETIEMVKGG HQTSESCRGA GHHHTLDSCR GGHTEVDNCR YTYSEWHSFT QPRLGEKVYL   840
     CNQDENHKHA QDYVLTYNYE GRGSVAGSVG CCSERQEEDG LEFLDNLEPK FRTLAEAOMK   900
     R
 15
     Seq ID NO:  618 DNA sequence
     Nucleic Acid Accession #: NM_004949.1
     Coding sequence: 202..2745
 20
     1 .        11         21         31         41         51
     |          |          |          |          |          |
     CGCCAAAGGA AAAGCCCCTT GGATGAGAGG CAGGCGCTTC AGAGAAGCTA AGAAAAGCAC    60
     CTCTCCGCGC GCCCCACCTC CTCCGCCTCG CGCTCCTCCT GAGCAGCGGG CCCAGACTGC   120
     GCTCCGGCCG CGGCCCTCGC CCGCGGGAGC CCTCCTACCC CGGCCCGACG CTCGGCCCGC   180
 25  GACCTGCCCC GAGCCCTCTC CATGGAGGCA GCCGGCCCCT CCGGCTCCTG GAACGGAGCC   240
     CTCTGCCGGC TGCTCCTGCT GACCCTGGCG ATCTTAATAT TTGCCAGTGA TGCCTGCAAA   300
     AATGTGACAT TACATGTTCC CTCCAAACTA GATGCCGAGA AACTTGTTGG TAGAGTTAAC   360
     CTGAAAGAGT GCTTTACAGC TGCAAATCTA ATTCATTCAA GTGATCCTGA CTTCCAAATT   420
     TTGGAGGATG GTTCAGTCTA TACAACAAAT ACTATTCTAT TGTCCTCGGA GAAGAGAAGT   480
 30  TTTACCCATAT TACTTTCCAA CACTGAGAAC CAAGAAAAGA AGAAAATATT TGTCTTTTTG   540
     GAGCATCAAA CAAAGGTCCT AAAGAAAAGA CATACTAAAG AAAAAGTTCT AAGGCGCGCC   600
     AAGAGAAGAT GGGCTCCAAT TCCTTGTTCG ATGCTAGAAA ACTCCTTGGG TCCTTTTCCA   660
     CTTTTCCTTC AACAGGTTCA ATCTGCACAG GCCCAAAACT ATACCATATA CTATTCCATA   720
     AGAGGTCCTG GAGTTGACCA AGAACCTCGG AATTTATTTT ATGTGGAGAG AGACACTGGA   780
 35  AACTTGTATT GTACTCGTCC TGTAGATCGT GAGCAGTATG AATCTTTTGA GATAATTGCC   840
     TTTGCAACAA CTCCAGATGG GTATACTCCA GAACTTCCAC TGCCCCTAAT AATCAAAATA   900
     GAGGATGAAA ATGATAACTA CCCAATTTTT ACAGAAGAAA CTTATACTTT TACAATTTTT   960
     GAAAATTGCA GAGTGGGCAC TACTGTGGGA CAAGTGTGTG CTACTGACAA AGATGAGCCT  1020
     GACACGATGC ACACACGCCT GAAGTACTCC ATCATTGGGC AGGTGCCACC ATCACCCACC  1080
 40  CTATTTTCTA TGCATCCAAC TACAGGCGTG ATCACCACAA CATCATCTCA GCTAGACAGA  1140
     GAGTTAATTG ACAAGTACCA GTTGAAAATA AAAGTACAAG ACATGGATGG TCAGTATTTT  1200
     GGTCTACAGA CAACTTCAAC TTGTATCATT AACATTGATG ATGTAAATGA CCACTTGCCA  1260
     ACATTTACTC GTACTTCTTA TGTGACATCA GTGGAAGAAA ATACAGTTGA TGTGGAAATC  1320
     TTACGAGTTA CTGTTGAGGA TAAGGACTTA GTGAATACTG CTAACTGGAG AGCTAATTAT  1380
 45  ACCATTTTAA AGGGCAATGA AAATGGCAAT TTTAAAATTG TAACAGATGC CAAAACCAAT  1440
     GAAGGAGTTC TTTGTGTAGT TAAGCCTTTG AATTATGAAG AAAAGCAACA GATGATCTTG  1500
     CAAATTGGTG TAGTTAATGA AGCTCCATTT TCCAGAGAGG CTAGTCCAAG ATCAGCCATG  1560
     AGCACAGCAA CAGTTACTGT TAATGTAGAA GATCAGGATG AGGGCCCTGA GTGTAACCCT  1620
     CCAATACAGA CTGTTCGCAT GAAAGAAAAT GCAGAAGTGG GAACAACAAG CAATGGATAT  1680
 50  AAAGCATATG ACCCAGAAAC AAGAAGTAGC AGTGGCATAA GGTATAAGAA ATTAACTGAT  1740
     CCAACAGGGT GGGTCACCAT TGATGAAAAT ACAGGATCAA TCAAAGTTTT CAGAAGCCTG  1800
     GATAGAGAGG CAGAGACCAT CAAAAATGGC ATATATAATA TTACAGTCCT TGCATCAGAC  1860
     CAAGGAGGGA GAACATGTAC GGGGACACTG GGCATTATAC TTCAAGACGT GAATGATAAC  1920
     AGCCCATTCA TACCTAAAAA GACAGTGATC ATCTGCAAAC CCACCATGTC ATCTGCGGAG  1980
 55  ATTGTTGCGG TTGATCCTGA TGAGCCTATC CATGGCCCAC CCTTTGACTT TAGTCTGGAG  2040
     AGTTCTACTT CAGAAGTACA GAGAATGTGG AGACTGAAAG CAATTAATGA TACAGCAGCA  2100
     CGTCTTTCCT ATCAGAATGA TCCTCCATTT GGCTCATATG TAGTACCTAT AACAGTGAGA  2160
     GATAGACTTG GCATGTCTAG TGTCACTTCA TTGGATGTTA CACTGTGTGA CTGCATTACC  2220
     GAAAATGACT GCACACACATCG TGTAGATCCA AGGATTGGCG GTGGAGGAGT ACAACTTGGA  2280
 60  AAGTGGGCCA TCCTTGCAAT ATTGTTGGGC ATAGCATTGC TCTTTTTGCAT CCTGTTTACG  2340
     CTGGTCTGTG GGGCTTCTGG GACGTCTAAA CAACCAAAAG TAATTCCTGA TGATTTAGCC  2400
     CAGCAGAACC TAATTGTATC AAACACAGAA GCTCCTGGAG ATGACAAAGT GTATTCTGCG  2460
     AATGGCTTCA CAACCCAAAC TGTGGGCGCT TCTGCTCAGG GAGTTTGTGG CACCGTGGGA  2520
     TCAGGAATCA AAAACGGAGG TCAGGAGACC ATCGAAATGG TGAAAGGAGG ACACCAGACC  2580
 65  TCGGAATCCT GCCGGGGGGC TGGCCACCAT CACACCCTGG ACTCCTGCAG GGGAGGACAC  2640
     ACGGAGGTGG ACAACTGCAG ATACACTTAC TCGGAGTGGC ACAGTTTTAC TCAGCCCCGT  2700
     CTTGGTGAAG AATCCATTAG AGGACACACT CTGATTAAAA ATTAAACAAT GAAAGAAAGT  2760
     GTATCTGTGT AATCAAGATG AAAATCACAA GCATGCCCAA CCATCATGTCC TGACATATAA  2820
     CTATGAAGGA AGAGGATCGG TGGCTGGGTC TGTAGGTTGT TGCAGTGAAC GACAAGAAGA  2880
 70  AGATGGGCTT GAATTTTTGG ATAAATTTGGA GCCCAAATTT AGGACACTGA CAGAAGCATG  2940
     CATGAAGACA TGAGTGTGTT CTAATAAGTC TCTGAAAGCC AGTGGCTTTA TGACTTTTAA  3000
     AAAAAATTAC AAACCAAGAA TTTTTTAAAG CAGAAGATGC TATTTGTGGG GGTTTTTCTC  3060
     TCATTATTTG GATGGAATCT CTTTGGTCAA ATGCACATTT ACAGAGAGAC ACTATAAACA  3120
     AGTACACAAA TTTTTCAATT TTTACATATT TTTAAATTAC TTATCTTCTA TCCAAGGAGG  3180
 75  TCTACAGAGA AATTAAAGTC TGCCTTATTT GTTACATTTG GGTATAATGA CAACAGCCAA  3240
     TTTATAGTGC AATAAAATGT AATTAATTCA AGTCCTTATT ATAGACTATT TGAAGCACAA  3300
     CCTAATGGAA AATTGTAGAG ACCTTGCTTT AACATTATCT CCAGTTAATT AAGTGTTCAT  3360
     GTGGTGCTTG GAAACTGTTG TTTTCCTGAA CATCTAAAGT GTGTAGACTG CATTCTTGCT  3420
     ATTATTTTAT TCTTGTAATG TGACCTTTTC ACTGTGCAAA GGGAGATTTC TAGCCAGGCA  3480
 80  TTGACTATTA CAATTTCATT
```

```
     Seq ID NO:  619 Protein sequence
     Protein Accession #: NP_004940.1
```

```
 85  1          11         21         31         41         51
     |          |          |          |          |          |
     MEAARPSGSW NGALCRLLLL TLAILIFASD ACKNVTLHVP SKLDAEKLVG RVNLKECFTA    60
```

                                    425

```
     ANLIHSSDPD FQILEDGSVY TINTILLSSE KRSPTILLSN TENQEKKKIF VPLEHQTKVL   120
     KKRHTKEKVL RRAKRRNAPI PCSMLENSLG PFPLPLQQVQ SDTAQNYTIY YSIRGPGVDQ   180
     EPRNLFYVER DTGNLYCTRP VDREQYESFE IIAPATTPDG YTPELPLPLI IKIEDENDNY   240
     PIPTEETYTP TIFENCRVGT TVGQVCATDK DEPDTMHTRL KYSIIGQVPP SPTLFSMHPT   300
5    TGVITTTSSQ LDRELIDKYQ LKIKVQDMDG QYFGLQTTST CIINIDDVND HLPTFTRTSY   360
     VTSVEENTVD VEILRVTVED KDLVNTANWR ANYTILKGNE NGNFKIVTDA KTNEGVLCVV   420
     KPLNYEEKQQ MILQIGVVNE APFSREASPR SAMSTATVTV NVEDQDEGPE CNPPIQTVRM   480
     KENAEVGTTS NGYKAYDPET RSSSGIRYKK LTDPTGWVTI DENTGSIKVP RSLDREAETI   540
     KNGIYNITVL ASDQGGRTCT GTLGIILQDV NDNSPFIPKK TVIICKPTMS SAEIVAVDPD   600
10   EPIHGPPFDP SLESSTSEVQ RMWRLKAIND TAARLSYQND PPFGSYVVPI TVRDRLGMSS   660
     VTSLDVTLCD CITENDCTHR VDPRIGGGGV QLGKWAILAI LLGIALLFCI LFTLVCGASG   720
     TSKQPKVIPD DLAQQNLIVS NTEAPGDDKV YSANGPTTQT VGASAQGVCG TVGSGIKNGG   780
     QETIEMVKGG HQTSESCRGA GHHHTLDSCR GGHTEVDNCR YTYSEWHSPT QPRLGEESIR   840
15   GHTLIKN
```

Seq ID NO: 620 DNA sequence
Nucleic Acid Accession #: NM_032545.1
Coding sequence: 46..718

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     AAACTGATCT TCAATGCACT AAGAGAAGGA GACTCTCAAA CCAAAAATGA CCTGGAGGCA    60
     CCATGTCAGG CTTCTGTTTA CGGTCAGTTT GGCATTACAG ATCATCAATT TGGGAAACAG   120
     CTATCAAAGA GAGAAACATA ACGGCGGTAG AGAGGAAGTC ACCAAGGTTG CCACTCAGAA   180
     GCACCGACAG TCACCGCTCA ACTGGACCTC CAGTCATTTC GGAGAGGTGA CTGGGAGCGC   240
     CGAGGGCTGG GGGCCGGAGG AGCCGCTCCC CTACTCCCGG GCTTTCGGAG AGGGTGCGTC   300
     CGCGCGGCCG CGCTGCTGCA GGAACGGCGG TACCTGCGTG CTGGGCAGCT TCTGCGTGTG   360
     CCCGGCCCAC TTCACCGGCC GCTACTGCGA GCATGACCAG AGGCGCAGTG AATGCGGCGC   420
     CCTGGAGCAC GGAGCCTGGA CCCTCCGCGC CTGCCACCTC TGCATCCCGG TCTTCGGGCA   480
     CCTGCACTGC CTCCCCCTCC AGACGCCTGA CCGCTGTGAC CCGAAAGACT TCCTGGCCTC   540
     CCACGCTCAC GGGGCCGAGCG CCGGGGGCGC GCCCAGCCTG CTACTCTTGC TGCCCTGCGC   600
     ACTCCTGCAC CGCCTCCTGC GCCCGGATGC GCCCGCGCAC CTCCGGTCCC TGGTCCCTTC   660
     CGTCCTCCAG CGGGAGCGGC GCCCCTGCGG AAGGCCGGGA CTTGGGCATC GCCTTTAATT   720
     TTCTATGTTG TAAATAATAG ATGTGTTTAG TTTACCGTAA GCTGAAGCAC TGGGTGAATA   780
     TTTTTATTGG GTAATAAATA TTTTCATGAA AGCGCCAAAA AAAAAAAAAA AAAAAAAAAA   840
     AAAAAA
```

Seq ID NO: 621 Protein sequence
Protein Accession #: NP_115934.1

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MTWRHHVRLL FTVSLALQII NLGNSYQREK HNGGREEVTK VATQKHRQSP LNWTSSHFGE    60
     VTGSAEGWGP EEPLPYSRAF GEGASARPRC CRNGGTCVLG SPCVCPAHFT GRYCEHDQRR   120
     SECGALEHGA WTLRACHLCR CIFGALHCLP LQTPDRCDPK DFLASHAHGP SAGGAPSLLL   180
     LLPCALLHRL LRPDAPAHPR SLVPSVLQRE RRPCGRPGLG HRL
```

Seq ID NO: 622 DNA sequence
Nucleic Acid Accession #: FGENESH predicted
Coding sequence: 1..390

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     ATGAGGTTCA GTGTCTCAGG CATGAGGACC GACTACCCCA GGAGTGTGCT GGCTCCTGCT    60
     TATGTGTCAG TCTGTCTCCT CCTCTTGTGT CCAAGGGAAG TCATCGCTCC CGCTGGCTCA   120
     GAACCATGGC TGTGCCAGCC GGCACCCAGG TGTGTGAGACA AGATCTACAA CCCCTTGGAG   180
     CAGTGCTGTT ACAATGACGC CATCGTGTCC CTGAGCGAGA CCCGCCAATG TGGTCCCCCC   240
     TGCACCTTCT GGCCCTGCTT TGAGCTCTGC TGTCTTGATT CCTTTGGCCT CACAAACGAT   300
     TTTGTTGTGA AGCTGAAGGT TCAGGGTGTG AATTCCCAGT GCCACTCATC TCCCATCTCC   360
     AGTAAATGTG AAAGAGGCCG GATATGTTAG                                     390
```

Seq ID NO: 623 Protein sequence
Protein Accession #: FGENESH predicted

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MRFSVSGMRT DYPRSVLAPA YVSVCLLLLC PREVIAPAGS EPWLCQPAPR CGDKIYNPLE    60
     QCCYNDAIVS LSETRQCGPP CTFWPCFELC CLDSFGLTND FVVKLKVQGV NSQCHSSPIS   120
     SKCERGRIC
```

Seq ID NO: 624 DNA sequence
Nucleic Acid Accession #: M18728.1
Coding sequence: 51..1085

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGAGCTCAAG CTCCTCTACA AAGAGGTGGA CAGAGAAGAC AGCAGAGACC ATGGGACCCC    60
     CCTCAGCCCC TCCCTGCAGA TTGCATGTCC CCTGGAAGGA GGTCCTGCTC ACAGCCTCAC   120
     TTCTAACCTT CTGGAACCCA CCCACCACTG CCAAGCTCAC TATTGAATCC ACGCCATTCA   180
     ATGTCGGCAGA GGGGAAGGAG GTTCTTCTAC TCGCCCACAA CCTGCCCCAG AATCGTATTG   240
     GTTACAGCTG GTACAAAGGC GAAAGAGTGG ATGGCAACAG TCTAATTGTA GGATATGTAA   300
     TAGGAACTCA ACAAGCTACC CCAGGGCCCG CATACAGTGG TCGAGAGACA ATATACCCCA   360
     ATGCATCCCT GCTGATCCAG AACGTCACCC AGAATGACAC AGGATTCTAT ACCCTACAAG   420
     TCATAAAGTC AGATCTTGTG AATGAAGAAG CAACCGGACA GTTCCATGTA TACCCGGAGC   480
     TGCCCAAGCC CTCCATCTCC AGCAACAACT CCAACCCCGT GGAGGACAAG GATGCTGTGG   540
     CCTTCACCTG TGAACCTGAG GTTCAGAACA CAACCTACCT GTGGTGGGTA AATGGTCAGA   600
     GCCTCCCGGT CAGTCCCAGG CTGCAGCTGT CCAATGGCAA CATGACCCTC ACTCTACTCA   660
```

```
        GCGTCAAAAG GAACGATGCA GGATCCTATG AATGTGAAAT ACAGAACCCA GCGAGTGCCA    720
        ACCGCAGTGA CCCAGTCACC CTGAATGTCC TCTATGGCCC AGATGTCCCC ACCATTTCCC    780
        CCTCAAAGGC CAATTACCGT CCAGGGGAAA ATCTGAACCT CTCCTGCCAC GCAGCCTCTA    840
        ACCCACCTGC ACAGTACTCT TGGTTTATCA ATGGGACGTT CCAGCAATCC ACACAAGAGC    900
        TCTTTATCCC CAACATCACT GTGAATAATA GCGGATCCTA TATGTGCCAA GCCCATAACT    960
        CAGCCACTGG CCTCAATAGG ACCACAGTCA CGATGATCAC AGTCTCTGGA AGTGCTCCTG   1020
        TCCTCTCAGC TGTGGCCACC GTCGGCATCA CGATTGGAGT GCTGGCCAGG GTGGCTCTGA   1080
        TATAGCAGCC CTGGTGTATT TTCGATATTT CAGGAAGACT GGCAGATTGG ACCAGACCCT  .1140
        GAATTCTTCT AGCTCCTCCA ATCCCATTTT ATCCCATGGA ACCACTAAAA ACAAGGTCTG   1200
        CTCTGCTCCT GAAGCCCTAT ATGCTGGAGA TGGACAACTC AATGAAAATT TAAAGGGAAA   1260
        ACCCTCAGGC CTGAGGTGTG TGCCACTCAG AGACTTCACC TAACTAGAGA CAGTCAAACT   1320
        GCAAACCATG GTGAGAAATT GACGACTTCA CACTATGGAC AGCTTTTCCC AAGATGTCAA   1380
        AACAAGACTC CTCATCATGA TAAGGCTCTT ACCCCCTTTT AATTTGTCCT TGCTTATGCC   1440
        TGCCTCTTTC GCTTGGCAGG ATGATGCTGT CATTAGTATT TCACAAGAAG TAGCTTCAGA   1500
        GGGTAACTTA ACAGAGTGTC AGATCTATCT TGTCAATCCC AACGTTTTAC ATAAAATAAG   1560
        AGATCCTTTA GTGCACCCAG TGACTGACAT TAGCAGCATC TTTAACACAG CCGTGTGTTC   1620
        AAATGTACAG TGGTCCTTTT CAGAGTTGGA CTTCTAGACT CACCTGTTCT CACTCCCTGT   1680
        TTTAATTCAA CCCAGCCATG CAATGCCAAA TAATAGAATT GCTCCCTACC AGCTGAACAG   1740
        GGAGGAGTCT GTGCAGTTTC TGACACTTGT TGTTGAACAT GGCTAAATAC AATGGGTATC   1800
        GCTGAGACTA AGTTGTAGAA ATTAACAAAT GTGCTGCTTG GTTAAAATGG CTACACTCAT   1860
        CTGACTCATT CTTTATTCTA TTTTAGTTGG TTTGTATCTT GCCTAAGGTG CGTAGTCCAA   1920
        CTCTTGGTAT TACCCTCCTA ATAGTCATAC TAGTAGTCAT ACTCCCTGGT GTAGTGTATT   1980
        CTCTAAAAGC TTTAAATGTC TGCATGCAGC CAGCCATCAA ATAGTGAATG GTCTCTCTTT   2040
        GGCTGGAATT ACAAAACTCA GAGAAATGTG TCATCAGGAG AACATCATAA CCCATGAAGG   2100
        ATAAAAGCCC CAAATGGTGG TAACTGATAA TAGCACTAAT GCTTTAAGAT TTGGTCACAC   2160
        TCTCACCTAG GTGAGCGCAT TGAGCCAGTG GTGCTAAATG CTACATACTC CAACTGAAAT   2220
        GTTAAGGAAG AAGATAGATC CAATTAAAAA AAATTAAAAC CAATTTAAAA AAAAAAAAGA   2280
        ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCCTC TACTTTAACT   2340
        TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTTAACCAA TGTATTTATT TCTGTGGTTC   2400
        TGTTTCCTTG TTCCAATTTG ACAAAACCCA CTGTTCTTGT ATTGTATTGC CCAGGGGGAG   2460
        CTATCACTGT ACTTGTAGAG TGGTGCTGCT TTAATTCATA AATCACAAAT AAAAGCCAAT   2520
        TAGCTCTATA ACT
```

Seq ID NO: 625 Protein sequence
Protein Accession #: AAA59907.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGPPSAPPCR LHVPWKEVLL TASLLTFWNP PTTAKLTIES TPFNVAEGKE VLLLAHNLPQ    60
NRIGYSWYKG ERVDGNSLIV GYVIGTQQAT PGPAYSGRET IYPNASLLIQ NVTQNDTGFY   120
TLQVIKSDLV NEEATGQFHV YPELPKPSIS SNNSNPVEDK DAVAFTCEPE VQNTTYLWWV   180
NGQSLPVSPR LQLSNGNMTL TLLSVKRNDA GSYECEIQNP ASANRSDPVT LNVLYGPDVP   240
TISPSKANYR PGENLNLSCH AASNPPAQYS WFINGTFQQS TQELPIPNIT VNNSGSYMCQ   300
AHNSATGLNR TTVTMITVSG SAPVLSAVAT VGITIGVLAR VALI                    
```

Seq ID NO: 626 DNA sequence
Nucleic Acid Accession #: M18728.1
Coding sequence: 1355..1657

```
1          11         21         31         41         51
|          |          |          |          |          |
GGAGCTCAAG CTCCTCTACA AAGAGGTGGA CAGAGAAGAC AGCAGAGACC ATGGGACCCC    60
CCTCAGCCCC TCCCTGCAGA TTGCATGTCC CCTGGAAGGA GGTCCTGCTC ACAGCCTCAC   120
TTCTAACCTT CTGGAACCCA CCCACCACTG CCAAGCTCAC TATTGAATCC ACGCCATTCA   180
ATGTCGCAGA GGGGAAGGAG GTTCTTCTAC TCGCCCACAA CCTGCCCCAG AATCGTATTG   240
GTTACAGCTG GTACAAAGGC GAAAGAGTGG ATGGCAACAG TCTAATTGTA GGATATGTAA   300
TAGGAACTCA ACAAGCTACC CCAGGGCCCG CATACAGTGG TCGAGAGACA ATATACCCCA   360
ATGCATCCCT GCTGATCCAG AACGTCACCC AGAATGACAC AGGATTCTAT ACCCTACAAG   420
TCATAAAGTC AGATCTTGTG AATGAAGAAG CAACCGGACA GTTCCATGTA TACCCGGAGC   480
TGCCCAAGCC CTCCATCTCC AGCAACAACT CCAACCCCGT GGAGGACAAG GATGCTGTGG   540
CCTTCACCTG TGAACCTGAG GTTCAGAACA CAACCTACCT GTGGTGGGTA AATGGTCAGA   600
GCCTCCCGGT CAGTCCCAGG CTGCAGCTGT CCAATGGCAA CATGACCCTC ACTCTACTCA   660
GCGTCAAAAG GAACGATGCA GGATCCTATG AATGTGAAAT ACAGAACCCA GCGAGTGCCA   720
ACCGCAGTGA CCCAGTCACC CTGAATGTCC TCTATGGCCC AGATGTCCCC ACCATTTCCC   780
CCTCAAAGGC CAATTACCGT CCAGGGGAAA ATCTGAACCT CTCCTGCCAC GCAGCCTCTA   840
ACCCACCTGC ACAGTACTCT TGGTTTATCA ATGGGACGTT CCAGCAATCC ACACAAGAGC   900
TCTTTATCCC CAACATCACT GTGAATAATA GCGGATCCTA TATGTGCCAA GCCCATAACT   960
CAGCCACTGG CCTCAATAGG ACCACAGTCA CGATGATCAC AGTCTCTGGA AGTGCTCCTG  1020
TCCTCTCAGC TGTGGCCACC GTCGGCATCA CGATTGGAGT GCTGGCCAGG GTGGCTCTGA  1080
TATAGCAGCC CTGGTGTATT TTCGATATTT CAGGAAGACT GGCAGATTGG ACCAGACCCT  1140
GAATTCTTCT AGCTCCTCCA ATCCCATTTT ATCCCATGGA ACCACTAAAA ACAAGGTCTG  1200
CTCTGCTCCT GAAGCCCTAT ATGCTGGAGA TGGACAACTC AATGAAAATT TAAAGGGAAA  1260
ACCCTCAGGC CTGAGGTGTG TGCCACTCAG AGACTTCACC TAACTAGAGA CAGTCAAACT  1320
GCAAACCATG GTGAGAAATT GACGACTTCA CACTATGGAC AGCTTTTCCC AAGATGTCAA  1380
AACAAGACTC CTCATCATGA TAAGGCTCTT ACCCCCTTTT AATTTGTCCT TGCTTATGCC  1440
TGCCTCTTTC GCTTGGCAGG ATGATGCTGT CATTAGTATT TCACAAGAAG TAGCTTCAGA  1500
GGGTAACTTA ACAGAGTGTC AGATCTATCT TGTCAATCCC AACGTTTTAC ATAAAATAAG  1560
AGATCCTTTA GTGCACCCAG TGACTGACAT TAGCAGCATC TTTAACACAG CCGTGTGTTC  1620
AAATGTACAG TGGTCCTTTT CAGAGTTGGA CTTCTAGACT CACCTGTTCT CACTCCCTGT  1680
TTTAATTCAA CCCAGCCATG CAATGCCAAA TAATAGAATT GCTCCCTACC AGCTGAACAG  1740
GGAGGAGTCT GTGCAGTTTC TGACACTTGT TGTTGAACAT GGCTAAATAC AATGGGTATC  1800
GCTGAGACTA AGTTGTAGAA ATTAACAAAT GTGCTGCTTG GTTAAAATGG CTACACTCAT  1860
CTGACTCATT CTTTATTCTA TTTTAGTTGG TTTGTATCTT GCCTAAGGTG CGTAGTCCAA  1920
CTCTTGGTAT TACCCTCCTA ATAGTCATAC TAGTAGTCAT ACTCCCTGGT GTAGTGTATT  1980
CTCTAAAAGC TTTAAATGTC TGCATGCAGC CAGCCATCAA ATAGTGAATG GTCTCTCTTT  2040
GGCTGGAATT ACAAAACTCA GAGAAATGTG TCATCAGGAG AACATCATAA CCCATGAAGG  2100
ATAAAAGCCC CAAATGGTGG TAACTGATAA TAGCACTAAT GCTTTAAGAT TTGGTCACAC  2160
```

```
     TCTCACCTAG GTGAGCGCAT TGAGCCAGTG GTGCTAAATG CTACATACTC CAACTGAAAT   2220
     GTTAAGGAAG AAGATAGATC CAATTAAAAA AAATTAAAAC CAATTTAAAA AAAAAAAAGA   2280
     ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCCTC TACTTTAACT   2340
     TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTTAACCAA TGTATTTATT TCTGTGGTTC   2400
5    TGTTTCCTTG TTCCAATTTG ACAAAACCCA CTGTTCTTGT ATTGTATTGC CCAGGGGGAG   2460
     CTATCACTGT ACTTGTAGAG TGGTGCTGCT TTAATTCATA AATCACAAAT AAAAGCCAAT   2520
     TAGCTCTATA ACT
```

Seq ID NO: 627 Protein sequence
Protein Accession #: AAA59908.1

```
10   1          11         21         31         41         51
     |          |          |          |          |          |
     MDSPSQDVKT RLLIMIRLLP PPNLSLLMPA SPAWQDDAVI SISQEVASEG NLTECQIYLV   60
15   NPNVLHKIRD PLVHPVTDIS SIFNTAVCSN VQWSFSELDF
```

Seq ID NO: 628 DNA sequence
Nucleic Acid Accession #: M18728.1
Coding sequence: 2370..2501

```
20   1          11         21         31         41         51
     |          |          |          |          |          |
     GGAGCTCAAG CTCCTCTACA AAGAGGTGGA CAGAGAAGAC AGCAGAGACC ATGGGACCCC   60
     CCTCAGCCCC TCCCTGCAGA TTGCATGTCC CCTGGAAGGA GGTCCTGCTC ACAGCCTCAC   120
25   TTCTAACCTT CTGGAACCCA CCCACCACTG CCAAGCTCAC TATTGAATCC ACGCCATTCA   180
     ATGTCGCAGA GGGGAAGGAG GTTCTTCTAC TCGCCCACAA CCTGCCCCAG AATCGTATTG   240
     GTTACAGCTG GTACAAAGGC GAAAGAGTGG ATGGCAACAG TCTAATTGTA GGATATGTAA   300
     TAGGAACTCA ACAAGCTACC CCAGGGCCCG CATACAGTGG TCGAGAGACA ATATACCCCA   360
30   ATGCATCCCT GCTGATCCAG AACGTCACCC AGAATGACAC AGGATTCTAT ACCCTACAAG   420
     TCATAAAGTC AGATCTTGTG AATGAAGAAG CAACCGGACA GTTCCATGTA TACCCGGAGC   480
     TGCCCAAGCC CTCCATCTCC AGCAACAACT CCAACCCCGT GGAGGACAAG GATGCTGTGG   540
     CCTTCACCTG TGAACCTGAG GTTCAGAACA CAACCTACCT GTGGTGGGTA AATGGTCAGA   600
35   GCCTCCCGGT CAGTCCCAGG CTGCAGCTGT CCAATGGCAA CATGACCCTC ACTCTACTCA   660
     GCGTCAAAAG GAACGATGCA GGATCCTATG AATGTGAAAT ACAGAACCCA GCGAGTGCCA   720
     ACCGCAGTGA CCCAGTCACC CTGAATGTCC TCTATGGCCC AGATGTCCCC ACCATTTCCC   780
     CCTCAAAGGC CAATTACCGT CCAGGGGAAA ATCTGAACCT CTCCTGCCAC GCAGCCTCTA   840
40   ACCCACCTGC ACAGTACTCT TGGTTTATCA ATGGGACGTT CCAGCAATCC ACACAAGAGC   900
     TCTTTATCCC CAACATCACT GTGAATAATA GCGGATCCTA TATGTGCCAA GCCCATAACT   960
     CAGCCACTGG CCTCAATAGG ACCACAGTCA CGATGATCAC AGTCTCTGGA AGTGCTCCTG   1020
     TCCTCTCAGC TGTGGCCACC GTCGGCATCA CGATTGGAGT GCTGGCCAGG GTGGCTCTGA   1080
     TATAGCAGCC CTGGTGTATT TTCGATATTT CAGGAAGACT GGCAGATTGG ACCAGACCCT   1140
45   GAATTCTTCT AGCTCCTCCA ATCCCATTTT ATCCCATGGA ACCACTAAAA ACAAGGTCTG   1200
     CTCTGCTCCT GAAGCCCTAT ATGCTGGAGA TGGACAACTC AATGAAAATT TAAAGGGAAA   1260
     ACCCTCAGGC CTGAGGTGTG TGCCACTCAG AGACTTCACC TAACTAGAGA CAGTCAAACT   1320
     GCAAACCATG GTGAGAAATT GACGACTTCA CACTATGGAC AGCTTTTCCC AAGATGTCAA   1380
50   AACAAGACTC CTCATCATGA TAAGGCTCTT ACCCCCTTTT AATTTGTCCT TGCTTATGCC   1440
     TGCCTCTTTC GCTTGGCAGG ATGATGCTGT CATTAGTATT TCACAAGAAG TAGCTTCAGA   1500
     GGGTAACTTA ACAGAGTGTC AGATCTATCT TGTCAATCCC AACGTTTTAC ATAAAATAAG   1560
     AGATCCTTTA GTGCACCCAG TGACTGACAT TAGCAGCATC TTTAACACAG CCGTGTGTTC   1620
55   AAATGTACAG TGGTCCTTTT CAGAGTTGGA CTTCTAGACT CACCTGTTCT CACTCCCTGT   1680
     TTTAATTCAA CCCAGCCATG CAATGCCAAA TAATAGAATT GCTCCCTACC AGCTGAACAG   1740
     GGAGGAGTCT GTGCAGTTTC TGACACTTGT TGTTGAACAT GGCTAAATAC AATGGGTATC   1800
     GCTGAGACTA AGTTGTAGAA ATTAACAAAT GTGCTGCTTG GTTAAAATGG CTACACTCAT   1860
     CTGACTCATT CTTTATTCTA TTTTAGTTGG TTTGTATCTT GCCTAAGGTG CGTAGTCCAA   1920
60   CTCTTGGTAT TACCCTCCTA ATAGTCATAC TAGTAGTCAT ACTCCCTGGT GTAGTGTATT   1980
     CTCTAAAAGC TTTAAATGTC TGCATGCAGC CAGCCATCAA ATAGTGAATG GTCTCTCTTT   2040
     GGCTGGAATT ACAAAACTCA GAGAAATGTG TCATCAGGAG AACATCATAA CCCATGAAGG   2100
     ATAAAAGCCC CAAATGGTGG TAACTGATAA TAGCACTAAT GCTTTAAGAT TTGGTCACAC   2160
     TCTCACCTAG GTGAGCGCAT TGAGCCAGTG GTGCTAAATG CTACATACTC CAACTGAAAT   2220
     GTTAAGGAAG AAGATAGATC CAATTAAAAA AAATTAAAAC CAATTTAAAA AAAAAAAAGA   2280
     ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCCTC TACTTTAACT   2340
     TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTTAACCAA TGTATTTATT TCTGTGGTTC   2400
     TGTTTCCTTG TTCCAATTTG ACAAAACCCA CTGTTCTTGT ATTGTATTGC CCAGGGGGAG   2460
     CTATCACTGT ACTTGTAGAG TGGTGCTGCT TTAATTCATA AATCACAAAT AAAAGCCAAT   2520
65   TAGCTCTATA ACT
```

Seq ID NO: 629 Protein sequence
Protein Accession #: AAA59909.1

```
70   1          11         21         31         41         51
     |          |          |          |          |
     MLTNVFISVV LFPCSNLTKP TVLVLYCPGG AITVLVEWCC FNS
```

Seq ID NO: 630 DNA sequence
75   Nucleic Acid Accession #: NM_016639.1
     Coding sequence: 40..429

```
80   1          11         21         31         41         51
     |          |          |          |          |          |
     GCGGCGGGCG CAGACAGCGG CGGGCGCAGG ACGTGCACTA TGGCTCGGGG CTCGCTGCGC   60
     CGGTTGCTGC GGCTCCTCGT GCTGGGGCTC TGGCTGGCGT TGCTCGCGCTC CGTGGCCGGG   120
     GAGCAAGCGC CAGGCACCGC CCCCTGCTCC CGCGGCAGCT CCTGGAGCGC GGACCTGGAC   180
     AAGTGCATGG ACTGCGCGTC TTGCAGGGCG CGACCGCACA GCGACTTCTG CCTGGGCTGC   240
85   GCTGCAGCAC CTCCTGCCCC CTTCCGGCTG CTTTGGCCCA TCCTTGGGGG CGCTCTGAGC   300
     CTGACCTTCG TGCTGGGGCT GCTTTCTGGC TTTTTGGTCT GGAGACGATG CCGCAGGAGA   360
     GAGAAGTTCA CCACCCCCAT AGAGGAGACC GGCGGAGAGG GCTGCCCAGC TGTGGCGCTG   420
```

```
     ATCCAGTGAC AATGTGCCCC CTGCCAGCCG GGGCTCGCCC ACTCATCATT CATTCATCCA   480
     TTCTAGAGCC AGTCTCTGCC TCCCAGACGC GGCGGGAGCC AAGCTCCTCC AACCACAAGG   540
  5  GGGGTGGGGG GCGGTGAATC ACCTCTGAGG CCTGGGCCCA GGGTTCAGGG GAACCTTCCA   600
     AGGTGTCTCG TTGCCCTGCC TCTGGCTCCA GAACAGAAAG GGAGCCTCAC GCTGGCTCAC   660
     ACAAAACAGC TGACACTGAC TAAGGAACTG CAGCATTTGC ACAGGGGAGG GGGGTGCCCT   720
     CCTTCCTTAG GACCTGGGGG CCAGGCTGAC TTGGGGGGCA GACTTGACAC TAGGCCCCAC   780
     TCACTCAGAT GTCCTGAAAT TCCACCACGG GGGTCACCCT GGGGGGTTAG GGACCTATTT   840
     TTAACACTAG GGGCTGGCCC ACTAGGAGGG CTGGCCCTAA GATACAGACC CCCCCAACTC   900
     CCCAAAGCGG GGAGGAGATA TTTATTTTGG GGAGAGTTTG GAGGGGAGGG AGAATTTATT   960
 10  AATAAAAGAA TCTTTAACTT TAAAAAAAAA AAAAAAAA
```

Seq ID NO: 631 Protein sequence
Protein Accession #: NP_057723.1

```
 15     1          11         21         31         41         51
        |          |          |          |          |          |
        MARGSLRRLL RLLVLGLWLA LLRSVAGEQA PGTAPCSRGS SWSADLDKCM DCASCRARPH    60
        SDFCLGCAAA PPAPFRLLWP ILGGALSLTF VLGLLSGFLV WRRCRRREKF TTPIEETGGE   120
 20     GCPAVALIQ
```

Seq ID NO: 632 DNA sequence
Nucleic Acid Accession #: NM_003816.1
Coding sequence: 79..2538

```
 25     1          11         21         31         41         51
        |          |          |          |          |          |
        CGGCAGGGTT GGAAAATGAT GGAAGAGGCG GAGGTGGAGG CGACCGAGTG CTGAGAGGAA    60
        CCTGCGGAAT CGGCCGAGAT GGGGTCTGGC GCGCGCTTTC CCTCGGGGAC CCTTCGTGTC   120
        CGGTGGTTGC TGTTGCTTGG CCTGGTGGGC CCAGTCCTTG GTGCGGCCTT GCCAGGCTTT   180
 30     CAACAGACCT CACATCTTTC TTCTTATGAA ATTATAACTC CTTGGAGATT AACTAGAGAA   240
        AGAAGAGAAG CCCCTAGGCC CTATTCAAAA CAAGTATCTT ATGTTATTCA GGCTGAAGGA   300
        AAAGAGCATA TTATTCACTT GGAAAGGAAC AAAGACCTTT TGCCTGAAGA TTTTGTGGTT   360
        TATACTTACA CAAGGAAGG GACTTTAATC ACTGACCATC CCAATACACA GAATCATTGT   420
        CATTATCGGG GCTATGTGGA GGGAGTTCAT AATTCATCCA TTGCTCCTTAG CGACTGTTT   480
 35     GGACTCAGAG GATTGCTGCA TTTAGAGAAT GCGAGTTATG GGATTGAACC CCTGCAGAAC   540
        AGCTCTCATT TTGAGCACAT CATTTATCGA ATGGATGATG TCTACAAAGA GCCTCTGAAA   600
        TGTGGAGTTT CCAACAAGGA TATAGAGAAA GAAACTGCAA AGGATGAAGA GGAAGAGCCT   660
        CCCAGCATGA CTCAGCTACT TCGAAGAAGA AGAGCTGTCT TGCCACAGAC CCGGTATGTG   720
        GAGCTGTTCA TTGTCGTAGA CAAGGAAAGG TATGACATGA TGGGAAGAAA TCAGACTGCT   780
 40     GTGAGAGAAG AGATGATTCT CCTGGCAAAC TACTTGGATA GTATGTATAT TATGTTAAAT   840
        ATTCGAATTG TGCTAGTTGG ACTGGAGATT TGGACCAATG GAAACCTGAT CAACATAGTT   900
        GGGGGTGCTG GTGATGTGC GGGGAACTTC GTGCAGTGGC GGGAAAAGTT TCTTATCACA   960
        CGTCGGAGAC ATGACAGTGC ACAGCTAGTT CTAAAGAAAG GTTTTGGTGG AACTGCAGGA  1020
        ATGGCATTTG TGGGAACAGT GTGTTCAAGG AGCCACGCAG GCGGGATTAA TGTGTTTGGA  1080
 45     CAAATCACTG TGGAGACATT TGCTTCCATT GTTGCTCATG AATTGGGTCA TAATCTTGGA  1140
        ATGAATCACG ATGATGGGAG AGATTGTTCC TGTGGAGCAA AGAGCTGCAT CATGAATTCA  1200
        GGAGCATCGG GTTCCAGAAA CTTTAGCAGT TGCAGTGCAG AGGACTTTGA GAAGTTAACT  1260
        TTAAATAAAG GAGGAAACTG CCTTCTTAAT ATTCCAAAGC CTGATGAAGC CTATAGTGCT  1320
        CCCTCCTGTG GTAATAAGTT GGTGGACGCT GGGGAAGAGT GTGACTGTGA TACTCCAAAG  1380
 50     GAATGTGAAT TGGACCCTTG CTGCGAAGGA AGTACCTGTA AGCTTAAATC ATTTGCTGAG  1440
        TGTGCATATG GTGACTGTTG TAAAGACTGT CGGTTCCTTC CAGGAGGTAC TTTATGCCGA  1500
        GGAAAAACCA GTGAGTGTGA TGTTCCAGAG TACTGCAATG GTTCTTCTCA GTTCTGTCAG  1560
        CCAGATGTTT TTATTCAGAA TGGATATCCT TGCCAGAATA ACAAAGCCTA TTGCTACAAC  1620
        GGCATGTGCC AGTATTATGA TGCTCAATGT CAAGTCATCT TTGGCTCAAA AGCCAAGGCT  1680
 55     GCCCCCAAAG ATTGTTTCAT TGAAGTGAAT TCTAAAGGTG ACAGATTTGG CAATTGTGGT  1740
        TTCTCTGGCA ATGAATACAA GAAGTGTGCC ACTGGGAATG CTTTGTGTGG AAAGCTTCAG  1800
        TGTGAGAATG TACAAGAGAT ACCTGTATTT GGAATTGTGC CTGCTATTAT TCAAACGCCT  1860
        AGTGAGGCA CCAAATGTTG GGGTGTGGAT TTCCAGCTAG GATCAGATGT TCCAGATCCT  1920
        GGGATGGTTA ACGAAGGCAC AAAATGTGGT GCTGGAAAGA TCTGTAGAAA CTTCCAGTGT  1980
 60     GTAGATGCTT CTGTTCTGAA TTATGACTGT GATGTTCAGA AAAAGTGTCA TGGACATGGG  2040
        GTATGTAATA GCAATAAGAA TTGTCACTGT GAAAATGGCT GGGCTCCCCC AAATTGTGAG  2100
        ACTAAAGGAT ACGGAGGAAG TGTGGACAGT GGACCTACAT ACAATGAAAT GAATACTGCA  2160
        TTGAGGGACG GACTTCTGGT CTTCTTCTTC CTAATTGTTC CCCTTATTGT CTGTGCTATT  2220
        TTTATCTTCA TCAAGAGGGA TCAACTGTGG GAGAAGCTACT TCAGAAAGAA GAGATCACAA  2280
 65     ACATATGAGT CAGATGGCAA AAATCAAGCA AACCCTTCTA GACAGCCGGG GAGTGTTCCT  2340
        CGACATGTTT CTCCAGTGAC ACCTCCCAGA GAAGTTCCTA TATATGCAAA CAGATTTGCA  2400
        GTACCAACCT ATGCAGCCAA GCAACCTCAG CAGTTCCCAT CAAGGCCACC TCCACCACAA  2460
        CCGAAAGTAT CATCTCAGGG AAACTTAATT CCTGCCCGTC CTGCTCCTGC ACCTCCTTTA  2520
        TATAGTTCCC TCACTTGATT TTTTTAACCT TCTTTTTGCA AATGTCTTCA GGGAACTGAG  2580
 70     CTAATACTTT TTTTTTTTCT TGATGTTTTC TTGAAAAGCC TTTCTGTTGC AACTATGAAT  2640
        GAAAACAAAA CACCACAAAA CAGACTTCAC TAACACAGAA AAACAGAAAC TGAGTGTGAG  2700
        AGTTGTGAAA TACAAGGAAA TGCAGTAAAG CCAGGGAATT TACAATAACA TTTCCGTTTU  2760
        CATCATTGAA TAAGTCTTAT TCAGTCATCG GTGAGGTTAA TGCACTAATC ATGGATTTTT  2820
        TGAACATGTT ATTGCAGTGA TTCTCAAATT AACTGTATTG GTGTAAGATT TTTGTCATTA  2880
 75     AGTGTTTAAG TGTTATTCTG AATTTTCTAC CTTAGTTATC ATTAATGTAG TTCCTCATTG  2940
        AACATGTGAT AATCTAATAC CTGTGAAAAC TGACTAATCA GCTGCCAATA ATATCTAATA  3000
        TTTTTCATCA TGCACGAATT AATAATCATC ATACTCTAGA ATCTTGTCTG TCACTCACTA  3060
        CATGAATAAG CAAATATTGT CTTCAAAAGA ATGCACAAGA ACCACAATTA AGATGTCATA  3120
        TTATTTTGAA AGTACAAAAT ATACTAAAAG AGTGTGTGTG TATTCACGCA GTTACTGCT  3180
 80     TCCATTTTTA TGACCTTTCA ACTATAGGTA ATAACTCTTA GAGAAATTAA TTTAATATTA  3240
        GAATTTCTAT TATGAATCAT GTGAAAGCAT GACATTCGTT CACAATAGCA CTATTTTAAA  3300
        TAAATTATAA GCTTTAAGGT ACGAAGTATT TAATAGATCT AATCAAATAT GTTGATTCAT  3360
        GGCTATAATA AAGCAGGAGC AATTATAAAA TCTTCAATCA ATTGAACTTT TACAAAACCA  3420
        CTTGAGAATT TCATGAGCAC TTTAAAATCT GAACTTTCAA AGCTTGCTAT TAAATCATTT  3480
 85     AGAATGTTTA CATTTACTAA GGTGTGCTGG GTCATGTAAA ATATTAGACA CTAATATTTT  3540
        CATAGAAATT AGGCTGGAGA AAGAAGGAAG AAATGGTTTT CTTAAATACC TACAAAAAAG  3600
        TTACTGTGGT ATCTATGAGT TATCATCTTA GCTGTGTTAA AAATGAATTT TTACTATGGC  3660
```

```
AGATATGGTA TGGATCGTAA AATTTTAAGC ACTAAAAATT TTTTCATAAC CTTTCATAAT  3720
AAAGTTTAAT AATAGGTTTA TTAACTGAAT TTCATTAGTT TTTTAAAAGT GTTTTTGGTT  3780
TGTGTATATA TACATATACA AATACAACAT TTACAATAAA TAAAATACTT GAAATTCTCA  3840
AAAAAAAAAA AAAAAAAAAA AAAAA
```

Seq ID NO: 633 Protein sequence
Protein Accession #: NP_003807.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGSGARFPSG TLRVRWLLLL GLVGPVLGAA RPGFQQTSHL SSYEIITPWR LTRERREAPR   60
PYSKQVSYVI QAEGKEHIIH LERNKDLLPE DFVVYTYNKE GTLITDHPNI QNECHYRGYV  120
EGVHNSSIAL SDCFGLRGLL HLENASYGIE PLQNSSHFEH IIYRMDDVYK EPLKCGVSNK  180
DIEKETAKDE EEEPPSMTQL LRRRRAVLPQ TRYVELPIVV DKERYDMMGR NQTAVREEMI  240
LLANYLDSMY IMLNIRIVLV GLEIWTNGNL INIVGGAGDV LGNFVQWREK FLITRRRHDS  300
AQLVLKKGPG GTAGMAFVGT VCSRSHAGGI NVFGQITVET FASIVAHELG HNLGMNHDDG  360
RDCSCGAKSC IMNSGASGSR NPSSCSAEDF EKLTLNKGGN CLLNIPKPDE AYSAPSCGNK  420
LVDAGEECDC GTPKECELDP CCEGSTCKLK SPAECAYGDC CKDCRFLPGG TLCRGKTSEC  480
DVPEYCNGSS QFCQPDVFIQ NGYPCQNNKA YCYNGMCQYY DAQCQVIFGS KAKAAPKDCF  540
IEVNSKGDRP GNCGPSGNEY KKCATGNALC GKLQCENVQE IPVFGIVPAI IQTPSRGTKC  600
WGVDPQLGSD VPDPGMVNEG TKCGAGKICR NFQCVDASVL NYDCDVQKKC HGHGVCNSNK  660
NCHCENGWAP PNCETKGYGG SVDSGPTYNE MNTALRDGLL VFFLIVPLI VCAIFIFIKR  720
DQLWRSYFRK KRSQTYESDG KNQANPSRQP GSVPRHVSPV TPPREVPIYA NRFAVPTYAA  780
KQPQQPPSRP PPPQPKVSSQ GNLIPARPAP APPLYSSLT
```

Seq ID NO: 634 DNA sequence
Nucleic Acid Accession #: NM_002091.1
Coding sequence: 56..503

```
1          11         21         31         41         51
|          |          |          |          |          |
AGTCTCTGCT CTTCCCAGCC TCTCCGGCGC GCTCCAAGGG CTTCCCGTCG GGACCATGCG   60
CGGCAGTGAG CTCCCGCTGG TCCTGCTGGC GCTGGTCCTC TGCCTAGCGC CCGGGGGGCG  120
AGCGGTCCCG CTGCCTGCGG GCGGGAGGGAC CGTGCTGACC AAGATGTACC CGCGCGGCAA  180
CCACTGGGCG GTGGGGCACT TAATGGGGAA AAAGAGCACA GGGGAGTCTT CTTCTGTTTC  240
TGAGAGAGGG AGCCTGAAGC AGCAGCTGAG AGAGTACATC AGGTGGGAAG AAGCTGCAAG  300
GAATTTGCTG GGTCTCATAG AAGCAAAGGA GAACAGAAAC CACCAGCCAC CTCAACCCAA  360
GGCCTTGGGC AATCAGCAGC CTTCGTGGGA TTCAGAGGAT AGCAGCAACT TCAAAGATGT  420
AGGTTCAAAA GGCAAAGTTG GTAGACTCTC TGCTCCCAGGT TCTCAACGTG AAGGAAGGAA  480
CCCCCAGCTG AACCAGCAAT GATAATGATG GCCTCTCTCA AAAGAGAAAA ACAAAACCCC  540
TAAGAGACTG AGTTCTGCAA GCATCAGTTC TACGGATCAT CAACAAGATT TCCTTGTGCA  600
AAATATTTGA CTATTCTGTA TCTTTCATCC TTGACTAAAT TCGTGATTTT CAAGCAGCAT  660
CTTCTGGTTT AAACTTGTTT GCTGTGAACA ATTGTCGAAA AGAGTCTTCC AATTAATGCT  720
TTTTTATATC TAGGCTACCT GTTGGTTAGA TTCAAGGCCC CGAGCTGTTA CCATTCACAA  780
TAAAAGCTTA AACACAT
```

Seq ID NO: 635 Protein sequence
Protein Accession #: NP_002082.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MRGSELPLVL LALVLCLAPR GRAVPLPAGG GTVLTKMYPR GNHWAVGHLM GKKSTGESSS   60
VSERGSLKQQ LREYIRWEEA ARNLLGLIEA KENRNHQPPQ PKALGNQQPS WDSEDSSNFK  120
DVGSKGKVGR LSAPGSQREG RNPQLNQQ
```

Seq ID NO: 636 DNA sequence
Nucleic Acid Accession #: NM_016522.1
Coding sequence: 265..1299

```
1          11         21         31         41         51
|          |          |          |          |          |
GCGGAAGCAG CGAGGAGGGA GCCCCCTTTG GCCGTCCTCC GTGGAACCGG TTTTCCGAGG   60
CTGGCAAAAG CCGAGGCTGG ATTTGGGGGA GGAATATTAG ACTCGGAGGA GTCTGCGCGC  120
TTTTCTCCTC CCCGCGCCTC CCGGTCGCCG CGGGTTCACC GCTCAGTCCC CGCGCTCGCT  180
CCGCACCCCA CCCACTTCCT GTGCTCGCCCA GGGGGGCGTG TGCCGTGCGG CTGCCGGAGT  240
TCGGGGAAGT TGTGGCTGTG GAGAATGGGG GTCTGTGGGT ACCTGTTCCT GCCCCTGGAAG  300
TGCCTCGTGG TCGTGTCTCT CAGGCTGCTG TTCCTTGTAC CCACAGGAGT GCCCCGTGGCA  360
AGCGGAGATG CCACCTTCCC CAAAGCTATG GACAACGTGA CGGTCCGGCA GGGGGAGAGC  420
GCCACCCTCA GGTGCACTAT TGACAACCGG GTCACCCGGG TGGCCTGGCT AAAACCGCAGC  480
ACCATCCTCT ATGCTGGGAA TGACAAGTGG TGCCTGGATC CTCGCGTGGT CCTTCTGAGC  540
AACACCCAAA CGCAGTACAG CATCGAGATC CAGAACGTGG ATGTGTATGA GAGGGGCCCT  600
TACACCTGCT CGGTGCAGAC AGACAACCAC CCAAAGACCT CTAGGGTCCA CCTCATTGTG  660
CAAGTATCTC CCAAAATTGT AGAGATTTCT TCAGATATCT CCATTAATGA AGGGAACAAT  720
ATTAGCCTCA CCTGCATAGC AACTGGTAGA CCAGAGCCTA CGGTTACTTG GAGACACATC  780
TCTCCCCAAAG CGGTTGGCTT TGTGAGTGAA GACGAATACT TGGAAATTCA GGGCATCACC  840
CGGGAACAGT CAGGGGACTA CGAGTGCAGT GCCTCCAATG ACGTGGCCGC GCCCGTGGTA  900
CGGAGAGTAA AGGTCACCGT GAACTATCCA CCATACATTT CAGAAGCCAA GGGTACAGGT  960
GTCCCCGTGG GACAAAAGGG GACACTGCAG TGTGAAGCCT CAGCAGTCCC CTCAGCAGAA 1020
TTCCAGTGGT ACAAGGATGA CAAAAGACTG ATTGAAGGAA AGAAAGGGGT GAAAGTGGAA 1080
AACAGAACCT TCCTCTCAAA ACTCATCTTC TTCAATGTCT CTGAACATGA CTATGGGAAC 1140
TACACTTGCG TGGCCTCCAA CAAGCTGGGC CACACCAATG CCAGCATCAT GCTATTTGGT 1200
CCAGGCGCCG TCAGCGAGGT GAGCAACGGC ACGTCGAGGA GGGCAGGCTG CGTCTGCTG 1260
CTGCCTCTTC TGGTCTTGCA CCTGCTTCTC AAATTTTGAT GTGAGTGCCA CTTCCCCACC 1320
CGGGAAAGGC TGCCGCCACC ACCACCACCA ACACAACAGC AATGGCAACA CCGACAGCAA 1380
CCAATCAGAT ATATACAAAT GAAATTAGAA GAAACACAGC CTCATGGGAC AGAAATTTGA 1440
GGGAGGGGAA CAAAGAATAC TTTGGGGGGA AAAGAGTTTT AAAAAAGAAA TTGAAAATTG 1500
CCTTGCAGAT ATTTAGGTAC AATGGAGTTT TCTTTTCCCA AACGGGAAGA ACACAGCACA 1560
```

```
CCCGGCTTGG ACCCACTGCA AGCTGCATCG TGCAACCTCT TTGGTGCCAG TGTGGGCAAG  1620
GGCTCAGCCT CTCTGCCCAC AGACTGCCCC CACGTGGAAC ATTCTGGAGC TGGCCATCCC  1680
AAATTCAATC AGTCCATAGA GACGAACAGA ATGAGACCTT CCGGCCCAAG CGTGGGCGTT  1740
CCGGCCCAAG CGTGGCGCTG CGGGCACTTT GGTAGACTGT GCCACCACGG CGTGTGTTGT  1800
GAAACGTGAA ATAAAAAGAG CAAAAACAAAA AAAAAAAAA                          
```

Seq ID NO: 637 Protein sequence
Protein Accession #: NP_057606.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MGVCGYLFLP WKCLVVVSLR LLFLVPTGVP VRSGDATFPK AMDNVTVRQG ESATLRCTID   60
NRVTRVAWLN RSTILYAGND KWCLDPRVVL LSNTQTQYSI EIQNVDVYDE GPYTCSVQTD  120
NHPKTSRVHL IVQVSPKIVE ISSDISINEG NNISLTCIAT GRPEPTVTWR HISPKAVGFV  180
SEDEYLEIQG ITREQSGDYE CSASNDVAAP VVRRVKVTVN YPPYISEAKG TGVPVGQKGT  240
LQCEASAVPS AEPQWYKDDK RLIEGKKGVK VENRPFLSKL IFFNVSEHDY GNYTCVASNK  300
LGHTNASIML PGPGAVSEVS NGTSRRAGCV WLLPLLVLHL LLKF
```

Seq ID NO: 638 DNA sequence
Nucleic Acid Accession #: NM_012261.1
Coding sequence: 203..1045

```
1          11         21         31         41         51
|          |          |          |          |          |
GATTTGCTCT GCCAGCAGCT GTCGGTGCCG CGCTCGACAC CGAGTCCTAG CTAGGCGCTC   60
ACAGAATACG CGCTCCCTCC CTCCCCCTTC TCTGTCCCCC GCCTCTCGCT CACCCCGGCC  120
CACTCCAGCG GCGACTTTGA GGGATTCCCT CTCTGGCGGC CTCTGCAGCA GCACAGCCGG  180
CCTCATTCGG GGCACTGCGA GTATGGATCT CCAAGGAAGA GGGGTCCCCA GCATCGACAC  240
ACTTCGAGTT CTCCTGATGT TGTTCCATAC AATGGCTCAA ATCATGCCAG AACAAGAAGT  300
GGAAAATCTC TCAGGCCTTT CCACTAACCC TGAAAAAGAT ATATTTGTGG TGCCGGGAAA  360
TGGGACGACG TGTCTCATGG CAGAGTTTGC AGCCAAATTT ATTGTACCTT ATGATGTGTG  420
GGCCAGCAAC TACGTAGATC TGATCACAGA ACAGGCCGAT ATCGCATTGA CCCGGGGAGC  480
TGAGGTGAAG GGCCGCTGTG GCCACAGCCA GTCGGAGCTG CAAGTGTTCT GGGTGGATCG  540
CGCATATGCA CTCAAAATGC TCTTTGTAAA GGAAAGCCAC AACATGTCCA AGGGACCTGA  600
GGGCGACTTGG AGGCTGAGCA AAGTGCAGTT TGTCTACGAC TCCTCGGAGA AAACCCACTT  660
CAAAGACGCA GTCAGTGCTG GGAAGCACAC AGCCAACTCG CACCACCTCT CTGCCTTGGT  720
CACCCCCGCT GGGAAGTCCT ATGAGTGTGA AGCTCAACAA ACCATTTCAC TGGCCTCTAG  780
TGATCCGCAG AAGACGGTCA CCATGATCCT GTCTGCGGTC CACATCCAAC CTTTTGACAT  840
TATCTCAGAT TTTGTCTTCA GTGAAGAGCA TAAATGCCCA GTGGATGAGC GGGAGCAACT  900
GGAAGAAACC TTGCCCCTGA TTTTGGGGCT CATCTTGGGC CTCGTCATCA TGGTAACACT  960
CGCGATTTAC CACGTCCACC ACAAAATGAC TGCCAACCAG GTGCAGATCC CTCGGGACAG 1020
ATCCCAGTAT AAGCACATGG GCTAGAGGCC GTTAGGCAGG CACCCCCTAT TCCTGCTCCC 1080
CCAACTGGAT CAGGTAGAAC AACAAAAGCA CTTTTCCATC TTGTACACGA GATACACCAA 1140
CATAGCTACA ATCAAACAGG CCTGGGTATC TGAGGCTTGC TTGGCTTGTG TCCATGCTTA 1200
AACCCACGGA AGGGGGAGAC TCTTTCGGAT TTGTAGGGTG AAATGGCAAT TATTCTCTCC 1260
ATGCTGGGGA GGAGGGGAGG AGGGTCTCAG ACAGCTTTCG TGCTCATGGT GGCTTGGCTT 1320
TGACTCTCCA AAGAGCAATA AATGCCACTT GGAGCTGTAT CTGGCCCCAA AGTTTAGGGA 1380
TTGAAAACAT GCTTCTTTGA GGAGGAAACC CCTTTAGGTT CAGAAGAATA TGGGGTGCTT 1440
TGCTCCCTTG GACACAGCTG GCTTATCCTA TACAGTTGTC AATGCACACA GAATACAACC 1500
TCATGCTCCC TGCAGCAAGA CCCCTGAAAG TGATTCATGC TTCTGGCTGG CATTCTGCAT 1560
GTTTAGTGAT TGTCTTGGGA ATGTTTCACT GCTACCCGCA TCCAGCGACT GCAGCACCAG 1620
AAAACGACTA ATGTAACTAT GCAGAGTTGT TTGGACTTCT TCCTGTGTGCCA GGTCCAAGTC 1680
GGGGGACCTG AAGAATCAAT CTGTGTGAGT CTGTTTTTCA AAATGAAATA AAACACACTA 1740
TTCTCTGGC
```

Seq ID NO: 639 Protein sequence
Protein Accession #: NP_036393.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MDLQGRGVPS IDRLRVLLML PHTMAQIMAE QEVENLSGLS TNPEKDIPVV RENGTTCLMA   60
EFAAKFIVPY DVWASNYVDL ITEQADIALT RGAEVKGRCG HSQSELQVFW VDRAYALKML  120
FVKESHNMSK GPEATWRLSK VQFVYDSSEK THFKDAVSAG KHTANSHHLS ALVTPAGKSY  180
ECQAQQTISL ASSDPQRTVT MILSAVHIQP FDIISDFVFS EEHKCPVDER EQLEETLPLI  240
LGLILGLVIM VTLAIYHVHH KMTANQVQIP RDRSQYKHMG
```

Seq ID NO: 640 DNA sequence
Nucleic Acid Accession #: NM_002993.1
Coding sequence: 64..408

```
1          11         21         31         41         51
|          |          |          |          |          |
GGCACGAGCC AGTCTCCGCG CCTCCACCCA GCTCAGGAAC CCGCGAACCC TCTCTTGACC   60
ACTATGAGCC TCCGTCCAG CCGCGCGGCC CGTGTCCCGG GTCCTTCGGG CTCCTTGTGC  120
GCGCTGCTCG CGCTGCTGCT CCTGCTGACG CCGCCGGGGC CCCTCGCCAG CGCTGGTCCT  180
GTCTCTGCTG TGCTGACAGA GCTGCGTTGC ACTTGTTTAC GCGTTACGCT GAGAGTAAAC  240
CCCAAAACGA TTGGTAAACT GCAGGTGTTC CCCGCAGGCC CGCAGTGCTC CAAGGTGGAA  300
GTGGTAGCCT CCCTGAAGAA CGGGAAGCAA GTTTGTCTGA ACCCGGAAGC CCCTTTTCTA  360
AAGAAAGTCA TCCAGAAAAT TTTGGACAGT GGAAACAAGA AAAACTGAGT AACAAAAAAG  420
ACCATGCATC ATAAAATTGC CCAGTCTTCA GCGGAGCAGT TTTCTGGAGA TCCCTGGACC  480
CAGTAAGAAT AAGAAGGAAG GGTTGGTTTT TTTCCATTTT CTACATGGAT TCCCTACTTT  540
GAAGAGTGTG GGGGAAAGCC TACGCTTCTC CCTGAAGTTT ACAGCTCAGC TAATGAAGTA  600
CTAATATAGT ATTTCCACTA TTTACTGTTA TTTTACCTGA TAAGTTATTG AACCCTTTGG  660
CAATTGACCA TATTGTGACA AAAGAATCAC TGGTTATTAG TCTTTCAATG AATATTGAAT  720
TGAAGATAAC TATTGTATTT CTATCATACA TTCCTTAAAG TCTTACCGAA AAGGCTGTGG  780
ATTTCGTATG GAAATAATGT TTTATTAGTG TGCTGTTGAG GGAGGTATCC TGTTGTTCTT  840
ACTCACTCTT CTCATAAAAT AGGAAATATT TTAGTTCTGT TTTCTTGGGG AATATGTTAC  900
```

```
      TCTTTACCCT AGGATGCTAT TTAAGTTGTA CTGTATTAGA ACACTGGGTG TGTCATACCG   960
      TTATCTGTGC AGAATATATT TCCTTATTCA GAATTTCTAA AAATTTAAGT TCTGTAAGGG  1020
      CTAATATATT CTCTTCCTAT GGTTTTAGAT GTTTGATGTC TTCTTAGTAT GGCATAATGT  1080
      CATGATTTAC TCATTAAACT TTGATTTTGT ATGCTATTTT TTCACTATAG GATGACTATA  1140
5     ATTCTGGTCA CTAAATATAC ACTTTAGATA GATGAAGAAG CCCAAAAACA GATAAATTCC  1200
      TGATTGCTAA TTTACATAGA AATGTATTCT CTTGGTTTTT TAAATAAAAG CAAAATTAAC  1260
      AATGATCTGT GCTCTGCAAA GTTTTGAAAA TATATTTGAA CAATTTGAAT ATAAATTCAT  1320
      CATTTAGTCC TCAAAATATA TACAGCATTG CTAAGATTTT CAGATATCTA TTGTGGATCT  1380
      TTTAAAGGTT TTGACCATTT TGTTATGAGG AATTATACAT GTATCACATT CACTATATTA  1440
10    AAATTGCACT TTTATTTTTT CCTGTGTGTC ATGTTGGTTT TTGGTACTTG TATTGTCATT  1500
      TGGAGAAACA ATAAAAGATT TCTAAACCAA AAAAAAAAAA AAAAAAA
```

Seq ID NO: 641 Protein sequence
Protein Accession #: NP_002984.1

```
15
      1          11         21         31         41         51
      |          |          |          |          |          |
      MSLPSSRAAR VPGPSGSLCA LLALLLLLTP PGPLASAGPV SAVLTELRCT CLRVTLRVNP   60
20    KTIGKLQVFP AGPQCSKVEV VASLKNGKQV CLDPEAPPLK KVIQKILDSG NKKN
```

Seq ID NO: 642 DNA sequence
Nucleic Acid Accession #: NM_013271.1
Coding sequence: 27..809

```
25
      1          11         21         31         41         51
      |          |          |          |          |          |
      TCCGGAGCCA GGCTCGCTGG GGCAGCATGG CGGGGTCGCC GCTGCTCTGG GGGCCGCGGG   60
      CCGGGGGCGT CGGCCTTTTG GTGCTGCTGC TGCTCGGCCT GTTTCGGCCG CCCCCCGCGC  120
      TCTGCGCGCG GCCGGTAAAG GAACCCCGCG GCCTAAGCGC AGCGTCTCCG CCCTTGGCTG  180
30    AGACTGGCGC TCCTCGCCGC TTCCGGCGGT CAGTGCCCCG AGGTGAGGCG GCGGGGGCGG  240
      TGCAGGAGCT GGCGCGGGCG CTGGCGCATC TGCTGGAGGC CGAACGTCAG GAGCGGGCGC  300
      GGGCCGAGGC GCAGGAGGCT GAGGATCAGC AGGCGCGCGT CCTGGCGCAG CTGCTGCGGG  360
      TCTGGGCGCG CCCCCGCAAC TCTGATCCGG CTCTGGGCCT GGACGACGAC CCCGACGCGC  420
      CTGCAGCGCA GCTCGCTCGC GCTCTGCTCC GCGCCCGCCT TGACCCTGCC GCCCTAGCAG  480
35    CCCAGCTTGT CCCCGCGCCC GTCCCCGCCG CGGCGCTCCG ACCCCGGCCC CCGGTCTACG  540
      ACGACGGCCC CGCGGGCCCG GATGCTGAGG AGGCAGGCGA CGAGACACCC GACGTGGACC  600
      CCGAGCTGTT GAGGTACTTG CTGGGACGGA TTCTTGCGGG AAGCGCGGAC TCCGAGGGGG  660
      TGGCAGCCCC GCGCCGCCTC CGCCGTGCCG CCGACCACGA TGTGGGCTCT GAGCTGCCCC  720
      CTGAGGGCGT GCTGGGGGCG CTGCTGCGTG TGAAACGCCT AGAGACCCCG GCGCCCCAGG  780
40    TGCCTGCACG CCGCCTCTTG CCACCCTGAG CACTGCCCGG ATCCCGTGCA CCCTGGGACC  840
      CAGAAGTGCC CCCGCCATCC CGCCACCAGG ACTTCTCCCC GCCAGCACGT CCAGAGCAAC  900
      TTACCCCGGC CAGCCAGCCC TCTCACCCGA GGATCCCTAC CCCCTGGCCC ACAATAACAT  960
      GATCTGAGC
```

Seq ID NO: 643 Protein sequence
Protein Accession #: NP_037403.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
50    MAGSPLLWGP RAGGVGLLVL LLLGLFRPPP ALCARPVKEP RGLSAASPPL AETGAPRRFR   60
      RSVPRGEAAG AVQELARALA HLLEAERQER ARAEAQEAED QQARVLAQLL RVWGAPRNSD  120
      PALGLDDDPD APAAQLARAL LRARLDPAAL AAQLVPAPVP AAALRPRPPV YDDGPAGPDA  180
      EEAGDETPDV DPELLRYLLG RILAGSADSE GVAAPRRLRR AADHDVGSEL PPEGVLGALL  240
55    RVKRLETPAP QVPARRLLPP
```

Seq ID NO: 644 DNA sequence
Nucleic Acid Accession #: NM_002214
Coding sequence: 681..2990

```
60
      1          11         21         31         41         51
      |          |          |          |          |          |
      CCCAGAGCCG CCTCCCCCTG TTGCTGGCAT CCCGAGCTTC CTCCCTTGCC AGCCAGGACG   60
      CTGCCGACTT GTCTTTGCCC GCTGCTCCGC AGACGGGGCT GCAAAGCTGC AACTAATGGT  120
      GTTGGCCTCC CTGCCCACCT GTGGAAGCAA CTGCGCTGAT TGATGCGCCA CAGACTTTCT  180
65    TCCCCTCGAC CTCGCCGGCG TACCCTCCCA CAGATCCAGC ATCACCCAGT GAATGTACAT  240
      TAGGGTGGTT TCCCCCCCAG CTTCGGGCTT TGTTTGGGTT TGATTGTGTT TGGCTCTTCG  300
      CTAAGCTGAT TTATGCAGCA GAAGCCCCAC CGGCTGGAGA GAAACAAAG CTCTTTTCTT  360
      TGTCCCGGAG CAGGCTGCGG AGCCCTTGCA GAGCCCTCTC TCCAGTCGCC GCCGGGCCCT  420
      TGGCCGTCGA AGGAGGTGCT TCTCGCGGAG ACCGCGGGAC CCGCCGTGCC GAGCCGGGAG  480
70    GGCCGTAGGG GCCCTGAGAT GCCGAGCGGT GCCCGGGCCC GCTTACCTGC ACCGCTTGCT  540
      CCGAGCCGCG GGGTCCGCCT GCTAGGGCTG CGGAAAACGT CCTAGCGACA CTCGCCCGCG  600
      GGCCCCGAGG TCGCCCGGGA GGCGCGAGCCC GCGTCGGAA GGCAGCCAGG CGGCGGGCGC  660
      GGGGCGGGCT GTTTTGCATT ATGTGCGGCT CGGCCCTGGC TTTTTTTACC GCTGCATTTG  720
      TCTGCCTGCA AAACGACCGG CGAGGTCCCG CCTCGTTCCT CTGGGCAGCC TGGGTGTTTT  780
75    CACTTGTTCT TGGACTGGGC CAAGGTGAAG ACAATAGATG TGCATCTTCA AATGCAGCAT  840
      CCTGTGCCAG GTGCCTTGCG CTGGGTCCAG AATGTGGATG GTGTGTTCAA GAGGATTTCA  900
      TTTCAGGTGG ATCAAGAAGT GAACGTTGTG ATATTGTTTC CAATTTAATA AGCAAAGGCT  960
      GCTCAGTTGA TTCAATAGAA TACCCATCTG TGCATGTTAT AATACCCACT GAAAATGAAA  1020
      TTAATACCCA GGTGACACCA GGAGAAGTGT CTATCCAGCT GCGTCCAGGA GCCGAAGCTA  1080
80    ATTTTATGCT GAAAGTTCAT CCTCTGAAGA AATATCCTGT GGATCTTTAT TATCTTGTTG  1140
      ATGTCTCAGC ATCAATGCAC AATAATATAG AAAAATTAAA TTCCGTTGGA AACGATTTAT  1200
      CTAGAAAAAT GGCATTTTTC TCCCGTGACT TTCGTCTTGG ATTTGGCTCA TACGTTGATA  1260
      AAACAGTTTC ACCATACATT AGCATCCACC CCGAAAGGAT TCATAATCAA TGCAGTGACT  1320
      ACAATTTAGA CTGCATGCCT CCCCATGGAT ACATCCATGT GCTGTCTTTG ACAGAGAACA  1380
85    TCACTGAGTT TGAGAAAGCA GTTCATAGAC AGAAGATCTC TGGAAACATA GATACACCAG  1440
      AAGGAGGTTT TGACGCCATG CTTCAGGCAG CTGTCTGTGA AAGTCATATC GGATGGCGAA  1500
      AAGAGGCTAA AAGATTGCTG CTGGTGATGA CAGATCAGAC GTCTCATCTC GCTCTTGATA  1560
```

```
           GCAAATTGGC AGGCATAGTG GTGCCCAATG ACGGAAACTG TCATCTGAAA AACAACGTCT  1620
           ACGTCAAATC GACAACCATG GAACACCCCT CACTAGGCCA ACTTTCAGAG AAATTAATAG  1680
           ACAACAACAT TAATGTCATC TTTGCAGTTC AAGGAAAACA ATTTCATTGG TATAAGGATC  1740
           TTCTACCCCT CTTGCCAGGC ACCATTGCTG GTGAAATAGA ATCAAAGGCT GCAAACCTCA  1800
     5     ATAATTTGGT AGTGGAAGCC TATCAGAAGC TCATTTCAGA AGTGAAAGTT CAGGTGGAAA  1860
           ACCAGGTACA AGGCATCTAT TTTAACATTA CCGCCATCTG TCCAGATGGG TCCAGAAAGC  1920
           CAGGCATGGA AGGATGCAGA AACGTGACGA GCAATGATGA AGTTCTTTTC AATGTAACGA  1980
           TTACAATGAA AAAATGTGAT GTCACAGGAG GAAAAAACTA TGCAATAATC AAACCTATTG  2040
           GTTTTAATGA AACCGCTAAA ATTCATATAC ACAGAAACTG CAGCTGTCAG TGTGAGGACA  2100
    10     ACAGAGGACC TAAAGGAAAG TGTGTAGATG AAACTTTTCT AGATTCCAAG TGTTTCCCAGT  2160
           GTGATGAGAA TAAATGTCAT TTTGATGAAG ATCAGTTTTC TTCTGAGAGT TGCAAGTCAC  2220
           ACAAGGATCA GCCTGTTTGC AGTGGTCGAG GAGTTTGTGT TTGTGGGAAA TGTTCATGTC  2280
           ACAAAATTAA GCTTGGAAAA GTGTATGGAA AATACTGTGA AAAGGATGAC TTTTCTTGTC  2340
           CATATCACCA TGGAAATCTG TGTGCTGGGC ATGGAGAGTG TGAAGCAGGC AGATGCCAAT  2400
    15     GCTTCAGTGG CTGGGAAGGT GATCGATGCC AGTGCCCTTC AGCAGCAGCC CAGCACTGTG  2460
           TCAATTCAAA GGGCCAAGTG TGCAGTGGAA GAGGCACGTG TGTGTGTGGA AGGTGTGAGT  2520
           GCACCGATCC CAGGAGCATC GGCCGCTTCG GTGAACACTG CCCCACCTGT TATACAGCCT  2580
           GCAAGGAAAA CTGGAATTGT ATGCAATGCC TTCACCCTCA CAATTTGTCT CAGGCTATAC  2640
           TTGATCAGTG CAAACCCTCA TGTGCTCTCA TGGAACAACA GCATTATGTC GACCAAACTT  2700
    20     CAGAATGTTT CTCCAGCCCA AGCTACTTGA GAATATTTTT CATCATTTTC ATAGTTACAT  2760
           TCTTGATTGG GTTGCTTAAA GTCCTGATCA TTAGACAGGT GATACTACAA TGGAATAGTA  2820
           ATAAAATTAA GTCCTCATCA GATTACAGAG TGTCAGCCTC AAAAAAGGAT AAGTTGATTC  2880
           TGCAAAGTGT TTGCACAAGA GCAGTCACCT ACCGACGTGA GAAGCCTGAA GAAATAAAAA  2940
           TGGATATCAG CAAATTAAAT GCTCATGAAA CTTTCAGGTG CAACTTCTAA AAAAAGATTT  3000
    25     TTAAACACTT AATGGGAAAC TGGAATTGTT AATAATTGCT CCTAAAGATT ATAATTTTAA  3060
           AAGTCACAGG AGGAGACAAA TTGCTCACGG TCATCGACCAGT TGCTGGTTGT ACACTCGAAC  3120
           GAAGACTGAC AAGTATCCTC ATCATGATGT GACTCACATA GCTGCTGACT TTTTCAGAGA  3180
           AAAATGTGTC TTACTACTGT TTGAGACTAG TGTCGTTGTA GCACTTTACT GTAATATATA  3240
           ACTTATTTAG ATCAGCATAG AATGTAGATC CTCTGAAGAG CACTGATTAC ACTTTACAGG  3300
    30     TACCTGTTAT CCCTACGCTT CCCAGAGAGA ACAATGCTGT GAGAGAGTTT AGCATTGTGT  3360
           CACTACAAGG GTACAGTAAT CCCTGCACTG GACATGTGAG GAAAAAAATA ATCTGGCAAG  3420
           TATATTCTAA GGTTGCCAAA CACTTCAACA GTTGGTGGTT GAATAGACAA GAACAGCTAG  3480
           ATGAATAAAT GATTCGTGTT TCACTCTTTC AAGAGGTGAA CAGATACAAC CTTAATCTTA  3540
           AAAGATTATT GCTTTTTAAA GTGTGTAGTT TTATGCATGT GTGTTTATGG TTTGCTTATT  3600
    35     TTTGCAAGAT GGATACTAAT TCCAGCATTC TCTCCTCTTT GCCTTTATGT TTTGTTTTCT  3660
           TTTTTACAGG ATAAGTTTAT GTATGTCACA GATGACTGGA TTAATTAAGT GCTAAGTTAC  3720
           TACTGCCATA AAAAACTAAT AATACAATGT CACTTTATCA GAATACTAGT TTTAAAAGCT  3780
           GAATGTTAA
```

    40   Seq ID NO: 645 Protein sequence
           Protein Accession #: NP_002205

```
           1          11         21         31         41         51
           |          |          |          |          |          |
    45     MCGSALAFPT AAFVCLQNDR RGPASFLWAA WVFSLVLGLG QGEDNRCASS NAASCARCLA   60
           LGPECGWCVQ EDPISGGSRS ERCDIVSNLI SKGCSVDSIE YPSVHVIIPT ENEINTQVTP  120
           GEVSIQLRPG AEANFMLKVH PLKKYPVDLY YLVDVSASMH NNIEKLNSVG NDLSRKMAFF  180
    50     SRDFRLGFGS YVDKTVSPYI SIHPERIHNQ CSDYNLDCMP PHGYIHVLSL TENITEPEKA  240
           VHRQKISGNI DTPEGGFDAM LQAAVCESHI GWRKEAKRLL LVMTDQTSHL ALDSKLAGIV  300
           VPNDGNCHLK NNVYVKSTTM EHPSLGQLSE KLIDNNINVI PAVQGKQFHW YKDLLPLLPG  360
           TIAGEIESKA ANLNNLVVEA YQKLISEVKV QVENQVQGIY FNITAICPDG SRKPGMEGCR  420
           NVTSNDEVLF NVTVTMKKCD VTGGKNYAII KPIGFNETAK IHIHRNCSCQ CEDNRGPKGK  480
    50     CVDETFLDSK CFQCDENKCH FDEDQFSSES CKSHKDQPVC SGRGVCVCGK CSCHKIKLGK  540
           VYGKYCEKDD PSCPYHHGNL CAGHGECEAG RCQCPSGWEG DRCQCPSAAA QHCVNSKGQV  600
           CSGRGTCVCG RCECTDPRSI GRPCEHCPTC YTACKENWNC MQCLHPHNLS QAILDQCKTS  660
    55     CALMEQQHYV DQTSECPSSP SYLRIFFIIP IVTFLIGLLK VLIIRQVILQ WNSNRIKSSS  720
           DYRVSASKKD KLILQSVCTR AVTYRREKPE EIKMDISKLN AHETFRCNF
```

    60   Seq ID NO: 646 DNA sequence
           Nucleic Acid Accession #: NM_003318.1
           Coding sequence: 1..2574

```
           1          11         21         31         41         51
           |          |          |          |          |          |
    65     ATGGAATCCG AGGATTTAAG TGGCAGAGAA TTGACAATTG ATTCCATAAT GAACAAAGTG   60
           AGAGACATTA AAAATAAGTT TAAAAATGAA GACCTTACTG ATGAACTAAG CTTGAATAAA  120
           ATTTCTGCTG ATACTACAGA TAACTCGGGA ACTGTTAACC AAATTATGAT GATGGCAAAC  180
           AACCCAGAGG ACTGGTTGAG TTTGTTGCTC AAACTAGAGA AAAACAGTGT TCCGCTAAGT  240
    70     GATGCTCTTT TAAATAAAATT GATTGGTCGT TACAGTCAAG CAATTGAAGC GCTTCCCCCA  300
           GATAAATATG GCCAAAATGA GAGTTTTGCT AGAATTCAAG TGAGATTTGC TGAATTAAAA  360
           GCTATTCAAG AGCCAGATGA TGCACGTGAC TACTTTCAAA TGGCCAGAGC AAACTGCAAG  420
           AAATTTGCTT TGTTCATAT ATCTTTTGCA CAATTTGAAC TGTCACAAGG TAATGTCAAA  480
           AAAAGTAAAC AACTTCTTCA AAAAGCTGTA GAACGTGGAG CAGTACCACT AGAAATGCTG  540
    75     GAAATTGCCC TGCGGAATTT AAACCTCCAA AAAAAGCAGC TGCTTTCAGA GGAGGAAAAG  600
           AAGAATTTAT CAGCATCTAC GGTATTAACT GCCCAAGAAT CATTTTCCGG TTCACTTGGG  660
           CATTTACAGA ATAGGAACAA CAGTTGTGAT TCCAGAGGAC AGACTACTAA AGCCAGGTTT  720
           TTATATGGAG AGAACATGCC ACCACAAGAT GCAGAAATAG GTTACCGGAA TTCATTGAGA  780
           CAAACTAACA AAACTAAACA GTCATGCCCA TTTGGAAGAG TCCCAGTTAA CCTTCTAAAT  840
    80     AGCCCAGATT GTGATGTGAA GACAGATGAT TCAGTTGTAC CTTGTTTTAT GAAAAGACAA  900
           ACCTCTAGAT CAGAATGCCG AGATTTGGTT GTGCCTGGAT CTAAACCAAG TGGAAATGAT  960
           TCCTGTGAAT TAAGAAATTT AAAGTCTGTT CAAAATAGTC ATTTCAAGGA ACCTCTGGTG  1020
           TCAGATGAAA AGAGTTCTGA ACTTATTATT ACTGATTCAA TAACCCTGAA GAATAAAACG  1080
           GAATCAAGTC TTCTAGCTAA ATTAGAAGAA ACTAAAGAGT ATCAAGAACC AGAGGTTCCA  1140
           GAGAGTAACC AGAAACAGTG GCAATCTAAG AGAAAGTCAG AGTGTATTAA CCAAGAATCGT  1200
    85     GCTGCATCTT CAAATCACTG GCAGATTCCG GAGTTAGCCC GAAAAGTTAA TACAGAGCAG  1260
           AAACATACCA CTTTTGAGCA ACCTGTCTTT TCAGTTTCAA AACAGTCACC ACCAATATCA  1320
           ACATCTAAAT GGTTTGACCC AAAATCTATT TGTAAGACAC AAGCAGCAA TACCTTGGAT  1380
```

```
        GATTACATGA GCTGTTTTAG AACTCCAGTT GTAAAGAATG ACTTTCCACC TGCTTGTCAG   1440
        TTGTCAACAC CTTATGGCCA ACCTGCCTGT TTCCAGCAGC AACAGCATCA AATACTTGCC   1500
        ACTCCACTTC AAAATTTACA GGTTTTAGCA TCTTCTTCAG CAAATGAATG CATTTCGGTT   1560
        AAAGGAAGAA TTTATTCCAT TTTAAAGCAG ATAGGAAGTG GAGGTTCAAG CAAGGTATTT   1620
  5     CAGGTGTTAA ATGAAAAGAA ACAGATATAT GCTATAAAAT ATGTGAACTT AGAAGAAGCA   1680
        GATAACCAAA CTCTTGATAG TTACCGGAAC GAAATAGCTT ATTTGAATAA ACTACAACAA   1740
        CACAGTGATA AGATCATCCG ACTTTATGAT TATGAAATCA CGGACCAGTA CATCTACATG   1800
        GTAATGGAGT GTGGAAATAT TGATCTTAAT AGTTGGCTTA AAAAGAAAAA ATCCATTGAT   1860
        CCATGGGAAC GCAAGAGTTA CTGGAAAAAT ATGTTAGAGG CAGTTCACAC AATCCATCAA   1920
 10     CATGGCATTG TTCACAGTGA TCTTAAACCA GCTAACTTTC TGATAGTTGA TGGAATGCTA   1980
        AAGCTAATTG ATTTTGGGAT TGCAAACCAA ATGCAACCAG ATACAACAAG TGTTGTTAAA   2040
        GATTCTCAGG TTGGCACAGT TAATTATATG CCACCAGAAG CAATCAAAGA TATGTCTTCC   2100
        TCCAGAGAGA ATGGGAAATC TAAGTCAAAG ATAAGCCCCA AAAGTGATGT TTGGTCCTTA   2160
 15     GGATGTATTT TGTACTATAT GACTTACGGG AAAACACCAT TTCAGCAGAT AATTAATCAG   2220
        ATTTCTAAAT TACATGCCAT AATTGATCCT AATCATGAAA TTGAATTTCC CGATATTCCA   2280
        GAGAAAGATC TTCAAGATGT GTTAAAGTGT TGTTTAAAAA GACCCCAAA ACAGAGGATA   2340
        TCCATTCCTG AGCTCCTGGC TCATCCCTAT GTTCAAATTC AAACTCATCC AGTTAACCAA   2400
        ATGGCCAAGG GAACCACTGA AGAAATGAAA TATGTTCTGG GCCAACTTGT TGGTCTGAAT   2460
        TCTCCTAACT CCATTTTGAA AGCTGCTAAA ACTTTATATG AACACTATAG TGGTGGTGAA   2520
 20     AGTCATAATT CTTCATCCTC CAAGACTTTT GAAAAAAAAA GGGGAAAAAA ATGA
```

Seq ID NO: 647 Protein sequence
Protein Accession #: NP_003309.1

```
25      1          11         21         31         41         51
        |          |          |          |          |          |
        MESEDLSGRS LTIDSIMNKV RDIKNKFKNE DLTDELSLNK ISADTTDNSG TVNQIMMMAN    60
        NPEDWLSLLL KLEKNSVPLS DALLNKLIGR YSQAIEALPP DKYGQNESPA RIQVRPAELK   120
        AIQEPDDARD YFQMARANCK KFAFVHISPA QFELSQGNVK KSKQLLQKAV ERGAVPLEML   180
 30     EIALRNLNLQ KKQLLSEEEK KNLSASTVLT AQESFSGSLG HLQNRNNSCD SRGQTTKARF   240
        LYGENMPPQD AEIGYRNSLR QTNKTKQSCP FGRVPVNLLN SPDCDVKTDD SVVPCFMKRQ   300
        TSRSECRDLV VPGSKPSGND SCELRNLKSV QNSHFKEPLV SDEKSSELII TDSITLKNKT   360
        ESSLLAKLEE TKEYQEPEVP ESNQKQWQSK RKSECINQNP AASSNHWQIP ELARKVNTEQ   420
 35     KHTTFEQFVF SVSKQSPPIS TSKWFDPKSI CKTPSSNTLD DYMSCPRTPV VKNDFPPACQ   480
        LSTPYGQPAC FQQQQHQILA TPLQNLQVLA SSSANECISV KGRIYSILKQ IGSGGSSKVF   540
        QVLNEKKQIY AIKYVNLEEA DNQTLDSYRN EIAYLNKLQQ HSDKIIRLYD YEITDQYIYM   600
        VMECGNIDLN SWLKKKKSID PWERKSYWKN MLEAVHTIHQ HGIVHSDLKP ANFLIVDGML   660
        KLIDFGIANQ MQPDTTSVVK DSQVGTVNYM PPEAIKDMSS SRENGKSKSK ISPKSDVWSL   720
        GCILYYMTYG KTPPQQIINQ ISKLHAIIDP NHEIEFPDIP EKDLQDVLKC CLKRDPKQRI   780
 40     SIPELLAHPY VQIQTHPVNQ MAKGTTEEMK YVLGQLVGLN SPNSILKAAK TLYEHYSGGE   840
        SHNSSSSKTF EKKRGKK
```

Seq ID NO: 648 DNA sequence
Nucleic Acid Accession #: NM_015507
Coding sequence: 241..1902

```
        1          11         21         31         41         51
 45     |          |          |          |          |          |
        CCGCAGAGGA GCCTCGGCCA GGCTAGCCAG GGCGCCCCCA GCCCCTCCCC AGGCCGCGAG    60
        CGCCCCTGCC GCGGTGCCTG GCCTCCCCTC CCAGACTGCA GGGACAGCAC CCGGTAACTG   120
 50     CGAGTGGGAGC GGAGGACCCG AGCGGCTGAG GAGAGAGGAG GCGGCGGCTT AGCTGCTACG   180
        GGGTCCGGAGC GGCGCCCTCC CGAGGGGGGC TCAGGAGGAG GAAGGAGGAC CCGTGCGAGA   240
        ATGCCTCTGC CCTGGAGCCT TGCGCTCCCG CTGCTGCTCT CCTGGGGTGGC AGGTGGTTTC   300
        GGGAACGCGG CCAGTGCAAG GCATCACGGG TTGTTAGCAT CGGCACGTCA GCCTGGGGTC   360
 55     TGTCACTATG GAACTAAACT GGCCTGCTGC TACGGCTGGA GAAGAAACAG CAAGGGAGTC   420
        TGTGAAGCTA CATGCGAACC TGGATGTAAG TTTGGTGAGT GGTGGGACC AAACAAATGC   480
        AGATGCTTTC CAGGATACAC CGGGAAAACC TGCAGTCAAG ATGTGAATGA GTGTGGAATG   540
        AAACCCCGGC CATGCCAACA CAGATGTGTG AATACACACG GAAGCTACAA GTGCTTTTGC   600
        CTCAGTGGCC ACATGCTCAT GCCAGATGCT ACGTGTGTGA ACTCTAGGAC ATGTGCCATG   660
 60     ATAAACTGTC AGTACAGCTG TGAAGACACA GAAGAAGGGC CACAGTGCCT GTGTCCATCC   720
        TCAGGACTCC GCCTGGCCCC AAATGGAAGA GACTGTCTAG ATATTGATGA ATGTGCCTCT   780
        GGTAAAGTCA TCTGTCCCTA CAATCGAAGA TGTGTGAACA CATTTGGAAG CTACTACTGC   840
        AAATGTCACA TTGGTTTCGA ACTGCAATAT ATCAGTGGAC GATATGACT TATAGATATA   900
 65     AATGAATGTA CTATGGATAG CCATACGTGC AGCCACCATG CCAATTGCTT CAATACCCAA   960
        GGGTCCTTCA AGTGTAAATG CAAGCAGGGA TATAAAGGCA ATGGACTTCG GTGTTCTGCT   1020
        ATCCCTGAAA ATTCTGTGAA GGAAGTCCTC AGAGCACCTG GTACCATCAA AGACAGAATC   1080
        AAGAAGTTGC TTGCTCACAA AAACAGCATG AAAAAGAAGG CAAAAATTAA AAATGTTACC   1140
        CCAGAACCCA CCAGGACTCC TACCCCTAAG GTGAACTTGC AGTCCTTCAA CTATGAAGAG   1200
 70     ATAGTTTCCA GAGGCGGGAA CTCTCATGGA GGTAAAAAAG GGAATGAAGA GAAAATGAAA   1260
        GAGGGGCTTG AGGATGAGAA AAGAGAAGAG AAAGCCCTGA AGAATGACAT AGAGGAGCGA   1320
        AGCCTGCGAG GAGATGTGTT TTTCCCTAAG GTGAATGAAG CAGGTGAATT CGGCCTGATT   1380
        CTGGTCCAAA GGAAAGCGCT AACTTCCAAA CTGGAACATA AAGATTTAAA TATCTCGGTT   1440
 75     GACTGCAGCT TCAATCATGG GATCTGTGAC TGGAAACAGG ATAGAGAAGA TGATTTTGAC   1500
        TGGAATCCTG CTGATCGAGA TAATGCTATT GGCTTCTATA TGGCAGTTCC GGCCTTGGCA   1560
        GGTCACAAGA AAGACATTGG CCGATTGAAA CTTCTCCTAC CTGACCTGCA ACCCCAAAGC   1620
        AACTTCTGTT TGCTCTTTGA TTACCGGCTG GCCGGAGACA AAGTCGGAA ACTTCGAGTG   1680
        TTTGTGAAAA ACAGTAACAA TGCCCTGGCA TGGGAGAAGA CCACGAGTGA GGATGAAAAG   1740
 80     TGGAAGACAG GGAAAATTCA GTTGTATCAA GGAACTGATG CTACCAAAAG CATCATTTTT   1800
        GAAGCAGAAC GTGGCAAGGG CAAAACCGGC GAAATCGCAG TGGATGCGT CTTGCTTGTT   1860
        TCAGGCTTAT GTCCAGATAG CCTTTTATCT GTGGATGACT GAATGTTACT ATCTTTATAT   1920
        TTGACTTTGT ATGTCAGTTC CCTGGTTTTT TTGATATTGC ATCATAGGAC CTCTGGCATT   1980
        TTAGAATTAC TAGCTGAAAA ATTGTAAATGT ACCAACAGAA ATATTATTGT AAGATGCCTT   2040
        TCTTGTATAA GATATGCCAA TATTTGCTTT AAATATCATA TCACTGTATC TTCTCAGTCA   2100
 85     TTTCTGAATC TTTCCACATT ATATTATAAA ATATGGAAAT GTCAGTTTAT CTCCCCTCCT   2160
        CAGTATATCT GATTTGTATA AGTAAGTTGA TGAGCTTCTC TCTACAACAT TTCTAGAAAA   2220
        TAGAAAAAAA AGCACAGAGA AATGTTTAAC TGTTTGACTC TTATGATACT TCTTGGAAAC   2280
        TATGACATCA AAGATAGACT TTTGCCTAAG TGGCTTAGCT GGGTCTTTCA TAGCCAAACT   2340
```

434

TGTATATTTA AATTCTTTGT AATAATAATA TCCAAATCAT CAAAAAAAAA AAAAAAAA

Seq ID NO: 649 Protein sequence
Protein Accession #: NP_056322

```
1          11         21         31         41         51
|          |          |          |          |          |
MPLPWSLALP LLLSWVAGGF GNAASARHHG LLASARQPGV CHYGTKLACC YGWRRNSKGV  60
CEATCEPGCK FGECVGPNKC RCFPGYTGKT CSQDVNECGM KPRPCQHRCV NTHGSYKCFC  120
LSGHMLMPDA TCVNSRTCAM INCQYSCEDT EEGPQCLCPS SGLRLAPNGR DCLDIDECAS  180
GKVICPYNRR CVNTFGSYYC KCHIGFELQY ISGRYDCIDI NECTMDSHTC SHHANCFNTQ  240
GSFKCKCKQG YKGNGLRCSA IPENSVKEVL RAPGTIKDRI KKLLAHKNSM KKKAKIKNVT  300
PEPTRTPTPK VNLQPFNYEE IVSRGGNSHG GKKGNEEKMK EGLEDEKREE KALKNDIEER  360
SLRGDVPFPK VNEAGEFGLI LVQRKALTSK LEHKDLNISV DCSPNHGICD WKQDREDDPD  420
WNPADRDNAI GFYMAVPALA GHKKDIGRLK LLLPDLQPQS NFCLLFDYRL AGDKVGKLRV  480
FVKNSNNALA WEKTTSEDEK WKTGKIQLYQ GTDATKSIIF EAERGKGKTG EIAVDGVLLV  540
SGLCPDSLLS VDD
```

Seq ID NO: 650 DNA sequence
Nucleic Acid Accession #: NM_003506.1
Coding sequence: 259..2379

```
1          11         21         31         41         51
|          |          |          |          |          |
GCAGCTCCAG TCCCGGACGC AACCCCGGAG CCGTCTCAGG TCCCTGGGGG GAACGGTGGG  60
TTAGACGGGG ACGGGAAGGG ACAGCGGCCT TCGACCGCCC CCCGAGTAAT TGACCCAGGA  120
CTCATTTTCA GGAAAGCCTG AAAATGAGTA AAATAGTGAA ATGAGGAATT TGAACATTTT  180
ATCTTTGGAT GGGGATCTTC TGAGGATGCA AAGAGTGATT CATCCAAGCC ATGTGGTAAA  240
ATCAGGAATT TGAAGAAAAT GGAGATGTTT ACATTTTTGT TGACGTGTAT TTTTCTACCC  300
CTCCTAAGAG GGCACAGTCT CTTCACCTGT GAACCAATTA CTGTTCCCAG ATGTATGAAA  360
ATGGCCTACA ACATGACGTT TTTCCCTAAT CTGATGGGTC ATTATGACCA GAGTATTGCC  420
GCGGTGGAAA TGGAGCATTT TCTTCCTCTC GCAAATCTGG AATGTTCACC AAACATTGAA  480
ACTTTCCTCT GCAAAGCATT TGTACCAACC TGCATAGAAC AAATTCATGT GGTTCCACCT  540
TGTCGTAAAC TTTGTGAGAA AGTATATTCT GATTGCAAAA AATTAATTGA CACTTTTGGG  600
ATCCGATGGC CTGAGGAGCT TGAATGTGAC AGATTACAAT ACTGTGATGA GACTGTTCCT  660
GTAACTTTTG ATCCACACAC AGAATTTCTT GGTCCTCAGA AGAAAACAGA ACAAGTCCAA  720
AGAGACATTG GATTTTGGTG TCCAAGGCAT CTTAAGACTT CTGGGGGACA AGGATATAAG  780
TTTCTGGGAA TTGACCAGTG TGCGCCTCCA TGCCCCAACA TGTATTTTAA AAGTGATGAG  840
CTAGAGTTTG CAAAAAGTTT TATTGGAACA GTTTCAATAT TTTGTCTTTG TGCAACTCTG  900
TTCACATTCC TTACTTTTTT AATTGATGTT AGAAGATTCA GATACCCAGA GAGACCAATT  960
ATATATTACT CTGTCTGTTA CAGCATTGTA TCTCTTATGT ACTTCATTGG ATTTTTGCTG  1020
GGCGATAGCA CAGCCTGCAA TAAGGCAGAT GAGAAGCTAG AACTTGGTGA CACTGTTGTC  1080
CTAGGCTCTC AAAATAAGGC TTGCACCGTT TTGTTCATGC TTTTGTATTT TTTCACAATG  1140
GCTGGCACTG TGTGGTGGGT GATTCTTACC ATTACTTGGT TCTTAGCTGC AGGAAGAAAA  1200
TGGAGTTGTG AAGCCATCGA GCAAAAAGCA GTGTGGTTTC ATGCTGTTGC ATGGGGAACA  1260
CCAGGTTTCC TGACTGTTAT GCTTCTTGCT CTGAACAAAG TTGAAGGAGA CAACATTAGT  1320
GGAGTTTGCT TTGTTGGCCT TTATGACCTG GATGCTTCTC GCTACTTTGT ACTCTTGCCA  1380
CTGTGCCTTT GTGTGTTTGT TGGGCTCTCT CTTCTTTTAG CTGGCATTAT TTCCTTAAAT  1440
CATGTTCGAC AAGTCATACA ACATGATGGC CGGAACCAAG AAAAACTAAA GAAATTTATG  1500
ATTCGAATTG GAGTCTTCAG CGGCTTGTAT CTTGTGCCAT TAGTGACACT TCTCGGATGT  1560
TACGTCTATG AGCAAGTGAA CAGGATTACC TGGGAGATAA CTTGGGTCTC TGATCATTGT  1620
CGTCAGTACC ATATCCCATG TCCTTATCAG GCAAAAGCAA AAGCTCGACC AGAATTGGCT  1680
TTATTTATGA TAAAATACCT GATGACATTA ATTGTTGGCA TCTCTGCTGT CTTCTGGGTT  1740
GGAAGCAAAA AGACATGCAC AGAATGGGCT GGGTTTTTTA AACGAAATCG CAAGAGAGAT  1800
CCAATCAGTG AAAGTCGAAG AGTACTACAG GAATCATGTG AGTTTTTCTT AAAGCACAAT  1860
TCTAAAGTTA AACACAAAAA GAAGCACTAT AAACCAAGTT CACACAAGCT GAAGGTCATT  1920
TCCAAATCCA TGGGAACCAG CACAGGAGCT ACAGCAAATC ATGGCACTTC TGCAGTAGCA  1980
ATTACTAGCC ATGGATTACCT AGGACAAGAA ACTTTGACAG AAATCCAAAC CTCACCAGAA  2040
ACATCAATGA GAGAGGTGAA AGCGGACGGA GCTAGCACCC CCAGGTTAAG AGAACAGGAC  2100
TGTGGTGAAC CTGCCTCGCC AGCAGCATCC ATCTCCAGAC TCTCTGGGGA ACAGGTCGAC  2160
GGGAAGGGCC AGGCAGGCAG TGTATCTGAA AGTGCGCGGA GTGAAGGAAG GATTAGTCCA  2220
AAGAGTGATA TTACTGACAC TGGCCTGGCA CAGAGCAACA ATTTGCAGGT CCCCAGTTCT  2280
TCAGAACCAA GCAGCCTCAA AGGTTCCACA TCTCTGCTTG TTCACCCAGT TTCAGGAGTG  2340
AGAAAAGAGC AGGGGAGGTGG TTGTCATTCA GATACTTGAA GAACATTTTC TCTCGTTACT  2400
CAGAAGCAAA TTTGTGTTAC ACTGGAAGTG ACCTATGCAC TGTTTTGTAA GAATCACTGT  2460
TACGTTCTTC TTTTGCACTT AAAGTTGCAT TGCCTACTGT TATACTGGAA AAAATAGAGT  2520
TCAAGAATAA TATGACTCAT TTCACACAAA GGTTAATGAC AACAATATAC CTGAAAACAG  2580
AAATGTGCAG GTTAATAATA TTTTTTTAAT AGTGTGGGAG GACAGAGTTA GAGGAATCTT  2640
CCTTTTCTAT TTATGAAGAT TCTACTCTTG GTAAGAGTAT TTTAAGATGT ACTATGCTAT  2700
TTTACCTTTT TGATATAAAA TCAAGATATT TCTTTGCTGA AGTATTTAAA TCTTATCCTT  2760
GTATCTTTTT ATACATATTT GAAAATAAGC TTATATGTAT TTGAACTTTT TTGAAATCCT  2820
ATTCAAGTAT TTTTATCATG CTATTGTGAT ATTTTAGCAC TTTGGTAGCT TTTACACTGA  2880
ATTTCTAAGA AAATTGTAAA ATAGTCTTCT TTTATACTGT AAAAAAAGAT ATACCAAAAA  2940
GTCTTATAAT AGGAATTTAA CTTTAAAAAC CCACTTATTG ATACCTTACC ATCTAAAATG  3000
TGTGATTTTT ATAGTCTCGT TTTAGGAATT TCACAGATCT AAAATTATGTA ACTGAAATAA  3060
GGTGCTTACT CAAAGAGTGT CCACTATTGA TTGTATTATG CTGCTCACTG ATCCTTCTGC  3120
ATATTTAAAA TAAAATGTCC TAAAGGGTTA GTAGACAAAA TGTTAGTCTT TTGTATATTA  3180
GGCCAAGTGC AATTGACTTC CCTTTTTTAA TGTTTCATGA CCACCCATTG ATTGTATTAT  3240
AACCACTTAC AGTTGCTTAT ATTTTTTGTT TTAACTTTTG TTTCTTAACA TTTAGAATAT  3300
TACATTTTGT ATTATACAGT ACCTTTCTCA GACATTTTGT AG
```

Seq ID NO: 651 Protein sequence
Protein Accession #: NP_003497.1

```
1          11         21         31         41         51
|          |          |          |          |          |
```

435

```
      MEMFTPLLTC IPLPLLRGHS LFTCEPITVP RCMKMAYNMT FFPNLMGHYD QSIAAVEMEH    60
      FLPLANLECS PNIETFLCKA FVPTCIEQIH VVPPCRKLCS KVYSDCKKLI DTFGIRWPEE   120
      LECDRLQYCD ETVPVTFDPH TEFLGPQKKT EQVQRDIGPW CPRHLKTSGG QGYKFLGIDQ   180
      CAPPCPNMYF KSDELEFAKS FIGTVSIFCL CATLFTFLTP LIDVRRFRYP ERPIIYYSVC   240
5     YSIVSLMYPI GFLLGDSTAC NKADEKLELG DTVVLGSQNK ACTVLFMLLY FFPTMAGTVWW   300
      VILTITWFLA AGRKWSCEAI EQKAVWPHAV AWGTPGFLTV MLLALNKVEG DNISGVCFVG   360
      LYDLDASRYP VLLPLCLCVF VGLSLLLAGI ISLNHVRQVI QHDGRNQEKL KKFMIRIGVP   420
      SGLYLVPLVT LLGCYVYEQV NRITWBITWV SDHCRQYHIP CPYQAKAKAR PELALFMIKY   480
      LMTLIVGISA VFWVGSKKTC TEWAGPFKRN RKRDPISESR RVLQESCEPF LKHNSKVKHK   540
10    KKHYKPSSHK LKVISKSMGT STGATANHGT SAVAITSHDY LGQETLTEIQ TSPETSMREV   600
      KADGASTPRL REQDCGEPAS PAASISRLSG EQVDGKGQAG SVSESARSEG RISPKSDITD   660
      TGLAQSNNLQ VPSSSEPSSL KGSTSLLVHP VSGVRKEQGG GCHSDT
```

Seq ID NO: 652 DNA sequence
Nucleic Acid Accession #: NM_014791.1
Coding sequence: 171..2126

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      TTGGCGGGCG GAAGCGGCCA CAACCCGGCG ATCGAAAAGA TTCTTAGGAA CGCCGTACCA    60
      GCCGCGTCTC TCAGGACAGC AGGCCCCTGT CCTTCTGTCG GGCGCCGCTC AGCCGTGCCC   120
      TCCGCCCCTC AGGTTCTTTT TCTAATTCCA AATAAACTTG CAAGAGGACT ATGAAAGATT   180
      ATGATGAACT TCTCAAATAT TATGAATTAC ATGAAACTAT TGGGACAGGT GGCTTTGCAA   240
      AGGTCAAACT TGCCTGCCAT ATCCTTACTG GAGAGATGGT AGCTATAAAA ATCATGGATA   300
      AAAACACACT AGGGAGTGAT TTGCCCCGGA TCAAAACGGA GATTGAGGCC TTGAAGAACC   360
      TGAGACATCA GCATATATGT CAACTCTACC ATGTGCTAGA GACAAATATCA AAAATATTCA   420
      TGGTTCTTGA GTACTGCCCT GGAGGAGAGC TGTTTGACTA TATAATTTCC CAGGATCGGC   480
      TGTCAGAAGA GGAGACCCGG GTTGTCTTCC GTCAGATAGT ATCTGCTGTT GCTTATGTGC   540
      ACAGCCAGGG CTATGCTCAC AGGGACCTCA AGCCAGAAAA TTTGCTGTTT GATGAATATC   600
      ATAAAATTAA GCTGATTGAC TTTGGTCTCT GTGCAAAACC CAAGGGTAAC AAGGATTACC   660
      ATCTACAGAC ATGCTGTGGG AGTCTGGCTT ATGCAGCACC TGAGTTAATA CAAGGCAAAT   720
      CATATCTTGG ATCAGAGGCA GATGTTTGGA GCATGGGCAT ACTGTTATAT GTTCTTATGT   780
      GTGGATTTCT ACCATTTGAT GATGATAATG TAATGGCTTT ATACAAGAAG ATTATGAGAG   840
      GAAAATATGA TGTTCCCAAG TGGCTCTCTC CCAGTAGCAT TCTGCTTCTT CAACAAATGC   900
      TGCAGGTGGA CCCAAAGAAA CGGATTTCTA TGAAAAATCT ATTGAACCAT CCCTGGATCA   960
      TGCAAGATTA CAACTATCCT GTTGAGTGGC AAAAGCAAGAA TCCTTTTATT CACCTCGATG  1020
      ATGATTGCGT AACAGAACTT TCTGTACATC ACAGAAACAA CAGGCAAACA ATGGAGGATT  1080
      TAATTTCACT GTGGCAGTAT GATCACCTCA CGGCTACCTA TCTTCTGCTT CTAGCCAAGA  1140
      AGGCTCGGGG AAAACCAGTT CGTTTAAGGC TTTCTTCTTT CTCCTGTGGA CAAGCCAGTG  1200
      CTACCCCATT CACAGACATC AAGTCAAATA ATTGGAGTCT GGAAGATGTG ACCGCAAGTG  1260
      ATAAAAATTA TGTGGCGGGA TTAATAGACT ATGATTGGTG TGAAGATGAT TTATCAACAG  1320
      GTGCTGCTAC TCCCCGAACA TCACAGTTTA CCAAGTACTG GACAGAATCA AATGGGGTGG  1380
      AATCTAAATC ATTAACTCCA GCCTTATGCA GAACACCTGC AAATAAAATTA AAGAACAAAG  1440
      AAAATGTATA TACTCCTAAG TCTGCTGTAA AGAATGAAGA GTACTTTATG TTTCCTGAGC  1500
      CAAAGACTCC AGTTAATAAG AACCAGCATA AGAGAGAAAT ACTCACTACG CCAAATCGTT  1560
      ACACTACACC CTCAAAAGCT AGAAACCAGT GCCTGAAAGA AACTCCAATT AAAATACCAG  1620
      TAAATTCAAC AGGAACAGAC AAGTTAATGA CAGGTGTCAT TAGCCCTGAG AGGCGGTGCC  1680
      GCTCAGTGGA ATTGGATCTC AACCAAGCAC ATATGGAGGA GACTCCAAAA AGAAAGGGAG  1740
      CCAAAGTGTT TGGGAGCCTT GAAAGGGGGT TGGATAAGGT TATCACTGTG CTCACCAGGA  1800
      GCAAAAGGAA GGGTTCTGCC AGAGACGGGC CCAGAAGACT AAAGCTTCAC TATAATGTGA  1860
      CTACAACTAG ATTAGTGAAT CCAGATCAAC TGTTGAATGA AATAATGTCT ATTCTTCCAA  1920
      AGAAGCATGT TGACTTTGTA CAAAAGGGTT ATACACTGAA GTGTCAAACA CAGTCAGATT  1980
      TTGGGAAAGT GACAATGCAA TTTGAATTAG AAGTGTGCCA GCTTCAAAAA CCCGATGTGG  2040
      TGGGTATCAG GAGGCAGCGG CTTAAGGGCG ATGCCTGGGT TTACAAAAGA TTAGTGGAAG  2100
      ACATCCTATC TAGCTGCAAG GTATAATTGA TGGATTCTTC CATCCTGCCG GATGAGTGTG  2160
      GGTGTGATAC AGCCTACATA AAGACTGTTA TGATCGCTTT GATTTTAAAG TTCATTGGAA  2220
      CTACCAACTT GTTTCTAAAG AGCTATCTTA AGACCAATAT CTCTTTGTTT TTAAACAAAA  2280
      GATATTATTT TGTGTATGAA TCTAAATCAA GCCCATCTGT CATTATGTTA CTGTCTTTTT  2340
      TAATCATGTG GTTTTGTATA TTAATAATTG TTGACTTTCT TAGATTCACT TCCATATGTG  2400
      AATGTAAGCT CTTAACTATG TCTCTTTGTA ATGTGTAATT TCTTTCTGAA ATAAAACCAT  2460
      TTGTGAATAT
```

Seq ID NO: 653 Protein sequence
Protein Accession #: NP_055606.1

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MKDYDELLKY YELHETIGTG GFAKVKLACH ILTGEMVAIK IMDKNTLGSD LPRIKTEIEA    60
      LKNLRHQHIC QLYHVLETAN KIPMVLEYCP GGELFDYIIS QDRLSEEETR VVFRQIVSAV   120
      AYVHSQGYAH RDLKPENLLF DEYHKLKLID FGLCAKPKGN KDYHLQTCCG SLAYAAPELI   180
      QGKSYLGSEA DVWSMGILLY VLMCGFLPFD DDNVMALYKK IMRGKYDVPK WLSPSSILLL   240
      QQMLQVDPKK RISMKNLLNH PWIMQDYNYP VEWQSKNPFI HLDDDCVTEL SVEHRNNRQT   300
      MEDLISLWQY DHLTATYLLL LAKKARGKPV RLRLSSFSCG QASATPPTDI KSNNWSLEDV   360
      TASDKNYVAG LIDYDWCEDD LSTGAATPRT SQFTKYWTES NGVESKSLTP ALCRTPANKL   420
      KNKENVYTPK SAVKNEEYPM FPEPKTPVNK NQHKREILLT PNRYTTPSKA RNQCLKETPI   480
      KIPVNSTGTD KLMTGVISPE RRCRSVELDL NQAHMEETPK RKGAKVFGSL ERGLDKVITV   540
      LTRSKRKGSA RDGPRRLKLH YNVTTTRLVN PDQLLNEIMS ILPKKHVDFV QKGYTLKCQT   600
      QSDFGKVTMQ FELEVCQLQK PDVVGIRRQR LKGDAWVYKR LVEDILSSCK V
```

Seq ID NO: 654 DNA sequence
Nucleic Acid Accession #: NM_000582
Coding sequence: 88..990

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      GCAGAGCACA GCATCGTCGG GACCAGACTC GTCTCAGGCC AGTTGCAGCC TTCTCAGCCA    60
      AACGCCGACC AAGGAAAACT CACTACCATG AGAATTGCAG TGATTTGCTT TTGCCTCCTA   120
```

```
     GGCATCACCT GTGCCATACC AGTTAAACAG GCTGATTCTG GAAGTTCTGA GGAAAAGCAG    180
     CTTTACAACA AATACCCAGA TGCTGTGGCC ACATGGCTAA ACCCTGACCC ATCTCAGAAG    240
     CAGAATCTCC TAGCCCCACA GACCCTTCCA AGTAAGTCCA ACGAAAGCCA TGACCACATG    300
     GATGATATGG ATGATGAAGA TGATGATGAC CATGTGGACA GCCAGGACTC CATTGACTCG    360
  5  AACGACTCTG ATGATGTAGA TGACACTGAT GATTCTCACC AGTCTGATGA GTCTCACCAT    420
     TCTGATGAAT CTGATGAACT GGTCACTGAT TTTCCCACGG ACCTGCCAGC AACCGAAGTT    480
     TTCACTCCAG TTGTCCCCAC AGTAGACACA TATGATGGCC GAGGTGATAG TGTGGTTTAT    540
     GGACTGAGGT CAAAATCTAA GAAGTTTCGC AGACCTGACA TCCAGTACCC TGATGCTACA    600
     GACGAGGACA TCACCTCACA CATGGAAAGC GAGGAGTTGA ATGGTGCATA CAAGGCCATC    660
 10  CCCGTTGCCC AGGACCTGAA CGCGCCTTCT GATTGGGACA GCCGTGGGAA GGACAGTTAT    720
     GAAACGAGTC AGCTGGATGA CCAGAGTGCT GAAACCCACA GCCACAAGCA GTCCAGATTA    780
     TATAAGCGGA AAGCCAATGA TGAGAGCAAT GAGCATTCCG ATGTGATTGA TAGTCAGGAA    840
     CTTTCCAAAG TCAGCCGTGA ATTCCACAGC CATGAATTTC ACAGCCATGA AGATATGCTG    900
     GTTGTAGACC CCAAAAGTAA GGAAGAAGAT AAACACCTGA AATTTCGTAT TTCTCATGAA    960
 15  TTAGATAGTG CATCTTCTGA GGTCAATTAA AAGGAGAAAA AATACAATTT CTCACTTTGC   1020
     ATTTAGTCAA AAGAAAAAAT GCTTTATAGC AAAATGAAAG AGAACATGAA ATGCTTCTTT   1080
     CTCAGTTTAT TGGTTGAATG TGTATCTATT TGAGTCTGGA AATAACTAAT GTGTTTGATA   1140
     ATTAGTTTAG TTTGTGGCTT CATGGAAACT CCCTGTAAAC TAAAAGCTTC AGGGTTATGT   1200
     CTATGTTCAT TCTATAGAAG AAATGCAAAC TATCACTGTA TTTTAATATT TGTTATTCTC   1260
 20  TCATGAATAG AAATTTATGT AGAAGCAAAC AAAAATACTTT TACCCACTTA AAAAGAGAAT   1320
     ATAACATTTT ATGTCACTAT AATCTTTTGT TTTTTAAGTT AGTGTATATT TTGTTGTGAT   1380
     TATCTTTTTG TGGTGTGAAT AAATCTTTTA TCTTGAATGT AATAAGAATT TGGTGGTGTC   1440
     AATTGCTTAT TTGTTTTCCC ACGGTTGTCC AGCAATTAAT AAAACATAAC CTTTTTTACT   1500
     GCCTAAAAAA AAAAAAAAAA AAAA
 25
     Seq ID NO: 655 Protein sequence
     Protein Accession #: NP_000573

     1          11         21         31         41         51
 30  |          |          |          |          |          |
     MRIAVICFCL LGITCAIPVK QADSGSSEEK QLYNKYPDAV ATWLNPDPSQ KQNLLAPQTL    60
     PSKSNESHDH MDDMDDEDDD DHVDSQDSID SNDSDDVDDT DDSHQSDESH HSDESDELVT   120
     DFPTDLPATE VFTPVVPTVD TYDGRGDSVV YGLRSKSKKF RRPDIQYPDA TDEDITSHME   180
 35  SEELNGAYKA IPVAQDLNAP SDWDSRGKDS YETSQLDDQS AETHSHKQSR LYKRKANDES   240
     NEHSDVIDSQ ELSKVSREPH SHEFHSHEDM LVVDPKSKEE DKHLKFRISH ELDSASSEVN
 40
     Seq ID NO: 656 DNA sequence
     Nucleic Acid Accession #: NM_003108.1
     Coding sequence: 76..1401

     1          11         21         31         41         51
 45  |          |          |          |          |          |
     GGGGTGGGAG GGGGAGGGGG ACCTCCGCAC GAGACCCAGC GGCCCGGGTT GGAGCGTCCA    60
     GCCCTGCAAC GGATCATGGT GCAGCAGGCG GAGAGCTTGG AAGCGGAGAG CAACCTGCCT   120
     CGGGAGGCGC TGGACACGGA GGAGGGCGAA TTCATGGCTT GCAGCCCGGT GGCCCTGGAC   180
     GAGAGCGACC CAGACTGGTG CAAGACGGCG TCGGGCCACA TCAAGCGGCC GATGAACGCG   240
 50  TTCATGGTAT GGTCCAAGAT CGAACGCAGG AAGATCATGG AGCAGTCTCC GGACATGCAC   300
     AACGCCGAGA TCTCCAAGAG GCTGGGCAAG CGCTGGAAAA TGCTGAAGGA CAGCGAGAAG   360
     ATCCCGTTCA TCCGGGAGGC GGAGCGGCTG CGGCTCAAGC ACATGGCCGA CTACCCCGAC   420
     TACAAGTACC GGCCCCGGAA AAAGCCCAAA ATGGACCCCT CGGCCAAGCC CAGCGCCAGC   480
     CAGAGCCCAG AGAAGAGCGC GGCCGGCGGC GGCGGCGGGA GCGCGGGGCG GAGGCGCGGGC   540
 55  GGTGCCAAGA CCTCCAAGGG CTCCAGCAAG AAATGCGGCA AGCTCAAGGC CCCCGCGGCC   600
     GCGGGCGCCA AGGCGGGCGC GGGCAAGGCG GCCCAGTCCG GGGACTACGG GGGCGCGGGC   660
     GACGACTACG TGCTGGGCAG CCTGCGCGTG AGCGGCTCGG GCGGCGGCGG CGGCGGGCAAG   720
     ACGGTCAAGT GCGTGTTTCT GGATGAGGAC GACGACGACG ACGACGACGA CGACGAGCTG   780
     CAGCTGCAGA TCAAACAGGA GCCGGACGAG GAGGACGAGG AACCACCGCA CCAGCAGCTC   840
 60  CTGCAGCCGC CGGGGCAGCA GCCGTCGCAG CTGCTGAGAC GCTACAACGT CGCCAAAGTG   900
     CCCGCCAGCC CTACGCTGAG CAGCTCGGCG GAGTCCCCCG AGGGAGCGAG CCTCTACGAC   960
     GAGGTGCGGG CCGGCGCGAC CTCGGGCGCC GGGGGCGGCA GCCGCCTCTA CTACAGCTTC  1020
     AAGAACATCA CCAAGCAGCA CCCGCCGCCG CTCGCGCAGC CCGCGCGTGTC GCCCGCGTCC  1080
     TCGCGCTCGG TGTCCACCTC CTCGTCCAGC AGCAGCGGCA GCAGCAGCGG CAGCAGCGGC  1140
 65  GAGGACGCCG ACGACCTGAT GTTCGACCTG AGCTTGAATT TCTCTCAAAG CGGCGCACAGC  1200
     GCCAGCGAGC AGCAGCTGGG GGGCGGCGCG GCGGCCGGGA ACCTGTCCCT GTCGCTGGGTG  1260
     GATAAGGATT TGGATTCGTT CAGCCGAGGGC AGCCTGGGCT CCCACTTCGA GTTCCCCGAC  1320
     TACTGCACGC CGGAGCTGAG CGAGATGATC GCGGGGGACT GGCTGGAGGC GAACTTCTCC  1380
     GACCTGGTGT TCACATATTG AAAGGCGCCC GCTGCTCGCT CTTTCTCTCG GAGGGTGCAG  1440
 70  AGCTGGGTTC CTTGGGAGGA AGTTGTAGTG GTGATGATGA TGATGATGAT AATGATGATG  1500
     ATGATGGTGG TGTTGATGGT GGCGGTGGTA GGGTGGAGGG GAGAGAAGAA GATGCTGATG  1560
     ATATTGATAA GATGTCGTGA CGCAAAGAAA TTGGAAAACA TGATGAAAAT TTTGGTGGAG  1620
     TTAAAGTGAA ATGAGTAGTT TTTAAACATT TTTCCTGTCC TTTTTTTGTC CCCCCTCCCT  1680
     TCCTTTATCG TGTCTCAAGG TAGTTGCATA CCTAGTCTGG AGTTGTGATT ATTTTCCCAA  1740
 75  AAAATGTGTT TTTGTAATTA CTATTTCTTT TTCCTGAAAT TCGTGATTGC AACAAAGGCA  1800
     GAGGGGGCGG CGCGGCGGAG GGGAGGTAGG ACCCGCTCCG GAAGGCGCTG TTTGAAGCTT  1860
     GTCGGTCTTT GAAGTCTGGA AGACGTCTGC AGAGGACCCT TTTGGCAGCA CAACTGTTAC  1920
     TCTAGGGAGT TGGTGGAGAT ATTTTTTTTT CTTAAGAGAA CTTAAAGAAC TGGTGATTTT  1980
     TTTTTAACAA AAAAAGGG
 80
     Seq ID NO: 657 Protein sequence
     Protein Accession #: NP_003099.1

     1          11         21         31         41         51
 85  |          |          |          |          |          |
     MVQQAESLEA ESNLPREALD TEEGEFMACS PVALDESDPD WCKTASGHIK RPMNAFMVWS    60
     KIERRKIMEQ SPDMHNAEIS KRLGKRWKML KDSEKIPFIR EAERLRLKHM ADYPDYKYRP   120
     RKKPKMDPSA KPSASQSPEK SAAGGGGGSA GGGAGGAKTS KGSSKKCGKL KAPAAAGAKA   180
     GAGKAAQSGD YGGAGDDYVL GSLRVSGSGG GGAGKTVKCV FLDEDDDDDD DDDELQLQIK   240
```

437

```
       QEPDEEDEEP PHQQLLQPPG QQPSQLLRRY NVAKVPASPT LSSSAESPEG ASLYDEVRAG    300
       ATSGAGGGSR LYYSFKNITK QHPPPLAQPA LSPASSRSVS TSSSSSSGSS SGSSGEDADD    360
       LMFDLSLNFS QSAHSASEQQ LGGGAAAGNL SLSLVDKDLD SFSEGSLGSH FRFPDYCTPE    420
       LSEMIAGDWL EANFSDLVFT Y

5

       Seq ID NO:  658 DNA sequence
       Nucleic Acid Accession #: NM_001719
       Coding sequence: 123..1418

10     1          11         21         31         41         51
       |          |          |          |          |          |
       GGGCGCAGCG GGGCCCGTCT GCAGCAAGTG ACCGACGGCC GGGACGGCCG CCTGCCCCCT    60
       CTGCCACCTG GGGCGGTGCG GGGCCGGGAGC CCGGAGCCCG GGTAGCGCGT AGAGCCGGCG    120
       CGATGCACGT GCGCTCACTG CGAGCTGCGG CGCCGCACAG CTTCGTGGCG CTCTGGGCAC    180
15     CCCTGTTCCT GCTGCGCTCC GCCCTGGCCG ACTTCAGCCT GGACAACGAG GTGCACTCGA    240
       GCTTCATCCA CCGGCGCCTC CGCAGCCAGG AGCGGCGGGA GATGCAGCGC GAGATCCTCT    300
       CCATTTTGGG CTTGCCCCAC CGCCCGCGCC CGCACCTCCA GGGCAAGCAC AACTCGGCAC    360
       CCATGTTCAT GCTGGACCTG TACAACGCCA TGGCGGTGGA GGAGGGCGGC GGGCCCGGCG    420
       GCCAGGGCTT CTCCTACCCC TACAAGGCCG TCTTCAGTAC CCAGGGCCCC CCTCTGGCCA    480
20     GCCTGCAAGA TAGCCATTTC CTCACCGACG CCGACATGGT CATGAGCTTC GTCAACCTCG    540
       TGGAACATGA CAAGGAATTC TTCCACCCAC GCTACCACCA TCGAGAGTTC CGGTTTGATC    600
       TTTCCAAGAT CCCAGAAGGG GAAGCTGTCA CGGCAGCCGA ATTCCGGATC TACAAGGACT    660
       ACATCCGGGA ACGCTTCGAC AATGAGACGT TCCGGATCGU CGTTTATCAG GTGCTCCAGG    720
       AGCACTTGGG CAGGGAATCG GATCTCTTCC TGCTCGACAG CCGTACCCTC TGGGCCTCGG    780
25     AGGAGGGGCTG GCTGGTGTTT GACATCACAG CCACCAGCAA CCACTGGGTG GTCAATCCGC    840
       GGCACAACCT GGGCCTGCAG CTCTCGGTGG AGACGCTGGA TGGGCAGAGC ATCAACCCCA    900
       AGTTGGCGGG CCTGATTGGG CGGCACGGGC CCCAGAACAA GCAGCCCTTC ATGGTGGCTT    960
       TCTTCAAGGC CACGGAGGTC CACTTCCGCA GCATCCGGTC CACGGGGAGC AAACAGCGCA    1020
       GCCAGAACCG CTCCAAGACG CCCAAGAACC AGGAAGCCCT GCGGATGGCC AACGTGGCGA    1080
30     AGAACAGCAG CAGCGACCAG AGGCAGGCCT GTAAGAAGCA CGAGCTGTAT GTCAGCTTCC    1140
       GAGACCTGGG CTGGCAGGAC TGGATCATCG CGCCTGAAGG CTACGCCGCC TACTACTGTG    1200
       AGGGGGAGTG TGCCTTCCCT CTGAACTCCT ACATGAACGC CACCAACCAC GCCATCGTGC    1260
       AGACGCTGGT CCACTTCATC AACCCGGAAA CGGTGCCCAA GCCCTGCTGT GCGCCCACGC    1320
       AGCTCAATGC CATCTCCGTC CTCTACTTCG ATGACAGCTC CAACGTCATC CTGAAGAAAT    1380
35     ACAGAAACAT GGTGGTCCGG GCCTGTGGCT GCCACTAGCT CCTCCGAGAA TTCAGACCCT    1440
       TTGGGGCCAA GTTTTTCTGG ATCCTCCATT GCTCGCCTTG GCCAGGAACC AGCAGACCAA    1500
       CTGCCTTTTG TGAGACCTTC CCCTCCCTAT CCGCAACTTT AAAGGTGTGA GAGTATTAGG    1560
       AAACATGAGC AGCATATGGC TTTTGATCAG TTTTTCAGTG GCAGCATCCA ATGAACAAGA    1620
       TCCTACAAGC TGTGCAGGCA AAACCTAGCA GGAAAAAAAA ACAACGCATA AAGAAAAATG    1680
40     GCCGGGCCAA GTCATTGGCT GGGAAGTCTC AGCCATGCAC GGACTCGTTT CCAGAGGTAA.   1740
       TTATGAGCGC CTACCAGCCA GGCCACCCAG CCGTGGGAGG AAGGGGGCGT GGCAAGGGGT    1800
       GGGCACATTG GTGTCTGTGC GAAAGGAAAA TTGACCCGGA AGTTCCTGTA ATAAATGTCA    1860
       CAATAAAACG AATGAATG

45     Seq ID NO:  659 Protein sequence
       Protein Accession #: NP_001710

       1          11         21         31         41         51
       |          |          |          |          |          |
50     MHVRSLRAAA PHSFVALWAP LFLLRSALAD FSLDNEVHSS FIHRRLRSQE RREMQREILS    60
       ILGLPHRPRP HLQGKHNSAP MFMLDLYNAM AVEEGGGPGG QGFSYPYKAV PSTQGPPLAS    120
       LQDSHFLTDA DMVMSFVNLV EHDKEFFHPR YHHREFRFDL SKIPEGEAVT AAEFRIYKDY    180
       IRERFDNETF RISVYQVLQE HLGRESDLFL LDSRTLWASE EGWLVFDITA TSNHWVVNPR    240
       HNLGLQLSVE TLDGQSINPK LAGLIGRHGP QNKQPPMVAP FKATEVHFRS IRSTGSKQRS    300
55     QNRSKTPKNQ EALRMANVAE NSSSDQRQAC KKHELYVSFR DLGWQDWIIA PEGYAAYYCE    360
       GECAFPLNSY MNATNHAIVQ TLVHFINPET VPKPCCAPTQ LNAISVLYFD DSSNVILKKY    420
       RNMVVRACGC H

       Seq ID NO:  660 DNA sequence
60     Nucleic Acid Accession #:  Eos sequence
       Coding sequence: 211..1895

       1          11         21         31         41         51
       |          |          |          |          |          |
65     GGATCTGAGG GGCGCCCAGT CACTTCCTCC ACGTTCTCGT GCTGGGCGGG AGGAGCGGAT    60
       GGGGCTTGGG AGGCAGCCTG CTCTCCAGTC CCTATCCACC CACAGGTTTT TTGGGTCGGA    120
       GAGGAATTAT CTGATAAAAT TCCTGGGTTA ATATTTTTAA AAACGGAGAG TTTTTAAAAA    180
       TGATTTTTTT CCCTCGAAAA TGACCTTTTT ATGCTTCGAA GCAGTTTGTC AACCAGCATA    240
       GTGCTTTTTC TTTTCTCTTC TTTTTCTACG ATAAATGAAA GCATTTCTTC AAGAAAAAGG    300
70     CACAGGTTCC TTGAACAGCT GGATTCTGAT GGCACCATTA CTATAGAGGA GCAGATTGTC    360
       CTTGTGCTGA AAGCGAAAGT ACAATGTGAA CTCAACATCA CAGCTCAACT CCAGGAGGGA    420
       GAAGGTAATT GTTTCCCTGA ATGGGATGGA CTCATTTGTT GGCCCAGAGG AACAGTGGGG    480
       AAAATATCGG CTGTTCCATG CCCTCCTTAT ATTTATGACT TCAACCATAA AGGAGTTGCT    540
       TTCCGACACT GTAACCCCAA TGGAACATGG GATTTTATGC ACAGCTTAAA TAAAACATGG    600
75     GCCAATTATT CAGACTGCCT TCGCTTTCTG CAGCCAGATA TCAGCATAGG AAAGCAAGAA    660
       TTCTTTGAAC GCCTCTATGT AATGTATACC GTTGGCTACT CCATCTCTTT TGGTTCCTTG    720
       GCTGTGGCTA TTCTCATCAT TGGTTACTTC AGACGATTGC ATTGCACTAG GAACTATATC    780
       CACATGCACT TATTTGTGTC TTTCATGCTG AGAGCTACAA GCATCTTTGT CAAAGACAGA    840
       GTAGTCCATG CTCACATAGG AGTAAAGGAG CTGGAGTCCC TAATAATGCA GGATGACCCA    900
80     CAAAATTCCA TTGAGGCAAC TTCTGTGGAC AAATCACAAT ATATCGGGTG CAAGATTGCT    960
       GTTGTGATGT TTATTTACTT CCTGGCTACA AATTATTATT GGATCCTGGT GGAAGGTCTC    1020
       TACCTGCATA ATCTCATCTT TGTGGCTTTC TTTTCGACA CCAAATACCT GTGGGGCTTC    1080
       ATCTTGATAG GCTGGGGGGT TCCAGCAGCA TTTGTTGCAG CATGGGCTGT GGCACGAGCA    1140
       ACTCTGGCTG ATGCGAGGTG CTGGGAACTT AGTGCTGGAG ACATCAAGTG GATTTATCAA    1200
85     GCACCGATCT TAGCCAGCTAT TGGGCTGAAT TTTATTCTGT TTCTGAATAC GGTTAGAGTT    1260
       CTAGCTACCA AAATCTCGGA GACCAATGCA GTTGGGCATG ACACAAGGAA GCAATACAGG    1320
       AAACTGGCCA AATCGACACT GGTCCTGGTC CTAGTCTTTG GAGTGCATTA CATCGTGTTC    1380
```

```
     GTATGCCTGC CTCACTCCTT CACTGGGCTC GGGTGGGAGA TCCGCATGCA CTGTGAGCTC 1440
     TTCTTCAACT CCTTTCAGGG TTTCTTTGTG TCTATCATCT ACTGCTACTG CAATGGAGAG 1500
     GTTCAGGCAG AGGTGAAGAA GATGTGGAGT CGGTGGAATC TCTCCGTGGA CTGGAAAAGG 1560
     ACACCGCCAT GTGGCAGCCG CAGATGCGGC TCAGTGCTCA CCACCGTGAC GCACAGCACC 1620
     AGCAGCCAGT CACAGGTGGC GGCCAGCACA CGCATGGTGC TTATCTCTGG CAAAGCTGCC 1680
     AAGATCGCCA GCAGACAGCC TGACAGCCAC ATCACTTTAC CTGGCTATGT CTGGAGTAAC 1740
     TCAGAGCAGG ACTGCCTGCC ACACTCTTTC CACGAGGAGA CCAAGGAAGA TAGTGGGAGG 1800
     CAGGGAGATG ATATTCTAAT GGAGAAGCCT TCCAGGCCTA TGGAATCTAA CCCAGACACT 1860
     GAAGGATGCC AAGGAGAAAC TGAGGATGTT CTCTGA
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MLRSSLSTSI VLFLFSSPST INESISSRKR HRPLEQLDSD GTITIEEQIV LVLKAKVQCE  60
     LNITAQLQEG EGNCFPEWDG LICWPRGTVG KISAVPCPPY IYDFNHKGVA FRHCNPNGTW 120
     DFMHSLNKTW ANYSDCLRFL QPDISIGKQE FPERLYVMYT VGYSISPGSL AVAILIIGYF 180
     RRLHCTRNYI HMHLFVSFML RATSIFVKDR VVHAHIGVKE LESLIMQDDP QNSIEATSVD 240
     KSQYIGCKIA VVMFIYFLAT NYYWILVEGL YLHNLIFVAF PSDTKYLWGF ILIGWGFPAA 300
     FVAAHAVARA TLADARCWEL SAGDIKWIYQ APILAAIGLN FILFLNTVRV LATKIWETNA 360
     VGHDTRKQYR KLAKSTLVLV LVFGVHYIVF VCLPHSFTGL GWEIRMHCEL FFNSFQGFFV 420
     SIIYCYCNGE VQAEVKKMWS RWNLSVDWKR TPPCGSRRCG SVLTTVTHST SSQSQVAAST 480
     RMVLISGKAA KIASRQPDSH ITLPGYVWSN SEQDCLPHSF HEETKEDSGR QGDDILMEKP 540
     SRPMESNPDT EGCQGETEDV L
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     GGCCGGTGGC CCGGGCCCGA CCACCCCAGC TGCCGCGTCGT TACTGGCCAC AAGTTTGCTC  60
     TGGGCCAGCC AAGTTGGCAA CTTGGAAGCT TCTCCCGGGC TCTGGAGGAG GGTCCCTGCT 120
     TCTTCCTACA GCCGTTCCGG GCATGGCCGG GCTGGGGGCG TCGCTCCACG TCTGGGGTTG 180
     GCTAATGCTC GGCAGCTGCC TCCTGGCCAG AGCCCAGCTG GATTCTGATG GCACCATTAC 240
     TATAGAGGAG CAGATTGTCC TTGTGCTGAA AGCGAAAGTA CAATGTGAAC TCAACATCAC 300
     AGCTCAACTC CAGGAGGGAG AAGGTAATTG TTTCCCTGAA TGGGATGGAC TCATTTGTTG 360
     GCCCAGAGGA ACAGTGGGGA AAATATCGGC TGTTCCATGC CCTCCTTATA TTTATGACTT 420
     CAACCATAAA GGAGTTGCTT TCCGACACTG TAACCCCAAT GGAACATGGG ATTTTATGCA 480
     CAGCTTAAAT AAAACATGGG CCAATTATTC AGACTGCCTT CGCTTTCTGC AGCCAGATAT 540
     CAGCATAGGA AAGCAAGAAT TCTTTGAACG CCTCTATGTA ATGTATACCG TTGGCTACTC 600
     CATCTCTTTT GGTTCCTTGG CTGTGGCTAT TCTCATCATT GGTTACTTCA GACGATTGCA 660
     TTGCACTAGG AACTATATCC ACATGCACTT ATTTGTGTCT TTCATGCTGA GAGCTACAAG 720
     CATCTTTGTC AAAGACAGAG TAGTCCATGC TCACATAGGA GTAAAGGAGC TGGAGTCCCT 780
     AATAATGCAG GATGACCCAC AAAATTCCAT TGAGGCAACT TCTGTGGACA AATCACAATA 840
     TATCGGGTGC AAGATTGCTG TTGTGATGTT TATTTACTTC CTGGCTACAA ATTATTATTG 900
     GATCCTGGTG GAAGGTCTCT ACCTGCATAA TCTCATCTTT GTGGCTTTCT TTTCGGACAA 960
     CAAATACCTG TGGGGCTTCA TCTTGATAGG CTGGGGGTTT CCAGCAGCAT TTGTTGCAGC 1020
     ATGGGCTGTG GCACGAGCAA CTCTGGCTGA TGCGAGGTGC TGGGAACTTA GTGCTGGAGA 1080
     CATCAAGTGG ATTTATCAAG CACCGATCTT AGCAGCTATT GGGCTGAATT TTATTCTGTT 1140
     TCTGAATACG GTTAGAGTTC TAGCTACCAA AATCTGGGAG ACCAATGCAG TTGGGCATGA 1200
     CACAAGGAAG CAATACAGGA AACTGGCCAA ATCGACACTG GTCCTGGTCC TAGTCTTTGG 1260
     AGTGCATTAC ATCGTGTTCG TATGCCTGCC TCACTCCTTC ACTGGGCTCG GGTGGGAGAT 1320
     CCGCATGCAC TGTGAGCTCT TCTTCAACTC CTTTCAGGGT TTCTTTGTGT CTATCATCTA 1380
     CTGCTACTGC AATGGAGAGG TTCAGGCAGA GGTGAAGAAG ATGTGGAGTC GGTGGAATCT 1440
     CTCCGTGGAC TGGAAAAGGA CACCGCCATG TGGCAGCCGC AGATGCGGCT CAGTGCTCAC 1500
     CACCGTGACG CACAGCACCA GCAGCCAGTC ACAGGTGGCG GCCAGCACAC GCATGGTGCT 1560
     TATCTCTGGC AAAGCTGCCA AGATCGCCAG CAGACAGCCT GACAGCCACA TCACTTTACC 1620
     TGGCTATGTC TGGAGTAACT CAGAGCAGGA CTGCCTGCCA CACTCTTTCC ACGAGGAGAC 1680
     CAAGGAAGAT AGTGGGAGGC AGGGAGATGA TATTCTAATG GAGAAGCCTT CCAGGCCTAT 1740
     GGAATCTAAC CCAGACACTG AAGGATGCCA AGGAGAAACT GAGGATGTTC TCTGAATGGA 1800
     CATTTGTGGC TGACTTTCAT GGGCTGGTCC AATGGCTGGT TGTTGTGAGAG GGCTTGGCTG 1860
     ATACTCCTAT GCTTGAGTTC AAAGGCTGAA AATTCAGTTA AGGTGTTACT TAATAATAGT 1920
     TTTTAGGCTC CATGAATTGG CTCCTGTAAA TACTAACGAC ATGAAAATGC AAGTGTCAAT 1980
     GGAGTAGTTT ATTACCTTCT ATTGGCATCA AGTTTTCCTC TAAATTAATG TATGGTATTT 2040
     GCTCTGTGAT TGTTCATTTT TTTCTGCTAC TTTTGGGTAG AAAAAAGATT CAATTGCTTG 2100
     GCTGTAGCTT TCTCTCATAT ATATCACCCT AAAATATAATG AAGATCTTTT AGTGTGTATC 2160
     ATTTTCCTTT TAGAAACTAG TATTCTCTTA TTTCTTACTT TAATGTACTT CTATCACTGC 2220
     ATTTATTTTG CCTGTGCATA GGAGCAATTA GGATCTAAAA AAATATATGG AAGATAAAA 2280
     GATCTAAGAA CAAGTACTTG CTGGAAAATT AGTTGGCTGG ACATTGATAA AATAATGCAT 2340
     TTATAACAAT TACATGTGTT TTTGGGAACA AGGAAAATTT CTCAAAAAAG AATATTTCAC 2400
     ACATCCCTTC TTTTGAATGG CCTCTTTGTG ACCAGCCAGA CCTCAGGTCT TCACTCTTTC 2460
     TTCTTTGTAA ACCATGTCAT GTGGAAAGAT TTCCTCAGTT AGTGAGCTTG TGTCTGCAAA 2520
     TTGATTTTGT TTGTAATGTA TTTTGATAGC AAATCATGCT GCATCTATAT CTTTTTCTTG 2580
     TTTGAGCTGT TACTACATTG TACATGGCAT GTGGGATCAA TTAAAAATTT GTTTTAAAAA 2640
     T
```

```
     1          11         21         31         41         51
     |          |          |          |          |          |
     MAGLGASLHV WGWLMLGSCL LARAQLDSDG TITIEEQIVL VLKAKVQCEL NITAQLQEGE  60
     GNCFPEWDGL ICWPRGTVGK ISAVPCPPYI YDFNHKGVAF RHCNPNGTWD FMHSLNKTWA 120
     NYSDCLRFLQ PDISIGKQEF FERLYVMYTV GYSISPGSLA VAILIIGYFR RLHCTRNYIH 180
     MHLFVSFMLR ATSIFVKDRV VHAHIGVKEL ESLIMQDDPQ NSIEATSVDK SQYIGCKIAV 240
```

```
      VMPIYFLATN YYWILVEGLY LHNLIFVAFP SDTKYLWGFI LIGWGFPAAP VAANAVARAT   300
      LADARCWELS AGDIKWIYQA PILAAIGLNP ILFLNTVRVL ATRIWBTNAV GHDTRKQYRK   360
      LAKSTLVLVL VFGVHYIVFV CLPHSPTGLG WEIRMHCELF FNSPQGPFVS IIYCYCNGEV   420
      QAEVKKMWSR WNLSVDWKRT PPCGSRRCGS VLTTVTHSTS SQSQVAASTR MVLISGKAAK   480
      IASRQPDSHI TLPGYVWSNS EQDCLPHSFH EETKEDSGRQ GDDILMEKPS RPMESNPDTE   540
      GCQGETEDVL
```

```
Seq ID NO:  664 DNA sequence
Nucleic Acid Accession #:  NM_012152
Coding sequence:  43..1104
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      CTTCTTTAAA TTTCTTTCTA GGATGTTCAC TTCTTCTCCA CAATGAATGA GTGTCACTAT   60
      GACAAGCACA TGGACTTTTT TTATAATAGG AGCAACACTG ATACTGTCGA TGACTGGACA   120
      GGAACAAAGC TTGTGATTGT TTTGTGTGTT GGGACGTTTT TCTGCCTGTT TATTTTTTTT   180
      TCTAATTCTC TGGTCATCGC GGCAGTGATC AAAAACAGAA AATTTCATTT CCCCTTCTAC   240
      TACCTGTTGG CTAATTTAGC TGCTGCCGAT TTCTTCGCTG GAATTGCCTA TGTATTCCTG   300
      ATGTTTAACA CAGGCCCAGT TTCAAAAACT TTGACTGTCA ACCGCTGGTT TCTCCGTCAG   360
      GGGCTTCTGG ACAGTAGCTT GACTGCTTCC CTCACCAACT TGCTGGTTAT CGCCGTGGAG   420
      AGGCACATGT CAATCATGAG GATGCGGGTC CATAGCAACC TGACCAAAAA GAGGGTGACA   480
      CTGCTCATTT TGCTTGTCTG GGCCATCGCC ATTTTTATGG GGGCGGTCCC CACACTGGGC   540
      TGGAATTGCC TCTGCAACAT CTCTGCCTGC TCTTCCCTGG CCCCCATTTA CAGCAGGAGT   600
      TACCTTGTTT TCTGGACAGT GTCCAACCTC ATGGCCTTCC TCATCATGGT TGTGGTGTAC   660
      CTGCGGGATCT ACGTGTACGT CAAGAGGAAA ACCAACGTCT TGTCTCCGCA TACAAGTGGG   720
      TCCATCAGCC GCCGGAGGAC ACCCATGAAG CTAATGAAGA CGGTGATGAC TGTCTTAGGG   780
      GCGTTTGTGG TATGCTGGAC CCCGGGCCTG GTGGTTCTGC TCCTCGACGG CCTGAACTGC   840
      AGGCAGTGTG GCGTGCAGCA TGTGAAAAGG TGGTTCCTGC TGCTGGCGCT GCTCAACTCC   900
      GTGGTGAACC CCATCATCTA CTCCTACAAG GACGAGGACA TGTATGGCAC CATGAAGAAG   960
      ATGATCTGCT GCTTCTCTCA GGAGAACCCA GAGAGGCGTC CCTCTCGCAT CCCCTCCACA   1020
      GTCCTCAGCA GGAGTGACAC AGGCAGCCAG TACATAGAGG ATAGTATTAG CCAAGGTGCA   1080
      GTCTGCAATA AAAGCACTTC CTAAACTCTG GATGCCTCTC GGCCCACCCA GGGTGATGACT   1140
      GTCTTAGG
```

```
Seq ID NO:  665 Protein sequence
Protein Accession #:  NP_036284
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MNECHYDKHM DPFYNRSNTD TVDDWTGTKL VIVLCVGTFP CLPIFPSNSL VIAAVIKNRK   60
      FHPPFYYLLA NLAAADFFAG IAYVFLMPNT GPVSKTLTVN RWFLRQGLLD SSLTASLTNL   120
      LVIAVERHMS IMRMRVHSNL TKKRVTLLIL LVWAIAIFMG AVPTLGWNCL CNISACSSLA   180
      PIYSRSYLVP WTVSNLMAPL IMVVVYLRIY VYVKRKTNVL SPHTSGSISR RRTPMKLMKT   240
      VMTVLGAFVV CWTPGLVVLL LDGLNCRQCG VQHVKRWFLL LALLNSVVNP IIYSYKDEDM   300
      YGTMKKMICC FSQENPERRP SRIPSTVLSR SDTGSQYIED SISQGAVCNK STS
```

```
Seq ID NO:  666 DNA sequence
Nucleic Acid Accession #:  NM_002821
Coding sequence:  150..3362
```

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      AACTCCCGCC TCGGGACGCC TCGGGGTCGG GCTCCGGCTG CGGCTGCTGC TGCGGCGCCC   60
      GCGCTCCGGT GCGTCCGCCT CCTGTGCCCG CCGCGGAGCA GTCTGCGGCC CGCCGTGCGC   120
      CCTCAGCTCC TTTTCCTGAG CCCGCCGCGA TGGGAGCTGC GCGGGGATCC CCGGCCAGAC   180
      CCCGCCGGTT GCCTCTGCTC AGCGTCCTGC TGCTGCCGCT GCTGGGCGGT ACCCAGACAG   240
      CCATTGTCTT CATCAAGCAG CCGTCCTCCC AGGATGCACT GCAGGGGCGC CGGGCGCTGC   300
      TTGCTGTGA GGTTGAGGCT CCGGGCCCGG TACATGTGTA CTGCTGCTC GATGGGGCCC   360
      CTGTCCAGGA CACGGAGCGG CGTTTCGCCC AGGGCAGCAG CCTGAGCTTT GCAGCTGTGG   420
      ACCGGCTGCA GGACTCTGGC ACCTTCCAGT GTGTGGCTCG GGATGATGTC ACTGGAGAAG   480
      AAGCCCGCAG TGCCAACGCC TCCTTCAACA TCAAATGGAT TGAGGCAGGT CCTGTGGTCC   540
      TGAAGCATCC AGCCTCGGAA GCTGAGATCC AGCCACAGAC CCAGGTCACA CTTCGTTGCC   600
      ACATTGATGG GCACCCTCGG CCCACCTACC AATGGTTCCG AGATGGGACC CCCCTTTCTG   660
      ATGGTCAGAG CAACCACACA GTCAGCAGCA AGGAGCGGAA CCTGACGCTC CGGCCAGCTC   720
      GTCCTGAGCA TAGTGGGCTG TATTCCTGCT GCGCCCACAG TGCTTTTGGC CAGGCTTGCA   780
      GCAGCCAGAA CTTCACCTTG AGCATTGCTG ATGAAAGCTT TGCCAGGGTG GTGCTGGCAC   840
      CCCAGGACGT GGTAGTAGCG AGGTATGAGG AGGCCATGTT CCATTGCCAG TTCTCAGCCC   900
      AGCCACCCCC GAGCCTGCAG TGGCTCTTTG AGGATGAGAC TCCCATCACT AACCGCAGTC   960
      GCCCCCCACA CCTCCGCAGA GCCACAGTGT TTGCCAACGG GTCTCTGCTG CTGACCCAGG   1020
      TCCGGCCACG CAATGCAGGG ATCTACCGCT GCATTGGCCA GGGGCAGAGG GGCCCACCCA   1080
      TCATCCTGGA AGCCACACTT CACCTAGCGG AGATTGAAGA CATGCCGCTA TTTGAGCCAC   1140
      GGGTGTTTAC AGCTGGCAGC GAGGAGCGTG TGACCTGCCT TCCCCCCAAG GGTCTGCCAG   1200
      AGCCCAGCGT GTGGTGGGAG CACGCGGGAG TCCGGCTGCC CACCCATGGC AGGGTCTACC   1260
      AGAAGGGCCA CGAGCTGGTG TTGGCCAATA TTGCTGAAAG TGATGCTGGT GTCTACACCT   1320
      GCCACGCGGC CAACCTGGCT GGTCAGCGGA GACAGGATGT CAACATCACT GTGGCCACTG   1380
      TGCCCTCCTG GCTGAAGAAG CCCCAAGACA GCCAGCTGGA GGAGGGCAAA CCCGGCTACT   1440
      TGGATTGCCT GACCCAGGCC ACACCAAAAC CTACAGTTGT CTGGTACAGA AACCAGATGC   1500
      TCATCTCAGA GGACTCACGG TTCGAGGTCT TCAAGAATGG GACCTTGCGC ATCAACAGCG   1560
      TGGAGGTGTA TGATGGGACA TGGTACCGTT GTATGAGCAG CACCCCAGCC GGCAGCATCG   1620
      AGGCGCAAGC CCGTGTCCAA GTGCTGGAAA AGCTCAAGTT CACACCACCA CCCCAGCCAC   1680
      AGCAGTGCAT GGAGTTTGAC AAGGAGGCCA CGGTGCCCTG TTCAGCCACA GGCCGAGAGA   1740
      AGCCCACTAT TAAGTGGGAA CGGGCAGATG GGAGCAGCTC CCCAGAGTGG GTGACAGACA   1800
      ACGCTGGGAC CCTGCATTTT GCCCGGGTGA CTCGAGATGA CGCTGGCAAC TACACTTGCA   1860
      TTGCCTCCAA CGGGCCGCAG GGCCAGATTC GTGCCCATGT CCAGCTCACT GTGGCAGTTT   1920
      TTATCACCTT CAAAGTGGAA CCAGAGCGTA CGACTCTGTA CCAGGGCCAC ACAGCCCTAC   1980
      TGCAGTGCGA GGCCCAGGGG GACCCCAAGC CGCTGATTCA GTGGAAAGGC AAGGACCGCA   2040
      TCCTGGACCC CACCAAGCTG GGACCCAGGA TGCACATCTT CCAGAATGGC TCCCTGGTGA   2100
```

```
      TCCATGACGT GGCCCCTGAG GACTCAGGCC GCTACACCTG CATTGCAGGC AACAGCTGCA  2160
      ACATCAAGCA CACGGAGGCC CCCCTCTATG TCGTGGACAA GCCTGTGCCG GAGGAGTCGG  2220
      AGGGCCCTGG CAGCCCTCCC CCCTACAAGA TGATCCAGAC CATTGGGTTG TCGGTGGGTG  2280
      CCGCTGTGGC CTACATCATT GCCGTGCTGG GCCTCATGTT CTACTGCAAG AAGCGCTGCA  2340
5     AAGCCAAGCG GCTGCAGAAG CAGCCCGAGG GCGAGGAGCC AGAGATGGAA TGCCTCAACG  2400
      GAGGGCCTTT GCAGAACGGG CAGCCCTCAG CAGAGATCCA AGAAGAAGTG GCCTTGACCA  2460
      GCTTGGGCTC CGGCCCCGCG GCCACCAACA AACGCCACAG CACAAGTGAT AAGATGCACT  2520
      TCCCACGGTC TAGCCTGCAG CCCATCACCA CGCTGGGGAA GAGTGAGTTT GGGGAGGTGT  2580
      TCCTGGCAAA GGCTCAGGGC TTGGAGGAGG GAGTGGCAGA GACCCTGGTA CTTGTCAAGA  2640
10    GCCTGCAGAC GAAGGATGAG CAGCAGCAGC TGGACTTCCG GAGGGAGTTG GAGATGTTTG  2700
      GGAAGCTGAA CCACGCCAAC GTGGTGCGGC TCCTGGGGCT GTGCCGGGAG GCTGAGCCCC  2760
      ACTACATGGT GCTGGAATAT GTGGATCTGG GAGACCTCAA GCAGTTCCTG AGGATTTCCA  2820
      AGAGCAAGGA TGAAAAATTG AAGTCACAGC CCCTCAGCAC CAAGGCGAAG GTGGCCCTAT  2880
      GCACCCAGGT AGCCCTGGGC ATGGAGCACC TGTCCAACAA CCGCTTTGTG CATAAGGACT  2940
15    TGGCTGCGCG TAACTGCCTG GTCAGTGCCC AGAGACAAGT GAAGGTGTCT AGCCCTGGGC  3000
      TCAGCAAGGA TGTGTACAAC AGTGAGTACT ACCACTTCCG CCAGGCCTGG GTGCCGCTGC  3060
      GCTGGATGTC CCCCGAGGCC ATCCTGGAGG GTGACTTCTC TACCAAGTCT GATGTCTGGG  3120
      CCTTCGGTGT GCTGATGTGG GAAGTGTTTA CACATGGAGA GATGCCCCAT GGTGGGCAGG  3180
      CAGATGATGA AGTACTGGCA GATTTGCAGG CTGGGAAGGC TAGACTTCCT CAGCCCGAGG  3240
20    GCTGCCCTTC CAAACTCTAT CGGCTGATGC AGCGCTGCTG GGCCCTCAGC CCCAAGGACC  3300
      GGCCCTCCTT CAGTGAGATT GCCAGCGCCC TGGGAGACAG CACCGTGGAC AGCAAGCCGT  3360
      GAGGAGGGGA CCCGCTCAGG ATGGCCTGGG CAGGGGAGGA CATCTCTAGA GGGAAGCTCA  3420
      CAGCATGATG GGCAAGATCC CTGTCCTCCT GGGCCCTGAG GTGCCCAGT GCAACAGGCA  3480
      TTGCTGAGGT CTGAGCAGGG CCTGGCCTTT CCTCCTCTTC CTCACCCTCA TCCTTTGGGA  3540
25    GGCTGACTTG GACCCAAACT GGGCGACTAG GGCTTTGAGC TGGGCAGTTT CCCCTGCCAC  3600
      CTCTTCCTCA TCAGGGACA GTGTGGGTGC CACAGGTAAC CCCAATTTCT GGCCTTCAAC  3660
      TTCTCCCCTT GACCGGGTCC AACTCTGCCA CTCATCTGCC AACTTTGCCT GGGGAGGGCT  3720
      AGGCTTGGGA TGAGCTGGGT TTGTGGGGAG TTCCTTAATA TTCTCAAGTT CTGGGCACAC  3780
      AGGGTTAATG AGTCTCTTGC CCACTGGTCC ACTTGGGGGT CTAGACCAGG ATTATAGAGG  3840
30    ACACAGCAAG TGAGTCCTCC CCACTCTGGG CTTGTGCACA CTGACCCAGA CCCACGTCTT  3900
      CCCCACCCTT CTCTCCTTTC CTCATCCTAA GTGCCTGGCA GATGAAGGAG TTTTCAGGAG  3960
      CTTTTGACAC TATATAAACC GCCCTTTTTG TATGCACCAC GGGCGGCTTT TATATGTAAT  4020
      TGCAGCGTGG GGTGGGTGGG CATGGGAGGT AGGGGTGGGC CCTGGAGATG AGGAGGGTGG  4080
      GCCATCCTTA CCCCACACTT TTATTGTTGT CGTTTTTTGT TTGTTTTGTT TTTTTGTTTT  4140
35    TGTTTTTGTT TTTACACTCG CTGCTCTCAA TAAATAAGCC TTTTTTA
```

Seq ID NO: 667 Protein sequence
Protein Accession #: NP_002812

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      MGAARGSPAR PRRLPLLSVL LLPLLGGTQT AIVPIKQPSS QDALQGRRAL LRCEVEAPGP   60
      VHVYWLLDGA PVQDTERRPA QGSSLSFAAV DRLQDSGTPQ CVARDDVTGE EARSANASFN  120
      IKWIEAGPVV LKHPASEAEI QPQTQVTLRC HIDGHPRPTY QWFRDGTPLS DGQSNHTVSS  180
      KERNLTLRPA GPEHSGLYSC CAHSAPGQAC SSQNPTLSIA DESFARVVLA PQDVVVARYE  240
      EAMFHCQFSA QPPPSLQWLF EDETPITNRS RPPHLRRATV FANGSLLLTQ VRPRNAGIYR  300
      CIGQGQRGPP IILEATLHLA EIEDMPLFEP RVFTAGSEER VTCLPPKGLP EPSVWWEHAG  360
      VRLPTHGRVY QKGHELVLAN IAESDAGVYT CHAANLAGQR RQDVNITVAT VPSWLKKPQD  420
      SQLEEGKPGY LDCLTQATPK PTVVWYRNQM LISEDSRFEV FKNGTLRINS VEVYDGTWYR  480
      CMSSTPAGSI EAQARVQVLE KLKFTPPPQP QQCMEFDKEA TVPCSATGRE KPTIKWERAD  540
      GSSLPEWVTD NAGTLHFARV TRDDAGNYTC IASNGPQGQI RAHVQLTVAV FITFKVEPER  600
      TTVYQGHTAL LQCEAQGDPK PLIQWKGKDR ILDPTKLGPR MHIFQNGSLV IHDVAPEDSG  660
      RYTCIAGNSC NIKHTEAPLY VVDKPVPEES EGPGSPPPYK MIQTIGLSVG AAVAYIIAVL  720
      GLMFYCKKRC KAKRLQKQPE GEEPEMECLN GGPLQNGQPS ABIQEEVALT SLGSGPAATN  780
      KRHSTSDKMH FPRSSLQPIT TLGKSEFGEV FLAKAQGLEE GVAETLVLVK SLQTKDEQQQ  840
      LDFRRELEMF GKLNHANVVR LLGLCREAEP HYMVLEYVDL GDLKQFLRIS KSKDEKLKSQ  900
      PLSTKQKVAL CTQVALGMEH LSNNRFVHKD LAARNCLVSA QRQVKVSALG LSKDVYNSEY  960
      YHFRQAWVPL RWMSPEAILE GDPSTKSDVW AFGVLMWEVF THGEMPHGGQ ADDEVLADLQ 1020
      AGKARLPQPE GCPSKLYRLM QRCWALSPKD RPSFSEIASA LGDSTVDSKP
```

Seq ID NO: 668 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1389

```
      1          11         21         31         41         51
      |          |          |          |          |          |
      ATGGGCTACC AGAGGCAGGA GCCTGTCATC CCGCCGCAGA GAGATTTAGA TGACAGAGAA   60
      ACCCTTGTTT CTGAACATGA GTATAAAGAG AAAACCTGTC AGTCTGCTGC TCTTTTTAAT  120
      GTTGTCAACT CGATTATAGG ATCTGGTATA ATAGGATTGC CTTATTCAAT GAAGCAAGCT  180
      GGGTTTCCTT TGGGAATATT GCTTTTATTC TGGGTTTCAT ATGTTACGGA CTTTTCCCTT  240
      GTTTTATTGA TAAAAGGAGG GGCCCCTCTC GGAACAGATA CCTACCAGTC TTTGGTCAAT  300
      AAAACTTTCG GCTTTCCAGG GTATCTGCTC CTCTCTGTTC TTCAGTTTTT GTATCCTTTT  360
      ATAGCAATGA TAAGTTACAA TATAATAGCT GGAGATACTT TGAGCAAAGT TTTTCAAAGA  420
      ATCCCAGGAG TTGATCCTGA AAACGTGTTT ATTGGTCGCC ACTTCATTAT TGGACTTTCC  480
      ACAGTTACCT TTACTCTGCC TTTATCCTTG TACCGAAATA TAGCAAAGCT TGGAAAGGTC  540
      TCCCTCATCT CTACAGGTTT AACAACTCTG ATTCTTGGAA TTGTAATGGC AAGGGCAATT  600
      TCACTGGGTC CACACATACC AAAAACAGAA GACGCTTGGG TATTTGCAAA GCCCAATGCC  660
      ATTCAAGCGG TCGGGGTTAT GTCTTTTGCA TTTATTTGCC ACCATAACTC CTTCTTAGTT  720
      TACAGTTCTC TAGAAGAACC CACAGTAGCT AAGTGGTCCC GCCTTATCCA TATGTCCATC  780
      GTGATTTCTG TATTTATCTG TATATTCTTT GCTACATGTG GATACTTGAC ATTTACTGGC  840
      TTCACCCAAG GGGACTTATT TGAAAATTAC TGCGAGAAATG ATGACCTGGT AACATTTGGA  900
      AGATTTTGTT ATGGTGTCAC TGTCATTTTG ACATACCCTA TGGAATGCTT TGTGACAAGA  960
      GAGGTAATTG CCAATGTGTT TTTTGGTGGG AATCTTTCAT CGGTTTTCCA CATTGTTGTA 1020
      ACAGTGATGG TCATCACTGT AGCCACGCTT GTGTCATTGC TGATTGATTG CCTCGGGATA 1080
      GTTCTAGAAC TCAATGGTGT GCTCTGTGCA ACTCCCCTCA TTTTTATCAT TCCATCAGCC 1140
      TGTTATCTGA AACTGTCTGA AGAACCAAGG ACACACTCCG ATAAGATTAT GTCTTGTGTC 1200
      ATGCTTCCCA TTGGTGCTGT GGTGATGGTT TTTGGATTCG TCATGGCTAT TACAAATACT 1260
```

```
         CAAGACTGCA CCCATGGGCA GGAAATGTTC TACTGCTTTC CTGACAATTT CTCTCTCACA 1320
         AATACCTCAG AGTCTCATGT TCAGCAGACA ACACAACTTT CTACTTTAAA TATTAGTATC 1380
         TTTCAATGA
```

5
```
Seq ID NO:  669 Protein sequence
Protein Accession #: Eos sequence
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
10       MGYQRQEPVI PPQRDLDDRE TLVSEHEYKE KTCQSAALFN VVNSIIGSGI IGLPYSMKQA   60
         GFPLGILLLF WVSYVTDFSL VLLIKGGALS GTDTYQSLVN KTFGFPGYLL LSVLQFLYPF  120
         IAMISYNIIA GDTLSKVFQR IPGVDPENVF IGRHFIIGLS TVTFTLPLSL YRNIAKLGKV  180
         SLISTGLTTL ILGIVMARAI SLGPHIPKTE DAWVFAKPNA IQAVGVMSFA FICHHNSFLV  240
15       YSSLEEPTVA KWSRLIHMSI VISVFICIFP ATCGYLTPTG PTQGDLFENY CRNDDLVTFG  300
         RPFCYGVTVIL TYPMECFVTR EVIANVFPGG NLSSVPHIVV TVMVITVATL VSLLIDCLGI  360
         VLELNGVLCA TPLIFIIPSA CYLKLSEEPR THSDKIMSCV MLPIGAVVMV FGFVMAITNT  420
         QDCTHGQEMF YCFPDNFSLT NTSESHVQQT TQLSTLNISI FQ
```

20
```
Seq ID NO:  670 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1284
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
25       ATGGGCTACC AGAGGCAGGA GCCTGTCATC CCGCCGCAGA GAGGATTGCC TTATTCAATG   60
         AAGCAAGCTG GGTTTCCTTT GGGAATATTG CTTTTATTCT GGGTTTCATA TGTTACAGAC  120
         TTTTCCCTTG TTTTATTGAT AAAAGGAGGG GCCCTCTCTG AACAGATAC CTACCAGTCT  180
         TTGGTCAATA AAACTTTCGG CTTTCCAGGG TATCTGCTCC TCTCTGTTCT TCAGTTTTTG  240
         TATCCTTTTA TAGCAATGAT AAGTTACAAT ATAATAGCTG GAGATACTTT GAGCAAAGTT  300
30       TTTCAAAGAA TCCCAGGAGT TGATCCTGAA AACGTGTTTA TTGGTCGCCA CTTCATTATT  360
         GGACTTTCCA CAGTTACCTT TACTCTGCCT TTATCCTTGT ACCGAAAATAT AGCAAAGCTT  420
         GGAAAGGTCT CCCTCATCTC TACAGGTTTA ACAACTCTGA TTCTTGGAAT TGTAATGGCA  480
         AGGGCAATTT CACTGGGTCC ACACATACCA AAAACAGAAG ACGCTTGGGT ATTTGCAAAG  540
         CCCAATGCCA TTCAAGCGGT CGGGGTTATG TCTTTTGCAT TTATTTGCCA CCATAACTGT  600
35       TTCTTAGTTT ACAGTTCTCT AGAAGAACCC ACAGTAGCTA AGTGGTCCCG CCTTATCCAT  660
         ATGTCCATCG TGATTTCTGT ATTTATCTGT ATATTCTTTG CTACATGTGG ATACTTGACA  720
         TTTACTGGCT TCACCCAAGG GGACTTATTT GAAAATTACT GCAGAAATGA TGACCTGGTA  780
         ACATTTGGAA GATTTTGTTA TGGTGTCACT GTCATTTTGA CATACCCTAT GGAATGCTTT  840
         GTGACAAGAG AGGTAATTGC CAATGTGTTT TTTGGTGGGA ATCTTTCATC GGTTTTCCAC  900
40       ATTGTTGTAA CAGTGATGGT CATCACTGTA GCCACGCTTG TGTCATTGCT GATTGATTGC  960
         CTCGGGATAG TTCTAGAACT CAATGGTGTG CTCTGTGCAA CTCCCCTCAT TTTTATCATT 1020
         CCATCAGCCT GTTATCTGAA ACTGTCTGAA GAACCAAGGA CACACTCCGA TAAGATTATG 1080
         TCTTGTGTCA TGCTTCCCAT TGGTGCTGTG GTGATGGTTT TTGGATTCGT CATGGCTATT 1140
         ACAAATACTC AAGACTGCAC CCATGGGCAG GAAATGTTCT ACTGCTTTCC TGACAATTTC 1200
45       TCTCTCACAA ATACCTCAGA GTCTCATGTT CAGCAGACAA CACAACTTTC TACTTTAAAT 1260
         ATTAGTATCT TTCAACTCGA GTAA
```

50
```
Seq ID NO:  671 Protein sequence
Protein Accession #: Eos sequence
```

```
         1          11         21         31         41         51
         |          |          |          |          |          |
         MGYQRQEPVI PPQRGLPYSM KQAGFPLGIL LLFWVSYVTD PSLVLLIKGG ALSGTDTYQS   60
55       LVNKTFGFPG YLLLSVLQPL YPFIAMISYN IIAGDTLSKV FQRIPGVDPE NVFIGRHPII  120
         GLSTVTFTLP LSLYRNIAKL GKVSLISTGL TTLILGIVMA RAISLGPHIP KTEDAWVFAK  180
         PNAIQAVGVM SFAFICHHNS FLVYSSLEEP TVAKWSRLIH MSIVISVFPIC IFFPATCGYLT  240
         FTGFTQGDLF ENYCRNDDLV TPGRFCYGVT VILTYPMECF VTREVIANVF PGGNLSSVFH  300
         IVVTVMVITV ATLVSLLIDC LGIVLELNGV LCATPLIFII PSACYLKLSE EPRTHSDKIM  360
         SCVMLPIGAV VMVFGFVMAI TNTQDCTHGQ EMFYCFPDNF SLTNTSESHV QQTTQLSTLN  420
60       ISIFQLE
```

```
Seq ID NO:  672 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1203
```

65
```
         1          11         21         31         41  .      51
         |          |          |          |          |          |
         ATGGGCTACC AGAGGCAGGA GCCTGTCATC CCGCCGCAGT TTTCCCTTGT TTTATTGATA   60
70       AAAGGAGGGG CCCTCTCTGG AACAGATACC TACCAGTCTT GGGTCAATAA AACTTTCGGC  120
         TTTCCAGGGT ATCTGCTCCT CTCTGTTCTT CAGTTTTTGT ATCCTTTTAT AGCAATGATA  180
         AGTTACAATA TAATAGCTGG AGATACTTTG AGCAAAGTTT TTCAAAGAAT CCCAGGAGTT  240
         GATCCTGAAA ACGTGTTTAT TGGTCGCCAC TTCATTATTG GACTTTCCAC AGTTACCTTT  300
         ACTCTGCCTT TATCCTTGTA CCGAAATATA GCAAAGCTTG GAAAGGTCTC CCTCATCTCT  360
75       ACAGGTTTAA CAACTCTGAT TCTTGGAATT GTAATGGCAA GGGCAATTTC ACTGGGTCCA  420
         CACATACCAA AAACAGAAGA CGCTTGGGTA TTTGCAAAGC CCAATGCCAT TCAAGCGGTC  480
         GGGGTTATGT CTTTTGCATT TATTTGCCAC CATAACTCCT CTTAGTTTA CAGTTCTCTA  540
         GAAGAACCCA CAGTAGCTAA GTGGTCCCGC CTTATCCATA TGTCCATCGT GATTTCTGTA  600
         TTTATCTGTA TATTCTTTGC TACATGTGGA TACTTGACAT TTACTGGCTT CACCCAAGGG  660
80       GACTTATTTG AAAATTACTG CAGAAATGAT GACCTGGTAA CATTTGGAAG ATTTTGTTAT  720
         GGTGTCACTG TCATTTTGAC ATACCCTATG GAATGCTTTG TGACAAGAGA GGTAATTGCC  780
         AATGTGTTTT TTGGTGGGAA TCTTTCATCG GTTTTCCACA TTGTTGTAAC AGTGATGGTC  840
         ATCACTGTAG CCACGCTTGT GTCATTGCTG ATTGATTGCC TCGGGATAGT TCTAGAACTC  900
         AATGGTGTGC TCTGTGCAAC TCCCCTCATT TTTATCATTC CATCAGCCTG TTATCTGAAA  960
85       CTGTCTGAAA ACCAAGGACA CACTCCGAT AAGATTATGT CTTGTGTCAT GCTTCCCATT 1020
         GGTGCTGTGG TGATGGTTTT TGGATTCGTC ATGGCTATTA CAAATACTCA AGACTGCACC 1080
         CATGGGCAGG AAATGTTCTA CTGCTTTCCT GACAATTTCT CTCTCACAAA TACCTCAGAG 1140
         TCTCATGTTC AGCAGACAAC ACAACTTTCT ACTTTAAATA TTAGTATCTT TCAACTCGAG 1200
```

TAA

Seq ID NO: 673 Protein sequence
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MGYQRQEPVI PPQFSLVLLI KGGALSGTDT YQSLVNKTFG FPGYLLLSVL QPLYPFIAMI     60
SYNIIAGDTL SKVFQRIPGV DPENVFIGRH FIIGLSTVTF TLPLSLYRNI AKLGKVSLIS    120
TGLTTLILGI VMARAISLGP HIPKTEDAWV FAKPNAIQAV GVMSPAFICH ENSFLVYSSL    180
EEPTVAKWSR LIHMSIVISV PICIFFATCG YLTPTGPTQG DLPENYCRND DLVTFGRFCY    240
GVTVILTYPM ECFVTREVIA NVFFGGNLSS VFHIVVTVMV ITVATLVSLL IDCLGIVLEL    300
NGVLCATPLI FIIPSACYLK LSEEPRTHSD KIMSCVMLPI GAVVMVFGFV MAITNTQDCT    360
HGQEMFYCFP DNFSLTNTSE SHVQQTTQLS TLNISIFQLE                          
```

Seq ID NO: 674 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1140

```
1          11         21         31         41         51
|          |          |          |          |          |
ATGGGCTACC AGAGGCAGGA GCCTGTCATC CCGCCGCAGG TCAATAAAAC TTTCGGCTTT     60
CCAGGGTATC TGCTCCTCTC TGTTCTTCAG TTTTTGTATC CTTTTATAGC AATGATAAGT    120
TACAATATAA TAGCTGGAGA TACTTTGAGC AAAGTTTTTC AAAGAATCCC AGGAGTTGAT    180
CCTGAAAACG TGTTTATTGG TCGCCACTTC ATTATTGGAC TTTCCACAGT TACCTTTACT    240
CTGCCTTTAT CCTTGTACCG AAATATAGCA AAGCTTGGAA AGGTCTCCCT CATCTCTACA    300
GGTTTAACAA CTCTGATTCT TGGAATTGTA ATGGCAAGGG CAATTTCACT GGGTCCACAC    360
ATACCAAAAA CAGAAGACGC TTGGGTATTT GCAAAGCCCA ATGCCATTCA AGCGGTCGGG    420
GTTATGTCTT TTGCATTTAT TTGCCACCAT AACTCCTTCT TAGTTTACAG TTCTCTAGAA    480
GAACCCACAG TAGCTAAGTG GTCCCGCCTT ATCCATATGT CCATCGTGAT TTCTGTATTT    540
ATCTGTATAT TCTTTGCTAC ATGTGGATAC TTGACATTTA CTGGCTTCAC CCAAGGGGAC    600
TTATTTGAAA ATTACTGCAG AAATGATGAC CTGGTAACAT TTGGAAGATT TTGTTATGGT    660
GTCACTGTCA TTTTGACATA CCCTATGGAA TGCTTTGTGA CAAGAGAGGT AATTGCCAAT    720
GTGTTTTTTG GTGGGAATCT TTCATCGGTT TTCCACATTG TTGTAACAGT GATGGTCATC    780
ACTGTAGCCA CGCTTGTGTC ATTGCTGATT GATTGCCTCG GGATAGTTCT AGAACTCAAT    840
GGTGTGCTCT GTGCAACTCC CCTCATTTTT ATCATTCCAT CAGCCTGTTA TCTGAAACTG    900
TCTGAAGAAC CAAGGACACA CTCCGATAAG ATTATGTCTT GTGTCATGCT TCCCATTGGT    960
GCTGTGGTGA TGGTTTTTGG ATTCGTCATG GCTATTACAA ATACTCAAGA CTGCACCCAT   1020
GGGCAGGAAA TGTTCTACTG CTTTCCTGAC AAATTTCTCT CACAAAATAC CTCAGAGTCT   1080
CATGTTCAGC AGACAACACA ACTTTCTACT TTAAATATTA GTATCTTTCA ACTCGAGTAA   1140
```

Seq ID NO: 675 Protein sequence
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |          |          |
MGYQRQEPVI PPQVNKTFGP PGYLLLSVLQ FLYPFIAMIS YNIIAGDTLS KVFQRIPGVD     60
PENVFIGRHF IIGLSTVTFT LPLSLYRNIA KLGKVSLIST GLTTLILGIV MARAISLGPH    120
IPKTEDAWVP AKPNAIQAVG VMSFAPICHH NSFLVYSSLE EPTVAKWSRL IHMSIVISVP    180
ICIFFATCGY LTFTGFTQGD LFENYCRNDD LVTFGRFCYG VTVILTYPME CFVTREVIAN    240
VFFGGNLSSV FHIVVTVMVI TVATLVSLLI DCLGIVLELN GVLCATPLIF IIPSACYLKL    300
SEEPRTHSDK IMSCVMLPIG AVVMVPGFVM AITNTQDCTH GQEMFYCFPD NFSLTNTSES    360
HVQQTTQLST LNISIFQLE                                                 
```

Seq ID NO: 676 DNA sequence
Nucleic Acid Accession #: NM_006853.1
Coding sequence: 26..874

```
1          11         21         31         41         51
|          |          |          |          |          |
AGGAATCTGC GCTCGGGTTC CGCAGATGCA GAGGTTGAGG TGGCTGCGGG ACTGGAAGTC     60
ATCGGGCAGA GGTCTCACAG CAGCCAAGGA ACCTGGGGCC CGCTCCTCCC CCCTCCAGGC    120
CATGAGGATT CTGCAGTTAA TCCTGCTTGC TCTGGCAACA GGGCTTGTAG GGGGAGAGAC    180
CAGGATCATC AAGGGGTTCG AGTGCAAGCC TCACTCCCAG CCCTGGCAGG CAGCCCTGTT    240
CGAGAAGACG CGGCTACTCT GTGGGGCGAC GCTCATCGCC CCCAGATGGC TCCTGACAGC    300
AGCCCACTGC CTCAAGCCCC GCTACATAGT TCACCTGGGG CAGCACAACC TCCAGAAGGA    360
GGAGGGCTGT GAGCAGACCC GGACAGCCAC TGAGTCCTTC CCCCACCCCG GCTTCAACAA    420
CAGCCTCCCC AACAAAGACC ACCGCAATGA CATCATGCTG GTGAAGATGG CATCGCCAGT    480
CTCCATCACC TGGGCTGTGC GACCCCTCAC CCTCTCCTCA CGCTGTGTCA CTGCTGGCAC    540
CAGCTGCCTC ATTTCCGGCT GGGGCAGCAC GTCCAGCCCC CAGTTACGCC TGCCTCACAC    600
CTTGCGATGC GCCAACATCA CCATCATTGA GCACCAGAAG TGTGAGAACG CCTACCCCGG    660
CAACATCACA GACACCATGG TGTGTGCCAG CGTGCAGGAA GGGGGCAAGG ACTCCTGCCA    720
GGGTGACTCC GGGGGCCCCT TGGTCTGTAA CCAGTCTCTT CAAGGCATTA TCTCCTGGGG    780
CCAGGATCCG TGTGCGATCA CCCGAAAGCC TGGTGTCTAC ACGAAAGTCT GCAAATATGT    840
GGACTGGATC CAGGAGACGA TGAAGAACAA TTAGACTGGA CCCACCCACC ACAGCCCATC    900
ACCCTCCATT TCCACTTGGT GTTTGGTTCC TGTTCACTCT GTTAATAAGA AACCCTAAGC    960
CAAGACCCTC TACGAACATT CTTTGGGCCT CCTGGACTAC AGGAGATGCT GTCACTTAAT   1020
AATCAACCTG GGGTTCGAAA TCAGTGAGAC CTGGATTCAA ATTCTGCCTT GAAATATTGT   1080
GACTCTGGGA ATGACAACAC CTGGTTTGTT CTCTGTTGTA TCCCCAGCCC CAAAGACAGC   1140
TCCTGGCCAT ATATCAAGGT TTCAATAAAT ATTTGCTAAA TGAGTG                  
```

Seq ID NO: 677 Protein sequence
Protein Accession #: NP_006844.1

```
1          11         21         31         41         51
|          |          |          |          |          |
MRILQLILLA LATGLVGGET RIIKGFECKP HSQPWQAALF EKTRLLCGAT LIAPRWLLTA     60
```

443

```
AHCLKPRYIV HLGQHNLQKE EGCEQTRTAT ESPPHPGFNN SLPNKDHRND IMLVKMASPV    120
SITWAVRPLT LSSRCVTAGT SCLISGWGST SSPQLRLPHT LRCANITIIE HQKCENAYPG    180
NITDTMVCAS VQEGGKDSCQ GDSGGPLVCN QSLQGIISWG QDPCAITRKP GVYTKVCKYV    240
DWIQETMKNN
```

Seq ID NO: 678 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..933

```
1          11         21         31         41         51
|          |          |          |          |          |.
ATGTGCAGCA ATGGACGGTG CATCCCGGGC GCCTGGCAGT GTGACGGGCT GCCTGACTGC    60
TTCGACAAGA GTGATGAGAA GGAGTGCCCC AAGGCTAAGT CGAAATGTGG CCCGACCTTC    120
TTCCCCTGTG CCAGCGGCAT CCATTGCATC ATTGGTCGCT TCCGGTGCAA TGGGTTTGAG    180
GACTGTCCCG ATGGCAGCGA TGAAGAGAAC TGCACAGCAA ACCCTCTGCT TTGCTCCACC    240
GCCCGCTACC ACTGCAAGAA CGGCCTCTGT ATTGACAAGA GCTTCATCTG CGATGGACAG    300
AATAACTGTC AAGACAACAG TGATGAGGAA AGCTGTGAAA GTTCTCAAGA ACCCGGCAGT    360
GGGCAGGTGT TTGTGACTTC AGAGAACCAA CTTGTGTATT ACCCCAGCAT CACCTATGCC    420
ATCATCGGCA GCTCCGTCAT TTTTGTGCTG GTGGTGGCCC TGCTGGCACT GGTCTTGCAC    480
CACCAGCGGA AGCGGAACAA CCTCATGACG CTGCCCGTGC ACCGGCTGCA GCACCGTGTG    540
CTGCTGTCCC GCCTGGTGGT CCTGGACCAC CCCCACCACT GCAACGTCAC CTACAACGTC    600
AATAATGGCA TCCAGTATGT GGCCAGCCAG GCGGAGCAGA ATGCGTCGGA AGTAGGCTCC    660
CCACCCTCCT ACTCCGAGGC CTTGCTGGAC CAGAGGCCTG CGTGGTATGA CCTTCCTCCA    720
CCGCCCTACT CTTCTGACAC GGAATCTCTG AACCAAGCCG ACCTGCCCCC CTACCGCTCC    780
CGGTCCGGGA GTGCCAACAG TGCCAGCTCC CAGGCAGCCA GCAGCCTCCT GAGCGTGGAA    840
GACACCAGCC ACAGCCCGGG GCAGCCTGGC CCCCAGGAGG GCACTGCTGA GCCCAGGGAC    900
TCTGAGCCCA GCCAGGGCAC TGAAGAAGTA TAA                                 933
```

Seq ID NO:. 679 Protein sequence
Protein Accession #: Eos sequence

```
1          11         21         31         41         51
|          |          |          |    .     |          |
MCSNGRCIPG AWQCDGLPDC FDKSDEKECP KAKSKCGPTF FPCASGIHCI IGRFRCNGFE    60
DCPDGSDEEN CTANPLLCST ARYHCKNGLC IDKSFICDGQ NNCQDNSDEE SCESSQEPGS    120
GQVFVTSENQ LVYYPSITYA IIGSSVIFVL VVALLALVLH HQRKRNNLMT LPVHRLQHPV    180
LLSRLVVLDH PHHCNVTYNV NNGIQYVASQ AEQNASEVGS PPSYSEALLD QRPAWYDLPP    240
PPYSSDTESL NQADLPPYRS RSGSANSASS QAASSLLSVE DTSHSPGQPG PQEGTAEPRD    300
SEPSQGTEEV
```

Seq ID NO: 680 DNA sequence
Nucleic Acid Accession #: S78203.1
Coding sequence: 1..2190

```
1          11         21         31         41         51
|          |.         |          |          |          |
ATGAATCCTT TCCAGAAAAA TGAGTCCAAG GAAACTCTTT TTTCACCTGT CTCCATTGAA    60
GAGGTACCAC CTCGACCACC TAGCCCTCCA AAGAAGCCAT CTCCGACAAT CTGTGGCTCC    120
AACTATCCAC TGAGCATTGC CTTCATTGTG GTGAATGAAT TCTGCGAGCG CTTTTCCTAT    180
TATGGAATGA AAGCTGTGCT GATCCTGTAT TTCCTGTATT CCTGCACTG GAATGAAGAT    240
ACCTCCACAT CTATATACCA TGCCTTCAGC AGCCTCTGTT ATTTTACTCC CATCCTGGGA    300
GCAGCCATTG CTGACTCGTG GTTGGGAAAA TTCAAGACAA TCATCTATCT CTCCTTGGTG    360
TATGTGCTTG GCCATGTGAT CAAGTCCTTG GGTGCCTTAC CAATACTGGG AGGACAAGTG    420
GTACACACAG TCCTATCATT GATCGGCCTG AGTCTAATAG CTTTGGGGAC AGGGAGGCATC    480
AAACCCTGTG TGGCAGCTTT TGGTGGAGAC CAGTTTGAAG AAAAACATGC AGAGGAACGG    540
ACTAGATACT TCTCAGTCTT CTACCTGTCC ATCAATGCAG GGAGCTTGAT TTCTACATTG    600
ATCACACCCA TGCTGAGAGG AGATGTGCAA TGTTTTGGAG AAGACTGCTA TGCATTGCT    660
TTTGGAGTTC CAGGACTGCT CATGGTAATT GCACTTGTTG TGTTTGCAAT GGGAAGCAAA    720
ATATACAATA AACCACCCCC TGAAGGAAAC ATAGTGGCTC AAGTTTTCAA ATGTATCTGG    780
TTTGCTATTT CCAATCGTTT CAAGAACCGT TCTCTGGAGACA TTCCAAAGCG ACAGCACTGG    840
CTAGACTGGG CAGCTGAGAA ATATCCAAAG CAGCTCATTA TGGATGTAAA GGCACTGACC    900
AGGGTACTAT TCCTTTATAT CCCATTGCCC ATGTTCTGGG CTCTTTTGGA TCAGCAGGGT    960
TCACGATGGA CTTTGCAAGC CATCAGGATG AATAGGAATT TGGGGTTTTT TGTGCTTCAG    1020
CCGGACCAGA TGCAGGTTCT AAATCCCTTT CTGGTTCTTA TCTTCATCCC GTTGTTTGAC    1080
TTTGTCATTT ATCGTCTGGT CTCCAAGTGT GGAATTAACT TCTCATCACT TAGGAAAATG    1140
GCTGTTGGTA TGATCCTAGC GTGCCTGGCA TTTGCAGTTG CGGCAGCTGT AGAGATAAAA    1200
ATAAATGAAA TGGCCCCAGC CCAGTCAGGT CCCCAGGAGG TTTTCCTACA AGTCTTGAAT    1260
CTGGCAGATG ATGAGGTGAA GGTGACAGTG GTGGGAAATG AAAACAATTC TCTGTTGATA    1320
GAGTCCATCA AATCCTTTCA GAAAACACCA CACTATTCCA AACTGCACCT GAAAACAAAA    1380
AGCCAGGATT TTCACTTCCA CCTGAAATAT CACAAATTGT CTCTCTCTACAC TGAGCATTCT    1440
GTGCAGGAGA AGAACTGGTA CAGTCTTGTC ATTCGTGAAG ATGGGAACAG TATCTCCAGC    1500
ATGATGGTAA AGGATACAGA AAGCAAAACA ACCAATGGGA TGACAACCGT GAGGGTTTGTT    1560
AACACTTTGC ATAAAGATGT CAACATCTCC CTGAGTACGA ATACCTCTCT CAATGTTGGT    1620
GAAGACTATG GTGTGTCTGC TTATAGAACT GTGCAAAGAG GAGAATACCC TGCAGTGCAC    1680
TGTAGAACAG AAGATAAGAA CTTTTCTCTG AATTTGGGTC TTCTAGACTT TGGTGCAGCA    1740
TATCTGTTTG TTATTACTAA TAACACCAAT CAGGGTCTTC AGGCCTGGAA GATTGAAGAC    1800
ATTCCAGCCA ACAAAATGTC CATTGCGTGG CAGCTACCAC AATATGCCCT GGTTACAGCT    1860
GGGGAGGTCA TGTTCTCTGT CACAGGTCTT GAGTTTTCTT ATTCTCAGGC TCCCTCTAGC    1920
ATGAAATCTG TGCTCCAGGC AGCTTGGCTA TTGACAATTG CAGTTGGGAA TATCATCGTG    1980
CTTGTTGTGG CACAGTTCAG TGGCCTGGTA CAGTGGGCCG AATTCATTTT GTTTTCCTGC    2040
CTCCTGCTGG TGATCTGCCT GATCTTCTCC ATCATGGGCT ACTACTATGT TCCTGTAAAG    2100
ACAGAGGATA TGCGGGGTCC AGCAGATAAG CACATTCCTC ACATCCAGGG GAACATGATC    2160
AAACTAGAGA CCAAGAAGAC AAAACTCTGA                                     2190
```

Seq ID NO: 681 Protein sequence
Protein Accession #: AAB34388.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MNPFQKNESK ETLFSPVSIE EVPPRPPSPP KKPSPTICGS NYPLSIAFIV VNEFCERPSY    60
YGMKAVLILY FLYPLHWNED TSTSIYHAFS SLCYPTPILG AAIADSWLGK FKTIIYLSLV   120
YVLGHVIKSL GALPILGGQV VHTVLSLIGL SLIALGTGGI KPCVAAFGGD QFEEKHAEER   180
TRYFSVFYLS INAGSLISTF ITPMLRGDVQ CFGEDCYALA FGVPGLLMVI ALVVFAMGSK   240
IYNKPPPEGN IVAQVPKCIW PAISNRFKNR SGDIPKRQHW LDWAAEKYPK QLIMDVKALT   300
RVLPLYIPLP MFWALLDQQG SRWTLQAIRM NRNLGPPVLQ PDQMQVINPF LVLIFIPLFD   360
FVIYRLVSKC GINFSSLRKM AVGMILACLA PAVAAAVEIK INEMAPAQSG PQEVFLQVLN   420
LADDEVKVTV VGNENNSLLI ESIKSFQKTP HYSKLHLKTK SQDFHFHLKY HNLSLYTEHS   480
VQEKNWYSLV IREDGNSISS MMVKDTESKT TNGMTTVRFV NTLHKDVNIS LSTDTSLNVG   540
EDYGVSAYRT VQRGEYPAVH CRTEDKNFSL NLGLLDPGAA YLFVITNNTN QGLQAWKIED   600
IPANKMSIAW QLPQYALVTA GEVMFSVTGL EFSYSQAPSS MKSVLQAAWL LTIAVGNIIV   660
LVVAQFSGLV QWAEFILFSC LLLVICLIFS IMGYYYVPVK TEDMRGPADK HIPHIQGWMI   720
KLETKKTKL
```

Seq ID NO: 682 DNA sequence
Nucleic Acid Accession #: NM_016077.1
Coding sequence: 128..667

```
1         11        21        31        41        51
|         |         |         |         |         |
TCGCTTTGTG ATTCTTGATC CGGAACTTTG TCACCCAGGA ACCCCGGAAG AGGTAGCTCA    60
CGCGATAGAA ACGTGTTCGC TTGCCCAGAA GAAGGGAAGG CGCGAGTGAG GAAAGGAGGT   120
ACTGTAGATG CCCTCCAAAT CCTTGGTTAT GGAATATTTG GCTCATCCCA GTACACTCGG   180
CTTGGCTGTT GGAGTTGCTT GTGGCATGTG CCTGGGCTGG AGCCTTCGAG TATGCTTTGG   240
GATGCTCCCC AAAAGCAAGA CGAGCAAGAC ACACACAGAT ACTGAAAGTG AAGCAAGCAT   300
CTTGGGAGAC AGCGGGGAGT ACAAGATGAT TCTTGTGGTT CGAAATGACT TAAAGATGGG   360
AAAAGGGAAA GTGGCCGCCC AGTGCTCTCA TGCTGCTGTT TCAGCCTACA GCAGATTCAA   420
AAGAAGAAAT CCTGAAATGC TCAAACAATG GGAATACTGT GGCCAGCCCA AGGTGGTGGT   480
CAAAGCTCCT GATGAAGAAA CCCTGATTGC ATTATTGGCC CATGCAAAAA TGCTGGGACT   540
GACTGTAAGT TTAATTCAAG ATGCTGGACG TACTCAGATT GCACCAGGCT TCAAAACTGT   600
CCTAGGGATT GGGCCAGGAC CAGCAGACCT AATTGACAAA GTCACTGGTC ACCTAAAACT   660
TTACTAGGTG GACTTTGATA TGACAACAAC CCCTCCATCA CAAGTGTTTG AAGCCTGTCA   720
GATTCTAACA ACAAAAGCTG AATTTCTTCA CCCAACTTAA ATGTTCTTGA GATGAAAATA   780
AAACCTATTC CCATGTTCTA AAAAAA
```

Seq ID NO: 683 Protein sequence
Protein Accession #: NP_057161.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MPSKSLVMEY LAHPSTLGLA VGVACGMCLG WSLRVCPGML PKSKTSKTHT DTESEASILG    60
DSGEYKMILV VRNDLKMGKG KVAAQCSHAA VSAYKQIQRR NPEMLKQWEY CGQPKVVVKA   120
PDEETLIALL AHAKMLGLTV SLIQDDAGRTQ IAPGSQTVLG IGPGPADLID KVTGHLKLY
```

Seq ID NO: 684 DNA sequence
Nucleic Acid Accession #: NM_004864.1
Coding sequence: 26..952

```
1         11        21        31        41        51
|         |         |         |         |         |
CGGAACGAGG GCAACCTGCA CAGCCATGCC CGGGCAAGAA CTCAGGACGG TGAATGGCTC    60
TCAGATGCTC CTGGTGTTGC TGGTGCTCTC GTGGCTGCCG CATGGGGGCG CCCTGTCTCT   120
GGCCGAGGCG AGCCGCGCAA GTTTCCCGGG ACCCTCAGAG TTGCACTCCG AAGACTCCAG   180
ATTCCGAGAG TTGCGGAAAC GCTACGAGGA CCTGCTAACC AGGCTGCGGG CCAACCAGAG   240
CTGGGAAGAT TCGAACACCG ACCTCGTCCC GGCCCCTGCA GTCCGGATAC TCACGCCAGA   300
AGTGCGGCTG GGATCCGGCG GCCACCTGCA CCTGCGTATC TCTCGGCCG  CCCTTCCCGA   360
GGGGCTCCCC GAGGCCTCCC GCCTTCACCG GGCTCTGTTC CGGCTGTCCC CGACGGCGTC   420
AAGGTCGTGG GACGTGACAC GACCGCTGCG GCGTCAGCTC AGCCTTGCAA GACCCCCAAGC   480
GCCCGCGCTG CACCTGCGAC TGTCCGCCGCC GCCGTCGCAG TCGGACCAAC TGCTGGCAGA   540
ATCTTCGTCC GCACGGCCCC AGCTGGAGTT GCACTTGCGG CCGCAAGCCG CCAGGGGGCG   600
CCGCAGAGCG CGTGCGCGCA ACGGGGACGA CTGTCCGCTC GGGCCCGGGC GTTGCTGCCG   660
TCTGCACACG GTCCGCGCGT CGCTGGAAGA CCTGGGCTGG GCCGATTGGG TGCTGTCGCC   720
ACGGGAGGTG CAAGTGACCA TGTGCATCGG CGCGTGCCCG AGCCAGTTCC GGGCGGCAAA   780
CATGCACGCG CAGATCAAGA CGAGCCTGCA CCGCCTGAAG CCCGACACGG AGCCAGCGCC   840
CTGCTGCGTG CCCGCCAGCT ACAATCCCAT GGTGCTCATT CAAAAGACCG ACACCGGGGT   900
GTCGCTCCAG ACCTATGATG ACTTGTTAGC CAAAGACTGC CACTGCATAT GAGCAGTCCT   960
GGTCCTTCCA CTGTGCACCT CGCGCGGGGGA GGCGACCTCA GTTGTCCTGC CCTGTGGAAT  1020
GGGCTCAAGG TTCCTGAGAC ACCCGATTCC TGCCCAAACA GCTGTATTTA TATAAGTCTG  1080
TTATTTATTA TTAATTTATT GGGGTGACCT TCTTGGGGAC TCGGGGGCTG GTCTGATGGA  1140
ACTGTGTATT TATTTAAAAC TCTGGTGATA AAAATAAAGC TGTCTGAACT GTTAAAAAAA  1200
AAAA
```

Seq ID NO: 685 Protein sequence
Protein Accession #: NP_004855.1

```
1         11        21        31        41        51
|         |         |         |         |         |
MPGQELRTVN GSQMLLVLLV LSWLPHGGAL SLAEASRASF PGPSELHSED SRFRELRKRY    60
EDLLTRLRAN QSWEDSNTDL VPAPAVRILT PEVRLGSGGH LHLRISRAAL PEGLPEASRL   120
HRALFRLSPT ASRSWDVTRP LRRQLSLARP QAPALHLRLS PPPSQSDQLL AESSSARPQL   180
ELHLRPQAAR GRRRARARNG DDCPLGPGRC CRLHTVRASL EDLGWADWVL SPREVQVTMC   240
IGACPSQFRA ANMHAQIKTS LHRLKPDTEP APCCVPASYN PMVLIQKTDT GVSLQTYDDL   300
LAKDCHCI
```

Seq ID NO: 686 DNA sequence

445

Nucleic Acid Accession #: NM_002423.2
Coding sequence: 48..851

```
      1          11         21         31         41         51
      |          |          |          |          |          |
5     ACCAAATCAA CCATAGGTCC AAGAACAATT GTCTCTGGAC GGCAGCTATG CGACTCACCG   60
      TGCTGTGTGC TGTGTGCCTG CTGCCTGGCA GCCTGGCCCT GCCGCTGCCT CAGGAGGCGG  120
      GAGGCATGAG TGAGCTACAG TGGGAACAGG CTCAGGACTA TCTCAAGAGA TTTTATCTCT  180
      ATGACTCAGA AACAAAAAAT GCCAACAGTT TAGAAGCCAA ACTCAAGGAG ATGCAAAAAT  240
10    TCTTTGGCCT ACCTATAACT GGAATGTTAA ACTCCCGCGT CATAGAAATA ATGCAGAAGC  300
      CCAGATGTGG AGTGCCAGAT GTTGCAGAAT ACTCACTATT TCCAAATAGC CCAAAATGGA  360
      CTTCCAAAGT GGTCACCTAC AGGATCGTAT CATATACTCG AGACTTACCG CATATTACAG  420
      TGGATCGATT AGTGTCCAAG GCTTTAAACA TGTGGGGCAA AGAGATCCCC CTGCATTTCA  480
      GGAAAGTTGT ATGGGGAACT GCTGACATCA TGATTGGCTT TGCGCGAGGA GCTCATGGGG  540
15    ACTCCTACCC ATTTGATGGG CCAGGAAACA CGCTGGCTCA TGCCTTTGCG CCTGGGACAG  600
      GTCTCGGAGG AGATGCTCAC TTCGATGAGG ATGAACGCTG GACGGATGGT AGCAGTCTAG  660
      GGATTAACTT CCTGTATGCT GCAACTCATG AACTTGGCCA TTCTTTGGGT ATGGGACATT  720
      CCTCTGATCC TAATGCAGTG ATGTATCCAA CCTATGGAAA TGGAGATCCC CAAAATTTTA  780
      AACTTTCCCA GGATGATATT AAAGGCATTC AGAAACTATA TGGAAAGAGA AGTAATTCAA  840
20    GAAAGAAATA GAAACTTCAG GCAGAACATC CATTCATTCA TTCATTGGAT TGTATATCAT  900
      TGTTGCACAA TCAGAATTGA TAAGCACTGT TCCTCCACTC CATTTAGCAA TTATGTCACC  960
      CTTTTTTATT GCAGTTGGTT TTTGAATGTC TTTCACTCCT TTTATTGGTT AAACTCCTTT 1020
      ATGGTGTGAC TGTGTCTTAT TCCATCTATG AGCTTTGTCA GTGCGCGTAG ATGTCAATAA 1080
25    ATGTTACATA CACAAATAAA TAAAATGTTT ATTCCATGGT AAATTTA
```

Seq ID NO: 687 Protein sequence
Protein Accession #: NP_002414.1

```
       1          11         21         31         41         51
       |          |          |          |          |          |
30     MRLTVLCAVC LLPGSLALPL PQEAGGMSEL QWEQAQDYLK RPYLYDSETK NANSLEAKLK   60
       EMQKFFGLPI TGMLNSRVIE IMQKPRCGVP DVAEYSLFPN SPKWTSKVVT YRIVSYTRDL  120
       PHITVDRLVS KALNMWGKEI PLHFRKVVWG TADIMIGFAR GAHGDSYPFD GPGNTLAHAF  180
35     APGTGLGGDA HFDEDERWTD GSSLGINFLY AATHELGHSL GMGHSSDPNA VMYPTYGNGD  240
       PQNFKLSQDD IKGIQKLYGK RSNSRKK
```

Seq ID NO: 688 DNA sequence
Nucleic Acid Accession #: NM_005221.3
Coding sequence: 1..870

```
40
       1          11         21         31         41         51
       |          |          |          |          |          |
       ATGACAGGAG TGTTTGACAG AAGGGTCCCC AGCATCCGAT CCGGCGACTT CCAAGCTCCG   60
       TTCCAGACGT CCGCAGCTAT GCACCATCCG TCTCAGGAAT CGCCGAGTCT GCCCGAGTCT  120
45     TCAGCTACCG ATTCTGACTA CTACAGCCCT ACGGGGGGAG CCCCGCACGG CTACTGCTCT  180
       CCTACCTCGG CTTCCTATGG CAAAGCTCTC AACCCCTACC AGTATCAGTA TCACGGCGTG  240
       AACGGCTCCG CCGGGAGCTA CCCCAGCCAA AGCTTATGCCG ACTATAGCTA CGCTAGCTCC  300
       TACCACCAGT ACGGCGGCGC CTACAACCGC GTCCCAAGCG CCACCAACCA GCCAGAGAAA  360
       GAAGTGACCG AGCCCGAGGT GAGAATGGTG AATGGCAAAC CAAAGAAAGT TCGTAAACCC  420
50     AGGACTATTT ATTCCAGCTT TCAGCTGGCC GCATTACAGA GAAGGTTTCA GAAGACTCAG  480
       TACCTCGCCT TGCCGGAACG CGCCGAGCTG GCCGCCTCGC TGGGATTGAC ACAAACACAG  540
       GTGAAAATCT GGTTTCAGAA CAAAAGATCC AAGATCAAGA AGATCATGAA AAACGGGGAG  600
       ATGCCCCCGG AGCACAGTCC CAGCTCCAGC GACCCAATGG CGTGTAACTC GCCGCAGTCT  660
       CCAGCGGTGT GGGAGCCCCA GGGCTCGTCC CGCTCGCTCA GCCACCACCC TCATGCCCAC  720
55     CCTCCGGACCT CCAACCAGTC CCCAGCGTCC AGCTACCTGG AGAACTCTGC ATCCTGGTAC  780
       ACAAGTGCAG CCAGCTCAAT CAATTCCCAC CTGCCGCCGC CGGGGCTCCTT ACAGCACCCG  840
       CTGGCGCTGG CCTCCGGGAC ACTCTATTAG
```

Seq ID NO: 689 Protein sequence
Protein Accession #: NP_005212.1

```
60
       1          11         21         31         41         51
       |          |          |          |          |          |
       MTGVFDRRVP SIRSGDFQAP FQTSAAMHHP SQESPTLPES SATDSDYYSP TGGAPHGYCS   60
65     PTSASYGKAL NPYQYQYHGV NGSAGSYPAK AYADYSYASS YHQYGGAYNR VPSATNQPEK  120
       EVTEPEVRMV NGKPKKVRKP RTIYSSPQLA ALQRRFQKTQ YLALPERAEL AASLGLTQTQ  180
       VKIWFQNKRS KIKKIMKNGE MPPEHSPSSS DPMACNSPQS PAVWEPQGSS RSLSHHPHAH  240
       PPTSNQSPAS SYLENSASWY TSAASSINSH LPPPGSLQHP LALASGTLY
```

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

WHAT IS CLAIMED IS:

1   1.   A method of detecting a lung cancer-associated transcript in a cell
2   from a patient, the method comprising contacting a biological sample from the patient with a
3   polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence
4   as shown in Tables 1A-16.

1   2.   The method of claim 1, wherein the polynucleotide selectively
2   hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1A-16.

1   3.   The method of claim 1, wherein the biological sample is a tissue
2   sample.

1   4.   The method of claim 1, wherein the biological sample comprises
2   isolated nucleic acids.

1   5.   The method of claim 4, wherein the nucleic acids are mRNA.

1   6.   The method of claim 4, further comprising the step of amplifying
2   nucleic acids before the step of contacting the biological sample with the polynucleotide.

1   7.   The method of claim 1, wherein the polynucleotide comprises a
2   sequence as shown in Tables 1A-16.

1   8.   The method of claim 1, wherein the polynucleotide is labeled.

1   9.   The method of claim 8, wherein the label is a fluorescent label.

1   10.   The method of claim 1, wherein the polynucleotide is immobilized on
2   a solid surface.

1   11.   The method of claim 1, wherein the patient is undergoing a therapeutic
2   regimen to treat lung cancer.

1   12.   The method of claim 1, wherein the patient is suspected of having lung
2   cancer.

1   13.   A method of monitoring the efficacy of a therapeutic treatment of lung
2   cancer, the method comprising the steps of:

3   (i) providing a biological sample from a patient undergoing the therapeutic

4   treatment; and

5   (ii) determining the level of a lung cancer-associated transcript in the

6   biological sample by contacting the biological sample with a polynucleotide that selectively

7   hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16,

8   thereby monitoring the efficacy of the therapy.

1   14.   The method of claim 13, further comprising the step of: (iii) comparing

2   the level of the lung cancer-associated transcript to a level of the lung cancer-associated

3   transcript in a biological sample from the patient prior to, or earlier in, the therapeutic

4   treatment.

1   15.   The method of claim 13, wherein the patient is a human.

1   16.   A method of monitoring the efficacy of a therapeutic treatment of lung

2   cancer, the method comprising the steps of:

3   (i) providing a biological sample from a patient undergoing the therapeutic

4   treatment; and

5   (ii) determining the level of a lung cancer-associated antibody in the biological

6   sample by contacting the biological sample with a polypeptide encoded by a polynucleotide

7   that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in

8   Tables 1A-16, wherein the polypeptide specifically binds to the lung cancer-associated

9   antibody, thereby monitoring the efficacy of the therapy.

1   17.   The method of claim 16, further comprising the step of: (iii) comparing

2   the level of the lung cancer-associated antibody to a level of the lung cancer-associated

3   antibody in a biological sample from the patient prior to, or earlier in, the therapeutic

4   treatment.

1   18.   The method of claim 16, wherein the patient is a human.

1   19.   A method of monitoring the efficacy of a therapeutic treatment of lung

2   cancer, the method comprising the steps of:

3   (i) providing a biological sample from a patient undergoing the therapeutic

4   treatment; and

5   (ii) determining the level of a lung cancer-associated polypeptide in the

6   biological sample by contacting the biological sample with an antibody, wherein the antibody

7   specifically binds to a polypeptide encoded by a polynucleotide that selectively hybridizes to

8   a sequence at least 80% identical to a sequence as shown in Tables 1A-16, thereby

9   monitoring the efficacy of the therapy.

1   20.   The method of claim 19, further comprising the step of: (iii) comparing

2   the level of the lung cancer-associated polypeptide to a level of the lung cancer-associated

3   polypeptide in a biological sample from the patient prior to, or earlier in, the therapeutic

4   treatment.

1   21.   The method of claim 19, wherein the patient is a human.   -

1   22.   An isolated nucleic acid molecule consisting of a polynucleotide

2   sequence as shown in Tables 1A-16.

1   23.   The nucleic acid molecule of claim 22, which is labeled.

1   24.   The nucleic acid of claim 23, wherein the label is a fluorescent label

1   25.   An expression vector comprising the nucleic acid of claim 22.

1   26.   A host cell comprising the expression vector of claim 25.

1   27.   An isolated polypeptide which is encoded by a nucleic acid molecule

2   having polynucleotide sequence as shown in Tables 1A-16.

1   28.   An antibody that specifically binds a polypeptide of claim 27.

1   29.   The antibody of claim 28, further conjugated to an effector component.

1   30.   The antibody of claim 29, wherein the effector component is a

2   fluorescent label.

1   31.   The antibody of claim 29, wherein the effector component is a

2   radioisotope or a cytotoxic chemical.

1   32.   The antibody of claim 29, which is an antibody fragment.

1   33.   The antibody of claim 29, which is a humanized antibody

1   34.   A method of detecting a lung cancer cell in a biological sample from a
2   patient, the method comprising contacting the biological sample with an antibody of claim
3   28.

1   35.   The method of claim 34, wherein the antibody is further conjugated to
2   an effector component.

1   36.   The method of claim 35, wherein the effector component is a
2   fluorescent label.

1   37.   A method of detecting antibodies specific to lung cancer in a patient,
2   the method comprising contacting a biological sample from the patient with a polypeptide
3   encoded by a nucleic acid comprises a sequence from Tables 1A-16.

1   38.   A method for identifying a compound that modulates a lung cancer-
2   associated polypeptide, the method comprising the steps of:
3   (i) contacting the compound with a lung cancer-associated polypeptide, the
4   polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least
5   80% identical to a sequence as shown in Tables 1A-16; and
6   (ii) determining the functional effect of the compound upon the polypeptide.

1   39.   The method of claim 38, wherein the functional effect is a physical
2   effect.

1   40.   The method of claim 38, wherein the functional effect is a chemical
2   effect.

1   41.   The method of claim 38, wherein the polypeptide is expressed in a
2   eukaryotic host cell or cell membrane.

1   42.   The method of claim 38, wherein the functional effect is determined by
2   measuring ligand binding to the polypeptide.

1   43.   The method of claim 38, wherein the polypeptide is recombinant.

1   44.   A method of inhibiting proliferation of a lung cancer-associated cell to

2   treat lung cancer in a patient, the method comprising the step of administering to the subject a

3   therapeutically effective amount of a compound identified using the method of claim 38.

1   45.   The method of claim 44, wherein the compound is an antibody.

1   46.   The method of claim 45, wherein the patient is a human.

1   47.   A drug screening assay comprising the steps of

2   (i) administering a test compound to a mammal having lung cancer or a cell

3   isolated therefrom;

4   (ii) comparing the level of gene expression of a polynucleotide that selectively

5   hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16 in a

6   treated cell or mammal with the level of gene expression of the polynucleotide in a control

7   cell or mammal, wherein a test compound that modulates the level of expression of the

8   polynucleotide is a candidate for the treatment of lung cancer.

1   48.   The assay of claim 47, wherein the control is a mammal with lung

2   cancer or a cell therefrom that has not been treated with the test compound.

1   49.   The assay of claim 47, wherein the control is a normal cell or mammal.

1   50.   A method for treating a mammal having lung cancer comprising

2   administering a compound identified by the assay of claim 47.

1   51.   A pharmaceutiPcal composition for treating a mammal having lung

2   cancer, the composition comprising a compound identified by the assay of claim 47 and a

3   physiologically acceptable excipient.